



PRSB Record structure and content

Summary of DECOR information

Implementation Guideline (Publication for scenario)

Version as of 2021-05-18 18:30:57

PDF extract as of 2021-05-18 19:22:12



Publication for scenario

Transfers of care

Licenses

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

See <http://www.gnu.org/licenses/gpl.html>

The contents of this specification may be subject to other copyright and trademark laws and licensing regulations which are not specified here.

Disclaimer

The content of this publication has been carefully prepared and reviewed. However, The Professional Records Standards Body does not guarantee the accuracy, completeness or quality of the information provided, or that it is up-to-date. Liability claims against The Professional Records Standards Body in respect of material or immaterial damage caused by the use or non-use of the information offered or by inaccurate or incomplete information are in principle ruled out provided that there is no provable culpable intent or gross negligence on the institute's part.

Table of Contents

1 Project Information	21
1.1 Project	21
1.2 Professional Record Standards Body (PRSB) - better records for better care	21
1.2.1 Transfers of care.....	21
1.2.2 Integrated care records.....	21
1.2.3 Additional project information.....	22
1.2.4 Version Info	22
2 Data Sets (generic)	24
2.1 PRSB Record structure and content 2018-10-31	24
2.1.1 Properties.....	24
2.1.2 Properties.....	24
2.1.3 Properties.....	25
2.1.4 Properties.....	25
2.1.5 Properties.....	27
2.1.6 Properties.....	27
2.1.7 Properties.....	27
2.1.8 Properties.....	28
2.1.9 Properties.....	28
2.1.10 Properties.....	32
2.1.11 Properties.....	33
2.1.12 Properties.....	35
2.1.13 Properties.....	36
2.1.14 Properties.....	39
2.1.15 Properties.....	40
2.1.16 Properties.....	45
2.1.17 Properties.....	46
2.1.18 Properties.....	47
2.1.19 Properties.....	47
2.1.20 Properties.....	49
2.1.21 Properties.....	51
2.1.22 Properties.....	51
2.1.23 Properties.....	52
2.1.24 Properties.....	63
2.1.25 Properties.....	64
2.1.26 Properties.....	65
2.1.27 Properties.....	66

2.1.28 Properties.....	68
2.1.29 Properties.....	69
2.1.30 Properties.....	70
2.1.31 Properties.....	70
2.1.32 Properties.....	71
2.1.33 Properties.....	77
2.1.34 Properties.....	77
2.1.35 Properties.....	78
2.1.36 Properties.....	78
2.1.37 Properties.....	83
2.1.38 Properties.....	84
2.1.39 Properties.....	84
2.1.40 Properties.....	85
2.1.41 Properties.....	88
2.1.42 Properties.....	89
2.1.43 Properties.....	90
2.1.44 Properties.....	90
2.1.45 Properties.....	91
2.1.46 Properties.....	94
2.1.47 Properties.....	94
2.1.48 Properties.....	95
2.1.49 Properties.....	95
2.1.50 Properties.....	100
2.1.51 Properties.....	101
2.1.52 Properties.....	101
2.1.53 Properties.....	102
2.1.54 Properties.....	104
2.1.55 Properties.....	106
2.1.56 Properties.....	106
2.1.57 Properties.....	107
2.1.58 Properties.....	107
2.1.59 Properties.....	111
2.1.60 Properties.....	111
2.1.61 Properties.....	111
2.1.62 Properties.....	112
2.1.63 Properties.....	117
2.1.64 Properties.....	118
2.1.65 Properties.....	118
2.1.66 Properties.....	119

2.1.67 Properties.....	121
2.1.68 Properties.....	123
2.1.69 Properties.....	123
2.1.70 Properties.....	124
2.1.71 Properties.....	124
2.1.72 Properties.....	128
2.1.73 Properties.....	128
2.1.74 Properties.....	128
2.1.75 Properties.....	129
2.1.76 Properties.....	135
2.1.77 Properties.....	135
2.1.78 Properties.....	136
2.1.79 Properties.....	137
2.1.80 Properties.....	145
2.1.81 Properties.....	146
2.1.82 Properties.....	147
2.1.83 Properties.....	148
2.1.84 Properties.....	152
2.1.85 Properties.....	153
2.1.86 Properties.....	154
2.1.87 Properties.....	154
2.1.88 Properties.....	158
2.1.89 Properties.....	158
2.1.90 Properties.....	159
2.1.91 Properties.....	159
2.1.92 Properties.....	164
2.1.93 Properties.....	165
2.1.94 Properties.....	166
2.1.95 Properties.....	166
2.1.96 Properties.....	170
2.1.97 Properties.....	170
2.1.98 Properties.....	171
2.1.99 Properties.....	171
2.1.100 Properties	176
2.1.101 Properties	177
2.1.102 Properties	177
2.1.103 Properties	178
2.1.104 Properties	180
2.1.105 Properties	182

2.1.106 Properties	182
2.1.107 Properties	183
2.1.108 Properties	183
2.1.109 Properties	184
2.1.110 Properties	190
2.1.111 Properties	191
2.1.112 Properties	191
2.1.113 Properties	192
2.1.114 Properties	198
2.1.115 Properties	199
2.1.116 Properties	200
2.1.117 Properties	201
2.1.118 Properties	207
2.1.119 Properties	208
2.1.120 Properties	208
2.1.121 Properties	209
2.1.122 Properties	215
2.1.123 Properties	216
2.1.124 Properties	216
2.1.125 Properties	217
2.1.126 Properties	223
2.1.127 Properties	224
2.1.128 Properties	225
2.1.129 Properties	226
2.1.130 Properties	232
2.1.131 Properties	232
2.1.132 Properties	233
2.1.133 Properties	234
2.1.134 Properties	241
2.1.135 Properties	242
2.1.136 Properties	243
2.1.137 Properties	243
2.1.138 Properties	249
2.1.139 Properties	250
2.1.140 Properties	251
2.1.141 Properties	251
2.1.142 Properties	257
2.1.143 Properties	258
2.1.144 Properties	258

2.1.145 Properties	259
2.1.146 Properties	263
2.1.147 Properties	264
2.1.148 Properties	265
2.1.149 Properties	265
2.1.150 Properties	270
2.1.151 Properties	274
2.1.152 Properties	274
2.1.153 Properties	275
2.1.154 Properties	276
2.1.155 Properties	279
2.1.156 Properties	280
2.1.157 Properties	281
2.1.158 Properties	281
2.1.159 Properties	282
2.1.160 Properties	284
2.1.161 Properties	285
2.1.162 Properties	285
2.1.163 Properties	286
2.1.164 Properties	287
2.1.165 Properties	288
2.1.166 Properties	288
2.1.167 Properties	289
2.1.168 Properties	290
2.1.169 Properties	290
2.1.170 Properties	291
2.1.171 Properties	291
2.1.172 Properties	294
2.1.173 Properties	294
2.1.174 Properties	295
2.1.175 Properties	296
2.1.176 Properties	297
2.1.177 Properties	297
2.1.178 Properties	298
2.1.179 Properties	298
2.1.180 Properties	301
2.1.181 Properties	301
2.1.182 Properties	302
2.1.183 Properties	303

2.1.184 Properties	304
2.1.185 Properties	304
2.1.186 Properties	305
2.1.187 Properties	305
2.1.188 Properties	318
2.1.189 Properties	319
2.1.190 Properties	319
2.1.191 Properties	320
2.1.192 Properties	321
2.1.193 Properties	340
2.1.194 Properties	341
2.1.195 Properties	341
2.1.196 Properties	342
2.1.197 Properties	344
2.1.198 Properties	345
2.1.199 Properties	346
2.1.200 Properties	347
2.1.201 Properties	348
2.1.202 Properties	348
2.1.203 Properties	349
2.1.204 Properties	349
2.1.205 Properties	350
2.1.206 Properties	350
2.1.207 Properties	353
2.1.208 Properties	355
2.1.209 Properties	355
2.1.210 Properties	356
2.1.211 Properties	357
2.1.212 Properties	360
2.1.213 Properties	360
2.1.214 Properties	361
2.1.215 Properties	361
2.1.216 Properties	362
2.1.217 Properties	362
2.1.218 Properties	364
2.1.219 Properties	364
2.1.220 Properties	364
2.1.221 Properties	365
2.1.222 Properties	371

2.1.223 Properties	371
2.1.224 Properties	372
2.1.225 Properties	378
2.1.226 Properties	392
2.1.227 Properties	393
2.1.228 Properties	394
2.1.229 Properties	394
2.1.230 Properties	401
2.1.231 Properties	402
2.1.232 Properties	411
2.1.233 Properties	412
2.1.234 Properties	413
2.1.235 Properties	414
2.1.236 Properties	418
2.1.237 Properties	418
2.1.238 Properties	424
2.1.239 Properties	425
2.1.240 Properties	425
2.1.241 Properties	426
2.1.242 Properties	427
2.1.243 Properties	428
2.1.244 Properties	429
2.1.245 Properties	429
2.1.246 Properties	430
2.1.247 Properties	431
2.1.248 Properties	432
2.1.249 Properties	435
2.1.250 Properties	441
2.1.251 Properties	442
2.1.252 Properties	443
2.1.253 Properties	444
2.1.254 Properties	451
2.1.255 Properties	452
2.1.256 Properties	452
2.1.257 Properties	453
2.1.258 Properties	454
2.1.259 Properties	458
2.1.260 Properties	459
2.1.261 Properties	459

2.1.262 Properties	460
2.1.263 Properties	465
2.1.264 Properties	466
2.1.265 Properties	466
2.1.266 Properties	467
2.1.267 Properties	467
2.1.268 Properties	472
2.1.269 Properties	473
2.1.270 Properties	474
2.1.271 Properties	474
2.1.272 Properties	475
2.1.273 Properties	479
2.1.274 Properties	486
2.1.275 Properties	486
2.1.276 Properties	487
2.1.277 Properties	488
2.1.278 Properties	488
2.1.279 Properties	493
2.1.280 Properties	494
2.1.281 Properties	494
2.1.282 Properties	495
2.1.283 Properties	500
2.1.284 Properties	501
2.1.285 Properties	501
2.1.286 Properties	502
2.1.287 Properties	506
2.1.288 Properties	507
2.1.289 Properties	508
2.1.290 Properties	509
2.1.291 Properties	513
2.1.292 Properties	514
2.1.293 Properties	514
2.1.294 Properties	515
2.1.295 Properties	520
2.1.296 Properties	520
2.1.297 Properties	521
2.1.298 Properties	522
2.1.299 Properties	527
2.1.300 Properties	528

2.1.301 Properties	528
2.1.302 Properties	529
2.1.303 Properties	534
2.1.304 Properties	535
2.1.305 Properties	535
2.1.306 Properties	536
2.1.307 Properties	541
2.1.308 Properties	550
2.1.309 Properties	550
2.1.310 Properties	554
2.1.311 Properties	555
2.1.312 Properties	555
2.1.313 Properties	555
2.1.314 Properties	555
2.1.315 Properties	556
2.1.316 Properties	556
2.1.317 Properties	556
2.1.318 Properties	557
2.1.319 Properties	558
2.1.320 Properties	559
2.1.321 Properties	560
2.1.322 Properties	561
2.1.323 Properties	564
2.1.324 Properties	564
2.1.325 Properties	565
2.1.326 Properties	566
2.1.327 Properties	571
2.1.328 Properties	577
2.1.329 Properties	578
2.1.330 Properties	579
2.1.331 Properties	579
2.1.332 Properties	584
2.1.333 Properties	585
2.1.334 Properties	586
2.1.335 Properties	587
2.1.336 Properties	588
2.1.337 Properties	589
2.1.338 Properties	589
2.1.339 Properties	590

2.1.340 Properties	598
2.1.341 Properties	599
2.1.342 Properties	600
2.1.343 Properties	600
2.1.344 Properties	609
2.1.345 Properties	610
2.1.346 Properties	610
2.1.347 Properties	611
2.1.348 Properties	622
2.1.349 Properties	622
2.1.350 Properties	623
2.1.351 Properties	624
2.1.352 Properties	636
2.1.353 Properties	637
2.1.354 Properties	638
2.1.355 Properties	648
2.1.356 Properties	648
2.1.357 Properties	649
2.1.358 Properties	650
2.1.359 Properties	658
2.1.360 Properties	658
2.1.361 Properties	660
2.1.362 Properties	660
2.1.363 Properties	664
2.1.364 Properties	671
2.1.365 Properties	672
2.1.366 Properties	672
2.1.367 Properties	673
2.1.368 Properties	677
2.1.369 Properties	677
2.1.370 Properties	678
2.1.371 Properties	679
2.1.372 Properties	679
2.1.373 Properties	685
2.1.374 Properties	686
2.1.375 Properties	686
2.1.376 Properties	687
2.1.377 Properties	688
2.1.378 Properties	693

2.1.379 Properties	693
2.1.380 Properties	694
2.1.381 Properties	695
2.1.382 Properties	695
2.1.383 Properties	700
2.1.384 Properties	700
2.1.385 Properties	701
2.1.386 Properties	702
2.1.387 Properties	702
2.1.388 Properties	707
2.1.389 Properties	707
2.1.390 Properties	708
2.1.391 Properties	709
2.1.392 Properties	714
2.1.393 Properties	715
2.1.394 Properties	715
2.1.395 Properties	716
2.1.396 Properties	721
2.1.397 Properties	722
2.1.398 Properties	722
2.1.399 Properties	723
2.1.400 Properties	728
2.1.401 Properties	729
2.1.402 Properties	729
2.1.403 Properties	730
2.1.404 Properties	731
2.1.405 Properties	732
2.1.406 Properties	733
2.1.407 Properties	735
2.1.408 Properties	736
2.1.409 Properties	737
2.1.410 Properties	739
2.1.411 Properties	739
2.1.412 Properties	740
2.1.413 Properties	743
2.1.414 Properties	744
2.1.415 Properties	744
2.1.416 Properties	745
2.1.417 Properties	746

2.1.418 Properties	747
2.1.419 Properties	753
2.1.420 Properties	754
2.1.421 Properties	755
2.1.422 Properties	756
2.1.423 Properties	757
2.1.424 Properties	757
2.1.425 Properties	759
2.1.426 Properties	760
2.1.427 Properties	760
2.1.428 Properties	762
2.1.429 Properties	762
2.1.430 Properties	764
2.1.431 Properties	766
2.1.432 Properties	769
2.1.433 Properties	770
2.1.434 Properties	770
2.1.435 Properties	771
2.1.436 Properties	775
2.1.437 Properties	776
2.1.438 Properties	776
2.1.439 Properties	776
2.1.440 Properties	776
2.1.441 Properties	777
2.1.442 Properties	777
2.1.443 Properties	778
2.1.444 Properties	778
2.1.445 Properties	779
2.1.446 Properties	779
2.1.447 Properties	780
2.1.448 Properties	781
2.1.449 Properties	785
2.1.450 Properties	785
2.1.451 Properties	785
2.1.452 Properties	786
2.1.453 Properties	786
2.1.454 Properties	786
2.1.455 Properties	786
2.1.456 Properties	787

2.1.457 Properties	787
2.1.458 Properties	789
2.1.459 Properties	789
2.1.460 Properties	790
2.1.461 Properties	792
2.1.462 Properties	794
2.1.463 Properties	795
2.1.464 Properties	795
2.1.465 Properties	796
2.1.466 Properties	803
2.1.467 Properties	804
2.1.468 Properties	804
2.1.469 Properties	804
2.1.470 Properties	805
2.1.471 Properties	805
2.1.472 Properties	805
2.1.473 Properties	806
2.1.474 Properties	806
2.1.475 Properties	808
2.1.476 Properties	810
2.1.477 Properties	811
2.1.478 Properties	813
2.1.479 Properties	816
2.1.480 Properties	817
2.1.481 Properties	817
2.1.482 Properties	818
2.1.483 Properties	823
2.1.484 Properties	823
2.1.485 Properties	823
2.1.486 Properties	824
2.1.487 Properties	824
2.1.488 Properties	824
2.1.489 Properties	825
2.1.490 Properties	825
2.1.491 Properties	825
2.1.492 Properties	827
2.1.493 Properties	830
2.1.494 Properties	832
2.1.495 Properties	833

2.1.496 Properties	836
2.1.497 Properties	837
2.1.498 Properties	838
2.1.499 Properties	839
2.1.500 Properties	843
2.1.501 Properties	844
2.1.502 Properties	844
2.1.503 Properties	844
2.1.504 Properties	845
2.1.505 Properties	845
2.1.506 Properties	845
2.1.507 Properties	846
2.1.508 Properties	846
2.1.509 Properties	848
2.1.510 Properties	851
2.1.511 Properties	853
2.1.512 Properties	855
2.1.513 Properties	858
2.1.514 Properties	858
2.1.515 Properties	859
2.1.516 Properties	860
2.1.517 Properties	864
2.1.518 Properties	864
2.1.519 Properties	864
2.1.520 Properties	865
2.1.521 Properties	865
2.1.522 Properties	865
2.1.523 Properties	865
2.1.524 Properties	866
2.1.525 Properties	866
2.1.526 Properties	868
2.1.527 Properties	871
2.1.528 Properties	872
2.1.529 Properties	874
2.1.530 Properties	876
2.1.531 Properties	877
2.1.532 Properties	877
2.1.533 Properties	878
2.1.534 Properties	882

2.1.535 Properties	883
2.1.536 Properties	884
2.1.537 Properties	885
2.1.538 Properties	885
2.1.539 Properties	886
2.1.540 Properties	886
2.1.541 Properties	886
2.1.542 Properties	892
2.1.543 Properties	909
2.1.544 Properties	910
2.1.545 Properties	910
2.1.546 Properties	911
2.1.547 Properties	913
2.1.548 Properties	914
2.1.549 Properties	914
2.1.550 Properties	915
2.1.551 Properties	919
2.1.552 Properties	920
2.1.553 Properties	920
2.1.554 Properties	921
2.1.555 Properties	922
2.1.556 Properties	932
2.1.557 Properties	933
2.1.558 Properties	934
2.1.559 Properties	934
2.1.560 Properties	940
2.1.561 Properties	941
2.1.562 Properties	942
2.1.563 Properties	942
2.1.564 Properties	949
2.1.565 Properties	950
2.1.566 Properties	951
2.1.567 Properties	952
2.1.568 Properties	961
2.1.569 Properties	962
2.1.570 Properties	962
2.1.571 Properties	963
2.1.572 Properties	970
2.1.573 Properties	971

2.1.574 Properties	971
2.1.575 Properties	972
2.1.576 Properties	973
2.1.577 Properties	973
2.1.578 Properties	978
2.1.579 Properties	979
2.1.580 Properties	979
2.1.581 Properties	980
2.1.582 Properties	984
2.1.583 Properties	985
2.1.584 Properties	986
2.1.585 Properties	987
2.1.586 Properties	992
2.1.587 Properties	992
2.1.588 Properties	993
2.1.589 Properties	994
2.1.590 Properties	998
2.1.591 Properties	999
2.1.592 Properties	1000
2.1.593 Properties	1000
2.1.594 Properties	1007
2.1.595 Properties	1007
2.1.596 Properties	1008
2.1.597 Properties	1009
2.1.598 Properties	1013
2.1.599 Properties	1013
2.1.600 Properties	1014
2.1.601 Properties	1015
2.1.602 Properties	1019
2.1.603 Properties	1020
2.1.604 Properties	1021
2.1.605 Properties	1021
2.1.606 Properties	1022
2.1.607 Properties	1025
2.1.608 Properties	1041
2.1.609 Properties	1041
2.1.610 Properties	1042
2.1.611 Properties	1043
2.1.612 Properties	1052

2.1.613 Properties	1052
2.1.614 Properties	1053
2.1.615 Properties	1054
2.1.616 Properties	1056
2.1.617 Properties	1057
2.1.618 Properties	1058
2.1.619 Properties	1058
2.1.620 Properties	1066
2.1.621 Properties	1068
2.1.622 Properties	1072
2.1.623 Properties	1072
2.1.624 Properties	1074
2.1.625 Properties	1074
2.1.626 Properties	1088
2.1.627 Properties	1088
2.1.628 Properties	1089
2.1.629 Properties	1090
2.1.630 Properties	1097
2.1.631 Properties	1098
2.1.632 Properties	1099
2.1.633 Properties	1100
2.1.634 Properties	1108
2.1.635 Properties	1109
2.1.636 Properties	1110
2.1.637 Properties	1111
2.1.638 Properties	1120
2.1.639 Properties	1121
2.1.640 Properties	1122
2.1.641 Properties	1123
2.1.642 Properties	1143
2.1.643 Properties	1144
2.1.644 Properties	1145
2.1.645 Properties	1145
3 Scenarios	1147
3.1 Community Pharmacy Standard 2021-01-26 11:38:36	1147
4 Identifiers	1417
4.1 Identifiers	1417
4.1.1 LOINC 2.16.840.1.113883.6.1	1417

4.1.2 Snomed-CT 2.16.840.1.113883.6.96	1417
4.2 List of Template Identifiers used in this project	1417
4.3 List of Value Set Identifiers used in this project	1417
5 Publication for scenario	1418

1 Project Information

1.1 Project

1.2 Professional Record Standards Body (PRSB) - better records for better care

The PRSB develops national standards for the structure and content of health and social care records. These cover, for example, hospital referral letters, handover communications, discharge summaries, and inpatient and outpatient letters.

The standards are currently published in the form of a final report with supporting documents including: information models and implementation guidance. The information models are published in the following formats:

- Mind maps
- Microsoft Word Documents and
- Excel spreadsheets

Many of the information models are common across the range of standards we have now developed, and we needed a tool to support all aspects of managing the models through their full life cycle including development and maintenance.

1.2.1 Transfers of care

- Admission record: the clinical, professional and personal information recorded in the hospital admission record at the time of admission.
- Handover record: handover of care from one professional or team to another including out of hours handover, or at the weekend.
- Discharge records: the information recorded in all discharge records sent from hospital services (including acute care discharge, mental health discharge and emergency care discharge) to GPs.
- Outpatient letters: the information recorded in an outpatient setting/ appointment including the initial and follow up outpatient visits and information in the outpatient letter sent to the GP and patient.
- Crisis care: the information shared between GPs and primary care with emergency care, ambulance services and community care during an emergency or acute episode.
- Clinical referral information: the information recorded in communication between GPs and consultants, copied to the patient. This may include other types of referrals. (Section Seven)

1.2.2 Integrated care records

- Healthy child record: the information recorded by the multi-disciplinary team on screening tests, immunisations and developmental milestones that should be accessible to ensure that children receive appropriate care.
- Digital care and support plan: the information recorded in a multi-disciplinary care and support plan including clinical, professional as well as the patient's own preferences and needs.

1.2.3 Additional project information

Properties	
Prefix: prsb03- Default language: en-GB	
Publication location	Project overview
http://pub.art-decor.org/prsb/	Project index
Disclaimer	
<p>The content of this publication has been carefully prepared and reviewed. However, The Professional Records Standards Body does not guarantee the accuracy, completeness or quality of the information provided, or that it is up-to-date. Liability claims against The Professional Records Standards Body in respect of material or immaterial damage caused by the use or non-use of the information offered or by inaccurate or incomplete information are in principle ruled out provided that there is no provable culpable intent or gross negligence on the institute's part.</p>	
List of Authors	
<ul style="list-style-type: none"> ▪ Administrator ▪ Dr. Kai Heitmann ▪ Sandip Kaur ▪ Tom Hobbs ▪ Martin Orton ▪ Jan Hoogewerf ▪ Darren Wooldridge ▪ Haroldas Petkus ▪ Nicola Quinn ▪ Sheena Jagjiwan ▪ Alannah McGovern ▪ Kasmyn Chen ▪ Holly Kearn ▪ Sarah Jackson ▪ Annette Gilmore ▪ James Critchlow ▪ Ejeh Kingsley ▪ Max Gattlin ▪ Fatima Haidaree ▪ Sharon Hanley 	

1.2.4 Version Info

Date	By	Description
2021-05-18 18:30:57	Sandip Kaur	<p>Official Release: Version 3.1 Community pharmacy standard</p> <p>Updated due to feedback from NHS digital on sex and gender and value sets for Medication name and Vaccine product</p>
2021-05-05 16:26:15	Sandip Kaur	<p>Official Release: Version 3.0 Transfers of care</p> <p>Final draft of transfers of care standards, pre endorsement.</p> <p>Maintenance release 2 of the transfer of care standards version 3.</p>

		Updates to align with more structured sections and updated terminology and classifications. Also NHS digitals three year standard review as part of the support contract.
2021-04-26 13:45:58	Sandip Kaur	Official Release: Version 1.4 Personalised care and support plan
2021-04-21 13:57:55	Sandip Kaur	Issues updated with performing professional and person completing record Official Release: Version 1.2 Urgent transfer from care home to hospital Name change to urgent transfer from care home to hospital
2021-04-21 13:02:58	Sandip Kaur	Official Release: Version 1.2 Updated after Sam's comments
2021-04-12 16:34:15	Sandip Kaur	Official Release: Version 1.3 Personalised care and support plan Updates to personalised care and support plan from community mental health project
2021-04-12 12:26:08	Sandip Kaur	Official Release: Version 1.1 Local authority information Updated version after observations for website viewer
2021-04-12 11:08:49	Sandip Kaur	Official Release: Version 1.1 Urgent referral and Hospital referral Updated version after observation update for website viewer
2021-04-09 18:21:51	Sandip Kaur	Official Release: Version 1.1 About me and Care home information Updated version after updates and finalisation for website viewer
2021-04-09 17:07:37	Sandip Kaur	Official Release: Version 2.0 Community pharmacy standard Version 2 of the consolidated community pharmacy standard
2021-03-07 23:56:39	Sandip Kaur	Official Release: Version 1.0 Health and care integration standards Updated terminology and classification mappings and proceeded with endorsement
2020-11-23 16:39:43	Sandip Kaur	Version 1.1 Community pharmacy standard - consolidation and review
2020-11-16 18:55:24	Sandip Kaur	Official Release: Version 0.4 Health and care integration standards Draft models for the health and care integration programme
2019-07-18 15:27:45	Sandip Kaur	Official Release Version 1a - publication of the core information standard
2019-07-11 12:44:58	Sandip Kaur	Version 1 - publication of the core information standard.

2 Data Sets (generic)

2.1 🌟 PRSB Record structure and content 2018-10-31

Name	Id
🟡 PRSB Record structure and content (1)	
Version / effective date	Expiration date
Description	
PRSB Record structure and content	
Expand All	Collapse All
Show column...	
Name	Details [-]
✖ test	prsb03-dataelement-10684
Id	prsb03-dataelement-10684 (2018-11-28 12:58:48)
Value Domain	
📁 🟡 Patient demographics	prsb03-dataelement-116
Id	prsb03-dataelement-116 (2018-10-31)
Description	Patient Demographics
🟡 Patient name	prsb03-dataelement-10016
Id	prsb03-dataelement-10016 (2018-10-31)
Description	The full name of the person.
2.1.1 Properties	
FHIR	Patient.name
Operationalization	The legal name of the patient from the Patient Demographics Service (PDS), or the name volunteered by the patient.
Value Domain	
🟡 Patient preferred name	prsb03-dataelement-10017
Id	prsb03-dataelement-10017 (2018-10-31)
Description	The name by which a patient wishes to be addressed.
2.1.2 Properties	
FHIR	Patient.name

Operationalization The preferred name volunteered by the patient and recorded on the Patient Administration System (PAS), or a preferred name given by PDS that the patient has asked to be called by.

Value Domain



Date of birth

prsb03-dataelement-10018

Id prsb03-dataelement-10018 (2018-10-31)

Description The date of birth of the patient.

2.1.3 Properties

FHIR	Patient.birthDate
------	-------------------

Operationalization The date of birth of the patient taken from PDS, or the date of birth volunteered by the patient (as recorded on the PAS (Patient Administration System). The date of birth will be as precise as possible, but should at least contain a year

Value Domain



Gender

prsb03-dataelement-10019

Id prsb03-dataelement-10019 (2018-10-31)



There is an open issue with this item:

- prsb03-issue-38: *Gender* ()

Description The person's stated gender.

2.1.4 Properties

FHIR	Patient.gender
------	----------------

Operationalization PERSON STATED GENDER CODE is self-declared or inferred by observation for those unable to declare their PERSON STATED GENDER.1 Male2 Female9 Indeterminate (unable to be classified as either male or female)X not known (not recorded)

or

Sent as per the ECDS Person Stated Gender code set:

1 Male

2 Female

9 Indeterminate

X Unknown

Value Domain



Person alias

prsb03-dataelement-10020

Id prsb03-dataelement-10020 (2018-10-31)

Description Record details where a person is known to use assumed identities to access health and care services.

Operationalization Other name(s) associated with the person which may be recorded on the local PAS.

Value Domain



Ethnicity

prsb03-dataelement-10021

Id prsb03-dataelement-10021 (2018-10-31)

Description The ethnicity of a person as specified by the person.

Operationalization The ethnic category codes defined in the 2001 national census or the Office for National Statistics (ONS) ethnic category codes should be used.

Value Domain



Religion

prsb03-dataelement-10022

Id prsb03-dataelement-10022 (2018-10-31)

Description The religious affiliation as specified by the person.

Operationalization The religious affiliation as volunteered by the person. Use SNOMED CT subset 10791000000130 or free text.

Value Domain



Used by 0 transactions, 0 templates, inherited once



Religion

prsb03-dataelement-10875

Id prsb03-dataelement-10875 (2019-03-27 19:12:11)

Concept inherits from prsb03-dataelement-10022 (2018-10-31)

Description The religious affiliation as specified by the person.

Operationalization The religious affiliation as volunteered by the person. Use SNOMED CT subset 10791000000130 or free text.

Value Domain



Sex

prsb03-dataelement-10023

Id prsb03-dataelement-10023 (2018-10-31)

Description The person's phenotypic sex. Determines how the person will be treated clinically.

Operationalization Sent as per the NHS Data Dictionary: person phenotypic sex classification

Value Domain



NHS number

prsb03-dataelement-10024

Id	prsb03-dataelement-10024 (2018-10-31)
Description	The unique identifier for a patient within the NHS in England and Wales.

2.1.5 Properties

FHIR Patient.identifier.nhsnumber

Operationalization	Sent as per the NHS Data Dictionary NHS number. Traced and verified NHS Numbers only should be used i.e. NHS number status indicator code: value 01. If there is no NHS number then this data item should be reported as null and other unique identifiers will need to flow.
--------------------	---

Value Domain

 Other identifier	prsb03-dataelement-10025
--	--------------------------

Id	prsb03-dataelement-10025 (2018-10-31)
Description	Country specific or local identifier, e.g., Community Health Index (CHI) in Scotland.
Operationalization	Recorded as per NHS Data Dictionary: - Local patient identifier, -Local patient identified (extended), -Health and Care number, -Community Health Index number

Value Domain

 Patient address	prsb03-dataelement-10026
---	--------------------------

Id	prsb03-dataelement-10026 (2018-10-31)
Description	Patient's usual place of residence.

2.1.6 Properties

FHIR Patient.Address

Operationalization	Sent in accordance with the NHS Data Dictionary: patient usual address. May be auto generated from PDS, GP referral record, or from the local PAS.
--------------------	--

Value Domain

 Patient email address	prsb03-dataelement-10027
---	--------------------------

Id	prsb03-dataelement-10027 (2018-10-31)
Description	Email address of the patient

2.1.7 Properties

FHIR Patient.telecom

Operationalization	Set in accordance with the NHS Data Dictionary: contact email address (patient or lead contact). May be auto generated from PDS, GP referral record, or from the local PAS.
--------------------	---

Value Domain

 Patient telephone number	prsb03-dataelement-10028
--	--------------------------

Id	prsb03-dataelement-10028 (2018-10-31)
Description	Telephone contact details of the patient. To include, e.g., mobile, work and home number if available.

2.1.8 Properties

FHIR Patient.telecom

Operationalization	Contact details may come from PDS, or those recorded on the local PAS. Both the actual contact number and its use (work number, home number, mobile number etc).
--------------------	--

Value Domain

 Relevant contacts	prsb03-dataelement-10029
---	--------------------------

Id	prsb03-dataelement-10029 (2018-10-31)
----	---------------------------------------

Description	Include the most important contacts including:
-------------	--

* Personal contacts e.g., next of kin, in case of emergency contact, lasting power of attorney, dependents, informal carers etc.

* Health/care professional contacts e.g., social worker, hospital clinician, care coordinator, key worker, Independent Mental Capacity Advocate (IMCA) etc.

Name, relationship, role (if formal role), contact details and availability, e.g. out of hours.

2.1.9 Properties

FHIR Patient.contact

Operationalization	Details of relevant contacts, such as carers or family members, as recorded on the local system, or volunteered by the patient. This will be a free text list of relevant contacts.
--------------------	---

Value Domain

Used by	0 transactions, 0 templates, inherited once
---------	---

 Communication preferences	prsb03-dataelement-10030
---	--------------------------

Id	prsb03-dataelement-10030 (2018-10-31)
----	---------------------------------------

Description	Preferred contact method, e.g., sign language, letter, phone, etc. Also preferred written communication format, e.g., large print, braille.
-------------	---

Operationalization	Derived from the PDS - communication preferences
--------------------	--

Value Domain

 Place of birth	prsb03-dataelement-10031
--	--------------------------

Id	prsb03-dataelement-10031 (2018-10-31)
----	---------------------------------------

Description The town and country of birth of the patient

Value Domain

 Marital status	prsb03-dataelement-10032
--	--------------------------

Id prsb03-dataelement-10032 (2018-10-31)

Description An indicator to identify the legal marital status of the patient

Value Domain

 Date of death	prsb03-dataelement-10033
---	--------------------------

Id prsb03-dataelement-10033 (2018-10-31)

Description The date of death of the patient (if applicable)

Value Domain

 Time of death	prsb03-dataelement-10034
---	--------------------------

Id prsb03-dataelement-10034 (2018-10-31)

Description The time of death of the patient (if applicable)

Value Domain

 Educational establishment	prsb03-dataelement-10035
---	--------------------------

Id prsb03-dataelement-10035 (2018-10-31)

Description If the person is a child, name and address of where the child attends, eg play group, nursery, school.

Operationalization Free text or ODS code where available.

Value Domain

 Used by 0 transactions, 0 templates, inherited once

 Test	prsb03-dataelement-13091
--	--------------------------

Id prsb03-dataelement-13091 (2020-06-11 12:26:59) 1

Description Test

 test record entry	prsb03-dataelement-13092
---	--------------------------

Id prsb03-dataelement-13092 (2020-06-11 12:27:47) 1

 medications heading	prsb03-dataelement-13093
---	--------------------------

Id prsb03-dataelement-13093 (2020-06-11 12:28:17) 1

📁🟡 Person demographics

prsb03-dataelement-10868

Id prsb03-dataelement-10868 (2019-03-27 19:02:25)

Description The person's details and contact information.

⌚ Used by 14 transactions, 0 templates, inherited 0 times

📁🟡 Person name

prsb03-dataelement-10869

Id prsb03-dataelement-10869 (2019-03-27 19:05:18) 1

Description Details of the person's name

Relationship Patient name (*prsb03-dataelement-10016 - 2018-10-31*)

⌚ Used by 14 transactions, 0 templates, inherited 0 times

🟡 Person first name

prsb03-dataelement-13799

Id prsb03-dataelement-13799 (2020-11-09 16:09:39)

Description The first name(s) of the person. This includes middle names.

Rationale Patient.name.given

Operationalization NHS data dictionary :- Person given name

Value Domain

max length

35

⌚ Used by one transaction, 0 templates, inherited 0 times

🟡 Person family name

prsb03-dataelement-13800

Id prsb03-dataelement-13800 (2020-11-09 16:43:41)

Description The family name or surname of the person

Rationale Patient.name.family

Operationalization NHS data dictionary : - Person family name

Value Domain

max length

⌚ Used by one transaction, 0 templates, inherited 0 times

🟡 Person preferred name

prsb03-dataelement-10870

Id	prsb03-dataelement-10870 (2019-03-27 19:06:43)
Description	The name by which a person wishes to be addressed. The preferred name volunteered by the person or a preferred name given by PDS that the person has asked to be called by.
Relationship	Patient preferred name (<i>prsb03-dataelement-10017 - 2018-10-31</i>)
Rationale	Patient.name
Operationalization	NHS data dictionary: - Person full name

Value Domain

Property

max length

70

⌚ Used by one transaction, 0 templates, inherited 0 times

🟡 Title

prsb03-dataelement-13089

Id	prsb03-dataelement-13089 (2020-06-04 17:22:32) 0.1
Description	Person's title
Rationale	Patient.name.prefix
Operationalization	NHS data dictionary: - Person title

Value Domain

Property

max length

35

⌚ Used by one transaction, 0 templates, inherited 0 times

🟡 Person name suffix

prsb03-dataelement-13798

Id	prsb03-dataelement-13798 (2020-11-08 22:52:48)
Description	A textual suffix that may be added to the end of a PERSON's name, for example, OBE, MBE, BSc, JP, GM
Rationale	Patient.name.suffix
Operationalization	NHS data dictionary: - Person suffix

Value Domain

Property

max length

35



Person full name

prsb03-dataelement-13801

Id

prsb03-dataelement-13801 (2020-11-09 17:03:29)

Description

The full name of the person in text representation.

Rationale

Patient.name.text

Operationalization

NHS data dictionary :- Patient full name

Value Domain

Property

max length

70



Used by

14 transactions, 0 templates, inherited 0 times



Date of birth

prsb03-dataelement-10871

Id

prsb03-dataelement-10871 (2019-03-27 19:08:01) 1

Description

The date of birth of the person.

2.1.10 Properties

FHIR Patient.birthDate

Relationship Date of birth (*prsb03-dataelement-10018 - 2018-10-31*)

Rationale Patient.birthdate

Source NHS NSS : - <https://www.ndc.scot.nhs.uk/Dictionary-A-Z/Definitions/index.asp?Search=D&ID=186&Title=Date%20of%20Birth>

Operationalization NHS data dictionary:- Person birth date

Value Domain

Property

Timestamp precision

day, month and year



Used by

14 transactions, 0 templates, inherited 0 times



Time of birth

prsb03-dataelement-13803

Id	prsb03-dataelement-13803 (2020-11-20 17:04:14)
Description	The time of birth of the person
Rationale	Patient.extension(patient-birthTime)
Operationalization	NHS data dictionary :- Person birth time
Value Domain	

 Gender	prsb03-dataelement-10872
--	--------------------------

Id	prsb03-dataelement-10872 (2019-03-27 19:08:52) 1
Description	The person's stated gender.

2.1.11 Properties

FHIR	Patient.gender
------	----------------

Relationship	Gender (<i>prsb03-dataelement-10019 - 2018-10-31</i>)
--------------	---

Rationale	Patient.gender
-----------	----------------

Source	NHS Wales : - https://fhir.standards.wales/CodeSystem/GenderIdentity
--------	---

Operationalization	NHS data dictionary :- Person stated gender code
--------------------	--

Value Domain	
--------------	--

Property	
----------	--

max length

1

 Used by	14 transactions, 0 templates, inherited 0 times
---	---

 Person alias	prsb03-dataelement-10873
--	--------------------------

Id	prsb03-dataelement-10873 (2019-03-27 19:10:48) 1
----	--

Description	Other name(s) associated with the person.
-------------	---

Relationship	Person alias (<i>prsb03-dataelement-10020 - 2018-10-31</i>)
--------------	---

Operationalization	Free text
--------------------	-----------

Value Domain	
--------------	--

Property	
----------	--

max length

70

 Ethnicity	prsb03-dataelement-10874
---	--------------------------

Id	prsb03-dataelement-10874 (2019-03-27 19:11:37) 1
----	--

Description	The ethnicity of the person as specified by the person.
Relationship	Ethnicity (<i>prsb03-dataelement-10021 - 2018-10-31</i>)
Rationale	Patient.extension(ethnicCategory)
Source	NHS_Wales: https://fhir.standards.wales/CodeSystem/DataStandardsWales-Ethnicity NHS_NSS: https://www.ndc.scot.nhs.uk/Dictionary-A-Z/Definitions/index.asp?Search=E&ID=243&Title=Ethnic%20Group
Operationalization	NHS data dictionary :- Ethnic category
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 2 </div>
Used by	4 transactions, 0 templates, inherited 0 times

Religion

prsb03-dataelement-10876

Id	prsb03-dataelement-10876 (2019-03-27 19:15:05) 1
Description	The religious affiliation as specified by the person.
Relationship	Religion (<i>prsb03-dataelement-10022 - 2018-10-31</i>)
Rationale	Patient.extension(religiousAffiliation)
Source	NHS NSS: - https://www.ndc.scot.nhs.uk/Dictionary-A-Z/Definitions/index.asp?Search=R&ID=795&Title=Religion
Operationalization	SNOMED_CT: ^999000531000000100 Religious or other belief system affiliation simple reference set (foundation metadata concept)

Value Domain

Sex

prsb03-dataelement-10877

Id	prsb03-dataelement-10877 (2019-03-27 19:15:45) 1
	 There is an open issue with this item: <ul style="list-style-type: none"> ▪ prsb03-issue-39: Sex ()
Description	The person's phenotypic sex. Determines how the person will be treated clinically.
Relationship	Sex (<i>prsb03-dataelement-10023 - 2018-10-31</i>)
Operationalization	NHS data dictionary: - person phenotypic sex

Value Domain

Property

max length

1

Used by one transaction, 0 templates, inherited 0 times

 NHS number	prsb03-dataelement-10879
--	--------------------------

Id prsb03-dataelement-10879 (2019-03-27 19:16:57) 1

Description The unique identifier for a person within the NHS in England and Wales.

2.1.12 Properties

FHIR Patient.identifier.nhsnumber

Relationship NHS number (*prsb03-dataelement-10024 - 2018-10-31*)

Rationale Patient.identifier(nhsnumber)

Operationalization NHS data dictionary:- NHS number

Value Domain

Property

max length

10

 Used by 14 transactions, 0 templates, inherited 0 times

 NHS number status indicator	prsb03-dataelement-13297
---	--------------------------

Id prsb03-dataelement-13297 (2020-08-06 12:08:33)

Description Provides an indication of the reliability of an NHS Number.

Rationale Patient.identifier(nhsnumber).extension(nhsverificationstatus)

Operationalization NHS data dictionary :- NHS number status indicator

Value Domain

Property

max length

2

 Other identifier	prsb03-dataelement-10880
--	--------------------------

Id prsb03-dataelement-10880 (2019-03-27 19:18:59)

Description Country specific or local identifier, e.g. Community Health Index (CHI) in Scotland.

Relationship Other identifier (*prsb03-dataelement-10025 - 2018-10-31*)

Operationalization NHS data dictionary: - Local patient identifier(extended), Health and care number (NI only), Community health index number (Scotland only)

Value Domain

Property

max length

20

◎ Used by

14 transactions, 0 templates, inherited 0 times

  Person's address

prsb03-dataelement-10881

Id prsb03-dataelement-10881 (2019-03-27 19:19:27)

Description Person's usual place of residence, and where relevant temporary and correspondence addresses.

2.1.13 Properties

FHIR Patient.Address

Relationship Patient address (*prsb03-dataelement-10026 - 2018-10-31*)

◎ Used by 14 transactions, 0 templates, inherited 0 times

 Address line 1

prsb03-dataelement-13082

Id prsb03-dataelement-13082 (2020-05-29 15:28:51)

Description Person's first line of address.

Rationale Patient.address.line

Operationalization NHS data dictionary :- Address line 1

Value Domain

Property

max length

35

◎ Used by

14 transactions, 0 templates, inherited 0 times

 Address line 2

prsb03-dataelement-13083

Id prsb03-dataelement-13083 (2020-05-29 15:32:41)

Description Person's second line of address.

Rationale Patient.address.city

Operationalization NHS data dictionary :- Address line 2

Value Domain

Property

max length

35



14 transactions, 0 templates, inherited 0 times



Address line 3

prsb03-dataelement-13084

Id

prsb03-dataelement-13084 (2020-05-29 15:35:34)

Description

Person's third line of address.

Rationale

Patient.address.district

Operationalization

NHS data dictionary : - Address line 3

Value Domain

Property

max length

35



14 transactions, 0 templates, inherited 0 times



Address line 4

prsb03-dataelement-13085

Id

prsb03-dataelement-13085 (2020-06-01 11:29:56)

Description

Person's fourth line of address.

Rationale

Patient.address.state

Operationalization

NHS data dictionary : - Address line 4

Value Domain

Property

max length

35



14 transactions, 0 templates, inherited 0 times



Address line 5

prsb03-dataelement-13086

Id

prsb03-dataelement-13086 (2020-06-01 11:32:10)

Description

Person's fifth line of address.

Rationale

Patient.address.country

Operationalization

NHS data dictionary : - Address line 5

Value Domain

Property

max length

35

◉ Used by

14 transactions, 0 templates, inherited 0 times



Postcode

prsb03-dataelement-13087

Id

prsb03-dataelement-13087 (2020-06-01 11:40:09)

Description

The person's postcode.

Rationale

Patient.address.postalcode

Operationalization

NHS data dictionary :- Postcode of usual address

Value Domain

Property

max length

8

◉ Used by

14 transactions, 0 templates, inherited 0 times



Address type

prsb03-dataelement-13221

Id

prsb03-dataelement-13221 (2020-07-08 15:58:39)

Description

The type of address e.g. Main address, Temp address

Rationale

Patient.address.use

Operationalization

NHS data dictionary : - Address association type

Value Domain

Property

max length

1



Person's contact details

prsb03-dataelement-13804

Id

prsb03-dataelement-13804 (2020-11-25 18:32:36)

Description

Details of the person's contact information.

◉ Used by

14 transactions, 0 templates, inherited 0 times



Preferred contact method

prsb03-dataelement-10886

Id

prsb03-dataelement-10886 (2019-03-27 19:29:17)

Description	Preferred contact method, e.g. email, letter, phone, text message etc.
Relationship	Communication preferences (<i>prsb03-dataelement-10030 - 2018-10-31</i>)

Operationalization NHS data dictionary :- Communication contact method

Value Domain

Property

max length

1

⌚ Used by one transaction, 0 templates, inherited 0 times

📁 📞 Person's telephone number details

prsb03-dataelement-10883

Id prsb03-dataelement-10883 (2019-03-27 19:22:39)

Description The person's telephone number details

2.1.14 Properties

FHIR Patient.telecom

Relationship Patient telephone number (*prsb03-dataelement-10028 - 2018-10-31*)

⌚ Used by 14 transactions, 0 templates, inherited 0 times

📞 Person's telephone number

prsb03-dataelement-13808

Id prsb03-dataelement-13808 (2020-11-26 16:51:24)

Description The person's telephone number

Rationale Patient.contact.telecon.value

Operationalization NHS data dictionary : - UK telephone number

Value Domain

Property

max length

35

⌚ Used by 14 transactions, 0 templates, inherited 0 times

📞 Person's telephone number type

prsb03-dataelement-13805

Id prsb03-dataelement-13805 (2020-11-25 18:37:54)

Description The contact type e.g. home, mobile

Rationale	Patient.telecon.use
Operationalization	FHIR value set: - Contact point use
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 6 </div>
Example	Home
Example	Mobile
Example	Temp
Example	Old
Example	Work
⌚ Used by	14 transactions, 0 templates, inherited 0 times

 Preference of telephone number prsb03-dataelement-13809

Id	prsb03-dataelement-13809 (2020-11-26 16:55:09)
Description	The preferred order of use for the telephone number
Rationale	Patient.telecom.rank
Operationalization	Preference of use 1-5, 1 being the highest.
Value Domain	
⌚ Used by	14 transactions, 0 templates, inherited 0 times

 Person's email address details prsb03-dataelement-13807

Id	prsb03-dataelement-13807 (2020-11-26 16:29:22)
Description	Details of the person's email address
⌚ Used by	one transaction, 0 templates, inherited 0 times

 Person's email address prsb03-dataelement-10882

Id	prsb03-dataelement-10882 (2019-03-27 19:20:19)
Description	Email address of the person.

2.1.15 Properties

FHIR Patient.telecom

Relationship Patient email address (*prsb03-dataelement-10027 - 2018-10-31*)

Rationale Patient.contact.telecon.value

Operationalization NHS data dictionary :- Contact email address

Value Domain

Property

max length

255

⌚ Used by one transaction, 0 templates, inherited 0 times

🟡 Person's email address type

prsb03-dataelement-13811

Id prsb03-dataelement-13811 (2020-11-26 17:30:54)

Description The type of email address, home, work

Rationale Patient.telecon.use

Operationalization FHIR value set: - Contact point use

Value Domain

Property

max length

6

Example Home

Example Work

Example old

⌚ Used by one transaction, 0 templates, inherited 0 times

🟡 Preference of email address

prsb03-dataelement-13810

Id prsb03-dataelement-13810 (2020-11-26 17:07:11)

Description The preferred order of use of email address

Rationale Patient.telecon.rank

Operationalization Preference of use 1-5, 1 being the highest.

Value Domain

⌚ Used by one transaction, 0 templates, inherited 0 times

🟡 Other contact information

prsb03-dataelement-13806

Id	prsb03-dataelement-13806 (2020-11-26 16:07:06)
Description	Contact details via fax, sms, url
Rationale	Patient.contact.telecon.value
Operationalization	NHS data dictionary:- Communication contact string
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 255 </div>



Photograph

prsb03-dataelement-13065


Id	prsb03-dataelement-13065 (2020-05-15 16:50:49)
Description	A photograph of the person for identification and to show what the person looks like normally.
Rationale	Patient.photo
Operationalization	Mulitmedia file
Value Domain	



Location of birth

prsb03-dataelement-13081

Id	prsb03-dataelement-13081 (2020-05-28 16:18:56) 0.1
Description	The place the person was born.
Operationalization	NHS data dictionary:- Location of birth
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> min length max length 5an 9an </div>



Place of birth

prsb03-dataelement-10884

Id	prsb03-dataelement-10884 (2019-03-27 19:25:07)
Description	The country of birth of the person.
Relationship	Place of birth (<i>prsb03-dataelement-10031 - 2018-10-31</i>)
Rationale	Patient.extension(Birthplace)
Operationalization	NHS data dictionary :- Country code (birth)
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 3 </div>

 Used by

2 transactions, 0 templates, inherited 0 times



Marital status

prsb03-dataelement-10885

Id prsb03-dataelement-10885 (2019-03-27 19:25:57)

Description An indicator to identify the legal marital status of the person.

Relationship Marital status (*prsb03-dataelement-10032 - 2018-10-31*)

Rationale Patient.maritalstatus

Operationalization NHS data dictionary :- Person marital status

Value Domain

Property

max length

1



Immigration status

prsb03-dataelement-13293

Id prsb03-dataelement-13293 (2020-08-06 12:01:14)

Description Include details of the immigration status of the person, their permissions to live and receive care and support in the UK e.g. asylum seeker, indefinite leave to remain in the UK. Include start date, end date and any comments.



Immigration status

prsb03-dataelement-13304

Id prsb03-dataelement-13304 (2020-08-06 13:06:19) 0.1

Description Details of the immigration status of the person, their permissions to live and receive care and support in the UK e.g. asylum seeker, indefinite leave to remain in the UK.

Operationalization Code :- 1: Asylum Seeker; 2: Exceptional leave to remain in UK; 3: Indefinite Leave to Remain in UK ;4: Limited Leave to Remain in UK; 5: No Recourse to Public Funds (NRPF); 6: Other Nationals; 7: Refugee; 8: Unaccompanied Asylum Seeker; 9 EU pre-settled status; 10: EU settled status

Value Domain



Start date

prsb03-dataelement-13294

Id prsb03-dataelement-13294 (2020-08-06 12:02:54)

Description Start date of immigration status

Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



End date

prsb03-dataelement-13295

Id prsb03-dataelement-13295 (2020-08-06 12:04:03)

Description End date of immigration status

Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Comment

prsb03-dataelement-13296

Id prsb03-dataelement-13296 (2020-08-06 12:05:00)

Description Relevant comments about the person's immigration status

Operationalization Free text

Value Domain

Property

max length

150



Organ and tissue donation

prsb03-dataelement-10430

Id prsb03-dataelement-10430 (2018-10-31) 0.1

Description Whether the person has given consent for organ and/or tissue donation or opted out of automatic donation where applicable. This is information provided by the national register.

Rationale Patient.extension(patient-cadavericDonor)

Operationalization Flag



Date

prsb03-dataelement-11695

Id prsb03-dataelement-11695 (2019-05-31 12:56:56)

Concept inherits from prsb03-dataelement-11688 (2019-05-31 11:50:22)

Description The date when the mental capacity assessment was made.

Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Location

prsb03-dataelement-11696

Id	prsb03-dataelement-11696 (2019-05-31 12:58:01)
Concept inherits from	🟡 prsb03-dataelement-11689 (2019-05-31 11:51:04)
Description	The location where the mental capacity assessment was made.
Person completing record	prsb03-dataelement-11349
Id	prsb03-dataelement-11349 (2019-05-30 13:37:15)
Concept inherits from	🟡 prsb03-dataelement-11289 (2019-05-30 12:24:39)
Description	Details of the person completing the record.
Relationship	Person completing record (<i>prsb03-dataelement-319 - 2018-10-31</i>)
Name	prsb03-dataelement-11350
Id	prsb03-dataelement-11350 (2019-05-30 13:37:40)
Concept inherits from	🟡 prsb03-dataelement-11290 (2019-05-30 12:25:39)
Description	The name of the person completing the record.
Relationship	Name (<i>prsb03-dataelement-10219 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.name
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 70 </div>
Role	prsb03-dataelement-11351
Id	prsb03-dataelement-11351 (2019-05-30 13:37:40)
Concept inherits from	🟡 prsb03-dataelement-11291 (2019-05-30 12:25:39)
Description	The organisational role of the person completing record.
2.1.16 Properties	
FHIR	PractitionerRole.code of the practitioner completing the record
Relationship	Role (<i>prsb03-dataelement-10220 - 2018-10-31</i>)
Rationale	Composition.author.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobrole
Value Domain	
Grade	

	prsb03-dataelement-11352 (2019-05-30 13:37:40)
Concept inherits from	🟡 prsb03-dataelement-11292 (2019-05-30 12:25:39)
Description	The grade of the person completing the record.
Relationship	Grade (<i>prsb03-dataelement-10221 - 2018-10-31</i>)
Rationale	PractitionerRole.code
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 150 </div>

 Specialty	prsb03-dataelement-11353
Id	prsb03-dataelement-11353 (2019-05-30 13:37:40)
Concept inherits from	🟡 prsb03-dataelement-11293 (2019-05-30 12:25:39)
Description	The main specialty of the person completing the record.
2.1.17 Properties	
FHIR	PractitionerRole.specialty
Relationship	Specialty (<i>prsb03-dataelement-10222 - 2018-10-31</i>)
Rationale	PractitionerRole.specialty
Operationalization	NHS data dictionary :- Activity treatment function code
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 3 </div>

 Organisation	prsb03-dataelement-11354
Id	prsb03-dataelement-11354 (2019-05-30 13:37:40)
Concept inherits from	🟡 prsb03-dataelement-11294 (2019-05-30 12:25:39)
Description	The organisation the person completing the record works for.
Relationship	Organisation (<i>prsb03-dataelement-10226 - 2018-10-31</i>)
 Professional identifier	prsb03-dataelement-11355
Id	prsb03-dataelement-11355 (2019-05-30 13:37:40)

Concept inherits from



[prsb03-dataelement-11295](#) (2019-05-30 12:25:39)

Description

Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.18 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship

Professional identifier ([prsb03-dataelement-10223](#) - 2018-10-31)

Rationale

Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization

NHS data dictionary :- Professional registration identifier

Value Domain

Property

max length

32



Date completed

[prsb03-dataelement-11356](#)

Id

[prsb03-dataelement-11356](#) (2019-05-30 13:37:40)

Concept inherits from



[prsb03-dataelement-11296](#) (2019-05-30 12:25:39)

Description

The date and time the record was completed.

Relationship

Date completed ([prsb03-dataelement-10224](#) - 2018-10-31)

Rationale

Composition.date

Operationalization

Date and time.

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Contact details

[prsb03-dataelement-11357](#)

Id

[prsb03-dataelement-11357](#) (2019-05-30 13:37:40)

Concept inherits from



[prsb03-dataelement-11297](#) (2019-05-30 12:25:39)

Description

Contact details of the person completing the record.

2.1.19 Properties

FHIR PractitionerRole.telecom

Relationship

Contact details ([prsb03-dataelement-10225](#) - 2018-10-31)

Rationale	Practitioner:telecom PractitionerRole:telecom Organisation.telcom
Operationalization	NHS data dictionary : - UK telephone number
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;">max length</div> <div style="text-align: center;">35</div>

● Organ and tissue donation

prsb03-dataelement-13847

Id	prsb03-dataelement-13847 (2020-12-30 11:45:54)
Description	Whether the person has given consent for organ and/or tissue donation or opted out of automatic donation where applicable. This is information provided by the national register.
Operationalization	Flag: - Yes or No
Value Domain	

● Overseas visitor status

prsb03-dataelement-10908

Id	prsb03-dataelement-10908 (2019-04-02 13:22:04)
Description	The charging category relating to an overseas visitor.
Rationale	Patient.(extension(treatmentCategory))
Operationalization	NHS data dictionary :- Overseas visitor charging category
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;">max length</div> <div style="text-align: center;">1</div>

● Accommodation status

prsb03-dataelement-10909

Id	prsb03-dataelement-10909 (2019-04-02 13:25:31) 0.1
Description	An indication of the type of accommodation where the person lives. This should be based on the main or temporary residence.
Relationship	Accommodation status (<i>prsb03-dataelement-10047 - 2018-10-31</i>)
Operationalization	Free text
Value Domain	

● Accommodation status

prsb03-dataelement-12473

Id	prsb03-dataelement-12473 (2019-06-25 17:28:11)
Description	An indication of the type of accommodation where the person lives. This should be based on the main or temporary residence.

Relationship Accommodation status (*prsb03-dataelement-10909 - 2019-04-02 13:25:31*)

Operationalization NHS data dictionary - Accommodation status ECDS

Value Domain

Property

min length	max length
6	18



Relevant contacts

prsb03-dataelement-10910

Id prsb03-dataelement-10910 (2019-04-02 13:27:59)

Description Include the most important contacts including:

* Personal contacts e.g., next of kin, in case of emergency contact, lasting power of attorney, dependents, informal carers etc.

* Health/care professional contacts e.g., social worker, hospital clinician, care coordinator, key worker, Independent Mental Capacity Advocate (IMCA) etc.

Name, relationship, role (if formal role), contact details and availability, e.g. out of hours.

2.1.20 Properties

FHIR Patient.contact

Relationship Relevant contacts (*prsb03-dataelement-10029 - 2018-10-31*)

Operationalization Details of relevant contacts, such as carers or family members, as recorded on the local system, or volunteered by the person. This will be a free text list of relevant contacts.

Value Domain



Educational establishment

prsb03-dataelement-10911

Id prsb03-dataelement-10911 (2019-04-02 13:30:05)

Concept inherits from prsb03-dataelement-10035 (2018-10-31)

Description If the person is a child, name and address of where the child attends, eg play group, nursery, school.

Operationalization Free text or ODS code where available.

Value Domain



Date of death

prsb03-dataelement-12963

Id prsb03-dataelement-12963 (2020-03-25 16:55:17)

Description The date of death of the person.

Relationship Date of death (*prsb03-dataelement-10033 - 2018-10-31*)

Operationalization NHS data dictionary :- Person death date

Value Domain

Property

Timestamp precision *default*

day, month and year 10



Time of death

prsb03-dataelement-13088

Id

prsb03-dataelement-13088 (2020-06-01 15:48:50)

Description

The time on which the person died.

Operationalization

NHS data dictionary :- Time of death

Value Domain



NHS Number

prsb03-dataelement-10878

Id

prsb03-dataelement-10878 (2019-03-27 19:16:26)

Concept inherits from

prsb03-dataelement-10351 (2018-10-31)

Description

The NHS number of the personal contact

Operationalization

NHS data dictionary:- NHS NUMBER

Value Domain

Property

max length

10



GP practice

prsb03-dataelement-101

Id


prsb03-dataelement-101 (2018-10-31)

Description

Details of the person's GP practice.

Used by

14 transactions, 0 templates, inherited 0 times



GP practice record entry

prsb03-dataelement-10643

Id

prsb03-dataelement-10643 (2018-11-09 14:59:24)

Description

This is an GP practice record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items

Used by

14 transactions, 0 templates, inherited 0 times



GP name

prsb03-dataelement-10003

Id

prsb03-dataelement-10003 (2018-10-31)

Description	The name of the person's GP. If the person is registered with a GP practice, their usual GP name will be something volunteered by the person or their representative.
-------------	---

2.1.21 Properties

FHIR Practitioner.name, where PractitionerRole.code=GP

Rationale Practitioner.name

Operationalization Free text


Value Domain

Property

max length

70

⌚ Used by one transaction, 0 templates, inherited 0 times



GP practice details

prsb03-dataelement-10002

Id prsb03-dataelement-10002 (2018-10-31)

Description Name and address of the person's registered GP practice Registered GP practice details are available from the Person Demographics Service (PDS), or volunteered from the person or their representative. Include details of the practice name and address.

2.1.22 Properties

FHIR PractitionerRole.organisation.Name (0..1) PractitionerRole.organisation.telcom (0..*)
PractitionerRole.organisation.Address (0..*)

Rationale PractitionerRole.organisation.Name (0..1)
PractitionerRole.organisation.telcom (0..*)
PractitionerRole.organisation.Address (0..*)

Operationalization Free text

Value Domain

Property

max length

150

⌚ Used by one transaction, 0 templates, inherited 0 times



GP practice identifier

prsb03-dataelement-10001

Id prsb03-dataelement-10001 (2018-10-31)

Description The identifier of the registered GP practice.

2.1.23 Properties

FHIR Sliced into ODS and local identifier. PractitionerRole.organisation.identifier

Rationale PractitionerRole.organisation.identifier

Operationalization NHS data dictionary : - General medical practice code (patient registration)

Value Domain

Property

max length

6

⌚ Used by

14 transactions, 0 templates, inherited 0 times

🟡 GP opt out indicator

prsb03-dataelement-10004

Id prsb03-dataelement-10004 (2018-10-31)

Description Indication that the person has opted out of registering with a GP.

Operationalization SNOMED CT : - 1092961000000104 |Does not wish to register with an NHS general practitioner (finding)| OR 1092941000000100 |Family using private general practitioner (finding)|

Value Domain

📁🟡 About me

prsb03-dataelement-466

Id prsb03-dataelement-466 (2018-10-31)

Description About me

📁🟡 About me

prsb03-dataelement-10366

Id prsb03-dataelement-10366 (2018-10-31)

Description This is a record of the things that a person feels it is important to communicate about their needs, strengths, values, concerns and preferences to others providing support and care.

🟡 What is most important to me

prsb03-dataelement-12964

Id prsb03-dataelement-12964 (2020-03-30 10:50:29) 0.3

Description A description of what is most important to you

Emergency Information : - Include any essential information that any professional in health and social care should know about the you in any situation, including emergencies.

Other Information : -This could include : - Values, Spirituality/religion, Ethnicity, Culture, Pets, Goals and aspirations, Meaningful activities including leisure activities, visiting places, sport and exercise, listening to music, employment, education, volunteering

Operationalization Free text or multimedia file

Value Domain

 People who are important to me	prsb03-dataelement-13009
--	--------------------------

Id prsb03-dataelement-13009 (2020-04-27 11:23:17) 0.3

Description Details of who is important to you and why. They could be family members, carers, friends, members of staff etc. Include how you want the people important to you to be engaged and involved in your care and support in both emergency and normal situations. Include how you stay connected to the people important to you. Who should not be contacted or consulted about your care and support and why, if you wish to say

Operationalization Free text or multimedia file

Value Domain

 How I communicate and how to communicate with me	prsb03-dataelement-13006
--	--------------------------

Id prsb03-dataelement-13006 (2020-04-24 11:48:24) 0.3

Description A description of how you communicate normally including any communication aids you use, for example a hearing aid.

- Include your preferred language of communication, if your first language is not English.
- Include how you would communicate when you are in pain or distress.
- Include how you communicate choices.
- Include how you give feedback or raise a concern.
- Include how you like to receive information

Describe how you would like others to engage and communicate with you, including how you would like to be addressed.

Operationalization Free text or multimedia file

Value Domain

 My wellness	prsb03-dataelement-13005
---	--------------------------

Id prsb03-dataelement-13005 (2020-04-24 11:45:53)

Synonym 0.3

Description

A description covering what you are able to do, how you engage with others and how you feel on a typical day through to on a day when you are unwell or really unwell.

- Include any causes that might result in you becoming unwell and strategies for avoiding or addressing the causes. For example, not drinking enough water could cause constipation.
- Include any signs that indicate you might be becoming unwell.
- On a bad day describe what is different about what you are able to do, how you engage with others and how you feel.
- Include how your everyday life is affected by any medical conditions e.g. dementia and any symptoms e.g. itchiness, cough, pain and how you manage those conditions.

- Include past health issues or experiences that need to be considered
- Include your wellbeing and lifestyle goals and aspirations

Operationalization Free text or multimedia file

Value Domain



Please do and please don't

prsb03-dataelement-13008

Id prsb03-dataelement-13008 (2020-04-27 10:34:59) 0.3

Description

A description of things you want someone supporting you to do or not to do.

For example, this might include: - Talk to me not to my carer, remind me to take my medication, encourage me to wash my hands regularly, explain to me what is happening and why, respond to my communication.

A description of things you do not want someone supporting for you to do. For example, this might include: - Discussing or asking questions about certain topics, making assumptions about something, providing support when it is not wanted, talking to you in a certain way.

Operationalization Free text or multimedia file

Value Domain



How and when to support me

prsb03-dataelement-13007

Id prsb03-dataelement-13007 (2020-04-27 10:29:54) 0.3

Description

A description of how and when you want someone caring for you to support you.

This could include support needs in an emergency situation (for example taking blood)

This could include support you need to maintain important routines or to carry out particular activities, for example: - Personal care routines, Eating and drinking, Bedtime routines, Taking medications, Moving and transitioning

This could also include support needed with:- wearing glasses/hearing aids/false teeth etc, making informed choices or understanding dangers and risks, managing your emotions, moods and behaviours, memory or confusion.

Include how your support needs change in different environments. Include any triggers that might result in you needing further support and strategies for avoiding or addressing the triggers. Include how you want the support to be provided.

Operationalization Free text or multimedia file

Value Domain



Also worth knowing about me

prsb03-dataelement-13094

Id prsb03-dataelement-13094 (2020-06-22 11:30:09) 0.2

Description

A description of what is also worth knowing about you for people caring or supporting you.

This could include a short history of your life (where you have worked, where you lived, important events in your life, important people in your past life).

This could include a short profile of your current life:- your work / study, your aspirations, your skills, your networks, things you like e.g. particular foods, places, a football team and things you like to talk about, things you dislike

This could also include any care and support preferences that have not been included elsewhere.

Operationalization Free text or multimedia file

Value Domain

 Date	prsb03-dataelement-10367
--	--------------------------

Id prsb03-dataelement-10367 (2018-10-31)

Description This is a record of the date that this information was last updated.

Operationalization Date and Time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute

 Supported to write this by	prsb03-dataelement-10368
--	--------------------------

Id prsb03-dataelement-10368 (2018-10-31)

Description Where relevant, this is a record of name, relationship/role and contact details of the individual who supported the person to write this section e.g. carer, family member, advocate, professional.

Operationalization Free text

Value Domain

Property

max length

150

 My sleep	prsb03-dataelement-13010
--	--------------------------

Id prsb03-dataelement-13010 (2020-04-27 11:24:58) 0.1

Description Quality of sleep, disturbed sleep patterns, early wakening, or daytime sleepiness and support for good quality sleep.

Operationalization Free text

Value Domain

 My medications and treatment	prsb03-dataelement-13011
--	--------------------------

Id	prsb03-dataelement-13011 (2020-04-27 11:26:35) 0.1
Description	How medication is taken and support required with taking medicines.
Operationalization	Free text
Value Domain	

 My mobility and movement

prsb03-dataelement-13012

Id	prsb03-dataelement-13012 (2020-04-27 11:27:46) 0.1
Description	Mobility and movement both inside and outside and support needed to achieve a degree of independence.
Operationalization	Free text
Value Domain	

 My memory and thoughts

prsb03-dataelement-13013

Id	prsb03-dataelement-13013 (2020-04-27 11:28:58) 0.1
Description	What helps the person with memory and confusion.
Operationalization	Free text
Value Domain	

 My emotions, mood and behaviour

prsb03-dataelement-13014

Id	prsb03-dataelement-13014 (2020-04-27 11:30:36) 0.1
Description	Managing different emotions. - what emotions are experienced (depression, anxiety, stress, frustration, worry). - what makes the person feel happy and relaxed. - what stops the person feeling happy and relaxed.
Operationalization	Free text
Value Domain	

 My work and learning

prsb03-dataelement-13015

Id	prsb03-dataelement-13015 (2020-04-27 11:32:00) 0.1
Description	Current and historic jobs or study and any support requirements at school or work.
Operationalization	Free text
Value Domain	

 Symptoms or conditions that affect my daily living

prsb03-dataelement-13016

Id	prsb03-dataelement-13016 (2020-04-27 11:54:40) 0.1
Description	Important or significant symptoms that affect daily life e.g., itchiness, cough, pain and associated support requirements.

Operationalization Free text

Value Domain

  Individual requirements

prsb03-dataelement-160

Id prsb03-dataelement-160 (2018-10-31)

Description The individual requirements of the person.

  Individual requirements record entry

prsb03-dataelement-12984

Id prsb03-dataelement-12984 (2020-04-23 18:51:14) 0.1

Description This is an individual requirements record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.

 Additional communications support

prsb03-dataelement-12985

Id prsb03-dataelement-12985 (2020-04-23 19:07:17) 0.1

Description Identifies other communications support (outside the accessible information areas) e.g. requires carer at encounter or uses apps on mobile device to support communication or has difficulty analysing information).

Operationalization Free text

Value Domain

 Community language support

prsb03-dataelement-12986

Id prsb03-dataelement-12986 (2020-04-23 19:08:31) 0.1

Description Identifies that an interpreter would be needed and the language spoken at home.

Operationalization Free text

Value Domain

 Additional support

prsb03-dataelement-12987

Id prsb03-dataelement-12987 (2020-04-23 19:12:02) 0.1

Description Additional support requirements, e.g. needs assistance with medication regimen adherence or has appointed person with personal welfare lasting power of attorney (Mental Capacity Act 2005)

Operationalization Free text

Value Domain

 Individual care requirements

prsb03-dataelement-12988

Id prsb03-dataelement-12988 (2020-04-23 19:13:47) 0.1

Description Requirements related to care e.g. has anticipatory care plan or preference for male healthcare professional.

Operationalization Free text

Value Domain

 Adjustments to the environment

prsb03-dataelement-12989

Id prsb03-dataelement-12989 (2020-04-23 19:14:53) 0.1

Description Any adjustments needed to the environment e.g. related to noise intolerance, photophobia or requires wheelchair access

Operationalization Free text

Value Domain

 Other reasonable adjustments

prsb03-dataelement-12990

Id prsb03-dataelement-12990 (2020-04-23 19:16:06) 0.1

Description Any other reasonable adjustments not covered by a code.

Operationalization Free text

Value Domain

 Date reasonable adjustments record was created

prsb03-dataelement-13002

Id prsb03-dataelement-13002 (2020-04-23 20:19:28) 0.1

Description The date on which the reasonable adjustment record was created

Operationalization Date and time

Value Domain

Timestamp precision

at least day, month and year

 Consent provided by

prsb03-dataelement-13003

Id prsb03-dataelement-13003 (2020-04-23 20:21:28) 0.1

Description

The details of the person that provided consent for the reasonable adjustments record.

Operationalization Free text

Value Domain

 Person completing record

prsb03-dataelement-13004

Id prsb03-dataelement-13004 (2020-04-23 20:23:11) 0.1

Concept inherits from

 prsb03-dataelement-10954 (2019-05-18 21:07:16)

Description	This is the person completing the record.
Relationship	Should include their name, role, grade, specialty, organisation, professional identifier, date and time completed, contact details
Operationalization	Person completing record (<i>prsb03-dataelement-10860 - 2019-03-27 17:46:45</i>)
Value Domain	Free text. Name, Role, Grade, Specialty, Organisation, Professional identifier, Date and time completed, Contact details
  Accessible information standard	prsb03-dataelement-13241
Id	prsb03-dataelement-13241 (2020-07-27 13:27:30)
Description	From 1st August 2016 onwards, all organisations that provide NHS care and / or publicly-funded adult social care are legally required to follow the Accessible Information Standard. The Standard sets out a specific, consistent approach to identifying, recording, flagging, sharing and meeting the information and communication support needs of patients, service users, carers and parents with a disability, impairment or sensory loss.
  Accessible information - requires specific information format	prsb03-dataelement-11032
Id	prsb03-dataelement-11032 (2019-05-24 11:06:51)
Description	The specific format the person requires in order for information to be accessible.
 Date	prsb03-dataelement-11697
Id	prsb03-dataelement-11697 (2019-05-31 12:59:21)
Description	The date the accessible information requirement was identified.
Relationship	Date (<i>prsb03-dataelement-11688 - 2019-05-31 11:50:22</i>)
Operationalization	Date and time
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>
  Location	prsb03-dataelement-11698
Id	prsb03-dataelement-11698 (2019-05-31 12:59:49)
Description	The location where the accessible information requirement was identified.
Relationship	Location (<i>prsb03-dataelement-11689 - 2019-05-31 11:51:04</i>)
 Coded value	prsb03-dataelement-13371
Id	prsb03-dataelement-13371 (2020-08-06 19:02:35)

Description	The coded value for location
Operationalization	NHS data dictionary : - Organisation data service code
Value Domain	
Property	<div style="display: flex; justify-content: space-around; align-items: center;"> min length max length </div> <div style="display: flex; justify-content: space-around; align-items: center; margin-top: 10px;"> 3 5 </div>
 Free text	prsb03-dataelement-13372
Id	prsb03-dataelement-13372 (2020-08-06 19:03:11)
Concept inherits from	 prsb03-dataelement-13220 (2020-07-08 12:57:49)
Description	Free text field to be used if no code is available
Operationalization	Free text
Value Domain	
Property	<div style="display: flex; justify-content: space-around; align-items: center;"> max length </div> <div style="display: flex; justify-content: space-around; align-items: center; margin-top: 10px;"> 150 </div>
 Requires specific information format	prsb03-dataelement-13359
Id	prsb03-dataelement-13359 (2020-08-06 17:47:48)
Description	The specific format the person requires in order for information to be accessible.
 Coded value	prsb03-dataelement-13360
Id	prsb03-dataelement-13360 (2020-08-06 17:50:15)
Description	The coded value. https://dd4c.hscic.gov.uk/dd4c/publishedmetadata/intid/658
Operationalization	SNOMED CT: - : ^99900214100000102 Accessible information - requires specific information format simple reference set (foundation metadata concept)
Value Domain	
 Free text	prsb03-dataelement-13361
Id	prsb03-dataelement-13361 (2020-08-06 17:53:11)
Concept inherits from	 prsb03-dataelement-13220 (2020-07-08 12:57:49)
Description	Free text field to be used if no code is available
Operationalization	Free text
Value Domain	
Property	<div style="display: flex; justify-content: space-around; align-items: center;"> max length </div>

150

  Performing professional

prsb03-dataelement-11402

Id	prsb03-dataelement-11402 (2019-05-30 14:04:34)
Description	The professional who identified the accessible information requirement.
Relationship	Performing professional (<i>prsb03-dataelement-11281 - 2019-05-30 11:53:30</i>)

 Name

prsb03-dataelement-11403

Id	prsb03-dataelement-11403 (2019-05-30 14:04:54)
Concept inherits from	 <i>prsb03-dataelement-11282 (2019-05-30 11:57:38)</i>
Description	The name of the professional.
Rationale	Practitioner.name
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 70 </div>

 Role

prsb03-dataelement-11404

Id	prsb03-dataelement-11404 (2019-05-30 14:04:54)
Concept inherits from	 <i>prsb03-dataelement-11283 (2019-05-30 11:58:48)</i>
Description	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc
Rationale	Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobroletype
Value Domain	

 Grade

prsb03-dataelement-11405

Id	prsb03-dataelement-11405 (2019-05-30 14:04:54)
Concept inherits from	 <i>prsb03-dataelement-11288 (2019-05-30 12:19:40)</i>
Description	The grade of the professional.
Rationale	PractitionerRole.code
Operationalization	Free text
Value Domain	

Property	max length	
		150
Speciality		prsb03-dataelement-11406
Id	prsb03-dataelement-11406 (2019-05-30 14:04:54)	
Concept inherits from	prsb03-dataelement-11284 (2019-05-30 12:01:15)	
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc	
Rationale	PractitionerRole.speciality	
Operationalization	NHS data dictionary - Activity treatment function code	
Value Domain		
Property	max length	
		3
Professional identifier		prsb03-dataelement-11407
Id	prsb03-dataelement-11407 (2019-05-30 14:04:54)	
Concept inherits from	prsb03-dataelement-11285 (2019-05-30 12:02:46)	
Description	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.	
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)	
Operationalization	NHS data dictionary : - Professional registration identifier	
Value Domain		
Property	max length	
		32
Organisation		prsb03-dataelement-11408
Id	prsb03-dataelement-11408 (2019-05-30 14:04:54)	
Concept inherits from	prsb03-dataelement-11286 (2019-05-30 12:17:19)	
Description	The name of the organisation the professional works for.	
Contact details		prsb03-dataelement-11409
Id	prsb03-dataelement-11409 (2019-05-30 14:04:54)	
Concept inherits from	prsb03-dataelement-11287 (2019-05-30 12:18:13)	

Description	Contact details of the professional
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom
Operationalization	NHS data dictionary - UK phone number
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 35 </div>

  Person completing record

prsb03-dataelement-11410

Id	prsb03-dataelement-11410 (2019-05-30 14:05:15)
Concept inherits from	 <i>prsb03-dataelement-11289</i> (2019-05-30 12:24:39)
Description	Details of the person completing the record.
Relationship	Person completing record (<i>prsb03-dataelement-319</i> - 2018-10-31)

 Name

prsb03-dataelement-11411

Id	prsb03-dataelement-11411 (2019-05-30 14:06:19)
Concept inherits from	 <i>prsb03-dataelement-11290</i> (2019-05-30 12:25:39)
Description	The name of the person completing the record.
Relationship	Name (<i>prsb03-dataelement-10219</i> - 2018-10-31)
Rationale	Composition.author.Practitioner.name
Operationalization	Free text.

Value Domain

Property

max length

70

 Role

prsb03-dataelement-11412

Id	prsb03-dataelement-11412 (2019-05-30 14:06:19)
Concept inherits from	 <i>prsb03-dataelement-11291</i> (2019-05-30 12:25:39)
Description	The organisational role of the person completing record.

2.1.24 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship Role (*prsb03-dataelement-10220* - 2018-10-31)

Rationale	Composition.author.Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobrole
Value Domain	



Grade

prsb03-dataelement-11413

Id	prsb03-dataelement-11413 (2019-05-30 14:06:19)
Concept inherits from	🟡 prsb03-dataelement-11292 (2019-05-30 12:25:39)
Description	The grade of the person completing the record.
Relationship	Grade (<i>prsb03-dataelement-10221 - 2018-10-31</i>)
Rationale	PractitionerRole.code
Operationalization	Free text.
Value Domain	

Property

max length

150



Specialty

prsb03-dataelement-11414

Id	prsb03-dataelement-11414 (2019-05-30 14:06:19)
Concept inherits from	🟡 prsb03-dataelement-11293 (2019-05-30 12:25:39)
Description	The main specialty of the person completing the record.

2.1.25 Properties

FHIR PractitionerRole.specialty

Relationship	Specialty (<i>prsb03-dataelement-10222 - 2018-10-31</i>)
Rationale	PractitionerRole.specialty
Operationalization	NHS data dictionary :- Activity treatment function code
Value Domain	

Property

max length

3



Organisation

prsb03-dataelement-11415

Id	prsb03-dataelement-11415 (2019-05-30 14:06:19)
Concept inherits from	🟡 prsb03-dataelement-11294 (2019-05-30 12:25:39)
Description	The organisation the person completing the record works for.

Relationship Organisation (*prsb03-dataelement-10226 - 2018-10-31*)

 Professional identifier

prsb03-dataelement-11416

Id prsb03-dataelement-11416 (2019-05-30 14:06:19)

Concept inherits from  *prsb03-dataelement-11295* (2019-05-30 12:25:39)

Description Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.26 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship Professional identifier (*prsb03-dataelement-10223 - 2018-10-31*)

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary :- Professional registration identifier

Value Domain

Property

max length

32

 Date completed

prsb03-dataelement-11417

Id prsb03-dataelement-11417 (2019-05-30 14:06:19)

Concept inherits from  *prsb03-dataelement-11296* (2019-05-30 12:25:39)

Description The date and time the record was completed.

Relationship Date completed (*prsb03-dataelement-10224 - 2018-10-31*)

Rationale Composition.date

Operationalization Date and time.

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute

 Contact details

prsb03-dataelement-11418

Id prsb03-dataelement-11418 (2019-05-30 14:06:19)

Concept inherits from  *prsb03-dataelement-11297* (2019-05-30 12:25:39)

Description Contact details of the person completing the record.

2.1.27 Properties

FHIR	PractitionerRole.telecom
Relationship	Contact details (<i>prsb03-dataelement-10225 - 2018-10-31</i>)
Rationale	Practitioner:telecom PractitionerRole:telecom Organisation.telcom
Operationalization	NHS data dictionary : - UK telephone number
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 35 </div>
  Performing professional	prsb03-dataelement-11178
Id	prsb03-dataelement-11178 (2019-05-28 17:55:07)
Concept inherits from	 <i>prsb03-dataelement-11148</i> (2019-05-24 11:51:30)
Description	The professional identifying the safeguarding concern.
 Name	prsb03-dataelement-11179
Id	prsb03-dataelement-11179 (2019-05-28 17:55:37)
Concept inherits from	 <i>prsb03-dataelement-11149</i> (2019-05-24 11:51:53)
Description	The name of the professional with responsibility for the care of the person.
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 70 </div>
 Role	prsb03-dataelement-11180
Id	prsb03-dataelement-11180 (2019-05-28 17:55:37)
Concept inherits from	 <i>prsb03-dataelement-11150</i> (2019-05-24 11:51:53)
Description	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker, key worker, care home manager, care coordinator, LA hospital liaison person, care home contact, hospital clinician, Independent Mental Capacity Advocate (IMCA) etc
Operationalization	FHIR value set : - SDSjobrole
Value Domain	

 Speciality

prsb03-dataelement-11181

Id	prsb03-dataelement-11181 (2019-05-28 17:55:37)
Concept inherits from	 prsb03-dataelement-11151 (2019-05-24 11:51:53)
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc
Operationalization	NHS data dictionary : - Activity treatment function code
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 3 </div>

 Team

prsb03-dataelement-11182

Id	prsb03-dataelement-11182 (2019-05-28 17:55:37)
Concept inherits from	 prsb03-dataelement-11152 (2019-05-24 11:51:53)
Description	The name of the team.
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 35 </div>

 Organisation

prsb03-dataelement-11183

Id	prsb03-dataelement-11183 (2019-05-28 17:55:37)
Concept inherits from	 prsb03-dataelement-11153 (2019-05-24 11:51:53)
Description	The name of the organisation.

 Contact details

prsb03-dataelement-11184

Id	prsb03-dataelement-11184 (2019-05-28 17:55:37)
Concept inherits from	 prsb03-dataelement-11154 (2019-05-24 11:51:53)
Description	Contact details of the professional (e.g. telephone number, email address etc.).
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 35 </div>

 Professional identifier

prsb03-dataelement-11185

Id	prsb03-dataelement-11185 (2019-05-28 17:55:37)
Concept inherits from	 <i>prsb03-dataelement-11167</i> (2019-05-28 17:18:30)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.28 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Value
Domain

 Start date

prsb03-dataelement-11186

Id	prsb03-dataelement-11186 (2019-05-28 17:55:37)
Concept inherits from	 <i>prsb03-dataelement-11155</i> (2019-05-24 11:51:53)
Description	The start date of the professional relationship with the person.
Operationalization	Date and time
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>

 End date

prsb03-dataelement-11187

Id	prsb03-dataelement-11187 (2019-05-28 17:55:37)
Concept inherits from	 <i>prsb03-dataelement-11156</i> (2019-05-24 11:51:53)
Description	The end date of the professional relationship with the person.
Operationalization	Date and time
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>

 Professional contacts record entry

prsb03-dataelement-11188

Id	prsb03-dataelement-11188 (2019-05-28 17:55:37)
Concept inherits from	 <i>prsb03-dataelement-11157</i> (2019-05-24 11:51:53)

Description This is a professional contacts record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.

Relationship Professional contacts record entry (*prsb03-dataelement-11044 - 2019-05-24 11:18:10*)

Person completing record

prsb03-dataelement-11189

Id prsb03-dataelement-11189 (2019-05-28 17:57:32)

Concept inherits from  *prsb03-dataelement-319 (2018-10-31)*

Description Details of the person completing the record.

Name

prsb03-dataelement-11190

Id prsb03-dataelement-11190 (2019-05-28 17:58:01)

Concept inherits from  *prsb03-dataelement-10219 (2018-10-31)*

Description The name of the person completing the record, preferably in a structured format.

Operationalization The person name as held on the source system. Where possible this should be broken down into its constituent parts (prefix, given name, family name, and suffix).

Value Domain

Role

prsb03-dataelement-11191

Id prsb03-dataelement-11191 (2019-05-28 17:58:01)

Concept inherits from  *prsb03-dataelement-10220 (2018-10-31)*

Description The role of the person completing record.

2.1.29 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Operationalization The role may be held on the source system, be from an authoritative source such as SDS, or use an existing vocabulary such as the job role title (from the national workforce dataset).

Value Domain

Grade

prsb03-dataelement-11192

Id prsb03-dataelement-11192 (2019-05-28 17:58:01)

Concept inherits from  *prsb03-dataelement-10221 (2018-10-31)*

Description The grade of the person completing the record

Operationalization The grade of the person completing the record held on the source system or from an authoritative source

Value Domain

 Specialty

prsb03-dataelement-11193

Id	prsb03-dataelement-11193 (2019-05-28 17:58:01)
Concept inherits from	 prsb03-dataelement-10222 (2018-10-31)
Description	The main specialty of the person completing the record.

2.1.30 Properties

FHIR	PractitionerRole.specialty
Operationalization	The main clinical specialty as held on the source system.
Value Domain	

 Organisation

prsb03-dataelement-11194

Id	prsb03-dataelement-11194 (2019-05-28 17:58:01)
Concept inherits from	 prsb03-dataelement-10226 (2018-10-31)
Description	The organisation the person completing the record works for.
Operationalization	An ODS identifier for the organisation or site, the name of the organisation or site, and a postal address (if available).
Value Domain	

 Professional identifier

prsb03-dataelement-11195

Id	prsb03-dataelement-11195 (2019-05-28 17:58:01)
Concept inherits from	 prsb03-dataelement-10223 (2018-10-31)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.31 Properties

FHIR	PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)
Value Domain	

 Date completed

prsb03-dataelement-11196

Id	prsb03-dataelement-11196 (2019-05-28 17:58:01)
Concept inherits from	 prsb03-dataelement-10224 (2018-10-31)
Description	The date and time the record was updated.
Operationalization	The date/time the record was updated.

Value Domain

 Contact details

prsb03-dataelement-11197

Id

prsb03-dataelement-11197 (2019-05-28 17:58:01)

Concept inherits from

 prsb03-dataelement-10225 (2018-10-31)

Description

Contact details of the person completing the record. For example a phone number, email address. Contact details are used to resolve queries about the record entry.

2.1.32 Properties

FHIR

PractitionerRole.telecom

Operationalization

The contact details may be for the individual completing the record, or wider team details (for example a phone number for a hospital department).

Value Domain

 Performing professional

prsb03-dataelement-11043

Id

prsb03-dataelement-11043 (2019-05-24 11:17:33)

Description

The performing professional identifying the requirement.

Relationship

Professional contacts (*prsb03-dataelement-452 - 2018-10-31*) Used by

0 transactions, 0 templates, inherited 5 times

 Name

prsb03-dataelement-11045

Id

prsb03-dataelement-11045 (2019-05-24 11:18:10)

Concept inherits from

 prsb03-dataelement-10352 (2018-10-31)

Description

The name of the professional with responsibility for the care of the person.

Operationalization

Free text

Value Domain

Property

max length

70

 Used by

0 transactions, 0 templates, inherited 6 times

 Role

prsb03-dataelement-11046

Id

prsb03-dataelement-11046 (2019-05-24 11:18:10)

Concept inherits from	 prsb03-dataelement-10353 (2018-10-31)
Description	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker, key worker, care home manager, care coordinator, LA hospital liaison person, care home contact, hospital clinician, Independent Mental Capacity Advocate (IMCA) etc
Operationalization	FHIR value set : - SDSjobrole
Value Domain	
 Used by	0 transactions, 0 templates, inherited 6 times

 Speciality	prsb03-dataelement-11047		
Id	prsb03-dataelement-11047 (2019-05-24 11:18:10)		
Concept inherits from	 prsb03-dataelement-10354 (2018-10-31)		
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc		
Operationalization	NHS data dictionary : - Activity treatment function code		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>3</td> </tr> </table>	max length	3
max length			
3			
 Used by	0 transactions, 0 templates, inherited 6 times		

 Team	prsb03-dataelement-11048		
Id	prsb03-dataelement-11048 (2019-05-24 11:18:10)		
Concept inherits from	 prsb03-dataelement-10355 (2018-10-31)		
Description	The name of the team.		
Operationalization	Free text		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>35</td> </tr> </table>	max length	35
max length			
35			
 Used by	0 transactions, 0 templates, inherited 6 times		

 Organisation	prsb03-dataelement-11049
Id	prsb03-dataelement-11049 (2019-05-24 11:18:10)

Concept inherits from	 prsb03-dataelement-10356 (2018-10-31)
Description	The name of the organisation.
Used by	0 transactions, 0 templates, inherited 6 times

 Contact details

prsb03-dataelement-11050

Id	prsb03-dataelement-11050 (2019-05-24 11:18:10)
Concept inherits from	 prsb03-dataelement-10357 (2018-10-31)
Description	Contact details of the professional (e.g. telephone number, email address etc.).
Operationalization	Free text
Value Domain	
Property	max length 35
Used by	0 transactions, 0 templates, inherited 6 times

 Start date

prsb03-dataelement-11051

Id	prsb03-dataelement-11051 (2019-05-24 11:18:10)
Concept inherits from	 prsb03-dataelement-10358 (2018-10-31)
Description	The start date of the professional relationship with the person.
Operationalization	Date and time
Value Domain	

Property	Timestamp precision
	at least day, month and year, hour and minute

Used by	0 transactions, 0 templates, inherited 6 times
---------	--

 End date

prsb03-dataelement-11052

Id	prsb03-dataelement-11052 (2019-05-24 11:18:10)
Concept inherits from	 prsb03-dataelement-10359 (2018-10-31)
Description	The end date of the professional relationship with the person.
Operationalization	Date and time
Value Domain	

Property	Timestamp precision
	at least day, month and year, hour and minute
◎ Used by	0 transactions, 0 templates, inherited 6 times

		Professional contacts record entry	prsb03-dataelement-11044
--	--	------------------------------------	--------------------------

Id	prsb03-dataelement-11044 (2019-05-24 11:18:10)
Concept inherits from	prsb03-dataelement-10767 (2019-03-18 18:07:16)
Description	This is a professional contacts record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.
◎ Used by	0 transactions, 0 templates, inherited 5 times

		Performing professional	prsb03-dataelement-11033
--	--	-------------------------	--------------------------

Id	prsb03-dataelement-11033 (2019-05-24 11:12:34)
Description	The performing professional identifying the accessible information.
Relationship	Professional contacts (<i>prsb03-dataelement-452 - 2018-10-31</i>)

		Professional contacts record entry	prsb03-dataelement-11034
--	--	------------------------------------	--------------------------

Id	prsb03-dataelement-11034 (2019-05-24 11:13:32)
Concept inherits from	prsb03-dataelement-10767 (2019-03-18 18:07:16)
Description	This is a professional contacts record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.

		Name	prsb03-dataelement-11035
--	--	------	--------------------------

Id	prsb03-dataelement-11035 (2019-05-24 11:13:32)
Concept inherits from	prsb03-dataelement-10352 (2018-10-31)
Description	The name of the professional with responsibility for the care of the person.
Operationalization	Free text
Value Domain	
Property	max length
	70

 Role	prsb03-dataelement-11036		
Id	prsb03-dataelement-11036 (2019-05-24 11:13:32)		
Concept inherits from	 prsb03-dataelement-10353 (2018-10-31)		
Description	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker, key worker, care home manager, care coordinator, LA hospital liaison person, care home contact, hospital clinician, Independent Mental Capacity Advocate (IMCA) etc		
Operationalization	FHIR value set : - SDSjobrole		
Value Domain			
 Speciality	prsb03-dataelement-11037		
Id	prsb03-dataelement-11037 (2019-05-24 11:13:32)		
Concept inherits from	 prsb03-dataelement-10354 (2018-10-31)		
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc		
Operationalization	NHS data dictionary : - Activity treatment function code		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>3</td> </tr> </table>	max length	3
max length			
3			
 Team	prsb03-dataelement-11038		
Id	prsb03-dataelement-11038 (2019-05-24 11:13:32)		
Concept inherits from	 prsb03-dataelement-10355 (2018-10-31)		
Description	The name of the team.		
Operationalization	Free text		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>35</td> </tr> </table>	max length	35
max length			
35			
 Organisation	prsb03-dataelement-11039		
Id	prsb03-dataelement-11039 (2019-05-24 11:13:32)		
Concept inherits from	 prsb03-dataelement-10356 (2018-10-31)		
Description	The name of the organisation.		
 Contact details			

		prsb03-dataelement-11040
Id	prsb03-dataelement-11040 (2019-05-24 11:13:32)	
Concept inherits from	 prsb03-dataelement-10357 (2018-10-31)	
Description	Contact details of the professional (e.g. telephone number, email address etc.).	
Operationalization	Free text	
Value Domain		
Property	max length	
		35
 Start date		prsb03-dataelement-11041
Id	prsb03-dataelement-11041 (2019-05-24 11:13:32)	
Concept inherits from	 prsb03-dataelement-10358 (2018-10-31)	
Description	The start date of the professional relationship with the person.	
Operationalization	Date and time	
Value Domain		
Property	Timestamp precision	
		at least day, month and year, hour and minute
 End date		prsb03-dataelement-11042
Id	prsb03-dataelement-11042 (2019-05-24 11:13:32)	
Concept inherits from	 prsb03-dataelement-10359 (2018-10-31)	
Description	The end date of the professional relationship with the person.	
Operationalization	Date and time	
Value Domain		
Property	Timestamp precision	
		at least day, month and year, hour and minute
 Person completing record		prsb03-dataelement-11023
Id	prsb03-dataelement-11023 (2019-05-24 11:01:31)	
Concept inherits from	 prsb03-dataelement-319 (2018-10-31)	
Description	Details of the person completing the record.	
 Name		prsb03-dataelement-11024

Id	prsb03-dataelement-11024 (2019-05-24 11:02:03)
Concept inherits from	☒ prsb03-dataelement-10219 (2018-10-31)
Description	The name of the person completing the record, preferably in a structured format.
Operationalization	The person name as held on the source system. Where possible this should be broken down into its constituent parts (prefix, given name, family name, and suffix).
Value Domain	

☒ Role	prsb03-dataelement-11025
--------	--------------------------

Id	prsb03-dataelement-11025 (2019-05-24 11:02:03)
Concept inherits from	☒ prsb03-dataelement-10220 (2018-10-31)
Description	The role of the person completing record.

2.1.33 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Operationalization The role may be held on the source system, be from an authoritative source such as SDS, or use an existing vocabulary such as the job role title (from the national workforce dataset).

Value Domain

☒ Grade	prsb03-dataelement-11026
---------	--------------------------

Id	prsb03-dataelement-11026 (2019-05-24 11:02:03)
Concept inherits from	☒ prsb03-dataelement-10221 (2018-10-31)
Description	The grade of the person completing the record
Operationalization	The grade of the person completing the record held on the source system or from an authoritative source
Value Domain	

☒ Specialty	prsb03-dataelement-11027
-------------	--------------------------

Id	prsb03-dataelement-11027 (2019-05-24 11:02:03)
Concept inherits from	☒ prsb03-dataelement-10222 (2018-10-31)
Description	The main specialty of the person completing the record.

2.1.34 Properties

FHIR PractitionerRole.specialty

Operationalization The main clinical specialty as held on the source system.

Value Domain

 Professional identifier

prsb03-dataelement-11028

Id	prsb03-dataelement-11028 (2019-05-24 11:02:03)
Concept inherits from	 prsb03-dataelement-10223 (2018-10-31)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.35 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Value
Domain

 Date completed

prsb03-dataelement-11029

Id	prsb03-dataelement-11029 (2019-05-24 11:02:03)
Concept inherits from	 prsb03-dataelement-10224 (2018-10-31)
Description	The date and time the record was updated.
Operationalization	The date/time the record was updated.
Value Domain	

 Contact details

prsb03-dataelement-11030

Id	prsb03-dataelement-11030 (2019-05-24 11:02:03)
Concept inherits from	 prsb03-dataelement-10225 (2018-10-31)
Description	Contact details of the person completing the record. For example a phone number, email address. Contact details are used to resolve queries about the record entry.

2.1.36 Properties

FHIR PractitionerRole.telecom

Operationalization	The contact details may be for the individual completing the record, or wider team details (for example a phone number for a hospital department).
Value Domain	

 Organisation

prsb03-dataelement-11031

Id	prsb03-dataelement-11031 (2019-05-24 11:02:03)
Concept inherits from	 prsb03-dataelement-10226 (2018-10-31)
Description	The organisation the person completing the record works for.

Operationalization An ODS identifier for the organisation or site, the name of the organisation or site, and a postal address (if available).

Value Domain

Accessible information - requires specific contact method

prsb03-dataelement-10063

Id prsb03-dataelement-10063 (2018-10-31)

Description The contact method the person requires in order for information to be accessible.

Date

prsb03-dataelement-11699

Id prsb03-dataelement-11699 (2019-05-31 13:00:44)

Description The date the accessible information requirement was identified.

Relationship Date (*prsb03-dataelement-11688 - 2019-05-31 11:50:22*)

Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute

Location

prsb03-dataelement-11700

Id prsb03-dataelement-11700 (2019-05-31 13:01:11)

Description The location where the accessible information requirement was identified.

Relationship Location (*prsb03-dataelement-11689 - 2019-05-31 11:51:04*)

Coded value

prsb03-dataelement-13373

Id prsb03-dataelement-13373 (2020-08-06 19:04:27)

Description The coded value for location

Operationalization NHS data dictionary : - Organisation data service code

Value Domain

Property

min length max length

3 5

Free text

prsb03-dataelement-13374

Id prsb03-dataelement-13374 (2020-08-06 19:05:13)

Concept inherits from *prsb03-dataelement-13220 (2020-07-08 12:57:49)*

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150

Requires specific contact method

prsb03-dataelement-13362

Id prsb03-dataelement-13362 (2020-08-06 18:39:01)

Description The contact method the person requires in order for information to be accessible.

Coded value

prsb03-dataelement-13363

Id prsb03-dataelement-13363 (2020-08-06 18:41:53)

Description The coded value for contact method. <https://dd4c.hscic.gov.uk/dd4c/publishedmetadatas/intid/658>

Operationalization SNOMED CT :- ^999002131000000106 |Accessible information - requires specific contact method simple reference set (foundation metadata concept)|

Value Domain

Free text

prsb03-dataelement-13364

Id prsb03-dataelement-13364 (2020-08-06 18:44:22)

Concept inherits from *prsb03-dataelement-13220* (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150

Performing professional

prsb03-dataelement-11419

Id prsb03-dataelement-11419 (2019-05-30 14:08:28)

Description The professional who identified the accessible information requirement.

Relationship Performing professional (*prsb03-dataelement-11281* - 2019-05-30 11:53:30)

Name

prsb03-dataelement-11420

Id prsb03-dataelement-11420 (2019-05-30 14:08:48)

Concept inherits from *prsb03-dataelement-11282* (2019-05-30 11:57:38)

Description The name of the professional.

Rationale Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70



Role

prsb03-dataelement-11421

Id prsb03-dataelement-11421 (2019-05-30 14:08:48)

Concept inherits from prsb03-dataelement-11283 (2019-05-30 11:58:48)

Description The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc

Rationale Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobroletype

Value Domain



Grade

prsb03-dataelement-11422

Id prsb03-dataelement-11422 (2019-05-30 14:08:48)

Concept inherits from prsb03-dataelement-11288 (2019-05-30 12:19:40)

Description The grade of the professional.

Rationale PractitionerRole.code

Operationalization Free text

Value Domain

Property

max length

150



Speciality

prsb03-dataelement-11423

Id prsb03-dataelement-11423 (2019-05-30 14:08:48)

Concept inherits from prsb03-dataelement-11284 (2019-05-30 12:01:15)

Description The specialty of the professional e.g. physiotherapy, oncology, mental health etc

Rationale PractitionerRole.speciality

Operationalization NHS data dictionary - Activity treatment function code

Value Domain

Property

max length

3



Professional identifier

prsb03-dataelement-11424

Id

prsb03-dataelement-11424 (2019-05-30 14:08:48)

Concept inherits from

prsb03-dataelement-11285 (2019-05-30 12:02:46)

Description

Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.

Rationale

Practitioner.identifier (for professional national identifiers), PractitionerRole.identifier (for local role identifiers)

Operationalization

NHS data dictionary : - Professional registration identifier

Value Domain

Property

max length

32



Organisation

prsb03-dataelement-11425

Id

prsb03-dataelement-11425 (2019-05-30 14:08:48)

Concept inherits from

prsb03-dataelement-11286 (2019-05-30 12:17:19)

Description

The name of the organisation the professional works for.



Contact details

prsb03-dataelement-11426

Id

prsb03-dataelement-11426 (2019-05-30 14:08:48)

Concept inherits from

prsb03-dataelement-11287 (2019-05-30 12:18:13)

Description

Contact details of the professional

Rationale

Practitioner:telecom
PractitionerRole:telecom
Organisation.telcom

Operationalization

NHS data dictionary - UK phone number

Value Domain

Property

max length

35



Person completing record

prsb03-dataelement-11427

Id

prsb03-dataelement-11427 (2019-05-30 14:09:00)

Concept inherits from	 prsb03-dataelement-11289 (2019-05-30 12:24:39)
Description	Details of the person completing the record.
Relationship	Person completing record (<i>prsb03-dataelement-319 - 2018-10-31</i>)

 Name	prsb03-dataelement-11428
--	--------------------------

Id	prsb03-dataelement-11428 (2019-05-30 14:09:25)		
Concept inherits from	 prsb03-dataelement-11290 (2019-05-30 12:25:39)		
Description	The name of the person completing the record.		
Relationship	Name (<i>prsb03-dataelement-10219 - 2018-10-31</i>)		
Rationale	Composition.author.Practitioner.name		
Operationalization	Free text.		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>70</td> </tr> </table>	max length	70
max length			
70			

 Role	prsb03-dataelement-11429
--	--------------------------

Id	prsb03-dataelement-11429 (2019-05-30 14:09:25)
Concept inherits from	 prsb03-dataelement-11291 (2019-05-30 12:25:39)
Description	The organisational role of the person completing record.

2.1.37 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship	Role (<i>prsb03-dataelement-10220 - 2018-10-31</i>)
Rationale	Composition.author.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobrole
Value Domain	

 Grade	prsb03-dataelement-11430
---	--------------------------

Id	prsb03-dataelement-11430 (2019-05-30 14:09:25)
Concept inherits from	 prsb03-dataelement-11292 (2019-05-30 12:25:39)
Description	The grade of the person completing the record.
Relationship	Grade (<i>prsb03-dataelement-10221 - 2018-10-31</i>)
Rationale	PractitionerRole.code

Operationalization Free text.

Value Domain

Property

max length

150



Specialty

prsb03-dataelement-11431

Id prsb03-dataelement-11431 (2019-05-30 14:09:25)

Concept inherits from prsb03-dataelement-11293 (2019-05-30 12:25:39)

Description The main specialty of the person completing the record.

2.1.38 Properties

FHIR PractitionerRole.specialty

Relationship Specialty (*prsb03-dataelement-10222 - 2018-10-31*)

Rationale PractitionerRole.specialty

Operationalization NHS data dictionary :- Activity treatment function code

Value Domain

Property

max length

3



Organisation

prsb03-dataelement-11432

Id prsb03-dataelement-11432 (2019-05-30 14:09:25)

Concept inherits from prsb03-dataelement-11294 (2019-05-30 12:25:39)

Description The organisation the person completing the record works for.

Relationship Organisation (*prsb03-dataelement-10226 - 2018-10-31*)



Professional identifier

prsb03-dataelement-11433

Id prsb03-dataelement-11433 (2019-05-30 14:09:25)

Concept inherits from prsb03-dataelement-11295 (2019-05-30 12:25:39)

Description Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.39 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship	Professional identifier (<i>prsb03-dataelement-10223 - 2018-10-31</i>)
Rationale	Practitioner.identifier (for professional national identifiers), PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary :- Professional registration identifier

Value Domain

Property

max length

32



Date completed

prsb03-dataelement-11434


Id	prsb03-dataelement-11434 (2019-05-30 14:09:25)
Concept inherits from	<i>prsb03-dataelement-11296</i> (2019-05-30 12:25:39)
Description	The date and time the record was completed.
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)
Rationale	Composition.date
Operationalization	Date and time.

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Contact details

prsb03-dataelement-11435

Id	prsb03-dataelement-11435 (2019-05-30 14:09:25)
Concept inherits from	<i>prsb03-dataelement-11297</i> (2019-05-30 12:25:39)
Description	Contact details of the person completing the record.

2.1.40 Properties

FHIR **PractitionerRole.telecom**Relationship *Contact details (prsb03-dataelement-10225 - 2018-10-31)*Rationale
Practitioner:telecom
PractitionerRole:telecom
Organisation.telcom

Operationalization NHS data dictionary : - UK telephone number

Value Domain

Property

max length

  Performing professional	prsb03-dataelement-11198
Id	prsb03-dataelement-11198 (2019-05-28 18:01:11)
Concept inherits from	 prsb03-dataelement-11148 (2019-05-24 11:51:30)
Description	The professional identifying the safeguarding concern.
 Name	prsb03-dataelement-11199
Id	prsb03-dataelement-11199 (2019-05-28 18:02:55)
Concept inherits from	 prsb03-dataelement-11149 (2019-05-24 11:51:53)
Description	The name of the professional with responsibility for the care of the person.
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 70 </div>
 Role	prsb03-dataelement-11200
Id	prsb03-dataelement-11200 (2019-05-28 18:02:55)
Concept inherits from	 prsb03-dataelement-11150 (2019-05-24 11:51:53)
Description	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker, key worker, care home manager, care coordinator, LA hospital liaison person, care home contact, hospital clinician, Independent Mental Capacity Advocate (IMCA) etc
Operationalization	FHIR value set : - SDSjobrole
Value Domain	
 Speciality	prsb03-dataelement-11201
Id	prsb03-dataelement-11201 (2019-05-28 18:02:55)
Concept inherits from	 prsb03-dataelement-11151 (2019-05-24 11:51:53)
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc
Operationalization	NHS data dictionary : - Activity treatment function code
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length </div>

 Team

prsb03-dataelement-11202

Id	prsb03-dataelement-11202 (2019-05-28 18:02:55)
----	--

Concept inherits from	 prsb03-dataelement-11152 (2019-05-24 11:51:53)
-----------------------	--

Description	The name of the team.
-------------	-----------------------

Operationalization	Free text
--------------------	-----------

Value Domain	
--------------	--

Property	max length
----------	-------------------

	35
--	----

 Organisation

prsb03-dataelement-11203

Id	prsb03-dataelement-11203 (2019-05-28 18:02:55)
----	--

Concept inherits from	 prsb03-dataelement-11153 (2019-05-24 11:51:53)
-----------------------	--

Description	The name of the organisation.
-------------	-------------------------------

 Contact details

prsb03-dataelement-11204

Id	prsb03-dataelement-11204 (2019-05-28 18:02:55)
----	--

Concept inherits from	 prsb03-dataelement-11154 (2019-05-24 11:51:53)
-----------------------	--

Description	Contact details of the professional (e.g. telephone number, email address etc.).
-------------	--

Operationalization	Free text
--------------------	-----------

Value Domain	
--------------	--

Property	max length
----------	-------------------

	35
--	----

 Professional identifier

prsb03-dataelement-11205

Id	prsb03-dataelement-11205 (2019-05-28 18:02:55)
----	--

Concept inherits from	 prsb03-dataelement-11167 (2019-05-28 17:18:30)
-----------------------------	--

Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.
-------------	---

2.1.41 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Value
Domain



Start date

prsb03-dataelement-11206

Id

prsb03-dataelement-11206 (2019-05-28 18:02:55)

Concept inherits from

prsb03-dataelement-11155 (2019-05-24 11:51:53)

Description

The start date of the professional relationship with the person.

Operationalization

Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



End date

prsb03-dataelement-11207

Id

prsb03-dataelement-11207 (2019-05-28 18:02:55)

Concept inherits from

prsb03-dataelement-11156 (2019-05-24 11:51:53)

Description

The end date of the professional relationship with the person.

Operationalization

Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Professional contacts record entry

prsb03-dataelement-11208

Id

prsb03-dataelement-11208 (2019-05-28 18:02:55)

Concept
inherits
from

prsb03-dataelement-11157 (2019-05-24 11:51:53)

Description

This is a professional contacts record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.

Relationship

Professional contacts record entry (*prsb03-dataelement-11044 - 2019-05-24 11:18:10*)



Person completing record

prsb03-dataelement-11209

Id

prsb03-dataelement-11209 (2019-05-28 18:04:59)

Concept inherits from	 prsb03-dataelement-319 (2018-10-31)
Description	Details of the person completing the record.
 Name	prsb03-dataelement-11210
Id	prsb03-dataelement-11210 (2019-05-28 18:05:50)
Concept inherits from	 prsb03-dataelement-10219 (2018-10-31)
Description	The name of the person completing the record, preferably in a structured format.
Operationalization	The person name as held on the source system. Where possible this should be broken down into its constituent parts (prefix, given name, family name, and suffix).
Value Domain	
 Role	prsb03-dataelement-11211
Id	prsb03-dataelement-11211 (2019-05-28 18:05:50)
Concept inherits from	 prsb03-dataelement-10220 (2018-10-31)
Description	The role of the person completing record.
2.1.42 Properties	
FHIR	PractitionerRole.code of the practitioner completing the record
Operationalization	The role may be held on the source system, be from an authoritative source such as SDS, or use an existing vocabulary such as the job role title (from the national workforce dataset).
Value Domain	
 Grade	prsb03-dataelement-11212
Id	prsb03-dataelement-11212 (2019-05-28 18:05:50)
Concept inherits from	 prsb03-dataelement-10221 (2018-10-31)
Description	The grade of the person completing the record
Operationalization	The grade of the person completing the record held on the source system or from an authoritative source
Value Domain	
 Specialty	prsb03-dataelement-11213
Id	prsb03-dataelement-11213 (2019-05-28 18:05:50)
Concept inherits from	 prsb03-dataelement-10222 (2018-10-31)
Description	The main specialty of the person completing the record.

2.1.43 Properties

FHIR PractitionerRole.specialty

Operationalization The main clinical specialty as held on the source system.

Value Domain



Organisation

prsb03-dataelement-11214

Id prsb03-dataelement-11214 (2019-05-28 18:05:50)

Concept inherits from [prsb03-dataelement-10226 \(2018-10-31\)](#)

Description The organisation the person completing the record works for.

Operationalization An ODS identifier for the organisation or site, the name of the organisation or site, and a postal address (if available).

Value Domain



Professional identifier

prsb03-dataelement-11215

Id prsb03-dataelement-11215 (2019-05-28 18:05:50)

Concept inherits from [prsb03-dataelement-10223 \(2018-10-31\)](#)

Description Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.44 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Value
Domain



Date completed

prsb03-dataelement-11216

Id prsb03-dataelement-11216 (2019-05-28 18:05:50)

Concept inherits from [prsb03-dataelement-10224 \(2018-10-31\)](#)

Description The date and time the record was updated.

Operationalization The date/time the record was updated.

Value Domain



Contact details

prsb03-dataelement-11217

Id prsb03-dataelement-11217 (2019-05-28 18:05:50)

Concept inherits from	 prsb03-dataelement-10225 (2018-10-31)
Description	Contact details of the person completing the record. For example a phone number, email address. Contact details are used to resolve queries about the record entry.

2.1.45 Properties

FHIR	PractitionerRole.telecom
------	--------------------------

Operationalization	The contact details may be for the individual completing the record, or wider team details (for example a phone number for a hospital department).
--------------------	--

Value Domain

  Performing professional	prsb03-dataelement-11053
---	--------------------------

Id	prsb03-dataelement-11053 (2019-05-24 11:27:22)
Concept inherits from	 prsb03-dataelement-11043 (2019-05-24 11:17:33)
Description	The performing professional identifying the requirement.
Relationship	Professional contacts (<i>prsb03-dataelement-452 - 2018-10-31</i>)

 Name	prsb03-dataelement-11054
---	--------------------------

Id	prsb03-dataelement-11054 (2019-05-24 11:28:02)		
Concept inherits from	 prsb03-dataelement-11045 (2019-05-24 11:18:10)		
Description	The name of the professional with responsibility for the care of the person.		
Operationalization	Free text		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>70</td> </tr> </table>	max length	70
max length			
70			

 Role	prsb03-dataelement-11055
--	--------------------------

Id	prsb03-dataelement-11055 (2019-05-24 11:28:02)
Concept inherits from	 prsb03-dataelement-11046 (2019-05-24 11:18:10)
Description	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker, key worker, care home manager, care coordinator, LA hospital liaison person, care home contact, hospital clinician, Independent Mental Capacity Advocate (IMCA) etc
Operationalization	FHIR value set : - SDSjobrole
Value Domain	

 Speciality	
--	--

		prsb03-dataelement-11056
Id	prsb03-dataelement-11056 (2019-05-24 11:28:02)	
Concept inherits from	(X) prsb03-dataelement-11047 (2019-05-24 11:18:10)	
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc	
Operationalization	NHS data dictionary : - Activity treatment function code	
Value Domain		
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;">max length</div> <div style="text-align: center;">3</div>	
 Team		prsb03-dataelement-11057
Id	prsb03-dataelement-11057 (2019-05-24 11:28:02)	
Concept inherits from	(X) prsb03-dataelement-11048 (2019-05-24 11:18:10)	
Description	The name of the team.	
Operationalization	Free text	
Value Domain		
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;">max length</div> <div style="text-align: center;">35</div>	
 Organisation		prsb03-dataelement-11058
Id	prsb03-dataelement-11058 (2019-05-24 11:28:02)	
Concept inherits from	(X) prsb03-dataelement-11049 (2019-05-24 11:18:10)	
Description	The name of the organisation.	
 Contact details		prsb03-dataelement-11059
Id	prsb03-dataelement-11059 (2019-05-24 11:28:02)	
Concept inherits from	(X) prsb03-dataelement-11050 (2019-05-24 11:18:10)	
Description	Contact details of the professional (e.g. telephone number, email address etc.).	
Operationalization	Free text	
Value Domain		
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;">max length</div> <div style="text-align: center;">35</div>	
 Start date		prsb03-dataelement-11060

Id	prsb03-dataelement-11060 (2019-05-24 11:28:02)
Concept inherits from	☒ prsb03-dataelement-11051 (2019-05-24 11:18:10)
Description	The start date of the professional relationship with the person.
Operationalization	Date and time
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>
☒ End date	prsb03-dataelement-11061
Id	prsb03-dataelement-11061 (2019-05-24 11:28:02)
Concept inherits from	☒ prsb03-dataelement-11052 (2019-05-24 11:18:10)
Description	The end date of the professional relationship with the person.
Operationalization	Date and time
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>
📁☒ Professional contacts record entry	prsb03-dataelement-11062
Id	prsb03-dataelement-11062 (2019-05-24 11:28:02)
Concept inherits from	☒ prsb03-dataelement-11044 (2019-05-24 11:18:10)
Description	This is a professional contacts record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.
📁☒ Person completing record	prsb03-dataelement-11063
Id	prsb03-dataelement-11063 (2019-05-24 11:28:14)
Concept inherits from	☒ prsb03-dataelement-319 (2018-10-31)
Description	Details of the person completing the record.
☒ Name	prsb03-dataelement-11064
Id	prsb03-dataelement-11064 (2019-05-24 11:28:43)
Concept inherits from	☒ prsb03-dataelement-10219 (2018-10-31)
Description	The name of the person completing the record, preferably in a structured format.

Operationalization The person name as held on the source system. Where possible this should be broken down into its constituent parts (prefix, given name, family name, and suffix).

Value Domain



Role

prsb03-dataelement-11065

Id prsb03-dataelement-11065 (2019-05-24 11:28:43)

Concept inherits from [prsb03-dataelement-10220](#) (2018-10-31)

Description The role of the person completing record.

2.1.46 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Operationalization The role may be held on the source system, be from an authoritative source such as SDS, or use an existing vocabulary such as the job role title (from the national workforce dataset).

Value Domain



Grade

prsb03-dataelement-11066

Id prsb03-dataelement-11066 (2019-05-24 11:28:43)

Concept inherits from [prsb03-dataelement-10221](#) (2018-10-31)

Description The grade of the person completing the record

Operationalization The grade of the person completing the record held on the source system or from an authoritative source

Value Domain



Specialty

prsb03-dataelement-11067

Id prsb03-dataelement-11067 (2019-05-24 11:28:43)

Concept inherits from [prsb03-dataelement-10222](#) (2018-10-31)

Description The main specialty of the person completing the record.

2.1.47 Properties

FHIR PractitionerRole.specialty

Operationalization The main clinical specialty as held on the source system.

Value Domain



Professional identifier

prsb03-dataelement-11068

Id prsb03-dataelement-11068 (2019-05-24 11:28:43)

Concept inherits from	 prsb03-dataelement-10223 (2018-10-31)
-----------------------	---

Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.
-------------	---

2.1.48 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Value Domain

 Date completed	prsb03-dataelement-11069
--	--------------------------

Id	prsb03-dataelement-11069 (2019-05-24 11:28:43)
----	--

Concept inherits from	 prsb03-dataelement-10224 (2018-10-31)
-----------------------	---

Description	The date and time the record was updated.
-------------	---

Operationalization	The date/time the record was updated.
--------------------	---------------------------------------

Value Domain

 Contact details	prsb03-dataelement-11070
--	--------------------------

Id	prsb03-dataelement-11070 (2019-05-24 11:28:43)
----	--

Concept inherits from	 prsb03-dataelement-10225 (2018-10-31)
-----------------------	---

Description	Contact details of the person completing the record. For example a phone number, email address. Contact details are used to resolve queries about the record entry.
-------------	---

2.1.49 Properties

FHIR PractitionerRole.telecom

Operationalization	The contact details may be for the individual completing the record, or wider team details (for example a phone number for a hospital department).
--------------------	--

Value Domain

 Organisation	prsb03-dataelement-11071
--	--------------------------

Id	prsb03-dataelement-11071 (2019-05-24 11:28:43)
----	--

Concept inherits from	 prsb03-dataelement-10226 (2018-10-31)
-----------------------	---

Description	The organisation the person completing the record works for.
-------------	--

Operationalization	An ODS identifier for the organisation or site, the name of the organisation or site, and a postal address (if available).
--------------------	--

Value Domain

 	Accessible information - requires communication support	prsb03-dataelement-10062
---	---	--------------------------

Id prsb03-dataelement-10062 (2018-10-31)

Description The communication support the person requires in order for information to be accessible.

 Date	prsb03-dataelement-11701
--	--------------------------

Id prsb03-dataelement-11701 (2019-05-31 13:03:10)

Description The date the accessible information requirement was identified.

Relationship Date (*prsb03-dataelement-11688 - 2019-05-31 11:50:22*)

Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year

 	Location	prsb03-dataelement-11702
---	----------	--------------------------

Id prsb03-dataelement-11702 (2019-05-31 13:03:39)

Description The location where the accessible information requirement was identified.

Relationship Location (*prsb03-dataelement-11689 - 2019-05-31 11:51:04*)

 Coded value	prsb03-dataelement-13375
---	--------------------------

Id prsb03-dataelement-13375 (2020-08-06 19:07:03)

Description The coded value for location.

Operationalization NHS data dictionary : - Organisation data service code

Value Domain

Property

min length max length

3 5

 Free text	prsb03-dataelement-13376
---	--------------------------

Id prsb03-dataelement-13376 (2020-08-06 19:08:01)

Concept inherits from  *prsb03-dataelement-13220 (2020-07-08 12:57:49)*

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150



Requires communication support

prsb03-dataelement-13365

Id prsb03-dataelement-13365 (2020-08-06 18:45:45)

Description The communication support the person requires in order for information to be accessible.



Coded value

prsb03-dataelement-13366

Id prsb03-dataelement-13366 (2020-08-06 18:47:48)

Description The coded value for communication support. <https://dd4c.hscic.gov.uk/dd4c/publishedmetadatas/intid/658>

Operationalization SNOMED CT :- ^999002121000000109 |Accessible information - communication support simple reference set (foundation metadata concept)

Value Domain



Free text

prsb03-dataelement-13367

Id prsb03-dataelement-13367 (2020-08-06 18:48:50)

Concept inherits from prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150



Performing professional

prsb03-dataelement-11436

Id prsb03-dataelement-11436 (2019-05-30 14:13:49)

Description The professional who identified the accessible information requirement.

Relationship Performing professional (*prsb03-dataelement-11281 - 2019-05-30 11:53:30*)

Name

prsb03-dataelement-11437

Id prsb03-dataelement-11437 (2019-05-30 14:18:52)

Concept inherits from prsb03-dataelement-11282 (2019-05-30 11:57:38)

Description The name of the professional.

Rationale Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70



Role

prsb03-dataelement-11438

Id prsb03-dataelement-11438 (2019-05-30 14:18:52)

Concept inherits from *prsb03-dataelement-11283* (2019-05-30 11:58:48)

Description The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc

Rationale Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobroletype

Value Domain



Grade

prsb03-dataelement-11439

Id prsb03-dataelement-11439 (2019-05-30 14:18:52)

Concept inherits from *prsb03-dataelement-11288* (2019-05-30 12:19:40)

Description The grade of the professional.

Rationale PractitionerRole.code

Operationalization Free text

Value Domain

Property

max length

150



Speciality

prsb03-dataelement-11440

Id prsb03-dataelement-11440 (2019-05-30 14:18:52)

Concept inherits from *prsb03-dataelement-11284* (2019-05-30 12:01:15)

Description The specialty of the professional e.g. physiotherapy, oncology, mental health etc

Rationale PractitionerRole.speciality

Operationalization NHS data dictionary - Activity treatment function code

Value Domain

Property

max length

 Professional identifier

prsb03-dataelement-11441

Id	prsb03-dataelement-11441 (2019-05-30 14:18:52)
Concept inherits from	 <i>prsb03-dataelement-11285</i> (2019-05-30 12:02:46)
Description	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.
Rationale	Practitioner.identifier (for professional national identifiers), PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary : - Professional registration identifier
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 2px; border-radius: 5px; display: inline-block;">max length</div> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">32</div>

  Organisation

prsb03-dataelement-11442

Id	prsb03-dataelement-11442 (2019-05-30 14:18:52)
Concept inherits from	 <i>prsb03-dataelement-11286</i> (2019-05-30 12:17:19)
Description	The name of the organisation the professional works for.

 Contact details

prsb03-dataelement-11443

Id	prsb03-dataelement-11443 (2019-05-30 14:18:52)
Concept inherits from	 <i>prsb03-dataelement-11287</i> (2019-05-30 12:18:13)
Description	Contact details of the professional
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom
Operationalization	NHS data dictionary - UK phone number
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 2px; border-radius: 5px; display: inline-block;">max length</div> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">35</div>

  Person completing record

prsb03-dataelement-11444

Id	prsb03-dataelement-11444 (2019-05-30 14:19:18)
Concept inherits from	 <i>prsb03-dataelement-11289</i> (2019-05-30 12:24:39)

Description	Details of the person completing the record.
Relationship	Person completing record (<i>prsb03-dataelement-319 - 2018-10-31</i>)

 Name	prsb03-dataelement-11445		
 prsb03-dataelement-11445			
Id	prsb03-dataelement-11445 (2019-05-30 14:19:57)		
Concept inherits from	 <i>prsb03-dataelement-11290</i> (2019-05-30 12:25:39)		
Description	The name of the person completing the record.		
Relationship	Name (<i>prsb03-dataelement-10219 - 2018-10-31</i>)		
Rationale	Composition.author.Practitioner.name		
Operationalization	Free text.		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>70</td> </tr> </table>	max length	70
max length			
70			

 Role	prsb03-dataelement-11446
 prsb03-dataelement-11446	
Id	prsb03-dataelement-11446 (2019-05-30 14:19:57)
Concept inherits from	 <i>prsb03-dataelement-11291</i> (2019-05-30 12:25:39)
Description	The organisational role of the person completing record.

2.1.50 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship	Role (<i>prsb03-dataelement-10220 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobrole
Value Domain	

 Grade	prsb03-dataelement-11447
 prsb03-dataelement-11447	
Id	prsb03-dataelement-11447 (2019-05-30 14:19:57)
Concept inherits from	 <i>prsb03-dataelement-11292</i> (2019-05-30 12:25:39)
Description	The grade of the person completing the record.
Relationship	Grade (<i>prsb03-dataelement-10221 - 2018-10-31</i>)
Rationale	PractitionerRole.code
Operationalization	Free text.

Value Domain

Property

max length

150



Specialty

prsb03-dataelement-11448

Id

prsb03-dataelement-11448 (2019-05-30 14:19:57)

Concept inherits from

prsb03-dataelement-11293 (2019-05-30 12:25:39)

Description

The main specialty of the person completing the record.

2.1.51 Properties

FHIR PractitionerRole.specialty

Relationship

Specialty (*prsb03-dataelement-10222 - 2018-10-31*)

Rationale

PractitionerRole.specialty

Operationalization

NHS data dictionary :- Activity treatment function code

Value Domain

Property

max length

3



Organisation

prsb03-dataelement-11449

Id

prsb03-dataelement-11449 (2019-05-30 14:19:57)

Concept inherits from

prsb03-dataelement-11294 (2019-05-30 12:25:39)

Description

The organisation the person completing the record works for.

Relationship

Organisation (*prsb03-dataelement-10226 - 2018-10-31*)

Professional identifier

prsb03-dataelement-11450

Id

prsb03-dataelement-11450 (2019-05-30 14:19:57)

Concept inherits from

prsb03-dataelement-11295 (2019-05-30 12:25:39)

Description

Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.52 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship Professional identifier (*prsb03-dataelement-10223 - 2018-10-31*)

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary :- Professional registration identifier

Value Domain

Property

max length

32



Date completed

prsb03-dataelement-11451

Id prsb03-dataelement-11451 (2019-05-30 14:19:57)

Concept inherits from prsb03-dataelement-11296 (2019-05-30 12:25:39)

Description The date and time the record was completed.

Relationship Date completed (*prsb03-dataelement-10224 - 2018-10-31*)

Rationale Composition.date


Operationalization Date and time.

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Contact details

prsb03-dataelement-11452

Id prsb03-dataelement-11452 (2019-05-30 14:19:57)

Concept inherits from prsb03-dataelement-11297 (2019-05-30 12:25:39)

Description Contact details of the person completing the record.

2.1.53 Properties

FHIR PractitionerRole.telecom

Relationship Contact details (*prsb03-dataelement-10225 - 2018-10-31*)

Rationale Practitioner:telecom
PractitionerRole:telecom
Organisation.telcom

Operationalization NHS data dictionary : - UK telephone number

Value Domain

Property

max length

35

  Performing professional	prsb03-dataelement-11218
Id	prsb03-dataelement-11218 (2019-05-28 18:10:22)
Concept inherits from	 prsb03-dataelement-11148 (2019-05-24 11:51:30)
Description	The professional identifying the safeguarding concern.
 Name	prsb03-dataelement-11219
Id	prsb03-dataelement-11219 (2019-05-28 18:11:38)
Concept inherits from	 prsb03-dataelement-11149 (2019-05-24 11:51:53)
Description	The name of the professional with responsibility for the care of the person.
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 70 </div>
 Role	prsb03-dataelement-11220
Id	prsb03-dataelement-11220 (2019-05-28 18:11:38)
Concept inherits from	 prsb03-dataelement-11150 (2019-05-24 11:51:53)
Description	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker, key worker, care home manager, care coordinator, LA hospital liaison person, care home contact, hospital clinician, Independent Mental Capacity Advocate (IMCA) etc
Operationalization	FHIR value set : - SDSjobrole
Value Domain	
 Speciality	prsb03-dataelement-11221
Id	prsb03-dataelement-11221 (2019-05-28 18:11:38)
Concept inherits from	 prsb03-dataelement-11151 (2019-05-24 11:51:53)
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc
Operationalization	NHS data dictionary : - Activity treatment function code
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 3 </div>
 Team	

		prsb03-dataelement-11222
Id	prsb03-dataelement-11222 (2019-05-28 18:11:38)	
Concept inherits from	(prsb03-dataelement-11152) (2019-05-24 11:51:53)	
Description	The name of the team.	
Operationalization	Free text	
Value Domain		
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 35 </div>	
(Organisation		prsb03-dataelement-11223
Id	prsb03-dataelement-11223 (2019-05-28 18:11:38)	
Concept inherits from	(prsb03-dataelement-11153) (2019-05-24 11:51:53)	
Description	The name of the organisation.	
Contact details		prsb03-dataelement-11224
Id	prsb03-dataelement-11224 (2019-05-28 18:11:38)	
Concept inherits from	(prsb03-dataelement-11154) (2019-05-24 11:51:53)	
Description	Contact details of the professional (e.g. telephone number, email address etc.).	
Operationalization	Free text	
Value Domain		
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 35 </div>	
Professional identifier		prsb03-dataelement-11225
Id	prsb03-dataelement-11225 (2019-05-28 18:11:38)	
Concept inherits from	(prsb03-dataelement-11167) (2019-05-28 17:18:30)	
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.	
2.1.54 Properties		
FHIR	PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)	
Value Domain		

 Start date	prsb03-dataelement-11226
Id	prsb03-dataelement-11226 (2019-05-28 18:11:38)
Concept inherits from	 prsb03-dataelement-11155 (2019-05-24 11:51:53)
Description	The start date of the professional relationship with the person.
Operationalization	Date and time
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>
 End date	prsb03-dataelement-11227
Id	prsb03-dataelement-11227 (2019-05-28 18:11:38)
Concept inherits from	 prsb03-dataelement-11156 (2019-05-24 11:51:53)
Description	The end date of the professional relationship with the person.
Operationalization	Date and time
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>
  Professional contacts record entry	prsb03-dataelement-11228
Id	prsb03-dataelement-11228 (2019-05-28 18:11:38)
Concept inherits from	 prsb03-dataelement-11157 (2019-05-24 11:51:53)
Description	This is a professional contacts record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.
Relationship	Professional contacts record entry (<i>prsb03-dataelement-11044 - 2019-05-24 11:18:10</i>)
  Person completing record	prsb03-dataelement-11229
Id	prsb03-dataelement-11229 (2019-05-28 18:13:20)
Concept inherits from	 prsb03-dataelement-319 (2018-10-31)
Description	Details of the person completing the record.
 Name	prsb03-dataelement-11230
Id	prsb03-dataelement-11230 (2019-05-28 18:13:47)

Concept inherits from	 prsb03-dataelement-10219 (2018-10-31)
Description	The name of the person completing the record, preferably in a structured format.
Operationalization	The person name as held on the source system. Where possible this should be broken down into its constituent parts (prefix, given name, family name, and suffix).
Value Domain	

 Role	prsb03-dataelement-11231
--	--------------------------

Id	prsb03-dataelement-11231 (2019-05-28 18:13:47)
Concept inherits from	 prsb03-dataelement-10220 (2018-10-31)
Description	The role of the person completing record.

2.1.55 Properties

FHIR	PractitionerRole.code of the practitioner completing the record
Operationalization	The role may be held on the source system, be from an authoritative source such as SDS, or use an existing vocabulary such as the job role title (from the national workforce dataset).
Value Domain	

 Grade	prsb03-dataelement-11232
---	--------------------------

Id	prsb03-dataelement-11232 (2019-05-28 18:13:47)
Concept inherits from	 prsb03-dataelement-10221 (2018-10-31)
Description	The grade of the person completing the record
Operationalization	The grade of the person completing the record held on the source system or from an authoritative source
Value Domain	

 Specialty	prsb03-dataelement-11233
---	--------------------------

Id	prsb03-dataelement-11233 (2019-05-28 18:13:47)
Concept inherits from	 prsb03-dataelement-10222 (2018-10-31)
Description	The main specialty of the person completing the record.

2.1.56 Properties

FHIR	PractitionerRole.specialty
Operationalization	The main clinical specialty as held on the source system.
Value Domain	

 Organisation	
--	--

		prsb03-dataelement-11234
Id	prsb03-dataelement-11234 (2019-05-28 18:13:47)	
Concept inherits from	 prsb03-dataelement-10226 (2018-10-31)	
Description	The organisation the person completing the record works for.	
Operationalization	An ODS identifier for the organisation or site, the name of the organisation or site, and a postal address (if available).	
Value Domain		
 Professional identifier		prsb03-dataelement-11235
Id	prsb03-dataelement-11235 (2019-05-28 18:13:47)	
Concept inherits from	 prsb03-dataelement-10223 (2018-10-31)	
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.	
2.1.57 Properties		
FHIR	PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)	
Value Domain		
 Date completed		prsb03-dataelement-11236
Id	prsb03-dataelement-11236 (2019-05-28 18:13:47)	
Concept inherits from	 prsb03-dataelement-10224 (2018-10-31)	
Description	The date and time the record was updated.	
Operationalization	The date/time the record was updated.	
Value Domain		
 Contact details		prsb03-dataelement-11237
Id	prsb03-dataelement-11237 (2019-05-28 18:13:47)	
Concept inherits from	 prsb03-dataelement-10225 (2018-10-31)	
Description	Contact details of the person completing the record. For example a phone number, email address. Contact details are used to resolve queries about the record entry.	
2.1.58 Properties		
FHIR	PractitionerRole.telecom	

Operationalization The contact details may be for the individual completing the record, or wider team details (for example a phone number for a hospital department).

Value Domain

  Performing professional

prsb03-dataelement-11072

Id

prsb03-dataelement-11072 (2019-05-24 11:29:36)

Concept inherits from

 prsb03-dataelement-11043 (2019-05-24 11:17:33)

Description

The performing professional identifying the requirement.

Relationship

Professional contacts (*prsb03-dataelement-452 - 2018-10-31*)

 Name

prsb03-dataelement-11073

Id

prsb03-dataelement-11073 (2019-05-24 11:31:26)

Concept inherits from

 prsb03-dataelement-11045 (2019-05-24 11:18:10)

Description

The name of the professional with responsibility for the care of the person.

Operationalization

Free text

Value Domain

Property

max length

70

 Role

prsb03-dataelement-11074

Id

prsb03-dataelement-11074 (2019-05-24 11:31:26)

Concept inherits from

 prsb03-dataelement-11046 (2019-05-24 11:18:10)

Description

The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker, key worker, care home manager, care coordinator, LA hospital liaison person, care home contact, hospital clinician, Independent Mental Capacity Advocate (IMCA) etc

Operationalization FHIR value set : - SDSjobrole

Value Domain

 Speciality

prsb03-dataelement-11075

Id

prsb03-dataelement-11075 (2019-05-24 11:31:26)

Concept inherits from

 prsb03-dataelement-11047 (2019-05-24 11:18:10)

Description

The specialty of the professional e.g. physiotherapy, oncology, mental health etc

Operationalization

NHS data dictionary : - Activity treatment function code

Value Domain

Property	max length	3
 Team		prsb03-dataelement-11076
Id	prsb03-dataelement-11076 (2019-05-24 11:31:26)	
Concept inherits from	 prsb03-dataelement-11048 (2019-05-24 11:18:10)	
Description	The name of the team.	
Operationalization	Free text	
Value Domain		
Property	max length	35
 Organisation		prsb03-dataelement-11077
Id	prsb03-dataelement-11077 (2019-05-24 11:31:26)	
Concept inherits from	 prsb03-dataelement-11049 (2019-05-24 11:18:10)	
Description	The name of the organisation.	
 Contact details		prsb03-dataelement-11078
Id	prsb03-dataelement-11078 (2019-05-24 11:31:26)	
Concept inherits from	 prsb03-dataelement-11050 (2019-05-24 11:18:10)	
Description	Contact details of the professional (e.g. telephone number, email address etc.).	
Operationalization	Free text	
Value Domain		
Property	max length	35
 Start date		prsb03-dataelement-11079
Id	prsb03-dataelement-11079 (2019-05-24 11:31:26)	
Concept inherits from	 prsb03-dataelement-11051 (2019-05-24 11:18:10)	
Description	The start date of the professional relationship with the person.	
Operationalization	Date and time	
Value Domain		

Property

Timestamp precision

at least day, month and year, hour and minute



End date

prsb03-dataelement-11080

Id

prsb03-dataelement-11080 (2019-05-24 11:31:26)

Concept inherits from

prsb03-dataelement-11052 (2019-05-24 11:18:10)

Description

The end date of the professional relationship with the person.

Operationalization

Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Professional contacts record entry

prsb03-dataelement-11081

Id

prsb03-dataelement-11081 (2019-05-24 11:31:26)

Concept
inherits
from

prsb03-dataelement-11044 (2019-05-24 11:18:10)

Description

This is a professional contacts record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.



Person completing record

prsb03-dataelement-11082

Id

prsb03-dataelement-11082 (2019-05-24 11:31:31)

Concept inherits from

prsb03-dataelement-319 (2018-10-31)

Description

Details of the person completing the record.



Name

prsb03-dataelement-11083

Id

prsb03-dataelement-11083 (2019-05-24 11:31:54)

Concept inherits
from

prsb03-dataelement-10219 (2018-10-31)

Description

The name of the person completing the record, preferably in a structured format.

Operationalization

The person name as held on the source system. Where possible this should be broken down into its constituent parts (prefix, given name, family name, and suffix).

Value Domain



Role

prsb03-dataelement-11084

Id

prsb03-dataelement-11084 (2019-05-24 11:31:54)

Concept inherits from  prsb03-dataelement-10220 (2018-10-31)

Description The role of the person completing record.

2.1.59 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Operationalization The role may be held on the source system, be from an authoritative source such as SDS, or use an existing vocabulary such as the job role title (from the national workforce dataset).

Value Domain



Grade

prsb03-dataelement-11085

Id prsb03-dataelement-11085 (2019-05-24 11:31:54)

Concept inherits from  prsb03-dataelement-10221 (2018-10-31)

Description The grade of the person completing the record

Operationalization The grade of the person completing the record held on the source system or from an authoritative source

Value Domain



Specialty

prsb03-dataelement-11086

Id prsb03-dataelement-11086 (2019-05-24 11:31:54)

Concept inherits from  prsb03-dataelement-10222 (2018-10-31)

Description The main specialty of the person completing the record.

2.1.60 Properties

FHIR PractitionerRole.specialty

Operationalization The main clinical specialty as held on the source system.

Value Domain



Professional identifier

prsb03-dataelement-11087

Id prsb03-dataelement-11087 (2019-05-24 11:31:54)

Concept inherits from  prsb03-dataelement-10223 (2018-10-31)

Description Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.61 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Value
Domain

 Date completed

prsb03-dataelement-11088

Id

prsb03-dataelement-11088 (2019-05-24 11:31:54)

Concept inherits from

 prsb03-dataelement-10224 (2018-10-31)

Description

The date and time the record was updated.

Operationalization

The date/time the record was updated.

Value Domain

 Contact details

prsb03-dataelement-11089

Id

prsb03-dataelement-11089 (2019-05-24 11:31:54)

Concept inherits from

 prsb03-dataelement-10225 (2018-10-31)

Description

Contact details of the person completing the record. For example a phone number, email address. Contact details are used to resolve queries about the record entry.

2.1.62 Properties

FHIR

PractitionerRole.telecom

Operationalization

The contact details may be for the individual completing the record, or wider team details (for example a phone number for a hospital department).

Value Domain

 Organisation

prsb03-dataelement-11090

Id

prsb03-dataelement-11090 (2019-05-24 11:31:54)

Concept inherits from

 prsb03-dataelement-10226 (2018-10-31)

Description

The organisation the person completing the record works for.

Operationalization

An ODS identifier for the organisation or site, the name of the organisation or site, and a postal address (if available).

Value Domain

  Accessible information - requires communication professional

prsb03-dataelement-10061

Id

prsb03-dataelement-10061 (2018-10-31)

Description

Identifies that the person needs support from a communication professional in order for information to be accessible.

Operationalization

SNOMED CT

Refset ^999002141000000102

<https://dd4c.hscic.gov.uk/dd4c/publishedmetadatas/intid/660>

 Date	prsb03-dataelement-11703				
Id	prsb03-dataelement-11703 (2019-05-31 13:04:26)				
Description	The date the accessible information requirement was identified.				
Relationship	Date (<i>prsb03-dataelement-11688 - 2019-05-31 11:50:22</i>)				
Operationalization	Date and time				
Value Domain					
Property	<p style="text-align: center;">Timestamp precision</p> <p style="text-align: center;">at least day, month and year</p>				
 Location	prsb03-dataelement-11704				
Id	prsb03-dataelement-11704 (2019-05-31 13:04:51)				
Description	The location where the accessible information requirement was identified.				
Relationship	Location (<i>prsb03-dataelement-11689 - 2019-05-31 11:51:04</i>)				
 Coded value	prsb03-dataelement-13377				
Id	prsb03-dataelement-13377 (2020-08-06 19:09:30)				
Description	The coded value for location.				
Operationalization	NHS data dictionary : - Organisation data service code				
Value Domain					
Property	<table style="width: 100%; text-align: center;"> <tr> <td>min length</td> <td>max length</td> </tr> <tr> <td>3</td> <td>5</td> </tr> </table>	min length	max length	3	5
min length	max length				
3	5				
 Free text	prsb03-dataelement-13378				
Id	prsb03-dataelement-13378 (2020-08-06 19:10:29)				
Concept inherits from	 prsb03-dataelement-13220 (2020-07-08 12:57:49)				
Description	Free text field to be used if no code is available				
Operationalization	Free text				
Value Domain					
Property	<table style="width: 100%; text-align: center;"> <tr> <td>max length</td> </tr> <tr> <td>150</td> </tr> </table>	max length	150		
max length					
150					

  Requires communication professional	prsb03-dataelement-13368
---	--------------------------

Id prsb03-dataelement-13368 (2020-08-06 18:50:18)

Description Identifies that the person needs support from a communication professional in order for information to be accessible.

 Coded value	prsb03-dataelement-13369
---	--------------------------

Id prsb03-dataelement-13369 (2020-08-06 18:55:08)

Description The coded value of communication professional. <https://dd4c.hscic.gov.uk/dd4c/publishedmetadatas/intid/660>

Operationalization SNOMED CT :- ^999002151000000104 | Accessible information - requires communication professional simple reference set (foundation metadata concept) |

Value Domain

 Free text	prsb03-dataelement-13370
---	--------------------------

Id prsb03-dataelement-13370 (2020-08-06 18:56:16)

Concept inherits from  prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150

  Performing professional	prsb03-dataelement-11453
---	--------------------------

Id prsb03-dataelement-11453 (2019-05-30 14:21:39)

Description The professional who identified the accessible information requirement.

Relationship Performing professional (*prsb03-dataelement-11281 - 2019-05-30 11:53:30*)

 Name	prsb03-dataelement-11454
--	--------------------------

Id prsb03-dataelement-11454 (2019-05-30 14:22:06)

Concept inherits from  prsb03-dataelement-11282 (2019-05-30 11:57:38)

Description The name of the professional.

Rationale Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70



Role

prsb03-dataelement-11455

Id

prsb03-dataelement-11455 (2019-05-30 14:22:06)

Concept inherits from

prsb03-dataelement-11283 (2019-05-30 11:58:48)

Description

The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc

Rationale

Practitioner.PractitionerRole.code

Operationalization

FHIR value set :- SDSjobroletype

Value Domain



Grade

prsb03-dataelement-11456

Id

prsb03-dataelement-11456 (2019-05-30 14:22:06)

Concept inherits from

prsb03-dataelement-11288 (2019-05-30 12:19:40)

Description

The grade of the professional.

Rationale

PractitionerRole.code

Operationalization

Free text

Value Domain

Property

max length

150



Speciality

prsb03-dataelement-11457

Id

prsb03-dataelement-11457 (2019-05-30 14:22:06)

Concept inherits from

prsb03-dataelement-11284 (2019-05-30 12:01:15)

Description

The specialty of the professional e.g. physiotherapy, oncology, mental health etc

Rationale

PractitionerRole.speciality

Operationalization

NHS data dictionary - Activity treatment function code

Value Domain

Property

max length

3



Professional identifier

prsb03-dataelement-11458

Id	prsb03-dataelement-11458 (2019-05-30 14:22:06)
Concept inherits from	 prsb03-dataelement-11285 (2019-05-30 12:02:46)
Description	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.
Rationale	Practitioner.identifier (for professional national identifiers), PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary : - Professional registration identifier
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 32 </div>

  Organisation prsb03-dataelement-11459

Id	prsb03-dataelement-11459 (2019-05-30 14:22:06)
Concept inherits from	 prsb03-dataelement-11286 (2019-05-30 12:17:19)
Description	The name of the organisation the professional works for.

 Contact details prsb03-dataelement-11460

Id	prsb03-dataelement-11460 (2019-05-30 14:22:06)
Concept inherits from	 prsb03-dataelement-11287 (2019-05-30 12:18:13)
Description	Contact details of the professional
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom
Operationalization	NHS data dictionary - UK phone number

Value Domain

Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 35 </div>
----------	---

  Person completing record prsb03-dataelement-11461

Id	prsb03-dataelement-11461 (2019-05-30 14:23:01)
Concept inherits from	 prsb03-dataelement-11289 (2019-05-30 12:24:39)
Description	Details of the person completing the record.
Relationship	Person completing record (<i>prsb03-dataelement-319 - 2018-10-31</i>)

 Name

		prsb03-dataelement-11462
Id		prsb03-dataelement-11462 (2019-05-30 14:23:26)
Concept inherits from	 prsb03-dataelement-11290	(2019-05-30 12:25:39)
Description		The name of the person completing the record.
Relationship		Name (<i>prsb03-dataelement-10219 - 2018-10-31</i>)
Rationale		Composition.author.Practitioner.name
Operationalization		Free text.
Value Domain		
Property	<div style="background-color: #e0e0e0; padding: 5px; text-align: center;"> max length 70 </div>	

		prsb03-dataelement-11463
Id		prsb03-dataelement-11463 (2019-05-30 14:23:26)
Concept inherits from	 prsb03-dataelement-11291	(2019-05-30 12:25:39)
Description		The organisational role of the person completing record.
2.1.63 Properties		
FHIR	PractitionerRole.code of the practitioner completing the record	
Relationship		Role (<i>prsb03-dataelement-10220 - 2018-10-31</i>)
Rationale		Composition.author.Practitioner.PractitionerRole.code
Operationalization		FHIR value set :- SDSjobrole
Value Domain		

		prsb03-dataelement-11464
Id		prsb03-dataelement-11464 (2019-05-30 14:23:26)
Concept inherits from	 prsb03-dataelement-11292	(2019-05-30 12:25:39)
Description		The grade of the person completing the record.
Relationship		Grade (<i>prsb03-dataelement-10221 - 2018-10-31</i>)
Rationale		PractitionerRole.code
Operationalization		Free text.
Value Domain		
Property	<div style="background-color: #e0e0e0; padding: 5px; text-align: center;"> max length 150 </div>	



Specialty

prsb03-dataelement-11465

Id	prsb03-dataelement-11465 (2019-05-30 14:23:26)
Concept inherits from	prsb03-dataelement-11293 (2019-05-30 12:25:39)
Description	The main specialty of the person completing the record.

2.1.64 Properties

FHIR PractitionerRole.specialty

Relationship	Specialty (<i>prsb03-dataelement-10222 - 2018-10-31</i>)
Rationale	PractitionerRole.specialty
Operationalization	NHS data dictionary :- Activity treatment function code
Value Domain	

Property	max length
	3



Organisation

prsb03-dataelement-11466

Id	prsb03-dataelement-11466 (2019-05-30 14:23:26)
Concept inherits from	prsb03-dataelement-11294 (2019-05-30 12:25:39)
Description	The organisation the person completing the record works for.
Relationship	Organisation (<i>prsb03-dataelement-10226 - 2018-10-31</i>)



Professional identifier

prsb03-dataelement-11467

Id	prsb03-dataelement-11467 (2019-05-30 14:23:26)
Concept inherits from	prsb03-dataelement-11295 (2019-05-30 12:25:39)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.65 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship	Professional identifier (<i>prsb03-dataelement-10223 - 2018-10-31</i>)
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary :- Professional registration identifier
Value Domain	

Property

max length

32



Date completed

prsb03-dataelement-11468

Id

prsb03-dataelement-11468 (2019-05-30 14:23:26)

Concept inherits from

prsb03-dataelement-11296 (2019-05-30 12:25:39)

Description

The date and time the record was completed.

Relationship

Date completed (*prsb03-dataelement-10224 - 2018-10-31*)

Rationale

Composition.date

Operationalization

Date and time.

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Contact details

prsb03-dataelement-11469

Id

prsb03-dataelement-11469 (2019-05-30 14:23:26)

Concept inherits from

prsb03-dataelement-11297 (2019-05-30 12:25:39)

Description

Contact details of the person completing the record.

2.1.66 Properties

FHIR

PractitionerRole.telecom

Relationship

Contact details (*prsb03-dataelement-10225 - 2018-10-31*)

Rationale

Practitioner:telecom
PractitionerRole:telecom
Organisation:telcom

Operationalization

NHS data dictionary : - UK telephone number

Value Domain

Property

max length

35



Performing professional

prsb03-dataelement-11238

Id

prsb03-dataelement-11238 (2019-05-28 18:14:43)

Concept inherits from

prsb03-dataelement-11148 (2019-05-24 11:51:30)

Description	The professional identifying the safeguarding concern.
Name	prsb03-dataelement-11239
Id	prsb03-dataelement-11239 (2019-05-28 18:15:22)
Concept inherits from	prsb03-dataelement-11149 (2019-05-24 11:51:53)
Description	The name of the professional with responsibility for the care of the person.
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 70 </div>
Role	prsb03-dataelement-11240
Id	prsb03-dataelement-11240 (2019-05-28 18:15:22)
Concept inherits from	prsb03-dataelement-11150 (2019-05-24 11:51:53)
Description	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker, key worker, care home manager, care coordinator, LA hospital liaison person, care home contact, hospital clinician, Independent Mental Capacity Advocate (IMCA) etc
Operationalization	FHIR value set : - SDSjobrole
Value Domain	
Speciality	prsb03-dataelement-11241
Id	prsb03-dataelement-11241 (2019-05-28 18:15:22)
Concept inherits from	prsb03-dataelement-11151 (2019-05-24 11:51:53)
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc
Operationalization	NHS data dictionary : - Activity treatment function code
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 3 </div>
Team	prsb03-dataelement-11242
Id	prsb03-dataelement-11242 (2019-05-28 18:15:22)
Concept inherits from	prsb03-dataelement-11152 (2019-05-24 11:51:53)
Description	The name of the team.

Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; text-align: center;"> max length 35 </div>

📁 Organisation

prsb03-dataelement-11243

Id	prsb03-dataelement-11243 (2019-05-28 18:15:22)
Concept inherits from	 prsb03-dataelement-11153 (2019-05-24 11:51:53)
Description	The name of the organisation.

Contact details

prsb03-dataelement-11244

Id	prsb03-dataelement-11244 (2019-05-28 18:15:22)
Concept inherits from	 prsb03-dataelement-11154 (2019-05-24 11:51:53)
Description	Contact details of the professional (e.g. telephone number, email address etc.).
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; text-align: center;"> max length 35 </div>

Professional identifier

prsb03-dataelement-11245

Id	prsb03-dataelement-11245 (2019-05-28 18:15:22)
Concept inherits from	 prsb03-dataelement-11167 (2019-05-28 17:18:30)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.67 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Value Domain

Start date

prsb03-dataelement-11246

Id	prsb03-dataelement-11246 (2019-05-28 18:15:22)
Concept inherits from	 prsb03-dataelement-11155 (2019-05-24 11:51:53)

Description	The start date of the professional relationship with the person.
Operationalization	Date and time
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>
 End date	prsb03-dataelement-11247
Id	prsb03-dataelement-11247 (2019-05-28 18:15:22)
Concept inherits from	 prsb03-dataelement-11156 (2019-05-24 11:51:53)
Description	The end date of the professional relationship with the person.
Operationalization	Date and time
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>
  Professional contacts record entry	prsb03-dataelement-11248
Id	prsb03-dataelement-11248 (2019-05-28 18:15:22)
Concept inherits from	 prsb03-dataelement-11157 (2019-05-24 11:51:53)
Description	This is a professional contacts record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.
Relationship	Professional contacts record entry (<i>prsb03-dataelement-11044 - 2019-05-24 11:18:10</i>)
  Person completing record	prsb03-dataelement-11249
Id	prsb03-dataelement-11249 (2019-05-28 18:16:41)
Concept inherits from	 prsb03-dataelement-319 (2018-10-31)
Description	Details of the person completing the record.
 Name	prsb03-dataelement-11250
Id	prsb03-dataelement-11250 (2019-05-28 18:17:17)
Concept inherits from	 prsb03-dataelement-10219 (2018-10-31)
Description	The name of the person completing the record, preferably in a structured format.

Operationalization The person name as held on the source system. Where possible this should be broken down into its constituent parts (prefix, given name, family name, and suffix).

Value Domain



Role

prsb03-dataelement-11251

Id

prsb03-dataelement-11251 (2019-05-28 18:17:17)

Concept inherits from

prsb03-dataelement-10220 (2018-10-31)

Description

The role of the person completing record.

2.1.68 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Operationalization The role may be held on the source system, be from an authoritative source such as SDS, or use an existing vocabulary such as the job role title (from the national workforce dataset).

Value Domain



Grade

prsb03-dataelement-11252

Id

prsb03-dataelement-11252 (2019-05-28 18:17:17)

Concept inherits from


prsb03-dataelement-10221 (2018-10-31)

Description

The grade of the person completing the record

Operationalization The grade of the person completing the record held on the source system or from an authoritative source

Value Domain



Specialty

prsb03-dataelement-11253

Id

prsb03-dataelement-11253 (2019-05-28 18:17:17)

Concept inherits from

prsb03-dataelement-10222 (2018-10-31)

Description

The main specialty of the person completing the record.

2.1.69 Properties

FHIR PractitionerRole.specialty

Operationalization The main clinical specialty as held on the source system.

Value Domain



Organisation

prsb03-dataelement-11254

Id

prsb03-dataelement-11254 (2019-05-28 18:17:17)

Concept inherits from	 prsb03-dataelement-10226 (2018-10-31)
Description	The organisation the person completing the record works for.
Operationalization	An ODS identifier for the organisation or site, the name of the organisation or site, and a postal address (if available).
Value Domain	

 Professional identifier	prsb03-dataelement-11255
---	--------------------------

Id	prsb03-dataelement-11255 (2019-05-28 18:17:17)
Concept inherits from	 prsb03-dataelement-10223 (2018-10-31)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.70 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Value Domain

 Date completed	prsb03-dataelement-11256
--	--------------------------

Id	prsb03-dataelement-11256 (2019-05-28 18:17:17)
Concept inherits from	 prsb03-dataelement-10224 (2018-10-31)
Description	The date and time the record was updated.
Operationalization	The date/time the record was updated.
Value Domain	

 Contact details	prsb03-dataelement-11257
---	--------------------------

Id	prsb03-dataelement-11257 (2019-05-28 18:17:17)
Concept inherits from	 prsb03-dataelement-10225 (2018-10-31)
Description	Contact details of the person completing the record. For example a phone number, email address. Contact details are used to resolve queries about the record entry.

2.1.71 Properties

FHIR PractitionerRole.telecom

Operationalization	The contact details may be for the individual completing the record, or wider team details (for example a phone number for a hospital department).
--------------------	--

Value Domain

  Performing professional	prsb03-dataelement-11091
Id	prsb03-dataelement-11091 (2019-05-24 11:32:54)
Concept inherits from	 prsb03-dataelement-11043 (2019-05-24 11:17:33)
Description	The performing professional identifying the requirement.
Relationship	Professional contacts (prsb03-dataelement-452 - 2018-10-31)
 Name	prsb03-dataelement-11092
Id	prsb03-dataelement-11092 (2019-05-24 11:33:21)
Concept inherits from	 prsb03-dataelement-11045 (2019-05-24 11:18:10)
Description	The name of the professional with responsibility for the care of the person.
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 70 </div>
 Role	prsb03-dataelement-11093
Id	prsb03-dataelement-11093 (2019-05-24 11:33:21)
Concept inherits from	 prsb03-dataelement-11046 (2019-05-24 11:18:10)
Description	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker, key worker, care home manager, care coordinator, LA hospital liaison person, care home contact, hospital clinician, Independent Mental Capacity Advocate (IMCA) etc
Operationalization	FHIR value set : - SDSjobrole
Value Domain	
 Speciality	prsb03-dataelement-11094
Id	prsb03-dataelement-11094 (2019-05-24 11:33:21)
Concept inherits from	 prsb03-dataelement-11047 (2019-05-24 11:18:10)
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc
Operationalization	NHS data dictionary : - Activity treatment function code
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 3 </div>

 Team	prsb03-dataelement-11095
Id	prsb03-dataelement-11095 (2019-05-24 11:33:21)
Concept inherits from	 prsb03-dataelement-11048 (2019-05-24 11:18:10)
Description	The name of the team.
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 35 </div>
 Organisation	prsb03-dataelement-11096
Id	prsb03-dataelement-11096 (2019-05-24 11:33:21)
Concept inherits from	 prsb03-dataelement-11049 (2019-05-24 11:18:10)
Description	The name of the organisation.
 Contact details	prsb03-dataelement-11097
Id	prsb03-dataelement-11097 (2019-05-24 11:33:21)
Concept inherits from	 prsb03-dataelement-11050 (2019-05-24 11:18:10)
Description	Contact details of the professional (e.g. telephone number, email address etc.).
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 35 </div>
 Start date	prsb03-dataelement-11098
Id	prsb03-dataelement-11098 (2019-05-24 11:33:21)
Concept inherits from	 prsb03-dataelement-11051 (2019-05-24 11:18:10)
Description	The start date of the professional relationship with the person.
Operationalization	Date and time
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> Timestamp precision at least day, month and year, hour and minute </div>

 End date	prsb03-dataelement-11099
Id	prsb03-dataelement-11099 (2019-05-24 11:33:21)
Concept inherits from	 prsb03-dataelement-11052 (2019-05-24 11:18:10)
Description	The end date of the professional relationship with the person.
Operationalization	Date and time
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>
  Professional contacts record entry	prsb03-dataelement-11100
Id	prsb03-dataelement-11100 (2019-05-24 11:33:21)
Concept inherits from	 prsb03-dataelement-11044 (2019-05-24 11:18:10)
Description	This is a professional contacts record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.
  Person completing record	prsb03-dataelement-11101
Id	prsb03-dataelement-11101 (2019-05-24 11:33:32)
Concept inherits from	 prsb03-dataelement-319 (2018-10-31)
Description	Details of the person completing the record.
 Name	prsb03-dataelement-11102
Id	prsb03-dataelement-11102 (2019-05-24 11:33:56)
Concept inherits from	 prsb03-dataelement-10219 (2018-10-31)
Description	The name of the person completing the record, preferably in a structured format.
Operationalization	The person name as held on the source system. Where possible this should be broken down into its constituent parts (prefix, given name, family name, and suffix).
Value Domain	
 Role	prsb03-dataelement-11103
Id	prsb03-dataelement-11103 (2019-05-24 11:33:56)
Concept inherits from	 prsb03-dataelement-10220 (2018-10-31)
Description	The role of the person completing record.

2.1.72 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Operationalization The role may be held on the source system, be from an authoritative source such as SDS, or use an existing vocabulary such as the job role title (from the national workforce dataset).

Value Domain



Grade

prsb03-dataelement-11104

Id prsb03-dataelement-11104 (2019-05-24 11:33:56)

Concept inherits from *prsb03-dataelement-10221* (2018-10-31)

Description The grade of the person completing the record

Operationalization The grade of the person completing the record held on the source system or from an authoritative source

Value Domain



Specialty

prsb03-dataelement-11105

Id prsb03-dataelement-11105 (2019-05-24 11:33:56)

Concept inherits from *prsb03-dataelement-10222* (2018-10-31)

Description The main specialty of the person completing the record.

2.1.73 Properties

FHIR PractitionerRole.specialty

Operationalization The main clinical specialty as held on the source system.

Value Domain



Professional identifier

prsb03-dataelement-11106

Id prsb03-dataelement-11106 (2019-05-24 11:33:56)

Concept inherits from *prsb03-dataelement-10223* (2018-10-31)

Description Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.74 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioneridentifier (professional)

Value Domain



Date completed

 prsb03-dataelement-11107

Id	prsb03-dataelement-11107 (2019-05-24 11:33:56)
Concept inherits from	 prsb03-dataelement-10224 (2018-10-31)
Description	The date and time the record was updated.
Operationalization	The date/time the record was updated.
Value Domain	

 Contact details prsb03-dataelement-11108

Id	prsb03-dataelement-11108 (2019-05-24 11:33:56)
Concept inherits from	 prsb03-dataelement-10225 (2018-10-31)
Description	Contact details of the person completing the record. For example a phone number, email address. Contact details are used to resolve queries about the record entry.

2.1.75 Properties

FHIR	PractitionerRole.telecom
Operationalization	The contact details may be for the individual completing the record, or wider team details (for example a phone number for a hospital department).
Value Domain	

 Organisation prsb03-dataelement-11109

Id	prsb03-dataelement-11109 (2019-05-24 11:33:56)
Concept inherits from	 prsb03-dataelement-10226 (2018-10-31)
Description	The organisation the person completing the record works for.
Operationalization	An ODS identifier for the organisation or site, the name of the organisation or site, and a postal address (if available).
Value Domain	

  Reasonable adjustment prsb03-dataelement-12991

Id	prsb03-dataelement-12991 (2020-04-23 19:50:39)
Description	A record of reasonable adjustments that must be provided by the service to comply with the Equality Act 2010.

  Reasonable adjustment record entry prsb03-dataelement-13061

Id	prsb03-dataelement-13061 (2020-05-12 14:38:35)
Description	This is a reasonable adjustment record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items



Location

prsb03-dataelement-13098

Id prsb03-dataelement-13098 (2020-06-24 11:17:33)

Description The location where the reasonable adjustment was identified.



Coded value

prsb03-dataelement-13357

Id prsb03-dataelement-13357 (2020-08-06 17:41:52)

Description The coded value for location.

Operationalization NHS Data dictionary : - Organisation data service code

Value Domain

Property

min length max length

3 5



Free text

prsb03-dataelement-13358

Id prsb03-dataelement-13358 (2020-08-06 17:44:19)

Concept inherits from prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150



Reasonable adjustment flag

prsb03-dataelement-13874

Id prsb03-dataelement-13874 (2021-01-29 12:59:53)

Description

Under the Equality Act 2010, organisations have a legal duty to make changes in their approach or provision to ensure that services are as accessible to people with disabilities as they are for everybody else. These changes are called reasonable adjustments.

Reasonable adjustments can mean alterations to buildings by providing lifts, wide doors, ramps and tactile signage, but may also mean changes to policies, procedures and staff training to ensure that services work equally well for people with physical or sensory disabilities, learning disabilities or long-term conditions such as dementia.

Other adjustments include longer appointments, providing easy read materials or communications via a carer. This legal duty is anticipatory which means a service should know about a person's need for adjustments when they are referred or present for care. For this to happen, and for optimum care to be delivered, adjustments need to be recorded and shared across the NHS.

Operationalization SNOMED CT: - 1108111000000107 |Requires reasonable adjustments for health and care access (Equality Act 2010) (finding)|

Value Domain

  Reasonable adjustment	prsb03-dataelement-13017
---	--------------------------

Id prsb03-dataelement-13017 (2020-04-28 18:57:15)

Description The reasonable adjustment required e.g. requires specific contact method, requires communication professional

 Coded value	prsb03-dataelement-13505
---	--------------------------

Id prsb03-dataelement-13505 (2020-09-02 18:40:38)

Description The coded value for reasonable adjustment

Operationalization SNOMED CT : - Accessible information standard
 ^99900212100000109 |Accessible information - communication support simple reference set (foundation metadata concept)|
 ^99900215100000104 |Accessible information - requires communication professional simple reference set (foundation metadata concept)|
 ^99900213100000106 |Accessible information - requires specific contact method simple reference set (foundation metadata concept)|
 ^99900214100000102 |Accessible information - requires specific information format simple reference set (foundation metadata concept)|
 Refsets for other categories in development

Value Domain

 Free text	prsb03-dataelement-13506
---	--------------------------

Id prsb03-dataelement-13506 (2020-09-02 18:41:44)

Concept inherits from  prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150

 Reasonable adjustment additional detail	prsb03-dataelement-13018
---	--------------------------

Id prsb03-dataelement-13018 (2020-04-28 19:01:03)

Description Further detail about the support required and the consequence of not providing it.

Operationalization Free text

Value Domain

 Date	prsb03-dataelement-13020
--	--------------------------

Id prsb03-dataelement-13020 (2020-04-28 19:14:37)

Description The date the reasonable adjustment was identified.

Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Performing professional

prsb03-dataelement-13027

Id prsb03-dataelement-13027 (2020-04-28 19:30:46)

Description The professional who confirmed the need for the reasonable adjustment.

Relationship Performing professional (*prsb03-dataelement-12184 - 2019-05-31 16:19:14*)



Name

prsb03-dataelement-13028

Id prsb03-dataelement-13028 (2020-04-28 19:31:24)

Concept inherits from prsb03-dataelement-12185 (2019-05-31 16:19:35)

Description The name of the professional.

Rationale Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70



Role

prsb03-dataelement-13029

Id prsb03-dataelement-13029 (2020-04-28 19:31:24)

Concept inherits from prsb03-dataelement-12186 (2019-05-31 16:19:35)

Description The role the professional has in relation to the person.

Relationship Role (*prsb03-dataelement-11283 - 2019-05-30 11:58:48*)

Operationalization FHIR value set : - sdsjobrole

Value Domain



Grade

prsb03-dataelement-13030

Id prsb03-dataelement-13030 (2020-04-28 19:31:24)

Concept inherits from prsb03-dataelement-12187 (2019-05-31 16:19:35)

Description The grade of the professional.

Rationale PractitionerRole.code

Operationalization Free text

Value Domain

Property max length

150



Speciality

prsb03-dataelement-13031

Id prsb03-dataelement-13031 (2020-04-28 19:31:24)

Concept inherits from prsb03-dataelement-12188 (2019-05-31 16:19:35)

Description The specialty of the professional.

Relationship Speciality (prsb03-dataelement-11284 - 2019-05-30 12:01:15)

Operationalization NHS data dictionary - Main specialty code

Value Domain

Property max length

3



Professional identifier

prsb03-dataelement-13032

Id prsb03-dataelement-13032 (2020-04-28 19:31:24)

Concept inherits from prsb03-dataelement-12189 (2019-05-31 16:19:35)

Description Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary : - Professional registration identifier

Value Domain

Property max length

32



Organisation

prsb03-dataelement-13033

Id prsb03-dataelement-13033 (2020-04-28 19:31:24)

Concept inherits from prsb03-dataelement-12190 (2019-05-31 16:19:35)

Description The name of the organisation the professional works for.



Contact details

		prsb03-dataelement-13034
Id		prsb03-dataelement-13034 (2020-04-28 19:31:24)
Concept inherits from	 prsb03-dataelement-12191 (2019-05-31 16:19:35)	
Description		Contact details of the professional
Rationale		Practitioner.telecom PractitionerRole.telecom Organisation.telcom
Operationalization		NHS data dictionary - UK phone number
Value Domain		
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> max length 35 </div>	

 	Person completing record	prsb03-dataelement-13035
---	--	--------------------------

Id	prsb03-dataelement-13035 (2020-04-28 19:33:13)
Description	A record of the details of the person that entered the reasonable adjustment and the date on which it was entered.
Relationship	Person completing record (prsb03-dataelement-11289 - 2019-05-30 12:24:39)
⌚ Used by	0 transactions, 0 templates, inherited once

 Name	prsb03-dataelement-13036	
Id	prsb03-dataelement-13036 (2020-04-28 19:33:40)	
Concept inherits from	 prsb03-dataelement-11290 (2019-05-30 12:25:39)	
Description	The name of the person completing the record.	
Relationship	Name (prsb03-dataelement-10219 - 2018-10-31)	
Rationale	Composition.author.Practitioner.name	
Operationalization	Free text.	
Value Domain		
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> max length 70 </div>	
⌚ Used by	0 transactions, 0 templates, inherited 3 times	

 Role	prsb03-dataelement-13037
--	--------------------------

Id	prsb03-dataelement-13037 (2020-04-28 19:33:40)
Concept inherits from	 <i>prsb03-dataelement-11291</i> (2019-05-30 12:25:39)
Description	The organisational role of the person completing record.

2.1.76 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship	Role (<i>prsb03-dataelement-10220 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobrole
Value Domain	
 Used by	0 transactions, 0 templates, inherited 3 times



Grade

prsb03-dataelement-13038

Id	prsb03-dataelement-13038 (2020-04-28 19:33:40)
Concept inherits from	 <i>prsb03-dataelement-11292</i> (2019-05-30 12:25:39)
Description	The grade of the person completing the record.
Relationship	Grade (<i>prsb03-dataelement-10221 - 2018-10-31</i>)
Rationale	PractitionerRole.code
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 150 </div>
 Used by	0 transactions, 0 templates, inherited 3 times



Specialty

prsb03-dataelement-13039

Id	prsb03-dataelement-13039 (2020-04-28 19:33:40)
Concept inherits from	 <i>prsb03-dataelement-11293</i> (2019-05-30 12:25:39)
Description	The main specialty of the person completing the record.

2.1.77 Properties

FHIR PractitionerRole.specialty

Relationship	Specialty (<i>prsb03-dataelement-10222 - 2018-10-31</i>)
Rationale	PractitionerRole.speciality
Operationalization	NHS data dictionary :- Activity treatment function code
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; text-align: center;"> max length 3 </div>

⌚ Used by 0 transactions, 0 templates, inherited 3 times

📁🟡 Organisation

prsb03-dataelement-13040

Id	prsb03-dataelement-13040 (2020-04-28 19:33:40)
Concept inherits from	🟡 <i>prsb03-dataelement-11294 (2019-05-30 12:25:39)</i>
Description	The organisation the person completing the record works for.
Relationship	Organisation (<i>prsb03-dataelement-10226 - 2018-10-31</i>)
⌚ Used by	0 transactions, 0 templates, inherited 3 times

🟡 Professional identifier

prsb03-dataelement-13041

Id	prsb03-dataelement-13041 (2020-04-28 19:33:40)
Concept inherits from	🟡 <i>prsb03-dataelement-11295 (2019-05-30 12:25:39)</i>
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.78 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship	Professional identifier (<i>prsb03-dataelement-10223 - 2018-10-31</i>)
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary :- Professional registration identifier
Value Domain	

Property	<div style="border: 1px solid #ccc; padding: 5px; text-align: center;"> max length 32 </div>
⌚ Used by	0 transactions, 0 templates, inherited 3 times

 Date completed	prsb03-dataelement-13042
--	--------------------------

Id	prsb03-dataelement-13042 (2020-04-28 19:33:40)
Concept inherits from	 <i>prsb03-dataelement-11296</i> (2019-05-30 12:25:39)
Description	The date and time the record was completed.
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)
Rationale	Composition.date
Operationalization	Date and time.
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>
 Used by	0 transactions, 0 templates, inherited 3 times

 Contact details	prsb03-dataelement-13043
--	--------------------------

Id	prsb03-dataelement-13043 (2020-04-28 19:33:40)
Concept inherits from	 <i>prsb03-dataelement-11297</i> (2019-05-30 12:25:39)
Description	Contact details of the person completing the record.

2.1.79 Properties

FHIR	PractitionerRole.telecom
Relationship	Contact details (<i>prsb03-dataelement-10225 - 2018-10-31</i>)
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom
Operationalization	NHS data dictionary : - UK telephone number
Value Domain	
Property	<p style="text-align: center;">max length</p> <p>35</p>
 Used by	0 transactions, 0 templates, inherited 3 times

 Performing Professional	prsb03-dataelement-13026
---	--------------------------

Id	prsb03-dataelement-13026 (2020-04-28 19:29:36) 0.2
Concept inherits from	 prsb03-dataelement-10316 (2018-10-31)
Description	Details of the professional performing the immunisation (including name and role)
Value Domain	

 Performing Professional	prsb03-dataelement-13021
---	--------------------------

Id	prsb03-dataelement-13021 (2020-04-28 19:15:45) 0.1
Description	Details of the professional assigning the reasonable adjustment (including name and role).
Relationship	Performing Professional (<i>prsb03-dataelement-10218 - 2018-10-31</i>)
Value Domain	

 Person completing record	prsb03-dataelement-13019
--	--------------------------

Id	prsb03-dataelement-13019 (2020-04-28 19:13:17) 0.2
Concept inherits from	 prsb03-dataelement-10954 (2019-05-18 21:07:16)
Description	This is the person completing the record.
Value Domain	Should include their name, role, grade, specialty, organisation, professional identifier, date and time completed, contact details
Relationship	Person completing record (<i>prsb03-dataelement-10860 - 2019-03-27 17:46:45</i>)
Operationalization	Free text. Name, Role, Grade, Specialty, Organisation, Professional identifier, Date and time completed, Contact details
Value Domain	

 Autism	prsb03-dataelement-12992
--	--------------------------

Id	prsb03-dataelement-12992 (2020-04-23 19:51:53) 0.1
Description	
Operationalization	Impairment related to autism (Equality Act 2010)
Value Domain	Free text

 Developmental conditions (excluding autism)	prsb03-dataelement-12993
---	--------------------------

Id	prsb03-dataelement-12993 (2020-04-23 19:53:01) 0.1
Description	Impairment related to developmental conditions (excluding autism) (Equality Act 2010), such as dyslexia or dyspraxia

Operationalization	Free text
Value Domain	
 Dementia	prsb03-dataelement-12994
Id	prsb03-dataelement-12994 (2020-04-23 19:55:03) 0.1
Description	Impairment related to dementia (Equality Act 2010)
Operationalization	Free text
Value Domain	
 Learning disability	prsb03-dataelement-12995
Id	prsb03-dataelement-12995 (2020-04-23 19:56:39) 0.1
Description	Impairment related to learning disability (Equality Act 2010)
Operationalization	Free text
Value Domain	
 Mental health condition	prsb03-dataelement-12996
Id	prsb03-dataelement-12996 (2020-04-23 19:57:50) 0.1
Description	Impairment related to learning disability (Equality Act 2010)
Operationalization	Free text
Value Domain	
 Physical disability	prsb03-dataelement-12997
Id	prsb03-dataelement-12997 (2020-04-23 19:59:41) 0.1
Description	Impairment related to physical disability (Equality Act 2010), produced by injury to the body, including to the brain.
Operationalization	Free text
Value Domain	
 Sensory disability - such as sight, hearing or verbal	prsb03-dataelement-12998
Id	prsb03-dataelement-12998 (2020-04-23 20:01:42) 0.1
Description	Impairment related to sensory disability (Equality Act 2010), such as those affecting sight or hearing;

Operationalization Free text

Value Domain

 Long-term condition

prsb03-dataelement-12999

Id prsb03-dataelement-12999 (2020-04-23 20:04:04) 0.1

Description Impairment related to long-term condition (Equality Act 2010), including impairments with fluctuating or recurring effects such as rheumatoid arthritis, myalgic encephalitis (ME), chronic fatigue syndrome (CFS), fibromyalgia, depression and epilepsy; progressive, such as motor neurone disease, muscular dystrophy, and forms of dementia; auto-immune conditions such as systemic lupus erythematosus (SLE); organ specific, including respiratory conditions, such as asthma, and cardiovascular diseases, including thrombosis, stroke and heart disease.

There is specific guidance in relation to HIV, cancer and multiple sclerosis

Operationalization Free text

Value Domain

 Prefers not to say

prsb03-dataelement-13000

Id prsb03-dataelement-13000 (2020-04-23 20:05:12) 0.1

Description Person prefers not to share impairment on reasonable adjustment record.

Operationalization Free text

Value Domain

 Impairment

prsb03-dataelement-13001

Id prsb03-dataelement-13001 (2020-04-23 20:09:01)

Description A record of any impairments for the person relating to reasonable adjustments.

 Impairment record entry

prsb03-dataelement-13062

Id prsb03-dataelement-13062 (2020-05-12 15:52:51)

Description This is an impairment record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items

 Location

prsb03-dataelement-13099

Id prsb03-dataelement-13099 (2020-06-24 11:19:59)

Description The location where the impairment was identified.

 Coded value

prsb03-dataelement-13429

Id prsb03-dataelement-13429 (2020-08-13 15:01:40)

Description The coded value for location.

Operationalization NHS data dictionary: - Organisation code service

Value Domain

Property

min length	max length
------------	------------

3	5
---	---



Free text

prsb03-dataelement-13430

Id

prsb03-dataelement-13430 (2020-08-13 15:38:25)

Concept inherits from

prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description

Free text field to be used if no code is available

Operationalization

Free text

Value Domain

Property

max length

150



Impairment category

prsb03-dataelement-13022

Id

prsb03-dataelement-13022 (2020-04-28 19:21:25)

Description

The category of the impairment e.g. Autism, Dementia, Physical disability, Sensory disability - such as sight or hearing, Long-term condition



Coded value

prsb03-dataelement-13507

Id

prsb03-dataelement-13507 (2020-09-02 18:45:17)

Description

The coded value for impairment.

Operationalization

SNOMED CT

Value Domain



Free text

prsb03-dataelement-13508

Id

prsb03-dataelement-13508 (2020-09-02 18:46:00)

Concept inherits from

prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description

Free text field to be used if no code is available

Operationalization

Free text

Value Domain

Property

max length

150

 Impairment additional detail

prsb03-dataelement-13023

Id prsb03-dataelement-13023 (2020-04-28 19:23:16)

Description

Description of what the person can do with the impairment, what they want to be able to do and how they should be supported to do it and what the consequences are of not providing the support.

Where there is a sensory disability include sensory processing difficulties (e.g. affects to balance and movement, oversensitive, under-sensitive).

Operationalization Free text

Value Domain

Property

max length

150

 Date

prsb03-dataelement-13024

Id prsb03-dataelement-13024 (2020-04-28 19:24:22)

Description The date the impairment was identified.

Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute

 Performing professional

prsb03-dataelement-13044

Id prsb03-dataelement-13044 (2020-04-28 19:34:59)

Description The professional who confirmed the impairment.

Relationship Performing professional (*prsb03-dataelement-12027 - 2019-05-31 15:30:22*)
 Name

prsb03-dataelement-13045

Id prsb03-dataelement-13045 (2020-04-28 19:35:28)

Concept inherits from  *prsb03-dataelement-12028 (2019-05-31 15:30:50)*

Description The name of the professional.

Rationale Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70



Role

prsb03-dataelement-13046

Id

prsb03-dataelement-13046 (2020-04-28 19:35:28)

Concept inherits from

prsb03-dataelement-12029 (2019-05-31 15:30:50)

Description

The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc

Rationale

Practitioner.PractitionerRole.code

Operationalization

FHIR value set :- SDSjobroletype

Value Domain



Grade

prsb03-dataelement-13047

Id

prsb03-dataelement-13047 (2020-04-28 19:35:28)

Concept inherits from

prsb03-dataelement-12030 (2019-05-31 15:30:50)

Description

The grade of the professional.

Rationale

PractitionerRole.code

Operationalization

Free text

Value Domain

Property

max length

150



Speciality

prsb03-dataelement-13048

Id

prsb03-dataelement-13048 (2020-04-28 19:35:28)

Concept inherits from

prsb03-dataelement-12031 (2019-05-31 15:30:50)

Description

The specialty of the professional e.g. physiotherapy, oncology, mental health etc

Rationale

PractitionerRole.speciality

Operationalization

NHS data dictionary - Activity treatment function code

Value Domain

Property

max length

3



Professional identifier

prsb03-dataelement-13049

Id	prsb03-dataelement-13049 (2020-04-28 19:35:28)
Concept inherits from	🟡 prsb03-dataelement-12032 (2019-05-31 15:30:50)
Description	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.
Rationale	Practitioner.identifier (for professional national identifiers), PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary : - Professional registration identifier
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 32 </div>

📁🟡 Organisation

prsb03-dataelement-13050

Id	prsb03-dataelement-13050 (2020-04-28 19:35:28)
Concept inherits from	🟡 prsb03-dataelement-12033 (2019-05-31 15:30:50)
Description	The name of the organisation the professional works for.

🟡 Contact details

prsb03-dataelement-13051

Id	prsb03-dataelement-13051 (2020-04-28 19:35:28)
Concept inherits from	🟡 prsb03-dataelement-12034 (2019-05-31 15:30:50)
Description	Contact details of the professional
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom
Operationalization	NHS data dictionary - UK phone number

Value Domain

Property

max length
 35

📁🟡 Person completing record

prsb03-dataelement-13052

Id	prsb03-dataelement-13052 (2020-04-28 19:36:14)
Description	A record of the details of the person that entered the impairment and the date on which it was entered.
Relationship	Person completing record (<i>prsb03-dataelement-11289 - 2019-05-30 12:24:39</i>)
⌚ Used by	0 transactions, 0 templates, inherited once

 Name	prsb03-dataelement-13053
Id	prsb03-dataelement-13053 (2020-04-28 19:36:38)
Concept inherits from	 <i>prsb03-dataelement-11290</i> (2019-05-30 12:25:39)
Description	The name of the person completing the record.
Relationship	Name (<i>prsb03-dataelement-10219 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.name
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> max length 70 </div>
 Used by	0 transactions, 0 templates, inherited 2 times

 Role	prsb03-dataelement-13054
Id	prsb03-dataelement-13054 (2020-04-28 19:36:38)
Concept inherits from	 <i>prsb03-dataelement-11291</i> (2019-05-30 12:25:39)
Description	The organisational role of the person completing record.

2.1.80 Properties

FHIR	PractitionerRole.code of the practitioner completing the record
Relationship	Role (<i>prsb03-dataelement-10220 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobrole
Value Domain	
 Used by	0 transactions, 0 templates, inherited 2 times

 Grade	prsb03-dataelement-13055
Id	prsb03-dataelement-13055 (2020-04-28 19:36:38)
Concept inherits from	 <i>prsb03-dataelement-11292</i> (2019-05-30 12:25:39)
Description	The grade of the person completing the record.

Relationship Grade (*prsb03-dataelement-10221 - 2018-10-31*)

Rationale PractitionerRole.code

Operationalization Free text.

Value Domain

Property

max length

150

⌚ Used by 0 transactions, 0 templates, inherited 2 times



Specialty

prsb03-dataelement-13056

Id prsb03-dataelement-13056 (2020-04-28 19:36:38)

Concept inherits from 🌐 *prsb03-dataelement-11293 (2019-05-30 12:25:39)*

Description The main specialty of the person completing the record.

2.1.81 Properties

FHIR PractitionerRole.specialty

Relationship Specialty (*prsb03-dataelement-10222 - 2018-10-31*)

Rationale PractitionerRole.specialty

Operationalization NHS data dictionary :- Activity treatment function code

Value Domain

Property

max length

3

⌚ Used by 0 transactions, 0 templates, inherited 2 times



Organisation

prsb03-dataelement-13057

Id prsb03-dataelement-13057 (2020-04-28 19:36:38)

Concept inherits from 🌐 *prsb03-dataelement-11294 (2019-05-30 12:25:39)*

Description The organisation the person completing the record works for.

Relationship Organisation (*prsb03-dataelement-10226 - 2018-10-31*)

⌚ Used by 0 transactions, 0 templates, inherited 2 times



Professional identifier

	prsb03-dataelement-13058
--	--------------------------

Id	prsb03-dataelement-13058 (2020-04-28 19:36:38)
Concept inherits from	🟡 prsb03-dataelement-11295 (2019-05-30 12:25:39)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.82 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship	Professional identifier (<i>prsb03-dataelement-10223 - 2018-10-31</i>)		
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)		
Operationalization	NHS data dictionary :- Professional registration identifier		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>32</td> </tr> </table>	max length	32
max length			
32			
⌚ Used by	0 transactions, 0 templates, inherited 2 times		

🟡 Date completed	prsb03-dataelement-13059
------------------	--------------------------

Id	prsb03-dataelement-13059 (2020-04-28 19:36:38)		
Concept inherits from	🟡 prsb03-dataelement-11296 (2019-05-30 12:25:39)		
Description	The date and time the record was completed.		
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)		
Rationale	Composition.date		
Operationalization	Date and time.		
Value Domain			
Property	<table border="1"> <tr> <td>Timestamp precision</td> </tr> <tr> <td>at least day, month and year, hour and minute</td> </tr> </table>	Timestamp precision	at least day, month and year, hour and minute
Timestamp precision			
at least day, month and year, hour and minute			
⌚ Used by	0 transactions, 0 templates, inherited 2 times		

🟡 Contact details	prsb03-dataelement-13060
-------------------	--------------------------

Id	prsb03-dataelement-13060 (2020-04-28 19:36:38)
----	--

Concept inherits from	 prsb03-dataelement-11297 (2019-05-30 12:25:39)
Description	Contact details of the person completing the record.

2.1.83 Properties

FHIR	PractitionerRole.telecom
Relationship	Contact details (<i>prsb03-dataelement-10225 - 2018-10-31</i>)
Rationale	Practitioner:telecom PractitionerRole:telecom Organisation.telcom
Operationalization	NHS data dictionary : - UK telephone number
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> max length 35 </div>
Used by	0 transactions, 0 templates, inherited 2 times

 Performing Professional	prsb03-dataelement-13025
---	--------------------------

Id	prsb03-dataelement-13025 (2020-04-28 19:25:46) 0.2
Description	Details of the professional performing diagnosing the impairment (including name and role)
Relationship	Performing Professional (<i>prsb03-dataelement-10316 - 2018-10-31</i>)
Value Domain	

  Cognition	prsb03-dataelement-10066
---	--------------------------

Id	prsb03-dataelement-10066 (2018-10-31)
Description	Details of the persons cognitive impairment.

 Date	prsb03-dataelement-11705
--	--------------------------

Id	prsb03-dataelement-11705 (2019-05-31 13:05:51)
Description	The date when the cognitive impairment was identified.
Relationship	Date (<i>prsb03-dataelement-11688 - 2019-05-31 11:50:22</i>)
Operationalization	Date and time
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> Timestamp precision at least day, month and year, hour and minute </div>



Location

prsb03-dataelement-11706

Id	prsb03-dataelement-11706 (2019-05-31 13:06:37)
Description	The location where the cognitive impairment was identified.
Relationship	Location (<i>prsb03-dataelement-11689 - 2019-05-31 11:51:04</i>)



Coded value

prsb03-dataelement-13431

Id	prsb03-dataelement-13431 (2020-08-13 15:39:55)				
Description	The coded value for location.				
Operationalization	NHS data dictionary : - Organisation data service				
Value Domain					
Property	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center; padding: 5px;">min length</td> <td style="text-align: center; padding: 5px;">max length</td> </tr> <tr> <td style="text-align: center; padding: 5px;">3</td> <td style="text-align: center; padding: 5px;">5</td> </tr> </table>	min length	max length	3	5
min length	max length				
3	5				



Free text

prsb03-dataelement-13432

Id	prsb03-dataelement-13432 (2020-08-13 15:41:10)		
Concept inherits from	prsb03-dataelement-13220 (2020-07-08 12:57:49)		
Description	Free text field to be used if no code is available		
Operationalization	Free text		
Value Domain			
Property	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center; padding: 5px;">max length</td> </tr> <tr> <td style="text-align: center; padding: 5px;">150</td> </tr> </table>	max length	150
max length			
150			



Cognition

prsb03-dataelement-13669

Id	prsb03-dataelement-13669 (2020-09-08 22:42:26)		
Description	The cognitive impairment to be considered when communicating with the person, child or their primary carer.		
Operationalization	Free text		
Value Domain			
Property	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center; padding: 5px;">max length</td> </tr> <tr> <td style="text-align: center; padding: 5px;">150</td> </tr> </table>	max length	150
max length			
150			



Performing professional

prsb03-dataelement-11470

Id	prsb03-dataelement-11470 (2019-05-30 14:25:03)
Description	The professional who identified the cognitive impairment.
Relationship	Performing professional (<i>prsb03-dataelement-11281 - 2019-05-30 11:53:30</i>)

 Name	prsb03-dataelement-11471
--	--------------------------

Id	prsb03-dataelement-11471 (2019-05-30 14:25:24)		
Concept inherits from	 <i>prsb03-dataelement-11282 (2019-05-30 11:57:38)</i>		
Description	The name of the professional.		
Rationale	Practitioner.name		
Operationalization	Free text.		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>70</td> </tr> </table>	max length	70
max length			
70			

 Role	prsb03-dataelement-11472
--	--------------------------

Id	prsb03-dataelement-11472 (2019-05-30 14:25:24)
Concept inherits from	 <i>prsb03-dataelement-11283 (2019-05-30 11:58:48)</i>
Description	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc
Rationale	Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobroletype
Value Domain	

 Grade	prsb03-dataelement-11473
---	--------------------------

Id	prsb03-dataelement-11473 (2019-05-30 14:25:24)		
Concept inherits from	 <i>prsb03-dataelement-11288 (2019-05-30 12:19:40)</i>		
Description	The grade of the professional.		
Rationale	PractitionerRole.code		
Operationalization	Free text		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>150</td> </tr> </table>	max length	150
max length			
150			

 Speciality	
--	--

prsb03-dataelement-11474

Id	prsb03-dataelement-11474 (2019-05-30 14:25:24)		
Concept inherits from	 prsb03-dataelement-11284 (2019-05-30 12:01:15)		
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc		
Rationale	PractitionerRole.speciality		
Operationalization	NHS data dictionary - Activity treatment function code		
Value Domain			
Property	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 5px; text-align: center;">max length</td> </tr> <tr> <td style="padding: 5px; text-align: center;">3</td> </tr> </table>	max length	3
max length			
3			

 Professional identifier prsb03-dataelement-11475

Id	prsb03-dataelement-11475 (2019-05-30 14:25:24)		
Concept inherits from	 prsb03-dataelement-11285 (2019-05-30 12:02:46)		
Description	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.		
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)		
Operationalization	NHS data dictionary : - Professional registration identifier		
Value Domain			
Property	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 5px; text-align: center;">max length</td> </tr> <tr> <td style="padding: 5px; text-align: center;">32</td> </tr> </table>	max length	32
max length			
32			

  Organisation prsb03-dataelement-11476

Id	prsb03-dataelement-11476 (2019-05-30 14:25:24)
Concept inherits from	 prsb03-dataelement-11286 (2019-05-30 12:17:19)
Description	The name of the organisation the professional works for.

 Contact details prsb03-dataelement-11477

Id	prsb03-dataelement-11477 (2019-05-30 14:25:24)
Concept inherits from	 prsb03-dataelement-11287 (2019-05-30 12:18:13)
Description	Contact details of the professional
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom

Operationalization NHS data dictionary - UK phone number

Value Domain

Property

max length

35

Person completing record

prsb03-dataelement-11478

Id prsb03-dataelement-11478 (2019-05-30 14:25:35)

Concept inherits from  prsb03-dataelement-11289 (2019-05-30 12:24:39)

Description Details of the person completing the record.

Relationship Person completing record (*prsb03-dataelement-319 - 2018-10-31*)

Name

prsb03-dataelement-11479

Id prsb03-dataelement-11479 (2019-05-30 14:26:05)

Concept inherits from  prsb03-dataelement-11290 (2019-05-30 12:25:39)

Description The name of the person completing the record.

Relationship Name (*prsb03-dataelement-10219 - 2018-10-31*)

Rationale Composition.author.Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70

Role

prsb03-dataelement-11480

Id prsb03-dataelement-11480 (2019-05-30 14:26:05)

Concept inherits from  prsb03-dataelement-11291 (2019-05-30 12:25:39)

Description The organisational role of the person completing record.

2.1.84 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship Role (*prsb03-dataelement-10220 - 2018-10-31*)

Rationale Composition.author.PractitionerRole.code

Operationalization FHIR value set :- SDSjobrole

Value Domain



Grade

prsb03-dataelement-11481

Id	prsb03-dataelement-11481 (2019-05-30 14:26:05)
Concept inherits from	prsb03-dataelement-11292 (2019-05-30 12:25:39)
Description	The grade of the person completing the record.
Relationship	Grade (<i>prsb03-dataelement-10221 - 2018-10-31</i>)
Rationale	PractitionerRole.code
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 150 </div>



Specialty

prsb03-dataelement-11482

Id	prsb03-dataelement-11482 (2019-05-30 14:26:05)
Concept inherits from	prsb03-dataelement-11293 (2019-05-30 12:25:39)
Description	The main specialty of the person completing the record.

2.1.85 Properties

FHIR	PractitionerRole.specialty
Relationship	Specialty (<i>prsb03-dataelement-10222 - 2018-10-31</i>)
Rationale	PractitionerRole.speciality
Operationalization	NHS data dictionary :- Activity treatment function code
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 3 </div>



Organisation

prsb03-dataelement-11483

Id	prsb03-dataelement-11483 (2019-05-30 14:26:05)
Concept inherits from	prsb03-dataelement-11294 (2019-05-30 12:25:39)
Description	The organisation the person completing the record works for.
Relationship	Organisation (<i>prsb03-dataelement-10226 - 2018-10-31</i>)



Professional identifier

prsb03-dataelement-11484

Id	prsb03-dataelement-11484 (2019-05-30 14:26:05)
Concept inherits from	 prsb03-dataelement-11295 (2019-05-30 12:25:39)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.86 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship	Professional identifier (<i>prsb03-dataelement-10223 - 2018-10-31</i>)		
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)		
Operationalization	NHS data dictionary :- Professional registration identifier		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>32</td> </tr> </table>	max length	32
max length			
32			



Date completed

prsb03-dataelement-11485

Id	prsb03-dataelement-11485 (2019-05-30 14:26:05)		
Concept inherits from	 prsb03-dataelement-11296 (2019-05-30 12:25:39)		
Description	The date and time the record was completed.		
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)		
Rationale	Composition.date		
Operationalization	Date and time.		
Value Domain			
Property	<table border="1"> <tr> <td>Timestamp precision</td> </tr> <tr> <td>at least day, month and year, hour and minute</td> </tr> </table>	Timestamp precision	at least day, month and year, hour and minute
Timestamp precision			
at least day, month and year, hour and minute			



Contact details

prsb03-dataelement-11486

Id	prsb03-dataelement-11486 (2019-05-30 14:26:05)
Concept inherits from	 prsb03-dataelement-11297 (2019-05-30 12:25:39)
Description	Contact details of the person completing the record.

2.1.87 Properties

FHIR PractitionerRole.telecom

Relationship	Contact details (<i>prsb03-dataelement-10225 - 2018-10-31</i>)
Rationale	Practitioner:telecom PractitionerRole:telecom Organisation.telcom
Operationalization	NHS data dictionary : - UK telephone number
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 2px 5px; display: inline-block;">max length</div> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">35</div>

  Performing professional	prsb03-dataelement-11110
Id	prsb03-dataelement-11110 (2019-05-24 11:37:44)
Concept inherits from	 <i>prsb03-dataelement-11043</i> (2019-05-24 11:17:33)
Description	The performing professional identifying the requirement.
Relationship	Professional contacts (<i>prsb03-dataelement-452 - 2018-10-31</i>)
 Name	prsb03-dataelement-11111
Id	prsb03-dataelement-11111 (2019-05-24 11:38:06)
Concept inherits from	 <i>prsb03-dataelement-11045</i> (2019-05-24 11:18:10)
Description	The name of the professional with responsibility for the care of the person.
Operationalization	Free text
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 2px 5px; display: inline-block;">max length</div> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">70</div>
 Role	prsb03-dataelement-11112
Id	prsb03-dataelement-11112 (2019-05-24 11:38:06)
Concept inherits from	 <i>prsb03-dataelement-11046</i> (2019-05-24 11:18:10)
Description	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker, key worker, care home manager, care coordinator, LA hospital liaison person, care home contact, hospital clinician, Independent Mental Capacity Advocate (IMCA) etc
Operationalization	FHIR value set : - SDSjobrole
Value Domain	
 Speciality	prsb03-dataelement-11113

Id	prsb03-dataelement-11113 (2019-05-24 11:38:06)
Concept inherits from	☒ prsb03-dataelement-11047 (2019-05-24 11:18:10)
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc
Operationalization	NHS data dictionary : - Activity treatment function code
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 3 </div>
Team	prsb03-dataelement-11114
Id	prsb03-dataelement-11114 (2019-05-24 11:38:06)
Concept inherits from	☒ prsb03-dataelement-11048 (2019-05-24 11:18:10)
Description	The name of the team.
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 35 </div>
Organisation	prsb03-dataelement-11115
Id	prsb03-dataelement-11115 (2019-05-24 11:38:06)
Concept inherits from	☒ prsb03-dataelement-11049 (2019-05-24 11:18:10)
Description	The name of the organisation.
Contact details	prsb03-dataelement-11116
Id	prsb03-dataelement-11116 (2019-05-24 11:38:06)
Concept inherits from	☒ prsb03-dataelement-11050 (2019-05-24 11:18:10)
Description	Contact details of the professional (e.g. telephone number, email address etc.).
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 35 </div>
Start date	prsb03-dataelement-11117

Id	prsb03-dataelement-11117 (2019-05-24 11:38:06)
Concept inherits from	☒ prsb03-dataelement-11051 (2019-05-24 11:18:10)
Description	The start date of the professional relationship with the person.
Operationalization	Date and time
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>
☒ End date	prsb03-dataelement-11118
Id	prsb03-dataelement-11118 (2019-05-24 11:38:06)
Concept inherits from	☒ prsb03-dataelement-11052 (2019-05-24 11:18:10)
Description	The end date of the professional relationship with the person.
Operationalization	Date and time
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>
📁☒ Professional contacts record entry	prsb03-dataelement-11119
Id	prsb03-dataelement-11119 (2019-05-24 11:38:06)
Concept inherits from	☒ prsb03-dataelement-11044 (2019-05-24 11:18:10)
Description	This is a professional contacts record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.
📁☒ Person completing record	prsb03-dataelement-11120
Id	prsb03-dataelement-11120 (2019-05-24 11:38:33)
Concept inherits from	☒ prsb03-dataelement-319 (2018-10-31)
Description	Details of the person completing the record.
☒ Name	prsb03-dataelement-11121
Id	prsb03-dataelement-11121 (2019-05-24 11:38:55)
Concept inherits from	☒ prsb03-dataelement-10219 (2018-10-31)
Description	The name of the person completing the record, preferably in a structured format.

Operationalization The person name as held on the source system. Where possible this should be broken down into its constituent parts (prefix, given name, family name, and suffix).

Value Domain



Role

prsb03-dataelement-11122

Id prsb03-dataelement-11122 (2019-05-24 11:38:55)

Concept inherits from [prsb03-dataelement-10220](#) (2018-10-31)

Description The role of the person completing record.

2.1.88 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Operationalization The role may be held on the source system, be from an authoritative source such as SDS, or use an existing vocabulary such as the job role title (from the national workforce dataset).

Value Domain



Grade

prsb03-dataelement-11123

Id prsb03-dataelement-11123 (2019-05-24 11:38:55)

Concept inherits from [prsb03-dataelement-10221](#) (2018-10-31)

Description The grade of the person completing the record

Operationalization The grade of the person completing the record held on the source system or from an authoritative source

Value Domain



Specialty

prsb03-dataelement-11124

Id prsb03-dataelement-11124 (2019-05-24 11:38:55)

Concept inherits from [prsb03-dataelement-10222](#) (2018-10-31)

Description The main specialty of the person completing the record.

2.1.89 Properties

FHIR PractitionerRole.specialty

Operationalization The main clinical specialty as held on the source system.

Value Domain



Professional identifier

prsb03-dataelement-11125

Id prsb03-dataelement-11125 (2019-05-24 11:38:55)

Concept inherits from	 prsb03-dataelement-10223 (2018-10-31)
-----------------------	---

Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.
-------------	---

2.1.90 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Value Domain

 Date completed	prsb03-dataelement-11126
--	--------------------------

Id	prsb03-dataelement-11126 (2019-05-24 11:38:55)
----	--

Concept inherits from	 prsb03-dataelement-10224 (2018-10-31)
-----------------------	---

Description	The date and time the record was updated.
-------------	---

Operationalization	The date/time the record was updated.
--------------------	---------------------------------------

Value Domain

 Contact details	prsb03-dataelement-11127
--	--------------------------

Id	prsb03-dataelement-11127 (2019-05-24 11:38:55)
----	--

Concept inherits from	 prsb03-dataelement-10225 (2018-10-31)
-----------------------	---

Description	Contact details of the person completing the record. For example a phone number, email address. Contact details are used to resolve queries about the record entry.
-------------	---

2.1.91 Properties

FHIR	PractitionerRole.telecom
------	--------------------------

Operationalization	The contact details may be for the individual completing the record, or wider team details (for example a phone number for a hospital department).
--------------------	--

Value Domain

 Organisation	prsb03-dataelement-11128
--	--------------------------

Id	prsb03-dataelement-11128 (2019-05-24 11:38:55)
----	--

Concept inherits from	 prsb03-dataelement-10226 (2018-10-31)
-----------------------	---

Description	The organisation the person completing the record works for.
-------------	--

Operationalization	An ODS identifier for the organisation or site, the name of the organisation or site, and a postal address (if available).
--------------------	--

Value Domain

  Mobility	prsb03-dataelement-10067				
Id	prsb03-dataelement-10067 (2018-10-31)				
Description	Details of the person's mobility needs.				
 Date	prsb03-dataelement-11707				
Id	prsb03-dataelement-11707 (2019-05-31 13:08:03)				
Description	The date when the mobility needs were identified.				
Relationship	Date (<i>prsb03-dataelement-11688 - 2019-05-31 11:50:22</i>)				
Operationalization	Date and time				
Value Domain					
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>				
  Location	prsb03-dataelement-11710				
Id	prsb03-dataelement-11710 (2019-05-31 13:11:14)				
Description	The location where the mobility needs were identified.				
Relationship	Location (<i>prsb03-dataelement-11689 - 2019-05-31 11:51:04</i>)				
 Coded value	prsb03-dataelement-13433				
Id	prsb03-dataelement-13433 (2020-08-13 15:42:39)				
Description	The coded value for location.				
Operationalization	NHS data dictionary : - Organisation data service				
Value Domain					
Property	<table style="width: 100%; text-align: center;"> <tr> <td>min length</td> <td>max length</td> </tr> <tr> <td>3</td> <td>5</td> </tr> </table>	min length	max length	3	5
min length	max length				
3	5				
 Free text	prsb03-dataelement-13434				
Id	prsb03-dataelement-13434 (2020-08-13 15:44:10)				
Concept inherits from	 <i>prsb03-dataelement-13223 (2020-07-08 17:40:09)</i>				
Description	Free text field to be used if no coded text available				
Value Domain					
Property	<table style="width: 100%; text-align: center;"> <tr> <td>max length</td> </tr> </table>	max length			
max length					

150

 Mobility needs

prsb03-dataelement-13670

Id prsb03-dataelement-13670 (2020-09-08 22:45:14)

Description The mobility needs of the person that allows movement between two spaces and achieves participation and a degree of independence.

 Coded value

prsb03-dataelement-13671

Id prsb03-dataelement-13671 (2020-09-08 22:47:06)

Description The coded value for mobility needs

Operationalization SNOMED CT: - ^999002551000000108 |Mobility findings simple reference set (foundation metadata concept)|

Value Domain

 Free text

prsb03-dataelement-13672

Id prsb03-dataelement-13672 (2020-09-08 22:47:50)

Concept inherits from  prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150

 Location

prsb03-dataelement-11709

Id prsb03-dataelement-11709 (2019-05-31 13:09:26)

Value Domain

 Location

prsb03-dataelement-11708

Id prsb03-dataelement-11708 (2019-05-31 13:08:30)

Value Domain

 Performing professional

prsb03-dataelement-11487

Id prsb03-dataelement-11487 (2019-05-30 14:26:29)

Description The professional who identified the mobility needs.

Relationship Performing professional (*prsb03-dataelement-11281 - 2019-05-30 11:53:30*)

 Name	prsb03-dataelement-11488
--	--------------------------

Id prsb03-dataelement-11488 (2019-05-30 14:27:10)

Concept inherits from  *prsb03-dataelement-11282 (2019-05-30 11:57:38)*

Description The name of the professional.

Rationale Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70

 Role	prsb03-dataelement-11489
--	--------------------------

Id prsb03-dataelement-11489 (2019-05-30 14:27:10)

Concept inherits from  *prsb03-dataelement-11283 (2019-05-30 11:58:48)*

Description The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc

Rationale Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobroletype

Value Domain

 Grade	prsb03-dataelement-11490
---	--------------------------

Id prsb03-dataelement-11490 (2019-05-30 14:27:10)

Concept inherits from  *prsb03-dataelement-11288 (2019-05-30 12:19:40)*

Description The grade of the professional.

Rationale PractitionerRole.code

Operationalization Free text

Value Domain

Property

max length

150

 Speciality	prsb03-dataelement-11491
--	--------------------------

Id prsb03-dataelement-11491 (2019-05-30 14:27:10)

Concept inherits from	 prsb03-dataelement-11284 (2019-05-30 12:01:15)
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc
Rationale	PractitionerRole.speciality
Operationalization	NHS data dictionary - Activity treatment function code
Value Domain	

Property	 max length
	3

 Professional identifier

prsb03-dataelement-11492

Id	prsb03-dataelement-11492 (2019-05-30 14:27:10)
Concept inherits from	 prsb03-dataelement-11285 (2019-05-30 12:02:46)
Description	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary : - Professional registration identifier
Value Domain	
Property	 max length
	32

  Organisation

prsb03-dataelement-11493

Id	prsb03-dataelement-11493 (2019-05-30 14:27:10)
Concept inherits from	 prsb03-dataelement-11286 (2019-05-30 12:17:19)
Description	The name of the organisation the professional works for.

 Contact details

prsb03-dataelement-11494

Id	prsb03-dataelement-11494 (2019-05-30 14:27:10)
Concept inherits from	 prsb03-dataelement-11287 (2019-05-30 12:18:13)
Description	Contact details of the professional
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom
Operationalization	NHS data dictionary - UK phone number
Value Domain	

Property

max length

35



Person completing record

prsb03-dataelement-11495

Id

prsb03-dataelement-11495 (2019-05-30 14:27:24)

Concept inherits from

prsb03-dataelement-11289 (2019-05-30 12:24:39)

Description

Details of the person completing the record.

Relationship

Person completing record (*prsb03-dataelement-319 - 2018-10-31*)

Name

prsb03-dataelement-11496

Id

prsb03-dataelement-11496 (2019-05-30 14:27:45)

Concept inherits from

prsb03-dataelement-11290 (2019-05-30 12:25:39)

Description

The name of the person completing the record.

Relationship

Name (*prsb03-dataelement-10219 - 2018-10-31*)

Rationale

Composition.author.Practitioner.name

Operationalization

Free text.

Value Domain

Property

max length

70



Role

prsb03-dataelement-11497

Id

prsb03-dataelement-11497 (2019-05-30 14:27:45)

Concept inherits from

prsb03-dataelement-11291 (2019-05-30 12:25:39)

Description

The organisational role of the person completing record.

2.1.92 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship

Role (*prsb03-dataelement-10220 - 2018-10-31*)

Rationale

Composition.author.PractitionerRole.code

Operationalization

FHIR value set :- SDSjobrole

Value Domain



Grade

prsb03-dataelement-11498

Id	prsb03-dataelement-11498 (2019-05-30 14:27:45)
Concept inherits from	🟡 prsb03-dataelement-11292 (2019-05-30 12:25:39)
Description	The grade of the person completing the record.
Relationship	Grade (<i>prsb03-dataelement-10221 - 2018-10-31</i>)
Rationale	PractitionerRole.code
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> max length 150 </div>

🟡 Specialty

prsb03-dataelement-11499

Id	prsb03-dataelement-11499 (2019-05-30 14:27:45)
Concept inherits from	🟡 prsb03-dataelement-11293 (2019-05-30 12:25:39)
Description	The main specialty of the person completing the record.

2.1.93 Properties

FHIR	PractitionerRole.specialty
------	----------------------------

Relationship	Specialty (<i>prsb03-dataelement-10222 - 2018-10-31</i>)
Rationale	PractitionerRole.specialty
Operationalization	NHS data dictionary :- Activity treatment function code
Value Domain	

Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> max length 3 </div>
----------	---

📁🟡 Organisation

prsb03-dataelement-11500

Id	prsb03-dataelement-11500 (2019-05-30 14:27:45)
Concept inherits from	🟡 prsb03-dataelement-11294 (2019-05-30 12:25:39)
Description	The organisation the person completing the record works for.
Relationship	Organisation (<i>prsb03-dataelement-10226 - 2018-10-31</i>)

🟡 Professional identifier

prsb03-dataelement-11501

Id	prsb03-dataelement-11501 (2019-05-30 14:27:45)
----	--

Concept inherits from  prsb03-dataelement-11295 (2019-05-30 12:25:39)

Description Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.94 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship Professional identifier (*prsb03-dataelement-10223 - 2018-10-31*)

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary :- Professional registration identifier

Value Domain

Property

max length

32



Date completed

prsb03-dataelement-11502

Id prsb03-dataelement-11502 (2019-05-30 14:27:45)

Concept inherits from  prsb03-dataelement-11296 (2019-05-30 12:25:39)

Description The date and time the record was completed.

Relationship Date completed (*prsb03-dataelement-10224 - 2018-10-31*)

Rationale Composition.date

Operationalization Date and time.

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Contact details

prsb03-dataelement-11503

Id prsb03-dataelement-11503 (2019-05-30 14:27:45)

Concept inherits from  prsb03-dataelement-11297 (2019-05-30 12:25:39)

Description Contact details of the person completing the record.

2.1.95 Properties

FHIR PractitionerRole.telecom

Relationship Contact details (*prsb03-dataelement-10225 - 2018-10-31*)

Rationale	Practitioner:telecom PractitionerRole:telecom Organisation.telcom
Operationalization	NHS data dictionary : - UK telephone number
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 35 </div>

  Performing professional prsb03-dataelement-11129

Id	prsb03-dataelement-11129 (2019-05-24 11:40:07)
Concept inherits from	 <i>prsb03-dataelement-11043</i> (2019-05-24 11:17:33)
Description	The performing professional identifying the requirement.
Relationship	Professional contacts (<i>prsb03-dataelement-452</i> - 2018-10-31)

 Name prsb03-dataelement-11130

Id	prsb03-dataelement-11130 (2019-05-24 11:40:41)
Concept inherits from	 <i>prsb03-dataelement-11045</i> (2019-05-24 11:18:10)
Description	The name of the professional with responsibility for the care of the person.
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 70 </div>

 Role prsb03-dataelement-11131

Id	prsb03-dataelement-11131 (2019-05-24 11:40:41)
Concept inherits from	 <i>prsb03-dataelement-11046</i> (2019-05-24 11:18:10)
Description	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker, key worker, care home manager, care coordinator, LA hospital liaison person, care home contact, hospital clinician, Independent Mental Capacity Advocate (IMCA) etc
Operationalization	FHIR value set : - SDSjobrole
Value Domain	

 Speciality prsb03-dataelement-11132

Id	prsb03-dataelement-11132 (2019-05-24 11:40:41)
----	--

Concept inherits from	 prsb03-dataelement-11047 (2019-05-24 11:18:10)		
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc		
Operationalization	NHS data dictionary : - Activity treatment function code		
Value Domain			
Property	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center; padding: 2px;">max length</td> </tr> <tr> <td style="text-align: center; padding: 2px;">3</td> </tr> </table>	max length	3
max length			
3			

 Team	prsb03-dataelement-11133
--	--------------------------

Id	prsb03-dataelement-11133 (2019-05-24 11:40:41)		
Concept inherits from	 prsb03-dataelement-11048 (2019-05-24 11:18:10)		
Description	The name of the team.		
Operationalization	Free text		
Value Domain			
Property	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center; padding: 2px;">max length</td> </tr> <tr> <td style="text-align: center; padding: 2px;">35</td> </tr> </table>	max length	35
max length			
35			

  Organisation	prsb03-dataelement-11134
--	--------------------------

Id	prsb03-dataelement-11134 (2019-05-24 11:40:41)
Concept inherits from	 prsb03-dataelement-11049 (2019-05-24 11:18:10)
Description	The name of the organisation.

 Contact details	prsb03-dataelement-11135
---	--------------------------

Id	prsb03-dataelement-11135 (2019-05-24 11:40:41)		
Concept inherits from	 prsb03-dataelement-11050 (2019-05-24 11:18:10)		
Description	Contact details of the professional (e.g. telephone number, email address etc.).		
Operationalization	Free text		
Value Domain			
Property	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center; padding: 2px;">max length</td> </tr> <tr> <td style="text-align: center; padding: 2px;">35</td> </tr> </table>	max length	35
max length			
35			

 Start date	prsb03-dataelement-11136
--	--------------------------

Id	prsb03-dataelement-11136 (2019-05-24 11:40:41)
----	--

Concept inherits from	 prsb03-dataelement-11051 (2019-05-24 11:18:10)
Description	The start date of the professional relationship with the person.
Operationalization	Date and time
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>

 End date	prsb03-dataelement-11137
--	--------------------------

Id	prsb03-dataelement-11137 (2019-05-24 11:40:41)
Concept inherits from	 prsb03-dataelement-11052 (2019-05-24 11:18:10)
Description	The end date of the professional relationship with the person.
Operationalization	Date and time
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>

 Professional contacts record entry	prsb03-dataelement-11138
--	--------------------------

Id	prsb03-dataelement-11138 (2019-05-24 11:40:41)
Concept inherits from	 prsb03-dataelement-11044 (2019-05-24 11:18:10)
Description	This is a professional contacts record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.

 Person completing record	prsb03-dataelement-11139
--	--------------------------

Id	prsb03-dataelement-11139 (2019-05-24 11:41:00)
Concept inherits from	 prsb03-dataelement-319 (2018-10-31)
Description	Details of the person completing the record.

 Name	prsb03-dataelement-11140
--	--------------------------

Id	prsb03-dataelement-11140 (2019-05-24 11:41:23)
Concept inherits from	 prsb03-dataelement-10219 (2018-10-31)
Description	The name of the person completing the record, preferably in a structured format.

Operationalization The person name as held on the source system. Where possible this should be broken down into its constituent parts (prefix, given name, family name, and suffix).

Value Domain



Role

prsb03-dataelement-11141

Id prsb03-dataelement-11141 (2019-05-24 11:41:23)

Concept inherits from [prsb03-dataelement-10220](#) (2018-10-31)

Description The role of the person completing record.

2.1.96 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Operationalization The role may be held on the source system, be from an authoritative source such as SDS, or use an existing vocabulary such as the job role title (from the national workforce dataset).

Value Domain



Grade

prsb03-dataelement-11142

Id prsb03-dataelement-11142 (2019-05-24 11:41:23)

Concept inherits from [prsb03-dataelement-10221](#) (2018-10-31)

Description The grade of the person completing the record

Operationalization The grade of the person completing the record held on the source system or from an authoritative source

Value Domain



Specialty

prsb03-dataelement-11143

Id prsb03-dataelement-11143 (2019-05-24 11:41:23)

Concept inherits from [prsb03-dataelement-10222](#) (2018-10-31)

Description The main specialty of the person completing the record.

2.1.97 Properties

FHIR PractitionerRole.specialty

Operationalization The main clinical specialty as held on the source system.

Value Domain



Professional identifier

prsb03-dataelement-11144

Id prsb03-dataelement-11144 (2019-05-24 11:41:23)

Concept inherits from	 prsb03-dataelement-10223 (2018-10-31)
-----------------------	---

Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.
-------------	---

2.1.98 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Value Domain

 Date completed	prsb03-dataelement-11145
--	--------------------------

Id	prsb03-dataelement-11145 (2019-05-24 11:41:23)
----	--

Concept inherits from	 prsb03-dataelement-10224 (2018-10-31)
-----------------------	---

Description	The date and time the record was updated.
-------------	---

Operationalization	The date/time the record was updated.
--------------------	---------------------------------------

Value Domain

 Contact details	prsb03-dataelement-11146
---	--------------------------

Id	prsb03-dataelement-11146 (2019-05-24 11:41:23)
----	--

Concept inherits from	 prsb03-dataelement-10225 (2018-10-31)
-----------------------	---

Description	Contact details of the person completing the record. For example a phone number, email address. Contact details are used to resolve queries about the record entry.
-------------	---

2.1.99 Properties

FHIR PractitionerRole.telecom

Operationalization	The contact details may be for the individual completing the record, or wider team details (for example a phone number for a hospital department).
--------------------	--

Value Domain

 Organisation	prsb03-dataelement-11147
--	--------------------------

Id	prsb03-dataelement-11147 (2019-05-24 11:41:23)
----	--

Concept inherits from	 prsb03-dataelement-10226 (2018-10-31)
-----------------------	---

Description	The organisation the person completing the record works for.
-------------	--

Operationalization	An ODS identifier for the organisation or site, the name of the organisation or site, and a postal address (if available).
--------------------	--

Value Domain

  Other individual requirements

prsb03-dataelement-10835

Id prsb03-dataelement-10835 (2019-03-22 16:24:41)

Description Details of any other individual requirements the person may have

 Date

prsb03-dataelement-11711

Id prsb03-dataelement-11711 (2019-05-31 13:12:01)

Description The date when the other individual requirements were identified.

Relationship Date (*prsb03-dataelement-11688 - 2019-05-31 11:50:22*)

Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year

  Location

prsb03-dataelement-11712

Id prsb03-dataelement-11712 (2019-05-31 13:12:31)

Description The location where the other individual requirements were identified.

Relationship Location (*prsb03-dataelement-11689 - 2019-05-31 11:51:04*)
 Coded value

prsb03-dataelement-13435

Id prsb03-dataelement-13435 (2020-08-13 15:46:58)

Description The coded value for location.

Operationalization NHS data dictionary : - Organisation service code

Value Domain

Property

min length max length

3 5

 Free text

prsb03-dataelement-13436

Id prsb03-dataelement-13436 (2020-08-13 15:48:03)

Concept inherits from  *prsb03-dataelement-13223 (2020-07-08 17:40:09)*

Description Free text field to be used if no coded text available

Value Domain

Property

max length

150

 Other individual requirement

prsb03-dataelement-13673

Id prsb03-dataelement-13673 (2020-09-08 22:51:48)

Description Other individual requirements that a person may have.

Operationalization Free text

Value Domain

Property

max length

150

 Performing professional

prsb03-dataelement-11504

Id prsb03-dataelement-11504 (2019-05-30 14:34:59)

Description The professional who identified the other individual requirements.

Relationship Performing professional (*prsb03-dataelement-11281 - 2019-05-30 11:53:30*)
 Name

prsb03-dataelement-11505

Id prsb03-dataelement-11505 (2019-05-30 14:35:29)

Concept inherits from  prsb03-dataelement-11282 (2019-05-30 11:57:38)

Description The name of the professional.

Rationale Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70

 Used by

0 transactions, 0 templates, inherited once

 Role

prsb03-dataelement-11506

Id prsb03-dataelement-11506 (2019-05-30 14:35:29)

Concept inherits from  prsb03-dataelement-11283 (2019-05-30 11:58:48)

Description The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc

Rationale Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobroletype

Value Domain

⌚ Used by 0 transactions, 0 templates, inherited once



Grade

prsb03-dataelement-11507

Id prsb03-dataelement-11507 (2019-05-30 14:35:29)

Concept inherits from ⌚ *prsb03-dataelement-11288* (2019-05-30 12:19:40)

Description The grade of the professional.

Rationale PractitionerRole.code

Operationalization Free text

Value Domain

Property

max length

150

⌚ Used by 0 transactions, 0 templates, inherited once



Speciality

prsb03-dataelement-11508

Id prsb03-dataelement-11508 (2019-05-30 14:35:29)

Concept inherits from ⌚ *prsb03-dataelement-11284* (2019-05-30 12:01:15)

Description The specialty of the professional e.g. physiotherapy, oncology, mental health etc

Rationale PractitionerRole.speciality

Operationalization NHS data dictionary - Activity treatment function code

Value Domain

Property

max length

3

⌚ Used by 0 transactions, 0 templates, inherited once



Professional identifier

prsb03-dataelement-11509

Id prsb03-dataelement-11509 (2019-05-30 14:35:29)

Concept inherits from ⌚ *prsb03-dataelement-11285* (2019-05-30 12:02:46)

Description	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.
Rationale	Practitioner.identifier (for professional national identifiers), PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary : - Professional registration identifier
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 32 </div>
Used by	0 transactions, 0 templates, inherited once

  Organisation

prsb03-dataelement-11510

Id	prsb03-dataelement-11510 (2019-05-30 14:35:29)
Concept inherits from	 <i>prsb03-dataelement-11286</i> (2019-05-30 12:17:19)
Description	The name of the organisation the professional works for.
Used by	0 transactions, 0 templates, inherited once

 Contact details

prsb03-dataelement-11511

Id	prsb03-dataelement-11511 (2019-05-30 14:35:29)
Concept inherits from	 <i>prsb03-dataelement-11287</i> (2019-05-30 12:18:13)
Description	Contact details of the professional
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom
Operationalization	NHS data dictionary - UK phone number
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 35 </div>
Used by	0 transactions, 0 templates, inherited once

  Person completing record

prsb03-dataelement-11512

Id	prsb03-dataelement-11512 (2019-05-30 14:35:41)
Concept inherits from	 <i>prsb03-dataelement-11289</i> (2019-05-30 12:24:39)

Description	Details of the person completing the record.
Relationship	Person completing record (<i>prsb03-dataelement-319 - 2018-10-31</i>)

 Name	prsb03-dataelement-11513		
 prsb03-dataelement-11513			
Id	prsb03-dataelement-11513 (2019-05-30 14:36:02)		
Concept inherits from	 <i>prsb03-dataelement-11290</i> (2019-05-30 12:25:39)		
Description	The name of the person completing the record.		
Relationship	Name (<i>prsb03-dataelement-10219 - 2018-10-31</i>)		
Rationale	Composition.author.Practitioner.name		
Operationalization	Free text.		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>70</td> </tr> </table>	max length	70
max length			
70			

 Role	prsb03-dataelement-11514
 prsb03-dataelement-11514	
Id	prsb03-dataelement-11514 (2019-05-30 14:36:02)
Concept inherits from	 <i>prsb03-dataelement-11291</i> (2019-05-30 12:25:39)
Description	The organisational role of the person completing record.

2.1.100 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship	Role (<i>prsb03-dataelement-10220 - 2018-10-31</i>)
Rationale	Composition.author.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobrole
Value Domain	

 Grade	prsb03-dataelement-11515
 prsb03-dataelement-11515	
Id	prsb03-dataelement-11515 (2019-05-30 14:36:02)
Concept inherits from	 <i>prsb03-dataelement-11292</i> (2019-05-30 12:25:39)
Description	The grade of the person completing the record.
Relationship	Grade (<i>prsb03-dataelement-10221 - 2018-10-31</i>)
Rationale	PractitionerRole.code
Operationalization	Free text.

Value Domain

Property

max length

150



Specialty

prsb03-dataelement-11516

Id

prsb03-dataelement-11516 (2019-05-30 14:36:02)

Concept inherits from

prsb03-dataelement-11293 (2019-05-30 12:25:39)

Description

The main specialty of the person completing the record.

2.1.101 Properties

FHIR PractitionerRole.specialty

Relationship

Specialty (*prsb03-dataelement-10222 - 2018-10-31*)

Rationale

PractitionerRole.specialty

Operationalization

NHS data dictionary :- Activity treatment function code

Value Domain

Property

max length

3



Organisation

prsb03-dataelement-11517

Id

prsb03-dataelement-11517 (2019-05-30 14:36:02)

Concept inherits from

prsb03-dataelement-11294 (2019-05-30 12:25:39)

Description

The organisation the person completing the record works for.

Relationship

Organisation (*prsb03-dataelement-10226 - 2018-10-31*)

Professional identifier

prsb03-dataelement-11518

Id

prsb03-dataelement-11518 (2019-05-30 14:36:02)

Concept inherits from

prsb03-dataelement-11295 (2019-05-30 12:25:39)

Description

Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.102 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship

Professional identifier (*prsb03-dataelement-10223 - 2018-10-31*)

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary :- Professional registration identifier

Value Domain

Property

max length

32



Date completed

prsb03-dataelement-11519

Id prsb03-dataelement-11519 (2019-05-30 14:36:02)

Concept inherits from prsb03-dataelement-11296 (2019-05-30 12:25:39)

Description The date and time the record was completed.

Relationship Date completed (*prsb03-dataelement-10224 - 2018-10-31*)

Rationale Composition.date


Operationalization Date and time.

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Contact details

prsb03-dataelement-11520

Id prsb03-dataelement-11520 (2019-05-30 14:36:02)

Concept inherits from prsb03-dataelement-11297 (2019-05-30 12:25:39)

Description Contact details of the person completing the record.

2.1.103 Properties

FHIR PractitionerRole.telecom

Relationship Contact details (*prsb03-dataelement-10225 - 2018-10-31*)

Rationale Practitioner:telecom
PractitionerRole:telecom
Organisation.telcom

Operationalization NHS data dictionary : - UK telephone number

Value Domain

Property

max length

35

  Performing professional	prsb03-dataelement-11260
Id	prsb03-dataelement-11260 (2019-05-29 13:38:29)
Concept inherits from	 prsb03-dataelement-11148 (2019-05-24 11:51:30)
Description	The professional identifying the safeguarding concern.
 Name	prsb03-dataelement-11261
Id	prsb03-dataelement-11261 (2019-05-29 13:39:03)
Concept inherits from	 prsb03-dataelement-11149 (2019-05-24 11:51:53)
Description	The name of the professional with responsibility for the care of the person.
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 70 </div>
 Role	prsb03-dataelement-11262
Id	prsb03-dataelement-11262 (2019-05-29 13:39:03)
Concept inherits from	 prsb03-dataelement-11150 (2019-05-24 11:51:53)
Description	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker, key worker, care home manager, care coordinator, LA hospital liaison person, care home contact, hospital clinician, Independent Mental Capacity Advocate (IMCA) etc
Operationalization	FHIR value set : - SDSjobrole
Value Domain	
 Speciality	prsb03-dataelement-11263
Id	prsb03-dataelement-11263 (2019-05-29 13:39:03)
Concept inherits from	 prsb03-dataelement-11151 (2019-05-24 11:51:53)
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc
Operationalization	NHS data dictionary : - Activity treatment function code
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 3 </div>
 Team	

		prsb03-dataelement-11264
Id	prsb03-dataelement-11264 (2019-05-29 13:39:03)	
Concept inherits from	(prsb03-dataelement-11152) (2019-05-24 11:51:53)	
Description	The name of the team.	
Operationalization	Free text	
Value Domain		
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 35 </div>	
(Organisation		prsb03-dataelement-11265
Id	prsb03-dataelement-11265 (2019-05-29 13:39:03)	
Concept inherits from	(prsb03-dataelement-11153) (2019-05-24 11:51:53)	
Description	The name of the organisation.	
Contact details		prsb03-dataelement-11266
Id	prsb03-dataelement-11266 (2019-05-29 13:39:03)	
Concept inherits from	(prsb03-dataelement-11154) (2019-05-24 11:51:53)	
Description	Contact details of the professional (e.g. telephone number, email address etc.).	
Operationalization	Free text	
Value Domain		
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 35 </div>	
Professional identifier		prsb03-dataelement-11267
Id	prsb03-dataelement-11267 (2019-05-29 13:39:03)	
Concept inherits from	(prsb03-dataelement-11167) (2019-05-28 17:18:30)	
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.	
2.1.104 Properties		
FHIR	PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)	
Value Domain		

 Start date	prsb03-dataelement-11268
Id	prsb03-dataelement-11268 (2019-05-29 13:39:03)
Concept inherits from	 prsb03-dataelement-11155 (2019-05-24 11:51:53)
Description	The start date of the professional relationship with the person.
Operationalization	Date and time
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> at least day, month and year, hour and minute
 End date	prsb03-dataelement-11269
Id	prsb03-dataelement-11269 (2019-05-29 13:39:03)
Concept inherits from	 prsb03-dataelement-11156 (2019-05-24 11:51:53)
Description	The end date of the professional relationship with the person.
Operationalization	Date and time
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> at least day, month and year, hour and minute
  Professional contacts record entry	prsb03-dataelement-11270
Id	prsb03-dataelement-11270 (2019-05-29 13:39:03)
Concept inherits from	 prsb03-dataelement-11157 (2019-05-24 11:51:53)
Description	This is a professional contacts record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.
Relationship	Professional contacts record entry (<i>prsb03-dataelement-11044 - 2019-05-24 11:18:10</i>)
  Person completing record	prsb03-dataelement-11271
Id	prsb03-dataelement-11271 (2019-05-29 13:40:37)
Concept inherits from	 prsb03-dataelement-319 (2018-10-31)
Description	Details of the person completing the record.
 Name	prsb03-dataelement-11272
Id	prsb03-dataelement-11272 (2019-05-29 13:40:57)

Concept inherits from	 prsb03-dataelement-10219 (2018-10-31)
Description	The name of the person completing the record, preferably in a structured format.
Operationalization	The person name as held on the source system. Where possible this should be broken down into its constituent parts (prefix, given name, family name, and suffix).
Value Domain	

 Role	prsb03-dataelement-11273
--	--------------------------

Id	prsb03-dataelement-11273 (2019-05-29 13:40:57)
Concept inherits from	 prsb03-dataelement-10220 (2018-10-31)
Description	The role of the person completing record.

2.1.105 Properties

FHIR	PractitionerRole.code of the practitioner completing the record
Operationalization	The role may be held on the source system, be from an authoritative source such as SDS, or use an existing vocabulary such as the job role title (from the national workforce dataset).
Value Domain	

 Grade	prsb03-dataelement-11274
---	--------------------------

Id	prsb03-dataelement-11274 (2019-05-29 13:40:57)
Concept inherits from	 prsb03-dataelement-10221 (2018-10-31)
Description	The grade of the person completing the record
Operationalization	The grade of the person completing the record held on the source system or from an authoritative source
Value Domain	

 Specialty	prsb03-dataelement-11275
---	--------------------------

Id	prsb03-dataelement-11275 (2019-05-29 13:40:57)
Concept inherits from	 prsb03-dataelement-10222 (2018-10-31)
Description	The main specialty of the person completing the record.

2.1.106 Properties

FHIR	PractitionerRole.specialty
Operationalization	The main clinical specialty as held on the source system.
Value Domain	

 Organisation	
--	--

		prsb03-dataelement-11276
Id	prsb03-dataelement-11276 (2019-05-29 13:40:57)	
Concept inherits from	 prsb03-dataelement-10226 (2018-10-31)	
Description	The organisation the person completing the record works for.	
Operationalization	An ODS identifier for the organisation or site, the name of the organisation or site, and a postal address (if available).	
Value Domain		
 Professional identifier		prsb03-dataelement-11277
Id	prsb03-dataelement-11277 (2019-05-29 13:40:57)	
Concept inherits from	 prsb03-dataelement-10223 (2018-10-31)	
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.	
2.1.107 Properties		
FHIR	PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)	
Value Domain		
 Date completed		prsb03-dataelement-11278
Id	prsb03-dataelement-11278 (2019-05-29 13:40:57)	
Concept inherits from	 prsb03-dataelement-10224 (2018-10-31)	
Description	The date and time the record was updated.	
Operationalization	The date/time the record was updated.	
Value Domain		
 Contact details		prsb03-dataelement-11279
Id	prsb03-dataelement-11279 (2019-05-29 13:40:57)	
Concept inherits from	 prsb03-dataelement-10225 (2018-10-31)	
Description	Contact details of the person completing the record. For example a phone number, email address. Contact details are used to resolve queries about the record entry.	
2.1.108 Properties		
FHIR	PractitionerRole.telecom	

Operationalization The contact details may be for the individual completing the record, or wider team details (for example a phone number for a hospital department).

Value Domain



Performing professional

prsb03-dataelement-11258

Id

prsb03-dataelement-11258 (2019-05-29 11:24:50)

Value Domain



IRRE

prsb03-dataelement-10648

Id

prsb03-dataelement-10648 (2018-11-12 15:35:54)

Value Domain



IRRE

prsb03-dataelement-10647

Id

prsb03-dataelement-10647 (2018-11-12 15:34:56)

Value Domain



Individual requirements record entry

prsb03-dataelement-10645

Id

prsb03-dataelement-10645 (2018-11-12 15:00:49)

Description

This is an individual requirement record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.



Individual requirement

prsb03-dataelement-10060

Id

prsb03-dataelement-10060 (2018-10-31)

Description

Individual requirement that a person has. These may be communication, cultural, cognitive or mobility needs.

2.1.109 Properties

FHIR Patient. nhsCommunications

Operationalization Information volunteered by the person or their representative or carer, or known about locally.Text or coded text (SNOMED CT), constrained as specified in SCCI1605.

Accessible Information standard

Accessible information - communications support refset

^99900212100000109https://dd4c.hscic.gov.uk/dd4c/publishedmetadatas/intid/657

Accessible information - requires communications professional refset

^99900214100000102https://dd4c.hscic.gov.uk/dd4c/publishedmetadatas/intid/660

Accessible information - requires specific contact method refset

^99900215100000104https://dd4c.hscic.gov.uk/dd4c/publishedmetadatas/intid/658

Accessible information - requires specific information format refset

^99900213100000106https://dd4c.hscic.gov.uk/dd4c/publishedmetadatas/intid/659

Value Domain



0 transactions, 0 templates, inherited once

 Date	prsb03-dataelement-10858
Id	prsb03-dataelement-10858 (2019-03-27 17:44:40)
Description	The date on which the individual requirement was identified.
Relationship	Date (<i>prsb03-dataelement-10843 - 2019-03-27 16:59:52</i>)
Operationalization	Date and time.
Value Domain	
 Location	prsb03-dataelement-10859
Id	prsb03-dataelement-10859 (2019-03-27 17:45:48)
Description	The location where the accessible information was identified.
Relationship	Location (<i>prsb03-dataelement-10173 - 2018-10-31</i>)
Operationalization	ODS Code or free text.
Value Domain	
 Performing professional	prsb03-dataelement-10970
Id	prsb03-dataelement-10970 (2019-05-22 15:20:30)
Description	Details of the professional identifying the individual requirements.
Relationship	Performing professional (<i>prsb03-dataelement-10969 - 2019-05-22 14:39:23</i>)
Value Domain	
 Person completing record	prsb03-dataelement-10860
Id	prsb03-dataelement-10860 (2019-03-27 17:46:45)
Description	This is the person recording the individual requirement.
	Should include their name, role, grade, specialty, organisation, professional identifier, date and time completed, contact details
Relationship	Person completing record (<i>prsb03-dataelement-10850 - 2019-03-27 17:15:40</i>)
Operationalization	Free text. Name, Role, Grade, Specialty, Organisation, Professional identifier, Date and time completed, Contact details
Value Domain	
 Used by	0 transactions, 0 templates, inherited 4 times
 Accessible Information	

		prsb03-dataelement-10064
Id	prsb03-dataelement-10064 (2018-10-31)	
Description	Details of the accessible information	
Child or Parent/Carer/Guardian		prsb03-dataelement-10065
Id	prsb03-dataelement-10065 (2018-10-31)	
Description	An indicator of whether the individual requirement relates to the child or their primary carer.	
Value Domain		
Alerts		prsb03-dataelement-10741
Id	prsb03-dataelement-10741 (2019-03-06 17:55:12)	
Description	Details of alerts.	
Alerts record entry		prsb03-dataelement-10916
Id	prsb03-dataelement-10916 (2019-04-09 12:53:12)	
Description	This is an alerts record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items	
Date		prsb03-dataelement-10755
Id	prsb03-dataelement-10755 (2019-03-07 18:40:35)	
Description	The date the alert was recorded.	
Operationalization	Date and time	
Value Domain		
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>	
Location of alert		prsb03-dataelement-10756
Id	prsb03-dataelement-10756 (2019-03-07 18:40:55)	
Description	The organisation raising the alert.	
Coded value		prsb03-dataelement-13568
Id	prsb03-dataelement-13568 (2020-09-07 12:15:55)	
Description	The coded value of location	
Operationalization	NHS data dictionary: - Organisation data service	
Value Domain		

Property

min length max length

3 5



Free text

prsb03-dataelement-13569

Id

prsb03-dataelement-13569 (2020-09-07 12:19:02)

Concept inherits from

prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description

Free text field to be used if no code is available

Operationalization

Free text

Value Domain

Property

max length

150



Alert

prsb03-dataelement-10742

Id

prsb03-dataelement-10742 (2019-03-06 18:10:58)

Description

Any significant information meriting a specific and highly visible warning to any user (e.g. metallic implant, potential dangerous pet).

Operationalization Free text

Value Domain



Performing professional

prsb03-dataelement-10758

Id

prsb03-dataelement-10758 (2019-03-08 12:59:18)

Concept inherits from

prsb03-dataelement-12150 (2019-05-31 16:08:40)

Description

The professional who performed the procedure.

Relationship

Performing professional (*prsb03-dataelement-11281 - 2019-05-30 11:53:30*)

Name

prsb03-dataelement-12977

Id

prsb03-dataelement-12977 (2020-04-23 12:56:38)

Concept inherits from

prsb03-dataelement-12151 (2019-05-31 16:09:20)

Description

The name of the professional.

Rationale

Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

 Role

prsb03-dataelement-12978

Id	prsb03-dataelement-12978 (2020-04-23 12:56:38)
Concept inherits from	 prsb03-dataelement-12152 (2019-05-31 16:09:20)
Description	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc
Rationale	Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobroletype
Value Domain	

 Grade

prsb03-dataelement-12979

Id	prsb03-dataelement-12979 (2020-04-23 12:56:38)
Concept inherits from	 prsb03-dataelement-12153 (2019-05-31 16:09:20)
Description	The grade of the professional.
Rationale	PractitionerRole.code
Operationalization	Free text
Value Domain	

Property

max length

150

 Speciality

prsb03-dataelement-12980

Id	prsb03-dataelement-12980 (2020-04-23 12:56:38)
Concept inherits from	 prsb03-dataelement-12154 (2019-05-31 16:09:20)
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc
Rationale	PractitionerRole.speciality
Operationalization	NHS data dictionary - Activity treatment function code
Value Domain	

Property

max length

3

 Professional identifier

prsb03-dataelement-12981

Id	prsb03-dataelement-12981 (2020-04-23 12:56:38)
Concept inherits from	 prsb03-dataelement-12155 (2019-05-31 16:09:20)
Description	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.
Rationale	Practitioner.identifier (for professional national identifiers), PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary : - Professional registration identifier
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 32 </div>

  Organisation prsb03-dataelement-12982

Id	prsb03-dataelement-12982 (2020-04-23 12:56:38)
Concept inherits from	 prsb03-dataelement-12156 (2019-05-31 16:09:20)
Description	The name of the organisation the professional works for.

 Contact details prsb03-dataelement-12983

Id	prsb03-dataelement-12983 (2020-04-23 12:56:38)
Concept inherits from	 prsb03-dataelement-12157 (2019-05-31 16:09:20)
Description	Contact details of the professional
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom
Operationalization	NHS data dictionary - UK phone number

Value Domain

Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 35 </div>
----------	---

  Person completing record prsb03-dataelement-12399

Id	prsb03-dataelement-12399 (2019-06-05 13:09:30)
Concept inherits from	 prsb03-dataelement-11289 (2019-05-30 12:24:39)
Description	Details of the person completing the record.
Relationship	Person completing record (prsb03-dataelement-319 - 2018-10-31)

 Name

prsb03-dataelement-12400

Id	prsb03-dataelement-12400 (2019-06-05 13:10:34)
Concept inherits from	🟡 <i>prsb03-dataelement-11290</i> (2019-05-30 12:25:39)
Description	The name of the person completing the record.
Relationship	Name (<i>prsb03-dataelement-10219</i> - 2018-10-31)
Rationale	Composition.author.Practitioner.name
Operationalization	Free text.
Value Domain	

Property

max length

70

🟡 Role

prsb03-dataelement-12401

Id	prsb03-dataelement-12401 (2019-06-05 13:10:34)
Concept inherits from	🟡 <i>prsb03-dataelement-11291</i> (2019-05-30 12:25:39)
Description	The organisational role of the person completing record.

2.1.110 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship	Role (<i>prsb03-dataelement-10220</i> - 2018-10-31)
Rationale	Composition.author.Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobrole
Value Domain	

🟡 Grade

prsb03-dataelement-12402

Id	prsb03-dataelement-12402 (2019-06-05 13:10:34)
Concept inherits from	🟡 <i>prsb03-dataelement-11292</i> (2019-05-30 12:25:39)
Description	The grade of the person completing the record.
Relationship	Grade (<i>prsb03-dataelement-10221</i> - 2018-10-31)
Rationale	PractitionerRole.code
Operationalization	Free text.
Value Domain	

Property

max length

150



Specialty

prsb03-dataelement-12403

Id	prsb03-dataelement-12403 (2019-06-05 13:10:34)
Concept inherits from	prsb03-dataelement-11293 (2019-05-30 12:25:39)
Description	The main specialty of the person completing the record.

2.1.111 Properties

FHIR PractitionerRole.specialty

Relationship	Specialty (<i>prsb03-dataelement-10222 - 2018-10-31</i>)
Rationale	PractitionerRole.specialty
Operationalization	NHS data dictionary :- Activity treatment function code
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 3 </div>



Organisation

prsb03-dataelement-12404

Id	prsb03-dataelement-12404 (2019-06-05 13:10:34)
Concept inherits from	prsb03-dataelement-11294 (2019-05-30 12:25:39)
Description	The organisation the person completing the record works for.
Relationship	Organisation (<i>prsb03-dataelement-10226 - 2018-10-31</i>)



Professional identifier

prsb03-dataelement-12405

Id	prsb03-dataelement-12405 (2019-06-05 13:10:34)
Concept inherits from	prsb03-dataelement-11295 (2019-05-30 12:25:39)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.112 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship	Professional identifier (<i>prsb03-dataelement-10223 - 2018-10-31</i>)
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary :- Professional registration identifier
Value Domain	

Property

max length

32



Date completed

prsb03-dataelement-12406

Id

prsb03-dataelement-12406 (2019-06-05 13:10:34)

Concept inherits from

prsb03-dataelement-11296 (2019-05-30 12:25:39)

Description

The date and time the record was completed.

Relationship

Date completed (*prsb03-dataelement-10224 - 2018-10-31*)

Rationale

Composition.date

Operationalization

Date and time.

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Contact details

prsb03-dataelement-12407

Id

prsb03-dataelement-12407 (2019-06-05 13:10:34)

Concept inherits from

prsb03-dataelement-11297 (2019-05-30 12:25:39)

Description

Contact details of the person completing the record.

2.1.113 Properties

FHIR

PractitionerRole.telecom

Relationship

Contact details (*prsb03-dataelement-10225 - 2018-10-31*)

Rationale

Practitioner:telecom
PractitionerRole:telecom
Organisation:telcom

Operationalization

NHS data dictionary : - UK telephone number

Value Domain

Property

max length

35



Legal information

prsb03-dataelement-520

Id

prsb03-dataelement-520 (2018-10-31)

Description

The legal information relating to the person.

 Used by 14 transactions, 0 templates, inherited 0 times

  Consent for treatment record

prsb03-dataelement-10420

Id prsb03-dataelement-10420 (2018-10-31)

Description Details of the person's consent for treatment.

 Used by 14 transactions, 0 templates, inherited 0 times

 Date

prsb03-dataelement-13457

Id prsb03-dataelement-13457 (2020-09-02 12:31:32)

Description The date the consent was taken

Operationalization Date

Value Domain

Timestamp precision

at least day, month and year, hour and minute

 Used by 14 transactions, 0 templates, inherited 0 times

  Location

prsb03-dataelement-13459

Id prsb03-dataelement-13459 (2020-09-02 12:33:42)

Description The location of where the consent was taken.

Relationship Location (*prsb03-dataelement-10931 - 2019-04-30 17:07:45*)

 Used by 14 transactions, 0 templates, inherited 0 times

 Coded value

prsb03-dataelement-13460

Id prsb03-dataelement-13460 (2020-09-02 12:34:21)

Concept inherits from  *prsb03-dataelement-13242 (2020-07-27 18:27:08)*

Description The coded value for location.

Operationalization NHS data dictionary : - Organisation data service code

Value Domain

min length max length

3

5



Used by 14 transactions, 0 templates, inherited 0 times



Free text

prsb03-dataelement-13461

Id prsb03-dataelement-13461 (2020-09-02 12:34:21)

Concept inherits from prsb03-dataelement-13243 (2020-07-27 18:31:13)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150



Used by 14 transactions, 0 templates, inherited 0 times



Consent for treatment record

prsb03-dataelement-13574

Id prsb03-dataelement-13574 (2020-09-07 16:40:51)

Description Whether consent has been obtained for the treatment. May include where record of consent is located or record of consent. A statement about the patient's consent for treatment.

Operationalization Free text

Value Domain

Property

max length

150



Used by 14 transactions, 0 templates, inherited 0 times



Location of document

prsb03-dataelement-13777

Id prsb03-dataelement-13777 (2020-10-16 16:32:46)

Description The location of the consent for treatment record.

Relationship Location of document (*prsb03-dataelement-13706 - 2020-09-10 12:30:14*)

Operationalization Free text or URL

Value Domain

Property

max length

150

⌚ Used by

14 transactions, 0 templates, inherited 0 times

  Performing professional

prsb03-dataelement-13462

Id prsb03-dataelement-13462 (2020-09-02 12:35:54)

Description The professional who took the consent for treatment.

Relationship Performing professional (*prsb03-dataelement-11734 - 2019-05-31 13:23:06*)

⌚ Used by 14 transactions, 0 templates, inherited 0 times

 Name

prsb03-dataelement-13463

Id prsb03-dataelement-13463 (2020-09-02 12:38:25)

Concept inherits from  *prsb03-dataelement-11735 (2019-05-31 13:23:55)*

Description The name of the professional.

Rationale Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70

⌚ Used by

14 transactions, 0 templates, inherited 2 times

 Role

prsb03-dataelement-13464

Id prsb03-dataelement-13464 (2020-09-02 12:38:25)

Concept inherits from  *prsb03-dataelement-11736 (2019-05-31 13:23:55)*

Description The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc

Rationale Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobroletype

Value Domain

⌚ Used by 14 transactions, 0 templates, inherited 2 times

 Grade

prsb03-dataelement-13465

Id prsb03-dataelement-13465 (2020-09-02 12:38:25)

Concept inherits from  *prsb03-dataelement-11737* (2019-05-31 13:23:55)

Description The grade of the professional.

Rationale PractitionerRole.code

Operationalization Free text

Value Domain

Property

max length

150

 Used by

14 transactions, 0 templates, inherited 2 times

 Speciality

prsb03-dataelement-13466

Id prsb03-dataelement-13466 (2020-09-02 12:38:25)

Concept inherits from  *prsb03-dataelement-11738* (2019-05-31 13:23:55)

Description The specialty of the professional e.g. physiotherapy, oncology, mental health etc

Rationale PractitionerRole.speciality

Operationalization NHS data dictionary - Activity treatment function code

Value Domain

Property

max length

3

 Used by

14 transactions, 0 templates, inherited 2 times

 Professional identifier

prsb03-dataelement-13467

Id prsb03-dataelement-13467 (2020-09-02 12:38:25)

Concept inherits from  *prsb03-dataelement-11739* (2019-05-31 13:23:55)

Description Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary : - Professional registration identifier

Value Domain

Property

max length

32

⌚ Used by

14 transactions, 0 templates, inherited 2 times



Organisation

prsb03-dataelement-13468

Id

prsb03-dataelement-13468 (2020-09-02 12:38:25)

Concept inherits from


⌚ prsb03-dataelement-11740 (2019-05-31 13:23:55)

Description

The name of the organisation the professional works for

⌚ Used by

14 transactions, 0 templates, inherited 2 times



Contact details

prsb03-dataelement-13469

Id

prsb03-dataelement-13469 (2020-09-02 12:38:25)

Concept inherits from

⌚ prsb03-dataelement-11741 (2019-05-31 13:23:55)

Description

Contact details of the professional

Rationale

Practitioner.telecom
PractitionerRole.telecom
Organisation.telcom

Operationalization

NHS data dictionary - UK phone number

Value Domain

Property

max length

35

⌚ Used by

14 transactions, 0 templates, inherited 2 times



Person completing record

prsb03-dataelement-13470

Id

prsb03-dataelement-13470 (2020-09-02 12:40:15)

Concept inherits from

⌚ prsb03-dataelement-11289 (2019-05-30 12:24:39)

Description

Details of the person completing the record.

Relationship

Person completing record (*prsb03-dataelement-319 - 2018-10-31*)

⌚ Used by

14 transactions, 0 templates, inherited 0 times

 Name	prsb03-dataelement-13471
Id	prsb03-dataelement-13471 (2020-09-02 12:41:04)
Concept inherits from	 <i>prsb03-dataelement-11290</i> (2019-05-30 12:25:39)
Description	The name of the person completing the record.
Relationship	Name (<i>prsb03-dataelement-10219 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.name
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> max length 70 </div>
 Used by	14 transactions, 0 templates, inherited 0 times

 Role	prsb03-dataelement-13472
Id	prsb03-dataelement-13472 (2020-09-02 12:41:04)
Concept inherits from	 <i>prsb03-dataelement-11291</i> (2019-05-30 12:25:39)
Description	The organisational role of the person completing record.

2.1.114 Properties

FHIR	PractitionerRole.code of the practitioner completing the record
Relationship	Role (<i>prsb03-dataelement-10220 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobrole
Value Domain	
 Used by	14 transactions, 0 templates, inherited 0 times

 Grade	prsb03-dataelement-13473
Id	prsb03-dataelement-13473 (2020-09-02 12:41:04)
Concept inherits from	 <i>prsb03-dataelement-11292</i> (2019-05-30 12:25:39)
Description	The grade of the person completing the record.

Relationship Grade (*prsb03-dataelement-10221 - 2018-10-31*)

Rationale PractitionerRole.code

Operationalization Free text.

Value Domain

Property

max length

150

⌚ Used by 14 transactions, 0 templates, inherited 0 times



Specialty

prsb03-dataelement-13474

Id prsb03-dataelement-13474 (2020-09-02 12:41:04)

Concept inherits from 🌐 *prsb03-dataelement-11293* (2019-05-30 12:25:39)

Description The main specialty of the person completing the record.

2.1.115 Properties

FHIR PractitionerRole.specialty

Relationship Specialty (*prsb03-dataelement-10222 - 2018-10-31*)

Rationale PractitionerRole.specialty

Operationalization NHS data dictionary :- Activity treatment function code

Value Domain

Property

max length

3

⌚ Used by 14 transactions, 0 templates, inherited 0 times



Organisation

prsb03-dataelement-13475

Id prsb03-dataelement-13475 (2020-09-02 12:41:04)

Concept inherits from 🌐 *prsb03-dataelement-11294* (2019-05-30 12:25:39)

Description The organisation the person completing the record works for.

Relationship Organisation (*prsb03-dataelement-10226 - 2018-10-31*)

⌚ Used by 14 transactions, 0 templates, inherited 0 times



Professional identifier

prsb03-dataelement-13476

Id	prsb03-dataelement-13476 (2020-09-02 12:41:04)
Concept inherits from	🟡 prsb03-dataelement-11295 (2019-05-30 12:25:39)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.116 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship	Professional identifier (<i>prsb03-dataelement-10223 - 2018-10-31</i>)		
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)		
Operationalization	NHS data dictionary :- Professional registration identifier		
Value Domain			
Property	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="background-color: #e0e0e0; padding: 2px;">max length</td> </tr> <tr> <td style="padding: 2px;">32</td> </tr> </table>	max length	32
max length			
32			
⌚ Used by	14 transactions, 0 templates, inherited 0 times		

prsb03-dataelement-13477

Id	prsb03-dataelement-13477 (2020-09-02 12:41:04)		
Concept inherits from	🟡 prsb03-dataelement-11296 (2019-05-30 12:25:39)		
Description	The date and time the record was completed.		
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)		
Rationale	Composition.date		
Operationalization	Date and time.		
Value Domain			
Property	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="background-color: #e0e0e0; padding: 2px;">Timestamp precision</td> </tr> <tr> <td style="padding: 2px;">at least day, month and year, hour and minute</td> </tr> </table>	Timestamp precision	at least day, month and year, hour and minute
Timestamp precision			
at least day, month and year, hour and minute			
⌚ Used by	14 transactions, 0 templates, inherited 0 times		

prsb03-dataelement-13478

Id	prsb03-dataelement-13478 (2020-09-02 12:41:04)
----	--

Concept inherits from	 prsb03-dataelement-11297 (2019-05-30 12:25:39)
Description	Contact details of the person completing the record.

2.1.117 Properties

FHIR	PractitionerRole.telecom
Relationship	Contact details (<i>prsb03-dataelement-10225 - 2018-10-31</i>)
Rationale	Practitioner:telecom PractitionerRole:telecom Organisation.telcom
Operationalization	NHS data dictionary : - UK telephone number
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 35 </div>
Used by	14 transactions, 0 templates, inherited 0 times

 Location	prsb03-dataelement-13458
Id	prsb03-dataelement-13458 (2020-09-02 12:32:19) 0.1
Concept inherits from	 prsb03-dataelement-10139 (2018-10-31)
Description	The location where the procedure was performed.
Operationalization	ODS code or free text
Value Domain	

  Consent for information sharing	prsb03-dataelement-10421
Id	prsb03-dataelement-10421 (2018-10-31)
Description	Details of the person's consent for information sharing
Used by	14 transactions, 0 templates, inherited 0 times

 Date	prsb03-dataelement-11713
Id	prsb03-dataelement-11713 (2019-05-31 13:15:18)
Description	The date when the consent was given
Relationship	Date (<i>prsb03-dataelement-11688 - 2019-05-31 11:50:22</i>)
Operationalization	Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute

◉ Used by

14 transactions, 0 templates, inherited 0 times



Location

prsb03-dataelement-11714

Id

prsb03-dataelement-11714 (2019-05-31 13:15:54)

Description

The location where the consent was taken.

Relationship

Location (*prsb03-dataelement-11689 - 2019-05-31 11:51:04*)

◉ Used by

14 transactions, 0 templates, inherited 0 times



Coded value

prsb03-dataelement-13451

Id

prsb03-dataelement-13451 (2020-08-27 16:51:03)

Description

The coded value for location.

Operationalization

NHS data dictionary : - Organisation data service code

Value Domain

Property

min length **max length**

3

5

◉ Used by

14 transactions, 0 templates, inherited 0 times



Free text

prsb03-dataelement-13452

Id

prsb03-dataelement-13452 (2020-08-27 16:52:16)

Concept inherits from

◉ *prsb03-dataelement-13220 (2020-07-08 12:57:49)*

Description

Free text field to be used if no code is available

Operationalization

Free text

Value Domain

Property

max length

150

◉ Used by

14 transactions, 0 templates, inherited 0 times

 Consent for information sharing prsb03-dataelement-13575

Id	prsb03-dataelement-13575 (2020-09-07 16:47:31)
Description	This is a record of consent for information sharing under the common law duty of confidentiality. Where consent has not been obtained or sought, the reason why should be provided. Include best interests decision where person lacks capacity. This is a placeholder until the national guidance is published.
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 150 </div>
Used by	14 transactions, 0 templates, inherited 0 times

 Reason for consent not given prsb03-dataelement-13778

Id	prsb03-dataelement-13778 (2020-10-16 16:34:53)
Description	Reason not given for consent
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 150 </div>
Used by	14 transactions, 0 templates, inherited 0 times

 Performing professional prsb03-dataelement-11715

Id	prsb03-dataelement-11715 (2019-05-31 13:16:35)
Description	The professional who took the consent for information sharing
Relationship	Performing professional (<i>prsb03-dataelement-11281 - 2019-05-30 11:53:30</i>)
Used by	14 transactions, 0 templates, inherited 0 times

 Name prsb03-dataelement-11716

Id	prsb03-dataelement-11716 (2019-05-31 13:17:18)
Concept inherits from	 <i>prsb03-dataelement-11282 (2019-05-30 11:57:38)</i>

Description The name of the professional.

Rationale Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70

⌚ Used by

14 transactions, 0 templates, inherited 0 times



Role

prsb03-dataelement-11717

Id prsb03-dataelement-11717 (2019-05-31 13:17:18)

Concept inherits from 🌐 prsb03-dataelement-11283 (2019-05-30 11:58:48)

Description The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc

Rationale Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobroletype

Value Domain

⌚ Used by 14 transactions, 0 templates, inherited 0 times



Grade

prsb03-dataelement-11718

Id prsb03-dataelement-11718 (2019-05-31 13:17:18)

Concept inherits from 🌐 prsb03-dataelement-11288 (2019-05-30 12:19:40)

Description The grade of the professional.

Rationale PractitionerRole.code

Operationalization Free text

Value Domain

Property

max length

150

⌚ Used by

14 transactions, 0 templates, inherited 0 times



Speciality

prsb03-dataelement-11719

Id	prsb03-dataelement-11719 (2019-05-31 13:17:18)		
Concept inherits from	 prsb03-dataelement-11284 (2019-05-30 12:01:15)		
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc		
Rationale	PractitionerRole.speciality		
Operationalization	NHS data dictionary - Activity treatment function code		
Value Domain			
Property	<table border="1"> <tr> <td style="text-align: center;">max length</td> </tr> <tr> <td style="text-align: center;">3</td> </tr> </table>	max length	3
max length			
3			
 Used by	14 transactions, 0 templates, inherited 0 times		

 Professional identifier	prsb03-dataelement-11720		
Id	prsb03-dataelement-11720 (2019-05-31 13:17:18)		
Concept inherits from	 prsb03-dataelement-11285 (2019-05-30 12:02:46)		
Description	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.		
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)		
Operationalization	NHS data dictionary : - Professional registration identifier		
Value Domain			
Property	<table border="1"> <tr> <td style="text-align: center;">max length</td> </tr> <tr> <td style="text-align: center;">32</td> </tr> </table>	max length	32
max length			
32			
 Used by	14 transactions, 0 templates, inherited 0 times		

  Organisation	prsb03-dataelement-11721
Id	prsb03-dataelement-11721 (2019-05-31 13:17:18)
Concept inherits from	 prsb03-dataelement-11286 (2019-05-30 12:17:19)
Description	The name of the organisation the professional works for.
 Used by	14 transactions, 0 templates, inherited 0 times

 Contact details	prsb03-dataelement-11722
---	--------------------------

Id	prsb03-dataelement-11722 (2019-05-31 13:17:18)
Concept inherits from	 prsb03-dataelement-11287 (2019-05-30 12:18:13)
Description	Contact details of the professional
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom
Operationalization	NHS data dictionary - UK phone number
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> max length 35 </div>
Used by	14 transactions, 0 templates, inherited 0 times

  Person completing record prsb03-dataelement-11723

Id	prsb03-dataelement-11723 (2019-05-31 13:17:29)
Concept inherits from	 prsb03-dataelement-11289 (2019-05-30 12:24:39)
Description	Details of the person completing the record.
Relationship	Person completing record (<i>prsb03-dataelement-319 - 2018-10-31</i>)
Used by	14 transactions, 0 templates, inherited 0 times

 Name prsb03-dataelement-11724

Id	prsb03-dataelement-11724 (2019-05-31 13:17:58)
Concept inherits from	 prsb03-dataelement-11290 (2019-05-30 12:25:39)
Description	The name of the person completing the record.
Relationship	Name (<i>prsb03-dataelement-10219 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.name
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> max length 70 </div>
Used by	14 transactions, 0 templates, inherited 0 times



Role

prsb03-dataelement-11725

Id	prsb03-dataelement-11725 (2019-05-31 13:17:58)
Concept inherits from	<i>prsb03-dataelement-11291</i> (2019-05-30 12:25:39)
Description	The organisational role of the person completing record.

2.1.118 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship	Role (<i>prsb03-dataelement-10220 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobrole
Value Domain	
Used by	14 transactions, 0 templates, inherited 0 times



Grade

prsb03-dataelement-11726

Id	prsb03-dataelement-11726 (2019-05-31 13:17:58)		
Concept inherits from	<i>prsb03-dataelement-11292</i> (2019-05-30 12:25:39)		
Description	The grade of the person completing the record.		
Relationship	Grade (<i>prsb03-dataelement-10221 - 2018-10-31</i>)		
Rationale	PractitionerRole.code		
Operationalization	Free text.		
Value Domain			
Property	<table border="1"> <tr> <td style="background-color: #d3d3d3; padding: 2px;">max length</td> </tr> <tr> <td style="text-align: center; padding: 2px;">150</td> </tr> </table>	max length	150
max length			
150			
Used by	14 transactions, 0 templates, inherited 0 times		



Specialty

prsb03-dataelement-11727

Id	prsb03-dataelement-11727 (2019-05-31 13:17:58)
Concept inherits from	<i>prsb03-dataelement-11293</i> (2019-05-30 12:25:39)
Description	The main specialty of the person completing the record.

2.1.119 Properties

FHIR	PractitionerRole.specialty
Relationship	Specialty (<i>prsb03-dataelement-10222 - 2018-10-31</i>)
Rationale	PractitionerRole.speciality
Operationalization	NHS data dictionary :- Activity treatment function code
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 3 </div>
Used by	14 transactions, 0 templates, inherited 0 times

📁🟡 Organisation

prsb03-dataelement-11728

Id	prsb03-dataelement-11728 (2019-05-31 13:17:58)
Concept inherits from	🟡 <i>prsb03-dataelement-11294</i> (2019-05-30 12:25:39)
Description	The organisation the person completing the record works for.
Relationship	Organisation (<i>prsb03-dataelement-10226 - 2018-10-31</i>)
Used by	14 transactions, 0 templates, inherited 0 times

🟡 Professional identifier

prsb03-dataelement-11729

Id	prsb03-dataelement-11729 (2019-05-31 13:17:58)
Concept inherits from	🟡 <i>prsb03-dataelement-11295</i> (2019-05-30 12:25:39)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.120 Properties

FHIR	PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)
Relationship	Professional identifier (<i>prsb03-dataelement-10223 - 2018-10-31</i>)
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary :- Professional registration identifier
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length </div>

⌚ Used by 14 transactions, 0 templates, inherited 0 times

🟡 Date completed

prsb03-dataelement-11730

Id	prsb03-dataelement-11730 (2019-05-31 13:17:58)
Concept inherits from	🟡 prsb03-dataelement-11296 (2019-05-30 12:25:39)
Description	The date and time the record was completed.
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)
Rationale	Composition.date
Operationalization	Date and time.
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>

⌚ Used by 14 transactions, 0 templates, inherited 0 times

🟡 Contact details

prsb03-dataelement-11731

Id	prsb03-dataelement-11731 (2019-05-31 13:17:58)
Concept inherits from	🟡 prsb03-dataelement-11297 (2019-05-30 12:25:39)
Description	Contact details of the person completing the record.

2.1.121 Properties

FHIR	PractitionerRole.telecom
Relationship	Contact details (<i>prsb03-dataelement-10225 - 2018-10-31</i>)
Rationale	Practitioner:telecom PractitionerRole:telecom Organisation:telcom
Operationalization	NHS data dictionary : - UK telephone number
Value Domain	

Property

max length

35

⌚ Used by 14 transactions, 0 templates, inherited 0 times

  Consent relating to child	prsb03-dataelement-10422
---	--------------------------

Id	prsb03-dataelement-10422 (2018-10-31)
Description	Details of the person's consent relating to child
Used by	14 transactions, 0 templates, inherited 0 times

 Date	prsb03-dataelement-11732
--	--------------------------

Id	prsb03-dataelement-11732 (2019-05-31 13:21:58)		
Description	The date when the person with responsibility for the child was identified.		
Relationship	Date (<i>prsb03-dataelement-11688 - 2019-05-31 11:50:22</i>)		
Operationalization	Date and time		
Value Domain			
Property	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center; padding: 5px;">Timestamp precision</td> </tr> <tr> <td style="padding: 5px;">at least day, month and year, hour and minute</td> </tr> </table>	Timestamp precision	at least day, month and year, hour and minute
Timestamp precision			
at least day, month and year, hour and minute			
Used by	14 transactions, 0 templates, inherited 0 times		

  Location	prsb03-dataelement-11733
--	--------------------------

Id	prsb03-dataelement-11733 (2019-05-31 13:22:27)
Description	The location where the person with responsibility for the child was identified.
Relationship	Location (<i>prsb03-dataelement-11689 - 2019-05-31 11:51:04</i>)
Used by	14 transactions, 0 templates, inherited 0 times

 Coded value	prsb03-dataelement-13674
---	--------------------------

Id	prsb03-dataelement-13674 (2020-09-08 23:44:15)				
Description	The coded value for location				
Operationalization	NHS data dictionary : - Organisation data service				
Value Domain					
Property	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center; padding: 5px;">min length</td> <td style="text-align: center; padding: 5px;">max length</td> </tr> <tr> <td style="text-align: center; padding: 5px;">3</td> <td style="text-align: center; padding: 5px;">5</td> </tr> </table>	min length	max length	3	5
min length	max length				
3	5				

 Used by

14 transactions, 0 templates, inherited 0 times

 Free text

prsb03-dataelement-13675

Id

prsb03-dataelement-13675 (2020-09-08 23:45:35)

Concept inherits from

 prsb03-dataelement-13223 (2020-07-08 17:40:09)

Description

Free text field to be used if no coded text available

Value Domain

Property

max length

150

 Used by

14 transactions, 0 templates, inherited 0 times

 Consent relating to child

prsb03-dataelement-13576

Id

prsb03-dataelement-13576 (2020-09-07 16:50:40)

Description

The person with parental responsibility or appointed guardian where a child lacks competency. Consideration of age and competency, applying Gillick competency or Fraser guidelines.

Operationalization

Free text

Value Domain

Property

max length

150

 Used by

14 transactions, 0 templates, inherited 0 times

 Performing professional

prsb03-dataelement-11734

Id

prsb03-dataelement-11734 (2019-05-31 13:23:06)

Description

The professional who identified the person responsible for the child.

Relationship

Performing professional (*prsb03-dataelement-11281 - 2019-05-30 11:53:30*)

 Used by

14 transactions, 0 templates, inherited 0 times

 Name

prsb03-dataelement-11735

Id

prsb03-dataelement-11735 (2019-05-31 13:23:55)

Concept inherits from  prsb03-dataelement-11282 (2019-05-30 11:57:38)

Description The name of the professional.

Rationale Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70

 Used by 14 transactions, 0 templates, inherited once

 Role

prsb03-dataelement-11736

Id prsb03-dataelement-11736 (2019-05-31 13:23:55)

Concept inherits from  prsb03-dataelement-11283 (2019-05-30 11:58:48)

Description The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc

Rationale Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobroletype

Value Domain

 Used by 14 transactions, 0 templates, inherited once

 Grade

prsb03-dataelement-11737

Id prsb03-dataelement-11737 (2019-05-31 13:23:55)

Concept inherits from  prsb03-dataelement-11288 (2019-05-30 12:19:40)

Description The grade of the professional.

Rationale PractitionerRole.code

Operationalization Free text

Value Domain

Property

max length

150

 Used by 14 transactions, 0 templates, inherited once

 Speciality

prsb03-dataelement-11738

Id	prsb03-dataelement-11738 (2019-05-31 13:23:55)		
Concept inherits from	 prsb03-dataelement-11284 (2019-05-30 12:01:15)		
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc		
Rationale	PractitionerRole.speciality		
Operationalization	NHS data dictionary - Activity treatment function code		
Value Domain			
Property	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 5px; background-color: #f2f2f2;">max length</td></tr> <tr> <td style="padding: 5px; text-align: center;">3</td></tr> </table>	max length	3
max length			
3			
 Used by	14 transactions, 0 templates, inherited once		

prsb03-dataelement-11739

Id	prsb03-dataelement-11739 (2019-05-31 13:23:55)		
Concept inherits from	 prsb03-dataelement-11285 (2019-05-30 12:02:46)		
Description	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.		
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)		
Operationalization	NHS data dictionary : - Professional registration identifier		
Value Domain			
Property	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 5px; background-color: #f2f2f2;">max length</td></tr> <tr> <td style="padding: 5px; text-align: center;">32</td></tr> </table>	max length	32
max length			
32			
 Used by	14 transactions, 0 templates, inherited once		

prsb03-dataelement-11740

Id	prsb03-dataelement-11740 (2019-05-31 13:23:55)
Concept inherits from	 prsb03-dataelement-11286 (2019-05-30 12:17:19)
Description	The name of the organisation the professional works for.
 Used by	14 transactions, 0 templates, inherited once

prsb03-dataelement-11741

Id	prsb03-dataelement-11741 (2019-05-31 13:23:55)
Concept inherits from	🟡 prsb03-dataelement-11287 (2019-05-30 12:18:13)
Description	Contact details of the professional
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom
Operationalization	NHS data dictionary - UK phone number
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> max length 35 </div>
⌚ Used by	14 transactions, 0 templates, inherited once

📁🟡 Person completing record prsb03-dataelement-11742

Id	prsb03-dataelement-11742 (2019-05-31 13:23:59)
Concept inherits from	🟡 prsb03-dataelement-11289 (2019-05-30 12:24:39)
Description	Details of the person completing the record.
Relationship	Person completing record (<i>prsb03-dataelement-319 - 2018-10-31</i>)
⌚ Used by	14 transactions, 0 templates, inherited 0 times

🟡 Name prsb03-dataelement-11743

Id	prsb03-dataelement-11743 (2019-05-31 13:24:18)
Concept inherits from	🟡 prsb03-dataelement-11290 (2019-05-30 12:25:39)
Description	The name of the person completing the record.
Relationship	Name (<i>prsb03-dataelement-10219 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.name
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> max length 70 </div>
⌚ Used by	14 transactions, 0 templates, inherited 0 times



Role

prsb03-dataelement-11744

Id	prsb03-dataelement-11744 (2019-05-31 13:24:18)
Concept inherits from	<i>prsb03-dataelement-11291</i> (2019-05-30 12:25:39)
Description	The organisational role of the person completing record.

2.1.122 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship	Role (<i>prsb03-dataelement-10220 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobrole
Value Domain	
Used by	14 transactions, 0 templates, inherited 0 times



Grade

prsb03-dataelement-11745

Id	prsb03-dataelement-11745 (2019-05-31 13:24:18)		
Concept inherits from	<i>prsb03-dataelement-11292</i> (2019-05-30 12:25:39)		
Description	The grade of the person completing the record.		
Relationship	Grade (<i>prsb03-dataelement-10221 - 2018-10-31</i>)		
Rationale	PractitionerRole.code		
Operationalization	Free text.		
Value Domain			
Property	<table border="1"> <tr> <td style="background-color: #d3d3d3; padding: 2px;">max length</td> </tr> <tr> <td style="text-align: center; padding: 2px;">150</td> </tr> </table>	max length	150
max length			
150			
Used by	14 transactions, 0 templates, inherited 0 times		



Specialty

prsb03-dataelement-11746

Id	prsb03-dataelement-11746 (2019-05-31 13:24:18)
Concept inherits from	<i>prsb03-dataelement-11293</i> (2019-05-30 12:25:39)
Description	The main specialty of the person completing the record.

2.1.123 Properties

FHIR	PractitionerRole.specialty
Relationship	Specialty (<i>prsb03-dataelement-10222 - 2018-10-31</i>)
Rationale	PractitionerRole.speciality
Operationalization	NHS data dictionary :- Activity treatment function code
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 3 </div>
Used by	14 transactions, 0 templates, inherited 0 times

📁🟡 Organisation

prsb03-dataelement-11747

Id	prsb03-dataelement-11747 (2019-05-31 13:24:18)
Concept inherits from	🟡 <i>prsb03-dataelement-11294</i> (2019-05-30 12:25:39)
Description	The organisation the person completing the record works for.
Relationship	Organisation (<i>prsb03-dataelement-10226 - 2018-10-31</i>)
Used by	14 transactions, 0 templates, inherited 0 times

🟡 Professional identifier

prsb03-dataelement-11748

Id	prsb03-dataelement-11748 (2019-05-31 13:24:18)
Concept inherits from	🟡 <i>prsb03-dataelement-11295</i> (2019-05-30 12:25:39)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.124 Properties

FHIR	PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)
Relationship	Professional identifier (<i>prsb03-dataelement-10223 - 2018-10-31</i>)
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary :- Professional registration identifier
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length </div>

⌚ Used by 14 transactions, 0 templates, inherited 0 times

🟡 Date completed

prsb03-dataelement-11749

Id	prsb03-dataelement-11749 (2019-05-31 13:24:18)
Concept inherits from	🟡 prsb03-dataelement-11296 (2019-05-30 12:25:39)
Description	The date and time the record was completed.
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)
Rationale	Composition.date
Operationalization	Date and time.
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>

⌚ Used by 14 transactions, 0 templates, inherited 0 times

🟡 Contact details

prsb03-dataelement-11750

Id	prsb03-dataelement-11750 (2019-05-31 13:24:18)
Concept inherits from	🟡 prsb03-dataelement-11297 (2019-05-30 12:25:39)
Description	Contact details of the person completing the record.

2.1.125 Properties

FHIR	PractitionerRole.telecom
Relationship	Contact details (<i>prsb03-dataelement-10225 - 2018-10-31</i>)
Rationale	Practitioner:telecom PractitionerRole:telecom Organisation:telcom
Operationalization	NHS data dictionary : - UK telephone number
Value Domain	

Property

max length

35

⌚ Used by 14 transactions, 0 templates, inherited 0 times

  Mental capacity assessment

prsb03-dataelement-10424

Id	prsb03-dataelement-10424 (2018-10-31)
Description	Details of the persons mental capacity assessment
Used by	0 transactions, 0 templates, inherited 2 times

 Date

prsb03-dataelement-11688

Id	prsb03-dataelement-11688 (2019-05-31 11:50:22)
Description	The date when the mental capacity assessment was made.
Operationalization	Date and time
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> at least day, month and year, hour and minute
Used by	0 transactions, 0 templates, inherited 3 times

  Location

prsb03-dataelement-11689

Id	prsb03-dataelement-11689 (2019-05-31 11:51:04)
Description	The location where the mental capacity assessment was made.
Used by	0 transactions, 0 templates, inherited 3 times

 Coded value

prsb03-dataelement-13449

Id	prsb03-dataelement-13449 (2020-08-27 16:43:20)				
Description	The coded value for location				
Operationalization	NHS data dictionary : - Organisation code				
Value Domain					
Property	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 2px 10px; background-color: #f2f2f2;">min length</td> <td style="padding: 2px 10px; background-color: #f2f2f2;">max length</td> </tr> <tr> <td style="text-align: center;">3</td> <td style="text-align: center;">5</td> </tr> </table>	min length	max length	3	5
min length	max length				
3	5				

 Free text

prsb03-dataelement-13450

Id	prsb03-dataelement-13450 (2020-08-27 16:43:57)
Description	Free text field to be used if no code is available
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 150 </div>
Used by	0 transactions, 0 templates, inherited 3 times

 Mental capacity assessment	prsb03-dataelement-13724
--	--------------------------

Id	prsb03-dataelement-13724 (2020-09-16 11:32:28)
Description	Whether an assessment of the mental capacity of the (adult) person has been undertaken, if so, what capacity the decision relates to and the outcome of the assessment. Also record best interests decision if person lacks capacity.
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 150 </div>

 Location of document	prsb03-dataelement-13779
--	--------------------------

Id	prsb03-dataelement-13779 (2020-10-16 16:40:41)
Description	The location of the mental capacity assessment information.
Relationship	Location of document (<i>prsb03-dataelement-13706 - 2020-09-10 12:30:14</i>)
Operationalization	Free text or URL
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 150 </div>

 Mental capacity assessment	prsb03-dataelement-13090
--	--------------------------

Id	prsb03-dataelement-13090 (2020-06-08 18:04:55) 0.1
Description	Record where a person diagnosed with a mental disorder is formally detained under the Mental Health Act or equivalent, including the section number and start date, start time and end date. If person subject to Community Treatment Order or Conditional Discharge (or equivalent) record here.
Operationalization	NHS data dictionary : - Mental health act legal status classification code

Value Domain	
Property	fixed
2an	

  Performing professional	prsb03-dataelement-11281
---	--------------------------

Id	prsb03-dataelement-11281 (2019-05-30 11:53:30)
Description	The professional who made the mental capacity assessment.
Used by	0 transactions, 0 templates, inherited 3 times

 Name	prsb03-dataelement-11282
--	--------------------------

Id	prsb03-dataelement-11282 (2019-05-30 11:57:38)
Description	The name of the professional.
Rationale	Practitioner.name
Operationalization	Free text.
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 2px 10px; border-radius: 5px;">max length</div> <div style="border: 1px solid #ccc; padding: 5px; width: fit-content;">70</div>
Used by	0 transactions, 0 templates, inherited 61 times

 Role	prsb03-dataelement-11283
--	--------------------------

Id	prsb03-dataelement-11283 (2019-05-30 11:58:48)
Description	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc
Rationale	Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobroletype
Value Domain	
Used by	0 transactions, 0 templates, inherited 60 times

 Grade	prsb03-dataelement-11288
---	--------------------------

Id	prsb03-dataelement-11288 (2019-05-30 12:19:40)
Description	The grade of the professional.

Rationale	PractitionerRole.code
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; text-align: center;"> max length 150 </div>
Used by	0 transactions, 0 templates, inherited 61 times

 Specialty	prsb03-dataelement-11284
---	--------------------------

Id	prsb03-dataelement-11284 (2019-05-30 12:01:15)
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc
Rationale	PractitionerRole.speciality
Operationalization	NHS data dictionary - Activity treatment function code
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; text-align: center;"> max length 3 </div>
Used by	0 transactions, 0 templates, inherited 60 times

 Professional identifier	prsb03-dataelement-11285
---	--------------------------

Id	prsb03-dataelement-11285 (2019-05-30 12:02:46)
Description	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary : - Professional registration identifier
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; text-align: center;"> max length 32 </div>
Used by	0 transactions, 0 templates, inherited 61 times

 Organisation	prsb03-dataelement-11286
--	--------------------------

Id	prsb03-dataelement-11286 (2019-05-30 12:17:19)
----	--

Description	The name of the organisation the professional works for.
⌚ Used by	0 transactions, 0 templates, inherited 61 times

 Coded value

prsb03-dataelement-13521

Id	prsb03-dataelement-13521 (2020-09-04 13:43:41)
----	--

Description	The coded value for location
-------------	------------------------------

Rationale	Practitioner.PractitionerRole.organisation.Name
-----------	---

Operationalization	NHS data dictionary: - Organisation data service
--------------------	--

Value Domain	
--------------	--

Property	min length max length
----------	-------------------------------------

3	7
---	---

⌚ Used by	0 transactions, 0 templates, inherited once
-----------	---

 Free text

prsb03-dataelement-13522

Id	prsb03-dataelement-13522 (2020-09-04 13:45:47)
----	--

Concept inherits from	 prsb03-dataelement-13220 (2020-07-08 12:57:49)
-----------------------	--

Description	Free text field to be used if no code is available
-------------	--

Operationalization	Free text
--------------------	-----------

Value Domain	
--------------	--

Property	max length
----------	-------------------

150

⌚ Used by	0 transactions, 0 templates, inherited once
-----------	---

 Contact details

prsb03-dataelement-11287

Id	prsb03-dataelement-11287 (2019-05-30 12:18:13)
----	--

Description	Contact details of the professional
-------------	-------------------------------------

Rationale	Practitioner:telecom PractitionerRole:telecom Organisation.telcom
-----------	---

Operationalization	NHS data dictionary - UK phone number
--------------------	---------------------------------------

Value Domain	
--------------	--

Property

max length

35

◎ Used by

0 transactions, 0 templates, inherited 61 times

  Person completing record

prsb03-dataelement-11289

Id prsb03-dataelement-11289 (2019-05-30 12:24:39)

Description Details of the person completing the record.

Relationship Person completing record (*prsb03-dataelement-319 - 2018-10-31*)

◎ Used by 0 transactions, 0 templates, inherited 67 times

 Name

prsb03-dataelement-11290

Id prsb03-dataelement-11290 (2019-05-30 12:25:39)

Description The name of the person completing the record.

Relationship Name (*prsb03-dataelement-10219 - 2018-10-31*)

Rationale Composition.author.Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70

◎ Used by

0 transactions, 0 templates, inherited 69 times

 Role

prsb03-dataelement-11291

Id prsb03-dataelement-11291 (2019-05-30 12:25:39)

Description The organisational role of the person completing record.

2.1.126 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship Role (*prsb03-dataelement-10220 - 2018-10-31*)

Rationale Composition.author.Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobrole

Value Domain

Used by

0 transactions, 0 templates, inherited 69 times



Grade

prsb03-dataelement-11292

Id

prsb03-dataelement-11292 (2019-05-30 12:25:39)

Description

The grade of the person completing the record.

Relationship

Grade (*prsb03-dataelement-10221 - 2018-10-31*)

Rationale

PractitionerRole.code

Operationalization

Free text.

Value Domain

Property

max length

150

Used by

0 transactions, 0 templates, inherited 69 times



Specialty

prsb03-dataelement-11293

Id

prsb03-dataelement-11293 (2019-05-30 12:25:39)

Description

The main specialty of the person completing the record.

2.1.127 Properties

FHIR

PractitionerRole.specialty

Relationship

Specialty (*prsb03-dataelement-10222 - 2018-10-31*)

Rationale

PractitionerRole.specialty

Operationalization

NHS data dictionary :- Activity treatment function code

Value Domain

Property

max length

3

Used by

0 transactions, 0 templates, inherited 69 times



Organisation

prsb03-dataelement-11294

Id

prsb03-dataelement-11294 (2019-05-30 12:25:39)

Description	The organisation the person completing the record works for.
Relationship	Organisation (<i>prsb03-dataelement-10226 - 2018-10-31</i>)
⌚ Used by	0 transactions, 0 templates, inherited 69 times

🟡 Coded value

prsb03-dataelement-13523

Id	prsb03-dataelement-13523 (2020-09-04 13:52:48)				
Description	The coded value for location				
Rationale	Composition.author.Practitioner.PractitionerRole.organisation.Name				
Operationalization	NHS data dictionary : - Organisation data service				
Value Domain					
Property	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center; padding: 5px;">min length</td> <td style="text-align: center; background-color: #d3d3d3; padding: 5px;">max length</td> </tr> <tr> <td style="text-align: center; padding: 5px;">3</td> <td style="text-align: center; padding: 5px;">7</td> </tr> </table>	min length	max length	3	7
min length	max length				
3	7				
⌚ Used by	0 transactions, 0 templates, inherited once				

🟡 Free text

prsb03-dataelement-13524

Id	prsb03-dataelement-13524 (2020-09-04 13:54:04)		
Concept inherits from	🟡 <i>prsb03-dataelement-13220 (2020-07-08 12:57:49)</i>		
Description	Free text field to be used if no code is available		
Operationalization	Free text		
Value Domain			
Property	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center; padding: 5px;">max length</td> </tr> <tr> <td style="text-align: center; padding: 5px;">150</td> </tr> </table>	max length	150
max length			
150			
⌚ Used by	0 transactions, 0 templates, inherited once		

🟡 Professional identifier

prsb03-dataelement-11295

Id	prsb03-dataelement-11295 (2019-05-30 12:25:39)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.128 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship	Professional identifier (<i>prsb03-dataelement-10223 - 2018-10-31</i>)
Rationale	Practitioner.identifier (for professional national identifiers), PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary :- Professional registration identifier
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 2px 10px; border-radius: 5px; text-align: center;">max length</div> <div style="border: 1px solid #ccc; padding: 5px; margin-top: 5px;">32</div>
Used by	0 transactions, 0 templates, inherited 69 times

 Date completed	prsb03-dataelement-11296
--	--------------------------

Id	prsb03-dataelement-11296 (2019-05-30 12:25:39)
Description	The date and time the record was completed.
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)
Rationale	Composition.date
Operationalization	Date and time.
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 2px 10px; border-radius: 5px; text-align: center;">Timestamp precision</div> <div style="border: 1px solid #ccc; padding: 5px; margin-top: 5px;">at least day, month and year, hour and minute</div>
Used by	0 transactions, 0 templates, inherited 69 times

 Contact details	prsb03-dataelement-11297
---	--------------------------

Id	prsb03-dataelement-11297 (2019-05-30 12:25:39)
Description	Contact details of the person completing the record.

2.1.129 Properties

FHIR	PractitionerRole.telecom
Relationship	Contact details (<i>prsb03-dataelement-10225 - 2018-10-31</i>)
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom
Operationalization	NHS data dictionary :- UK telephone number
Value Domain	

Property

max length

35

◎ Used by

0 transactions, 0 templates, inherited 69 times



Lasting power of attorney for personal welfare or court-appointed deputy (or equivalent)

prsb03-dataelement-10425

Id

prsb03-dataelement-10425 (2018-10-31)

Description

Details of the person's LPA record or equivalent

◎ Used by

0 transactions, 0 templates, inherited once



Date

prsb03-dataelement-13630

Id

prsb03-dataelement-13630 (2020-09-08 20:03:11)

Description

The date the LPA was recorded

Operationalization

Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Location

prsb03-dataelement-13631

Id

prsb03-dataelement-13631 (2020-09-08 20:04:28)

Description

The location where the LPA was given

Relationship

Location (*prsb03-dataelement-11692 - 2019-05-31 12:51:56*)

Coded value

prsb03-dataelement-13632

Id

prsb03-dataelement-13632 (2020-09-08 20:05:20)

Concept inherits from

prsb03-dataelement-13453 (2020-08-27 16:54:58)

Description

The coded value for location

Operationalization

NHS data dictionary : - Organisation code

Value Domain

Property

min length**max length**

3

9



Free text

prsb03-dataelement-13633

Id prsb03-dataelement-13633 (2020-09-08 20:05:20)

Concept inherits from prsb03-dataelement-13454 (2020-08-27 16:56:28)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150



Lasting power of attorney for personal welfare or court appointed deputy (or equivalent)

prsb03-dataelement-13634

Id prsb03-dataelement-13634 (2020-09-08 20:05:47)

Description Record of one or more people who have been given power (LPA) by the person when they had capacity to make decisions about their health and welfare should they lose capacity to make those decisions. To be valid, an LPA must have been registered with the Court of Protection. If life-sustaining treatment is being considered the LPA document must state specifically that the attorney has been given power to consent to or refuse life-sustaining treatment. Details of any person (deputy) appointed by the court to make decisions about the person's health and welfare. A deputy does not have the power to refuse life-sustaining treatment.



Coded value

prsb03-dataelement-13636

Id prsb03-dataelement-13636 (2020-09-08 20:10:08)

Description The coded value for the LPA

Operationalization SNOMED CT: - ^999001951000000107 |Personal welfare lasting power of attorney findings simple reference set (foundation metadata concept)|

Value Domain



Location of document

prsb03-dataelement-13776

Id prsb03-dataelement-13776 (2020-10-12 13:50:45)

Description The location of the LPA information

Operationalization Free text or URL

Value Domain

Property

max length

150



Name of LPA

prsb03-dataelement-13635

Id

prsb03-dataelement-13635 (2020-09-08 20:08:39)

Description The names of any appointed people or deputies

Operationalization Free text

Value Domain

Property **max length**

150



Contact details

prsb03-dataelement-13637

Id prsb03-dataelement-13637 (2020-09-08 20:11:29)

Description The contact details of the LPA

Operationalization NHS data dictionary:- UK telephone number

Value Domain

Property **max length**

35



Performing professional

prsb03-dataelement-13638

Id prsb03-dataelement-13638 (2020-09-08 20:13:16)

Description The professional who took the details of the LPA or equivalent

Relationship Performing professional (*prsb03-dataelement-13462 - 2020-09-02 12:35:54*)



Name

prsb03-dataelement-13639

Id prsb03-dataelement-13639 (2020-09-08 20:13:55)

Concept inherits from prsb03-dataelement-13463 (2020-09-02 12:38:25)

Description The name of the professional.

Rationale Practitioner.name

Operationalization Free text.

Value Domain

Property **max length**

70



Role

prsb03-dataelement-13640

Id prsb03-dataelement-13640 (2020-09-08 20:13:55)

Concept inherits from prsb03-dataelement-13464 (2020-09-02 12:38:25)

Description	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc
Rationale	Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobroletype
Value Domain	



Grade

prsb03-dataelement-13641

Id	prsb03-dataelement-13641 (2020-09-08 20:13:55)
Concept inherits from	🟡 prsb03-dataelement-13465 (2020-09-02 12:38:25)
Description	The grade of the professional.
Rationale	PractitionerRole.code
Operationalization	Free text

Value Domain

Property

max length

150



Speciality

prsb03-dataelement-13642

Id	prsb03-dataelement-13642 (2020-09-08 20:13:55)
Concept inherits from	🟡 prsb03-dataelement-13466 (2020-09-02 12:38:25)
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc
Rationale	PractitionerRole.speciality
Operationalization	NHS data dictionary - Activity treatment function code

Value Domain

Property

max length

3



Professional identifier

prsb03-dataelement-13643

Id	prsb03-dataelement-13643 (2020-09-08 20:13:55)
Concept inherits from	🟡 prsb03-dataelement-13467 (2020-09-02 12:38:25)
Description	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary : - Professional registration identifier

Value Domain

Property

max length

32



Organisation

prsb03-dataelement-13644

Id

prsb03-dataelement-13644 (2020-09-08 20:13:55)

Concept inherits from

prsb03-dataelement-13468 (2020-09-02 12:38:25)

Description

The name of the organisation the professional works for.



Contact details

prsb03-dataelement-13645

Id

prsb03-dataelement-13645 (2020-09-08 20:13:55)

Concept inherits from

prsb03-dataelement-13469 (2020-09-02 12:38:25)

Description

Contact details of the professional

Rationale

Practitioner.telecom
PractitionerRole.telecom
Organisation.telcom

Operationalization

NHS data dictionary - UK phone number

Value Domain

Property

max length

35



Person completing record

prsb03-dataelement-13646

Id

prsb03-dataelement-13646 (2020-09-08 20:14:17)

Description

Details of the person who took the LPA.

Relationship

Person completing record (*prsb03-dataelement-13492 - 2020-09-02 17:10:28*)

Name

prsb03-dataelement-13647

Id

prsb03-dataelement-13647 (2020-09-08 20:14:49)

Concept inherits from

prsb03-dataelement-13493 (2020-09-02 17:10:59)

Description

The name of the person completing the record.

Relationship

Name (*prsb03-dataelement-10219 - 2018-10-31*)

Rationale

Composition.author.Practitioner.name

Operationalization

Free text.

Value Domain

Property

max length

70



Role

prsb03-dataelement-13648

Id

prsb03-dataelement-13648 (2020-09-08 20:14:49)

Concept inherits from

prsb03-dataelement-13494 (2020-09-02 17:10:59)

Description

The organisational role of the person completing record.

2.1.130 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship

Role (*prsb03-dataelement-10220 - 2018-10-31*)

Rationale

Composition.author.PractitionerRole.code

Operationalization

FHIR value set :- SDSjobrole

Value Domain



Grade

prsb03-dataelement-13649

Id

prsb03-dataelement-13649 (2020-09-08 20:14:49)

Concept inherits from

prsb03-dataelement-13495 (2020-09-02 17:10:59)

Description

The grade of the person completing the record.

Relationship

Grade (*prsb03-dataelement-10221 - 2018-10-31*)

Rationale

PractitionerRole.code

Operationalization

Free text.

Value Domain

Property

max length

150



Specialty

prsb03-dataelement-13650

Id

prsb03-dataelement-13650 (2020-09-08 20:14:49)

Concept inherits from

prsb03-dataelement-13496 (2020-09-02 17:10:59)

Description

The main specialty of the person completing the record.

2.1.131 Properties

FHIR PractitionerRole.specialty

Relationship	Specialty (<i>prsb03-dataelement-10222 - 2018-10-31</i>)
Rationale	PractitionerRole.speciality
Operationalization	NHS data dictionary :- Activity treatment function code
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; text-align: center;"> max length 3 </div>

Organisation

prsb03-dataelement-13651

Id	prsb03-dataelement-13651 (2020-09-08 20:14:49)
Concept inherits from	 <i>prsb03-dataelement-13497</i> (2020-09-02 17:10:59)
Description	The organisation the person completing the record works for.
Relationship	Organisation (<i>prsb03-dataelement-10226 - 2018-10-31</i>)

Professional identifier

prsb03-dataelement-13652

Id	prsb03-dataelement-13652 (2020-09-08 20:14:49)
Concept inherits from	 <i>prsb03-dataelement-13498</i> (2020-09-02 17:10:59)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.132 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship	Professional identifier (<i>prsb03-dataelement-10223 - 2018-10-31</i>)
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary :- Professional registration identifier
Value Domain	

Property

max length
32

Date completed

prsb03-dataelement-13653

Id	prsb03-dataelement-13653 (2020-09-08 20:14:49)
Concept inherits from	 <i>prsb03-dataelement-13499</i> (2020-09-02 17:10:59)
Description	The date and time the record was completed.

Relationship Date completed (*prsb03-dataelement-10224 - 2018-10-31*)

Rationale Composition.date

Operationalization Date and time.

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Contact details

prsb03-dataelement-13654

Id prsb03-dataelement-13654 (2020-09-08 20:14:49)

Concept inherits from prsb03-dataelement-13500 (2020-09-02 17:10:59)

Description Contact details of the person completing the record.

2.1.133 Properties

FHIR PractitionerRole.telecom

Relationship Contact details (*prsb03-dataelement-10225 - 2018-10-31*)

Rationale Practitioner:telecom
PractitionerRole:telecom
Organisation.telcom

Operationalization NHS data dictionary : - UK telephone number

Value Domain

Property

max length

35



Deprivation of Liberty Safeguards or equivalent

prsb03-dataelement-10426

Id prsb03-dataelement-10426 (2018-10-31)

Description Details of the person's Deprivation of Liberty Safeguards (DoLS) or equivalent

⌚ Used by 0 transactions, 0 templates, inherited once



Application date

prsb03-dataelement-13068

Id prsb03-dataelement-13068 (2020-05-21 18:04:27)

Description The date the application was made


Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Application status

prsb03-dataelement-13069

Id

prsb03-dataelement-13069 (2020-05-21 18:05:36)

Description

The status of the DOLs application.

Operationalization

Free text : - Requested or authorised

Value Domain

Property

max length

10

Example

Requested

Example

Authorised



Deprivation of liberty safeguards or equivalent

prsb03-dataelement-13626

Id

prsb03-dataelement-13626 (2020-09-08 19:49:07)

Description

Record of Deprivation of Liberty Safeguards (DoLS) or equivalent, including the reason for this.

Operationalization


Free text

Value Domain

Property

max length

150



Start date of authorisation

prsb03-dataelement-13071

Id

prsb03-dataelement-13071 (2020-05-21 18:16:32)

Description

The date the DOLs was authorised.

Operationalization

Data and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Planned or actual end date of authorisation

prsb03-dataelement-13072

Id

prsb03-dataelement-13072 (2020-05-21 18:18:19)

Description

The planned or actual end date of authorisation.

Operationalization	Date and time
Value Domain	
Property	
Timestamp precision	
at least day, month and year, hour and minute	

  Performing professional	prsb03-dataelement-13073
---	--------------------------

Id	prsb03-dataelement-13073 (2020-05-21 18:20:41)
Description	The professional who applied for the DOLs.
Relationship	Performing professional (<i>prsb03-dataelement-11281 - 2019-05-30 11:53:30</i>)

 Name	prsb03-dataelement-13074
--	--------------------------

Id	prsb03-dataelement-13074 (2020-05-21 18:21:29)
Concept inherits from	 <i>prsb03-dataelement-11282 (2019-05-30 11:57:38)</i>
Description	The name of the professional.
Rationale	Practitioner.name
Operationalization	Free text.
Value Domain	
Property	
max length	
70	

 Role	prsb03-dataelement-13075
--	--------------------------

Id	prsb03-dataelement-13075 (2020-05-21 18:21:29)
Concept inherits from	 <i>prsb03-dataelement-11283 (2019-05-30 11:58:48)</i>
Description	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc
Rationale	Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobroletype
Value Domain	

 Grade	prsb03-dataelement-13076
---	--------------------------

Id	prsb03-dataelement-13076 (2020-05-21 18:21:29)
Concept inherits from	 <i>prsb03-dataelement-11288 (2019-05-30 12:19:40)</i>
Description	The grade of the professional.


Rationale PractitionerRole.code

Operationalization Free text

Value Domain

Property max length

150



Speciality

prsb03-dataelement-13077

Id prsb03-dataelement-13077 (2020-05-21 18:21:29)

Concept inherits from prsb03-dataelement-11284 (2019-05-30 12:01:15)

Description The specialty of the professional e.g. physiotherapy, oncology, mental health etc

Rationale PractitionerRole.speciality

Operationalization NHS data dictionary - Activity treatment function code

Value Domain

Property max length

3



Professional identifier

prsb03-dataelement-13078

Id prsb03-dataelement-13078 (2020-05-21 18:21:29)

Concept inherits from prsb03-dataelement-11285 (2019-05-30 12:02:46)

Description Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary : - Professional registration identifier

Value Domain

Property max length

32



Organisation

prsb03-dataelement-13079

Id prsb03-dataelement-13079 (2020-05-21 18:21:29)

Concept inherits from prsb03-dataelement-11286 (2019-05-30 12:17:19)

Description The name of the organisation the professional works for.



Contact details

prsb03-dataelement-13080

Id	prsb03-dataelement-13080 (2020-05-21 18:21:29)
Concept inherits from	🟡 prsb03-dataelement-11287 (2019-05-30 12:18:13)
Description	Contact details of the professional
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom
Operationalization	NHS data dictionary - UK phone number
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 35 </div>

✖ Performing professional prsb03-dataelement-13070

Id	prsb03-dataelement-13070 (2020-05-21 18:09:04)
Description	Details of the professional applying for the DOLs.
Relationship	Performing Professional (prsb03-dataelement-10218 - 2018-10-31)
Value Domain	

✖ Date prsb03-dataelement-11690

Id	prsb03-dataelement-11690 (2019-05-31 12:45:04)
Description	The date when the deprivation of liberty safeguard decision was made.
Relationship	Date (prsb03-dataelement-11688 - 2019-05-31 11:50:22)
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> Timestamp precision at least day, month and year </div>

✖ Location prsb03-dataelement-11691

Id	prsb03-dataelement-11691 (2019-05-31 12:47:02)
Description	The location where the deprivation of liberty safeguard decision was made.
Relationship	Location (prsb03-dataelement-11689 - 2019-05-31 11:51:04)
Value Domain	

📁 ✖ Performing professional prsb03-dataelement-11298

Id	prsb03-dataelement-11298 (2019-05-30 12:50:51)
----	--

Description	The professional who made the deprivation of liberty safeguard decision.
Relationship	Performing professional (<i>prsb03-dataelement-11281 - 2019-05-30 11:53:30</i>)

 Name

prsb03-dataelement-11299

Id	prsb03-dataelement-11299 (2019-05-30 12:51:19)
Concept inherits from	 <i>prsb03-dataelement-11282 (2019-05-30 11:57:38)</i>

Description	The name of the professional.
Rationale	Practitioner.name

Operationalization	Free text.
Value Domain	

Property	max length
	70

 Role

prsb03-dataelement-11300

Id	prsb03-dataelement-11300 (2019-05-30 12:51:19)
Concept inherits from	 <i>prsb03-dataelement-11283 (2019-05-30 11:58:48)</i>

Description	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc
Rationale	Practitioner.PractitionerRole.code

Operationalization	FHIR value set :- SDSjobroletype
Value Domain	

 Grade

prsb03-dataelement-11301

Id	prsb03-dataelement-11301 (2019-05-30 12:51:19)
Concept inherits from	 <i>prsb03-dataelement-11288 (2019-05-30 12:19:40)</i>

Description	The grade of the professional.
Rationale	PractitionerRole.code

Operationalization	Free text
Value Domain	

Property	max length
	150

 Speciality

prsb03-dataelement-11302

Id	prsb03-dataelement-11302 (2019-05-30 12:51:19)
Concept inherits from	🟡 prsb03-dataelement-11284 (2019-05-30 12:01:15)
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc
Rationale	PractitionerRole.speciality
Operationalization	NHS data dictionary - Activity treatment function code
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 3 </div>

☒ Professional identifier

prsb03-dataelement-11303

Id	prsb03-dataelement-11303 (2019-05-30 12:51:19)
Concept inherits from	🟡 prsb03-dataelement-11285 (2019-05-30 12:02:46)
Description	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.
Rationale	Practitioner.identifier (for professional national identifiers), PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary : - Professional registration identifier
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 32 </div>

📁☒ Organisation

prsb03-dataelement-11304

Id	prsb03-dataelement-11304 (2019-05-30 12:51:19)
Concept inherits from	🟡 prsb03-dataelement-11286 (2019-05-30 12:17:19)
Description	The name of the organisation the professional works for.

☒ Contact details

prsb03-dataelement-11305

Id	prsb03-dataelement-11305 (2019-05-30 12:51:19)
Concept inherits from	🟡 prsb03-dataelement-11287 (2019-05-30 12:18:13)
Description	Contact details of the professional
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom
Operationalization	NHS data dictionary - UK phone number

Value Domain

Property

max length

35



Person completing record

prsb03-dataelement-11306

Id

prsb03-dataelement-11306 (2019-05-30 12:51:31)

Concept inherits from

prsb03-dataelement-11289 (2019-05-30 12:24:39)

Description

Details of the person completing the record.

Relationship

Person completing record (*prsb03-dataelement-319 - 2018-10-31*)

Name

prsb03-dataelement-11307

Id

prsb03-dataelement-11307 (2019-05-30 12:52:15)

Concept inherits from

prsb03-dataelement-11290 (2019-05-30 12:25:39)

Description

The name of the person completing the record.

Relationship

Name (*prsb03-dataelement-10219 - 2018-10-31*)

Rationale

Composition.author.Practitioner.name

Operationalization

Free text.

Value Domain

Property

max length

70



Role

prsb03-dataelement-11308

Id

prsb03-dataelement-11308 (2019-05-30 12:52:15)

Concept inherits from

prsb03-dataelement-11291 (2019-05-30 12:25:39)

Description

The organisational role of the person completing record.

2.1.134 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship Role (*prsb03-dataelement-10220 - 2018-10-31*)

Rationale Composition.author.PractitionerRole.code

Operationalization FHIR value set :- SDSjobrole

Value Domain



Grade

	prsb03-dataelement-11309
Id	prsb03-dataelement-11309 (2019-05-30 12:52:15)
Concept inherits from	🟡 prsb03-dataelement-11292 (2019-05-30 12:25:39)
Description	The grade of the person completing the record.
Relationship	Grade (<i>prsb03-dataelement-10221 - 2018-10-31</i>)
Rationale	PractitionerRole.code
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 150 </div>

 Specialty	prsb03-dataelement-11310
---	--------------------------

Id	prsb03-dataelement-11310 (2019-05-30 12:52:15)
Concept inherits from	🟡 prsb03-dataelement-11293 (2019-05-30 12:25:39)
Description	The main specialty of the person completing the record.

2.1.135 Properties

FHIR	PractitionerRole.specialty
Relationship	Specialty (<i>prsb03-dataelement-10222 - 2018-10-31</i>)
Rationale	PractitionerRole.specialty
Operationalization	NHS data dictionary :- Activity treatment function code
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 3 </div>

 Organisation	prsb03-dataelement-11311
--	--------------------------

Id	prsb03-dataelement-11311 (2019-05-30 12:52:15)
Concept inherits from	🟡 prsb03-dataelement-11294 (2019-05-30 12:25:39)
Description	The organisation the person completing the record works for.
Relationship	Organisation (<i>prsb03-dataelement-10226 - 2018-10-31</i>)

 Professional identifier	prsb03-dataelement-11312
---	--------------------------

Id	prsb03-dataelement-11312 (2019-05-30 12:52:15)
----	--

Concept inherits from



[prsb03-dataelement-11295](#) (2019-05-30 12:25:39)

Description

Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.136 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship

Professional identifier ([prsb03-dataelement-10223](#) - 2018-10-31)

Rationale

Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization

NHS data dictionary :- Professional registration identifier

Value Domain

Property

max length

32



Date completed

[prsb03-dataelement-11313](#)

Id

[prsb03-dataelement-11313](#) (2019-05-30 12:52:15)

Concept inherits from



[prsb03-dataelement-11296](#) (2019-05-30 12:25:39)

Description

The date and time the record was completed.

Relationship

Date completed ([prsb03-dataelement-10224](#) - 2018-10-31)

Rationale

Composition.date

Operationalization

Date and time.

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Contact details

[prsb03-dataelement-11314](#)

Id

[prsb03-dataelement-11314](#) (2019-05-30 12:52:15)

Concept inherits from



[prsb03-dataelement-11297](#) (2019-05-30 12:25:39)

Description

Contact details of the person completing the record.

2.1.137 Properties

FHIR PractitionerRole.telecom

Relationship

Contact details ([prsb03-dataelement-10225](#) - 2018-10-31)

Rationale	Practitioner:telecom PractitionerRole:telecom Organisation.telcom
Operationalization	NHS data dictionary : - UK telephone number
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;">max length</div> <div style="border: 1px solid #ccc; padding: 5px; display: inline-block;">35</div>

📁 🟡 Mental health act or equivalent status

prsb03-dataelement-10427

Id	prsb03-dataelement-10427 (2018-10-31)
Description	Details of the persons mental health act record
⌚ Used by	0 transactions, 0 templates, inherited once

⌚ Mental health act or equivalent status

prsb03-dataelement-10922

Id	prsb03-dataelement-10922 (2019-04-26 14:22:17)
Description	Record where a person diagnosed with a mental disorder is formally detained under the Mental Health Act or equivalent, including the section number.

If person subject to Community Treatment Order or Conditional Discharge (or equivalent) record here.

Value Domain

🟡 Section start date

prsb03-dataelement-10920

Id	prsb03-dataelement-10920 (2019-04-26 14:17:19)
Description	The date the person was detained.
Operationalization	Date and time
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;">Timestamp precision</div> <div style="border: 1px solid #ccc; padding: 5px; display: inline-block;">at least day, month and year, hour and minute</div>

🟡 Section end date

prsb03-dataelement-10921

Id	prsb03-dataelement-10921 (2019-04-26 14:19:05)
Description	The date the person was no longer detained.
Operationalization	Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Location

prsb03-dataelement-11692

Id prsb03-dataelement-11692 (2019-05-31 12:51:56)

Description The location where the decision to detain the person was made under the mental health act.

Relationship Location (*prsb03-dataelement-11689 - 2019-05-31 11:51:04*)

Coded value

prsb03-dataelement-13453

Id prsb03-dataelement-13453 (2020-08-27 16:54:58)

Description The coded value for location

Operationalization NHS data dictionary : - Organisation code

Value Domain

Property

min length **max length**

3 9



Used by 0 transactions, 0 templates, inherited once



Free text

prsb03-dataelement-13454

Id prsb03-dataelement-13454 (2020-08-27 16:56:28)

Concept inherits from prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150



Used by 0 transactions, 0 templates, inherited once



Mental health act or equivalent status

prsb03-dataelement-13627

Id prsb03-dataelement-13627 (2020-09-08 19:52:25)

Description Record where a person diagnosed with a mental disorder is formally detained under the Mental health act or equivalent, including the section number. If person subject to Community Treatment Order or Conditional Discharge (or equivalent) record here.



Coded value

prsb03-dataelement-13628

Id prsb03-dataelement-13628 (2020-09-08 19:57:06)

Description The coded value for mental health act

Operationalization NHS data dictionary: - Mental health act legal status classification code

Value Domain

Property

max length

2

Example

Formally detained under Mental Health Act Section 2



Free text

prsb03-dataelement-13629

Id prsb03-dataelement-13629 (2020-09-08 19:58:49)

Concept inherits from prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150



Supporting information

prsb03-dataelement-13755

Id prsb03-dataelement-13755 (2020-09-29 11:48:32)

Description If person subject to Community Treatment Order or Conditional Discharge (or equivalent) record here.

Operationalization NHS data dictionary : - Community treatment order

Value Domain

Property

max length

150



Performing professional

prsb03-dataelement-11315

Id prsb03-dataelement-11315 (2019-05-30 12:53:22)

Description The professional who made the decision to detain the person under the mental health act.

Relationship Performing professional (*prsb03-dataelement-11281 - 2019-05-30 11:53:30*)

 Name	prsb03-dataelement-11316
--	--------------------------

Id prsb03-dataelement-11316 (2019-05-30 12:53:54)

Concept inherits from  *prsb03-dataelement-11282* (2019-05-30 11:57:38)

Description The name of the professional.

Rationale Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70

 Role	prsb03-dataelement-11317
--	--------------------------

Id prsb03-dataelement-11317 (2019-05-30 12:53:54)

Concept inherits from  *prsb03-dataelement-11283* (2019-05-30 11:58:48)

Description The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc

Rationale Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobroletype

Value Domain

 Grade	prsb03-dataelement-11318
---	--------------------------

Id prsb03-dataelement-11318 (2019-05-30 12:53:54)

Concept inherits from  *prsb03-dataelement-11288* (2019-05-30 12:19:40)

Description The grade of the professional.

Rationale PractitionerRole.code

Operationalization Free text

Value Domain

Property

max length

150

 Speciality	prsb03-dataelement-11319
--	--------------------------

Id prsb03-dataelement-11319 (2019-05-30 12:53:54)

Concept inherits from	 prsb03-dataelement-11284 (2019-05-30 12:01:15)
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc
Rationale	PractitionerRole.speciality
Operationalization	NHS data dictionary - Activity treatment function code
Value Domain	

Property	 max length
	3

 Professional identifier prsb03-dataelement-11320

Id	prsb03-dataelement-11320 (2019-05-30 12:53:54)
Concept inherits from	 prsb03-dataelement-11285 (2019-05-30 12:02:46)
Description	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary : - Professional registration identifier
Value Domain	
Property	 max length
	32

  Organisation prsb03-dataelement-11321

Id	prsb03-dataelement-11321 (2019-05-30 12:53:54)
Concept inherits from	 prsb03-dataelement-11286 (2019-05-30 12:17:19)
Description	The name of the organisation the professional works for.

 Contact details prsb03-dataelement-11322

Id	prsb03-dataelement-11322 (2019-05-30 12:53:54)
Concept inherits from	 prsb03-dataelement-11287 (2019-05-30 12:18:13)
Description	Contact details of the professional
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom
Operationalization	NHS data dictionary - UK phone number
Value Domain	

Property

max length

35



Person completing record

prsb03-dataelement-11323

Id

prsb03-dataelement-11323 (2019-05-30 12:54:57)

Concept inherits from

prsb03-dataelement-11289 (2019-05-30 12:24:39)

Description

Details of the person completing the record.

Relationship

Person completing record (*prsb03-dataelement-319 - 2018-10-31*)

Name

prsb03-dataelement-11324

Id

prsb03-dataelement-11324 (2019-05-30 12:55:19)

Concept inherits from

prsb03-dataelement-11290 (2019-05-30 12:25:39)

Description

The name of the person completing the record.

Relationship

Name (*prsb03-dataelement-10219 - 2018-10-31*)

Rationale

Composition.author.Practitioner.name

Operationalization

Free text.

Value Domain

Property

max length

70



Role

prsb03-dataelement-11325

Id

prsb03-dataelement-11325 (2019-05-30 12:55:19)

Concept inherits from

prsb03-dataelement-11291 (2019-05-30 12:25:39)

Description

The organisational role of the person completing record.

2.1.138 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship

Role (*prsb03-dataelement-10220 - 2018-10-31*)

Rationale

Composition.author.PractitionerRole.code

Operationalization

FHIR value set :- SDSjobrole

Value Domain



Grade

prsb03-dataelement-11326

Id	prsb03-dataelement-11326 (2019-05-30 12:55:19)
Concept inherits from	🟡 prsb03-dataelement-11292 (2019-05-30 12:25:39)
Description	The grade of the person completing the record.
Relationship	Grade (<i>prsb03-dataelement-10221 - 2018-10-31</i>)
Rationale	PractitionerRole.code
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> max length 150 </div>

🟡 Specialty

prsb03-dataelement-11327

Id	prsb03-dataelement-11327 (2019-05-30 12:55:19)
Concept inherits from	🟡 prsb03-dataelement-11293 (2019-05-30 12:25:39)
Description	The main specialty of the person completing the record.

2.1.139 Properties

FHIR	PractitionerRole.specialty
------	----------------------------

Relationship	Specialty (<i>prsb03-dataelement-10222 - 2018-10-31</i>)
Rationale	PractitionerRole.specialty
Operationalization	NHS data dictionary :- Activity treatment function code
Value Domain	

Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> max length 3 </div>
----------	---

📁🟡 Organisation

prsb03-dataelement-11328

Id	prsb03-dataelement-11328 (2019-05-30 12:55:19)
Concept inherits from	🟡 prsb03-dataelement-11294 (2019-05-30 12:25:39)
Description	The organisation the person completing the record works for.
Relationship	Organisation (<i>prsb03-dataelement-10226 - 2018-10-31</i>)

🟡 Professional identifier

prsb03-dataelement-11329

Id	prsb03-dataelement-11329 (2019-05-30 12:55:19)
----	--

Concept inherits from  prsb03-dataelement-11295 (2019-05-30 12:25:39)

Description Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.140 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship Professional identifier (*prsb03-dataelement-10223 - 2018-10-31*)

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary :- Professional registration identifier

Value Domain

Property

max length

32



Date completed

prsb03-dataelement-11330

Id prsb03-dataelement-11330 (2019-05-30 12:55:19)

Concept inherits from  prsb03-dataelement-11296 (2019-05-30 12:25:39)

Description The date and time the record was completed.

Relationship Date completed (*prsb03-dataelement-10224 - 2018-10-31*)

Rationale Composition.date

Operationalization Date and time.

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Contact details

prsb03-dataelement-11331

Id prsb03-dataelement-11331 (2019-05-30 12:55:19)

Concept inherits from  prsb03-dataelement-11297 (2019-05-30 12:25:39)

Description Contact details of the person completing the record.

2.1.141 Properties

FHIR PractitionerRole.telecom

Relationship Contact details (*prsb03-dataelement-10225 - 2018-10-31*)

Rationale	Practitioner:telecom PractitionerRole:telecom Organisation:telcom
Operationalization	NHS data dictionary : - UK telephone number

Value Domain

Property

max length

35

📁 🟡 Advance decision to refuse treatment (ADRT)

prsb03-dataelement-10428

Id	prsb03-dataelement-10428 (2018-10-31)
Description	Details of the person's ADRT status.
⌚ Used by	0 transactions, 0 templates, inherited once

🟡 Date

prsb03-dataelement-13479

Id	prsb03-dataelement-13479 (2020-09-02 16:59:59)
Description	The date the ADRT was recorded.
Operationalization	Date
Value Domain	
Property	Timestamp precision
	at least day, month and year

📁 🟡 Location

prsb03-dataelement-13480

Id	prsb03-dataelement-13480 (2020-09-02 17:01:08)
Description	The location where the ADRT was recorded.

🟡 Coded value

prsb03-dataelement-13481

Id	prsb03-dataelement-13481 (2020-09-02 17:01:48)
Description	The coded value of location
Operationalization	NHS data dictionary : - Organisation data service
Value Domain	
Property	min length max length
	3 5

🟡 Free text

		prsb03-dataelement-13482
Id	prsb03-dataelement-13482 (2020-09-02 17:03:31)	
Concept inherits from	(prsb03-dataelement-13223 (2020-07-08 17:40:09))	
Description	Free text field to be used if no coded text available	
Value Domain		
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 150 </div>	

(Advance decision to refuse treatment	prsb03-dataelement-13502
--	--------------------------

Id	prsb03-dataelement-13502 (2020-09-02 17:36:30)
Description	A record of an advance decision to refuse one or more specific types of future treatment, made by a person who had capacity at the time of recording the decision. The decision only applies when the person no longer has the capacity to consent to or refuse the specific treatment being considered. An ADRT must be in writing, signed and witnessed. If the ADRT is refusing life-sustaining treatment it must state specifically that the treatment is refused even if the person's life is at risk.

Coded value	prsb03-dataelement-13503
-------------	--------------------------

Id	prsb03-dataelement-13503 (2020-09-02 17:46:53)
Description	The coded value for advance decision to refuse treatment.
Operationalization	SNOMED CT:- ^99900218100000105 Advance decision to refuse treatment preference findings simple reference set (foundation metadata concept)
Value Domain	

Free text	prsb03-dataelement-13504
-----------	--------------------------

Id	prsb03-dataelement-13504 (2020-09-02 17:48:38)
Concept inherits from	(prsb03-dataelement-13220 (2020-07-08 12:57:49))
Description	Free text field to be used if no code is available
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 150 </div>

Advance decision to refuse treatment (ADRT)	prsb03-dataelement-13501
---	--------------------------

Id	prsb03-dataelement-13501 (2020-09-02 17:31:20) 0.1
Concept inherits from	(prsb03-dataelement-12488 (2019-10-04 18:44:06))

Description	<p>A record of whether an advance decision to refuse one or more specific types of future treatment, exists or not.</p> <p>The decision only applies when the person no longer has the capacity to consent to or refuse the specific treatment being considered.</p> <p>An ADRT must be in writing, signed and witnessed.</p> <p>If the ADRT is refusing life-sustaining treatment it must state specifically that the treatment is refused even if the person's life is at risk.</p>
Operationalization	<p>Yes / No</p> <p>No further information should be sent as anything that is sent must be actionable and therefore must be completely unimpeachable.</p> <p>Where the response is yes, use the SNOMED CT concepts from the National Information Standard (SCCI1580) and associated text:</p> <ul style="list-style-type: none"> 81630100000100 Has advance decision to refuse treatment (Mental Capacity Act 2005) (finding) 81632100000109 Has advance decision to refuse life sustaining treatment (Mental Capacity Act 2005) (finding) 82062100000107 Has involved healthcare professional in discussion about advance decision to refuse treatment (Mental Capacity Act 2005) (finding)
Value Domain	

 	Performing professional	prsb03-dataelement-13484
---	-------------------------	--------------------------

Id	prsb03-dataelement-13484 (2020-09-02 17:08:08)
Description	The professional who recorded the ADRT
Relationship	Performing professional (<i>prsb03-dataelement-13462 - 2020-09-02 12:35:54</i>)

	Name	prsb03-dataelement-13485
---	------	--------------------------

Id	prsb03-dataelement-13485 (2020-09-02 17:08:45)		
Concept inherits from	 prsb03-dataelement-13463 (2020-09-02 12:38:25)		
Description	The name of the professional.		
Rationale	Practitioner.name		
Operationalization	Free text.		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>70</td> </tr> </table>	max length	70
max length			
70			

	Role	prsb03-dataelement-13486
---	------	--------------------------

Id	prsb03-dataelement-13486 (2020-09-02 17:08:45)
Concept inherits from	 prsb03-dataelement-13464 (2020-09-02 12:38:25)

Description	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc
Rationale	Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobroletype
Value Domain	



Grade

prsb03-dataelement-13487

Id	prsb03-dataelement-13487 (2020-09-02 17:08:45)
Concept inherits from	🟡 prsb03-dataelement-13465 (2020-09-02 12:38:25)
Description	The grade of the professional.
Rationale	PractitionerRole.code
Operationalization	Free text

Value Domain

Property

max length

150



Speciality

prsb03-dataelement-13488

Id	prsb03-dataelement-13488 (2020-09-02 17:08:45)
Concept inherits from	🟡 prsb03-dataelement-13466 (2020-09-02 12:38:25)
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc
Rationale	PractitionerRole.speciality
Operationalization	NHS data dictionary - Activity treatment function code

Value Domain

Property

max length

3



Professional identifier

prsb03-dataelement-13489

Id	prsb03-dataelement-13489 (2020-09-02 17:08:45)
Concept inherits from	🟡 prsb03-dataelement-13467 (2020-09-02 12:38:25)
Description	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary : - Professional registration identifier

Value Domain

Property

max length

32



Organisation

prsb03-dataelement-13490

Id


prsb03-dataelement-13490 (2020-09-02 17:08:45)

Concept inherits from

prsb03-dataelement-13468 (2020-09-02 12:38:25)

Description

The name of the organisation the professional works for.



Contact details

prsb03-dataelement-13491

Id

prsb03-dataelement-13491 (2020-09-02 17:08:45)

Concept inherits from

prsb03-dataelement-13469 (2020-09-02 12:38:25)

Description

Contact details of the professional

Rationale

Practitioner.telecom
 PractitionerRole.telecom
 Organisation.telcom

Operationalization

NHS data dictionary - UK phone number

Value Domain

Property

max length

35



Person completing record

prsb03-dataelement-13492

Id

prsb03-dataelement-13492 (2020-09-02 17:10:28)

Description

Details of the person who recorded the ADRT.

Relationship

Person completing record (*prsb03-dataelement-13052 - 2020-04-28 19:36:14*)

Name

prsb03-dataelement-13493

Id

prsb03-dataelement-13493 (2020-09-02 17:10:59)

Concept inherits from

prsb03-dataelement-13053 (2020-04-28 19:36:38)

Description

The name of the person completing the record.

Relationship

Name (*prsb03-dataelement-10219 - 2018-10-31*)

Rationale

Composition.author.Practitioner.name

Operationalization

Free text.

Value Domain

Property

max length

70

◎ Used by

0 transactions, 0 templates, inherited once



Role

prsb03-dataelement-13494

Id

prsb03-dataelement-13494 (2020-09-02 17:10:59)

Concept inherits from

prsb03-dataelement-13054 (2020-04-28 19:36:38)

Description

The organisational role of the person completing record.

2.1.142 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship

Role (*prsb03-dataelement-10220 - 2018-10-31*)

Rationale

Composition.author.Practitioner.PractitionerRole.code

Operationalization

FHIR value set :- SDSjobrole

Value Domain

◎ Used by

0 transactions, 0 templates, inherited once



Grade

prsb03-dataelement-13495

Id

prsb03-dataelement-13495 (2020-09-02 17:10:59)

Concept inherits from

prsb03-dataelement-13055 (2020-04-28 19:36:38)

Description

The grade of the person completing the record.

Relationship

Grade (*prsb03-dataelement-10221 - 2018-10-31*)

Rationale

PractitionerRole.code

Operationalization

Free text.

Value Domain

Property

max length

150

◎ Used by

0 transactions, 0 templates, inherited once



Specialty

prsb03-dataelement-13496

Id	prsb03-dataelement-13496 (2020-09-02 17:10:59)
Concept inherits from	🟡 prsb03-dataelement-13056 (2020-04-28 19:36:38)
Description	The main specialty of the person completing the record.

2.1.143 Properties

FHIR	PractitionerRole.specialty
Relationship	Specialty (<i>prsb03-dataelement-10222 - 2018-10-31</i>)
Rationale	PractitionerRole.specialty
Operationalization	NHS data dictionary :- Activity treatment function code
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> max length 3 </div>
⌚ Used by	0 transactions, 0 templates, inherited once

📁 🟡 Organisation	prsb03-dataelement-13497
------------------	--------------------------

Id	prsb03-dataelement-13497 (2020-09-02 17:10:59)
Concept inherits from	🟡 prsb03-dataelement-13057 (2020-04-28 19:36:38)
Description	The organisation the person completing the record works for.
Relationship	Organisation (<i>prsb03-dataelement-10226 - 2018-10-31</i>)
⌚ Used by	0 transactions, 0 templates, inherited once

🟡 Professional identifier	prsb03-dataelement-13498
---------------------------	--------------------------

Id	prsb03-dataelement-13498 (2020-09-02 17:10:59)
Concept inherits from	🟡 prsb03-dataelement-13058 (2020-04-28 19:36:38)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.144 Properties

FHIR	PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)
Relationship	Professional identifier (<i>prsb03-dataelement-10223 - 2018-10-31</i>)
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary :- Professional registration identifier

Value Domain

Property

max length

32

⌚ Used by

0 transactions, 0 templates, inherited once



Date completed

prsb03-dataelement-13499

Id

prsb03-dataelement-13499 (2020-09-02 17:10:59)

Concept inherits from

⌚ *prsb03-dataelement-13059* (2020-04-28 19:36:38)

Description

The date and time the record was completed.

Relationship

Date completed (*prsb03-dataelement-10224 - 2018-10-31*)

Rationale

Composition.date

Operationalization

Date and time.

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute

⌚ Used by

0 transactions, 0 templates, inherited once



Contact details

prsb03-dataelement-13500

Id

prsb03-dataelement-13500 (2020-09-02 17:10:59)

Concept inherits from

⌚ *prsb03-dataelement-13060* (2020-04-28 19:36:38)

Description

Contact details of the person completing the record.

2.1.145 Properties

FHIR PractitionerRole.telecom

Relationship

Contact details (*prsb03-dataelement-10225 - 2018-10-31*)

Rationale

Practitioner.telecom
PractitionerRole.telecom
Organisation.telcom

Operationalization

NHS data dictionary : - UK telephone number

Value Domain

Property

max length

35

◎ Used by

0 transactions, 0 templates, inherited once

 Performing Professional

prsb03-dataelement-13483

Id

prsb03-dataelement-13483 (2020-09-02 17:04:45) 0.1

Concept inherits from

 prsb03-dataelement-10460 (2018-10-31)

Description

Details of the professional performing the examination (including name and role).

Operationalization

Free text

Value Domain

 Date

prsb03-dataelement-11693

Id

prsb03-dataelement-11693 (2019-05-31 12:53:37)

Concept inherits from

 prsb03-dataelement-11688 (2019-05-31 11:50:22)

Description

The date when the mental capacity assessment was made.

Operationalization

Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute

  Location

prsb03-dataelement-11694

Id

prsb03-dataelement-11694 (2019-05-31 12:54:52)

Concept inherits from

 prsb03-dataelement-11689 (2019-05-31 11:51:04)

Description

The location where the mental capacity assessment was made.

  Performing professional

prsb03-dataelement-11332

Id

prsb03-dataelement-11332 (2019-05-30 12:56:57)

Concept inherits from

 prsb03-dataelement-11281 (2019-05-30 11:53:30)

Description

The professional who made the mental capacity assessment.

 Name

prsb03-dataelement-11333

Id

prsb03-dataelement-11333 (2019-05-30 12:57:23)

Concept inherits from	 prsb03-dataelement-11282 (2019-05-30 11:57:38)
Description	The name of the professional.
Rationale	Practitioner.name
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 70 </div>

 Role

prsb03-dataelement-11334

Id	prsb03-dataelement-11334 (2019-05-30 12:57:23)
Concept inherits from	 prsb03-dataelement-11283 (2019-05-30 11:58:48)
Description	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc
Rationale	Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobroletype
Value Domain	

 Grade

prsb03-dataelement-11335

Id	prsb03-dataelement-11335 (2019-05-30 12:57:23)
Concept inherits from	 prsb03-dataelement-11288 (2019-05-30 12:19:40)
Description	The grade of the professional.
Rationale	PractitionerRole.code
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 150 </div>

 Speciality

prsb03-dataelement-11336

Id	prsb03-dataelement-11336 (2019-05-30 12:57:23)
Concept inherits from	 prsb03-dataelement-11284 (2019-05-30 12:01:15)
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc
Rationale	PractitionerRole.speciality
Operationalization	NHS data dictionary - Activity treatment function code

Value Domain			
Property			
	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>3</td> </tr> </table>	max length	3
max length			
3			

 Professional identifier

prsb03-dataelement-11337

Id	prsb03-dataelement-11337 (2019-05-30 12:57:23)		
Concept inherits from	 prsb03-dataelement-11285 (2019-05-30 12:02:46)		
Description	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.		
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)		
Operationalization	NHS data dictionary : - Professional registration identifier		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>32</td> </tr> </table>	max length	32
max length			
32			

  Organisation

prsb03-dataelement-11338

Id	prsb03-dataelement-11338 (2019-05-30 12:57:23)
Concept inherits from	 prsb03-dataelement-11286 (2019-05-30 12:17:19)
Description	The name of the organisation the professional works for.

 Contact details

prsb03-dataelement-11339

Id	prsb03-dataelement-11339 (2019-05-30 12:57:23)		
Concept inherits from	 prsb03-dataelement-11287 (2019-05-30 12:18:13)		
Description	Contact details of the professional		
Rationale	Practitioner:telecom PractitionerRole:telecom Organisation.telcom		
Operationalization	NHS data dictionary - UK phone number		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>35</td> </tr> </table>	max length	35
max length			
35			

  Person completing record

prsb03-dataelement-11340

Id	prsb03-dataelement-11340 (2019-05-30 12:57:49)
Concept inherits from	🟡 prsb03-dataelement-11289 (2019-05-30 12:24:39)
Description	Details of the person completing the record.
Relationship	Person completing record (<i>prsb03-dataelement-319 - 2018-10-31</i>)

Name

prsb03-dataelement-11341

Id	prsb03-dataelement-11341 (2019-05-30 12:58:08)
Concept inherits from	🟡 prsb03-dataelement-11290 (2019-05-30 12:25:39)
Description	The name of the person completing the record.
Relationship	Name (<i>prsb03-dataelement-10219 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.name
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;">max length</div> <div style="border: 1px solid #ccc; padding: 5px; display: inline-block;">70</div>

Role

prsb03-dataelement-11342

Id	prsb03-dataelement-11342 (2019-05-30 12:58:08)
Concept inherits from	🟡 prsb03-dataelement-11291 (2019-05-30 12:25:39)
Description	The organisational role of the person completing record.

2.1.146 Properties

FHIR	PractitionerRole.code of the practitioner completing the record
Relationship	Role (<i>prsb03-dataelement-10220 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobrole
Value Domain	

Grade

prsb03-dataelement-11343

Id	prsb03-dataelement-11343 (2019-05-30 12:58:08)
Concept inherits from	🟡 prsb03-dataelement-11292 (2019-05-30 12:25:39)
Description	The grade of the person completing the record.
Relationship	Grade (<i>prsb03-dataelement-10221 - 2018-10-31</i>)

Rationale	PractitionerRole.code
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 150 </div>

Specialty

prsb03-dataelement-11344

Id	prsb03-dataelement-11344 (2019-05-30 12:58:08)
Concept inherits from	 prsb03-dataelement-11293 (2019-05-30 12:25:39)
Description	The main specialty of the person completing the record.

2.1.147 Properties

FHIR	PractitionerRole.specialty
Relationship	Specialty (prsb03-dataelement-10222 - 2018-10-31)
Rationale	PractitionerRole.specialty
Operationalization	NHS data dictionary :- Activity treatment function code
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 3 </div>

Organisation

prsb03-dataelement-11345

Id	prsb03-dataelement-11345 (2019-05-30 12:58:08)
Concept inherits from	 prsb03-dataelement-11294 (2019-05-30 12:25:39)
Description	The organisation the person completing the record works for.
Relationship	Organisation (prsb03-dataelement-10226 - 2018-10-31)

Professional identifier

prsb03-dataelement-11346

Id	prsb03-dataelement-11346 (2019-05-30 12:58:08)
Concept inherits from	 prsb03-dataelement-11295 (2019-05-30 12:25:39)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.148 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship	Professional identifier (<i>prsb03-dataelement-10223 - 2018-10-31</i>)
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary :- Professional registration identifier
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 2px;"> max length </div> <div style="padding: 2px;">32</div>

Date completed

prsb03-dataelement-11347

Id	prsb03-dataelement-11347 (2019-05-30 12:58:08)
Concept inherits from	🟡 prsb03-dataelement-11296 (2019-05-30 12:25:39)
Description	The date and time the record was completed.
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)
Rationale	Composition.date
Operationalization	Date and time.
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 2px;"> Timestamp precision </div> <div style="padding: 2px;">at least day, month and year, hour and minute</div>

Contact details

prsb03-dataelement-11348

Id	prsb03-dataelement-11348 (2019-05-30 12:58:08)
Concept inherits from	🟡 prsb03-dataelement-11297 (2019-05-30 12:25:39)
Description	Contact details of the person completing the record.

2.1.149 Properties

FHIR PractitionerRole.telecom

Relationship	Contact details (<i>prsb03-dataelement-10225 - 2018-10-31</i>)
Rationale	Practitioner:telecom PractitionerRole:telecom Organisation.telcom
Operationalization	NHS data dictionary : - UK telephone number

Value Domain			
Property			
	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>35</td> </tr> </table>	max length	35
max length			
35			

 Advance decision to refuse treatment (ADRT)

prsb03-dataelement-12488

Id	prsb03-dataelement-12488 (2019-10-04 18:44:06)
Description	A record of whether an advance decision to refuse one or more specific types of future treatment, exists or not.
	The decision only applies when the person no longer has the capacity to consent to or refuse the specific treatment being considered.
	An ADRT must be in writing, signed and witnessed.
	If the ADRT is refusing life-sustaining treatment it must state specifically that the treatment is refused even if the person's life is at risk.
Operationalization	<p>Yes/ No</p> <p>No further information should be sent as anything that is sent must be actionable and therefore must be completely unimpeachable.</p> <p>Where the response is yes, use the SNOMED CT concepts from the National Information Standard (SCCI1580) and associated text:</p> <ul style="list-style-type: none"> 816301000000100 Has advance decision to refuse treatment (Mental Capacity Act 2005) (finding) 816321000000109 Has advance decision to refuse life sustaining treatment (Mental Capacity Act 2005) (finding) 820621000000107 Has involved healthcare professional in discussion about advance decision to refuse treatment (Mental Capacity Act 2005) (finding)

Value Domain

 Used by	0 transactions, 0 templates, inherited once
---	---

 Safeguarding issues

prsb03-dataelement-10429

Id	prsb03-dataelement-10429 (2018-10-31)
Description	Any legal matters relating to safeguarding of a vulnerable child or adult, e.g., child protection plan, protection of vulnerable adult.
Operationalization	Information obtained locally, Free Text.

Value Domain

 Parental responsibility

prsb03-dataelement-10423

Id	prsb03-dataelement-10423 (2018-10-31)
Description	For children this is a record of person(s) with parental responsibility
Operationalization	This is a record of the name as volunteered by the parents or recorded on local systems. The contact information for these individuals should be included under the relevant contacts heading.

Value Domain

 Consent for creation of end of life care plan	prsb03-dataelement-10431
---	--------------------------

Id prsb03-dataelement-10431 (2018-10-31)

Description Separate explicit consent is required for creation of an end of life care record. This records how this consent has been granted in order to differentiate between person's explicit consent, best interest decision, Lasting Power of Attorney decision and withdrawal of consent.

Operationalization End of life care plan use case only. This is a record of consent to create an end of life care plan.

Value Domain

 Used by 0 transactions, 0 templates, inherited once

  Legal information record entry	prsb03-dataelement-12381
--	--------------------------

Id prsb03-dataelement-12381 (2019-06-03 12:32:21) 0.1

Description This is the legal information record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items

 Looked after child	prsb03-dataelement-10432
--	--------------------------

Id prsb03-dataelement-10432 (2018-10-31) 0.1

Description The details of whether the child is a 'Looked after child'

Value Domain

 Child Protection Plan	prsb03-dataelement-10433
---	--------------------------

Id prsb03-dataelement-10433 (2018-10-31) 0.1

Description The details of the Childs Protection Plan

Value Domain

 Local Authority	prsb03-dataelement-10434
---	--------------------------

Id prsb03-dataelement-10434 (2018-10-31) 0.1

Description The named local authority.

Value Domain

  Safeguarding	prsb03-dataelement-271
--	------------------------

Id prsb03-dataelement-271 (2018-10-31)

Description The safeguarding details of the person.

 Used by 14 transactions, 0 templates, inherited 0 times

 Safeguarding concerns

prsb03-dataelement-10821

Id prsb03-dataelement-10821 (2019-03-21 12:14:49)
 Description Details of safeguarding concerns
 Used by 14 transactions, 0 templates, inherited 0 times

 Safeguarding indicator

prsb03-dataelement-13428

Id prsb03-dataelement-13428 (2020-08-12 15:01:11) 0.1
 Description Indicates whether or not the hospital considers that there are safeguarding issues associated with the patient.
 Operationalization Flag: No =N: Yes = Y
 Value Domain
 Used by 14 transactions, 0 templates, inherited 0 times

 Safeguarding concerns date

prsb03-dataelement-10172

Id prsb03-dataelement-10172 (2018-10-31)
 Description The date the safeguarding concerns were identified.
 Operationalization Date and time
 Value Domain
 Property **Timestamp precision**
 at least day, month and year, hour and minute

 Safeguarding concerns end date

prsb03-dataelement-10766

Id prsb03-dataelement-10766 (2019-03-18 17:51:29)
 Description The date safeguarding concerns ended.
 Operationalization Date and time
 Value Domain
 Property **Timestamp precision**
 at least day, month and year, hour and minute

 Location

		prsb03-dataelement-10173				
Id	prsb03-dataelement-10173 (2018-10-31)					
Description	The location where the safeguarding concerns were identified.					
 Coded value		prsb03-dataelement-13437				
Id	prsb03-dataelement-13437 (2020-08-14 15:30:27)					
Description	The coded value of location					
Operationalization	NHS data dictionary : - Organisation code					
Value Domain						
Property	<table border="1"> <tr> <td>min length</td> <td>max length</td> </tr> <tr> <td>3</td> <td>9</td> </tr> </table>	min length	max length	3	9	
min length	max length					
3	9					
 Free text		prsb03-dataelement-13438				
Id	prsb03-dataelement-13438 (2020-08-14 15:32:13)					
Concept inherits from	 prsb03-dataelement-13220 (2020-07-08 12:57:49)					
Description	Free text field to be used if no code is available					
Operationalization	Free text					
Value Domain						
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>150</td> </tr> </table>	max length	150			
max length						
150						
 Performing professional		prsb03-dataelement-10969				
Id	prsb03-dataelement-10969 (2019-05-22 14:39:23)					
Description	Details of the professional identifying the safeguarding concerns.					
Relationship	Performing Professional (<i>prsb03-dataelement-10527 - 2018-10-31</i>)					
Value Domain						
 Person completing record		prsb03-dataelement-10963				
Id	prsb03-dataelement-10963 (2019-05-20 15:53:16)					
Description	This is the person recording the safeguarding concerns.					
	Should include their name, role, grade, specialty, organisation, professional identifier, date and time completed, contact details					
Relationship	Person completing record (<i>prsb03-dataelement-10860 - 2019-03-27 17:46:45</i>)					

Operationalization Free text. Name, Role, Grade, Specialty, Organisation, Professional identifier, Date and time completed, Contact details

Value Domain

 Used by 0 transactions, 0 templates, inherited once

Performing Professional

prsb03-dataelement-10174

Id prsb03-dataelement-10174 (2018-10-31)

Description Details of the professional recording the safeguarding details (including name and role)

Value Domain

Safeguarding concerns

prsb03-dataelement-10171

Id prsb03-dataelement-10171 (2018-10-31)

Description Identified safeguarding concerns.

2.1.150 Properties

FHIR Composition.text

 Used by 14 transactions, 0 templates, inherited 0 times

Coded value

prsb03-dataelement-13756

Id prsb03-dataelement-13756 (2020-09-29 12:22:26)

Description The coded value for safeguarding concerns

Operationalization SNOMED CT : - 999002381000000108 | Safeguarding issues simple reference set (foundation metadata concept) |

Value Domain

 Used by 14 transactions, 0 templates, inherited 0 times

Free text

prsb03-dataelement-13757

Id prsb03-dataelement-13757 (2020-09-29 12:23:18)

Concept inherits from  prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150

◎ Used by

14 transactions, 0 templates, inherited 0 times

  Performing professional

prsb03-dataelement-11358

Id prsb03-dataelement-11358 (2019-05-30 13:51:50)

Description The professional who identified the safeguarding concerns.

Relationship Performing professional (*prsb03-dataelement-11281 - 2019-05-30 11:53:30*) Name

prsb03-dataelement-11359

Id prsb03-dataelement-11359 (2019-05-30 13:52:16)

Concept inherits from  *prsb03-dataelement-11282 (2019-05-30 11:57:38)*

Description The name of the professional.

Rationale Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70

 Role

prsb03-dataelement-11360

Id prsb03-dataelement-11360 (2019-05-30 13:52:16)

Concept inherits from  *prsb03-dataelement-11283 (2019-05-30 11:58:48)*

Description The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc

Rationale Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobroletype

Value Domain

 Grade

prsb03-dataelement-11361

Id prsb03-dataelement-11361 (2019-05-30 13:52:16)

Concept inherits from  *prsb03-dataelement-11288 (2019-05-30 12:19:40)*

Description The grade of the professional.

Rationale PractitionerRole.code

Operationalization Free text

Value Domain

Property max length

150



Speciality

prsb03-dataelement-11362

Id prsb03-dataelement-11362 (2019-05-30 13:52:16)

Concept inherits from prsb03-dataelement-11284 (2019-05-30 12:01:15)

Description The specialty of the professional e.g. physiotherapy, oncology, mental health etc

Rationale PractitionerRole.speciality

Operationalization NHS data dictionary - Activity treatment function code

Value Domain

Property max length

3



Professional identifier

prsb03-dataelement-11363

Id prsb03-dataelement-11363 (2019-05-30 13:52:16)

Concept inherits from prsb03-dataelement-11285 (2019-05-30 12:02:46)

Description Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary : - Professional registration identifier

Value Domain

Property max length

32



Organisation

prsb03-dataelement-11364

Id prsb03-dataelement-11364 (2019-05-30 13:52:16)

Concept inherits from prsb03-dataelement-11286 (2019-05-30 12:17:19)

Description The name of the organisation the professional works for.



Contact details

		prsb03-dataelement-11365
Id		prsb03-dataelement-11365 (2019-05-30 13:52:16)
Concept inherits from	 prsb03-dataelement-11287	(2019-05-30 12:18:13)
Description		Contact details of the professional
Rationale		Practitioner.telecom PractitionerRole.telecom Organisation.telcom
Operationalization		NHS data dictionary - UK phone number
Value Domain		
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> max length 35 </div>	

 	Person completing record	prsb03-dataelement-11366
---	--	--------------------------

Id	prsb03-dataelement-11366 (2019-05-30 13:53:06)
Concept inherits from	 prsb03-dataelement-11289 (2019-05-30 12:24:39)
Description	Details of the person completing the record.
Relationship	Person completing record (<i>prsb03-dataelement-319 - 2018-10-31</i>)

 Name	prsb03-dataelement-11367	prsb03-dataelement-11367 (2019-05-30 13:53:34)
Id		prsb03-dataelement-11367 (2019-05-30 13:53:34)
Concept inherits from	 prsb03-dataelement-11290	(2019-05-30 12:25:39)
Description		The name of the person completing the record.
Relationship		Name (<i>prsb03-dataelement-10219 - 2018-10-31</i>)
Rationale		Composition.author.Practitioner.name
Operationalization		Free text.
Value Domain		
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> max length 70 </div>	

 Role	prsb03-dataelement-11368	prsb03-dataelement-11368 (2019-05-30 13:53:34)
--	--------------------------	--

Id	prsb03-dataelement-11368 (2019-05-30 13:53:34)
Concept inherits from	 prsb03-dataelement-11291 (2019-05-30 12:25:39)
Description	The organisational role of the person completing record.

2.1.151 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship Role (*prsb03-dataelement-10220 - 2018-10-31*)

Rationale Composition.author.Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobrole

Value Domain



Grade

prsb03-dataelement-11369

Id *prsb03-dataelement-11369 (2019-05-30 13:53:34)*

Concept inherits from *prsb03-dataelement-11292 (2019-05-30 12:25:39)*

Description The grade of the person completing the record.

Relationship Grade (*prsb03-dataelement-10221 - 2018-10-31*)

Rationale PractitionerRole.code

Operationalization Free text.

Value Domain

Property

max length

150



Specialty

prsb03-dataelement-11370

Id *prsb03-dataelement-11370 (2019-05-30 13:53:34)*

Concept inherits from *prsb03-dataelement-11293 (2019-05-30 12:25:39)*

Description The main specialty of the person completing the record.

2.1.152 Properties

FHIR PractitionerRole.specialty

Relationship Specialty (*prsb03-dataelement-10222 - 2018-10-31*)

Rationale PractitionerRole.specialty

Operationalization NHS data dictionary :- Activity treatment function code

Value Domain

Property

max length

3



Organisation

prsb03-dataelement-11371

Id	prsb03-dataelement-11371 (2019-05-30 13:53:34)
Concept inherits from	🟡 prsb03-dataelement-11294 (2019-05-30 12:25:39)
Description	The organisation the person completing the record works for.
Relationship	Organisation (prsb03-dataelement-10226 - 2018-10-31)

🟡 Professional identifier
prsb03-dataelement-11372

Id	prsb03-dataelement-11372 (2019-05-30 13:53:34)
Concept inherits from	🟡 prsb03-dataelement-11295 (2019-05-30 12:25:39)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.153 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship	Professional identifier (prsb03-dataelement-10223 - 2018-10-31)
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary :- Professional registration identifier
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 2px; display: inline-block;">max length</div> <div style="text-align: center;">32</div>

🟡 Date completed
prsb03-dataelement-11373

Id	prsb03-dataelement-11373 (2019-05-30 13:53:34)
Concept inherits from	🟡 prsb03-dataelement-11296 (2019-05-30 12:25:39)
Description	The date and time the record was completed.
Relationship	Date completed (prsb03-dataelement-10224 - 2018-10-31)
Rationale	Composition.date
Operationalization	Date and time.
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 2px; display: inline-block;">Timestamp precision</div> <div style="text-align: center;">at least day, month and year, hour and minute</div>

🟡 Contact details
prsb03-dataelement-11374

Id	prsb03-dataelement-11374 (2019-05-30 13:53:34)
Concept inherits from	🟡 prsb03-dataelement-11297 (2019-05-30 12:25:39)
Description	Contact details of the person completing the record.

2.1.154 Properties

FHIR PractitionerRole.telecom

Relationship Contact details (*prsb03-dataelement-10225 - 2018-10-31*)

Rationale Practitioner:telecom
PractitionerRole:telecom
Organisation.telcom

Operationalization NHS data dictionary : - UK telephone number

Value Domain

Property

max length

35



Comment

prsb03-dataelement-10175

Id prsb03-dataelement-10175 (2018-10-31)

Description Further details on safeguarding concerns.

Operationalization Free text

Value Domain

Property

max length

150



Used by 14 transactions, 0 templates, inherited 0 times



Performing professional

prsb03-dataelement-11148

Id prsb03-dataelement-11148 (2019-05-24 11:51:30)

Description The professional identifying the safeguarding concern.

Used by 0 transactions, 0 templates, inherited 5 times



Name

prsb03-dataelement-11149

Id prsb03-dataelement-11149 (2019-05-24 11:51:53)

Concept inherits from 🔴 prsb03-dataelement-11045 (2019-05-24 11:18:10)

Description	The name of the professional with responsibility for the care of the person.
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 70 </div>
Used by	0 transactions, 0 templates, inherited 5 times

 Role	prsb03-dataelement-11150
Id	prsb03-dataelement-11150 (2019-05-24 11:51:53)
Concept inherits from	 prsb03-dataelement-11046 (2019-05-24 11:18:10)
Description	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker, key worker, care home manager, care coordinator, LA hospital liaison person, care home contact, hospital clinician, Independent Mental Capacity Advocate (IMCA) etc
Operationalization	FHIR value set : - SDSjobrole
Value Domain	
Used by	0 transactions, 0 templates, inherited 5 times

 Speciality	prsb03-dataelement-11151
Id	prsb03-dataelement-11151 (2019-05-24 11:51:53)
Concept inherits from	 prsb03-dataelement-11047 (2019-05-24 11:18:10)
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc
Operationalization	NHS data dictionary : - Activity treatment function code
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 3 </div>
Used by	0 transactions, 0 templates, inherited 5 times

 Team	prsb03-dataelement-11152
Id	prsb03-dataelement-11152 (2019-05-24 11:51:53)
Concept inherits from	 prsb03-dataelement-11048 (2019-05-24 11:18:10)

Description	The name of the team.
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 35 </div>
Used by	0 transactions, 0 templates, inherited 5 times

  Organisation	prsb03-dataelement-11153
--	--------------------------

Id	prsb03-dataelement-11153 (2019-05-24 11:51:53)
Concept inherits from	 prsb03-dataelement-11049 (2019-05-24 11:18:10)
Description	The name of the organisation.
Used by	0 transactions, 0 templates, inherited 5 times

 Contact details	prsb03-dataelement-11154
--	--------------------------

Id	prsb03-dataelement-11154 (2019-05-24 11:51:53)
Concept inherits from	 prsb03-dataelement-11050 (2019-05-24 11:18:10)
Description	Contact details of the professional (e.g. telephone number, email address etc.).
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 35 </div>
Used by	0 transactions, 0 templates, inherited 5 times

 Professional identifier	prsb03-dataelement-11167
---	--------------------------

Id	prsb03-dataelement-11167 (2019-05-28 17:18:30)
Concept inherits from	 prsb03-dataelement-10223 (2018-10-31)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.155 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Value
Domain

⌚ Used by 0 transactions, 0 templates, inherited 5 times

⌚ Start date

prsb03-dataelement-11155

Id prsb03-dataelement-11155 (2019-05-24 11:51:53)

Concept inherits from ⌚ [prsb03-dataelement-11051](#) (2019-05-24 11:18:10)

Description The start date of the professional relationship with the person.

Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute

⌚ Used by 0 transactions, 0 templates, inherited 5 times

⌚ End date

prsb03-dataelement-11156

Id prsb03-dataelement-11156 (2019-05-24 11:51:53)

Concept inherits from ⌚ [prsb03-dataelement-11052](#) (2019-05-24 11:18:10)

Description The end date of the professional relationship with the person.

Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute

⌚ Used by 0 transactions, 0 templates, inherited 5 times

📁⌚ Professional contacts record entry

prsb03-dataelement-11157

Id prsb03-dataelement-11157 (2019-05-24 11:51:53)

Description This is a professional contacts record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.

Relationship Professional contacts record entry (*prsb03-dataelement-11044 - 2019-05-24 11:18:10*)

⌚ Used by 0 transactions, 0 templates, inherited 5 times

Person completing record

prsb03-dataelement-319

Id prsb03-dataelement-319 (2018-10-31)

Description Details of the person completing the record.

⌚ Used by 0 transactions, 0 templates, inherited 14 times

Name

prsb03-dataelement-10219

Id prsb03-dataelement-10219 (2018-10-31)

Description The name of the person completing the record, preferably in a structured format.

Operationalization The person name as held on the source system. Where possible this should be broken down into its constituent parts (prefix, given name, family name, and suffix).

Value Domain

⌚ Used by 0 transactions, 0 templates, inherited 15 times

Role

prsb03-dataelement-10220

Id prsb03-dataelement-10220 (2018-10-31)

Description The role of the person completing record.

2.1.156 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Operationalization The role may be held on the source system, be from an authoritative source such as SDS, or use an existing vocabulary such as the job role title (from the national workforce dataset).

Value Domain

⌚ Used by 0 transactions, 0 templates, inherited 15 times

Grade

prsb03-dataelement-10221

Id prsb03-dataelement-10221 (2018-10-31)

Description The grade of the person completing the record

Operationalization The grade of the person completing the record held on the source system or from an authoritative source

Value Domain



0 transactions, 0 templates, inherited 15 times

Specialty

prsb03-dataelement-10222

Id

prsb03-dataelement-10222 (2018-10-31)

Description

The main specialty of the person completing the record.

2.1.157 Properties

FHIR PractitionerRole.specialty

Operationalization The main clinical specialty as held on the source system.

Value Domain



0 transactions, 0 templates, inherited 15 times

Organisation

prsb03-dataelement-10226

Id

prsb03-dataelement-10226 (2018-10-31)

Description

The organisation the person completing the record works for.

Operationalization

An ODS identifier for the organisation or site, the name of the organisation or site, and a postal address (if available).

Value Domain



0 transactions, 0 templates, inherited 15 times

Professional identifier

prsb03-dataelement-10223

Id

prsb03-dataelement-10223 (2018-10-31)

Description

Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.158 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Value
Domain

0 transactions, 0 templates, inherited 16 times

Date completed

prsb03-dataelement-10224

Id	prsb03-dataelement-10224 (2018-10-31)
Description	The date and time the record was updated.
Operationalization	The date/time the record was updated.
Value Domain	
Used by	0 transactions, 0 templates, inherited 15 times

✖ Contact details

prsb03-dataelement-10225

Id	prsb03-dataelement-10225 (2018-10-31)
Description	Contact details of the person completing the record. For example a phone number, email address. Contact details are used to resolve queries about the record entry.

2.1.159 Properties

FHIR	PractitionerRole.telecom
Operationalization	The contact details may be for the individual completing the record, or wider team details (for example a phone number for a hospital department).
Value Domain	
Used by	0 transactions, 0 templates, inherited 15 times

📁🟡 Looked after child

prsb03-dataelement-10797

Id	prsb03-dataelement-10797 (2019-03-20 13:08:45)
Description	Details of the looked after child

🟡 Looked after child start date

prsb03-dataelement-10746

Id	prsb03-dataelement-10746 (2019-03-07 11:47:56)
Description	The date the child became a looked after child.
Relationship	Looked after child (<i>prsb03-dataelement-10432 - 2018-10-31</i>)
Operationalization	Date and time
Value Domain	

Property**Timestamp precision**

at least day, month and year, hour and minute

🟡 Looked after child end date

prsb03-dataelement-10761

Id

prsb03-dataelement-10761 (2019-03-08 18:36:16)

Description The date the child ceased to be a looked after child.

Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Local authority

prsb03-dataelement-10799

Id prsb03-dataelement-10799 (2019-03-20 13:14:32)

Description The named local authority.

Relationship Local Authority (*prsb03-dataelement-10434 - 2018-10-31*)



Coded value

prsb03-dataelement-13614

Id prsb03-dataelement-13614 (2020-09-08 18:19:46)

Description The coded value for local authority

Operationalization NHS data dictionary : - Organisation data service

Value Domain

Property

min length max length

3 5



Free text

prsb03-dataelement-13615

Id prsb03-dataelement-13615 (2020-09-08 18:21:36)

Concept inherits from *prsb03-dataelement-13220* (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150



Person completing record

prsb03-dataelement-11375

Id prsb03-dataelement-11375 (2019-05-30 13:54:10)

Concept inherits from *prsb03-dataelement-11289* (2019-05-30 12:24:39)

Description Details of the person completing the record.

Relationship Person completing record (*prsb03-dataelement-319 - 2018-10-31*)

 Name	prsb03-dataelement-11376		
Id	prsb03-dataelement-11376 (2019-05-30 13:54:40)		
Concept inherits from	 <i>prsb03-dataelement-11290</i> (2019-05-30 12:25:39)		
Description	The name of the person completing the record.		
Relationship	Name (<i>prsb03-dataelement-10219 - 2018-10-31</i>)		
Rationale	Composition.author.Practitioner.name		
Operationalization	Free text.		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>70</td> </tr> </table>	max length	70
max length			
70			

 Role	prsb03-dataelement-11377
--	--------------------------

Id prsb03-dataelement-11377 (2019-05-30 13:54:40)
 Concept inherits from  *prsb03-dataelement-11291* (2019-05-30 12:25:39)
 Description The organisational role of the person completing record.

2.1.160 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship	Role (<i>prsb03-dataelement-10220 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobrole
Value Domain	

 Grade	prsb03-dataelement-11378
---	--------------------------

Id prsb03-dataelement-11378 (2019-05-30 13:54:40)
 Concept inherits from  *prsb03-dataelement-11292* (2019-05-30 12:25:39)
 Description The grade of the person completing the record.
 Relationship Grade (*prsb03-dataelement-10221 - 2018-10-31*)
 Rationale PractitionerRole.code
 Operationalization Free text.
 Value Domain

Property	max length	
	150	

 Specialty	prsb03-dataelement-11379
---	--------------------------

Id	prsb03-dataelement-11379 (2019-05-30 13:54:40)
Concept inherits from	 <i>prsb03-dataelement-11293</i> (2019-05-30 12:25:39)
Description	The main specialty of the person completing the record.

2.1.161 Properties

FHIR PractitionerRole.specialty

Relationship	Specialty (<i>prsb03-dataelement-10222 - 2018-10-31</i>)
Rationale	PractitionerRole.specialty
Operationalization	NHS data dictionary :- Activity treatment function code
Value Domain	

Property

max length

3

 Organisation	prsb03-dataelement-11380
--	--------------------------

Id	prsb03-dataelement-11380 (2019-05-30 13:54:40)
Concept inherits from	 <i>prsb03-dataelement-11294</i> (2019-05-30 12:25:39)
Description	The organisation the person completing the record works for.
Relationship	Organisation (<i>prsb03-dataelement-10226 - 2018-10-31</i>)

 Professional identifier	prsb03-dataelement-11381
---	--------------------------

Id	prsb03-dataelement-11381 (2019-05-30 13:54:40)
Concept inherits from	 <i>prsb03-dataelement-11295</i> (2019-05-30 12:25:39)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.162 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship	Professional identifier (<i>prsb03-dataelement-10223 - 2018-10-31</i>)
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary :- Professional registration identifier

Value Domain

Property

max length

32



Date completed

prsb03-dataelement-11382

Id

prsb03-dataelement-11382 (2019-05-30 13:54:40)

Concept inherits from

prsb03-dataelement-11296 (2019-05-30 12:25:39)

Description

The date and time the record was completed.

Relationship

Date completed (*prsb03-dataelement-10224 - 2018-10-31*)

Rationale

Composition.date

Operationalization

Date and time.

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Contact details

prsb03-dataelement-11383

Id

prsb03-dataelement-11383 (2019-05-30 13:54:40)

Concept inherits from

prsb03-dataelement-11297 (2019-05-30 12:25:39)

Description

Contact details of the person completing the record.

2.1.163 Properties

FHIR PractitionerRole.telecom

Relationship

Contact details (*prsb03-dataelement-10225 - 2018-10-31*)

Rationale

Practitioner:telecom
PractitionerRole:telecom
Organisation:telcom

Operationalization

NHS data dictionary : - UK telephone number

Value Domain

Property

max length

35



Person completing record

prsb03-dataelement-11169

Id	prsb03-dataelement-11169 (2019-05-28 17:42:48)
Concept inherits from	 prsb03-dataelement-319 (2018-10-31)
Description	Details of the person completing the record.
 Name	prsb03-dataelement-11170
Id	prsb03-dataelement-11170 (2019-05-28 17:43:26)
Concept inherits from	 prsb03-dataelement-10219 (2018-10-31)
Description	The name of the person completing the record, preferably in a structured format.
Operationalization	The person name as held on the source system. Where possible this should be broken down into its constituent parts (prefix, given name, family name, and suffix).
Value Domain	
 Role	prsb03-dataelement-11171
Id	prsb03-dataelement-11171 (2019-05-28 17:43:26)
Concept inherits from	 prsb03-dataelement-10220 (2018-10-31)
Description	The role of the person completing record.
2.1.164 Properties	
FHIR	PractitionerRole.code of the practitioner completing the record
Operationalization	The role may be held on the source system, be from an authoritative source such as SDS, or use an existing vocabulary such as the job role title (from the national workforce dataset).
Value Domain	
 Grade	prsb03-dataelement-11172
Id	prsb03-dataelement-11172 (2019-05-28 17:43:26)
Concept inherits from	 prsb03-dataelement-10221 (2018-10-31)
Description	The grade of the person completing the record
Operationalization	The grade of the person completing the record held on the source system or from an authoritative source
Value Domain	
 Specialty	prsb03-dataelement-11173
Id	prsb03-dataelement-11173 (2019-05-28 17:43:26)
Concept inherits from	 prsb03-dataelement-10222 (2018-10-31)

Description	The main specialty of the person completing the record.
-------------	---

2.1.165 Properties

FHIR	PractitionerRole.specialty
------	----------------------------

Operationalization	The main clinical specialty as held on the source system.
--------------------	---

Value Domain	
--------------	--

✖ Organisation

prsb03-dataelement-11174

Id	prsb03-dataelement-11174 (2019-05-28 17:43:26)
----	--

Concept inherits from	✖ prsb03-dataelement-10226 (2018-10-31)
-----------------------	---

Description	The organisation the person completing the record works for.
-------------	--

Operationalization	An ODS identifier for the organisation or site, the name of the organisation or site, and a postal address (if available).
--------------------	--

Value Domain	
--------------	--

✖ Professional identifier

prsb03-dataelement-11175

Id	prsb03-dataelement-11175 (2019-05-28 17:43:26)
----	--

Concept inherits from	✖ prsb03-dataelement-10223 (2018-10-31)
-----------------------	---

Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.
-------------	---

2.1.166 Properties

FHIR	PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)
------	---

Value Domain	
--------------	--

✖ Date completed

prsb03-dataelement-11176

Id	prsb03-dataelement-11176 (2019-05-28 17:43:26)
----	--

Concept inherits from	✖ prsb03-dataelement-10224 (2018-10-31)
-----------------------	---

Description	The date and time the record was updated.
-------------	---

Operationalization	The date/time the record was updated.
--------------------	---------------------------------------

Value Domain	
--------------	--

✖ Contact details

prsb03-dataelement-11177

Id	prsb03-dataelement-11177 (2019-05-28 17:43:26)
----	--

Concept inherits from	 prsb03-dataelement-10225 (2018-10-31)
Description	Contact details of the person completing the record. For example a phone number, email address. Contact details are used to resolve queries about the record entry.

2.1.167 Properties

FHIR	PractitionerRole.telecom
Operationalization	The contact details may be for the individual completing the record, or wider team details (for example a phone number for a hospital department).
Value Domain	

 Person completing record	prsb03-dataelement-11168
--	--------------------------

Id	prsb03-dataelement-11168 (2019-05-28 17:40:50)
Concept inherits from	 prsb03-dataelement-10963 (2019-05-20 15:53:16)
Description	This is the person recording the safeguarding concerns.
Relationship	Should include their name, role, grade, specialty, organisation, professional identifier, date and time completed, contact details
Operationalization	Person completing record (prsb03-dataelement-10860 - 2019-03-27 17:46:45)
Value Domain	Free text. Name, Role, Grade, Specialty, Organisation, Professional identifier, Date and time completed, Contact details

  Person completing record	prsb03-dataelement-10996
--	--------------------------

Id	prsb03-dataelement-10996 (2019-05-24 10:55:43)
Description	Person completing record
Relationship	Person completing record (prsb03-dataelement-319 - 2018-10-31)

 Name	prsb03-dataelement-10997
--	--------------------------

Id	prsb03-dataelement-10997 (2019-05-24 10:56:48)
Concept inherits from	 prsb03-dataelement-10219 (2018-10-31)
Description	The name of the person completing the record, preferably in a structured format.
Operationalization	The person name as held on the source system. Where possible this should be broken down into its constituent parts (prefix, given name, family name, and suffix).
Value Domain	

 Role	prsb03-dataelement-10998
--	--------------------------

Id	prsb03-dataelement-10998 (2019-05-24 10:56:48)
Concept inherits from	☒ prsb03-dataelement-10220 (2018-10-31)
Description	The role of the person completing record.

2.1.168 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Operationalization The role may be held on the source system, be from an authoritative source such as SDS, or use an existing vocabulary such as the job role title (from the national workforce dataset).

Value Domain

☒ Grade	prsb03-dataelement-10999
---------	--------------------------

Id	prsb03-dataelement-10999 (2019-05-24 10:56:48)
Concept inherits from	☒ prsb03-dataelement-10221 (2018-10-31)
Description	The grade of the person completing the record
Operationalization	The grade of the person completing the record held on the source system or from an authoritative source
Value Domain	

☒ Specialty	prsb03-dataelement-11000
-------------	--------------------------

Id	prsb03-dataelement-11000 (2019-05-24 10:56:48)
Concept inherits from	☒ prsb03-dataelement-10222 (2018-10-31)
Description	The main specialty of the person completing the record.

2.1.169 Properties

FHIR PractitionerRole.specialty

Operationalization The main clinical specialty as held on the source system.

Value Domain

☒ Professional identifier	prsb03-dataelement-11001
---------------------------	--------------------------

Id	prsb03-dataelement-11001 (2019-05-24 10:56:48)
Concept inherits from	☒ prsb03-dataelement-10223 (2018-10-31)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.170 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Value
Domain



Date completed

prsb03-dataelement-11002

Id prsb03-dataelement-11002 (2019-05-24 10:56:48)

Concept inherits from *prsb03-dataelement-10224* (2018-10-31)

Description The date and time the record was updated.

Operationalization The date/time the record was updated.

Value Domain



Contact details

prsb03-dataelement-11003

Id prsb03-dataelement-11003 (2019-05-24 10:56:48)

Concept inherits from *prsb03-dataelement-10225* (2018-10-31)

Description Contact details of the person completing the record. For example a phone number, email address. Contact details are used to resolve queries about the record entry.

2.1.171 Properties

FHIR PractitionerRole.telecom

Operationalization The contact details may be for the individual completing the record, or wider team details (for example a phone number for a hospital department).

Value Domain



Organisation

prsb03-dataelement-11004

Id prsb03-dataelement-11004 (2019-05-24 10:56:48)

Concept inherits from *prsb03-dataelement-10226* (2018-10-31)

Description The organisation the person completing the record works for.

Operationalization An ODS identifier for the organisation or site, the name of the organisation or site, and a postal address (if available).

Value Domain



Person completing record

prsb03-dataelement-10964

Id prsb03-dataelement-10964 (2019-05-20 15:56:51)

Description	This is the person recording the details of the looked after child.
Relationship	Should include their name, role, grade, specialty, organisation, professional identifier, date and time completed, contact details
Operationalization	Person completing record (<i>prsb03-dataelement-10860 - 2019-03-27 17:46:45</i>)
Value Domain	Free text. Name, Role, Grade, Specialty, Organisation, Professional identifier, Date and time completed, Contact details
  Child protection plan	prsb03-dataelement-10798
Id	prsb03-dataelement-10798 (2019-03-20 13:12:02)
Description	Details of the child protection plan
 Child protection plan start date	prsb03-dataelement-10747
Id	prsb03-dataelement-10747 (2019-03-07 11:48:25)
Description	The start date of the child protection plan
Relationship	Child Protection Plan (<i>prsb03-dataelement-10433 - 2018-10-31</i>)
Operationalization	Date and time
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>
 Child protection plan end date	prsb03-dataelement-10762
Id	prsb03-dataelement-10762 (2019-03-08 18:36:48)
Description	The end date of the child protection plan
Operationalization	Date and time
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>
  Local authority	prsb03-dataelement-10748
Id	prsb03-dataelement-10748 (2019-03-07 11:48:45)
Description	The named local authority.
Relationship	Local Authority (<i>prsb03-dataelement-10434 - 2018-10-31</i>)



Coded value

prsb03-dataelement-13616

Id prsb03-dataelement-13616 (2020-09-08 18:37:54)

Description The coded value for a local authority

Operationalization NHS data dictionary : - organisation data service

Value Domain

Property

min length max length

3 5



Free text

prsb03-dataelement-13617

Id prsb03-dataelement-13617 (2020-09-08 18:39:19)

Concept inherits from prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150



Person completing record

prsb03-dataelement-11384

Id prsb03-dataelement-11384 (2019-05-30 13:55:02)

Concept inherits from prsb03-dataelement-11289 (2019-05-30 12:24:39)

Description Details of the person completing the record.

Relationship Person completing record (*prsb03-dataelement-319 - 2018-10-31*)

Name

prsb03-dataelement-11385

Id prsb03-dataelement-11385 (2019-05-30 13:55:35)

Concept inherits from prsb03-dataelement-11290 (2019-05-30 12:25:39)

Description The name of the person completing the record.

Relationship Name (*prsb03-dataelement-10219 - 2018-10-31*)

Rationale Composition.author.Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70



Role

prsb03-dataelement-11386

Id

prsb03-dataelement-11386 (2019-05-30 13:55:35)

Concept inherits from

prsb03-dataelement-11291 (2019-05-30 12:25:39)

Description

The organisational role of the person completing record.

2.1.172 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship

Role (*prsb03-dataelement-10220 - 2018-10-31*)

Rationale

Composition.author.Practitioner.PractitionerRole.code

Operationalization

FHIR value set :- SDSjobrole

Value Domain



Grade

prsb03-dataelement-11387

Id

prsb03-dataelement-11387 (2019-05-30 13:55:35)

Concept inherits from

prsb03-dataelement-11292 (2019-05-30 12:25:39)

Description

The grade of the person completing the record.

Relationship

Grade (*prsb03-dataelement-10221 - 2018-10-31*)

Rationale

PractitionerRole.code

Operationalization

Free text.

Value Domain

Property

max length

150



Specialty

prsb03-dataelement-11388

Id

prsb03-dataelement-11388 (2019-05-30 13:55:35)

Concept inherits from

prsb03-dataelement-11293 (2019-05-30 12:25:39)

Description

The main specialty of the person completing the record.

2.1.173 Properties

FHIR PractitionerRole.specialty

Relationship	Specialty (<i>prsb03-dataelement-10222 - 2018-10-31</i>)
Rationale	PractitionerRole.speciality
Operationalization	NHS data dictionary :- Activity treatment function code
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; text-align: center;"> max length 3 </div>

  Organisation

prsb03-dataelement-11389

Id	prsb03-dataelement-11389 (2019-05-30 13:55:35)
Concept inherits from	 <i>prsb03-dataelement-11294</i> (2019-05-30 12:25:39)
Description	The organisation the person completing the record works for.
Relationship	Organisation (<i>prsb03-dataelement-10226 - 2018-10-31</i>)

 Professional identifier

prsb03-dataelement-11390

Id	prsb03-dataelement-11390 (2019-05-30 13:55:35)
Concept inherits from	 <i>prsb03-dataelement-11295</i> (2019-05-30 12:25:39)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.174 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship	Professional identifier (<i>prsb03-dataelement-10223 - 2018-10-31</i>)
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary :- Professional registration identifier
Value Domain	

Property

max length

32

 Date completed

prsb03-dataelement-11391

Id	prsb03-dataelement-11391 (2019-05-30 13:55:35)
Concept inherits from	 <i>prsb03-dataelement-11296</i> (2019-05-30 12:25:39)
Description	The date and time the record was completed.

Relationship Date completed (*prsb03-dataelement-10224 - 2018-10-31*)

Rationale Composition.date

Operationalization Date and time.

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Contact details

prsb03-dataelement-11392

Id prsb03-dataelement-11392 (2019-05-30 13:55:35)

Concept inherits from *prsb03-dataelement-11297* (2019-05-30 12:25:39)

Description Contact details of the person completing the record.

2.1.175 Properties

FHIR PractitionerRole.telecom

Relationship Contact details (*prsb03-dataelement-10225 - 2018-10-31*)

Rationale Practitioner:telecom
PractitionerRole:telecom
Organisation.telcom

Operationalization NHS data dictionary : - UK telephone number

Value Domain

Property

max length

35



Person completing record

prsb03-dataelement-11005

Id prsb03-dataelement-11005 (2019-05-24 10:57:24)

Concept inherits from *prsb03-dataelement-319* (2018-10-31)

Description Details of the person completing the record.



Name

prsb03-dataelement-11006

Id prsb03-dataelement-11006 (2019-05-24 10:57:52)

Concept inherits from *prsb03-dataelement-10219* (2018-10-31)

Description The name of the person completing the record, preferably in a structured format.

Operationalization The person name as held on the source system. Where possible this should be broken down into its constituent parts (prefix, given name, family name, and suffix).

Value Domain



Role

prsb03-dataelement-11007

Id prsb03-dataelement-11007 (2019-05-24 10:57:52)

Concept inherits from [prsb03-dataelement-10220](#) (2018-10-31)

Description The role of the person completing record.

2.1.176 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Operationalization The role may be held on the source system, be from an authoritative source such as SDS, or use an existing vocabulary such as the job role title (from the national workforce dataset).

Value Domain



Grade

prsb03-dataelement-11008

Id prsb03-dataelement-11008 (2019-05-24 10:57:52)

Concept inherits from [prsb03-dataelement-10221](#) (2018-10-31)

Description The grade of the person completing the record

Operationalization The grade of the person completing the record held on the source system or from an authoritative source

Value Domain



Specialty

prsb03-dataelement-11009

Id prsb03-dataelement-11009 (2019-05-24 10:57:52)

Concept inherits from [prsb03-dataelement-10222](#) (2018-10-31)

Description The main specialty of the person completing the record.

2.1.177 Properties

FHIR PractitionerRole.specialty

Operationalization The main clinical specialty as held on the source system.

Value Domain



Professional identifier

prsb03-dataelement-11010

Id prsb03-dataelement-11010 (2019-05-24 10:57:52)

Concept inherits from	 prsb03-dataelement-10223 (2018-10-31)
-----------------------	---

Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.
-------------	---

2.1.178 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Value Domain

 Date completed	prsb03-dataelement-11011
--	--------------------------

Id	prsb03-dataelement-11011 (2019-05-24 10:57:52)
----	--

Concept inherits from	 prsb03-dataelement-10224 (2018-10-31)
-----------------------	---

Description	The date and time the record was updated.
-------------	---

Operationalization	The date/time the record was updated.
--------------------	---------------------------------------

Value Domain

 Contact details	prsb03-dataelement-11012
---	--------------------------

Id	prsb03-dataelement-11012 (2019-05-24 10:57:52)
----	--

Concept inherits from	 prsb03-dataelement-10225 (2018-10-31)
-----------------------	---

Description	Contact details of the person completing the record. For example a phone number, email address. Contact details are used to resolve queries about the record entry.
-------------	---

2.1.179 Properties

FHIR PractitionerRole.telecom

Operationalization	The contact details may be for the individual completing the record, or wider team details (for example a phone number for a hospital department).
--------------------	--

Value Domain

 Organisation	prsb03-dataelement-11013
--	--------------------------

Id	prsb03-dataelement-11013 (2019-05-24 10:57:52)
----	--

Concept inherits from	 prsb03-dataelement-10226 (2018-10-31)
-----------------------	---

Description	The organisation the person completing the record works for.
-------------	--

Operationalization	An ODS identifier for the organisation or site, the name of the organisation or site, and a postal address (if available).
--------------------	--

Value Domain

	Person completing record	prsb03-dataelement-10965
--	--------------------------	--------------------------

Id	prsb03-dataelement-10965 (2019-05-20 15:58:45)
Description	This is the person recording the details of the child protection plan.
	Should include their name, role, grade, specialty, organisation, professional identifier, date and time completed, contact details
Relationship	Person completing record (<i>prsb03-dataelement-10860 - 2019-03-27 17:46:45</i>)
Operationalization	Free text. Name, Role, Grade, Specialty, Organisation, Professional identifier, Date and time completed, Contact details
Value Domain	

	Unborn child protection plan	prsb03-dataelement-10923
--	------------------------------	--------------------------

Id	prsb03-dataelement-10923 (2019-04-26 17:54:37)
Description	Details of the unborn child protection plan.

	Unborn child protection plan start date	prsb03-dataelement-10924
--	---	--------------------------

Id	prsb03-dataelement-10924 (2019-04-26 17:55:45)		
Description	Start date of the unborn child protection plan.		
Operationalization	Date and time		
Value Domain			
Property	<table border="1"> <tr> <td style="text-align: center;">Timestamp precision</td> </tr> <tr> <td>at least day, month and year, hour and minute</td> </tr> </table>	Timestamp precision	at least day, month and year, hour and minute
Timestamp precision			
at least day, month and year, hour and minute			

	Unborn child protection plan end date	prsb03-dataelement-10925
--	---------------------------------------	--------------------------

Id	prsb03-dataelement-10925 (2019-04-26 17:56:43)		
Description	End date of the unborn child protection plan.		
Operationalization	Date and time		
Value Domain			
Property	<table border="1"> <tr> <td style="text-align: center;">Timestamp precision</td> </tr> <tr> <td>at least day, month and year, hour and minute</td> </tr> </table>	Timestamp precision	at least day, month and year, hour and minute
Timestamp precision			
at least day, month and year, hour and minute			

	Local authority	prsb03-dataelement-10926
--	-----------------	--------------------------

Id	prsb03-dataelement-10926 (2019-04-26 17:58:25)
Description	The named local authority.



Coded value

prsb03-dataelement-13618

Id prsb03-dataelement-13618 (2020-09-08 18:41:51)

Description The coded value for local authority

Operationalization NHS data dictionary: - Organisation data service

Value Domain

Property

min length	max length
------------	------------

3 5



Free text

prsb03-dataelement-13619

Id prsb03-dataelement-13619 (2020-09-08 18:43:11)

Concept inherits from prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150



Person completing record

prsb03-dataelement-11393

Id prsb03-dataelement-11393 (2019-05-30 13:56:01)

Concept inherits from prsb03-dataelement-11289 (2019-05-30 12:24:39)

Description Details of the person completing the record.

Relationship Person completing record (*prsb03-dataelement-319 - 2018-10-31*)

Name

prsb03-dataelement-11394

Id prsb03-dataelement-11394 (2019-05-30 13:56:18)

Concept inherits from prsb03-dataelement-11290 (2019-05-30 12:25:39)

Description The name of the person completing the record.

Relationship Name (*prsb03-dataelement-10219 - 2018-10-31*)

Rationale Composition.author.Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70



Role

prsb03-dataelement-11395

Id

prsb03-dataelement-11395 (2019-05-30 13:56:18)

Concept inherits from

prsb03-dataelement-11291 (2019-05-30 12:25:39)

Description

The organisational role of the person completing record.

2.1.180 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship

Role (*prsb03-dataelement-10220 - 2018-10-31*)

Rationale

Composition.author.Practitioner.PractitionerRole.code

Operationalization

FHIR value set :- SDSjobrole

Value Domain



Grade

prsb03-dataelement-11396

Id

prsb03-dataelement-11396 (2019-05-30 13:56:18)

Concept inherits from

prsb03-dataelement-11292 (2019-05-30 12:25:39)

Description

The grade of the person completing the record.

Relationship

Grade (*prsb03-dataelement-10221 - 2018-10-31*)

Rationale

PractitionerRole.code

Operationalization

Free text.

Value Domain

Property

max length

150



Specialty

prsb03-dataelement-11397

Id

prsb03-dataelement-11397 (2019-05-30 13:56:18)

Concept inherits from

prsb03-dataelement-11293 (2019-05-30 12:25:39)

Description

The main specialty of the person completing the record.

2.1.181 Properties

FHIR PractitionerRole.specialty

Relationship	Specialty (<i>prsb03-dataelement-10222 - 2018-10-31</i>)
Rationale	PractitionerRole.speciality
Operationalization	NHS data dictionary :- Activity treatment function code
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; text-align: center;"> max length 3 </div>

  Organisation

prsb03-dataelement-11398

Id	prsb03-dataelement-11398 (2019-05-30 13:56:18)
Concept inherits from	 <i>prsb03-dataelement-11294</i> (2019-05-30 12:25:39)
Description	The organisation the person completing the record works for.
Relationship	Organisation (<i>prsb03-dataelement-10226 - 2018-10-31</i>)

 Professional identifier

prsb03-dataelement-11399

Id	prsb03-dataelement-11399 (2019-05-30 13:56:18)
Concept inherits from	 <i>prsb03-dataelement-11295</i> (2019-05-30 12:25:39)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.182 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship	Professional identifier (<i>prsb03-dataelement-10223 - 2018-10-31</i>)
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary :- Professional registration identifier
Value Domain	

Property

max length
32

 Date completed

prsb03-dataelement-11400

Id	prsb03-dataelement-11400 (2019-05-30 13:56:18)
Concept inherits from	 <i>prsb03-dataelement-11296</i> (2019-05-30 12:25:39)
Description	The date and time the record was completed.

Relationship Date completed (*prsb03-dataelement-10224 - 2018-10-31*)

Rationale Composition.date

Operationalization Date and time.

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Contact details

prsb03-dataelement-11401

Id prsb03-dataelement-11401 (2019-05-30 13:56:18)

Concept inherits from *prsb03-dataelement-11297* (2019-05-30 12:25:39)

Description Contact details of the person completing the record.

2.1.183 Properties

FHIR PractitionerRole.telecom

Relationship Contact details (*prsb03-dataelement-10225 - 2018-10-31*)

Rationale Practitioner:telecom
PractitionerRole:telecom
Organisation.telcom

Operationalization NHS data dictionary : - UK telephone number

Value Domain

Property

max length

35



Person completing record

prsb03-dataelement-11014

Id prsb03-dataelement-11014 (2019-05-24 10:58:35)

Concept inherits from *prsb03-dataelement-319* (2018-10-31)

Description Details of the person completing the record.



Name

prsb03-dataelement-11015

Id prsb03-dataelement-11015 (2019-05-24 10:58:56)

Concept inherits from *prsb03-dataelement-10219* (2018-10-31)

Description The name of the person completing the record, preferably in a structured format.

Operationalization The person name as held on the source system. Where possible this should be broken down into its constituent parts (prefix, given name, family name, and suffix).

Value Domain



Role

prsb03-dataelement-11016

Id prsb03-dataelement-11016 (2019-05-24 10:58:56)

Concept inherits from [prsb03-dataelement-10220](#) (2018-10-31)

Description The role of the person completing record.

2.1.184 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Operationalization The role may be held on the source system, be from an authoritative source such as SDS, or use an existing vocabulary such as the job role title (from the national workforce dataset).

Value Domain



Grade

prsb03-dataelement-11017

Id prsb03-dataelement-11017 (2019-05-24 10:58:56)

Concept inherits from [prsb03-dataelement-10221](#) (2018-10-31)

Description The grade of the person completing the record

Operationalization The grade of the person completing the record held on the source system or from an authoritative source

Value Domain



Specialty

prsb03-dataelement-11018

Id prsb03-dataelement-11018 (2019-05-24 10:58:56)

Concept inherits from [prsb03-dataelement-10222](#) (2018-10-31)

Description The main specialty of the person completing the record.

2.1.185 Properties

FHIR PractitionerRole.specialty

Operationalization The main clinical specialty as held on the source system.

Value Domain



Professional identifier

prsb03-dataelement-11019

Id prsb03-dataelement-11019 (2019-05-24 10:58:56)

Concept inherits from	 prsb03-dataelement-10223 (2018-10-31)
-----------------------	---

Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.
-------------	---

2.1.186 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Value Domain

 Date completed	prsb03-dataelement-11020
--	--------------------------

Id	prsb03-dataelement-11020 (2019-05-24 10:58:56)
----	--

Concept inherits from	 prsb03-dataelement-10224 (2018-10-31)
-----------------------	---

Description	The date and time the record was updated.
-------------	---

Operationalization	The date/time the record was updated.
--------------------	---------------------------------------

Value Domain

 Contact details	prsb03-dataelement-11021
---	--------------------------

Id	prsb03-dataelement-11021 (2019-05-24 10:58:56)
----	--

Concept inherits from	 prsb03-dataelement-10225 (2018-10-31)
-----------------------	---

Description	Contact details of the person completing the record. For example a phone number, email address. Contact details are used to resolve queries about the record entry.
-------------	---

2.1.187 Properties

FHIR PractitionerRole.telecom

Operationalization	The contact details may be for the individual completing the record, or wider team details (for example a phone number for a hospital department).
--------------------	--

Value Domain

 Organisation	prsb03-dataelement-11022
--	--------------------------

Id	prsb03-dataelement-11022 (2019-05-24 10:58:56)
----	--

Concept inherits from	 prsb03-dataelement-10226 (2018-10-31)
-----------------------	---

Description	The organisation the person completing the record works for.
-------------	--

Operationalization	An ODS identifier for the organisation or site, the name of the organisation or site, and a postal address (if available).
--------------------	--

Value Domain

 Person completing record prsb03-dataelement-10966

Id	prsb03-dataelement-10966 (2019-05-20 16:00:34)
Description	This is the person recording the details of the unborn child protection plan.
	Should include their name, role, grade, specialty, organisation, professional identifier, date and time completed, contact details
Relationship	Person completing record (<i>prsb03-dataelement-10860 - 2019-03-27 17:46:45</i>)
Operationalization	Free text. Name, Role, Grade, Specialty, Organisation, Professional identifier, Date and time completed, Contact details
Value Domain	

 Safeguarding record entry prsb03-dataelement-10656

Id	prsb03-dataelement-10656 (2018-11-13 12:19:53)
Description	This is a Safeguarding record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.

 Referrer Details prsb03-dataelement-10714

Id	prsb03-dataelement-10714 (2018-12-04 15:38:18)
----	--

 Date and time of referral prsb03-dataelement-10717

Id	prsb03-dataelement-10717 (2018-12-04 15:39:07)
Description	Date and time the patient was referred to the service.
Value Domain	

 Reason for referral prsb03-dataelement-10716

Id	prsb03-dataelement-10716 (2018-12-04 15:38:52)
Description	A clear statement of the purpose of the person making the referral e.g. diagnosis, treatment, transfer of care due to relocation, investigation, second opinion, management of the patient (e.g. palliative care), provide referrer with advice / guidance. This may include referral because of carers' concerns.
Value Domain	

 Referrer details prsb03-dataelement-10715

Id	prsb03-dataelement-10715 (2018-12-04 15:38:38)
Description	Details of the source of the referral. Name, role, grade, organisation and contact details of referrer, or details of the person making the contact for ambulance or urgent care services. If not an individual, this could be e.g. GP surgery, department, specialty, sub-specialty, educational institution, mental health team etc. Also needs to include self-referral.

Operationalization Sent as per the ECDS Emergency Care Attendance Source code set (SNOMED CT).

Value Domain

 Consent	prsb03-dataelement-10702
---	--------------------------

Id prsb03-dataelement-10702 (2018-12-04 15:27:12)

Description Legal information captured relating to patient care, such as consent.

 Consent relating to child	prsb03-dataelement-10705
---	--------------------------

Id prsb03-dataelement-10705 (2018-12-04 15:28:03)

Description Consideration of age and competency, applying Gillick competency or Fraser guidelines. Record of person with parental responsibility or appointed guardian where child lacks competency. Record if there is disagreement between patient and parent.

Operationalization Free text

Value Domain

 Consent for information sharing	prsb03-dataelement-10704
---	--------------------------

Id prsb03-dataelement-10704 (2018-12-04 15:27:48)

Description This is a record of consent for information sharing under the common law duty of confidentiality. Where consent has not been obtained or sought, the reason why should be provided. Include best interests decision where person lacks capacity.

Operationalization Free text.

Value Domain

 Consent for treatment record	prsb03-dataelement-10703
--	--------------------------

Id prsb03-dataelement-10703 (2018-12-04 15:27:26)

Description Whether consent has been obtained for the treatment. May include where record of consent is located or record of consent.

Operationalization Free text

Value Domain

 Eligibility Criteria	prsb03-dataelement-10700
--	--------------------------

Id prsb03-dataelement-10700 (2018-12-04 15:25:08)

 Used by 4 transactions, 0 templates, inherited 0 times

 Eligibility criteria	prsb03-dataelement-10701
--	--------------------------

Id prsb03-dataelement-10701 (2018-12-04 15:25:39)

Description	Records which specific eligibility criteria have been met in order to administer the vaccine.
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 150 </div>
Used by	4 transactions, 0 templates, inherited 0 times

 Referral Details	prsb03-dataelement-10644
Id	prsb03-dataelement-10644 (2018-11-12 14:46:39)
Description	The details of the individual or team who referred the person.
Value Domain	
 Disability	prsb03-dataelement-10816
Id	prsb03-dataelement-10816 (2019-03-20 18:55:36)
Description	Any details relating to a persons disability
 Onset date	prsb03-dataelement-10819
Id	prsb03-dataelement-10819 (2019-03-20 19:03:27)
Description	The date the of onset for the disability
Value Domain	
 Disability code	prsb03-dataelement-10818
Id	prsb03-dataelement-10818 (2019-03-20 19:03:00)
Description	Code relating to the disability
Operationalization	https://www.datadictionary.nhs.uk/data_dictionary/attributes/d/den/disability_code_de.asp?shownav=1
Value Domain	
 Description	prsb03-dataelement-10817
Id	prsb03-dataelement-10817 (2019-03-20 18:58:30)
Description	The description of the disability relating to the person
Value Domain	
 Local authority	

prsb03-dataelement-13298

Id prsb03-dataelement-13298 (2020-08-06 12:38:23)

Description The details of the Local Authority that is responsible for providing care and support to the person.



Organisation code

prsb03-dataelement-13299

Id prsb03-dataelement-13299 (2020-08-06 12:39:25)

Description The ODS (Organisation Data Service) code of the local authority that is responsible for providing care and support to the person.

Operationalization NHS data dictionary :- Organisation data service

Value Domain

Property

min length max length

3 5



Local authority name

prsb03-dataelement-13300

Id prsb03-dataelement-13300 (2020-08-06 12:40:27)

Description The name of the local authority that is responsible for providing care and support to the person.

Operationalization Free text

Value Domain

Property

max length

150



Social services team

prsb03-dataelement-13301

Id prsb03-dataelement-13301 (2020-08-06 12:41:15)

Description The name of the local authority social services team or department that is responsible for undertaking the care and support assessment for the person.

Operationalization Free text

Value Domain

Property

max length

150



Local authority contact name

prsb03-dataelement-13302

Id prsb03-dataelement-13302 (2020-08-06 12:42:09)

Description The name of the person at the local authority who is responsible for liaising with the hospital in relation to the person's discharge.

Operationalization Free text

Value Domain

Property

max length

35



Local authority contact details

prsb03-dataelement-13303

Id prsb03-dataelement-13303 (2020-08-06 12:43:10)

Description The contact details of the person at the local authority who is responsible for liaising with the hospital in relation to the person's discharge.

Operationalization Free text

Value Domain

Property

max length

150



Professional contacts

prsb03-dataelement-452

Id prsb03-dataelement-452 (2018-10-31)

Description The details of the person's professional contacts.



Professional contacts record entry

prsb03-dataelement-10767

Id prsb03-dataelement-10767 (2019-03-18 18:07:16)

Description This is a professional contacts record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.

⌚ Used by 0 transactions, 0 templates, inherited 2 times



Name

prsb03-dataelement-10352

Id prsb03-dataelement-10352 (2018-10-31)

Description The name of the professional with responsibility for the care of the person.

Operationalization Free text

Value Domain

Property

max length

70

⌚ Used by

0 transactions, 0 templates, inherited 2 times

 Role	prsb03-dataelement-10353
--	--------------------------

Id	prsb03-dataelement-10353 (2018-10-31)
Description	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker, key worker, care home manager, care coordinator, LA hospital liaison person, care home contact, hospital clinician, Independent Mental Capacity Advocate (IMCA) etc
Operationalization	FHIR value set : - SDSjobrole
Value Domain	
 Used by	0 transactions, 0 templates, inherited 2 times

 Key worker	prsb03-dataelement-12973
--	--------------------------

Id	prsb03-dataelement-12973 (2020-04-06 20:02:00)
Description	A flag that identifies the personal contact is the key worker assigned to the person.
Operationalization	Flag : - Yes or No
Value Domain	

 Speciality	prsb03-dataelement-10354
--	--------------------------

Id	prsb03-dataelement-10354 (2018-10-31)		
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc		
Operationalization	NHS data dictionary : - Activity treatment function code		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>3</td> </tr> </table>	max length	3
max length			
3			
 Used by	0 transactions, 0 templates, inherited 2 times		

 Team	prsb03-dataelement-10355
--	--------------------------

Id	prsb03-dataelement-10355 (2018-10-31)		
Description	The name of the team.		
Operationalization	Free text		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>35</td> </tr> </table>	max length	35
max length			
35			

 Used by 0 transactions, 0 templates, inherited 2 times

  Organisation prsb03-dataelement-10356

Id prsb03-dataelement-10356 (2018-10-31)

Description The name of the organisation.

 Used by 0 transactions, 0 templates, inherited 2 times

 Coded value prsb03-dataelement-13564

Id prsb03-dataelement-13564 (2020-09-04 18:18:34)

Description The coded value for location

Operationalization NHS data dictionary : - Organisation data service

Value Domain

Property	min length	max length
	3	5

 Free text prsb03-dataelement-13565

Id prsb03-dataelement-13565 (2020-09-04 18:19:37)

Concept inherits from  prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property	max length
	150

 Contact details prsb03-dataelement-10357

Id prsb03-dataelement-10357 (2018-10-31)

Description Contact details of the professional (e.g. telephone number, email address etc.).

Operationalization Free text

Value Domain

Property	max length
	35

 Used by 0 transactions, 0 templates, inherited 2 times

 Start date prsb03-dataelement-10358

Id prsb03-dataelement-10358 (2018-10-31)

Description The start date of the professional relationship with the person.

Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute

 Used by 0 transactions, 0 templates, inherited 2 times

 End date prsb03-dataelement-10359

Id prsb03-dataelement-10359 (2018-10-31)

Description The end date of the professional relationship with the person.

Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute

 Used by 0 transactions, 0 templates, inherited 2 times

 Personal contacts prsb03-dataelement-445

Id prsb03-dataelement-445 (2018-10-31)

Description The details of the individual's personal contacts.

 Personal contacts record entry prsb03-dataelement-10768

Id prsb03-dataelement-10768 (2019-03-19 13:05:13)

Description This is personal contacts record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.

 Name prsb03-dataelement-10345

Id prsb03-dataelement-10345 (2018-10-31)

Description The name of the personal contact.

Operationalization Free text

Value Domain

Property

max length

70



Relationship

prsb03-dataelement-10346

Id prsb03-dataelement-10346 (2018-10-31)

Description The relationship the personal contact has to the person, e.g. father, grandmother, family friend etc.

Operationalization FHIR value set : - Related person

Value Domain

Property

default

10



Relationship type

prsb03-dataelement-12968

Id prsb03-dataelement-12968 (2020-04-06 13:13:10)

Description Additional roles the person performs on behalf of the other (e.g. Carer, Next of Kin, Emergency Contact, Dependent, etc.)

Operationalization Free text

Value Domain

Property

max length

150



Parental Responsibility

prsb03-dataelement-10347

Id prsb03-dataelement-10347 (2018-10-31)

Description Flag to indicate whether the personal contact has parental responsibility

Operationalization Flag ; - Yes or No

Value Domain

Property

max length

3



Household member

prsb03-dataelement-10348

Id	prsb03-dataelement-10348 (2018-10-31)
Description	Status identifying whether the personal contact is a member of the same household
Operationalization	Flag : - Yes or No
Value Domain	

Property

max length

3



Next of Kin

prsb03-dataelement-10349

Id	prsb03-dataelement-10349 (2018-10-31)
Description	A flag that identifies the personal contact is the next of kin
Operationalization	Flag : - Yes or No
Value Domain	



Contact details

prsb03-dataelement-10350

Id	prsb03-dataelement-10350 (2018-10-31)
Description	Contact details of the personal contact (e.g. telephone number, email address etc.)
Operationalization	Free Text
Value Domain	

Property

max length

70



NHS Number

prsb03-dataelement-10351

Id	prsb03-dataelement-10351 (2018-10-31)
Description	The NHS number of the personal contact
Operationalization	NHS data dictionary:- NHS NUMBER
Value Domain	

Property

max length

10



Used by

0 transactions, 0 templates, inherited once



Comments

prsb03-dataelement-10937

Id

prsb03-dataelement-10937 (2019-05-02 17:15:44)

Description Notes on the significance of the personal contact to the person.

Operationalization Free text

Value Domain

Property max length

150

  Health and care professional details

prsb03-dataelement-10912

Id prsb03-dataelement-10912 (2019-04-02 15:33:05)

 Responsible health or care professional

prsb03-dataelement-10913

Id prsb03-dataelement-10913 (2019-04-02 15:34:54)

Description The name, role and/or personal identification number (if used) of the health or care professional with responsibility for the person within this contact. Where multiple professionals have responsibility, provide details of the duration and extent of responsibility held. State whether identified professional was present, in communication, on call etc.

Operationalization Free text. Where codes are provided by the local system the associated text should be displayed.

Value Domain

 Health or care professional(s) present

prsb03-dataelement-10914

Id prsb03-dataelement-10914 (2019-04-02 15:36:15)

Description The name, designation and/or personal identification number (if used) of all other health or care professionals present.

Operationalization Free text. Where codes are provided by the local system the associated text should be displayed.

Value Domain

 IRRE

prsb03-dataelement-10649

Id prsb03-dataelement-10649 (2018-11-12 15:41:28)

Value Domain

  Participation in research

prsb03-dataelement-168

Id prsb03-dataelement-168 (2018-10-31)

Description Participation in research

  Participation in research record entry

prsb03-dataelement-10646

Id prsb03-dataelement-10646 (2018-11-12 15:14:45)

Description This is a Participation in research record entry. There may be 0 to many record entry/entries under a section. Each record entry is made up of a number of elements or data items.

 Participation in research	prsb03-dataelement-13834
---	--------------------------

Id prsb03-dataelement-13834 (2020-12-26 15:50:24)

Description Flag to indicate whether the person is actively engaged in a research study or clinical trial

Operationalization Flag : - Yes or No

Value Domain

 Name of research study	prsb03-dataelement-10068
--	--------------------------

Id prsb03-dataelement-10068 (2018-10-31)

Description Name and details of the research study/trial and/or drug/intervention

Operationalization Free text or URL

Value Domain

Property	
	250

 Identification code	prsb03-dataelement-10739
---	--------------------------

Id prsb03-dataelement-10739 (2019-02-12 17:27:10)

Description Identification code of research study

Operationalization NHS data dictionary :- Clinical trial identifier

Value Domain

Property	
	20

  Person completing record	prsb03-dataelement-12201
--	--------------------------

Id prsb03-dataelement-12201 (2019-05-31 16:24:08)

Concept inherits from  prsb03-dataelement-11289 (2019-05-30 12:24:39)

Description Details of the person completing the record.

Relationship Person completing record (prsb03-dataelement-319 - 2018-10-31)

 Name	prsb03-dataelement-12202
--	--------------------------

Id prsb03-dataelement-12202 (2019-05-31 16:24:35)

Concept inherits from  prsb03-dataelement-11290 (2019-05-30 12:25:39)

Description	The name of the person completing the record.
Relationship	Name (<i>prsb03-dataelement-10219 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.name
Operationalization	Free text.
Value Domain	

Property**max length**

70

**Role**

prsb03-dataelement-12203

Id	prsb03-dataelement-12203 (2019-05-31 16:24:35)
Concept inherits from	<i>prsb03-dataelement-11291</i> (2019-05-30 12:25:39)
Description	The organisational role of the person completing record.

2.1.188 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship	Role (<i>prsb03-dataelement-10220 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobrole
Value Domain	

**Grade**

prsb03-dataelement-12204

Id	prsb03-dataelement-12204 (2019-05-31 16:24:35)
Concept inherits from	<i>prsb03-dataelement-11292</i> (2019-05-30 12:25:39)
Description	The grade of the person completing the record.
Relationship	Grade (<i>prsb03-dataelement-10221 - 2018-10-31</i>)
Rationale	PractitionerRole.code
Operationalization	Free text.
Value Domain	

Property**max length**

150

**Specialty**

prsb03-dataelement-12205

Id	prsb03-dataelement-12205 (2019-05-31 16:24:35)
----	--

Concept inherits from	 prsb03-dataelement-11293 (2019-05-30 12:25:39)
Description	The main specialty of the person completing the record.

2.1.189 Properties

FHIR	PractitionerRole.specialty
Relationship	Specialty (<i>prsb03-dataelement-10222 - 2018-10-31</i>)
Rationale	PractitionerRole.speciality
Operationalization	NHS data dictionary :- Activity treatment function code
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 3 </div>

  Organisation	prsb03-dataelement-12206
--	--------------------------

Id	prsb03-dataelement-12206 (2019-05-31 16:24:35)
Concept inherits from	 prsb03-dataelement-11294 (2019-05-30 12:25:39)
Description	The organisation the person completing the record works for.
Relationship	Organisation (<i>prsb03-dataelement-10226 - 2018-10-31</i>)

 Professional identifier	prsb03-dataelement-12207
---	--------------------------

Id	prsb03-dataelement-12207 (2019-05-31 16:24:35)
Concept inherits from	 prsb03-dataelement-11295 (2019-05-30 12:25:39)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.190 Properties

FHIR	PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)
Relationship	Professional identifier (<i>prsb03-dataelement-10223 - 2018-10-31</i>)
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary :- Professional registration identifier
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 32 </div>

 Date completed	
--	--

prsb03-dataelement-12208

Id	prsb03-dataelement-12208 (2019-05-31 16:24:35)
Concept inherits from	🟡 prsb03-dataelement-11296 (2019-05-30 12:25:39)
Description	The date and time the record was completed.
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)
Rationale	Composition.date
Operationalization	Date and time.
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 5px; text-align: center;"> Timestamp precision </div> at least day, month and year, hour and minute

🟡 Contact details

prsb03-dataelement-12209

Id	prsb03-dataelement-12209 (2019-05-31 16:24:35)
Concept inherits from	🟡 prsb03-dataelement-11297 (2019-05-30 12:25:39)
Description	Contact details of the person completing the record.

2.1.191 Properties

FHIR	PractitionerRole.telecom
Relationship	Contact details (<i>prsb03-dataelement-10225 - 2018-10-31</i>)
Rationale	Practitioner:telecom PractitionerRole:telecom Organisation:telcom
Operationalization	NHS data dictionary : - UK telephone number
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 5px; text-align: center;"> max length </div> 35

📁🟡 Referral details

prsb03-dataelement-105

Id	prsb03-dataelement-105 (2018-10-31)
Description	The details of the referral.
⌚ Used by	14 transactions, 0 templates, inherited 0 times

📁🟡 Referral details record entry

prsb03-dataelement-10917

Id prsb03-dataelement-10917 (2019-04-09 15:59:55)

Description This is the referral details record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.

 **Used by** 14 transactions, 0 templates, inherited 0 times



Date

prsb03-dataelement-10006

Id prsb03-dataelement-10006 (2018-10-31)

Description The date of referral

Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute

 **Used by** one transaction, 0 templates, inherited 0 times



Referrer details

prsb03-dataelement-10005

Id prsb03-dataelement-10005 (2018-10-31)

Description The details of the referrer that is making the transfer.

This could be the person, GP surgery, department, specialty, sub-specialty, educational institution, mental health team, care home etc.

2.1.192 Properties

FHIR Encounter.incomingreferral

 **Used by** one transaction, 0 templates, inherited 0 times



Name

prsb03-dataelement-10971

Id prsb03-dataelement-10971 (2019-05-22 16:29:39)

Description The name of the referrer.

Operationalization Free text

Value Domain

Property

max length

70

 Used by one transaction, 0 templates, inherited 0 times

 Role prsb03-dataelement-10972

Id prsb03-dataelement-10972 (2019-05-22 16:30:25)
 Description Role of the referrer.
 Operationalization FHIR value set : - sdsjobrole
 Value Domain
 Used by one transaction, 0 templates, inherited 0 times

 Grade prsb03-dataelement-10973

Id prsb03-dataelement-10973 (2019-05-22 16:31:10)
 Description The grade of the referrer.
 Operationalization Free text
 Value Domain
 Property **max length**
 150
 Used by one transaction, 0 templates, inherited 0 times

 Team prsb03-dataelement-12409

Id prsb03-dataelement-12409 (2019-06-05 18:11:50)
 Description The team or department of the referrer.
 Operationalization Free text
 Value Domain
 Property **max length**
 150
 Used by one transaction, 0 templates, inherited 0 times

 Specialty prsb03-dataelement-12410

Id prsb03-dataelement-12410 (2019-06-05 18:12:15)

Description	The specialty of the referrer.
Operationalization	NHS data dictionary - Activity treatment function code

Value Domain

Property

max length

3

🕒 Used by

one transaction, 0 templates, inherited 0 times



Service

prsb03-dataelement-12411

Id prsb03-dataelement-12411 (2019-06-05 18:20:01)

Description The service of the referrer.

🕒 Used by one transaction, 0 templates, inherited 0 times



Coded value

prsb03-dataelement-13397

Id prsb03-dataelement-13397 (2020-08-10 19:10:14)

Description The coded value for service

Operationalization SNOMED CT: - 1127531000000102 |Services simple reference set (foundation metadata concept)|

Value Domain

🕒 Used by one transaction, 0 templates, inherited 0 times



Free text

prsb03-dataelement-13398

Id prsb03-dataelement-13398 (2020-08-10 19:11:12)

Concept inherits from 🌐 prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150

🕒 Used by

one transaction, 0 templates, inherited 0 times



Organisation

prsb03-dataelement-10974

Id	prsb03-dataelement-10974 (2019-05-22 16:31:40)
Description	The organisation of the referrer.
Used by	one transaction, 0 templates, inherited 0 times

prsb03-dataelement-13399

Id	prsb03-dataelement-13399 (2020-08-10 19:14:38)				
Description	The coded value for organisation code				
Operationalization	NHS data dictionary : - Organisation data service				
Value Domain					
Property	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center; padding: 5px;">min length</td> <td style="text-align: center; padding: 5px;">max length</td> </tr> <tr> <td style="text-align: center; padding: 5px;">3</td> <td style="text-align: center; padding: 5px;">5</td> </tr> </table>	min length	max length	3	5
min length	max length				
3	5				
Used by	one transaction, 0 templates, inherited 0 times				

prsb03-dataelement-13400

Id	prsb03-dataelement-13400 (2020-08-10 19:17:07)		
Concept inherits from	prsb03-dataelement-13220 (2020-07-08 12:57:49)		
Description	Free text field to be used if no code is available		
Operationalization	Free text		
Value Domain			
Property	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center; padding: 5px;">max length</td> </tr> <tr> <td style="text-align: center; padding: 5px;">150</td> </tr> </table>	max length	150
max length			
150			
Used by	one transaction, 0 templates, inherited 0 times		

prsb03-dataelement-10975

Id	prsb03-dataelement-10975 (2019-05-22 16:33:49)	
Description	The contact details of the referrer.	
Operationalization	Free text	
Value Domain		
Property	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center; padding: 5px;">max length</td> </tr> </table>	max length
max length		

 Used by one transaction, 0 templates, inherited 0 times

 Comments prsb03-dataelement-12408

Id prsb03-dataelement-12408 (2019-06-05 18:09:11)

Description Further details on the referrer details.

Value Domain

 Referral type prsb03-dataelement-12967

Id prsb03-dataelement-12967 (2020-04-03 18:18:08)

Description An indication of the type of referral (e.g. 'Hospital Discharge Notification to Social Care', 'GP Referral', etc.)

Value Domain

Property

max length

150

 Referral method prsb03-dataelement-10007

Id prsb03-dataelement-10007 (2018-10-31)

Description The method in which a referral is sent and received. This may be a letter, email, transcript of a telephone conversation, Choose and Book, in person (self-referral) etc.

Operationalization Allow National Codes only

1. Fax
2. Phone
3. Secure Messaging
4. Secure Email
5. Letter
6. NHS E-Referral Service
7. Self referral

Value Domain

 Reason for referral prsb03-dataelement-10011

Id prsb03-dataelement-10011 (2018-10-31)

Description The reason for the referral, e.g. diagnosis, treatment, transfer of care due to relocation, investigation, second opinion, management of the patient (e.g. palliative care), or carer's concerns.

Operationalization Free text

 Used by 14 transactions, 0 templates, inherited 0 times

 Coded value prsb03-dataelement-13455

Id prsb03-dataelement-13455 (2020-08-27 18:17:32)
 Description The coded value for reason for referral
 Operationalization SNOMED CT :- ^1127581000000103 |Health issues simple reference set|
 Value Domain
 Used by 14 transactions, 0 templates, inherited 0 times

 Free text prsb03-dataelement-13456

Id prsb03-dataelement-13456 (2020-08-27 18:18:45)
 Concept inherits from  prsb03-dataelement-13220 (2020-07-08 12:57:49)
 Description Free text field to be used if no code is available
 Operationalization Free text
 Value Domain
 Property

max length
150

 Used by 14 transactions, 0 templates, inherited 0 times

 Expectation of referral prsb03-dataelement-10699

Id prsb03-dataelement-10699 (2018-12-04 15:19:46)
 Description A clear statement of the expectations of the person or professional making the referral in regards to the management of the patient e.g. advice only, diagnosis, treatment, etc. To include any specific patient expectation.
 Operationalization Free text
 Value Domain
 Property

max length
150

 Used by 14 transactions, 0 templates, inherited 0 times

 Clinical urgency of referral prsb03-dataelement-10010

Id	prsb03-dataelement-10010 (2018-10-31)
Description	The details of the clinical urgency of referral
Used by	14 transactions, 0 templates, inherited 0 times

 Urgency

prsb03-dataelement-13835

Id	prsb03-dataelement-13835 (2020-12-28 13:54:55)
Description	This is the priority of a request for services
Operationalization	NHS data dictionary : - PRIORITY TYPE
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 1 </div>
Used by	0 transactions, 0 templates, inherited once

 Reason for urgency of referral

prsb03-dataelement-10976

Id	prsb03-dataelement-10976 (2019-05-22 17:54:38)
Description	The reason for urgency of referral if not routine.
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 150 </div>
Used by	14 transactions, 0 templates, inherited once

 Referral to

prsb03-dataelement-10008

Id	prsb03-dataelement-10008 (2018-10-31)
Description	Details of where the referral is to be sent.

If not an individual, this could be a service, e.g. GP surgery, department, specialty, subspecialty, educational institution, mental health etc.

Used by 14 transactions, 0 templates, inherited 0 times

 Name

prsb03-dataelement-10977

Id prsb03-dataelement-10977 (2019-05-22 17:56:22)

Description Name of person the referral is to be sent to.

Operationalization Free text

Value Domain

Property

max length

70

 **Used by** 14 transactions, 0 templates, inherited 0 times

prsb03-dataelement-10978

Id prsb03-dataelement-10978 (2019-05-22 17:56:39)

Description Role of person where the referral is to be sent to.

Operationalization FHIR value set : - sdsjobrole

Value Domain

 **Used by** 14 transactions, 0 templates, inherited 0 times

prsb03-dataelement-10979

Id prsb03-dataelement-10979 (2019-05-22 17:56:51)

Description The grade of the person where the referral is sent to.

Operationalization Free text

Value Domain

Property

max length

150

 **Used by** 14 transactions, 0 templates, inherited 0 times

prsb03-dataelement-10982

Id prsb03-dataelement-10982 (2019-05-22 17:59:49)

Description The team or department of the person where the referral is being sent to

Operationalization Free text.

Value Domain

Property

max length

150

◉ Used by

14 transactions, 0 templates, inherited 0 times



Specialty

prsb03-dataelement-10983

Id

prsb03-dataelement-10983 (2019-05-22 18:00:28)

Description

The specialty the referral is being sent to e.g. physiotherapy, oncology, mental health etc

Operationalization

NHS data dictionary - Activity treatment function code

Value Domain

Property

max length

3

◉ Used by

14 transactions, 0 templates, inherited 0 times



Service

prsb03-dataelement-12412

Id

prsb03-dataelement-12412 (2019-06-05 18:20:52)

Description

The service of where the referral is sent to.

◉ Used by

14 transactions, 0 templates, inherited 0 times



Coded value

prsb03-dataelement-13509

Id

prsb03-dataelement-13509 (2020-09-03 17:50:24)

Description

The coded value for service

Operationalization

SNOMED CT: - 1127531000000102 |Services simple reference set (foundation metadata concept)|

Value Domain

◉ Used by

14 transactions, 0 templates, inherited 0 times



Free text

prsb03-dataelement-13510

Id

prsb03-dataelement-13510 (2020-09-03 17:51:06)

Concept inherits from

prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description

Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150

⌚ Used by

14 transactions, 0 templates, inherited 0 times



Organisation

prsb03-dataelement-10980

Id prsb03-dataelement-10980 (2019-05-22 17:57:10)

Description The organisation of where the referral is to be sent.

⌚ Used by 14 transactions, 0 templates, inherited 0 times



Coded value

prsb03-dataelement-13511

Id prsb03-dataelement-13511 (2020-09-03 17:54:29)

Description The coded value for organisation

Operationalization NHS data dictionary :- Organisation data service

Value Domain

Property

min length **max length**

3 5

⌚ Used by

14 transactions, 0 templates, inherited 0 times



Free text

prsb03-dataelement-13512

Id prsb03-dataelement-13512 (2020-09-03 17:55:57)

Concept inherits from 🌐 [prsb03-dataelement-13220](#) (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150

⌚ Used by

14 transactions, 0 templates, inherited 0 times

 Contact details

prsb03-dataelement-10981

Id prsb03-dataelement-10981 (2019-05-22 17:57:26)

Description The contact details of where the referral is to be sent.

Operationalization Free text.

Value Domain

Property

max length

70

 Used by 14 transactions, 0 templates, inherited 0 times

 Speciality referred from

prsb03-dataelement-10009

Id prsb03-dataelement-10009 (2018-10-31)

Description The type of service or team that the person has been referred from

Operationalization NHS data dictionary

Value Domain

 Details of other referrals

prsb03-dataelement-10013

Id prsb03-dataelement-10013 (2018-10-31)

Description Other referrals related to this or associated conditions.

Operationalization The organisation referred to (ODS code)

Specialty/service (eRS Directory of Services)

Date of referral

Narrative text

Auto-populated UBRN (where available)

Default - 12 months (editable)

Value Domain

 Referral criteria

prsb03-dataelement-10014

Id prsb03-dataelement-10014 (2018-10-31)

Description Records whether specific criteria required for referral, to a particular service, have been met (may be nationally or locally determined). This field is used to outline which criteria have been met where a service has indicated specific criteria and to explain the rationale for referral where criteria have not been met.

Operationalization Free text

Value Domain

Property

max length

150



Return response to

prsb03-dataelement-10015

Id

prsb03-dataelement-10015 (2018-10-31)

Description

Name of professional to be communicated with, if not the referrer

Operationalization

Free text.

Value Domain

Property

max length

70



Attachments

prsb03-dataelement-10012

Id

prsb03-dataelement-10012 (2018-10-31)

Description

Documents included as attachments which accompany the communication Data items:

* number of attachments

* type of attachments

* attached documents.

Operationalization

Number of attachments by category: present, pending, missing.

Supporting narrative: text for each attachment

Attachments: various formats, eg jpeg, word

Metadata about the attachments: document name standard under development by PRSB.
Possibly use FHIR 'composition'.

Value Domain



Used by

0 transactions, 0 templates, inherited once



Reason for Referral

prsb03-dataelement-460

Id

prsb03-dataelement-460 (2018-10-31)

Description

Reason for Referral



Reason for referral

prsb03-dataelement-10360

Id

prsb03-dataelement-10360 (2018-10-31)

Description

The reason for referral/transfer - e.g. diagnosis, treatment, transfer of care due to relocation, investigation, second opinion, management of the patient (e.g. palliative care), provide referrer with advice / guidance. This may include referral because of carers' concerns.

Operationalization SNOMED CT: - ^1127581000000103 |Health issues simple reference set|

 Coded value

prsb03-dataelement-13562

Id	prsb03-dataelement-13562 (2020-09-04 18:09:40) 0.1
Description	The coded value for reason for referral
Operationalization	SNOMED CT: - ^1127581000000103 Health issues simple reference set
Value Domain	

 Free text

prsb03-dataelement-13563

Id	prsb03-dataelement-13563 (2020-09-04 18:10:37) 0.1		
Concept inherits from	 prsb03-dataelement-13220 (2020-07-08 12:57:49)		
Description	Free text field to be used if no code is available		
Operationalization	Free text		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>150</td> </tr> </table>	max length	150
max length			
150			

 Clinical urgency of referral

prsb03-dataelement-10361

Id	prsb03-dataelement-10361 (2018-10-31)
Description	The details of the clinical urgency of referral

 Urgency

prsb03-dataelement-13836

Id	prsb03-dataelement-13836 (2020-12-28 14:39:53)		
Concept inherits from	 prsb03-dataelement-13835 (2020-12-28 13:54:55)		
Description	This is the priority of a request for services		
Operationalization	NHS data dictionary : - PRIORITY TYPE		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>1</td> </tr> </table>	max length	1
max length			
1			

 Reason for urgency of referral

prsb03-dataelement-13837

Id	prsb03-dataelement-13837 (2020-12-28 14:40:56)
Concept inherits from	 prsb03-dataelement-10976 (2019-05-22 17:54:38)

Description The reason for urgency of referral if not routine.

Operationalization Free text

Value Domain

Property **max length**

150



Expectation of referral

prsb03-dataelement-10362

Id prsb03-dataelement-10362 (2018-10-31)

Description A clear statement of the expectations of the person making the referral as to the management of the patient e.g. advice only, diagnosis, treatment, etc. To Include any specific patient expectation. In general text. Risk not put in a procedure not already received

Operationalization Free text

Value Domain

Property **max length**

150



Presenting complaints or issues

prsb03-dataelement-10363

Id prsb03-dataelement-10363 (2018-10-31)

Description The list and description of the health problems and issues experienced by the patient precipitating referral. This may include disease state, medical condition, response and reaction to therapies, e.g. blackout, dizziness, chest pain, follow-up from admission, falls, a specific procedure, investigation, family history or treatment.

Operationalization Free text

Value Domain

Property **max length**

150



History of each presenting complaint or issue

prsb03-dataelement-10364

Id prsb03-dataelement-10364 (2018-10-31)

Description Information directly related to the development and characteristics of each presenting complaint (e.g. including travel history). Including if the information is given by the patient or their carer.

Operationalization Free text

Value Domain

Property **max length**

 Management to date

prsb03-dataelement-10365

Id	prsb03-dataelement-10365 (2018-10-31)
Description	Referrals, management, investigations and treatment that have already been undertaken, including patient managing their symptoms. Including: procedures conducted - procedures carried out (and the date) and procedure report.
Operationalization	Free text
Value Domain	

Property

max length

150

 Problem list

prsb03-dataelement-12617

Id	prsb03-dataelement-12617 (2019-11-19 12:59:13)
Concept inherits from	 <i>prsb03-dataelement-10927 (2019-04-30 17:00:00)</i>
Description	A summary of the problems that require investigation or treatment.

 Problem list record entry

prsb03-dataelement-12618

Id	prsb03-dataelement-12618 (2019-11-19 13:01:28)
Concept inherits from	 <i>prsb03-dataelement-10928 (2019-04-30 17:01:01)</i>
Description	This is a problem list record entry.

There may be 0 to many record entries under problem list.

Each record entry is made up of a number of elements or data items.

 Date

prsb03-dataelement-12619

Id	prsb03-dataelement-12619 (2019-11-19 13:01:28)
Concept inherits from	 <i>prsb03-dataelement-10929 (2019-04-30 17:04:55)</i>
Description	The date the problem was identified.
Relationship	Date Recorded (<i>prsb03-dataelement-10111 - 2018-10-31</i>)
Operationalization	Date and time
Value Domain	

Property

Timestamp precision

at least day, month and year, hour and minute

 Performing professional

prsb03-dataelement-12620

Id

prsb03-dataelement-12620 (2019-11-19 13:01:28)

Concept inherits from

 prsb03-dataelement-10930 (2019-04-30 17:06:52)

Description

Details of the professional identifying the problem.

Relationship

Performing Professional (*prsb03-dataelement-10112 - 2018-10-31*)

Value Domain

  Performing professional

prsb03-dataelement-12621

Id

prsb03-dataelement-12621 (2019-11-19 13:01:28)

Concept inherits from

 prsb03-dataelement-12133 (2019-05-31 16:03:47)

Description

The professional who identified the problem.

Relationship

Performing professional (*prsb03-dataelement-11281 - 2019-05-30 11:53:30*) Name

prsb03-dataelement-12622

Id

prsb03-dataelement-12622 (2019-11-19 13:01:28)

Concept inherits from

 prsb03-dataelement-12134 (2019-05-31 16:04:17)

Description

The name of the professional.

Rationale

Practitioner.name

Operationalization

Free text.

Value Domain

Property

max length

70

 Role

prsb03-dataelement-12623

Id

prsb03-dataelement-12623 (2019-11-19 13:01:28)

Concept inherits from

 prsb03-dataelement-12135 (2019-05-31 16:04:17)

Description

The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc

Rationale

Practitioner.PractitionerRole.code

Operationalization

FHIR value set :- SDSjobroletype

Value Domain

 Grade

prsb03-dataelement-12624

Id

prsb03-dataelement-12624 (2019-11-19 13:01:28)

Concept inherits from

 prsb03-dataelement-12136 (2019-05-31 16:04:17)

Description

The grade of the professional.

Rationale

PractitionerRole.code

Operationalization

Free text

Value Domain

Property

max length

150

 Speciality

prsb03-dataelement-12625

Id

prsb03-dataelement-12625 (2019-11-19 13:01:28)

Concept inherits from

 prsb03-dataelement-12137 (2019-05-31 16:04:17)

Description

The specialty of the professional e.g. physiotherapy, oncology, mental health etc

Rationale

PractitionerRole.speciality

Operationalization

NHS data dictionary - Activity treatment function code

Value Domain

Property

max length

3

 Professional identifier

prsb03-dataelement-12626

Id

prsb03-dataelement-12626 (2019-11-19 13:01:28)

Concept inherits from

 prsb03-dataelement-12138 (2019-05-31 16:04:17)

Description

Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.

Rationale

Practitioner.identifier (for professional national identifiers), PractitionerRole.identifier (for local role identifiers)

Operationalization

NHS data dictionary : - Professional registration identifier

Value Domain

Property

max length

32

 Organisation	prsb03-dataelement-12627
Id	prsb03-dataelement-12627 (2019-11-19 13:01:28)
Concept inherits from	 prsb03-dataelement-12139 (2019-05-31 16:04:17)
Description	The name of the organisation the professional works for.
 Contact details	prsb03-dataelement-12628
Id	prsb03-dataelement-12628 (2019-11-19 13:01:28)
Concept inherits from	 prsb03-dataelement-12140 (2019-05-31 16:04:17)
Description	Contact details of the professional
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom
Operationalization	NHS data dictionary - UK phone number
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;">max length</div> <div style="border: 1px solid #ccc; padding: 2px 10px; display: inline-block;">35</div>
 Location	prsb03-dataelement-12629
Id	prsb03-dataelement-12629 (2019-11-19 13:01:28)
Concept inherits from	 prsb03-dataelement-10931 (2019-04-30 17:07:45)
Description	The location the problem was identified.
Relationship	Location (<i>prsb03-dataelement-10113 - 2018-10-31</i>)
 Problem	prsb03-dataelement-12630
Id	prsb03-dataelement-12630 (2019-11-19 13:01:28)
Concept inherits from	 prsb03-dataelement-10932 (2019-04-30 17:08:40)
Description	A condition which needs addressing and so is important for every professional to know about when seeing the person.
	Problems may include diagnoses, symptoms, disabilities and social or behavioural issues, and comprise the 'Problem list'
Relationship	Problem (<i>prsb03-dataelement-10114 - 2018-10-31</i>)
 Onset date	prsb03-dataelement-12631

Id	prsb03-dataelement-12631 (2019-11-19 13:01:28)
Concept inherits from	🟡 prsb03-dataelement-10933 (2019-04-30 17:10:25)
Description	A date or estimated date that the problem began
Relationship	Onset date (<i>prsb03-dataelement-10115 - 2018-10-31</i>)
Operationalization	Date and time
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least month and year</p>

☒ End Date

prsb03-dataelement-12632

Id	prsb03-dataelement-12632 (2019-11-19 13:01:28)
Concept inherits from	🟡 prsb03-dataelement-10934 (2019-04-30 17:10:59)
Description	The date or estimated date the problem was resolved.
Relationship	End Date (<i>prsb03-dataelement-10116 - 2018-10-31</i>)
Operationalization	Date and time.
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>

☒ Stage of disease

prsb03-dataelement-12633

Id	prsb03-dataelement-12633 (2019-11-19 13:01:28)
Concept inherits from	🟡 prsb03-dataelement-10935 (2019-04-30 17:11:55)
Description	The stage of the disease where relevant.
Relationship	Stage of Disease (<i>prsb03-dataelement-10117 - 2018-10-31</i>)
Operationalization	Free text
Value Domain	
Property	<p style="text-align: center;">max length</p> <p>150</p>

📁☒ Person completing record

prsb03-dataelement-12634

Id	prsb03-dataelement-12634 (2019-11-19 13:01:28)
Concept inherits from	🟡 prsb03-dataelement-12141 (2019-05-31 16:04:31)

Description	Details of the person completing the record.
Relationship	Person completing record (<i>prsb03-dataelement-319 - 2018-10-31</i>)
 Name	prsb03-dataelement-12635
Id	prsb03-dataelement-12635 (2019-11-19 13:01:28)
Concept inherits from	 <i>prsb03-dataelement-12142</i> (2019-05-31 16:04:53)
Description	The name of the person completing the record.
Relationship	Name (<i>prsb03-dataelement-10219 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.name
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 70 </div>
 Role	prsb03-dataelement-12636
Id	prsb03-dataelement-12636 (2019-11-19 13:01:28)
Concept inherits from	 <i>prsb03-dataelement-12143</i> (2019-05-31 16:04:53)
Description	The organisational role of the person completing record.
2.1.193 Properties	
FHIR	PractitionerRole.code of the practitioner completing the record
Relationship	Role (<i>prsb03-dataelement-10220 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobrole
Value Domain	
 Grade	prsb03-dataelement-12637
Id	prsb03-dataelement-12637 (2019-11-19 13:01:28)
Concept inherits from	 <i>prsb03-dataelement-12144</i> (2019-05-31 16:04:53)
Description	The grade of the person completing the record.
Relationship	Grade (<i>prsb03-dataelement-10221 - 2018-10-31</i>)
Rationale	PractitionerRole.code
Operationalization	Free text.

Value Domain

Property

max length

150



Specialty

prsb03-dataelement-12638

Id

prsb03-dataelement-12638 (2019-11-19 13:01:28)

Concept inherits from

prsb03-dataelement-12145 (2019-05-31 16:04:53)

Description

The main specialty of the person completing the record.

2.1.194 Properties

FHIR PractitionerRole.specialty

Relationship Specialty (*prsb03-dataelement-10222 - 2018-10-31*)

Rationale PractitionerRole.specialty

Operationalization NHS data dictionary :- Activity treatment function code

Value Domain

Property

max length

3



Organisation

prsb03-dataelement-12639

Id

prsb03-dataelement-12639 (2019-11-19 13:01:28)

Concept inherits from

prsb03-dataelement-12146 (2019-05-31 16:04:53)

Description

The organisation the person completing the record works for.

Relationship Organisation (*prsb03-dataelement-10226 - 2018-10-31*)

Professional identifier

prsb03-dataelement-12640

Id

prsb03-dataelement-12640 (2019-11-19 13:01:28)

Concept inherits from

prsb03-dataelement-12147 (2019-05-31 16:04:53)

Description

Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.195 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship Professional identifier (*prsb03-dataelement-10223 - 2018-10-31*)

Rationale	Practitioner.identifier (for professional national identifiers), PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary :- Professional registration identifier
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">max length</div>
	32

 Date completed

prsb03-dataelement-12641

Id	prsb03-dataelement-12641 (2019-11-19 13:01:28)
Concept inherits from	 prsb03-dataelement-12148 (2019-05-31 16:04:53)
Description	The date and time the record was completed.
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)
Rationale	Composition.date
Operationalization	Date and time.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">Timestamp precision</div>
	at least day, month and year, hour and minute

 Contact details

prsb03-dataelement-12642

Id	prsb03-dataelement-12642 (2019-11-19 13:01:28)
Concept inherits from	 prsb03-dataelement-12149 (2019-05-31 16:04:53)
Description	Contact details of the person completing the record.

2.1.196 Properties

FHIR	PractitionerRole.telecom
Relationship	Contact details (<i>prsb03-dataelement-10225 - 2018-10-31</i>)
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom
Operationalization	NHS data dictionary : - UK telephone number
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">max length</div>
	35

 Person completing record

prsb03-dataelement-12643

Id	prsb03-dataelement-12643 (2019-11-19 13:01:28)
Concept inherits from	 prsb03-dataelement-10952 (2019-05-18 21:04:15)
Description	This is the person recording the problem.
	Should include their name, role, grade, specialty, organisation, professional identifier, date and time completed, contact details
Relationship	Person completing record (<i>prsb03-dataelement-10860 - 2019-03-27 17:46:45</i>)
Operationalization	Free text. Name, Role, Grade, Specialty, Organisation, Professional identifier, Date and time completed, Contact details
Value Domain	

 Comment

prsb03-dataelement-12644

Id	prsb03-dataelement-12644 (2019-11-19 13:01:28)
Concept inherits from	 prsb03-dataelement-10936 (2019-04-30 17:13:22)
Description	Supporting text may be given covering the problem.
Relationship	Comment (<i>prsb03-dataelement-10120 - 2018-10-31</i>)
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 150 </div>

  Problem

prsb03-dataelement-12645

Id	prsb03-dataelement-12645 (2019-11-19 13:04:13)
Concept inherits from	 prsb03-dataelement-10932 (2019-04-30 17:08:40)
Description	A condition which needs addressing and so is important for every professional to know about when seeing the person.

Problems may include diagnoses, symptoms, disabilities and social or behavioural issues, and comprise the 'Problem list'

Relationship	Problem (<i>prsb03-dataelement-10114 - 2018-10-31</i>)
--------------	--

  Contacts with professionals

prsb03-dataelement-169

Id	prsb03-dataelement-169 (2018-10-31)
Description	The details of the person's contact with a professional.
Used by	14 transactions, 0 templates, inherited 0 times

  Contacts with professionals record entry

prsb03-dataelement-10718

Id	prsb03-dataelement-10718 (2019-02-08 13:49:22)
Description	This is a contacts record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.
Used by	14 transactions, 0 templates, inherited 0 times

 Date of contact

prsb03-dataelement-10069

Id	prsb03-dataelement-10069 (2018-10-31)
Description	Date and time of the contact.

2.1.197 Properties

FHIR	Encounter.period
Operationalization	Date and time.
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>
Used by	14 transactions, 0 templates, inherited 0 times

  Location of contact

prsb03-dataelement-10075

Id	prsb03-dataelement-10075 (2018-10-31)
Description	The location where the contact took place.
Used by	14 transactions, 0 templates, inherited 0 times

 Coded value

prsb03-dataelement-13513

Id	prsb03-dataelement-13513 (2020-09-03 18:01:56)
Description	The coded value for location
Operationalization	NHS data dictionary : - Organisation service code

Value Domain

Property

min length max length

3 5

Used by

14 transactions, 0 templates, inherited 0 times



Free text

prsb03-dataelement-13514

Id

prsb03-dataelement-13514 (2020-09-03 18:04:13)

Concept inherits from

prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description

Free text field to be used if no code is available

Operationalization

Free text

Value Domain

Property

max length

150

Used by

14 transactions, 0 templates, inherited once



Seen by

prsb03-dataelement-10077

Id

prsb03-dataelement-10077 (2018-10-31)

Description

The professional that saw the person.

2.1.198 Properties

FHIR

Encounter.participant

Used by

one transaction, 0 templates, inherited 0 times



Name

prsb03-dataelement-13515

Id

prsb03-dataelement-13515 (2020-09-03 18:13:01)

Description

The name of the professional that saw the person

Operationalization

Free text

Value Domain

Property

max length

70

 Used by one transaction, 0 templates, inherited 0 times

 Role	prsb03-dataelement-13758
--	--------------------------

Id prsb03-dataelement-13758 (2020-09-29 12:37:26)

Concept inherits from  prsb03-dataelement-10710 (2018-12-04 15:32:09)

Description The role of the person providing the service.

Operationalization FHIR values set : - sdsjobrole

Value Domain

 Used by one transaction, 0 templates, inherited 0 times

 Free text	prsb03-dataelement-13516
---	--------------------------

Id prsb03-dataelement-13516 (2020-09-03 18:15:56) 0.1

Concept inherits from  prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150

 Responsible professional	prsb03-dataelement-10072
--	--------------------------

Id prsb03-dataelement-10072 (2018-10-31)

Description The name and role of the professional that had overall responsibility for the person e.g. consultant, nurse consultant, midwife, allied health professional (may not have actually seen the person).

2.1.199 Properties

FHIR Encounter.participant

 Name	prsb03-dataelement-10988
--	--------------------------

Id prsb03-dataelement-10988 (2019-05-23 18:36:10)

Description The name of the responsible professional.

Operationalization Free text

Value Domain

Property

max length

70



Role

prsb03-dataelement-10989

Id

prsb03-dataelement-10989 (2019-05-23 18:36:53)

Description

The role of the responsible professional

Operationalization

FHIR value set : - sdsjobrole

Value Domain



Location type

prsb03-dataelement-10076

Id

prsb03-dataelement-10076 (2018-10-31)

Description

The type of location where the contact took place e.g. person's home

Operationalization

NHS data dictionary - Activity location type code

Value Domain

Property

max length

3



Reason for service

prsb03-dataelement-13751

Id

prsb03-dataelement-13751 (2020-09-28 11:15:42)

Description

The reason why the person has been offered the service

Operationalization

Free text

Value Domain

Property

max length

150



Used by 13 transactions, 0 templates, inherited 0 times



Contact type

prsb03-dataelement-10070

Id

prsb03-dataelement-10070 (2018-10-31)

Description

Type of contact e.g. GP consultation, outpatient attendance

2.1.200 Properties

FHIR

Encounter.type

Operationalization Free text

Value Domain

Property

max length

150

⌚ Used by

2 transactions, 0 templates, inherited 0 times



Consultation method

prsb03-dataelement-10071

Id prsb03-dataelement-10071 (2018-10-31)

Description Consultation method used e.g. face to face, telephone

2.1.201 Properties

FHIR Handled as text in the transfer of care

Operationalization NHS data dictionary - Consultation medium

Value Domain

Property

max length

2

⌚ Used by

14 transactions, 0 templates, inherited 0 times



Specialty

prsb03-dataelement-10073

Id prsb03-dataelement-10073 (2018-10-31)

Description The specialty e.g. physiotherapy, oncology, mental health etc

2.1.202 Properties

FHIR Encounter.participant.individual.Practitioner.PractitionerRole.speciality (of the consultant responsible for the encounter)

Operationalization NHS data dictionary - Activity treatment function code

Value Domain

Property

max length

3



Service

prsb03-dataelement-10074

Id prsb03-dataelement-10074 (2018-10-31)

Description The service that was provided.

2.1.203 Properties

FHIR Encounter.Appointment.servicetype

Operationalization SNOMED CT :- 1127531000000102 |Services simple reference set (foundation metadata concept)|

Value Domain

Used by 14 transactions, 0 templates, inherited 0 times

  Professionals present

prsb03-dataelement-10078

Id prsb03-dataelement-10078 (2018-10-31)

Description The name, role of the additional individuals or team members including consultant(s), nurse consultant(s), allied health professional(s), social worker(s)

2.1.204 Properties

FHIR Encounter.participant

 Name

prsb03-dataelement-10990

Id prsb03-dataelement-10990 (2019-05-23 18:51:51)

Description The name of the professional present

Operationalization Free text

Value Domain

Property

max length

70

 Role

prsb03-dataelement-10991

Id prsb03-dataelement-10991 (2019-05-23 18:52:37)

Description The role of the professional present.

Operationalization FHIR value set : - sdsjobrole

Value Domain

 Outcome of contact

prsb03-dataelement-10080

Id prsb03-dataelement-10080 (2018-10-31)

Description This records the outcome of the contact.

2.1.205 Properties

FHIR Handled as text in the transfer of care

Operationalization NHS data dictionary :- Attended or did not attend code

Value Domain

Property

max length

1



Person accompanying patient

prsb03-dataelement-10079

Id prsb03-dataelement-10079 (2018-10-31)

Description Identify, where clinically relevant, others accompanying the patient, e.g. parent, relative, friend. Includes: Name, Relationship, role (e.g. informal carer).

2.1.206 Properties

FHIR Encounter.participant

Operationalization NHS data dictionary : - Person full name

Value Domain

Property

max length

70



Used by 14 transactions, 0 templates, inherited 0 times



Organisation name

prsb03-dataelement-10706

Id prsb03-dataelement-10706 (2018-12-04 15:30:13)

Description The name, including the identifier, of the organisation providing the service

Operationalization NHS data dictionary : - Organisation name

Value Domain

Property

max length

255



Used by 14 transactions, 0 templates, inherited 0 times



Organisation address

prsb03-dataelement-10713

Id

prsb03-dataelement-10713 (2018-12-04 15:37:02)

Description The name of the organisation, including the identifier.

Operationalization NHS data dictionary : - Organisation address

Value Domain

Property **max length**

175

 Used by 14 transactions, 0 templates, inherited 0 times

Organisation contact details

prsb03-dataelement-10707

Id prsb03-dataelement-10707 (2018-12-04 15:31:05)

Description The contact details of the organisation. For example a phone number, NHSmile address etc. Contact details are used to resolve queries about the record entry.

Operationalization Free text

Value Domain

Property **max length**

150

 Used by 14 transactions, 0 templates, inherited 0 times

Reason for non-provision of service

prsb03-dataelement-10708

Id prsb03-dataelement-10708 (2018-12-04 15:31:26)

Description The reason why the patient was not provided with the service e.g. declined, did not attend etc.

Operationalization Free text

Value Domain

Property **max length**

150

 Used by 14 transactions, 0 templates, inherited 0 times

Clinician name

prsb03-dataelement-10709

Id prsb03-dataelement-10709 (2018-12-04 15:31:49)

Description The name of the person providing the service.

Operationalization Free text

Value Domain

Property

max length

70

◉ Used by

13 transactions, 0 templates, inherited 0 times



Role

prsb03-dataelement-10710

Id

prsb03-dataelement-10710 (2018-12-04 15:32:09)

Description

The role of the person providing the service.

Operationalization

FHIR values set : - sdsjobrole

Value Domain

◉ Used by

13 transactions, 0 templates, inherited once



Chaperone

prsb03-dataelement-10712

Id

prsb03-dataelement-10712 (2018-12-04 15:33:12)

Description

The name of any chaperone(s).

Operationalization

Free text

Value Domain

Property

max length

70

◉ Used by

14 transactions, 0 templates, inherited 0 times



Person collecting the medicine

prsb03-dataelement-13783

Id

prsb03-dataelement-13783 (2020-10-22 15:43:21)

Description

Name, relationship, role (if formal role), contact details

Operationalization

Free text

Value Domain

◉ Used by

4 transactions, 0 templates, inherited 0 times



Professional identifier

prsb03-dataelement-10711

Id prsb03-dataelement-10711 (2018-12-04 15:32:25)

Description Professional identifier of the person providing the service.

Operationalization NHS data dictionary : - professional identifier

Value Domain

Property

max length

32

Used by 14 transactions, 0 templates, inherited 0 times

  Admission details

prsb03-dataelement-181

Id prsb03-dataelement-181 (2018-10-31)

Description Admission details

  Admission details record entry

prsb03-dataelement-10918

Id prsb03-dataelement-10918 (2019-04-09 16:16:31)

Description This is the admission details record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.

 Date of admission

prsb03-dataelement-10085

Id prsb03-dataelement-10085 (2018-10-31)

Description Date and time the person was admitted to hospital.

2.1.207 Properties

FHIR Encounter.period

Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute

  Admitted to

prsb03-dataelement-10090

Id prsb03-dataelement-10090 (2018-10-31)

There are open issues with this item:



- prsb03-issue-40: Site code ()
- prsb03-issue-41: Change to site code ()

Description The hospital the person was admitted to.



Coded value

prsb03-dataelement-13380

Id prsb03-dataelement-13380 (2020-08-10 18:02:32)

Description The coded value for admission to

Operationalization NHS data dictionary : - Organisations code of provider

Value Domain

Property

min length	max length
------------	------------

3	6
---	---



Free text

prsb03-dataelement-13381

Id prsb03-dataelement-13381 (2020-08-10 18:03:47)

Concept inherits from prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150



Responsible care professional

prsb03-dataelement-10087

Id prsb03-dataelement-10087 (2018-10-31)

Description The care professional who has overall responsibility for the person (may not actually see the person)



Name

prsb03-dataelement-10992

Id prsb03-dataelement-10992 (2019-05-23 23:16:09)

Description The name of the responsible care professional.

Operationalization Free text.

Value Domain

Property

max length

70



Role

prsb03-dataelement-10993

Id prsb03-dataelement-10993 (2019-05-23 23:17:05)

Description The role of the responsible consultant.

Operationalization FHIR value set: - sdsjobrole

Value Domain



Reason for admission

prsb03-dataelement-10081

Id prsb03-dataelement-10081 (2018-10-31)

Description The health problems and issues experienced by the person that prompted the decision to admit to hospital e.g. chest pain, mental health crisis, blackout, fall, a specific procedure, intervention, investigation or treatment, non compliance with treatment.

2.1.208 Properties

FHIR Encounter.reason



Coded value

prsb03-dataelement-13382

Id prsb03-dataelement-13382 (2020-08-10 18:08:34)

Description The coded value for reason for admission

Operationalization SNOMED CT: - ^1127581000000103 |Health issues simple reference set|

Value Domain



Free text

prsb03-dataelement-13384

Id prsb03-dataelement-13384 (2020-08-10 18:18:25)

Concept inherits from prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150



Admission method

prsb03-dataelement-10082

Id prsb03-dataelement-10082 (2018-10-31)

Description How the person was admitted to hospital e.g. elective, emergency, maternity, transfer etc.

2.1.209 Properties

FHIR Handled as text in the transfer of care



Coded value

prsb03-dataelement-13385

Id prsb03-dataelement-13385 (2020-08-10 18:21:26)

Description The coded value for admission method

Operationalization NHS data dictionary : - Admission method

Value Domain

Property

max length

2



Free text

prsb03-dataelement-13387

Id prsb03-dataelement-13387 (2020-08-10 18:22:33)

Concept inherits from prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150



Legal status on admission

prsb03-dataelement-10083

Id prsb03-dataelement-10083 (2018-10-31)

Description Whether the person was admitted as informal or formal/detained.

2.1.210 Properties

FHIR Encounter,Subject.Observation


Operationalization NHS data dictionary : - Mental health act legal status classification code

Value Domain

Property

max length

2



Source of admission

prsb03-dataelement-10084

Id prsb03-dataelement-10084 (2018-10-31)

Description Where the person was immediately prior to admission, e.g. usual place of residence, temporary place of residence, penal establishment.

2.1.211 Properties

FHIR Encounter.hospitalisation.admitsource



Coded value

prsb03-dataelement-13388

Id prsb03-dataelement-13388 (2020-08-10 18:25:26)

Description The coded value of source of admission

Operationalization NHS data dictionary :- Source of admission

Value Domain

Property

max length **fixed**

2 an2



Free text

prsb03-dataelement-13389

Id prsb03-dataelement-13389 (2020-08-10 18:27:00)

Concept inherits from prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150



Patient location

prsb03-dataelement-10086

Id prsb03-dataelement-10086 (2018-10-31)

Description This is the physical locations of the patient. For inpatient, e.g., hospital ward, bed, theatre. For ambulatory care, e.g., health center, clinic, resources center, patient's home.

Operationalization Free text

Value Domain

Property

max length

150



Individual accompanying person

prsb03-dataelement-10088

Id prsb03-dataelement-10088 (2018-10-31)

Description Details of the accompanying individual and the extent to which they have provided the information about the person.

 Name	prsb03-dataelement-10984
Id	prsb03-dataelement-10984 (2019-05-23 12:59:39)
Description	Name of individual accompanying person.
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 70 </div>
 Role	prsb03-dataelement-10985
Id	prsb03-dataelement-10985 (2019-05-23 13:00:07) 0.1
Description	Role of the individual accompanying the person.
Operationalization	NHS data dictionary : - Care professional
Value Domain	
 Relationship	prsb03-dataelement-10986
Id	prsb03-dataelement-10986 (2019-05-23 13:02:20)
Description	Relationship of individual accompanying the person.
 Coded value	prsb03-dataelement-13517
Id	prsb03-dataelement-13517 (2020-09-04 12:30:42)
Description	The coded value for relationship to person.
Operationalization	FHIR value set: - Relationship type
Value Domain	
 Free text	prsb03-dataelement-13518
Id	prsb03-dataelement-13518 (2020-09-04 12:31:40)
Concept inherits from	 prsb03-dataelement-13220 (2020-07-08 12:57:49)
Description	Free text field to be used if no code is available
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 150 </div>
 Comment	

prsb03-dataelement-12447

Id	prsb03-dataelement-12447 (2019-06-17 14:41:14)
Description	Information about the extent to which the accompanying individual provided information about the person.
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 150 </div>

  Specialty prsb03-dataelement-10089

Id	prsb03-dataelement-10089 (2018-10-31)
Description	The specialty e.g. physiotherapy, oncology, mental health etc

 Coded value prsb03-dataelement-13390

Id	prsb03-dataelement-13390 (2020-08-10 18:29:53)
Description	The coded value for specialty
Operationalization	NHS data dictionary :- Activity treatment function code
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 3 </div>

 Free text prsb03-dataelement-13391

Id	prsb03-dataelement-13391 (2020-08-10 18:31:31)
Concept inherits from	 prsb03-dataelement-13220 (2020-07-08 12:57:49)
Description	Free text field to be used if no code is available
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 150 </div>

  Discharge details prsb03-dataelement-191

Id	prsb03-dataelement-191 (2018-10-31)
Description	Discharge details

  Discharge details record entry	prsb03-dataelement-10919
--	--------------------------

Id prsb03-dataelement-10919 (2019-04-09 16:31:23)

Description This is the discharge details record entry. There may be 0 to many record entries under a section.
Each record entry is made up of a number of elements or data items.

 Expected date of discharge	prsb03-dataelement-13424
--	--------------------------

Id prsb03-dataelement-13424 (2020-08-11 14:16:33) 0.1

Description The expected/ proposed date the person will be discharged.

Operationalization SNOMED CT: - 861031000000101 |Expected date of discharge from service (observable entity)|

Value Domain

Property

Timestamp precision

at least day, month and year

 Date of discharge	prsb03-dataelement-10096
---	--------------------------

Id prsb03-dataelement-10096 (2018-10-31)

Description The date and time of discharge

2.1.212 Properties

FHIR Encounter.period

Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute

 Discharge location	prsb03-dataelement-10095
--	--------------------------

Id prsb03-dataelement-10095 (2018-10-31)

Description The hospital the person was discharged from.

2.1.213 Properties

FHIR Encounter.location.name

Operationalization NHS data dictionary : - Organisation data service

Value Domain

Property

min length **max length**

  Discharging consultant

prsb03-dataelement-10093

Id prsb03-dataelement-10093 (2018-10-31)

Description The consultant responsible for the person at time of discharge.

2.1.214 Properties

FHIR `Encounter.Prartitioner.PractitionerRole.identifier` (local ID) `Encounter.Prartitioner.PractitionerRole.code`
`Encounter.Prartitioner.PractitionerIdentifier` `Encounter.Prartitioner.PractitionerRole.Practitioner.name`

 Name

prsb03-dataelement-10994

Id prsb03-dataelement-10994 (2019-05-23 23:22:01)

Description The name of the discharging consultant

Operationalization Free text

Value Domain

Property

max length

70

 Role

prsb03-dataelement-10995

Id prsb03-dataelement-10995 (2019-05-23 23:22:48)

Description The role of the discharging consultant

Operationalization FHIR value set : - sdsjobrole

Value Domain

 Discharge destination

prsb03-dataelement-10091

Id prsb03-dataelement-10091 (2018-10-31)

Description The destination of the person on discharge. Sent as per the ECDS Emergency Care Discharge Destination code set (SNOMED CT).

2.1.215 Properties

FHIR `Encounter.hospitalisation.dischargedisposition`

Operationalization SNOMED CT

Value Domain

Property

max length

 Discharge status

prsb03-dataelement-10092

Id prsb03-dataelement-10092 (2018-10-31)

Description Patient status on discharge from emergency care. Sent as per the ECDS Emergency Care DischargeStatus code set (SNOMED CT)

2.1.216 Properties

FHIR Encounter,Subject.Observation

Operationalization SNOMED CT

Value Domain

 Discharge method

prsb03-dataelement-10098

Id prsb03-dataelement-10098 (2018-10-31)

Description The method of discharge from hospital e.g. person discharged on clinical advice or with clinical consent; person discharged him/herself or was discharged by a relative or advocate.

2.1.217 Properties

FHIR Handled as text in the transfer of care

 Coded value

prsb03-dataelement-13393

Id prsb03-dataelement-13393 (2020-08-10 18:53:34)

Description The coded value for discharge method

Operationalization NHS data dictionary : - Discharge method

Value Domain

Property

max length

1

 Free text

prsb03-dataelement-13394

Id prsb03-dataelement-13394 (2020-08-10 18:55:25)

Concept inherits from  prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150



Discharging specialty

prsb03-dataelement-10094

Id prsb03-dataelement-10094 (2018-10-31)

Description The specialty of the consultant responsible for the person at the time of discharge.



Coded value

prsb03-dataelement-13395

Id prsb03-dataelement-13395 (2020-08-10 18:57:49)

Description The coded value for discharge speciality

Operationalization NHS data dictionary : - Activity treatment function code

Value Domain

Property

max length

3



Free text

prsb03-dataelement-13396

Id prsb03-dataelement-13396 (2020-08-10 18:59:31)

Concept inherits from prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150



Discharging department

prsb03-dataelement-10987

Id prsb03-dataelement-10987 (2019-05-23 13:21:24)

Description The department from which the person is discharged.

Operationalization Free text

Value Domain

Property

max length

150



Legal status on discharge

prsb03-dataelement-10097

Id prsb03-dataelement-10097 (2018-10-31)

Description Whether the person was discharged as informal or formal/detained.

2.1.218 Properties

FHIR Encounter.Subject.Observation

Operationalization NHS data dictionary : - Mental health act classification code

Value Domain

Property

max length

2

  Discharge destination
prsb03-dataelement-10099

Id prsb03-dataelement-10099 (2018-10-31)

2.1.219 Properties

FHIR Encounter.hospitalisation.destination.location.Address

 Discharge destination
prsb03-dataelement-10100

Id prsb03-dataelement-10100 (2018-10-31)

Description The destination of the person on discharge from hospital e.g. usual place of residence, NHS run care home.

2.1.220 Properties

FHIR A code from the NHS Data Dictionary Discharge Destination

Operationalization NHS data dictionary - Discharge destination.

Value Domain

Property

max length

2

 Discharge address
prsb03-dataelement-10101

Id prsb03-dataelement-10101 (2018-10-31)

Description Address to which the person is discharged if not the usual place of residence.

2.1.221 Properties

If the patient is discharged to their normal place of residence, no address is recorded on the discharge FHIR summary. Otherwise, an address other than the patient's usual place of residence may be provided by the patient or their representative.

Operationalization NHS data dictionary :- Address

Value Domain

Property

min length **max length**

35 175

⌚ Expected date of discharge

prsb03-dataelement-10102

Id prsb03-dataelement-10102 (2018-10-31)

Description The date the person is currently expected to be discharged.

Operationalization Date/time

Value Domain

📁⌚ Discharge date informed status

prsb03-dataelement-13386

Id prsb03-dataelement-13386 (2020-08-10 18:22:05) 0.1

Description A statement confirming that the patient or carer has been informed of the date on which it is proposed that the patient be discharged

⌚ Discharge date patient informed indicator

prsb03-dataelement-13392

Id prsb03-dataelement-13392 (2020-08-10 18:32:48) 0.1

Description Indicates whether or not the patient has been informed of the proposed discharge date.

Value Domain

📁🟡 Discharge date informed status

prsb03-dataelement-13383

Id prsb03-dataelement-13383 (2020-08-10 18:08:49) 0.1

Description A statement confirming that the person or carer has been informed of the date on which it is proposed that the person be discharged

🟡 Discharge date person informed indicator

prsb03-dataelement-13423

Id prsb03-dataelement-13423 (2020-08-11 14:07:04) 0.1

Description Indicates whether or not the patient has been informed of the proposed discharge date.

Operationalization Flag;- yes or no

Value Domain

 Discharge date carer informed indicator	prsb03-dataelement-13422
---	--------------------------

Id	prsb03-dataelement-13422 (2020-08-11 14:02:51) 0.1
Description	Indicates whether or not the carer (where applicable) has been informed of the proposed discharge date.
Operationalization	Flag : - N: No;Y: Yes; NKC: No Known Carer
Value Domain	

 Emergency Care Attendance	prsb03-dataelement-379
---	------------------------

Id	prsb03-dataelement-379 (2018-10-31)
Description	Emergency Care Attendance

 Clinical narrative	prsb03-dataelement-10279
--	--------------------------

Id	prsb03-dataelement-10279 (2018-10-31)
Description	A description detailing a patient's reason for attendance, results from the diagnostic and treatment process.
Operationalization	Free text

Value Domain

Property	max length
	150

 Date and time of attendance	prsb03-dataelement-10280
---	--------------------------

Id	prsb03-dataelement-10280 (2018-10-31)
Description	Date and time patient arrived at the unscheduled care unit.
Value Domain	

Property	Timestamp precision
	at least day, month and year, hour and minute

 Date and time of discharge	prsb03-dataelement-10281
--	--------------------------

Id	prsb03-dataelement-10281 (2018-10-31)
Description	The actual date and time of discharge.
Operationalization	Date and time
Value Domain	

Timestamp precision

at least day, month and year, hour and minute

Diagnosis

prsb03-dataelement-10282

Id prsb03-dataelement-10282 (2018-10-31)

Description Confirmed diagnosis; active diagnosis being treated. Include the stage of the disease where relevant.

Value

Domain

Discharge destination

prsb03-dataelement-10283

Id prsb03-dataelement-10283 (2018-10-31)

Description The destination of the patient on discharge. National codes. E.g., High Dependency Unit.

Value Domain

Discharge status

prsb03-dataelement-10284

Id prsb03-dataelement-10284 (2018-10-31)

Description Patient status on discharge from emergency care.

Value Domain

Location

prsb03-dataelement-10285

Id prsb03-dataelement-10285 (2018-10-31)

Description Details of where the unscheduled care attendance took place.

Value Domain

Person accompanying patient

prsb03-dataelement-10286

Id prsb03-dataelement-10286 (2018-10-31)

Description Identify others accompanying the patient, e.g., relative, friend, patient informal carer, advocate. If the patient was not present, was an authorised representative present. Include name and relationship (friend, relative, etc.)

Value

Domain

Plan and Requested Actions

prsb03-dataelement-10287

Id prsb03-dataelement-10287 (2018-10-31)

Description A simple free text description of the plan of action following the contact with the person. This may include actions for the parent, healthcare professional (e.g. health visitor) and review.

Value

Domain



Presenting complaint or issue

prsb03-dataelement-10288

Id prsb03-dataelement-10288 (2018-10-31)

Description The health problem or issue experienced by the patient resulting in their attendance. This may include disease state, medical condition, response and reactions to therapies. E.g., blackout, dizziness, chest pain, follow up from admission, falls, a specific procedure, investigation or treatment.

Value
Domain

Senior reviewing clinician

prsb03-dataelement-10800

Id prsb03-dataelement-10800 (2019-03-20 13:45:58)

Value Domain




Senior Reviewing Clinician

prsb03-dataelement-327

Id prsb03-dataelement-327 (2018-10-31)

Description Senior Reviewing Clinician

Used by 0 transactions, 0 templates, inherited once



Name

prsb03-dataelement-10227

Id prsb03-dataelement-10227 (2018-10-31)

Description The name of the senior clinician responsible for reviewing the patient treatment and discharge plan.

Operationalization The person name as held on the source system. Where possible this should be broken down into its constituent parts (prefix, given name, family name, suffix).

Value Domain

Used by 0 transactions, 0 templates, inherited once



Professional identifier

prsb03-dataelement-10228

Id prsb03-dataelement-10228 (2018-10-31)

Description The unique identifier issued by the regulatory body e.g., GMC number, HCPC number etc.

Operationalization The professional identifier type and the identifier itself as held on the source system. An identifier for the person completing the record will be sent (but may not be displayed in the rendered message).

Value Domain

Used by 0 transactions, 0 templates, inherited once

 Procedure

prsb03-dataelement-10289

Id prsb03-dataelement-10289 (2018-10-31)

Description The therapeutic or diagnostic procedure performed on the patient. This may be coded, or represented as free text.

Value
Domain
 Referral Source

prsb03-dataelement-10290

Id prsb03-dataelement-10290 (2018-10-31)

Description Source of referral for Unscheduled care

Value Domain

 Safety Alerts

prsb03-dataelement-10291

Id prsb03-dataelement-10291 (2018-10-31)

Description Safety Alerts at the Emergency Care Attendance suggested to be pulled through from the Safety Alerts heading.

Value
Domain
 Future appointments

prsb03-dataelement-10720

Id prsb03-dataelement-10720 (2019-02-08 15:58:04)

Description Details of future appointments.

 Future appointments record entry

prsb03-dataelement-10721

Id prsb03-dataelement-10721 (2019-02-08 15:58:39)

Description This is the future appointments record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.

 Date of appointment

prsb03-dataelement-10722

Id prsb03-dataelement-10722 (2019-02-08 15:59:19)

Description Date and time of future appointment.

Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year

 Appointment status

prsb03-dataelement-10723

Id prsb03-dataelement-10723 (2019-02-08 16:00:39)

Description The status of the appointment e.g. proposed, booked, confirmed, rejected.

Operationalization Free text

Value Domain

Property

max length

150

 Reason for appointment prsb03-dataelement-10724

Id prsb03-dataelement-10724 (2019-02-08 16:02:23)

Description Reason this appointment is scheduled e.g. diagnosis, investigation, treatment or assessment

Operationalization Free text

Value Domain

Property

max length

150

 Clinical urgency of appointment prsb03-dataelement-10725

Id prsb03-dataelement-10725 (2019-02-08 16:03:54)

Description Urgency of appointment.

Operationalization NHS data dictionary : - Priority

Value Domain

Property

max length

1

 Location of future appointment prsb03-dataelement-10726

Id prsb03-dataelement-10726 (2019-02-08 16:05:14)

Description The location of the appointment.

 Coded value prsb03-dataelement-13519

Id prsb03-dataelement-13519 (2020-09-04 13:23:38)

Description The coded value for location

Operationalization NHS data dictionary : - Organisation data service

Value Domain

Property

min length max length

3 5



Free text

prsb03-dataelement-13520

Id

prsb03-dataelement-13520 (2020-09-04 13:25:24)

Concept inherits from

prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description

Free text field to be used if no code is available

Operationalization

Free text

Value Domain

Property

max length

150



Specialty

prsb03-dataelement-10727

Id

prsb03-dataelement-10727 (2019-02-08 16:10:35)

Description

The specialty e.g. physiotherapy, oncology, mental health etc.

2.1.222 Properties

FHIR `Encounter.participant.individual.Practitioner.PractitionerRole.speciality` (of the consultant responsible for the encounter)

Relationship

Specialty (*prsb03-dataelement-10073 - 2018-10-31*)

Operationalization

NHS data dictionary :- Activity treatment function code

Value Domain

Property

max length

3



Service

prsb03-dataelement-10728

Id

prsb03-dataelement-10728 (2019-02-08 16:11:32)

Description

The service being provided.

2.1.223 Properties

FHIR `Encounter.Appointment.servicetype`

Relationship

Service (*prsb03-dataelement-10074 - 2018-10-31*)

Operationalization SNOMED CT: - 1127531000000102 |Services simple reference set (foundation metadata concept)|

Value Domain

 	Professional seeing the person	prsb03-dataelement-10729
---	--------------------------------	--------------------------

Id prsb03-dataelement-10729 (2019-02-08 16:12:10)

Description The name and role of the professional e.g. consultant, care worker, nurse consultant.

2.1.224 Properties

FHIR Encounter.participant

Relationship Responsible professional (*prsb03-dataelement-10072 - 2018-10-31*)

 Name	prsb03-dataelement-12413
--	--------------------------

Id prsb03-dataelement-12413 (2019-06-05 18:59:13)

Description The name of the professional seeing the person.

Operationalization Free text

Value Domain

Property **max length**

70

 Role	prsb03-dataelement-12414
--	--------------------------

Id prsb03-dataelement-12414 (2019-06-05 18:59:35)

Description The role of the professional seeing the person.

Operationalization FHIR value set : - sdsjobrole

Value Domain

 	Incident details	prsb03-dataelement-10887
---	------------------	--------------------------

Id prsb03-dataelement-10887 (2019-03-29 13:05:03)

Description Details of ambulance incidents.

 Source of call	prsb03-dataelement-10888
--	--------------------------

Id prsb03-dataelement-10888 (2019-03-29 13:05:52)

Description Where the call originated from e.g. 999, NHS 111, police, GP, hospital etc.

Operationalization Record generated from the local system.

Value Domain

 Ambulance service

prsb03-dataelement-10889

Id	prsb03-dataelement-10889 (2019-03-29 13:07:10)
Description	The ambulance service provider. This could be NHS, air ambulance, voluntary or private provider.
Operationalization	This should be the Organisation Data Services name for the ambulance service.
Value Domain	

 Incident number

prsb03-dataelement-10890

Id	prsb03-dataelement-10890 (2019-03-29 13:14:27)
Description	The number that identifies the incident and is generated by the dispatcher in response to a call.
Operationalization	This is a number generated by the local system.
Value Domain	

 Unique person identifier

prsb03-dataelement-10891

Id	prsb03-dataelement-10891 (2019-03-29 13:22:03)
Description	A unique identifier to identify the person.
Operationalization	This is a number generated by the local system. Note: The exact values for this heading are expected to be defined by the Ambulance Dataset Project.
Value Domain	

 Incident location

prsb03-dataelement-10892

Id	prsb03-dataelement-10892 (2019-03-29 13:33:38)
Description	The location of the incident.
Operationalization	The record of the address provided by the local system.
Value Domain	

 Individual accompanying person

prsb03-dataelement-10893

Id	prsb03-dataelement-10893 (2019-03-29 13:34:37)
Description	Individual who has family, carer or other relationship who accompanies the person.
Operationalization	Record as provided by the ambulance clinician, in free text.
Value Domain	


 Incident date and time

prsb03-dataelement-10894

Id	prsb03-dataelement-10894 (2019-03-29 13:35:24)
Description	The date and time of the incident.

Operationalization This is the date as reported by the person or the person reporting the incident.

Value Domain



Time of symptom onset

prsb03-dataelement-10895

Id prsb03-dataelement-10895 (2019-03-29 13:36:11)

Description The approximate time the person's symptoms began. Where there is a prodrome of intermittent pain the time recorded should be the time of onset of those symptoms which led the person to call for help.

Operationalization This is the time as reported by the person or the person reporting the incident.

Value Domain



Arrival time at incident

prsb03-dataelement-10896

Id prsb03-dataelement-10896 (2019-03-29 13:37:59)

Description The time the crew or individual responder arrived at the scene of the incident

Operationalization The information is provided by the local system.

Value Domain



Time left incident location

prsb03-dataelement-10897

Id prsb03-dataelement-10897 (2019-03-29 13:38:51)

Description Time the crew or individual responder left the incident

Operationalization The information is provided by the local system.

Value Domain



Time of arrival at handover destination

prsb03-dataelement-10898

Id prsb03-dataelement-10898 (2019-03-29 13:39:37)

Description The time the ambulance parks at the handover destination (eg A&E, clinic, etc).

Operationalization The information is provided by the local system.

Value Domain



Injury

prsb03-dataelement-10899

Id prsb03-dataelement-10899 (2019-04-02 12:05:36)

Description Details of the person's injury.



Injury activity status


prsb03-dataelement-10900

Id prsb03-dataelement-10900 (2019-04-02 12:07:28)

Description The status of activity being undertaken by the person at the moment the injury occurred (e.g. education, work, leisure activity etc).

Operationalization EmergencyCareInjuryActivityStatus
To obtain the subset click on members under concept details along the top right section

Value Domain



Injury activity

prsb03-dataelement-10901

Id prsb03-dataelement-10901 (2019-04-02 12:09:04)

Description The type of activity being undertaken by the person at the moment the injury occurred.

Operationalization EmergencyCareInjuryActivityType
To obtain the subset click on members under concept details along the top right section

Value Domain



Injury intent


prsb03-dataelement-10902

Id prsb03-dataelement-10902 (2019-04-02 12:12:31)

Description The most likely human intent in the occurrence of the injury or poisoning as assessed by clinician.

Operationalization EmergencyCareInjuryIntentType
To obtain the subset click on members under concept details along the top right section

Value Domain



Injury mechanism

prsb03-dataelement-10903

Id prsb03-dataelement-10903 (2019-04-02 12:13:24)

Description How the injury was caused.

Operationalization EmergencyCareMechanismOfInjury
To obtain the subset click on members under concept details along the top right section

Value Domain



Alcohol or drug involvement in injury

prsb03-dataelement-10904

Id prsb03-dataelement-10904 (2019-04-02 12:14:19)

Description A record of any drugs or alcohol used by the person, which are thought likely to have contributed to the need to attend the ED.

Operationalization EmergencyCareDrugOrAlcoholUseRelatedInjury
To obtain the subset click on members under concept details along the top right section

Value Domain



Relevant past medical, surgical and mental health history

prsb03-dataelement-547

Id prsb03-dataelement-547 (2018-10-31)

Description The record of the person's significant medical, surgical and mental health history. Including relevant previous diagnoses, problems and issues, procedures, investigations, specific anaesthesia issues, etc (with obstetric history).



Date

prsb03-dataelement-10447

Id prsb03-dataelement-10447 (2018-10-31)

Description The date on which the medical history was recorded

Value Domain



Location

prsb03-dataelement-10448

Id prsb03-dataelement-10448 (2018-10-31)

Description The location where the medical history was recorded

Value Domain



Performing Professional

prsb03-dataelement-10449

Id prsb03-dataelement-10449 (2018-10-31)

Description Details of the professional performing the medical history (including name and role)

Value Domain



Gynaecology

prsb03-dataelement-10450

Id prsb03-dataelement-10450 (2018-10-31)

Description A record of the woman's gynaecology medical history relevant to the maternity episode, including relevant previous diagnoses, problems and issues, procedures, surgeries and investigations.

**Value
Domain**



Past obstetric

prsb03-dataelement-10451

Id prsb03-dataelement-10451 (2018-10-31)

Description A record of the woman's obstetric medical history relevant to the maternity episode. To include each previous pregnancy details and the outcome.

**Value
Domain**



Relevant past medical history

prsb03-dataelement-10452

Id prsb03-dataelement-10452 (2018-10-31)

Description The record of the person's significant medical, history. Including relevant previous diagnoses, health history problems and issues.

Value
Domain

 Relevant past surgical history	prsb03-dataelement-10453
--	--------------------------

Id prsb03-dataelement-10453 (2018-10-31)

Description The record of the person's significant surgical history. Including relevant issues, procedures, investigations, specific anaesthesia issues, etc.

Value
Domain

 Relevant past mental health history	prsb03-dataelement-10454
---	--------------------------

Id prsb03-dataelement-10454 (2018-10-31)

Description A record of the person's mental health history relevant to the episode

Value Domain

 Acute Hospital Episodes	prsb03-dataelement-10455
---	--------------------------

Id prsb03-dataelement-10455 (2018-10-31)

Description Reported details of any history of acute hospital episodes including ITU, HDU and A&E attendances the woman has had.

Value
Domain

 Mental Health Admissions	prsb03-dataelement-10456
--	--------------------------

Id prsb03-dataelement-10456 (2018-10-31)

Description Reported details of any history of mental health admissions.

Value Domain

 Relevant past medical, surgical and mental health history	prsb03-dataelement-12476
---	--------------------------

Id prsb03-dataelement-12476 (2019-06-27 12:35:48)

Description The record of the person's significant medical, surgical and mental health history (will include dental and obstetric history). Including relevant previous diagnoses, problems and issues, procedures, investigations, specific anaesthesia issues, etc.

Relationship Relevant past medical, surgical and mental health history (*prsb03-dataelement-10130 - 2018-10-31*)

Operationalization A list of the person's relevant past medical, surgical and mental health history recorded in free text or coded form.

Value Domain

  Relevant clinical risk factors	prsb03-dataelement-203
--	------------------------

Id prsb03-dataelement-203 (2018-10-31)

Description Relevant clinical risk factors

  Relevant clinical risk factor record entry

prsb03-dataelement-10650

Id prsb03-dataelement-10650 (2018-11-12 19:39:02)

Description This is a Relevant clinical risk factor record entry. There may be 0 to many record entry/entries under a section. Each record entry is made up of a number of elements or data items.

 Relevant clinical risk factor

prsb03-dataelement-10103

Id prsb03-dataelement-10103 (2018-10-31)

Description Factors that have been shown to be associated with the development of a medical condition being considered as a diagnosis/differential diagnosis. E.g. being overweight, smoker, no use of sun screen, enzyme deficiency.

2.1.225 Properties

FHIR composition.text

Operationalization Free text

Value Domain

 Date

prsb03-dataelement-10104

Id prsb03-dataelement-10104 (2018-10-31)

Description The date on which the clinical risk factor was recorded

Value Domain

 Location

prsb03-dataelement-10105

Id prsb03-dataelement-10105 (2018-10-31)

Description The location where the clinical risk factor was recorded.

Value Domain

 Performing Professional

prsb03-dataelement-10106

Id prsb03-dataelement-10106 (2018-10-31)

Description Details of the professional recording the clinical risk factor (including name and role)

Value Domain

 Clinical risk assessment

prsb03-dataelement-10107

Id prsb03-dataelement-10107 (2018-10-31)

Description Specific risk assessments required/undertaken.

Operationalization Coded (SNOMED CT) or text

Value Domain



Risk mitigation

prsb03-dataelement-10108

Id prsb03-dataelement-10108 (2018-10-31)

Description Action taken to reduce the clinical risk and date actions.

Operationalization Free text

Value Domain



Patient at high risk

prsb03-dataelement-10109

Id prsb03-dataelement-10109 (2018-10-31)

Description This patient is at high risk of clinical deterioration and will need an immediate response if called

Value
Domain



Vaccinations

prsb03-dataelement-10685

Id prsb03-dataelement-10685 (2018-12-04 11:33:10)

Description Details of vaccinations.

⌚ Used by 2 transactions, 0 templates, inherited 0 times



Vaccinations record entry

prsb03-dataelement-10686

Id prsb03-dataelement-10686 (2018-12-04 11:34:26) 0.1

Description This is the vaccinations record entry.

There may be 0 to many record entries under a section.

Each record entry is made up of a number of elements or data items.

⌚ Used by 2 transactions, 0 templates, inherited 0 times



Date

prsb03-dataelement-10695

Id prsb03-dataelement-10695 (2018-12-04 11:38:40)

Description The date on which the vaccination was administered or the reported/partial date on which it was reported.

Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute

🕒 Used by

2 transactions, 0 templates, inherited 0 times



Location

prsb03-dataelement-10759

Id

prsb03-dataelement-10759 (2019-03-08 17:50:00)

Description

The location where the vaccine was administered.

Relationship

Location (*prsb03-dataelement-10139 - 2018-10-31*)

Coded value

prsb03-dataelement-13577

Id

prsb03-dataelement-13577 (2020-09-07 17:08:23)

Description

The coded value for location

Operationalization

NHS data dictionary: - Organisation data service

Value Domain

Property

min length max length

3

5



Free text

prsb03-dataelement-13578

Id

prsb03-dataelement-13578 (2020-09-07 17:09:39)

Concept inherits from

🟡 *prsb03-dataelement-13220* (2020-07-08 12:57:49)

Description

Free text field to be used if no code is available

Operationalization

Free text

Value Domain

Property

max length

150



Performing professional

prsb03-dataelement-10760

Id

prsb03-dataelement-10760 (2019-03-08 17:50:41)

Description

Details of the professional administering the vaccine or the professional to whom the vaccination was reported.

Relationship

Performing Professional (*prsb03-dataelement-10460 - 2018-10-31*)

Operationalization Free text

Value Domain

  Performing professional

prsb03-dataelement-12184

Id prsb03-dataelement-12184 (2019-05-31 16:19:14)

Description The professional who administered the vaccine.

Relationship Performing professional (*prsb03-dataelement-11281 - 2019-05-30 11:53:30*) Name

prsb03-dataelement-12185

Id prsb03-dataelement-12185 (2019-05-31 16:19:35)

Concept inherits from  *prsb03-dataelement-11282 (2019-05-30 11:57:38)*

Description The name of the professional.

Rationale Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70

 Used by 0 transactions, 0 templates, inherited once Role

prsb03-dataelement-12186

Id prsb03-dataelement-12186 (2019-05-31 16:19:35)

Description The role the professional has in relation to the person.

Relationship Role (*prsb03-dataelement-11283 - 2019-05-30 11:58:48*)

Operationalization FHIR value set : - sdsjobrole

Value Domain

 Used by 0 transactions, 0 templates, inherited 2 times Grade

prsb03-dataelement-12187

Id prsb03-dataelement-12187 (2019-05-31 16:19:35)

Concept inherits from  *prsb03-dataelement-11288 (2019-05-30 12:19:40)*

Description The grade of the professional.

Rationale	PractitionerRole.code
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; text-align: center;"> max length 150 </div>
Used by	0 transactions, 0 templates, inherited once

 Speciality	prsb03-dataelement-12188
--	--------------------------

Id	prsb03-dataelement-12188 (2019-05-31 16:19:35)
Description	The specialty of the professional.
Relationship	Speciality (<i>prsb03-dataelement-11284 - 2019-05-30 12:01:15</i>)
Operationalization	NHS data dictionary - Main specialty code
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; text-align: center;"> max length 3 </div>
Used by	0 transactions, 0 templates, inherited once

 Professional identifier	prsb03-dataelement-12189
---	--------------------------

Id	prsb03-dataelement-12189 (2019-05-31 16:19:35)
Concept inherits from	 <i>prsb03-dataelement-11285 (2019-05-30 12:02:46)</i>
Description	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary : - Professional registration identifier
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; text-align: center;"> max length 32 </div>
Used by	0 transactions, 0 templates, inherited once

  Organisation	
--	--

prsb03-dataelement-12190

Id	prsb03-dataelement-12190 (2019-05-31 16:19:35)
Concept inherits from	 prsb03-dataelement-11286 (2019-05-30 12:17:19)
Description	The name of the organisation the professional works for.
Used by	0 transactions, 0 templates, inherited once

 Contact details
prsb03-dataelement-12191

Id	prsb03-dataelement-12191 (2019-05-31 16:19:35)
Concept inherits from	 prsb03-dataelement-11287 (2019-05-30 12:18:13)
Description	Contact details of the professional
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom
Operationalization	NHS data dictionary - UK phone number
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> max length 35 </div>
Used by	0 transactions, 0 templates, inherited once

  Vaccine product
prsb03-dataelement-10687

Id	prsb03-dataelement-10687 (2018-12-04 11:36:00)
Description	The vaccine product administered.
Used by	2 transactions, 0 templates, inherited 0 times

 Coded value
prsb03-dataelement-13237

Id	prsb03-dataelement-13237 (2020-07-21 16:44:15)
Description	The coded value for vaccine product.
Operationalization	dm+d (SNOMED) Concept ID AMP (preferred) or VMP term for the vaccine product
Value Domain	
Used by	2 transactions, 0 templates, inherited 0 times

 Free text

prsb03-dataelement-13238

Id prsb03-dataelement-13238 (2020-07-21 16:45:32)

Concept inherits from  prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150

 **Used by** 2 transactions, 0 templates, inherited 0 times

  **Manufacturer** prsb03-dataelement-10698

Id prsb03-dataelement-10698 (2018-12-04 15:11:19)

Description Name of vaccine manufacturer.

 **Used by** 2 transactions, 0 templates, inherited 0 times

 **Coded value** prsb03-dataelement-13239

Id prsb03-dataelement-13239 (2020-07-21 17:14:02)

Description The coded value of the manufacturer.

Operationalization SNOMED CT: - DM+D or GS1

Value Domain

 **Used by** 2 transactions, 0 templates, inherited 0 times

 **Free text** prsb03-dataelement-13240

Id prsb03-dataelement-13240 (2020-07-21 17:15:48)

Concept inherits from  prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150

 Used by 2 transactions, 0 templates, inherited 0 times

 Vaccine procedure

prsb03-dataelement-10688

Id prsb03-dataelement-10688 (2018-12-04 11:36:30)

Description The procedure which was used to administer the vaccine.

 Used by 2 transactions, 0 templates, inherited 0 times

 Coded value

prsb03-dataelement-13219

Id prsb03-dataelement-13219 (2020-07-08 12:29:41)

Description The coded value for vaccine procedure

Operationalization SNOMED CT :- < 127785005 |Administration of substance to produce immunity, either active or passive (procedure)|

Value Domain

 Used by one transaction, 0 templates, inherited 0 times

 Free text

prsb03-dataelement-13220

Id prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150

 Used by one transaction, 0 templates, inherited 113 times

 Batch number

prsb03-dataelement-10697

Id prsb03-dataelement-10697 (2018-12-04 15:10:59)

Description The batch number of the product.

 Used by one transaction, 0 templates, inherited once

 Coded value

prsb03-dataelement-13233

Id	prsb03-dataelement-13233 (2020-07-21 15:15:57)
Description	The coded value for the batch number
Operationalization	FMD code : - Derived from Falsified medicines directive
Value Domain	
Used by	one transaction, 0 templates, inherited once

 Free text

prsb03-dataelement-13234

Id	prsb03-dataelement-13234 (2020-07-21 15:17:14)		
Concept inherits from	 prsb03-dataelement-13220 (2020-07-08 12:57:49)		
Description	Free text field to be used if no code is available		
Operationalization	Free text		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>150</td> </tr> </table>	max length	150
max length			
150			
Used by	one transaction, 0 templates, inherited once		

 Expiry date

prsb03-dataelement-10696

Id	prsb03-dataelement-10696 (2018-12-04 15:10:32)		
Description	The date on which the vaccine will expire.		
Operationalization	Date/time		
Value Domain			
Property	<table border="1"> <tr> <td>Timestamp precision</td> </tr> <tr> <td>at least day, month and year, hour and minute</td> </tr> </table>	Timestamp precision	at least day, month and year, hour and minute
Timestamp precision			
at least day, month and year, hour and minute			
Used by	one transaction, 0 templates, inherited 0 times		

 Serialisation code

prsb03-dataelement-10690

Id	prsb03-dataelement-10690 (2018-12-04 11:37:07)
Description	A code that separately identifies two identical vaccines (i.e. same product, same batch).
Used by	2 transactions, 0 templates, inherited 0 times

 Coded value

prsb03-dataelement-13235

Id	prsb03-dataelement-13235 (2020-07-21 15:21:31)
Description	The coded value for serialisation code.
Operationalization	FMD code : - Derived from Falsified medicines directive
Value Domain	
Used by	2 transactions, 0 templates, inherited 0 times

 Free text

prsb03-dataelement-13236

Id	prsb03-dataelement-13236 (2020-07-21 15:22:23)
Concept inherits from	 prsb03-dataelement-13220 (2020-07-08 12:57:49)
Description	Free text field to be used if no code is available
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> max length 150 </div>
Used by	2 transactions, 0 templates, inherited 0 times

  Body site

prsb03-dataelement-10691

Id	prsb03-dataelement-10691 (2018-12-04 11:37:33)
Description	Body site vaccine was administered.
Used by	2 transactions, 0 templates, inherited 0 times

 Coded value

prsb03-dataelement-13222

Id	prsb03-dataelement-13222 (2020-07-08 17:37:37)
Description	The coded value for body site
Operationalization	SNOMED CT : - 1127941000000100 Vaccine body site of administration simple reference set (foundation metadata concept)
Value Domain	
Used by	2 transactions, 0 templates, inherited 0 times

 Free text

prsb03-dataelement-13223

Id prsb03-dataelement-13223 (2020-07-08 17:40:09)

Description Free text field to be used if no coded text available

Value Domain

Property

max length

150

 Used by

2 transactions, 0 templates, inherited 17 times

  Route prsb03-dataelement-10692

Id prsb03-dataelement-10692 (2018-12-04 11:37:53)

Description How the vaccine entered the body.

 Used by

2 transactions, 0 templates, inherited 0 times

 Coded value prsb03-dataelement-13224

Id prsb03-dataelement-13224 (2020-07-08 18:23:10)

Description The coded value for vaccination route

Operationalization SNOMED CT: - ^999000051000001100 |ePrescribing route of administration simple reference set (foundation metadata concept)|

Value Domain

 Used by

2 transactions, 0 templates, inherited 0 times

 Free text prsb03-dataelement-13225

Id prsb03-dataelement-13225 (2020-07-08 18:25:39)

Concept inherits from

 prsb03-dataelement-13223 (2020-07-08 17:40:09)

Description

Free text field to be used if no coded text available

Value Domain

Property

max length

150

 Used by

2 transactions, 0 templates, inherited 0 times

  Indication

prsb03-dataelement-10693

Id	prsb03-dataelement-10693 (2018-12-04 11:38:05)
Description	The clinical indication or reason for administering the vaccine.
⌚ Used by	2 transactions, 0 templates, inherited 0 times

prsb03-dataelement-13226

Id	prsb03-dataelement-13226 (2020-07-14 17:03:18)
Description	The coded value for Indication.
Operationalization	SNOMED CT:- <404684003 Clinical finding (finding) OR <243796009 Situation with explicit context (situation)
Value Domain	
⌚ Used by	2 transactions, 0 templates, inherited 0 times

prsb03-dataelement-13227

Id	prsb03-dataelement-13227 (2020-07-14 17:08:12)
Concept inherits from	🟡 prsb03-dataelement-13220 (2020-07-08 12:57:49)
Description	Free text field to be used if no code is available
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> max length 150 </div>
⌚ Used by	2 transactions, 0 templates, inherited 0 times

prsb03-dataelement-10694

Id	prsb03-dataelement-10694 (2018-12-04 11:38:24) 0.1
Description	Amount of vaccine administered.
⌚ Used by	2 transactions, 0 templates, inherited 0 times

prsb03-dataelement-13228

Id	prsb03-dataelement-13228 (2020-07-15 18:42:20)
----	--

Description	Amount of vaccine administered.
Operationalization	SNOMED CT : - dm+d
Value Domain	
◎ Used by	one transaction, 0 templates, inherited 0 times



Value

prsb03-dataelement-13838

Id	prsb03-dataelement-13838 (2020-12-28 22:49:54)
Description	The amount of vaccine administered
Relationship	Value (<i>prsb03-dataelement-13813 - 2020-12-16 15:51:30</i>)
Operationalization	Free text
Value Domain	
◎ Used by	one transaction, 0 templates, inherited 0 times



Units of measure

prsb03-dataelement-13839

Id	prsb03-dataelement-13839 (2020-12-28 22:51:47)
Description	The units of measure for the dose amount
Relationship	Units of measure (<i>prsb03-dataelement-13822 - 2020-12-18 18:22:30</i>)
Operationalization	UCUM code
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 10 </div>
◎ Used by	one transaction, 0 templates, inherited 0 times




Free text

prsb03-dataelement-13229

Id	prsb03-dataelement-13229 (2020-07-15 19:30:33)
Description	Amount of vaccine administered.
Relationship	Free text (<i>prsb03-dataelement-13223 - 2020-07-08 17:40:09</i>)
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length </div>

150

⌚ Used by one transaction, 0 templates, inherited once



Dose sequence

prsb03-dataelement-10824

Id	prsb03-dataelement-10824 (2019-03-21 13:38:54)
Description	Nominal position in a series of vaccines.
Relationship	Dose sequence (<i>prsb03-dataelement-10310 - 2018-10-31</i>)
Operationalization	Numeric value
Value Domain	
Property	max include
	1

⌚ Used by 2 transactions, 0 templates, inherited 0 times



Outcome status

prsb03-dataelement-10838

Id	prsb03-dataelement-10838 (2019-03-26 12:32:46)
Description	Whether the vaccine was administered or not, including the reason why
Relationship	Outcome status (<i>prsb03-dataelement-10315 - 2018-10-31</i>)



Not given flag

prsb03-dataelement-13230

Id	prsb03-dataelement-13230 (2020-07-16 14:54:34)
Description	Flag to indicate that the vaccination was NOT given at this time by a healthcare professional
Operationalization	Flag: - Yes or No
Value Domain	
Property	fixed
	3



Vaccination situation (not given reason)

prsb03-dataelement-13231

Id	prsb03-dataelement-13231 (2020-07-16 15:00:05)
Description	The reason why a vaccination was not administered.
Operationalization	FHIR value set : - https://simplifier.net/ukcore/valueset-ukcore-reasonimmunizationnotadministered

Value Domain

Property

max length

150



Person completing record

prsb03-dataelement-12192

Id

prsb03-dataelement-12192 (2019-05-31 16:19:51)

Concept inherits from

prsb03-dataelement-11289 (2019-05-30 12:24:39)

Description

Details of the person completing the record.

Relationship

Person completing record (*prsb03-dataelement-319 - 2018-10-31*)

Name

prsb03-dataelement-12193

Id

prsb03-dataelement-12193 (2019-05-31 16:20:12)

Concept inherits from

prsb03-dataelement-11290 (2019-05-30 12:25:39)

Description

The name of the person completing the record.

Relationship

Name (*prsb03-dataelement-10219 - 2018-10-31*)

Rationale

Composition.author.Practitioner.name

Operationalization

Free text.

Value Domain

Property

max length

70



Role

prsb03-dataelement-12194

Id

prsb03-dataelement-12194 (2019-05-31 16:20:12)

Concept inherits from

prsb03-dataelement-11291 (2019-05-30 12:25:39)

Description

The organisational role of the person completing record.

2.1.226 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship

Role (*prsb03-dataelement-10220 - 2018-10-31*)

Rationale

Composition.author.PractitionerRole.code

Operationalization

FHIR value set :- SDSjobrole

Value Domain



Grade

Id	prsb03-dataelement-12195 (2019-05-31 16:20:12)
Concept inherits from	 prsb03-dataelement-11292 (2019-05-30 12:25:39)
Description	The grade of the person completing the record.
Relationship	Grade (<i>prsb03-dataelement-10221 - 2018-10-31</i>)
Rationale	PractitionerRole.code
Operationalization	Free text.
Value Domain	
Property	max length

Specialty	
prsb03-dataelement-12196 (2019-05-31 16:20:12)	
Id	prsb03-dataelement-12196 (2019-05-31 16:20:12)
Concept inherits from	 <i>prsb03-dataelement-11293 (2019-05-30 12:25:39)</i>
Description	The main specialty of the person completing the record.
2.1.227 Properties	
FHIR	PractitionerRole.specialty
Relationship	Specialty (<i>prsb03-dataelement-10222 - 2018-10-31</i>)
Rationale	PractitionerRole.speciality
Operationalization	NHS data dictionary :- Activity treatment function code
Value Domain	
Property	max length

Id	prsb03-dataelement-12197 (2019-05-31 16:20:12)
Concept inherits from	 <i>prsb03-dataelement-11294 (2019-05-30 12:25:39)</i>
Description	The organisation the person completing the record works for.
Relationship	Organisation (<i>prsb03-dataelement-10226 - 2018-10-31</i>)

Id prsb03-dataelement-12198 (2019-05-31 16:20:12)

Concept inherits from  prsb03-dataelement-11295 (2019-05-30 12:25:39)

Description Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.228 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship Professional identifier (*prsb03-dataelement-10223 - 2018-10-31*)

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary :- Professional registration identifier

Value Domain

Property

max length

32



Date completed

prsb03-dataelement-12199

Id prsb03-dataelement-12199 (2019-05-31 16:20:12)

Concept inherits from  prsb03-dataelement-11296 (2019-05-30 12:25:39)

Description The date and time the record was completed.

Relationship Date completed (*prsb03-dataelement-10224 - 2018-10-31*)

Rationale Composition.date

Operationalization Date and time.

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Contact details

prsb03-dataelement-12200

Id prsb03-dataelement-12200 (2019-05-31 16:20:12)

Concept inherits from  prsb03-dataelement-11297 (2019-05-30 12:25:39)

Description Contact details of the person completing the record.

2.1.229 Properties

FHIR PractitionerRole.telecom

Relationship Contact details (*prsb03-dataelement-10225 - 2018-10-31*)

Rationale	Practitioner:telecom PractitionerRole:telecom Organisation:telcom
Operationalization	NHS data dictionary : - UK telephone number

Value Domain

Property

max length

35

 Person completing record

prsb03-dataelement-10951

Id prsb03-dataelement-10951 (2019-05-18 20:30:31) 0.1

Description This is the person recording the vaccination.

Should include their name, role, grade, specialty, organisation, professional identifier, date and time completed, contact details

Relationship Person completing record (*prsb03-dataelement-10860 - 2019-03-27 17:46:45*)

Operationalization Free text. Name, Role, Grade, Specialty, Organisation, Professional identifier, Date and time completed, Contact details

Value Domain

 Reported

prsb03-dataelement-10825

Id prsb03-dataelement-10825 (2019-03-21 13:40:11)

Description Details of the vaccination reported to the professional

Relationship Reported (*prsb03-dataelement-10317 - 2018-10-31*) Date

prsb03-dataelement-10837

Id prsb03-dataelement-10837 (2019-03-26 12:29:22)

Description The date or partial date that the reported vaccination was given in the opinion of the person.

Operationalization Date/time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute

 Reported

prsb03-dataelement-13849

Id prsb03-dataelement-13849 (2021-01-05 12:59:10)

Description A flag to indicate the information was reported to a professional

Operationalization Flag: - Yes or No

Value Domain

Property ***default***

3



Report origin

prsb03-dataelement-13232

Id prsb03-dataelement-13232 (2020-07-21 12:49:00)

Description The source of the data when the report of the vaccination event is not based on information from the person who administered the vaccine.

Operationalization FHIR value set:- <https://www.hl7.org/fhir/valueset-immunization-origin.html>

Value Domain



Manufacturer

prsb03-dataelement-10689

Id prsb03-dataelement-10689 (2018-12-04 11:36:46)

Value Domain




Appliances

prsb03-dataelement-13762

Id prsb03-dataelement-13762 (2020-09-30 12:33:21)

Description Details of appliances

⌚ Used by 4 transactions, 0 templates, inherited 0 times



Appliance records entry

prsb03-dataelement-13763

Id prsb03-dataelement-13763 (2020-09-30 12:41:04)

Description This is the appliance records entry.

⌚ Used by 4 transactions, 0 templates, inherited 0 times



Appliance name

prsb03-dataelement-13764

Id prsb03-dataelement-13764 (2020-09-30 12:44:26)

Description May be generic name or brand name (as appropriate).

Operationalization As per dm+d (AMP)

Value Domain

⌚ Used by 4 transactions, 0 templates, inherited 0 times

 Product order number

prsb03-dataelement-13765

Id	prsb03-dataelement-13765 (2020-09-30 12:59:10)
Description	The product order number for the appliance.
Value Domain	
Used by	4 transactions, 0 templates, inherited 0 times

 Manufacturer

prsb03-dataelement-13766

Id	prsb03-dataelement-13766 (2020-09-30 13:01:00)
Description	Name of appliance manufacturer
Operationalization	Free text
Value Domain	
Used by	4 transactions, 0 templates, inherited 0 times

 Batch number

prsb03-dataelement-13767

Id	prsb03-dataelement-13767 (2020-09-30 13:03:53)
Description	The batch number of the appliance.
Operationalization	Free text
Value Domain	
Used by	3 transactions, 0 templates, inherited 0 times

 Size

prsb03-dataelement-13768

Id	prsb03-dataelement-13768 (2020-09-30 13:07:19)
Description	The size of the appliance.
Operationalization	UCUM
Value Domain	
Used by	3 transactions, 0 templates, inherited 0 times

 Weight

prsb03-dataelement-13769

Id	prsb03-dataelement-13769 (2020-09-30 13:09:16)
Description	The weight of the appliance.

Operationalization	UCUM
Value Domain	
⌚ Used by	3 transactions, 0 templates, inherited 0 times



Colour

prsb03-dataelement-13770

Id	prsb03-dataelement-13770 (2020-09-30 13:11:53)
Description	The colour of the appliance
Operationalization	Free text
Value Domain	
⌚ Used by	3 transactions, 0 templates, inherited 0 times



Route

prsb03-dataelement-13771

Id	prsb03-dataelement-13771 (2020-09-30 13:14:22)
Description	Appliance administration description (IM, IV, etc.): may include method of administration, (e.g., by infusion).
Operationalization	SNOMED CT: - ^999000051000001100 ePrescribing route of administration simple reference set (foundation metadata concept)
⌚ Used by	3 transactions, 0 templates, inherited 0 times



Coded Value

prsb03-dataelement-14268

Id	prsb03-dataelement-14268 (2021-03-31 12:16:55)
Description	Coded value for appliance route
Operationalization	SNOMED CT: - ^999000051000001100 ePrescribing route of administration simple reference set (foundation metadata concept)
Value Domain	
⌚ Used by	3 transactions, 0 templates, inherited 0 times



Free text

prsb03-dataelement-14267

Id	prsb03-dataelement-14267 (2021-03-31 12:16:40)
Description	Free text field to be used if no coded text available
Value Domain	
⌚ Used by	3 transactions, 0 templates, inherited 0 times

 Coded value	prsb03-dataelement-13795
Id	prsb03-dataelement-13795 (2020-11-04 12:10:01) 1
Value Domain	
 Used by	one transaction, 0 templates, inherited 0 times
 Free text	prsb03-dataelement-13794
Id	prsb03-dataelement-13794 (2020-11-04 12:09:49) 1
Description	Free text field to be used if no code available
Operationalization	Free text
Value Domain	
 Used by	one transaction, 0 templates, inherited 0 times
 Site	prsb03-dataelement-13772
Id	prsb03-dataelement-13772 (2020-09-30 13:19:42) 1
Description	The anatomical site at which the appliance is to be used, including laterality.
 Used by	3 transactions, 0 templates, inherited 0 times
 Coded Value	prsb03-dataelement-14269
Id	prsb03-dataelement-14269 (2021-03-31 12:46:03)
Description	Coded value for site
Operationalization	SNOMED CT: - <442083009 Anatomical or acquired body structure (body structure)
Value Domain	
 Used by	3 transactions, 0 templates, inherited 0 times
 Free text	prsb03-dataelement-14270
Id	prsb03-dataelement-14270 (2021-03-31 12:48:09)
Description	Free text where no coded value is available
Operationalization	Free text

Value Domain

 Used by 3 transactions, 0 templates, inherited 0 times

 Coded value

prsb03-dataelement-13797

Id	prsb03-dataelement-13797 (2020-11-04 12:33:31) 1
Description	Coded value for site
Operationalization	The following value set may be applicable, but would need validating for appliances: • Coded text – constraint: SiteOfMedicationAdministration. Any valid site for the administration of a medication. Constraint binding: [SNOMED-CT]subset=SiteOfMedicationAdministration

Value Domain

 Used by one transaction, 0 templates, inherited 0 times

 Free text

prsb03-dataelement-13796

Id	prsb03-dataelement-13796 (2020-11-04 12:33:18) 1
Description	Free text field to be used if no code is available
Operationalization	Free text
Value Domain	
 Used by	one transaction, 0 templates, inherited 0 times

 Quantity

prsb03-dataelement-13773

Id	prsb03-dataelement-13773 (2020-09-30 14:00:10)
Description	The quantity of the appliance (including the units).
Operationalization	UCUM
Value Domain	
 Used by	4 transactions, 0 templates, inherited 0 times

 Indication

prsb03-dataelement-13774

Id	prsb03-dataelement-13774 (2020-09-30 14:04:52)
Description	Reason for appliance being prescribed, where known.
Operationalization	Free text
Value Domain	

 Used by 4 transactions, 0 templates, inherited 0 times

 Matters identified during the discussion

prsb03-dataelement-13775

Id	prsb03-dataelement-13775 (2020-09-30 14:06:42)
Description	Matters identified during the service about the patient's experience of using the appliance. To include e.g, patient using/not using the appliance as prescribed, patient reports negative feelings about the appliance etc. Also to include whether the information was provided by the patient or somebody else (e.g. a relative, carer etc) e.g. patient using/not using the appliance as prescribed, patient reports negative feelings about the appliance etc.
Operationalization	Free text
Value Domain	
 Used by	4 transactions, 0 templates, inherited 0 times

 Date/time

prsb03-dataelement-13802

Id	prsb03-dataelement-13802 (2020-11-12 20:45:55) 1
Value Domain	
Property	<p>Timestamp precision</p> <p>at least day, month and year</p>
 Used by	4 transactions, 0 templates, inherited 0 times

 Presenting complaints or issues

prsb03-dataelement-210

Id	prsb03-dataelement-210 (2018-10-31)
Description	Presenting complaints or issues
 Used by	7 transactions, 0 templates, inherited 0 times

 Presenting complaint or issue

prsb03-dataelement-10110

Id	prsb03-dataelement-10110 (2018-10-31)
Description	The health problem or issue experienced by the patient resulting in their attendance. This may include disease state, medical condition, response and reactions to therapies. E.g., blackout, dizziness, chest pain, follow up from admission, falls, a specific procedure, investigation or treatment.

2.1.230 Properties

FHIR	Condition.code
------	----------------

Operationalization Only ONE (chief complaint) sent as per the ECDS Emergency Care Chief Complaint code set (SNOMED CT).

Value Domain

⌚ Used by one transaction, 0 templates, inherited 0 times



Presenting complaint or issue

prsb03-dataelement-13784

Id prsb03-dataelement-13784 (2020-10-22 17:40:08)

Description The health problem or issue experienced by the patient resulting in their attendance. This may include disease state, medical condition, response and reactions to therapies. E.g., blackout, dizziness, chest pain, follow up from admission, falls, a specific procedure, investigation or treatment.

2.1.231 Properties

FHIR Condition.code

Relationship Presenting complaint or issue (*prsb03-dataelement-10110 - 2018-10-31*)

⌚ Used by 6 transactions, 0 templates, inherited once



Coded value

prsb03-dataelement-13785

Id prsb03-dataelement-13785 (2020-10-22 17:41:38)

⚠ There is an open issue with this item:

- prsb03-issue-42: *Reference set to checked* ()

Description The coded value for presenting complaint or issue

Operationalization SNOMED CT : - ^1127581000000103 |Health issues simple reference set|

Value Domain

⌚ Used by 6 transactions, 0 templates, inherited once



Free text

prsb03-dataelement-13786

Id prsb03-dataelement-13786 (2020-10-22 17:42:28)

Relationship Free text (*prsb03-dataelement-13229 - 2020-07-15 19:30:33*)

Operationalization Free text

Value Domain

Property

max length

150

 Used by 6 transactions, 0 templates, inherited once

 Chief complaint prsb03-dataelement-10905

Id prsb03-dataelement-10905 (2019-04-02 12:33:30)
 Description The nature of the person's chief complaint as assessed by the care professional first assessing the person.
 Operationalization Only ONE (chief complaint) sent as per the ECDS Emergency Care Chief Complaint code set (SNOMED CT).

Value Domain

 Person reported complaints or issues prsb03-dataelement-10906

Id prsb03-dataelement-10906 (2019-04-02 12:34:17)
 Description Person stated description of the health problems and issues. This may differ from the clinicians impression. This may also be expressed on behalf of the person, eg by parent or carer.
 Operationalization Free text

Value Domain

Property	max length
	150

 Acuity assessment prsb03-dataelement-10907

Id prsb03-dataelement-10907 (2019-04-02 12:35:14)
 Description The most recent acuity of the person's condition on the paramedic's assessment.
 Operationalization Emergency Care Acuity
 To obtain the subset click on members under concept details along the top right section

Value Domain

 Problem list prsb03-dataelement-10927

Id prsb03-dataelement-10927 (2019-04-30 17:00:00)
 Description A summary of the problems that require investigation or treatment.
 Used by 0 transactions, 0 templates, inherited once

 Problem list record entry prsb03-dataelement-10928

Id prsb03-dataelement-10928 (2019-04-30 17:01:01)

Description This is a problem list record entry.

There may be 0 to many record entries under problem list.

Each record entry is made up of a number of elements or data items.

⌚ Used by 0 transactions, 0 templates, inherited once



Date

prsb03-dataelement-10929

Id prsb03-dataelement-10929 (2019-04-30 17:04:55)

Description The date the problem was identified.

Relationship Date Recorded (*prsb03-dataelement-10111 - 2018-10-31*)

Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute

⌚ Used by 0 transactions, 0 templates, inherited once



Performing professional

prsb03-dataelement-10930

Id prsb03-dataelement-10930 (2019-04-30 17:06:52) 0.1

Description Details of the professional identifying the problem.

Relationship Performing Professional (*prsb03-dataelement-10112 - 2018-10-31*)

Value Domain

⌚ Used by 0 transactions, 0 templates, inherited once



Performing professional

prsb03-dataelement-12133

Id prsb03-dataelement-12133 (2019-05-31 16:03:47)

Description The professional who identified the problem.

Relationship Performing professional (*prsb03-dataelement-11281 - 2019-05-30 11:53:30*)

⌚ Used by 0 transactions, 0 templates, inherited once

 Name	prsb03-dataelement-12134
prsb03-dataelement-12134	
Id	prsb03-dataelement-12134 (2019-05-31 16:04:17)
Concept inherits from	 prsb03-dataelement-11282 (2019-05-30 11:57:38)
Description	The name of the professional.
Rationale	Practitioner.name
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 70 </div>
 Used by	0 transactions, 0 templates, inherited once

 Role	prsb03-dataelement-12135
prsb03-dataelement-12135	
Id	prsb03-dataelement-12135 (2019-05-31 16:04:17)
Concept inherits from	 prsb03-dataelement-11283 (2019-05-30 11:58:48)
Description	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc
Rationale	Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobroletype
Value Domain	
 Used by	0 transactions, 0 templates, inherited once

 Grade	prsb03-dataelement-12136
prsb03-dataelement-12136	
Id	prsb03-dataelement-12136 (2019-05-31 16:04:17)
Concept inherits from	 prsb03-dataelement-11288 (2019-05-30 12:19:40)
Description	The grade of the professional.
Rationale	PractitionerRole.code
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 150 </div>

 Used by

0 transactions, 0 templates, inherited once

 Speciality

prsb03-dataelement-12137

Id	prsb03-dataelement-12137 (2019-05-31 16:04:17)		
Concept inherits from	 prsb03-dataelement-11284 (2019-05-30 12:01:15)		
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc		
Rationale	PractitionerRole.speciality		
Operationalization	NHS data dictionary - Activity treatment function code		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>3</td> </tr> </table>	max length	3
max length			
3			

 Used by

0 transactions, 0 templates, inherited once

 Professional identifier

prsb03-dataelement-12138

Id	prsb03-dataelement-12138 (2019-05-31 16:04:17)		
Concept inherits from	 prsb03-dataelement-11285 (2019-05-30 12:02:46)		
Description	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.		
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)		
Operationalization	NHS data dictionary : - Professional registration identifier		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>32</td> </tr> </table>	max length	32
max length			
32			

 Used by

0 transactions, 0 templates, inherited once

 Organisation

prsb03-dataelement-12139

Id	prsb03-dataelement-12139 (2019-05-31 16:04:17)
Concept inherits from	 prsb03-dataelement-11286 (2019-05-30 12:17:19)
Description	The name of the organisation the professional works for.

 Used by 0 transactions, 0 templates, inherited once

 Contact details prsb03-dataelement-12140

Id	prsb03-dataelement-12140 (2019-05-31 16:04:17)
Concept inherits from	 prsb03-dataelement-11287 (2019-05-30 12:18:13)
Description	Contact details of the professional
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom
Operationalization	NHS data dictionary - UK phone number
Value Domain	

Property	max length 35
----------	-----------------------------

 Used by 0 transactions, 0 templates, inherited once

 Location prsb03-dataelement-10931

Id	prsb03-dataelement-10931 (2019-04-30 17:07:45)
Description	The location the problem was identified.
Relationship	Location (<i>prsb03-dataelement-10113 - 2018-10-31</i>)
 Used by	0 transactions, 0 templates, inherited 2 times

 Coded value prsb03-dataelement-13242

Id	prsb03-dataelement-13242 (2020-07-27 18:27:08)
Description	The coded value for location.
Operationalization	NHS data dictionary : - Organisation data service code
Value Domain	

Property	min length max length 3 5
----------	---

 Used by 0 transactions, 0 templates, inherited 4 times

 Free text

prsb03-dataelement-13243

Id prsb03-dataelement-13243 (2020-07-27 18:31:13)

Concept inherits from  prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150

 Used by 0 transactions, 0 templates, inherited 4 times

  Problem prsb03-dataelement-10932

Id prsb03-dataelement-10932 (2019-04-30 17:08:40)

Description A condition which needs addressing and so is important for every professional to know about when seeing the person.

Problems may include diagnoses, symptoms, disabilities and social or behavioural issues, and comprise the 'Problem list'

Relationship Problem (*prsb03-dataelement-10114 - 2018-10-31*)

 Used by 0 transactions, 0 templates, inherited 2 times

 Coded value prsb03-dataelement-13244

Id prsb03-dataelement-13244 (2020-07-27 18:43:32)

Description The coded value for the problem list.

Operationalization SNOMED CT : - ^112758100000103 |Health issues simple reference set|

Value Domain

 Used by 0 transactions, 0 templates, inherited once

 Free text prsb03-dataelement-13245

Id prsb03-dataelement-13245 (2020-07-27 18:46:30)

Concept inherits from  prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; text-align: center;"> max length 150 </div>
⌚ Used by	0 transactions, 0 templates, inherited once

 Onset date	prsb03-dataelement-10933
--	--------------------------

Id	prsb03-dataelement-10933 (2019-04-30 17:10:25)
Description	A date or estimated date that the problem began
Relationship	Onset date (<i>prsb03-dataelement-10115 - 2018-10-31</i>)
Operationalization	Date and time
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; text-align: center;"> Timestamp precision at least month and year </div>
⌚ Used by	0 transactions, 0 templates, inherited once

 End Date	prsb03-dataelement-10934
--	--------------------------

Id	prsb03-dataelement-10934 (2019-04-30 17:10:59)
Description	The date or estimated date the problem was resolved.
Relationship	End Date (<i>prsb03-dataelement-10116 - 2018-10-31</i>)
Operationalization	Date and time.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; text-align: center;"> Timestamp precision at least day, month and year, hour and minute </div>
⌚ Used by	0 transactions, 0 templates, inherited once

 Problem on discharge	prsb03-dataelement-14262
--	--------------------------

Id	prsb03-dataelement-14262 (2021-03-10 15:51:43)
Description	PLACEHOLDER: The main problem or diagnosis on discharge.

Problems may include diagnoses, symptoms, disabilities and social or behavioural issues, and comprise the 'Problem list'

Relationship Problem (*prsb03-dataelement-10932 - 2019-04-30 17:08:40*)

 Coded value	prsb03-dataelement-14263
---	--------------------------

Id	prsb03-dataelement-14263 (2021-03-10 15:53:09)
Concept inherits from	 <i>prsb03-dataelement-13244</i> (2020-07-27 18:43:32)
Description	The coded value for the problem list.
Operationalization	SNOMED CT : - ^1127581000000103 Health issues simple reference set
Value Domain	

 Free text	prsb03-dataelement-14264
---	--------------------------

Id	prsb03-dataelement-14264 (2021-03-10 15:53:09)		
Concept inherits from	 <i>prsb03-dataelement-13245</i> (2020-07-27 18:46:30)		
Description	Free text field to be used if no code is available		
Operationalization	Free text		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>150</td> </tr> </table>	max length	150
max length			
150			

 Problem on discharge	prsb03-dataelement-14261
--	--------------------------

Id	prsb03-dataelement-14261 (2021-03-10 15:49:19) 0.1
Description	PLACEHOLDER. Anoop and Nilesh to write description

 Stage of disease	prsb03-dataelement-10935
--	--------------------------

Id	prsb03-dataelement-10935 (2019-04-30 17:11:55)		
Description	The stage of the disease where relevant.		
Relationship	Stage of Disease (<i>prsb03-dataelement-10117 - 2018-10-31</i>)		
Operationalization	Free text		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>150</td> </tr> </table>	max length	150
max length			
150			

 Used by 0 transactions, 0 templates, inherited once

 Person completing record prsb03-dataelement-12141

Id	prsb03-dataelement-12141 (2019-05-31 16:04:31)
Concept inherits from	 prsb03-dataelement-11289 (2019-05-30 12:24:39)
Description	Details of the person completing the record.
Relationship	Person completing record (<i>prsb03-dataelement-319 - 2018-10-31</i>)
 Used by	0 transactions, 0 templates, inherited once

 Name prsb03-dataelement-12142

Id	prsb03-dataelement-12142 (2019-05-31 16:04:53)		
Concept inherits from	 prsb03-dataelement-11290 (2019-05-30 12:25:39)		
Description	The name of the person completing the record.		
Relationship	Name (<i>prsb03-dataelement-10219 - 2018-10-31</i>)		
Rationale	Composition.author.Practitioner.name		
Operationalization	Free text.		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>70</td> </tr> </table>	max length	70
max length			
70			
 Used by	0 transactions, 0 templates, inherited once		

 Role prsb03-dataelement-12143

Id	prsb03-dataelement-12143 (2019-05-31 16:04:53)
Concept inherits from	 prsb03-dataelement-11291 (2019-05-30 12:25:39)
Description	The organisational role of the person completing record.

2.1.232 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship	Role (<i>prsb03-dataelement-10220 - 2018-10-31</i>)
Rationale	Composition.author.PractitionerRole.code

Operationalization	FHIR value set :- SDSjobrole
Value Domain	
⌚ Used by	0 transactions, 0 templates, inherited once



Grade

prsb03-dataelement-12144

Id	prsb03-dataelement-12144 (2019-05-31 16:04:53)
Concept inherits from	⌚ prsb03-dataelement-11292 (2019-05-30 12:25:39)
Description	The grade of the person completing the record.
Relationship	Grade (<i>prsb03-dataelement-10221 - 2018-10-31</i>)
Rationale	PractitionerRole.code
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 150 </div>
⌚ Used by	0 transactions, 0 templates, inherited once



Specialty

prsb03-dataelement-12145

Id	prsb03-dataelement-12145 (2019-05-31 16:04:53)
Concept inherits from	⌚ prsb03-dataelement-11293 (2019-05-30 12:25:39)
Description	The main specialty of the person completing the record.

2.1.233 Properties

FHIR	PractitionerRole.specialty
Relationship	Specialty (<i>prsb03-dataelement-10222 - 2018-10-31</i>)
Rationale	PractitionerRole.specialty
Operationalization	NHS data dictionary :- Activity treatment function code
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 3 </div>
⌚ Used by	0 transactions, 0 templates, inherited once

 Organisation

prsb03-dataelement-12146

Id	prsb03-dataelement-12146 (2019-05-31 16:04:53)
Concept inherits from	 prsb03-dataelement-11294 (2019-05-30 12:25:39)
Description	The organisation the person completing the record works for.
Relationship	Organisation (<i>prsb03-dataelement-10226 - 2018-10-31</i>)
Used by	0 transactions, 0 templates, inherited once

 Professional identifier

prsb03-dataelement-12147

Id	prsb03-dataelement-12147 (2019-05-31 16:04:53)
Concept inherits from	 prsb03-dataelement-11295 (2019-05-30 12:25:39)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.234 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship	Professional identifier (<i>prsb03-dataelement-10223 - 2018-10-31</i>)		
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)		
Operationalization	NHS data dictionary :- Professional registration identifier		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>32</td> </tr> </table>	max length	32
max length			
32			
Used by	0 transactions, 0 templates, inherited once		

 Date completed

prsb03-dataelement-12148

Id	prsb03-dataelement-12148 (2019-05-31 16:04:53)
Concept inherits from	 prsb03-dataelement-11296 (2019-05-30 12:25:39)
Description	The date and time the record was completed.
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)
Rationale	Composition.date
Operationalization	Date and time.

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute

🕒 Used by

0 transactions, 0 templates, inherited once



Contact details

prsb03-dataelement-12149

Id

prsb03-dataelement-12149 (2019-05-31 16:04:53)

Concept inherits from

🕒 *prsb03-dataelement-11297* (2019-05-30 12:25:39)

Description

Contact details of the person completing the record.

2.1.235 Properties

FHIR PractitionerRole.telecom

Relationship

Contact details (*prsb03-dataelement-10225* - 2018-10-31)

Rationale

Practitioner:telecom
PractitionerRole:telecom
Organisation.telcom

Operationalization

NHS data dictionary : - UK telephone number

Value Domain

Property

max length

35

🕒 Used by

0 transactions, 0 templates, inherited once



Person completing record

prsb03-dataelement-10952

Id

prsb03-dataelement-10952 (2019-05-18 21:04:15) 0.1

Description

This is the person recording the problem.

Should include their name, role, grade, specialty, organisation, professional identifier, date and time completed, contact details

Relationship

Person completing record (*prsb03-dataelement-10860* - 2019-03-27 17:46:45)

Operationalization

Free text. Name, Role, Grade, Specialty, Organisation, Professional identifier, Date and time completed, Contact details

Value Domain

 Used by 0 transactions, 0 templates, inherited once

 Comment

prsb03-dataelement-10936

Id prsb03-dataelement-10936 (2019-04-30 17:13:22)

Description Supporting text may be given covering the problem.

Relationship Comment (*prsb03-dataelement-10120 - 2018-10-31*)

Operationalization Free text

Value Domain

Property **max length**

150

 Used by 0 transactions, 0 templates, inherited once

 Problems and issues

prsb03-dataelement-211

Id prsb03-dataelement-211 (2018-10-31)

Description Problems and issues

 Problems and Issues record entry

prsb03-dataelement-10719

Id prsb03-dataelement-10719 (2019-02-08 15:18:59)

 Date Recorded

prsb03-dataelement-10111

Id prsb03-dataelement-10111 (2018-10-31)

Description The date on which the problem was recorded

Value Domain

 Performing Professional

prsb03-dataelement-10112

Id prsb03-dataelement-10112 (2018-10-31)

Description Details of the professional recording (including name and role)

Value Domain

 Location

prsb03-dataelement-10113

Id prsb03-dataelement-10113 (2018-10-31)

Description Details of where the problem was recorded

Value Domain



Problem

prsb03-dataelement-10114

Id prsb03-dataelement-10114 (2018-10-31)

Description A condition which needs addressing and so is important for every health professional to know about when seeing the person. Problems may include diagnoses, symptoms, disabilities and social or behavioural issues, and comprise the 'Problem list'

Value Domain



Onset date

prsb03-dataelement-10115

Id prsb03-dataelement-10115 (2018-10-31)

Description A date or estimated date that the Problem began

Value Domain



End Date

prsb03-dataelement-10116

Id prsb03-dataelement-10116 (2018-10-31)

Description The date or estimated date the problem was resolved (will be blank for active)

Value Domain



Stage of Disease

prsb03-dataelement-10117

Id prsb03-dataelement-10117 (2018-10-31)

Description The stage of the disease where relevant.

Value Domain



Clinical risks

prsb03-dataelement-10119

Id prsb03-dataelement-10119 (2018-10-31)

Description Description of clinical risks identified e.g. problematic intubation, person with brittle diabetes, immuno-compromised/risk of infection etc.

Operationalization Free text or coded form (SNOMED CT).

Value Domain



Comment

prsb03-dataelement-10120

Id prsb03-dataelement-10120 (2018-10-31)

Description Any further textual comment to clarify, such as statement that information is partial or incomplete.

Operationalization Free text

Value Domain

 Problems and issues	prsb03-dataelement-10118
---	--------------------------

Id prsb03-dataelement-10118 (2018-10-31)

Description Summary of problems that require investigation or treatment. This would include significant examination findings, symptoms and signs, which are likely to have relevance and are not a diagnosis.

Operationalization Text. The problems and issues heading is for the clinician or healthcare professional's recording of medical problems and issues.

Or

Free text or coded form (SNOMED CT).

Value Domain

 Diagnoses	prsb03-dataelement-221
---	------------------------

Id prsb03-dataelement-221 (2018-10-31)

Description Diagnoses

 Diagnosis record entry	prsb03-dataelement-10651
---	--------------------------

Id prsb03-dataelement-10651 (2018-11-13 11:54:29)

Description This is a Diagnosis record entry. There may be 0 to many record entries under Diagnosis. Each record entry is made up of a number of elements or data items.

 Date diagnosis made	prsb03-dataelement-10125
---	--------------------------

Id prsb03-dataelement-10125 (2018-10-31)

Description The date when the diagnosis was made.

Value Domain

 Location	prsb03-dataelement-10848
--	--------------------------

Id prsb03-dataelement-10848 (2019-03-27 17:10:12)

Description The location where the diagnosis was recorded.

Relationship Location (*prsb03-dataelement-10139 - 2018-10-31*)

Value Domain

 Performing professional	prsb03-dataelement-10849
---	--------------------------

Id prsb03-dataelement-10849 (2019-03-27 17:13:41)

Description Details of the professional recording the diagnosis (including name and role).

Relationship Performing professional (*prsb03-dataelement-10845 - 2019-03-27 17:01:47*)

Value Domain

 Diagnosis	prsb03-dataelement-10121
---	--------------------------

Id prsb03-dataelement-10121 (2018-10-31)

Description Confirmed diagnosis (or symptom); active diagnosis being treated.

2.1.236 Properties

FHIR Encounter.Diagnosis .Condition

Operationalization Choice of Text, Coded text - constraint: SNOMED CT. A subset / refset containing a list of diagnoses and symptoms. Constraint binding: [SNOMED CT] subset=???

Or

Sent as per the ECDS Emergency Care Diagnosis code set (SNOMED CT). Where the ECDS diagnosis qualifier is 'suspected diagnosis', the chief complaint should be entered here (see implementation guidance).

or

SNOMED CT concept and/or free text.

By preference the diagnosis is represented by a SNOMED CT concept. If this is not possible, a free text description of the diagnosis may be given. Supporting text may be given covering diagnosis confirmation, active diagnosis being treated, stage of the disease where relevant.

or

SNOMED CT concept and/or free text. By preference the diagnosis or symptom is represented by a SNOMED CT concept. If this is not possible, a free text description of the diagnosis or symptom may be given.

Value Domain

 Diagnosis (Clinical Impression)	prsb03-dataelement-12477
---	--------------------------

Id prsb03-dataelement-12477 (2019-06-27 13:45:47)

Description The clinical assessment by the ambulance crew of the person's clinical situation at the conclusion of their treatment. This will be one of confirmed diagnosis, suspected diagnosis or chief complaint.

2.1.237 Properties

FHIR Encounter.Diagnosis .Condition

Relationship Diagnosis (*prsb03-dataelement-10121 - 2018-10-31*)

Operationalization Confirmed or suspected diagnosis where this is available using the ECDS Emergency care diagnosis simple reference set (SNOMED CT). If no diagnosis is available then enter the chief clinical concern using the ECDS Emergency Care Chief Complaint code set (SNOMED CT) (see implementation guidance).

Emergency Care Diagnosis simple reference set

Emergency care diagnosis qualifier simple reference set

Value Domain

 Stage	prsb03-dataelement-10122
---	--------------------------

Id prsb03-dataelement-10122 (2018-10-31)

Description Stage of the disease or disorder, where relevant

Operationalization Choice of:TextCoded text

Value Domain

 Awareness of diagnosis	prsb03-dataelement-10124
--	--------------------------

Id prsb03-dataelement-10124 (2018-10-31)

Description Description of the level of awareness the person and or their carer/family has regarding their diagnosis.

Operationalization The awareness statement made by a clinician.

Value Domain

 Person completing record	prsb03-dataelement-10953
--	--------------------------

Id prsb03-dataelement-10953 (2019-05-18 21:06:01)

Concept inherits from  prsb03-dataelement-10860 (2019-03-27 17:46:45)

Description This is the person recording the individual requirement.

Should include their name, role, grade, specialty, organisation, professional identifier, date and time completed, contact details

Relationship Person completing record (*prsb03-dataelement-10850 - 2019-03-27 17:15:40*)

Operationalization Free text. Name, Role, Grade, Specialty, Organisation, Professional identifier, Date and time completed, Contact details

Value Domain

 Comment	prsb03-dataelement-10123
---	--------------------------

Id prsb03-dataelement-10123 (2018-10-31)

Description Supporting text may be given covering diagnosis confirmation, active diagnosis being treated. Include severity, occurrence (first, recurrence, ongoing).

Operationalization Free text.

Or

Free text. Supporting text may be given covering diagnosis confirmation, active diagnosis being treated.

Or

Free text. This is the place to record differential and excluded diagnosis.

Value Domain

  Procedures and therapies	prsb03-dataelement-238
--	------------------------

Id prsb03-dataelement-238 (2018-10-31)

Description The details of any procedures performed. Includes both psychological and medical therapies and procedures (e.g. cognitive behaviour therapy, hip replacement)

  Procedure record entry	prsb03-dataelement-10652
--	--------------------------

Id prsb03-dataelement-10652 (2018-11-13 12:02:22)

Description This is a procedure record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.

 Date	prsb03-dataelement-10138
--	--------------------------

Id prsb03-dataelement-10138 (2018-10-31)

Description The date the procedure was performed.

Operationalization Date and time.

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute

  Location	prsb03-dataelement-13246
--	--------------------------

Id prsb03-dataelement-13246 (2020-07-27 19:13:27)

Concept inherits from  prsb03-dataelement-10931 (2019-04-30 17:07:45)

Description The location the problem was identified.

Relationship Location (prsb03-dataelement-10113 - 2018-10-31)

 Coded value	prsb03-dataelement-13247
---	--------------------------

Id prsb03-dataelement-13247 (2020-07-27 19:14:31)

Concept inherits from  prsb03-dataelement-13242 (2020-07-27 18:27:08)

Description The coded value for location.

Operationalization NHS data dictionary :- Organisation data service code

Value Domain

Property

min length max length

3

5

 Free text

prsb03-dataelement-13248

Id prsb03-dataelement-13248 (2020-07-27 19:14:31)

Concept inherits from  prsb03-dataelement-13243 (2020-07-27 18:31:13)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150

 Location

prsb03-dataelement-10139

Id prsb03-dataelement-10139 (2018-10-31)

Description The location where the procedure was performed.

Operationalization ODS code or free text

Value Domain

 Used by 0 transactions, 0 templates, inherited once
  Performing professional

prsb03-dataelement-12150

Id prsb03-dataelement-12150 (2019-05-31 16:08:40)

Description The professional who performed the procedure.

Relationship Performing professional (*prsb03-dataelement-11281 - 2019-05-30 11:53:30*) Used by 0 transactions, 0 templates, inherited once
 Name

prsb03-dataelement-12151

Id prsb03-dataelement-12151 (2019-05-31 16:09:20)

Concept inherits from  prsb03-dataelement-11282 (2019-05-30 11:57:38)

Description The name of the professional.

Rationale Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

⌚ Used by 0 transactions, 0 templates, inherited once

🟡 Role

prsb03-dataelement-12152

Id	prsb03-dataelement-12152 (2019-05-31 16:09:20)
Concept inherits from	🟡 prsb03-dataelement-11283 (2019-05-30 11:58:48)
Description	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc
Rationale	Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobroletype
Value Domain	
⌚ Used by	0 transactions, 0 templates, inherited once

🟡 Grade

prsb03-dataelement-12153

Id	prsb03-dataelement-12153 (2019-05-31 16:09:20)
Concept inherits from	🟡 prsb03-dataelement-11288 (2019-05-30 12:19:40)
Description	The grade of the professional.
Rationale	PractitionerRole.code
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;">max length</div> <div style="border: 1px solid #ccc; padding: 5px; display: inline-block;">150</div>
⌚ Used by	0 transactions, 0 templates, inherited once

🟡 Speciality

prsb03-dataelement-12154

Id	prsb03-dataelement-12154 (2019-05-31 16:09:20)
Concept inherits from	🟡 prsb03-dataelement-11284 (2019-05-30 12:01:15)
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc
Rationale	PractitionerRole.speciality
Operationalization	NHS data dictionary - Activity treatment function code

Value Domain

Property

max length

3



0 transactions, 0 templates, inherited once



Professional identifier

prsb03-dataelement-12155

Id

prsb03-dataelement-12155 (2019-05-31 16:09:20)

Concept inherits from

prsb03-dataelement-11285 (2019-05-30 12:02:46)

Description

Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.

Rationale

Practitioner.identifier (for professional national identifiers), PractitionerRole.identifier (for local role identifiers)

Operationalization

NHS data dictionary : - Professional registration identifier

Value Domain

Property

max length

32



0 transactions, 0 templates, inherited once



Organisation

prsb03-dataelement-12156

Id

prsb03-dataelement-12156 (2019-05-31 16:09:20)

Concept inherits from

prsb03-dataelement-11286 (2019-05-30 12:17:19)

Description

The name of the organisation the professional works for.



0 transactions, 0 templates, inherited once



Contact details

prsb03-dataelement-12157

Id

prsb03-dataelement-12157 (2019-05-31 16:09:20)

Concept inherits from

prsb03-dataelement-11287 (2019-05-30 12:18:13)

Description

Contact details of the professional

Rationale

Practitioner.telecom
PractitionerRole.telecom
Organisation.telcom

Operationalization	NHS data dictionary - UK phone number
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; text-align: center;"> max length 35 </div>
Used by	0 transactions, 0 templates, inherited once

 Performing professional	prsb03-dataelement-10140
---	--------------------------

Id	prsb03-dataelement-10140 (2018-10-31) 0.1
Description	Details of the professional performing the procedure.
Operationalization	Free text
Value Domain	

  Procedure	prsb03-dataelement-10141
---	--------------------------

Id	prsb03-dataelement-10141 (2018-10-31)
Description	The therapeutic or diagnostic procedure performed. Includes both psychological and medical therapies and procedures (e.g. cognitive behaviour therapy, or follow-up interventions as a result of physical health checks). Complementary or alternative procedures and therapies should be recorded here.

2.1.238 Properties

FHIR Procedure.code

 Coded value	prsb03-dataelement-13249
---	--------------------------

Id	prsb03-dataelement-13249 (2020-07-27 19:35:09)
Description	The procedure code.
Operationalization	SNOMED CT : - <>71388002 Procedure OR <>129125009 Procedure with explicit context
Value Domain	

 Free text	prsb03-dataelement-13250
---	--------------------------

Id	prsb03-dataelement-13250 (2020-07-27 19:40:38)
Concept inherits from	 prsb03-dataelement-13220 (2020-07-08 12:57:49)
Description	Free text field to be used if no code is available
Operationalization	Free text
Value Domain	

Property

max length

150



Anatomical site

prsb03-dataelement-10142

Id

prsb03-dataelement-10142 (2018-10-31)

Description

The body site of the procedure

2.1.239 Properties

FHIR

Procedure.bodySite



Coded value

prsb03-dataelement-13251

Id

prsb03-dataelement-13251 (2020-07-27 19:46:07)

Description

The coded value of the anatomical site.

Operationalization

SNOMED CT :- <123037004 |Body structure (body structure)|

Value Domain



Free text

prsb03-dataelement-13252

Id

prsb03-dataelement-13252 (2020-07-27 19:48:24)

Concept inherits from

prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description

Free text field to be used if no code is available

Operationalization

Free text

Value Domain

Property

max length

150



Laterality

prsb03-dataelement-10143

Id

prsb03-dataelement-10143 (2018-10-31)

Description

Laterality of the procedure

2.1.240 Properties

FHIR

??Procedure.Code as an EXPRESSION Procedure.bodySite



Coded value

prsb03-dataelement-13253

Id

prsb03-dataelement-13253 (2020-07-27 19:50:39)

Description	The coded value for laterality.
Operationalization	SNOMED CT:- <182353008 Side (qualifier value)
Value Domain	



Free text

prsb03-dataelement-13254

Id	prsb03-dataelement-13254 (2020-07-27 19:52:35)
Concept inherits from	🟡 prsb03-dataelement-13220 (2020-07-08 12:57:49)
Description	Free text field to be used if no code is available
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 150 </div>



Complications related to procedure

prsb03-dataelement-10144

Id	prsb03-dataelement-10144 (2018-10-31)
Description	Details of any intra-operative complications encountered during the procedure, arising during the person's stay in the recovery unit or directly attributable to the procedure.

2.1.241 Properties

FHIR Procedure.complication Procedure.complicationDetail



Coded value

prsb03-dataelement-13255

Id	prsb03-dataelement-13255 (2020-07-27 19:56:23)
Description	The coded value for complications relating to procedure.
Operationalization	SNOMED CT : - <404684003 Clinical finding (finding)
Value Domain	



Free text

prsb03-dataelement-13256

Id	prsb03-dataelement-13256 (2020-07-27 19:58:17)
Concept inherits from	🟡 prsb03-dataelement-13220 (2020-07-08 12:57:49)
Description	Free text field to be used if no code is available
Operationalization	Free text
Value Domain	

Property

max length

150



Specific anesthesia issues

prsb03-dataelement-10145

Id prsb03-dataelement-10145 (2018-10-31)

Description Details of any adverse reaction to any anesthetic agents including local anesthesia. Problematic intubation, transfusion reaction, etc.

2.1.242 Properties

FHIR Procedure. Procedure.AnestheticIssues



Coded value

prsb03-dataelement-13257

Id prsb03-dataelement-13257 (2020-07-27 20:00:25)

Description The coded value for specific anesthesia issues.

Operationalization SNOMED CT

Value Domain



Free text

prsb03-dataelement-13258

Id prsb03-dataelement-13258 (2020-07-27 20:01:36)

Concept inherits from prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150



Person completing record

prsb03-dataelement-12158

Id prsb03-dataelement-12158 (2019-05-31 16:09:35)

Concept inherits from prsb03-dataelement-11289 (2019-05-30 12:24:39)

Description Details of the person completing the record.

Relationship Person completing record (prsb03-dataelement-319 - 2018-10-31)



Name

prsb03-dataelement-12159

Id prsb03-dataelement-12159 (2019-05-31 16:10:02)

Concept inherits from	 prsb03-dataelement-11290 (2019-05-30 12:25:39)
Description	The name of the person completing the record.
Relationship	Name (<i>prsb03-dataelement-10219 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.name
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 70 </div>



Role

prsb03-dataelement-12160

Id	prsb03-dataelement-12160 (2019-05-31 16:10:02)
Concept inherits from	 prsb03-dataelement-11291 (2019-05-30 12:25:39)
Description	The organisational role of the person completing record.

2.1.243 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship	Role (<i>prsb03-dataelement-10220 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobrole
Value Domain	



Grade

prsb03-dataelement-12161

Id	prsb03-dataelement-12161 (2019-05-31 16:10:02)
Concept inherits from	 prsb03-dataelement-11292 (2019-05-30 12:25:39)
Description	The grade of the person completing the record.
Relationship	Grade (<i>prsb03-dataelement-10221 - 2018-10-31</i>)
Rationale	PractitionerRole.code
Operationalization	Free text.
Value Domain	

Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 150 </div>
----------	--



Specialty

prsb03-dataelement-12162

Id	prsb03-dataelement-12162 (2019-05-31 16:10:02)
Concept inherits from	🟡 prsb03-dataelement-11293 (2019-05-30 12:25:39)
Description	The main specialty of the person completing the record.

2.1.244 Properties

FHIR PractitionerRole.specialty

Relationship Specialty (*prsb03-dataelement-10222 - 2018-10-31*)

Rationale PractitionerRole.specialty

Operationalization NHS data dictionary :- Activity treatment function code

Value Domain

Property max length

3



Organisation

prsb03-dataelement-12163

Id prsb03-dataelement-12163 (2019-05-31 16:10:02)

Concept inherits from🟡 prsb03-dataelement-11294 (2019-05-30 12:25:39)

Description The organisation the person completing the record works for.

Relationship Organisation (*prsb03-dataelement-10226 - 2018-10-31*)



Professional identifier

prsb03-dataelement-12164

Id prsb03-dataelement-12164 (2019-05-31 16:10:02)

Concept inherits from🟡 prsb03-dataelement-11295 (2019-05-30 12:25:39)

Description Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.245 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship Professional identifier (*prsb03-dataelement-10223 - 2018-10-31*)

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary :- Professional registration identifier

Value Domain

Property max length



Date completed

prsb03-dataelement-12165

Id	prsb03-dataelement-12165 (2019-05-31 16:10:02)
Concept inherits from	prsb03-dataelement-11296 (2019-05-30 12:25:39)
Description	The date and time the record was completed.
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)
Rationale	Composition.date
Operationalization	Date and time.
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>



Contact details

prsb03-dataelement-12166

Id	prsb03-dataelement-12166 (2019-05-31 16:10:02)
Concept inherits from	prsb03-dataelement-11297 (2019-05-30 12:25:39)
Description	Contact details of the person completing the record.

2.1.246 Properties

FHIR	PractitionerRole.telecom
Relationship	Contact details (<i>prsb03-dataelement-10225 - 2018-10-31</i>)
Rationale	Practitioner:telecom PractitionerRole:telecom Organisation:telcom
Operationalization	NHS data dictionary : - UK telephone number
Value Domain	
Property	<p style="text-align: center;">max length</p> <p>35</p>



Person completing record

prsb03-dataelement-10954

Id	prsb03-dataelement-10954 (2019-05-18 21:07:16)
Description	This is the person completing the record.

	Should include their name, role, grade, specialty, organisation, professional identifier, date and time completed, contact details
Relationship	Person completing record (<i>prsb03-dataelement-10860 - 2019-03-27 17:46:45</i>)
Operationalization	Free text. Name, Role, Grade, Specialty, Organisation, Professional identifier, Date and time completed, Contact details
Value Domain	
Used by	0 transactions, 0 templates, inherited 2 times

 Comment

prsb03-dataelement-10146

Id	prsb03-dataelement-10146 (2018-10-31)
Description	Any further textual comment to clarify such as statement that information is partial or incomplete. Also indicate the outcome of the procedure.

2.1.247 Properties

FHIR Procedure.note

Operationalization Free text

Value Domain

Property

max length

150

 History

prsb03-dataelement-226

Id	prsb03-dataelement-226 (2018-10-31)
Description	History
Used by	14 transactions, 0 templates, inherited 0 times

 Patient's reason for referral

prsb03-dataelement-10126

Id prsb03-dataelement-10126 (2018-10-31)

Description Patient stated reason for referral. This may include any discussions that took place, the level of shared decision making involved, information about patient's source of advice. This may be expressed on behalf of the patient, e.g. by parent or carer.

 Coded value

prsb03-dataelement-14265

Id prsb03-dataelement-14265 (2021-03-11 16:32:44)

Description The coded value for patients reason for referral

Operationalization SNOMED CT :- ^1127581000000103 |Health issues simple reference set|

Value Domain



Free text

prsb03-dataelement-14266

Id

prsb03-dataelement-14266 (2021-03-11 16:34:08)

Concept inherits from

prsb03-dataelement-13984 (2021-02-11 12:46:37)

Description

Free text field to be used if no code is available

Operationalization

Free text

Value Domain



Presenting complaints or issues

prsb03-dataelement-10127

Id

prsb03-dataelement-10127 (2018-10-31) 0.1

Description

The list and description of the health problems and issues experienced by the patient resulting in the attendance. This may include disease state, medical condition, response and reaction to therapies, e.g. blackout, dizziness, chest pain, follow-up from admission, falls, a specific procedure, investigation or treatment.

Operationalization

May be a SNOMED CT term or free text

Value Domain



Presenting complaint or issue

prsb03-dataelement-14274

Id

prsb03-dataelement-14274 (2021-04-28 12:37:06)

Concept
inherits
from

prsb03-dataelement-13784 (2020-10-22 17:40:08)

Description

The health problem or issue experienced by the patient resulting in their attendance. This may include disease state, medical condition, response and reactions to therapies. E.g., blackout, dizziness, chest pain, follow up from admission, falls, a specific procedure, investigation or treatment.

2.1.248 Properties

FHIR

Condition.code

Relationship Presenting complaint or issue (*prsb03-dataelement-10110 - 2018-10-31*)



Coded value

prsb03-dataelement-14275

Id

prsb03-dataelement-14275 (2021-04-28 12:39:45)

Concept inherits from

prsb03-dataelement-13785 (2020-10-22 17:41:38)

Description

The coded value for presenting complaint or issue

Operationalization

SNOMED CT : - ^1127581000000103 |Health issues simple reference set|

Value Domain

 Free text	prsb03-dataelement-14276
---	--------------------------

Id

prsb03-dataelement-14276 (2021-04-28 12:39:45)

Concept inherits from

 prsb03-dataelement-13786 (2020-10-22 17:42:28)

Relationship

Free text (*prsb03-dataelement-13229 - 2020-07-15 19:30:33*)

Operationalization

Free text

Value Domain

Property

max length

150

 History of each presenting complaint or issue	prsb03-dataelement-10128
---	--------------------------

Id

prsb03-dataelement-10128 (2018-10-31)

Description

Information directly related to the development and characteristics of each presenting complaint (e.g. including travel history). Including if the information is given by the patient or their carer. This textual description may be provided by the referral document or during the consultation

Operationalization

Free text

Value Domain

 History since last contact	prsb03-dataelement-10129
--	--------------------------

Id

prsb03-dataelement-10129 (2018-10-31)

Description

History since last attendance, discharge from hospital, etc. To include adherence to treatment plan, where appropriate

Operationalization

Free text

Value Domain

 Relevant past medical, surgical and mental health history	prsb03-dataelement-10130
---	--------------------------

Id

prsb03-dataelement-10130 (2018-10-31)

Description

The record of the person's significant medical, surgical and mental health history. Including relevant previous diagnoses, problems and issues, procedures, investigations, specific anaesthesia issues, etc. (will include dental and obstetric history)

A list of the person's relevant past medical, surgical and mental health history recorded in free text or coded form or Information relating to past medical, surgical and mental health history may be provided by the referral document or during the consultation.

 Used by

14 transactions, 0 templates, inherited 0 times

 Coded value

prsb03-dataelement-13787

Id prsb03-dataelement-13787 (2020-10-22 17:51:01)



There is an open issue with this item:

- prsb03-issue-43: Find the relevant snomed refset ()

Description The coded value relevant past medical, surgical and mental health history

Operationalization SNOMED CT : - ^1127581000000103 |Health issues simple reference set|

Value Domain

 Used by 14 transactions, 0 templates, inherited 0 times

 Free text

prsb03-dataelement-13788

Id prsb03-dataelement-13788 (2020-10-22 17:53:28)

Concept inherits from  prsb03-dataelement-13450 (2020-08-27 16:43:57)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150

 Used by 14 transactions, 0 templates, inherited 0 times

  Clinical Review of Systems

prsb03-dataelement-14277

Id prsb03-dataelement-14277 (2021-04-28 13:52:04)

Concept inherits from  prsb03-dataelement-314 (2018-10-31)

Description Information gathered on symptoms related to physiological systems.

 Clinical review of systems

prsb03-dataelement-14278

Id prsb03-dataelement-14278 (2021-04-28 13:53:10)

Concept inherits from  prsb03-dataelement-10214 (2018-10-31)

Description The clinical review of systems. This is the record of the review of systems as volunteered by the patient or their representative or carer. The record of clinical information gathered in responses to questions to the patient about specific symptoms from various

physiological systems, including food intake (increasing/decreasing) weight change, swallowing difficulties etc.

2.1.249 Properties

FHIR Observation.category Observation.code Observation.valueCodeableConcept Observation.subject

Operationalization SNOMED CT: - 415300000 |Review of systems (procedure)|

Value Domain

 Reason for referral	prsb03-dataelement-10131
Id	prsb03-dataelement-10131 (2018-10-31) 0.1
Description	A clear statement of the purpose of the person making the referral e.g. diagnosis, treatment, transfer of care due to relocation, investigation, second opinion, management of the patient (e.g. palliative care), provide referrer with advice / guidance. This may include referral because of carers' concerns.
Operationalization	Free text SNOMED CT coded & free text
Value Domain	
 Expectation of referral	prsb03-dataelement-10132
Id	prsb03-dataelement-10132 (2018-10-31) 0.1
Description	A clear statement of the expectations of the person making the referral as to the management of the patient e.g. advice only, diagnosis, treatment, etc.
Operationalization	Free text
Value Domain	
 Patient's expectation of referral	prsb03-dataelement-10133
Id	prsb03-dataelement-10133 (2018-10-31) 0.1
Description	Patient's expectations of the referral including preferences. This may include any discussions that took place, the level of shared decision making involved, information about patient's source of advice.
Value Domain	
 Management to date	prsb03-dataelement-10134
Id	prsb03-dataelement-10134 (2018-10-31) 0.1
Description	Referrals, management, investigations and treatment that have already been undertaken, including patient managing their symptoms. Including: *procedures conducted - procedures carried out (and the date) and procedure report.
Operationalization	Free text
Value Domain	

 Urgency of referral

prsb03-dataelement-10135

Id	prsb03-dataelement-10135 (2018-10-31) 0.1
Description	Referrer's assessment of urgency (e.g. urgent/ soon/ routine). May include reason if other than routine. E.g. two data items: * level of urgency * reason.
Operationalization	PRIORITY TYPE (NHS Data Dictionary) free text reasonhttps://www.datadictionary.nhs.uk/web_site_content/pages/search_pages/dosearch.asp
Value Domain	

 Reason for admission

prsb03-dataelement-10136

Id	prsb03-dataelement-10136 (2018-10-31) 0.1
Description	The health problems and issues experienced by the patient resulting in their referral by a healthcare professional for hospital admission, e.g., chest pains blackouts, falls, a specific procedure, investigation or treatment.
Value Domain	

 Information brought by patient

prsb03-dataelement-10137

Id	prsb03-dataelement-10137 (2018-10-31) 0.1
Description	E.g. Patient Passport, example diary data, pre-completed questionnaires, person-held maternity record, personal child health record, etc.
Value Domain	

 Clinical Summary

prsb03-dataelement-247

Id	prsb03-dataelement-247 (2018-10-31)
Description	Clinical Summary
Used by	14 transactions, 0 templates, inherited 0 times

 Date

prsb03-dataelement-13308

Id	prsb03-dataelement-13308 (2020-08-06 13:53:22)
Description	The date the clinical summary was written.
Operationalization	Date
Value Domain	

Property

Timestamp precision

day, month and year

⌚ Used by

5 transactions, 0 templates, inherited 0 times



Location

prsb03-dataelement-13309

Id

prsb03-dataelement-13309 (2020-08-06 13:56:22)

Description

The location the clinical summary was written.

Relationship

Location (*prsb03-dataelement-10931 - 2019-04-30 17:07:45*)

⌚ Used by

5 transactions, 0 templates, inherited 0 times



Coded value

prsb03-dataelement-13310

Id

prsb03-dataelement-13310 (2020-08-06 13:56:53)

Concept inherits from

⌚ *prsb03-dataelement-13242 (2020-07-27 18:27:08)*

Description

The coded value for location.

Operationalization

NHS data dictionary :- Organisation data service code

Value Domain

Property

min length max length

3 5

⌚ Used by

5 transactions, 0 templates, inherited 0 times



Free text

prsb03-dataelement-13311

Id

prsb03-dataelement-13311 (2020-08-06 13:56:53)

Concept inherits from

⌚ *prsb03-dataelement-13243 (2020-07-27 18:31:13)*

Description

Free text field to be used if no code is available

Operationalization

Free text

Value Domain

Property

max length

150

⌚ Used by

5 transactions, 0 templates, inherited 0 times

 Clinical summary

prsb03-dataelement-10147

Id	prsb03-dataelement-10147 (2018-10-31)
Description	Summary of the encounter. Where possible, very brief. This may include interpretation of findings and results; differential diagnoses, opinion and specific action(s). Planned actions will be recorded under 'plan'.
Operationalization	Free text
Value Domain	
Used by	5 transactions, 0 templates, inherited once

 Performing professional

prsb03-dataelement-13312

Id	prsb03-dataelement-13312 (2020-08-06 13:57:51)
Description	The professional who wrote the clinical summary
Relationship	Performing professional (<i>prsb03-dataelement-11504 - 2019-05-30 14:34:59</i>)
Used by	5 transactions, 0 templates, inherited 0 times

 Name

prsb03-dataelement-13313

Id	prsb03-dataelement-13313 (2020-08-06 13:58:21)
Concept inherits from	 <i>prsb03-dataelement-11505 (2019-05-30 14:35:29)</i>
Description	The name of the professional.
Rationale	Practitioner.name
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 70 </div>
Used by	5 transactions, 0 templates, inherited 0 times

 Role

prsb03-dataelement-13314

Id	prsb03-dataelement-13314 (2020-08-06 13:58:21)
Concept inherits from	 <i>prsb03-dataelement-11506 (2019-05-30 14:35:29)</i>

Description	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc
Rationale	Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobroletype
Value Domain	
Used by	5 transactions, 0 templates, inherited 0 times

 Grade

prsb03-dataelement-13315

Id	prsb03-dataelement-13315 (2020-08-06 13:58:21)		
Concept inherits from	 prsb03-dataelement-11507 (2019-05-30 14:35:29)		
Description	The grade of the professional.		
Rationale	PractitionerRole.code		
Operationalization	Free text		
Value Domain			
Property	<table border="1"> <tr> <td style="text-align: center;">max length</td> </tr> <tr> <td style="text-align: center;">150</td> </tr> </table>	max length	150
max length			
150			
Used by	5 transactions, 0 templates, inherited 0 times		

 Speciality

prsb03-dataelement-13316

Id	prsb03-dataelement-13316 (2020-08-06 13:58:21)		
Concept inherits from	 prsb03-dataelement-11508 (2019-05-30 14:35:29)		
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc		
Rationale	PractitionerRole.speciality		
Operationalization	NHS data dictionary - Activity treatment function code		
Value Domain			
Property	<table border="1"> <tr> <td style="text-align: center;">max length</td> </tr> <tr> <td style="text-align: center;">3</td> </tr> </table>	max length	3
max length			
3			
Used by	5 transactions, 0 templates, inherited 0 times		

 Professional identifier

prsb03-dataelement-13317

Id	prsb03-dataelement-13317 (2020-08-06 13:58:21)
----	--

Concept inherits from	 prsb03-dataelement-11509 (2019-05-30 14:35:29)		
Description	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.		
Rationale	Practitioner.identifier (for professional national identifiers), PractitionerRole.identifier (for local role identifiers)		
Operationalization	NHS data dictionary : - Professional registration identifier		
Value Domain			
Property	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 2px;">max length</td> </tr> <tr> <td style="padding: 2px; text-align: center;">32</td> </tr> </table>	max length	32
max length			
32			
 Used by	5 transactions, 0 templates, inherited 0 times		

  Organisation prsb03-dataelement-13318

Id	prsb03-dataelement-13318 (2020-08-06 13:58:21)
Concept inherits from	 prsb03-dataelement-11510 (2019-05-30 14:35:29)
Description	The name of the organisation the professional works for.
 Used by	5 transactions, 0 templates, inherited 0 times

 Contact details prsb03-dataelement-13319

Id	prsb03-dataelement-13319 (2020-08-06 13:58:21)		
Concept inherits from	 prsb03-dataelement-11511 (2019-05-30 14:35:29)		
Description	Contact details of the professional		
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom		
Operationalization	NHS data dictionary - UK phone number		
Value Domain			
Property	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 2px;">max length</td> </tr> <tr> <td style="padding: 2px; text-align: center;">35</td> </tr> </table>	max length	35
max length			
35			
 Used by	5 transactions, 0 templates, inherited 0 times		

  Person completing record prsb03-dataelement-13320

Id	prsb03-dataelement-13320 (2020-08-06 13:59:10)
Description	A record of the details of the person that entered the clinical summary and the date on which it was entered.
Relationship	Person completing record (<i>prsb03-dataelement-13035 - 2020-04-28 19:33:13</i>)
Used by	5 transactions, 0 templates, inherited 0 times

Name prsb03-dataelement-13321

Id	prsb03-dataelement-13321 (2020-08-06 13:59:45)		
Concept inherits from	 <i>prsb03-dataelement-13036 (2020-04-28 19:33:40)</i>		
Description	The name of the person completing the record.		
Relationship	Name (<i>prsb03-dataelement-10219 - 2018-10-31</i>)		
Rationale	Composition.author.Practitioner.name		
Operationalization	Free text.		
Value Domain			
Property	<table border="1"> <tr> <td style="text-align: center; padding: 5px;">max length</td> </tr> <tr> <td style="text-align: center; padding: 5px;">70</td> </tr> </table>	max length	70
max length			
70			
Used by	5 transactions, 0 templates, inherited 0 times		

Role prsb03-dataelement-13322

Id	prsb03-dataelement-13322 (2020-08-06 13:59:45)
Concept inherits from	 <i>prsb03-dataelement-13037 (2020-04-28 19:33:40)</i>
Description	The organisational role of the person completing record.

2.1.250 Properties

FHIR	PractitionerRole.code of the practitioner completing the record
Relationship	Role (<i>prsb03-dataelement-10220 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobrole
Value Domain	
Used by	5 transactions, 0 templates, inherited 0 times

Grade

prsb03-dataelement-13323

Id	prsb03-dataelement-13323 (2020-08-06 13:59:45)
Concept inherits from	🟡 prsb03-dataelement-13038 (2020-04-28 19:33:40)
Description	The grade of the person completing the record.
Relationship	Grade (<i>prsb03-dataelement-10221 - 2018-10-31</i>)
Rationale	PractitionerRole.code
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> max length 150 </div>
⌚ Used by	5 transactions, 0 templates, inherited 0 times

prsb03-dataelement-13324

Id	prsb03-dataelement-13324 (2020-08-06 13:59:45)
Concept inherits from	🟡 prsb03-dataelement-13039 (2020-04-28 19:33:40)
Description	The main specialty of the person completing the record.

2.1.251 Properties

FHIR	PractitionerRole.specialty
Relationship	Specialty (<i>prsb03-dataelement-10222 - 2018-10-31</i>)
Rationale	PractitionerRole.specialty
Operationalization	NHS data dictionary :- Activity treatment function code
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> max length 3 </div>
⌚ Used by	5 transactions, 0 templates, inherited 0 times

prsb03-dataelement-13325

Id	prsb03-dataelement-13325 (2020-08-06 13:59:45)
Concept inherits from	🟡 prsb03-dataelement-13040 (2020-04-28 19:33:40)
Description	The organisation the person completing the record works for.

Relationship	Organisation (<i>prsb03-dataelement-10226 - 2018-10-31</i>)
Used by	5 transactions, 0 templates, inherited 0 times

 Professional identifier	prsb03-dataelement-13326
---	--------------------------

Id	prsb03-dataelement-13326 (2020-08-06 13:59:45)
Concept inherits from	 <i>prsb03-dataelement-13041</i> (2020-04-28 19:33:40)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.252 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship	Professional identifier (<i>prsb03-dataelement-10223 - 2018-10-31</i>)		
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)		
Operationalization	NHS data dictionary :- Professional registration identifier		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>32</td> </tr> </table>	max length	32
max length			
32			
Used by	5 transactions, 0 templates, inherited 0 times		

 Date completed	prsb03-dataelement-13327
--	--------------------------

Id	prsb03-dataelement-13327 (2020-08-06 13:59:45)		
Concept inherits from	 <i>prsb03-dataelement-13042</i> (2020-04-28 19:33:40)		
Description	The date and time the record was completed.		
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)		
Rationale	Composition.date		
Operationalization	Date and time.		
Value Domain			
Property	<table border="1"> <tr> <td>Timestamp precision</td> </tr> <tr> <td>at least day, month and year, hour and minute</td> </tr> </table>	Timestamp precision	at least day, month and year, hour and minute
Timestamp precision			
at least day, month and year, hour and minute			
Used by	5 transactions, 0 templates, inherited 0 times		

 Contact details	prsb03-dataelement-13328
---	--------------------------

Id	prsb03-dataelement-13328 (2020-08-06 13:59:45)
Concept inherits from	 <i>prsb03-dataelement-13043</i> (2020-04-28 19:33:40)
Description	Contact details of the person completing the record.

2.1.253 Properties

FHIR	PractitionerRole.telecom		
Relationship	Contact details (<i>prsb03-dataelement-10225 - 2018-10-31</i>)		
Rationale	Practitioner:telecom PractitionerRole:telecom Organisation:telcom		
Operationalization	NHS data dictionary : - UK telephone number		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>35</td> </tr> </table>	max length	35
max length			
35			
 Used by	5 transactions, 0 templates, inherited 0 times		

 Formulation	prsb03-dataelement-10148
---	--------------------------

Id	prsb03-dataelement-10148 (2018-10-31)		
Description	An account, shared by a therapist and person, of the personal meaning and origins of a person's difficulties. This is viewed in the context of multiple factors including relationships, social circumstances and life events and will indicate the most helpful way forward.		
Operationalization	Free text		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>150</td> </tr> </table>	max length	150
max length			
150			
 Used by	5 transactions, 0 templates, inherited 3 times		

 Treatments and interventions and changes made to treatments.	prsb03-dataelement-10149
--	--------------------------

Id	prsb03-dataelement-10149 (2018-10-31)
----	---------------------------------------

Description	The relevant treatments and interventions which the patient received during the inpatient stay. Include psychological therapies. All medications should be recorded under the medications section.
Operationalization	Free text
Value Domain	
⌚ Used by	5 transactions, 0 templates, inherited once

 Clinical narrative

prsb03-dataelement-10150

Id	prsb03-dataelement-10150 (2018-10-31)
Description	A description detailing a patient's reason for attendance, results from the diagnostic and treatment process.
Operationalization	Free text
Value Domain	
⌚ Used by	14 transactions, 0 templates, inherited 0 times

 Treatments and interventions

prsb03-dataelement-12480

Id	prsb03-dataelement-12480 (2019-07-01 11:30:36)
Description	Treatments and interventions carried out

 Treatments and interventions and changes made to treatments.

prsb03-dataelement-12481

Id	prsb03-dataelement-12481 (2019-07-01 11:32:03)
Description	The treatments and interventions carried out. Where appropriate record the rationale for the decision to treat and the information sources reviewed e.g. end of life care plan etc. All medications should be recorded under the medications heading.
Relationship	Treatments and interventions and changes made to treatments. (<i>prsb03-dataelement-10149 - 2018-10-31</i>)
⌚ Used by	0 transactions, 0 templates, inherited once

 Coded value

prsb03-dataelement-13259

Id	prsb03-dataelement-13259 (2020-07-28 11:51:38)
Description	The coded value for treatment and interventions.
Operationalization	SNOMED CT
Value Domain	
⌚ Used by	0 transactions, 0 templates, inherited once

 Free text prsb03-dataelement-13260

Id prsb03-dataelement-13260 (2020-07-28 11:52:30)

Concept inherits from  prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150

 Used by 0 transactions, 0 templates, inherited once

 Social context prsb03-dataelement-136

Id prsb03-dataelement-136 (2018-10-31)

Description The social setting in which the person lives, such as their household, occupational history, and lifestyle factors.

 Used by 5 transactions, 0 templates, inherited 0 times

 Services and care prsb03-dataelement-12482

Id prsb03-dataelement-12482 (2019-07-01 12:40:21)

Description The description of services and care providing support for person's health and social well-being.

Operationalization Free text. The record of the services and care as provided by the person or their representative.

Value Domain

 Household composition prsb03-dataelement-10036

Id prsb03-dataelement-10036 (2018-10-31)

Description Details of the person's household composition.

 Date prsb03-dataelement-11770

Id prsb03-dataelement-11770 (2019-05-31 14:13:42)

Description The date when the household composition was taken.

Relationship Date (*prsb03-dataelement-11688 - 2019-05-31 11:50:22*)

Operationalization Date and time.

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Location

prsb03-dataelement-11771

Id prsb03-dataelement-11771 (2019-05-31 14:14:32) 0.1

Description The location where the household composition was taken.

Relationship Location (*prsb03-dataelement-11689 - 2019-05-31 11:51:04*)

Operationalization ODS code or free text

Value Domain



Location

prsb03-dataelement-13271

Id prsb03-dataelement-13271 (2020-07-28 14:07:57)

Description The location where the household composition was taken.

Relationship Location (*prsb03-dataelement-10931 - 2019-04-30 17:07:45*)



Coded value

prsb03-dataelement-13272

Id prsb03-dataelement-13272 (2020-07-28 14:09:11)

Concept inherits from prsb03-dataelement-13242 (2020-07-27 18:27:08)

Description The coded value for location.

Operationalization NHS data dictionary : - Organisation data service code

Value Domain

Property

min length max length

3

5



Free text

prsb03-dataelement-13273

Id prsb03-dataelement-13273 (2020-07-28 14:09:11)

Concept inherits from prsb03-dataelement-13243 (2020-07-27 18:31:13)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150



Household composition

prsb03-dataelement-13261

Id prsb03-dataelement-13261 (2020-07-28 12:00:25)

Description Description of the household composition e.g. lives alone, lives with family, lives with partner, etc.



Coded value

prsb03-dataelement-13262

Id prsb03-dataelement-13262 (2020-07-28 12:15:50)

Description The coded value of household composition

Operationalization SNOMED CT: - 1027891000000106 | Household composition findings simple reference set (foundation metadata concept) |

Value Domain



Free text

prsb03-dataelement-13263

Id prsb03-dataelement-13263 (2020-07-28 12:20:28)

Concept inherits from prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150



Performing professional

prsb03-dataelement-11648

Id prsb03-dataelement-11648 (2019-05-30 18:03:53)

Description The professional who took the household composition.

Relationship Performing professional (*prsb03-dataelement-11281 - 2019-05-30 11:53:30*)

Name

prsb03-dataelement-11649

Id prsb03-dataelement-11649 (2019-05-30 18:07:33)

Concept inherits from prsb03-dataelement-11282 (2019-05-30 11:57:38)

Description The name of the professional.

Rationale Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70



Role

prsb03-dataelement-11650

Id prsb03-dataelement-11650 (2019-05-30 18:07:33)

Concept inherits from prsb03-dataelement-11283 (2019-05-30 11:58:48)

Description The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc

Rationale Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobroletype

Value Domain



Grade

prsb03-dataelement-11651

Id prsb03-dataelement-11651 (2019-05-30 18:07:33)

Concept inherits from prsb03-dataelement-11288 (2019-05-30 12:19:40)

Description The grade of the professional.

Rationale PractitionerRole.code

Operationalization Free text

Value Domain

Property

max length

150



Speciality

prsb03-dataelement-11652

Id prsb03-dataelement-11652 (2019-05-30 18:07:33)

Concept inherits from prsb03-dataelement-11284 (2019-05-30 12:01:15)

Description The specialty of the professional e.g. physiotherapy, oncology, mental health etc

Rationale PractitionerRole.speciality

Operationalization NHS data dictionary - Activity treatment function code

Value Domain

Property

max length

3

 Professional identifier

prsb03-dataelement-11653

Id	prsb03-dataelement-11653 (2019-05-30 18:07:33)
Concept inherits from	 <i>prsb03-dataelement-11285</i> (2019-05-30 12:02:46)
Description	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.
Rationale	Practitioner.identifier (for professional national identifiers), PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary : - Professional registration identifier
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 32 </div>

  Organisation

prsb03-dataelement-11654

Id	prsb03-dataelement-11654 (2019-05-30 18:07:33)
Concept inherits from	 <i>prsb03-dataelement-11286</i> (2019-05-30 12:17:19)
Description	The name of the organisation the professional works for.

 Contact details

prsb03-dataelement-11655

Id	prsb03-dataelement-11655 (2019-05-30 18:07:33)
Concept inherits from	 <i>prsb03-dataelement-11287</i> (2019-05-30 12:18:13)
Description	Contact details of the professional
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom
Operationalization	NHS data dictionary - UK phone number
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 35 </div>

  Person completing record

prsb03-dataelement-11521

Id	prsb03-dataelement-11521 (2019-05-30 14:50:23)
Concept inherits from	 <i>prsb03-dataelement-11289</i> (2019-05-30 12:24:39)
Description	Details of the person completing the record.

Relationship Person completing record (*prsb03-dataelement-319 - 2018-10-31*)

 Name	prsb03-dataelement-11522
--	--------------------------

Id prsb03-dataelement-11522 (2019-05-30 14:50:56)

Concept inherits from  *prsb03-dataelement-11290* (2019-05-30 12:25:39)

Description The name of the person completing the record.

Relationship Name (*prsb03-dataelement-10219 - 2018-10-31*)

Rationale Composition.author.Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70

 Role	prsb03-dataelement-11523
--	--------------------------

Id prsb03-dataelement-11523 (2019-05-30 14:50:56)

Concept inherits from  *prsb03-dataelement-11291* (2019-05-30 12:25:39)

Description The organisational role of the person completing record.

2.1.254 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship Role (*prsb03-dataelement-10220 - 2018-10-31*)

Rationale Composition.author.Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobrole

Value Domain

 Grade	prsb03-dataelement-11524
---	--------------------------

Id prsb03-dataelement-11524 (2019-05-30 14:50:56)

Concept inherits from  *prsb03-dataelement-11292* (2019-05-30 12:25:39)

Description The grade of the person completing the record.

Relationship Grade (*prsb03-dataelement-10221 - 2018-10-31*)

Rationale PractitionerRole.code

Operationalization Free text.

Value Domain

Property

max length

150



Specialty

prsb03-dataelement-11525

Id

prsb03-dataelement-11525 (2019-05-30 14:50:56)

Concept inherits from

prsb03-dataelement-11293 (2019-05-30 12:25:39)

Description

The main specialty of the person completing the record.

2.1.255 Properties

FHIR

PractitionerRole.specialty

Relationship

Specialty (*prsb03-dataelement-10222 - 2018-10-31*)

Rationale

PractitionerRole.specialty

Operationalization

NHS data dictionary :- Activity treatment function code

Value Domain

Property

max length

3



Organisation

prsb03-dataelement-11526

Id

prsb03-dataelement-11526 (2019-05-30 14:50:56)

Concept inherits from

prsb03-dataelement-11294 (2019-05-30 12:25:39)

Description

The organisation the person completing the record works for.

Relationship

Organisation (*prsb03-dataelement-10226 - 2018-10-31*)

Professional identifier

prsb03-dataelement-11527

Id

prsb03-dataelement-11527 (2019-05-30 14:50:56)

Concept inherits from

prsb03-dataelement-11295 (2019-05-30 12:25:39)

Description

Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.256 Properties

FHIR

PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship

Professional identifier (*prsb03-dataelement-10223 - 2018-10-31*)

Rationale

Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)


Operationalization NHS data dictionary :- Professional registration identifier

Value Domain

Property

max length

32



Date completed

prsb03-dataelement-11528

Id

prsb03-dataelement-11528 (2019-05-30 14:50:56)

Concept inherits from

prsb03-dataelement-11296 (2019-05-30 12:25:39)

Description

The date and time the record was completed.

Relationship

Date completed (*prsb03-dataelement-10224 - 2018-10-31*)

Rationale

Composition.date

Operationalization

Date and time.

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Contact details

prsb03-dataelement-11529

Id

prsb03-dataelement-11529 (2019-05-30 14:50:56)

Concept inherits from

prsb03-dataelement-11297 (2019-05-30 12:25:39)

Description

Contact details of the person completing the record.

2.1.257 Properties

FHIR PractitionerRole.telecom

Relationship

Contact details (*prsb03-dataelement-10225 - 2018-10-31*)

Rationale

Practitioner:telecom
PractitionerRole:telecom
Organisation:telcom

Operationalization

NHS data dictionary : - UK telephone number

Value Domain

Property

max length

35



Occupational history

prsb03-dataelement-10037

Id	prsb03-dataelement-10037 (2018-10-31)
Description	The current and/or previous occupation(s) of the person.

2.1.258 Properties

FHIR Observation.category Observation.code Observation.valueCodeableConcept Observation.subject

 Date	prsb03-dataelement-11772
--	--------------------------

Id	prsb03-dataelement-11772 (2019-05-31 14:15:12)		
Description	The date when the occupational history was taken.		
Relationship	Date (<i>prsb03-dataelement-11688 - 2019-05-31 11:50:22</i>)		
Operationalization	Date and time.		
Value Domain			
Property	<table border="1"> <tr> <td style="text-align: center;">Timestamp precision</td> </tr> <tr> <td>at least day, month and year, hour and minute</td> </tr> </table>	Timestamp precision	at least day, month and year, hour and minute
Timestamp precision			
at least day, month and year, hour and minute			

 Location	prsb03-dataelement-11773
---	--------------------------

Id	prsb03-dataelement-11773 (2019-05-31 14:15:38)
Description	The location where the occupational history was taken.
Relationship	Location (<i>prsb03-dataelement-11689 - 2019-05-31 11:51:04</i>)

 Coded value	prsb03-dataelement-13274
---	--------------------------

Id	prsb03-dataelement-13274 (2020-07-30 14:41:27)				
Description	The coded value for the location.				
Operationalization	NHS Data dictionary : - Organisation data service code				
Value Domain					
Property	<table border="1"> <tr> <td style="text-align: center;">min length</td> <td style="text-align: center;">max length</td> </tr> <tr> <td style="text-align: center;">3</td> <td style="text-align: center;">5</td> </tr> </table>	min length	max length	3	5
min length	max length				
3	5				

 Free text	prsb03-dataelement-13275
---	--------------------------

Id	prsb03-dataelement-13275 (2020-07-30 14:44:58)
Concept inherits from	 <i>prsb03-dataelement-13220 (2020-07-08 12:57:49)</i>
Description	Free text field to be used if no code is available
Operationalization	Free text

Value Domain

Property

max length

150



Occupational history

prsb03-dataelement-13264

Id prsb03-dataelement-13264 (2020-07-28 12:26:39)

Description The current and/or previous occupation(s) of the person.



Coded value

prsb03-dataelement-13265

Id prsb03-dataelement-13265 (2020-07-28 12:27:26)

Description The coded value for occupational history

Operationalization SNOMED CT : - ^99900157100000109 | Occupation simple reference set (foundation metadata concept)

Value Domain

Used by 0 transactions, 0 templates, inherited once



Free text

prsb03-dataelement-13266

Id prsb03-dataelement-13266 (2020-07-28 12:29:14)

Concept inherits from prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150



Performing professional

prsb03-dataelement-11656

Id prsb03-dataelement-11656 (2019-05-30 18:08:03)

Description The professional who took the occupational history.

Relationship Performing professional (*prsb03-dataelement-11281 - 2019-05-30 11:53:30*)

Name

prsb03-dataelement-11657

Id prsb03-dataelement-11657 (2019-05-30 18:08:20)

Concept inherits from prsb03-dataelement-11282 (2019-05-30 11:57:38)

Description The name of the professional.

Rationale Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70



Role

prsb03-dataelement-11658

Id prsb03-dataelement-11658 (2019-05-30 18:08:20)

Concept inherits from prsb03-dataelement-11283 (2019-05-30 11:58:48)

Description The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc

Rationale Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobroletype

Value Domain



Grade

prsb03-dataelement-11659

Id prsb03-dataelement-11659 (2019-05-30 18:08:20)

Concept inherits from prsb03-dataelement-11288 (2019-05-30 12:19:40)

Description The grade of the professional.

Rationale PractitionerRole.code

Operationalization Free text

Value Domain

Property

max length

150



Speciality

prsb03-dataelement-11660

Id prsb03-dataelement-11660 (2019-05-30 18:08:20)

Concept inherits from prsb03-dataelement-11284 (2019-05-30 12:01:15)

Description The specialty of the professional e.g. physiotherapy, oncology, mental health etc

Rationale PractitionerRole.speciality

Operationalization NHS data dictionary - Activity treatment function code

Value Domain

Property

max length

3



Professional identifier

prsb03-dataelement-11661

Id

prsb03-dataelement-11661 (2019-05-30 18:08:20)

Concept inherits from

prsb03-dataelement-11285 (2019-05-30 12:02:46)

Description

Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.

Rationale

Practitioner.identifier (for professional national identifiers), PractitionerRole.identifier (for local role identifiers)

Operationalization

NHS data dictionary : - Professional registration identifier

Value Domain

Property

max length

32



Organisation

prsb03-dataelement-11662

Id

prsb03-dataelement-11662 (2019-05-30 18:08:20)

Concept inherits from

prsb03-dataelement-11286 (2019-05-30 12:17:19)

Description

The name of the organisation the professional works for.



Contact details

prsb03-dataelement-11663

Id

prsb03-dataelement-11663 (2019-05-30 18:08:20)

Concept inherits from

prsb03-dataelement-11287 (2019-05-30 12:18:13)

Description

Contact details of the professional

Rationale

Practitioner:telecom
PractitionerRole:telecom
Organisation.telcom

Operationalization

NHS data dictionary - UK phone number

Value Domain

Property

max length

35



Person completing record

prsb03-dataelement-11530

Id

prsb03-dataelement-11530 (2019-05-30 14:51:51)

Concept inherits from	 prsb03-dataelement-11289 (2019-05-30 12:24:39)
Description	Details of the person completing the record.
Relationship	Person completing record (<i>prsb03-dataelement-319 - 2018-10-31</i>)

 Name	prsb03-dataelement-11531
--	--------------------------

Id	prsb03-dataelement-11531 (2019-05-30 14:52:22)		
Concept inherits from	 prsb03-dataelement-11290 (2019-05-30 12:25:39)		
Description	The name of the person completing the record.		
Relationship	Name (<i>prsb03-dataelement-10219 - 2018-10-31</i>)		
Rationale	Composition.author.Practitioner.name		
Operationalization	Free text.		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>70</td> </tr> </table>	max length	70
max length			
70			

 Role	prsb03-dataelement-11532
--	--------------------------

Id	prsb03-dataelement-11532 (2019-05-30 14:52:22)
Concept inherits from	 prsb03-dataelement-11291 (2019-05-30 12:25:39)
Description	The organisational role of the person completing record.

2.1.259 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship	Role (<i>prsb03-dataelement-10220 - 2018-10-31</i>)
Rationale	Composition.author.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobrole
Value Domain	

 Grade	prsb03-dataelement-11533
---	--------------------------

Id	prsb03-dataelement-11533 (2019-05-30 14:52:22)
Concept inherits from	 prsb03-dataelement-11292 (2019-05-30 12:25:39)
Description	The grade of the person completing the record.
Relationship	Grade (<i>prsb03-dataelement-10221 - 2018-10-31</i>)
Rationale	PractitionerRole.code

Operationalization Free text.

Value Domain

Property

max length

150



Specialty

prsb03-dataelement-11534

Id prsb03-dataelement-11534 (2019-05-30 14:52:22)

Concept inherits from prsb03-dataelement-11293 (2019-05-30 12:25:39)

Description The main specialty of the person completing the record.

2.1.260 Properties

FHIR PractitionerRole.specialty

Relationship Specialty (*prsb03-dataelement-10222 - 2018-10-31*)

Rationale PractitionerRole.specialty

Operationalization NHS data dictionary :- Activity treatment function code

Value Domain

Property

max length

3



Organisation

prsb03-dataelement-11535

Id prsb03-dataelement-11535 (2019-05-30 14:52:22)

Concept inherits from prsb03-dataelement-11294 (2019-05-30 12:25:39)

Description The organisation the person completing the record works for.

Relationship Organisation (*prsb03-dataelement-10226 - 2018-10-31*)



Professional identifier

prsb03-dataelement-11536

Id prsb03-dataelement-11536 (2019-05-30 14:52:22)

Concept inherits from prsb03-dataelement-11295 (2019-05-30 12:25:39)

Description Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.261 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship	Professional identifier (<i>prsb03-dataelement-10223 - 2018-10-31</i>)
Rationale	Practitioner.identifier (for professional national identifiers), PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary :- Professional registration identifier

Value Domain

Property

max length

32



Date completed

prsb03-dataelement-11537

Id	prsb03-dataelement-11537 (2019-05-30 14:52:22)
Concept inherits from	<i>prsb03-dataelement-11296</i> (2019-05-30 12:25:39)
Description	The date and time the record was completed.
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)
Rationale	Composition.date
Operationalization	Date and time.

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Contact details

prsb03-dataelement-11538

Id	prsb03-dataelement-11538 (2019-05-30 14:52:22)
Concept inherits from	<i>prsb03-dataelement-11297</i> (2019-05-30 12:25:39)
Description	Contact details of the person completing the record.

2.1.262 Properties

FHIR **PractitionerRole.telecom**Relationship *Contact details (prsb03-dataelement-10225 - 2018-10-31)*Rationale
Practitioner:telecom
PractitionerRole:telecom
Organisation.telcom

Operationalization NHS data dictionary : - UK telephone number

Value Domain

Property

max length

  Educational history

prsb03-dataelement-10038

Id prsb03-dataelement-10038 (2018-10-31)

Description Details of the person's educational history.

 Date

prsb03-dataelement-11774

Id prsb03-dataelement-11774 (2019-05-31 14:16:22)

Description The date when the educational history was taken.

Relationship Date (*prsb03-dataelement-11688 - 2019-05-31 11:50:22*)

Operationalization Date and time.

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute

  Location

prsb03-dataelement-11775

Id prsb03-dataelement-11775 (2019-05-31 14:16:57)

Description The location where the education history was taken.

Relationship Location (*prsb03-dataelement-11689 - 2019-05-31 11:51:04*)
 Coded value

prsb03-dataelement-13276

Id prsb03-dataelement-13276 (2020-07-30 14:53:55)

Description The coded value for location.

Operationalization NHS Data dictionary : - Organisation data service code

Value Domain

Property

min length max length

3

5

 Free text

prsb03-dataelement-13277

Id prsb03-dataelement-13277 (2020-07-30 14:55:09)

Concept inherits from  *prsb03-dataelement-13220 (2020-07-08 12:57:49)*

Description Free text field to be used if no code is available


Operationalization Free text

Value Domain

Property

max length

150



Educational history

prsb03-dataelement-13267

Id

prsb03-dataelement-13267 (2020-07-28 13:20:32) 0.1

Description

The current and/or previous relevant educational history of the person.

Operationalization

Free text



Educational history

prsb03-dataelement-13840

Id

prsb03-dataelement-13840 (2020-12-29 11:11:55)

Description

The current and/or previous relevant educational history of the person.

Operationalization

Free text

Value Domain

Property

max length

150



Performing professional

prsb03-dataelement-11776

Id

prsb03-dataelement-11776 (2019-05-31 14:17:28)

Description

The professional who took the educational history.

Relationship

Performing professional (*prsb03-dataelement-11281 - 2019-05-30 11:53:30*)

Name

prsb03-dataelement-11777

Id

prsb03-dataelement-11777 (2019-05-31 14:17:50)

Concept inherits from

prsb03-dataelement-11282 (2019-05-30 11:57:38)

Description

The name of the professional.

Rationale

Practitioner.name

Operationalization

Free text.

Value Domain

Property

max length

70



Role

prsb03-dataelement-11778

Id	prsb03-dataelement-11778 (2019-05-31 14:17:50)
Concept inherits from	 prsb03-dataelement-11283 (2019-05-30 11:58:48)
Description	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc
Rationale	Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobroletype
Value Domain	

 Grade prsb03-dataelement-11779

Id	prsb03-dataelement-11779 (2019-05-31 14:17:50)		
Concept inherits from	 prsb03-dataelement-11288 (2019-05-30 12:19:40)		
Description	The grade of the professional.		
Rationale	PractitionerRole.code		
Operationalization	Free text		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>150</td> </tr> </table>	max length	150
max length			
150			

 Speciality prsb03-dataelement-11780

Id	prsb03-dataelement-11780 (2019-05-31 14:17:50)		
Concept inherits from	 prsb03-dataelement-11284 (2019-05-30 12:01:15)		
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc		
Rationale	PractitionerRole.speciality		
Operationalization	NHS data dictionary - Activity treatment function code		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>3</td> </tr> </table>	max length	3
max length			
3			

 Professional identifier prsb03-dataelement-11781

Id	prsb03-dataelement-11781 (2019-05-31 14:17:50)
Concept inherits from	 prsb03-dataelement-11285 (2019-05-30 12:02:46)
Description	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary : - Professional registration identifier

Value Domain

Property

max length

32



Organisation

prsb03-dataelement-11782

Id prsb03-dataelement-11782 (2019-05-31 14:17:50)

Concept inherits from prsb03-dataelement-11286 (2019-05-30 12:17:19)

Description The name of the organisation the professional works for.



Contact details

prsb03-dataelement-11783

Id prsb03-dataelement-11783 (2019-05-31 14:17:50)

Concept inherits from prsb03-dataelement-11287 (2019-05-30 12:18:13)

Description Contact details of the professional

Rationale
Practitioner.telecom
PractitionerRole.telecom
Organisation.telcom

Operationalization NHS data dictionary - UK phone number

Value Domain

Property

max length

35



Person completing record

prsb03-dataelement-11539

Id prsb03-dataelement-11539 (2019-05-30 14:52:55)

Concept inherits from prsb03-dataelement-11289 (2019-05-30 12:24:39)

Description Details of the person completing the record.

Relationship Person completing record (*prsb03-dataelement-319 - 2018-10-31*)



Name

prsb03-dataelement-11540

Id prsb03-dataelement-11540 (2019-05-30 14:53:14)

Concept inherits from prsb03-dataelement-11290 (2019-05-30 12:25:39)

Description The name of the person completing the record.

Relationship Name (*prsb03-dataelement-10219 - 2018-10-31*)

Rationale Composition.author.Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70



Role

prsb03-dataelement-11541

Id prsb03-dataelement-11541 (2019-05-30 14:53:14)

Concept inherits from *prsb03-dataelement-11291* (2019-05-30 12:25:39)

Description The organisational role of the person completing record.

2.1.263 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship Role (*prsb03-dataelement-10220 - 2018-10-31*)

Rationale Composition.author.Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobrole

Value Domain



Grade

prsb03-dataelement-11542

Id prsb03-dataelement-11542 (2019-05-30 14:53:14)

Concept inherits from *prsb03-dataelement-11292* (2019-05-30 12:25:39)

Description The grade of the person completing the record.

Relationship Grade (*prsb03-dataelement-10221 - 2018-10-31*)

Rationale PractitionerRole.code


Operationalization Free text.

Value Domain

Property

max length

150



Specialty

prsb03-dataelement-11543

Id prsb03-dataelement-11543 (2019-05-30 14:53:14)

Concept inherits from *prsb03-dataelement-11293* (2019-05-30 12:25:39)

Description The main specialty of the person completing the record.

2.1.264 Properties

FHIR PractitionerRole.specialty

Relationship Specialty (*prsb03-dataelement-10222 - 2018-10-31*)

Rationale PractitionerRole.speciality

Operationalization NHS data dictionary :- Activity treatment function code

Value Domain

Property

max length

3



Organisation

prsb03-dataelement-11544

Id prsb03-dataelement-11544 (2019-05-30 14:53:14)

Concept inherits from prsb03-dataelement-11294 (2019-05-30 12:25:39)

Description The organisation the person completing the record works for.

Relationship Organisation (*prsb03-dataelement-10226 - 2018-10-31*)



Professional identifier

prsb03-dataelement-11545

Id prsb03-dataelement-11545 (2019-05-30 14:53:14)

Concept inherits from prsb03-dataelement-11295 (2019-05-30 12:25:39)

Description Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.265 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship Professional identifier (*prsb03-dataelement-10223 - 2018-10-31*)

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary :- Professional registration identifier

Value Domain

Property

max length

32



Date completed

prsb03-dataelement-11546

Id	prsb03-dataelement-11546 (2019-05-30 14:53:14)
Concept inherits from	🟡 prsb03-dataelement-11296 (2019-05-30 12:25:39)
Description	The date and time the record was completed.
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)
Rationale	Composition.date
Operationalization	Date and time.
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>

🟡 Contact details

prsb03-dataelement-11547

Id	prsb03-dataelement-11547 (2019-05-30 14:53:14)
Concept inherits from	🟡 prsb03-dataelement-11297 (2019-05-30 12:25:39)
Description	Contact details of the person completing the record.

2.1.266 Properties

FHIR	PractitionerRole.telecom
Relationship	Contact details (<i>prsb03-dataelement-10225 - 2018-10-31</i>)
Rationale	Practitioner:telecom PractitionerRole:telecom Organisation.telcom
Operationalization	NHS data dictionary : - UK telephone number
Value Domain	
Property	<p style="text-align: center;">max length</p> <p>35</p>

📁🟡 Lifestyle choices

prsb03-dataelement-10039

Id	prsb03-dataelement-10039 (2018-10-31)
Description	The lifestyle choices made by the person which are pertinent to his or her health and well-being, e.g. physical activity level, pets, hobbies and sexual habits

2.1.267 Properties

FHIR	Text only
------	-----------

🟡 Date

prsb03-dataelement-11784

Id	prsb03-dataelement-11784 (2019-05-31 14:18:12)
Description	The date when the lifestyle choices were taken.
Relationship	Date (<i>prsb03-dataelement-11688 - 2019-05-31 11:50:22</i>)
Operationalization	Date and time.
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p style="text-align: center;">at least day, month and year, hour and minute</p>

  Location prsb03-dataelement-11785

Id	prsb03-dataelement-11785 (2019-05-31 14:18:40)
Description	The location where the lifestyle choices were taken.
Relationship	Location (<i>prsb03-dataelement-11689 - 2019-05-31 11:51:04</i>)

  Coded value prsb03-dataelement-13278

Id	prsb03-dataelement-13278 (2020-07-30 14:58:15)				
Description	The coded value for location.				
Operationalization	NHS Data dictionary : - Organisation data service code				
Value Domain					
Property	<table style="margin-left: auto; margin-right: auto;"> <tr> <td style="padding: 2px 10px;">min length</td> <td style="padding: 2px 10px;">max length</td> </tr> <tr> <td style="text-align: center;">3</td> <td style="text-align: center;">5</td> </tr> </table>	min length	max length	3	5
min length	max length				
3	5				

  Free text prsb03-dataelement-13279

Id	prsb03-dataelement-13279 (2020-07-30 14:59:21)		
Concept inherits from	 <i>prsb03-dataelement-13220 (2020-07-08 12:57:49)</i>		
Description	Free text field to be used if no code is available		
Operationalization	Free text		
Value Domain			
Property	<table style="margin-left: auto; margin-right: auto;"> <tr> <td style="padding: 2px 10px;">max length</td> </tr> <tr> <td style="text-align: center;">150</td> </tr> </table>	max length	150
max length			
150			

  Lifestyle choices prsb03-dataelement-13268

Id prsb03-dataelement-13268 (2020-07-28 13:29:22) 0.1

Description The lifestyle choices made by the person which are pertinent to his or her health and well-being, e.g. physical activity level, pets, hobbies and sexual preferences.

Operationalization Free text

Coded value

prsb03-dataelement-13269

Id prsb03-dataelement-13269 (2020-07-28 13:30:20) 0.1

Description The coded value of the person's lifestyle choice.

Operationalization SNOMED CT

Value Domain

Free text

prsb03-dataelement-13270

Id prsb03-dataelement-13270 (2020-07-28 13:31:11) 0.1

Concept inherits from  prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150

Lifestyle choices

prsb03-dataelement-13841

Id prsb03-dataelement-13841 (2020-12-29 11:26:28)

Description The lifestyle choices made by the person which are pertinent to his or her health and well-being, e.g. physical activity level, pets, hobbies and sexual preferences.

Operationalization Free text

Value Domain

Property

max length

150

Performing professional

prsb03-dataelement-11786

Id prsb03-dataelement-11786 (2019-05-31 14:19:14)

Description The professional who took the lifestyle choices.

Relationship Performing professional (*prsb03-dataelement-11281 - 2019-05-30 11:53:30*)

Name

prsb03-dataelement-11787

Id prsb03-dataelement-11787 (2019-05-31 14:19:39)

Concept inherits from  prsb03-dataelement-11282 (2019-05-30 11:57:38)

Description The name of the professional.

Rationale Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70



Role

prsb03-dataelement-11788

Id prsb03-dataelement-11788 (2019-05-31 14:19:39)

Concept inherits from  prsb03-dataelement-11283 (2019-05-30 11:58:48)

Description The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc

Rationale Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobroletype

Value Domain



Grade

prsb03-dataelement-11789

Id prsb03-dataelement-11789 (2019-05-31 14:19:39)

Concept inherits from  prsb03-dataelement-11288 (2019-05-30 12:19:40)

Description The grade of the professional.

Rationale PractitionerRole.code

Operationalization Free text

Value Domain

Property

max length

150



Speciality

prsb03-dataelement-11790

Id prsb03-dataelement-11790 (2019-05-31 14:19:39)

Concept inherits from  prsb03-dataelement-11284 (2019-05-30 12:01:15)

Description The specialty of the professional e.g. physiotherapy, oncology, mental health etc

Rationale PractitionerRole.speciality

Operationalization NHS data dictionary - Activity treatment function code

Value Domain

Property

max length

3



Professional identifier

prsb03-dataelement-11791

Id prsb03-dataelement-11791 (2019-05-31 14:19:39)

Concept inherits from prsb03-dataelement-11285 (2019-05-30 12:02:46)

Description Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary : - Professional registration identifier

Value Domain

Property

max length

32



Organisation

prsb03-dataelement-11792

Id prsb03-dataelement-11792 (2019-05-31 14:19:39)

Concept inherits from prsb03-dataelement-11286 (2019-05-30 12:17:19)

Description The name of the organisation the professional works for.



Contact details

prsb03-dataelement-11793

Id prsb03-dataelement-11793 (2019-05-31 14:19:39)

Concept inherits from prsb03-dataelement-11287 (2019-05-30 12:18:13)

Description Contact details of the professional

Rationale Practitioner.telecom
PractitionerRole.telecom
Organisation.telcom

Operationalization NHS data dictionary - UK phone number

Value Domain

Property

max length

35



Person completing record

prsb03-dataelement-11548

Id	prsb03-dataelement-11548 (2019-05-30 14:53:59)
Concept inherits from	 prsb03-dataelement-11289 (2019-05-30 12:24:39)
Description	Details of the person completing the record.
Relationship	Person completing record (<i>prsb03-dataelement-319 - 2018-10-31</i>)

prsb03-dataelement-11549

Id	prsb03-dataelement-11549 (2019-05-30 14:54:28)
Concept inherits from	 prsb03-dataelement-11290 (2019-05-30 12:25:39)
Description	The name of the person completing the record.
Relationship	Name (<i>prsb03-dataelement-10219 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.name
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 70 </div>

prsb03-dataelement-11550

Id	prsb03-dataelement-11550 (2019-05-30 14:54:28)
Concept inherits from	 prsb03-dataelement-11291 (2019-05-30 12:25:39)
Description	The organisational role of the person completing record.

2.1.268 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship	Role (<i>prsb03-dataelement-10220 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobrole
Value Domain	

prsb03-dataelement-11551

Id	prsb03-dataelement-11551 (2019-05-30 14:54:28)
Concept inherits from	 prsb03-dataelement-11292 (2019-05-30 12:25:39)
Description	The grade of the person completing the record.

Relationship Grade (*prsb03-dataelement-10221 - 2018-10-31*)

Rationale PractitionerRole.code

Operationalization Free text.

Value Domain

Property

max length

150



Specialty

prsb03-dataelement-11552

Id prsb03-dataelement-11552 (2019-05-30 14:54:28)

Concept inherits from prsb03-dataelement-11293 (2019-05-30 12:25:39)

Description The main specialty of the person completing the record.

2.1.269 Properties

FHIR PractitionerRole.specialty

Relationship Specialty (*prsb03-dataelement-10222 - 2018-10-31*)

Rationale PractitionerRole.specialty


Operationalization NHS data dictionary :- Activity treatment function code

Value Domain

Property

max length

3



Organisation

prsb03-dataelement-11553

Id prsb03-dataelement-11553 (2019-05-30 14:54:28)

Concept inherits from prsb03-dataelement-11294 (2019-05-30 12:25:39)

Description The organisation the person completing the record works for.

Relationship Organisation (*prsb03-dataelement-10226 - 2018-10-31*)



Professional identifier

prsb03-dataelement-11554

Id prsb03-dataelement-11554 (2019-05-30 14:54:28)

Concept inherits from prsb03-dataelement-11295 (2019-05-30 12:25:39)

Description Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.270 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship	Professional identifier (<i>prsb03-dataelement-10223 - 2018-10-31</i>)
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary :- Professional registration identifier
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 2px;">max length</div> <div style="border: 1px solid #ccc; padding: 2px; text-align: center;">32</div>



Date completed

prsb03-dataelement-11555

Id	prsb03-dataelement-11555 (2019-05-30 14:54:28)
Concept inherits from	<i>prsb03-dataelement-11296</i> (2019-05-30 12:25:39)
Description	The date and time the record was completed.
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)
Rationale	Composition.date
Operationalization	Date and time.
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 2px; text-align: center;">Timestamp precision</div> <div style="border: 1px solid #ccc; padding: 2px; text-align: center;">at least day, month and year, hour and minute</div>



Contact details

prsb03-dataelement-11556

Id	prsb03-dataelement-11556 (2019-05-30 14:54:28)
Concept inherits from	<i>prsb03-dataelement-11297</i> (2019-05-30 12:25:39)
Description	Contact details of the person completing the record.

2.1.271 Properties

FHIR PractitionerRole.telecom

Relationship	Contact details (<i>prsb03-dataelement-10225 - 2018-10-31</i>)
Rationale	Practitioner:telecom PractitionerRole:telecom Organisation.telcom
Operationalization	NHS data dictionary : - UK telephone number

Value Domain

Property

max length

35



Smoking status

prsb03-dataelement-10040

Id prsb03-dataelement-10040 (2018-10-31)

Description Details of the person's smoking status.

2.1.272 Properties

FHIR Observation.category Observation.code Observation.valueCodeableConcept Observation.subject

🕒 Used by 5 transactions, 0 templates, inherited 0 times



Date

prsb03-dataelement-11794

Id prsb03-dataelement-11794 (2019-05-31 14:20:05)

Description The date when the smoking status was taken.

Relationship Date (*prsb03-dataelement-11688 - 2019-05-31 11:50:22*)

Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Location

prsb03-dataelement-11795

Id prsb03-dataelement-11795 (2019-05-31 14:20:40)

Description The location where the smoking status was taken.

Relationship Location (*prsb03-dataelement-11689 - 2019-05-31 11:51:04*)

Coded value

prsb03-dataelement-13281

Id prsb03-dataelement-13281 (2020-07-30 15:03:12)

Description The coded value for location

Operationalization NHS data dictionary : - Organisation data service code

Value Domain

Property

min length max length



Free text

prsb03-dataelement-13282

Id prsb03-dataelement-13282 (2020-07-30 15:04:27)

Concept inherits from *prsb03-dataelement-13220* (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150



Coded value

prsb03-dataelement-13280

Id prsb03-dataelement-13280 (2020-07-30 15:00:43) v.01

Concept inherits from *prsb03-dataelement-13265* (2020-07-28 12:27:26)

Description The coded value for occupational history

Operationalization SNOMED CT : - ^999001571000000109 | Occupation simple reference set (foundation metadata concept)

Value Domain



Smoking status

prsb03-dataelement-13283

Id prsb03-dataelement-13283 (2020-07-30 17:12:22)

Description Record of any drug/substance use by the person.

Used by 5 transactions, 0 templates, inherited 0 times



Coded value

prsb03-dataelement-13284

Id prsb03-dataelement-13284 (2020-07-30 17:14:44)

Description The smoking status of the person.

Operationalization SNOMED CT:- ^999000891000000102 | Smoking simple reference set (foundation metadata concept)|

Value Domain

Used by 5 transactions, 0 templates, inherited 0 times



Free text

prsb03-dataelement-13285

Id	prsb03-dataelement-13285 (2020-07-30 17:16:04)
Concept inherits from	 prsb03-dataelement-13220 (2020-07-08 12:57:49)
Description	Free text field to be used if no code is available
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> max length 150 </div>
Used by	5 transactions, 0 templates, inherited 0 times

prsb03-dataelement-13286

Id	prsb03-dataelement-13286 (2020-07-31 15:58:03)
Description	Further details recorded about the smoking status of the person
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> max length 150 </div>
Used by	5 transactions, 0 templates, inherited 0 times

prsb03-dataelement-13995

Id	prsb03-dataelement-13995 (2021-02-11 18:40:13)
Concept inherits from	 prsb03-dataelement-12489 (2019-10-29 14:19:57)
Description	Details of the person's smoking record
Used by	2 transactions, 0 templates, inherited 0 times

prsb03-dataelement-13996

Id	prsb03-dataelement-13996 (2021-02-11 18:40:44)
Concept inherits from	 prsb03-dataelement-12490 (2019-10-29 14:22:56)

Description
Statement about current smoking behaviour for smoking cigarettes (manufactured or roll up).

Defined by current smoking status and ever smoking status.

Operationalization

Coded text:

Current Smoker

Former Smoker

Never Smoked

^999000891000000102 |Smoking simple reference set (foundation metadata concept)|

Value Domain



Date of quitting

prsb03-dataelement-13997

Id prsb03-dataelement-13997 (2021-02-11 18:40:44)

Concept inherits from prsb03-dataelement-12491 (2019-10-29 14:35:16)

Description Date when the individual stopped smoking (if a former smoker).

Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year



Other tobacco products used

prsb03-dataelement-13998

Id prsb03-dataelement-13998 (2021-02-11 18:40:44)

Concept inherits from prsb03-dataelement-12492 (2019-10-29 14:40:14)

Description Details of other tobacco products used (e.g. shisha, pipe, cigar, heated tobacco products)

Operationalization No other tobacco products used

Patient uses other tobacco products.

Plus free text details of products used.

Value Domain



Information and advice given

prsb03-dataelement-13999

Id prsb03-dataelement-13999 (2021-02-11 18:40:44)

Concept inherits from prsb03-dataelement-12493 (2019-10-29 14:42:47)

Description	Record of whether brief advice about available smoking cessation treatment/support was given at the time of consultation.
-------------	---

2.1.273 Properties

FHIR	Free text only
Relationship	Information and advice given (<i>prsb03-dataelement-10215 - 2018-10-31</i>)
Operationalization	<p>No advice given about available smoking cessation treatment/support</p> <p>Brief advice given about available smoking cessation treatment/support</p> <p>Plus free text with any additional information</p>
Value Domain	 Nicotine Replacement Therapy used prsb03-dataelement-14000
Id	prsb03-dataelement-14000 (2021-02-11 18:40:44)
Concept inherits from	 <i>prsb03-dataelement-12495</i> (2019-10-29 16:11:19)
Description	A record of whether nicotine replacement therapy (NRT) is currently used or prescribed in this appointment
Operationalization	<p>NRT not currently used</p> <p>NRT currently used</p> <p>NRT prescribed at this appointment</p>
Value Domain	 Used by 2 transactions, 0 templates, inherited 0 times
	 Varenicline or other pharmacotherapy used prsb03-dataelement-14001
Id	prsb03-dataelement-14001 (2021-02-11 18:40:44)
Concept inherits from	 <i>prsb03-dataelement-12496</i> (2019-10-29 16:26:30)
Description	Record of whether varenicline or other smoking cessation pharmacotherapy (other than nicotine replacement therapy) is currently used or prescribed in this appointment.
Operationalization	<p>Varenicline/other pharmacotherapy not used</p> <p>Varenicline/other pharmacotherapy currently used</p> <p>Varenicline/other pharmacotherapy prescribed in this appointment</p>
Value Domain	 Used by 2 transactions, 0 templates, inherited 0 times

 e-cigarettes used

prsb03-dataelement-14002

Id prsb03-dataelement-14002 (2021-02-11 18:40:44)

Concept inherits from  prsb03-dataelement-12497 (2019-10-29 16:35:51)

Description Record of current use of e-cigarettes

Operationalization Coded - SNOMED CT:

722499006 |Electronic cigarette user (finding)|

Value Domain

 Used by 2 transactions, 0 templates, inherited 0 times

 Therapy prescribed (see medication item entry information model)

prsb03-dataelement-14003

Id prsb03-dataelement-14003 (2021-02-11 18:40:44)

Concept inherits from  prsb03-dataelement-12506 (2019-10-29 17:07:06)

Description Record of nicotine replacement therapy, varenicline or bupropion (or other smoking cessation pharmacotherapy) being prescribed at the time of the consultation

Operationalization To be entered via Medication item entry (see medications and medical devices information model - PRSB Standards for the Structure and Content of Health and Care Records (2018): <https://theprsb.org/standards/healthandcarerecords/>

Value Domain

 Referral details

prsb03-dataelement-14004

Id prsb03-dataelement-14004 (2021-02-11 18:40:44)

Concept inherits from  prsb03-dataelement-12508 (2019-10-29 17:08:47)

Description Record of whether referral to smoking cessation services was offered and/or made at the time of the consultation.

Operationalization Referral to smoking cessation services

Referral not offered

Referral offered but declined

And free text with any additional information

Value Domain

 Comment

prsb03-dataelement-14005

Id	prsb03-dataelement-14005 (2021-02-11 18:40:44)
Concept inherits from	 prsb03-dataelement-12510 (2019-10-29 17:16:21)
Description	Additional information about tobacco use or its management not captured in other fields.
Operationalization	Free text
Value Domain	

 Set quit date	prsb03-dataelement-14007
---	--------------------------

Id	prsb03-dataelement-14007 (2021-02-12 11:20:10)
Concept inherits from	 prsb03-dataelement-14006 (2021-02-11 19:20:06)
Description	Date set to quit smoking
Operationalization	Date
Value Domain	
Property	Timestamp precision at least day, month and year
Used by	2 transactions, 0 templates, inherited 0 times

  Treatments and interventions and changes made to treatments.	prsb03-dataelement-13992
--	--------------------------

Id	prsb03-dataelement-13992 (2021-02-11 16:46:41)
Concept inherits from	 prsb03-dataelement-12481 (2019-07-01 11:32:03)
Description	The treatments and interventions carried out. Where appropriate record the rationale for the decision to treat and the information sources reviewed e.g. end of life care plan etc. All medications should be recorded under the medications heading.
Relationship	Treatments and interventions and changes made to treatments. (<i>prsb03-dataelement-10149 - 2018-10-31</i>)
Used by	2 transactions, 0 templates, inherited 0 times

 Coded value	prsb03-dataelement-13993
---	--------------------------

Id	prsb03-dataelement-13993 (2021-02-11 16:48:23)
Concept inherits from	 prsb03-dataelement-13259 (2020-07-28 11:51:38)
Description	The coded value for treatment and interventions.
Operationalization	SNOMED CT

Value Domain

⌚ Used by

2 transactions, 0 templates, inherited 0 times



Free text

prsb03-dataelement-13994

Id

prsb03-dataelement-13994 (2021-02-11 16:48:23)

Concept inherits from

⌚ prsb03-dataelement-13260 (2020-07-28 11:52:30)

Description

Free text field to be used if no code is available

Operationalization

Free text

Value Domain

Property

max length

150

⌚ Used by

2 transactions, 0 templates, inherited 0 times



Date stopped smoking

prsb03-dataelement-13287

Id

prsb03-dataelement-13287 (2020-07-31 16:00:37)

Description

The date the person stopped smoking (if known)

⌚ Used by

2 transactions, 0 templates, inherited 0 times



Coded value

prsb03-dataelement-13288

Id

prsb03-dataelement-13288 (2020-07-31 16:01:49)

Description

The coded value for date stopped smoking.

Operationalization

SNOMED CT:- 160625004 |Date ceased smoking (observable entity)|

Value Domain

⌚ Used by

2 transactions, 0 templates, inherited 0 times



Date

prsb03-dataelement-13289

Id

prsb03-dataelement-13289 (2020-07-31 16:06:38)

Description

The date the person stopped smoking.

Operationalization

Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute

◎ Used by

2 transactions, 0 templates, inherited 0 times



Performing professional

prsb03-dataelement-11796

Id prsb03-dataelement-11796 (2019-05-31 14:21:14)

Description The professional who took the smoking status.

Relationship Performing professional (*prsb03-dataelement-11281 - 2019-05-30 11:53:30*)

Name

prsb03-dataelement-11797

Id prsb03-dataelement-11797 (2019-05-31 14:21:51)

Concept inherits from  *prsb03-dataelement-11282 (2019-05-30 11:57:38)*

Description The name of the professional.

Rationale Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70



Role

prsb03-dataelement-11798

Id prsb03-dataelement-11798 (2019-05-31 14:21:51)

Concept inherits from  *prsb03-dataelement-11283 (2019-05-30 11:58:48)*

Description The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc

Rationale Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobroletype

Value Domain



Grade

prsb03-dataelement-11799

Id prsb03-dataelement-11799 (2019-05-31 14:21:51)

Concept inherits from  *prsb03-dataelement-11288 (2019-05-30 12:19:40)*

Description The grade of the professional.


Rationale PractitionerRole.code

Operationalization Free text

Value Domain

Property max length

150



Speciality

prsb03-dataelement-11800

Id prsb03-dataelement-11800 (2019-05-31 14:21:51)

Concept inherits from prsb03-dataelement-11284 (2019-05-30 12:01:15)

Description The specialty of the professional e.g. physiotherapy, oncology, mental health etc

Rationale PractitionerRole.speciality

Operationalization NHS data dictionary - Activity treatment function code

Value Domain

Property max length

3



Professional identifier

prsb03-dataelement-11801

Id prsb03-dataelement-11801 (2019-05-31 14:21:51)

Concept inherits from prsb03-dataelement-11285 (2019-05-30 12:02:46)

Description Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary : - Professional registration identifier

Value Domain

Property max length

32



Organisation

prsb03-dataelement-11802

Id prsb03-dataelement-11802 (2019-05-31 14:21:51)

Concept inherits from prsb03-dataelement-11286 (2019-05-30 12:17:19)

Description The name of the organisation the professional works for.



Contact details

prsb03-dataelement-11803

Id	prsb03-dataelement-11803 (2019-05-31 14:21:51)
Concept inherits from	 prsb03-dataelement-11287 (2019-05-30 12:18:13)
Description	Contact details of the professional
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom
Operationalization	NHS data dictionary - UK phone number
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> max length 35 </div>

  Person completing record
prsb03-dataelement-11557

Id	prsb03-dataelement-11557 (2019-05-30 14:55:25)
Concept inherits from	 prsb03-dataelement-11289 (2019-05-30 12:24:39)
Description	Details of the person completing the record.
Relationship	Person completing record (<i>prsb03-dataelement-319 - 2018-10-31</i>)

 Name
prsb03-dataelement-11558

Id	prsb03-dataelement-11558 (2019-05-30 14:55:47)
Concept inherits from	 prsb03-dataelement-11290 (2019-05-30 12:25:39)
Description	The name of the person completing the record.
Relationship	Name (<i>prsb03-dataelement-10219 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.name
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> max length 70 </div>

 Role
prsb03-dataelement-11559

Id	prsb03-dataelement-11559 (2019-05-30 14:55:47)
Concept inherits from	 prsb03-dataelement-11291 (2019-05-30 12:25:39)
Description	The organisational role of the person completing record.

2.1.274 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship Role (*prsb03-dataelement-10220 - 2018-10-31*)

Rationale Composition.author.Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobrole

Value Domain



Grade

prsb03-dataelement-11560

Id prsb03-dataelement-11560 (2019-05-30 14:55:47)

Concept inherits from prsb03-dataelement-11292 (2019-05-30 12:25:39)

Description The grade of the person completing the record.

Relationship Grade (*prsb03-dataelement-10221 - 2018-10-31*)

Rationale PractitionerRole.code

Operationalization Free text.

Value Domain

Property

max length

150



Specialty

prsb03-dataelement-11561

Id prsb03-dataelement-11561 (2019-05-30 14:55:47)

Concept inherits from prsb03-dataelement-11293 (2019-05-30 12:25:39)

Description The main specialty of the person completing the record.

2.1.275 Properties

FHIR PractitionerRole.specialty

Relationship Specialty (*prsb03-dataelement-10222 - 2018-10-31*)

Rationale PractitionerRole.specialty

Operationalization NHS data dictionary :- Activity treatment function code

Value Domain

Property

max length

3



Organisation

prsb03-dataelement-11562

Id	prsb03-dataelement-11562 (2019-05-30 14:55:47)
Concept inherits from	🟡 prsb03-dataelement-11294 (2019-05-30 12:25:39)
Description	The organisation the person completing the record works for.
Relationship	Organisation (prsb03-dataelement-10226 - 2018-10-31)

🟡 Professional identifier
prsb03-dataelement-11563

Id	prsb03-dataelement-11563 (2019-05-30 14:55:47)
Concept inherits from	🟡 prsb03-dataelement-11295 (2019-05-30 12:25:39)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.276 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship	Professional identifier (prsb03-dataelement-10223 - 2018-10-31)
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary :- Professional registration identifier
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 2px; border-radius: 5px;">max length</div> 32

🟡 Date completed
prsb03-dataelement-11564

Id	prsb03-dataelement-11564 (2019-05-30 14:55:47)
Concept inherits from	🟡 prsb03-dataelement-11296 (2019-05-30 12:25:39)
Description	The date and time the record was completed.
Relationship	Date completed (prsb03-dataelement-10224 - 2018-10-31)
Rationale	Composition.date
Operationalization	Date and time.
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 2px; border-radius: 5px;">Timestamp precision</div> at least day, month and year, hour and minute

🟡 Contact details
prsb03-dataelement-11565

Id	prsb03-dataelement-11565 (2019-05-30 14:55:47)
Concept inherits from	🟡 prsb03-dataelement-11297 (2019-05-30 12:25:39)
Description	Contact details of the person completing the record.

2.1.277 Properties

FHIR	PractitionerRole.telecom
Relationship	Contact details (<i>prsb03-dataelement-10225 - 2018-10-31</i>)
Rationale	Practitioner:telecom PractitionerRole:telecom Organisation:telcom
Operationalization	NHS data dictionary : - UK telephone number
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> max length 35 </div>



Alcohol intake

prsb03-dataelement-10041

Id	prsb03-dataelement-10041 (2018-10-31)
Description	Details of the person's alcohol intake

2.1.278 Properties

FHIR	Composition.text
------	------------------



Date

prsb03-dataelement-11804

Id	prsb03-dataelement-11804 (2019-05-31 14:23:05)
Description	The date when the alcohol intake was noted.
Relationship	Date (<i>prsb03-dataelement-11688 - 2019-05-31 11:50:22</i>)
Operationalization	Date and time
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> Timestamp precision at least day, month and year, hour and minute </div>



Location

prsb03-dataelement-11805

Id	prsb03-dataelement-11805 (2019-05-31 14:23:38)
Description	The location where the alcohol intake was noted.

Relationship Location (*prsb03-dataelement-11689 - 2019-05-31 11:51:04*)

 Coded value prsb03-dataelement-13332

Id prsb03-dataelement-13332 (2020-08-06 16:26:51)

Description The coded value for location.

Operationalization NHS Data dictionary : - Organisation data service code

Value Domain

Property

min length	max length
-------------------	-------------------

3	5
---	---

 Free text prsb03-dataelement-13333

Id prsb03-dataelement-13333 (2020-08-06 16:30:11)

Concept inherits from  *prsb03-dataelement-13220* (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150

  Alcohol intake prsb03-dataelement-13290

Id prsb03-dataelement-13290 (2020-07-31 17:02:46)

Description Latest or current alcohol consumption.

 Coded value prsb03-dataelement-13291

Id prsb03-dataelement-13291 (2020-07-31 17:04:14)

Description The coded value of the person alcohol intake

Operationalization SNOMED CT :- 219006 |Current drinker of alcohol (finding)| OR 105542008 |Current non-drinker of alcohol (finding)| OR 228274009 |Lifetime non-drinker (finding)| OR 1104551000000109 |Declined to provide information about alcohol use (situation)| OR 371434005 |History of alcohol abuse (situation)|

Value Domain

 Free text prsb03-dataelement-13292

Id prsb03-dataelement-13292 (2020-07-31 17:11:04)

Concept inherits from  prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150



Alcohol use details

prsb03-dataelement-13759

Id prsb03-dataelement-13759 (2020-09-29 14:36:49)

Description Detailed history of their alcohol use, amount/frequency, bingeing. Questionnaire/Assessment used Audit C, FAST etc

Operationalization Free text

Value Domain

Property

max length

150



Performing professional

prsb03-dataelement-11806

Id prsb03-dataelement-11806 (2019-05-31 14:24:13)

Description The professional who noted the alcohol intake.

Relationship Performing professional (*prsb03-dataelement-11281 - 2019-05-30 11:53:30*)



Name

prsb03-dataelement-11807

Id prsb03-dataelement-11807 (2019-05-31 14:24:33)

Concept inherits from  prsb03-dataelement-11282 (2019-05-30 11:57:38)

Description The name of the professional.

Rationale Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70



Role

prsb03-dataelement-11808

Id prsb03-dataelement-11808 (2019-05-31 14:24:33)

Concept inherits from

 prsb03-dataelement-11283 (2019-05-30 11:58:48)

Description

The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc

Rationale

Practitioner.PractitionerRole.code

Operationalization

FHIR value set :- SDSjobroletype

Value Domain



Grade

prsb03-dataelement-11809

Id

prsb03-dataelement-11809 (2019-05-31 14:24:33)

Concept inherits from

 prsb03-dataelement-11288 (2019-05-30 12:19:40)

Description

The grade of the professional.

Rationale

PractitionerRole.code

Operationalization

Free text

Value Domain

Property

max length

150



Speciality

prsb03-dataelement-11810

Id

prsb03-dataelement-11810 (2019-05-31 14:24:33)

Concept inherits from

 prsb03-dataelement-11284 (2019-05-30 12:01:15)

Description

The specialty of the professional e.g. physiotherapy, oncology, mental health etc

Rationale

PractitionerRole.speciality

Operationalization

NHS data dictionary - Activity treatment function code

Value Domain

Property

max length

3



Professional identifier

prsb03-dataelement-11811

Id

prsb03-dataelement-11811 (2019-05-31 14:24:33)

Concept inherits from

 prsb03-dataelement-11285 (2019-05-30 12:02:46)

Description

Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary : - Professional registration identifier

Value Domain

Property

max length

32




Organisation

prsb03-dataelement-11812

Id prsb03-dataelement-11812 (2019-05-31 14:24:33)

Concept inherits from prsb03-dataelement-11286 (2019-05-30 12:17:19)

Description The name of the organisation the professional works for.



Contact details

prsb03-dataelement-11813

Id prsb03-dataelement-11813 (2019-05-31 14:24:33)

Concept inherits from prsb03-dataelement-11287 (2019-05-30 12:18:13)

Description Contact details of the professional

Rationale
Practitioner.telecom
PractitionerRole.telecom
Organisation.telcom


Operationalization NHS data dictionary - UK phone number

Value Domain

Property

max length

35



Person completing record

prsb03-dataelement-11566

Id prsb03-dataelement-11566 (2019-05-30 14:56:23)

Concept inherits from prsb03-dataelement-11289 (2019-05-30 12:24:39)

Description Details of the person completing the record.

Relationship Person completing record (*prsb03-dataelement-319 - 2018-10-31*)



Name

prsb03-dataelement-11567

Id prsb03-dataelement-11567 (2019-05-30 14:57:06)

Concept inherits from prsb03-dataelement-11290 (2019-05-30 12:25:39)

Description The name of the person completing the record.

Relationship Name (*prsb03-dataelement-10219 - 2018-10-31*)

Rationale Composition.author.Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70



Role

prsb03-dataelement-11568

Id prsb03-dataelement-11568 (2019-05-30 14:57:06)

Concept inherits from *prsb03-dataelement-11291* (2019-05-30 12:25:39)

Description The organisational role of the person completing record.

2.1.279 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship Role (*prsb03-dataelement-10220 - 2018-10-31*)

Rationale Composition.author.Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobrole

Value Domain



Grade

prsb03-dataelement-11569

Id prsb03-dataelement-11569 (2019-05-30 14:57:06)

Concept inherits from *prsb03-dataelement-11292* (2019-05-30 12:25:39)

Description The grade of the person completing the record.

Relationship Grade (*prsb03-dataelement-10221 - 2018-10-31*)

Rationale PractitionerRole.code

Operationalization Free text.

Value Domain

Property

max length

150



Specialty

prsb03-dataelement-11570

Id prsb03-dataelement-11570 (2019-05-30 14:57:06)

Concept inherits from *prsb03-dataelement-11293* (2019-05-30 12:25:39)

Description The main specialty of the person completing the record.

2.1.280 Properties

FHIR PractitionerRole.specialty

Relationship Specialty (*prsb03-dataelement-10222 - 2018-10-31*)

Rationale PractitionerRole.speciality

Operationalization NHS data dictionary :- Activity treatment function code

Value Domain

Property

max length

3



Organisation

prsb03-dataelement-11571

Id prsb03-dataelement-11571 (2019-05-30 14:57:06)

Concept inherits from prsb03-dataelement-11294 (2019-05-30 12:25:39)

Description The organisation the person completing the record works for.

Relationship Organisation (*prsb03-dataelement-10226 - 2018-10-31*)



Professional identifier

prsb03-dataelement-11572

Id prsb03-dataelement-11572 (2019-05-30 14:57:06)

Concept inherits from prsb03-dataelement-11295 (2019-05-30 12:25:39)

Description Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.281 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship Professional identifier (*prsb03-dataelement-10223 - 2018-10-31*)

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary :- Professional registration identifier

Value Domain

Property

max length

32



Date completed

prsb03-dataelement-11573

Id	prsb03-dataelement-11573 (2019-05-30 14:57:06)
Concept inherits from	 prsb03-dataelement-11296 (2019-05-30 12:25:39)
Description	The date and time the record was completed.
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)
Rationale	Composition.date
Operationalization	Date and time.
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>

 Contact details

prsb03-dataelement-11574

Id	prsb03-dataelement-11574 (2019-05-30 14:57:06)
Concept inherits from	 prsb03-dataelement-11297 (2019-05-30 12:25:39)
Description	Contact details of the person completing the record.

2.1.282 Properties

FHIR	PractitionerRole.telecom
Relationship	Contact details (<i>prsb03-dataelement-10225 - 2018-10-31</i>)
Rationale	Practitioner:telecom PractitionerRole:telecom Organisation:telcom
Operationalization	NHS data dictionary : - UK telephone number
Value Domain	
Property	<p style="text-align: center;">max length</p> <p>35</p>

  Drug/substance use

prsb03-dataelement-10042

Id	prsb03-dataelement-10042 (2018-10-31)
Description	Details of the person's drug and substance use.

 Date

prsb03-dataelement-11814

Id	prsb03-dataelement-11814 (2019-05-31 14:24:49)
Description	The date when the drug/substance use was noted.

Relationship Date (*prsb03-dataelement-11688 - 2019-05-31 11:50:22*)

Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Location

prsb03-dataelement-11815

Id *prsb03-dataelement-11815 (2019-05-31 14:25:16)*

Description The location where the drug/substance use was noted.

Relationship *Location (prsb03-dataelement-11689 - 2019-05-31 11:51:04)*



Coded value

prsb03-dataelement-13334

Id *prsb03-dataelement-13334 (2020-08-06 16:31:42)*

Description The coded value for location.

Operationalization NHS Data dictionary : - Organisation data service code

Value Domain

Property

min length max length

3 5



Free text

prsb03-dataelement-13335

Id *prsb03-dataelement-13335 (2020-08-06 16:33:14)*

Concept inherits from *prsb03-dataelement-13220 (2020-07-08 12:57:49)*

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150



Drug/substance use

prsb03-dataelement-13336

Id *prsb03-dataelement-13336 (2020-08-06 16:36:01)*

Description Latest or current drug/substance use.



Coded value

prsb03-dataelement-13337

Id	prsb03-dataelement-13337 (2020-08-06 16:44:34)
Description	The coded value for drug and substance misuse.
Operationalization	SNOMED CT:- 361055000 Misuses drugs (finding) OR 371422002 History of substance abuse (situation) OR 228368007 Has never misused drugs (situation) OR 783241000000102 Declined to give substance misuse history (finding)

Value Domain



Free text

prsb03-dataelement-13338

Id	prsb03-dataelement-13338 (2020-08-06 16:45:44)
Concept inherits from	prsb03-dataelement-13220 (2020-07-08 12:57:49)
Description	Free text field to be used if no code is available
Operationalization	Free text
Value Domain	

Property

max length

150



Performing professional

prsb03-dataelement-11816

Id	prsb03-dataelement-11816 (2019-05-31 14:25:51)
Description	The professional who noted the drug/substance use.
Relationship	Performing professional (<i>prsb03-dataelement-11281 - 2019-05-30 11:53:30</i>)



Name

prsb03-dataelement-11817

Id	prsb03-dataelement-11817 (2019-05-31 14:26:11)
Concept inherits from	prsb03-dataelement-11282 (2019-05-30 11:57:38)
Description	The name of the professional.
Rationale	Practitioner.name
Operationalization	Free text.

Value Domain

Property

max length

70



Role

prsb03-dataelement-11818

Id	prsb03-dataelement-11818 (2019-05-31 14:26:11)
----	--

Concept inherits from

 prsb03-dataelement-11283 (2019-05-30 11:58:48)

Description

The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc

Rationale

Practitioner.PractitionerRole.code

Operationalization

FHIR value set :- SDSjobroletype

Value Domain



Grade

prsb03-dataelement-11819

Id

prsb03-dataelement-11819 (2019-05-31 14:26:11)

Concept inherits from

 prsb03-dataelement-11288 (2019-05-30 12:19:40)

Description

The grade of the professional.

Rationale

PractitionerRole.code

Operationalization

Free text

Value Domain

Property

max length

150



Speciality

prsb03-dataelement-11820

Id

prsb03-dataelement-11820 (2019-05-31 14:26:11)

Concept inherits from

 prsb03-dataelement-11284 (2019-05-30 12:01:15)

Description

The specialty of the professional e.g. physiotherapy, oncology, mental health etc

Rationale

PractitionerRole.speciality

Operationalization

NHS data dictionary - Activity treatment function code

Value Domain

Property

max length

3



Professional identifier

prsb03-dataelement-11821

Id

prsb03-dataelement-11821 (2019-05-31 14:26:11)

Concept inherits from

 prsb03-dataelement-11285 (2019-05-30 12:02:46)

Description

Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary : - Professional registration identifier

Value Domain

Property

max length

32




Organisation

prsb03-dataelement-11822

Id prsb03-dataelement-11822 (2019-05-31 14:26:11)

Concept inherits from prsb03-dataelement-11286 (2019-05-30 12:17:19)

Description The name of the organisation the professional works for.



Contact details

prsb03-dataelement-11823

Id prsb03-dataelement-11823 (2019-05-31 14:26:11)

Concept inherits from prsb03-dataelement-11287 (2019-05-30 12:18:13)

Description Contact details of the professional

Rationale Practitioner.telecom
PractitionerRole.telecom
Organisation.telcom


Operationalization NHS data dictionary - UK phone number

Value Domain

Property

max length

35



Person completing record

prsb03-dataelement-11575

Id prsb03-dataelement-11575 (2019-05-30 14:57:36)

Concept inherits from prsb03-dataelement-11289 (2019-05-30 12:24:39)

Description Details of the person completing the record.

Relationship Person completing record (*prsb03-dataelement-319 - 2018-10-31*)



Name

prsb03-dataelement-11576

Id prsb03-dataelement-11576 (2019-05-30 14:57:58)

Concept inherits from prsb03-dataelement-11290 (2019-05-30 12:25:39)

Description The name of the person completing the record.

Relationship Name (*prsb03-dataelement-10219 - 2018-10-31*)

Rationale Composition.author.Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70



Role

prsb03-dataelement-11577

Id prsb03-dataelement-11577 (2019-05-30 14:57:58)

Concept inherits from *prsb03-dataelement-11291* (2019-05-30 12:25:39)

Description The organisational role of the person completing record.

2.1.283 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship Role (*prsb03-dataelement-10220 - 2018-10-31*)

Rationale Composition.author.Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobrole

Value Domain



Grade

prsb03-dataelement-11578

Id prsb03-dataelement-11578 (2019-05-30 14:57:58)

Concept inherits from *prsb03-dataelement-11292* (2019-05-30 12:25:39)

Description The grade of the person completing the record.

Relationship Grade (*prsb03-dataelement-10221 - 2018-10-31*)

Rationale PractitionerRole.code

Operationalization Free text.

Value Domain

Property

max length

150



Specialty

prsb03-dataelement-11579

Id prsb03-dataelement-11579 (2019-05-30 14:57:58)

Concept inherits from *prsb03-dataelement-11293* (2019-05-30 12:25:39)

Description The main specialty of the person completing the record.

2.1.284 Properties

FHIR PractitionerRole.specialty

Relationship Specialty (*prsb03-dataelement-10222 - 2018-10-31*)

Rationale PractitionerRole.speciality

Operationalization NHS data dictionary :- Activity treatment function code

Value Domain

Property

max length

3



Organisation

prsb03-dataelement-11580

Id prsb03-dataelement-11580 (2019-05-30 14:57:58)

Concept inherits from prsb03-dataelement-11294 (2019-05-30 12:25:39)

Description The organisation the person completing the record works for.

Relationship Organisation (*prsb03-dataelement-10226 - 2018-10-31*)



Professional identifier

prsb03-dataelement-11581

Id prsb03-dataelement-11581 (2019-05-30 14:57:58)

Concept inherits from prsb03-dataelement-11295 (2019-05-30 12:25:39)

Description Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.285 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship Professional identifier (*prsb03-dataelement-10223 - 2018-10-31*)

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary :- Professional registration identifier

Value Domain

Property

max length

32



Date completed

prsb03-dataelement-11582

Id	prsb03-dataelement-11582 (2019-05-30 14:57:58)
Concept inherits from	⌚ prsb03-dataelement-11296 (2019-05-30 12:25:39)
Description	The date and time the record was completed.
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)
Rationale	Composition.date
Operationalization	Date and time.
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>

⌚ Contact details

prsb03-dataelement-11583

Id	prsb03-dataelement-11583 (2019-05-30 14:57:58)
Concept inherits from	⌚ prsb03-dataelement-11297 (2019-05-30 12:25:39)
Description	Contact details of the person completing the record.

2.1.286 Properties

FHIR PractitionerRole.telecom

Relationship	Contact details (<i>prsb03-dataelement-10225 - 2018-10-31</i>)
Rationale	Practitioner:telecom PractitionerRole:telecom Organisation:telcom

Operationalization NHS data dictionary : - UK telephone number

Value Domain

Property

max length

35

📁⌚ Social circumstances

prsb03-dataelement-10043

Id	prsb03-dataelement-10043 (2018-10-31)
Description	Details of the persons social circumstances

⌚ Date

prsb03-dataelement-11824

Id	prsb03-dataelement-11824 (2019-05-31 14:26:31)
Description	The date when the social circumstances were taken.

Relationship Date (*prsb03-dataelement-11688 - 2019-05-31 11:50:22*)

Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Location

prsb03-dataelement-11825

Id prsb03-dataelement-11825 (2019-05-31 14:27:00)

Description The location where the social circumstances were taken.

Relationship Location (*prsb03-dataelement-11689 - 2019-05-31 11:51:04*)



Coded value

prsb03-dataelement-13339

Id prsb03-dataelement-13339 (2020-08-06 16:47:55)

Description The coded value for the location

Value Domain

Property

min length max length

3 5



Free text

prsb03-dataelement-13340

Id prsb03-dataelement-13340 (2020-08-06 16:49:24)

Concept inherits from prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150



Social circumstances

prsb03-dataelement-13341

Id prsb03-dataelement-13341 (2020-08-06 16:51:45)

Description A person's social background, network and personal circumstances, e.g. housing. This should include whether the person is a carer.

Operationalization Free text

Value Domain

Property

max length

150



Performing professional

prsb03-dataelement-11826

Id

prsb03-dataelement-11826 (2019-05-31 14:27:37)

Description

The professional who took the social circumstances.

Relationship

Performing professional (*prsb03-dataelement-11281 - 2019-05-30 11:53:30*)

Name

prsb03-dataelement-11827

Id

prsb03-dataelement-11827 (2019-05-31 14:27:55)

Concept inherits from

prsb03-dataelement-11282 (2019-05-30 11:57:38)

Description

The name of the professional.

Rationale

Practitioner.name

Operationalization

Free text.

Value Domain

Property

max length

70



Role

prsb03-dataelement-11828

Id

prsb03-dataelement-11828 (2019-05-31 14:27:55)

Concept inherits from

prsb03-dataelement-11283 (2019-05-30 11:58:48)

Description

The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc

Rationale

Practitioner.PractitionerRole.code

Operationalization

FHIR value set :- SDSjobroletype

Value Domain



Grade

prsb03-dataelement-11829

Id

prsb03-dataelement-11829 (2019-05-31 14:27:55)

Concept inherits from

prsb03-dataelement-11288 (2019-05-30 12:19:40)

Description

The grade of the professional.

Rationale

PractitionerRole.code

Operationalization

Free text

Value Domain

Property

max length

150



Speciality

prsb03-dataelement-11830

Id

prsb03-dataelement-11830 (2019-05-31 14:27:55)

Concept inherits from

prsb03-dataelement-11284 (2019-05-30 12:01:15)

Description

The specialty of the professional e.g. physiotherapy, oncology, mental health etc

Rationale

PractitionerRole.speciality

Operationalization

NHS data dictionary - Activity treatment function code

Value Domain

Property

max length

3



Professional identifier

prsb03-dataelement-11831

Id

prsb03-dataelement-11831 (2019-05-31 14:27:55)

Concept inherits from

prsb03-dataelement-11285 (2019-05-30 12:02:46)

Description

Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.

Rationale

Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary : - Professional registration identifier

Value Domain

Property

max length

32



Organisation

prsb03-dataelement-11832

Id

prsb03-dataelement-11832 (2019-05-31 14:27:55)

Concept inherits from

prsb03-dataelement-11286 (2019-05-30 12:17:19)

Description

The name of the organisation the professional works for.



Contact details

prsb03-dataelement-11833

Id

prsb03-dataelement-11833 (2019-05-31 14:27:55)

Concept inherits from  prsb03-dataelement-11287 (2019-05-30 12:18:13)

Description Contact details of the professional

Rationale Practitioner.telecom
PractitionerRole.telecom
Organisation.telcom

Operationalization NHS data dictionary - UK phone number

Value Domain

Property

max length

35

  Person completing record

prsb03-dataelement-11584

Id prsb03-dataelement-11584 (2019-05-30 14:58:43)

Concept inherits from  prsb03-dataelement-11289 (2019-05-30 12:24:39)

Description Details of the person completing the record.

Relationship Person completing record (*prsb03-dataelement-319 - 2018-10-31*)

 Name

prsb03-dataelement-11585

Id prsb03-dataelement-11585 (2019-05-30 14:59:16)

Concept inherits from  prsb03-dataelement-11290 (2019-05-30 12:25:39)

Description The name of the person completing the record.

Relationship Name (*prsb03-dataelement-10219 - 2018-10-31*)

Rationale Composition.author.Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70

 Role

prsb03-dataelement-11586

Id prsb03-dataelement-11586 (2019-05-30 14:59:16)

Concept inherits from  prsb03-dataelement-11291 (2019-05-30 12:25:39)

Description The organisational role of the person completing record.

2.1.287 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship	Role (<i>prsb03-dataelement-10220 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobrole
Value Domain	



Grade

prsb03-dataelement-11587

Id	prsb03-dataelement-11587 (2019-05-30 14:59:16)
Concept inherits from	<i>prsb03-dataelement-11292</i> (2019-05-30 12:25:39)
Description	The grade of the person completing the record.
Relationship	Grade (<i>prsb03-dataelement-10221 - 2018-10-31</i>)
Rationale	PractitionerRole.code
Operationalization	Free text.
Value Domain	

Property

max length

150



Specialty

prsb03-dataelement-11588

Id	prsb03-dataelement-11588 (2019-05-30 14:59:16)
Concept inherits from	<i>prsb03-dataelement-11293</i> (2019-05-30 12:25:39)
Description	The main specialty of the person completing the record.

2.1.288 Properties

FHIR PractitionerRole.specialty

Relationship	Specialty (<i>prsb03-dataelement-10222 - 2018-10-31</i>)
Rationale	PractitionerRole.specialty
Operationalization	NHS data dictionary :- Activity treatment function code
Value Domain	

Property

max length

3



Organisation

prsb03-dataelement-11589

Id	prsb03-dataelement-11589 (2019-05-30 14:59:16)
Concept inherits from	<i>prsb03-dataelement-11294</i> (2019-05-30 12:25:39)

Description	The organisation the person completing the record works for.
Relationship	Organisation (<i>prsb03-dataelement-10226 - 2018-10-31</i>)

 Professional identifier

prsb03-dataelement-11590

Id	prsb03-dataelement-11590 (2019-05-30 14:59:16)
Concept inherits from	 <i>prsb03-dataelement-11295</i> (2019-05-30 12:25:39)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.289 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship	Professional identifier (<i>prsb03-dataelement-10223 - 2018-10-31</i>)		
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)		
Operationalization	NHS data dictionary :- Professional registration identifier		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>32</td> </tr> </table>	max length	32
max length			
32			

 Date completed

prsb03-dataelement-11591

Id	prsb03-dataelement-11591 (2019-05-30 14:59:16)		
Concept inherits from	 <i>prsb03-dataelement-11296</i> (2019-05-30 12:25:39)		
Description	The date and time the record was completed.		
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)		
Rationale	Composition.date		
Operationalization	Date and time.		
Value Domain			
Property	<table border="1"> <tr> <td>Timestamp precision</td> </tr> <tr> <td>at least day, month and year, hour and minute</td> </tr> </table>	Timestamp precision	at least day, month and year, hour and minute
Timestamp precision			
at least day, month and year, hour and minute			

 Contact details

prsb03-dataelement-11592

Id	prsb03-dataelement-11592 (2019-05-30 14:59:16)
Concept inherits from	 <i>prsb03-dataelement-11297</i> (2019-05-30 12:25:39)

Description Contact details of the person completing the record.

2.1.290 Properties

FHIR PractitionerRole.telecom

Relationship Contact details (*prsb03-dataelement-10225 - 2018-10-31*)

Rationale Practitioner:telecom
PractitionerRole:telecom
Organisation.telcom

Operationalization NHS data dictionary : - UK telephone number

Value Domain

Property

max length

35



Access

prsb03-dataelement-10045

Id prsb03-dataelement-10045 (2018-10-31)

Description Details of access for the person.



Date

prsb03-dataelement-11844

Id prsb03-dataelement-11844 (2019-05-31 14:30:01)

Description The date when the special access requirements were taken.

Relationship Date (*prsb03-dataelement-11688 - 2019-05-31 11:50:22*)

Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Location

prsb03-dataelement-11845

Id prsb03-dataelement-11845 (2019-05-31 14:30:30)

Description The location where the special access requirements were taken.

Relationship Location (*prsb03-dataelement-11689 - 2019-05-31 11:51:04*)



Coded value

prsb03-dataelement-13343

Id prsb03-dataelement-13343 (2020-08-06 17:01:07)

Description The coded value for location

Operationalization NHS Data dictionary : - Organisation data service code

Value Domain

Property

min length	max length
------------	------------

3	5
---	---



Free text

prsb03-dataelement-13344

Id

prsb03-dataelement-13344 (2020-08-06 17:01:46)

Concept inherits from

prsb03-dataelement-13223 (2020-07-08 17:40:09)

Description

Free text field to be used if no coded text available

Value Domain

Property

max length

150



Access

prsb03-dataelement-13342

Id

prsb03-dataelement-13342 (2020-08-06 16:54:43)

Description

Special access requirements e.g. key safe, coded lock, which door to use, stretcher access, etc.

Operationalization Free text

Value Domain

Property

max length

150



Performing professional

prsb03-dataelement-11846

Id

prsb03-dataelement-11846 (2019-05-31 14:31:02)

Description

The professional who took the special access requirements.

Relationship

Performing professional (*prsb03-dataelement-11281 - 2019-05-30 11:53:30*)



Name

prsb03-dataelement-11847

Id

prsb03-dataelement-11847 (2019-05-31 14:31:19)

Concept inherits from

prsb03-dataelement-11282 (2019-05-30 11:57:38)

Description

The name of the professional.

Rationale

Practitioner.name

Operationalization

Free text.

Value Domain

Property

max length

70



Role

prsb03-dataelement-11848

Id prsb03-dataelement-11848 (2019-05-31 14:31:19)

Concept inherits from prsb03-dataelement-11283 (2019-05-30 11:58:48)

Description The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc

Rationale Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobroletype

Value Domain



Grade

prsb03-dataelement-11849

Id prsb03-dataelement-11849 (2019-05-31 14:31:19)

Concept inherits from prsb03-dataelement-11288 (2019-05-30 12:19:40)

Description The grade of the professional.

Rationale PractitionerRole.code

Operationalization Free text

Value Domain

Property

max length

150



Speciality

prsb03-dataelement-11850

Id prsb03-dataelement-11850 (2019-05-31 14:31:19)

Concept inherits from prsb03-dataelement-11284 (2019-05-30 12:01:15)

Description The specialty of the professional e.g. physiotherapy, oncology, mental health etc

Rationale PractitionerRole.speciality

Operationalization NHS data dictionary - Activity treatment function code

Value Domain

Property

max length

3

 Professional identifier

prsb03-dataelement-11851

Id	prsb03-dataelement-11851 (2019-05-31 14:31:19)
Concept inherits from	 <i>prsb03-dataelement-11285</i> (2019-05-30 12:02:46)
Description	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.
Rationale	Practitioner.identifier (for professional national identifiers), PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary : - Professional registration identifier
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 32 </div>

  Organisation

prsb03-dataelement-11852

Id	prsb03-dataelement-11852 (2019-05-31 14:31:19)
Concept inherits from	 <i>prsb03-dataelement-11286</i> (2019-05-30 12:17:19)
Description	The name of the organisation the professional works for.

 Contact details

prsb03-dataelement-11853

Id	prsb03-dataelement-11853 (2019-05-31 14:31:19)
Concept inherits from	 <i>prsb03-dataelement-11287</i> (2019-05-30 12:18:13)
Description	Contact details of the professional
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom
Operationalization	NHS data dictionary - UK phone number
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 35 </div>

  Person completing record

prsb03-dataelement-11602

Id	prsb03-dataelement-11602 (2019-05-30 15:01:10)
Concept inherits from	 <i>prsb03-dataelement-11289</i> (2019-05-30 12:24:39)
Description	Details of the person completing the record.

Relationship Person completing record (*prsb03-dataelement-319 - 2018-10-31*)

 Name	prsb03-dataelement-11603		
Id	prsb03-dataelement-11603 (2019-05-30 15:01:27)		
Concept inherits from	 <i>prsb03-dataelement-11290</i> (2019-05-30 12:25:39)		
Description	The name of the person completing the record.		
Relationship	Name (<i>prsb03-dataelement-10219 - 2018-10-31</i>)		
Rationale	Composition.author.Practitioner.name		
Operationalization	Free text.		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>70</td> </tr> </table>	max length	70
max length			
70			

 Role	prsb03-dataelement-11604
--	--------------------------

Id prsb03-dataelement-11604 (2019-05-30 15:01:27)
 Concept inherits from  *prsb03-dataelement-11291* (2019-05-30 12:25:39)
 Description The organisational role of the person completing record.

2.1.291 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship	Role (<i>prsb03-dataelement-10220 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobrole
Value Domain	

 Grade	prsb03-dataelement-11605
---	--------------------------

Id prsb03-dataelement-11605 (2019-05-30 15:01:27)
 Concept inherits from  *prsb03-dataelement-11292* (2019-05-30 12:25:39)
 Description The grade of the person completing the record.
 Relationship Grade (*prsb03-dataelement-10221 - 2018-10-31*)
 Rationale PractitionerRole.code
 Operationalization Free text.
 Value Domain

Property

max length

150



Specialty

prsb03-dataelement-11606

Id

prsb03-dataelement-11606 (2019-05-30 15:01:27)

Concept inherits from

prsb03-dataelement-11293 (2019-05-30 12:25:39)

Description

The main specialty of the person completing the record.

2.1.292 Properties

FHIR

PractitionerRole.specialty

Relationship

Specialty (*prsb03-dataelement-10222 - 2018-10-31*)

Rationale

PractitionerRole.specialty

Operationalization

NHS data dictionary :- Activity treatment function code

Value Domain

Property

max length

3



Organisation

prsb03-dataelement-11607

Id

prsb03-dataelement-11607 (2019-05-30 15:01:27)

Concept inherits from

prsb03-dataelement-11294 (2019-05-30 12:25:39)

Description

The organisation the person completing the record works for.

Relationship

Organisation (*prsb03-dataelement-10226 - 2018-10-31*)

Professional identifier

prsb03-dataelement-11608

Id

prsb03-dataelement-11608 (2019-05-30 15:01:27)

Concept inherits from

prsb03-dataelement-11295 (2019-05-30 12:25:39)

Description

Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.293 Properties

FHIR

PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship

Professional identifier (*prsb03-dataelement-10223 - 2018-10-31*)

Rationale

Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary :- Professional registration identifier

Value Domain

Property

max length

32



Date completed

prsb03-dataelement-11609

Id

prsb03-dataelement-11609 (2019-05-30 15:01:27)

Concept inherits from

prsb03-dataelement-11296 (2019-05-30 12:25:39)

Description

The date and time the record was completed.

Relationship

Date completed (*prsb03-dataelement-10224 - 2018-10-31*)

Rationale

Composition.date

Operationalization

Date and time.

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Contact details

prsb03-dataelement-11610

Id

prsb03-dataelement-11610 (2019-05-30 15:01:27)

Concept inherits from

prsb03-dataelement-11297 (2019-05-30 12:25:39)

Description

Contact details of the person completing the record.

2.1.294 Properties

FHIR PractitionerRole.telecom

Relationship

Contact details (*prsb03-dataelement-10225 - 2018-10-31*)

Rationale

Practitioner:telecom
PractitionerRole:telecom
Organisation:telcom

Operationalization

NHS data dictionary : - UK telephone number

Value Domain

Property

max length

35



Dependants

prsb03-dataelement-10046

Id prsb03-dataelement-10046 (2018-10-31)

Description Details of any responsibility the person has for dependants.



Date

prsb03-dataelement-11854

Id prsb03-dataelement-11854 (2019-05-31 14:31:40)

Description The date when the dependents details were taken.

Relationship Date (*prsb03-dataelement-11688 - 2019-05-31 11:50:22*)

Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Location

prsb03-dataelement-11855

Id prsb03-dataelement-11855 (2019-05-31 14:32:07)

Description The location where the dependents details were taken.

Relationship Location (*prsb03-dataelement-11689 - 2019-05-31 11:51:04*)



Coded value

prsb03-dataelement-13346

Id prsb03-dataelement-13346 (2020-08-06 17:07:12)

Description The coded value for location

Operationalization NHS Data dictionary : - Organisation data service code

Value Domain

Property

min length max length

3

5



Free text

prsb03-dataelement-13347

Id prsb03-dataelement-13347 (2020-08-06 17:08:03)

Concept inherits from prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150

 Dependents

prsb03-dataelement-13345

Id	prsb03-dataelement-13345 (2020-08-06 17:05:40)
Description	Provide details of any responsibility the person has for dependants. In the case of children provide date of birth of the child.
Operationalization	Free text
Value Domain	

Property

max length

150

 Performing professional

prsb03-dataelement-11856

Id	prsb03-dataelement-11856 (2019-05-31 14:32:34)
Description	The professional who took the dependents details.
Relationship	Performing professional (<i>prsb03-dataelement-11281 - 2019-05-30 11:53:30</i>)

 Name

prsb03-dataelement-11857

Id	prsb03-dataelement-11857 (2019-05-31 14:32:53)
Concept inherits from	 <i>prsb03-dataelement-11282 (2019-05-30 11:57:38)</i>

Description	The name of the professional.
Rationale	Practitioner.name

Operationalization	Free text.
Value Domain	

Property

max length

70

 Role

prsb03-dataelement-11858

Id	prsb03-dataelement-11858 (2019-05-31 14:32:53)
Concept inherits from	 <i>prsb03-dataelement-11283 (2019-05-30 11:58:48)</i>
Description	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc
Rationale	Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobroletype

Value Domain

 Grade	prsb03-dataelement-11859
---	--------------------------

Id prsb03-dataelement-11859 (2019-05-31 14:32:53)

Concept inherits from  prsb03-dataelement-11288 (2019-05-30 12:19:40)

Description The grade of the professional.

Rationale PractitionerRole.code

Operationalization Free text

Value Domain

Property	max length
	150

 Speciality	prsb03-dataelement-11860
--	--------------------------

Id prsb03-dataelement-11860 (2019-05-31 14:32:53)

Concept inherits from  prsb03-dataelement-11284 (2019-05-30 12:01:15)

Description The specialty of the professional e.g. physiotherapy, oncology, mental health etc

Rationale PractitionerRole.speciality

Operationalization NHS data dictionary - Activity treatment function code

Value Domain

Property	max length
	3

 Professional identifier	prsb03-dataelement-11861
---	--------------------------

Id prsb03-dataelement-11861 (2019-05-31 14:32:53)

Concept inherits from  prsb03-dataelement-11285 (2019-05-30 12:02:46)

Description Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary : - Professional registration identifier

Value Domain

Property	max length
	32

  Organisation

prsb03-dataelement-11862

Id	prsb03-dataelement-11862 (2019-05-31 14:32:53)
Concept inherits from	 <i>prsb03-dataelement-11286</i> (2019-05-30 12:17:19)
Description	The name of the organisation the professional works for.

 Contact details

prsb03-dataelement-11863

Id	prsb03-dataelement-11863 (2019-05-31 14:32:53)
Concept inherits from	 <i>prsb03-dataelement-11287</i> (2019-05-30 12:18:13)
Description	Contact details of the professional
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom
Operationalization	NHS data dictionary - UK phone number
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 35 </div>

  Person completing record

prsb03-dataelement-11611

Id	prsb03-dataelement-11611 (2019-05-30 15:03:35)
Concept inherits from	 <i>prsb03-dataelement-11289</i> (2019-05-30 12:24:39)
Description	Details of the person completing the record.
Relationship	Person completing record (<i>prsb03-dataelement-319</i> - 2018-10-31)

 Name

prsb03-dataelement-11612

Id	prsb03-dataelement-11612 (2019-05-30 15:03:59)
Concept inherits from	 <i>prsb03-dataelement-11290</i> (2019-05-30 12:25:39)
Description	The name of the person completing the record.
Relationship	Name (<i>prsb03-dataelement-10219</i> - 2018-10-31)
Rationale	Composition.author.Practitioner.name
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 70 </div>



Role

prsb03-dataelement-11613

Id	prsb03-dataelement-11613 (2019-05-30 15:03:59)
Concept inherits from	<i>prsb03-dataelement-11291</i> (2019-05-30 12:25:39)
Description	The organisational role of the person completing record.

2.1.295 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship	Role (<i>prsb03-dataelement-10220 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobrole
Value Domain	



Grade

prsb03-dataelement-11614

Id	prsb03-dataelement-11614 (2019-05-30 15:03:59)
Concept inherits from	<i>prsb03-dataelement-11292</i> (2019-05-30 12:25:39)
Description	The grade of the person completing the record.
Relationship	Grade (<i>prsb03-dataelement-10221 - 2018-10-31</i>)
Rationale	PractitionerRole.code
Operationalization	Free text.
Value Domain	

Property

max length

150



Specialty

prsb03-dataelement-11615

Id	prsb03-dataelement-11615 (2019-05-30 15:03:59)
Concept inherits from	<i>prsb03-dataelement-11293</i> (2019-05-30 12:25:39)
Description	The main specialty of the person completing the record.

2.1.296 Properties

FHIR PractitionerRole.specialty

Relationship	Specialty (<i>prsb03-dataelement-10222 - 2018-10-31</i>)
Rationale	PractitionerRole.specialty
Operationalization	NHS data dictionary :- Activity treatment function code

Value Domain

Property

max length

3



Organisation

prsb03-dataelement-11616

Id

prsb03-dataelement-11616 (2019-05-30 15:03:59)

Concept inherits from

prsb03-dataelement-11294 (2019-05-30 12:25:39)

Description

The organisation the person completing the record works for.

Relationship

Organisation (*prsb03-dataelement-10226 - 2018-10-31*)

Professional identifier

prsb03-dataelement-11617

Id

prsb03-dataelement-11617 (2019-05-30 15:03:59)

Concept inherits from

prsb03-dataelement-11295 (2019-05-30 12:25:39)

Description

Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.297 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship Professional identifier (*prsb03-dataelement-10223 - 2018-10-31*)

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary :- Professional registration identifier

Value Domain

Property

max length

32



Date completed

prsb03-dataelement-11618

Id

prsb03-dataelement-11618 (2019-05-30 15:03:59)

Concept inherits from

prsb03-dataelement-11296 (2019-05-30 12:25:39)

Description

The date and time the record was completed.

Relationship

Date completed (*prsb03-dataelement-10224 - 2018-10-31*)

Rationale

Composition.date

Operationalization


Date and time.

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Contact details

prsb03-dataelement-11619

Id

prsb03-dataelement-11619 (2019-05-30 15:03:59)

Concept inherits from

prsb03-dataelement-11297 (2019-05-30 12:25:39)

Description

Contact details of the person completing the record.

2.1.298 Properties

FHIR PractitionerRole.telecom

Relationship

Contact details (*prsb03-dataelement-10225 - 2018-10-31*)

Rationale

Practitioner:telecom
PractitionerRole:telecom
Organisation.telcom

Operationalization

NHS data dictionary : - UK telephone number

Value Domain

Property

max length

35



Accommodation status

prsb03-dataelement-10047

Id

prsb03-dataelement-10047 (2018-10-31)

Description

Details of the type of accommodation where the person lives.



Date

prsb03-dataelement-11864

Id

prsb03-dataelement-11864 (2019-05-31 14:33:22)

Description

The date when the accommodation status was taken.

Relationship

Date (*prsb03-dataelement-11688 - 2019-05-31 11:50:22*)

Operationalization

Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Location

prsb03-dataelement-11865

Id	prsb03-dataelement-11865 (2019-05-31 14:33:51)
Description	The location where the accommodation was taken.
Relationship	Location (<i>prsb03-dataelement-11689 - 2019-05-31 11:51:04</i>)

 Coded value
prsb03-dataelement-13352

Id	prsb03-dataelement-13352 (2020-08-06 17:23:01)				
Description	The coded value of location				
Operationalization	NHS Data dictionary : - Organisation data service code				
Value Domain					
Property	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 2px 10px; background-color: #d3d3d3; color: white; text-align: center;">min length</td> <td style="padding: 2px 10px; background-color: #d3d3d3; color: white; text-align: center;">max length</td> </tr> <tr> <td style="padding: 2px 10px; text-align: center;">3</td> <td style="padding: 2px 10px; text-align: center;">5</td> </tr> </table>	min length	max length	3	5
min length	max length				
3	5				

 Free text
prsb03-dataelement-13353

Id	prsb03-dataelement-13353 (2020-08-06 17:23:48)		
Concept inherits from	 <i>prsb03-dataelement-13220 (2020-07-08 12:57:49)</i>		
Description	Free text field to be used if no code is available		
Operationalization	Free text		
Value Domain			
Property	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 2px 10px; background-color: #d3d3d3; color: white; text-align: center;">max length</td> </tr> <tr> <td style="padding: 2px 10px; text-align: center;">150</td> </tr> </table>	max length	150
max length			
150			

  Accommodation status
prsb03-dataelement-13348

Id	prsb03-dataelement-13348 (2020-08-06 17:12:04)
Description	An indication of the type of accommodation where the person lives.

This should be based on the main or permanent residence.

 Coded value
prsb03-dataelement-13349

Id	prsb03-dataelement-13349 (2020-08-06 17:13:26)
Description	The coded value for accommodation status
Operationalization	NHS data dictionary :- Accommodation status
Value Domain	

Property

max length

4



Free text

prsb03-dataelement-13350

Id

prsb03-dataelement-13350 (2020-08-06 17:16:53)

Concept inherits from

prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description

Free text field to be used if no code is available

Operationalization

Free text

Value Domain

Property

max length

150



Performing professional

prsb03-dataelement-11866

Id

prsb03-dataelement-11866 (2019-05-31 14:34:24)

Description

The professional who took the accommodation status.

Relationship

Performing professional (*prsb03-dataelement-11281 - 2019-05-30 11:53:30*)

Name

prsb03-dataelement-11867

Id

prsb03-dataelement-11867 (2019-05-31 14:34:45)

Concept inherits from

prsb03-dataelement-11282 (2019-05-30 11:57:38)

Description

The name of the professional.

Rationale

Practitioner.name

Operationalization

Free text.

Value Domain

Property

max length

70



Role

prsb03-dataelement-11868

Id

prsb03-dataelement-11868 (2019-05-31 14:34:45)

Concept inherits from

prsb03-dataelement-11283 (2019-05-30 11:58:48)

Description

The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc

Rationale Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobroletype

Value Domain



Grade

prsb03-dataelement-11869

Id prsb03-dataelement-11869 (2019-05-31 14:34:45)

Concept inherits from *prsb03-dataelement-11288* (2019-05-30 12:19:40)

Description The grade of the professional.

Rationale PractitionerRole.code

Operationalization Free text

Value Domain

Property

max length

150



Speciality

prsb03-dataelement-11870

Id prsb03-dataelement-11870 (2019-05-31 14:34:45)

Concept inherits from *prsb03-dataelement-11284* (2019-05-30 12:01:15)

Description The specialty of the professional e.g. physiotherapy, oncology, mental health etc

Rationale PractitionerRole.speciality

Operationalization NHS data dictionary - Activity treatment function code

Value Domain

Property

max length

3



Professional identifier

prsb03-dataelement-11871

Id prsb03-dataelement-11871 (2019-05-31 14:34:45)

Concept inherits from *prsb03-dataelement-11285* (2019-05-30 12:02:46)

Description Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary : - Professional registration identifier

Value Domain

Property

max length

32



Organisation

prsb03-dataelement-11872

Id

prsb03-dataelement-11872 (2019-05-31 14:34:45)

Concept inherits from

prsb03-dataelement-11286 (2019-05-30 12:17:19)

Description

The name of the organisation the professional works for.



Contact details

prsb03-dataelement-11873

Id

prsb03-dataelement-11873 (2019-05-31 14:34:45)

Concept inherits from

prsb03-dataelement-11287 (2019-05-30 12:18:13)

Description

Contact details of the professional

Rationale

Practitioner.telecom
PractitionerRole.telecom
Organisation.telcom

Operationalization

NHS data dictionary - UK phone number

Value Domain

Property

max length

35



Person completing record

prsb03-dataelement-11874

Id

prsb03-dataelement-11874 (2019-05-31 14:35:09)

Concept inherits from

prsb03-dataelement-11289 (2019-05-30 12:24:39)

Description

Details of the person completing the record.

Relationship

Person completing record (*prsb03-dataelement-319 - 2018-10-31*)

Name

prsb03-dataelement-11875

Id

prsb03-dataelement-11875 (2019-05-31 14:35:30)

Concept inherits from

prsb03-dataelement-11290 (2019-05-30 12:25:39)

Description

The name of the person completing the record.

Relationship

Name (*prsb03-dataelement-10219 - 2018-10-31*)

Rationale

Composition.author.Practitioner.name

Operationalization

Free text.

Value Domain

Property

max length

70



Role

prsb03-dataelement-11876

Id

prsb03-dataelement-11876 (2019-05-31 14:35:30)

Concept inherits from

prsb03-dataelement-11291 (2019-05-30 12:25:39)

Description

The organisational role of the person completing record.

2.1.299 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship

Role (*prsb03-dataelement-10220 - 2018-10-31*)

Rationale

Composition.author.Practitioner.PractitionerRole.code

Operationalization

FHIR value set :- SDSjobrole

Value Domain



Grade

prsb03-dataelement-11877

Id

prsb03-dataelement-11877 (2019-05-31 14:35:30)

Concept inherits from

prsb03-dataelement-11292 (2019-05-30 12:25:39)

Description

The grade of the person completing the record.

Relationship

Grade (*prsb03-dataelement-10221 - 2018-10-31*)

Rationale

PractitionerRole.code

Operationalization

Free text.

Value Domain

Property

max length

150



Specialty

prsb03-dataelement-11878

Id

prsb03-dataelement-11878 (2019-05-31 14:35:30)

Concept inherits from

prsb03-dataelement-11293 (2019-05-30 12:25:39)

Description

The main specialty of the person completing the record.

2.1.300 Properties

FHIR PractitionerRole.specialty

Relationship Specialty (*prsb03-dataelement-10222 - 2018-10-31*)

Rationale PractitionerRole.speciality

Operationalization NHS data dictionary :- Activity treatment function code

Value Domain

Property

max length

3



Organisation

prsb03-dataelement-11879

Id prsb03-dataelement-11879 (2019-05-31 14:35:30)

Concept inherits from prsb03-dataelement-11294 (2019-05-30 12:25:39)

Description The organisation the person completing the record works for.

Relationship Organisation (*prsb03-dataelement-10226 - 2018-10-31*)



Professional identifier

prsb03-dataelement-11880

Id prsb03-dataelement-11880 (2019-05-31 14:35:30)

Concept inherits from prsb03-dataelement-11295 (2019-05-30 12:25:39)

Description Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.301 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship Professional identifier (*prsb03-dataelement-10223 - 2018-10-31*)

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary :- Professional registration identifier

Value Domain

Property

max length

32



Date completed

prsb03-dataelement-11881

Id prsb03-dataelement-11881 (2019-05-31 14:35:30)

Concept inherits from	 prsb03-dataelement-11296 (2019-05-30 12:25:39)
Description	The date and time the record was completed.
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)
Rationale	Composition.date
Operationalization	Date and time.
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 5px; text-align: center;">Timestamp precision</div> <div style="border: 1px solid #ccc; padding: 5px; text-align: center;">at least day, month and year, hour and minute</div>


 Contact details	prsb03-dataelement-11882
---	--------------------------

Id	prsb03-dataelement-11882 (2019-05-31 14:35:30)
Concept inherits from	 prsb03-dataelement-11297 (2019-05-30 12:25:39)
Description	Contact details of the person completing the record.

2.1.302 Properties

FHIR	PractitionerRole.telecom
Relationship	Contact details (<i>prsb03-dataelement-10225 - 2018-10-31</i>)
Rationale	Practitioner:telecom PractitionerRole:telecom Organisation:telcom
Operationalization	NHS data dictionary : - UK telephone number
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 5px; text-align: center;">max length</div> <div style="border: 1px solid #ccc; padding: 5px; text-align: center;">35</div>

  Person completing record	prsb03-dataelement-11620
--	--------------------------

 Id prsb03-dataelement-11620 (2019-05-30 15:04:53)

  Household environment	prsb03-dataelement-10051
---	--------------------------

Id	prsb03-dataelement-10051 (2018-10-31)
Description	Details of the person's household environment.

 Date	prsb03-dataelement-11883
--	--------------------------

 Id prsb03-dataelement-11883 (2019-05-31 14:36:04)

Description	The date when the household environment details were taken.
Relationship	Date (<i>prsb03-dataelement-11688 - 2019-05-31 11:50:22</i>)
Operationalization	Date and time
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>

 Location

prsb03-dataelement-11884

Id	prsb03-dataelement-11884 (2019-05-31 14:36:30)
Description	The location where the household environment details were taken.
Relationship	Location (<i>prsb03-dataelement-11689 - 2019-05-31 11:51:04</i>)

 Coded value

prsb03-dataelement-13351

Id	prsb03-dataelement-13351 (2020-08-06 17:19:22)				
Description	The coded value for location				
Operationalization	NHS Data dictionary : - Organisation data service code				
Value Domain					
Property	<table style="margin-left: auto; margin-right: auto;"> <tr> <td style="padding: 2px 10px;">min length</td> <td style="padding: 2px 10px;">max length</td> </tr> <tr> <td style="text-align: center;">3</td> <td style="text-align: center;">5</td> </tr> </table>	min length	max length	3	5
min length	max length				
3	5				

 Free text

prsb03-dataelement-13354

Id	prsb03-dataelement-13354 (2020-08-06 17:25:31)		
Concept inherits from	 prsb03-dataelement-13220 (2020-07-08 12:57:49)		
Description	Free text field to be used if no code is available		
Operationalization	Free text		
Value Domain			
Property	<table style="margin-left: auto; margin-right: auto;"> <tr> <td style="padding: 2px 10px;">max length</td> </tr> <tr> <td style="text-align: center;">150</td> </tr> </table>	max length	150
max length			
150			

 Household environment

prsb03-dataelement-13355

Id	prsb03-dataelement-13355 (2020-08-06 17:27:04) 0.1
Description	Factors in the household which impact the person's health and wellbeing, to include smoking in the home, alcohol/substance use etc.

Operationalization Free text

 Coded value

prsb03-dataelement-13356

Id

prsb03-dataelement-13356 (2020-08-06 17:30:15) 0.1

Value Domain

 Household environment

prsb03-dataelement-13842

Id

prsb03-dataelement-13842 (2020-12-29 12:11:12)

Description

Factors in the household which impact the person's health and wellbeing, to include smoking in the home, alcohol/substance use etc.

Operationalization Free text

Value Domain

Property

3 5

  Performing professional

prsb03-dataelement-11885

Id

prsb03-dataelement-11885 (2019-05-31 14:37:03)

Description

The professional who took the household environment details.

Relationship

Performing professional (*prsb03-dataelement-11281 - 2019-05-30 11:53:30*) Name

prsb03-dataelement-11886

Id

prsb03-dataelement-11886 (2019-05-31 14:37:24)

Concept inherits from

 *prsb03-dataelement-11282 (2019-05-30 11:57:38)*

Description

The name of the professional.

Rationale

Practitioner.name

Operationalization

Free text.

Value Domain

Property



70

 Role

prsb03-dataelement-11887

Id

prsb03-dataelement-11887 (2019-05-31 14:37:24)

Concept inherits from

 *prsb03-dataelement-11283 (2019-05-30 11:58:48)*

Description	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc
Rationale	Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobroletype
Value Domain	



Grade

prsb03-dataelement-11888

Id	prsb03-dataelement-11888 (2019-05-31 14:37:24)
Concept inherits from	🟡 prsb03-dataelement-11288 (2019-05-30 12:19:40)
Description	The grade of the professional.
Rationale	PractitionerRole.code
Operationalization	Free text

Value Domain

Property

max length

150



Speciality

prsb03-dataelement-11889

Id	prsb03-dataelement-11889 (2019-05-31 14:37:24)
Concept inherits from	🟡 prsb03-dataelement-11284 (2019-05-30 12:01:15)
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc
Rationale	PractitionerRole.speciality
Operationalization	NHS data dictionary - Activity treatment function code

Value Domain

Property

max length

3



Professional identifier

prsb03-dataelement-11890

Id	prsb03-dataelement-11890 (2019-05-31 14:37:24)
Concept inherits from	🟡 prsb03-dataelement-11285 (2019-05-30 12:02:46)
Description	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary : - Professional registration identifier

Value Domain

Property

max length

32



Organisation

prsb03-dataelement-11891

Id


prsb03-dataelement-11891 (2019-05-31 14:37:24)

Concept inherits from

prsb03-dataelement-11286 (2019-05-30 12:17:19)

Description

The name of the organisation the professional works for.



Contact details

prsb03-dataelement-11892

Id

prsb03-dataelement-11892 (2019-05-31 14:37:24)

Concept inherits from

prsb03-dataelement-11287 (2019-05-30 12:18:13)

Description

Contact details of the professional

Rationale

Practitioner.telecom
PractitionerRole.telecom
Organisation.telcom

Operationalization

NHS data dictionary - UK phone number

Value Domain

Property

max length

35



Person completing record

prsb03-dataelement-11621

Id

prsb03-dataelement-11621 (2019-05-30 15:06:19)

Concept inherits from

prsb03-dataelement-11289 (2019-05-30 12:24:39)

Description

Details of the person completing the record.

Relationship

Person completing record (*prsb03-dataelement-319 - 2018-10-31*)

Name

prsb03-dataelement-11622

Id

prsb03-dataelement-11622 (2019-05-30 15:06:41)

Concept inherits from

prsb03-dataelement-11290 (2019-05-30 12:25:39)

Description

The name of the person completing the record.

Relationship

Name (*prsb03-dataelement-10219 - 2018-10-31*)

Rationale

Composition.author.Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70



Role

prsb03-dataelement-11623

Id prsb03-dataelement-11623 (2019-05-30 15:06:41)

Concept inherits from *prsb03-dataelement-11291* (2019-05-30 12:25:39)

Description The organisational role of the person completing record.

2.1.303 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship Role (*prsb03-dataelement-10220 - 2018-10-31*)

Rationale Composition.author.Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobrole

Value Domain



Grade

prsb03-dataelement-11624

Id prsb03-dataelement-11624 (2019-05-30 15:06:41)

Concept inherits from *prsb03-dataelement-11292* (2019-05-30 12:25:39)

Description The grade of the person completing the record.

Relationship Grade (*prsb03-dataelement-10221 - 2018-10-31*)

Rationale PractitionerRole.code

Operationalization Free text.

Value Domain

Property

max length

150



Specialty

prsb03-dataelement-11625

Id prsb03-dataelement-11625 (2019-05-30 15:06:41)

Concept inherits from *prsb03-dataelement-11293* (2019-05-30 12:25:39)

Description The main specialty of the person completing the record.

2.1.304 Properties

FHIR PractitionerRole.specialty

Relationship Specialty (*prsb03-dataelement-10222 - 2018-10-31*)

Rationale PractitionerRole.speciality

Operationalization NHS data dictionary :- Activity treatment function code

Value Domain

Property

max length

3



Organisation

prsb03-dataelement-11626

Id prsb03-dataelement-11626 (2019-05-30 15:06:41)

Concept inherits from prsb03-dataelement-11294 (2019-05-30 12:25:39)

Description The organisation the person completing the record works for.

Relationship Organisation (*prsb03-dataelement-10226 - 2018-10-31*)



Professional identifier

prsb03-dataelement-11627

Id prsb03-dataelement-11627 (2019-05-30 15:06:41)

Concept inherits from prsb03-dataelement-11295 (2019-05-30 12:25:39)

Description Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.305 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship Professional identifier (*prsb03-dataelement-10223 - 2018-10-31*)

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary :- Professional registration identifier

Value Domain

Property

max length

32



Date completed

prsb03-dataelement-11628

Id prsb03-dataelement-11628 (2019-05-30 15:06:41)

Concept inherits from	 prsb03-dataelement-11296 (2019-05-30 12:25:39)
Description	The date and time the record was completed.
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)
Rationale	Composition.date
Operationalization	Date and time.
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>

 Contact details	prsb03-dataelement-11629
---	--------------------------

Id	prsb03-dataelement-11629 (2019-05-30 15:06:41)
Concept inherits from	 prsb03-dataelement-11297 (2019-05-30 12:25:39)
Description	Contact details of the person completing the record.

2.1.306 Properties

FHIR	PractitionerRole.telecom
Relationship	Contact details (<i>prsb03-dataelement-10225 - 2018-10-31</i>)
Rationale	Practitioner:telecom PractitionerRole:telecom Organisation:telcom
Operationalization	NHS data dictionary : - UK telephone number
Value Domain	
Property	<p style="text-align: center;">max length</p> <p>35</p>

 Social context record entry	prsb03-dataelement-12398
---	--------------------------

Id	prsb03-dataelement-12398 (2019-06-03 16:08:35) 0.1
Description	This is a social context record entry. There may be 0 to many record entries under Diagnosis. Each record entry is made up of a number of elements or data items.

 Date	prsb03-dataelement-10861
--	--------------------------

Id	prsb03-dataelement-10861 (2019-03-27 17:50:45) 0.1
Description	The date the social context was recorded.
Relationship	Date (<i>prsb03-dataelement-10153 - 2018-10-31</i>)

Value Domain

Location

prsb03-dataelement-10862

Id

prsb03-dataelement-10862 (2019-03-27 17:51:38) 0.1

Description

Details of where the social context was recorded.

Relationship

Location (*prsb03-dataelement-10851 - 2019-03-27 17:17:04*)

Operationalization

ODS/ODR

Value Domain

Family and Household

prsb03-dataelement-10048

Id

prsb03-dataelement-10048 (2018-10-31) 0.1

Description

Family and Household details of Social Context.

Value Domain

Father's employment status

prsb03-dataelement-10049

Id

prsb03-dataelement-10049 (2018-10-31) 0.1

Description

The employment status of the Father and his occupation.

Value Domain

Household Social Services support

prsb03-dataelement-10050

Id

prsb03-dataelement-10050 (2018-10-31) 0.1

Description

Whether or not any household member had/has social services support.

Value Domain

Asylum Status

prsb03-dataelement-10052

Id

prsb03-dataelement-10052 (2018-10-31) 0.1

Description

The asylum status of the woman

Value Domain

Number of years in Education

prsb03-dataelement-10053

Id

prsb03-dataelement-10053 (2018-10-31) 0.1

Description

The number of years that the woman has spent in education


Value Domain

Social Risk Factors

prsb03-dataelement-10054

Id	prsb03-dataelement-10054 (2018-10-31) 0.1
Description	A record of social factors which should be taken into account when providing care and support for the woman and the child when born
Value Domain	
 Partner's employment status	prsb03-dataelement-10055
Id	prsb03-dataelement-10055 (2018-10-31) 0.1
Description	The employment status of the Partner and their occupation
Value Domain	
 Mother's employment status	prsb03-dataelement-10056
Id	prsb03-dataelement-10056 (2018-10-31) 0.1
Description	The employment status of the Mother and her occupation.
Value Domain	
 Mother's educational status	prsb03-dataelement-10057
Id	prsb03-dataelement-10057 (2018-10-31) 0.1
Description	The highest educational qualification attained by the child's mother.
Value Domain	
 Other Significant Individuals	prsb03-dataelement-10058
Id	prsb03-dataelement-10058 (2018-10-31) 0.1
Description	People deemed as key by family and or Health Care Professional in the child's life that do not live in the home (s).
Value Domain	
 Personal	prsb03-dataelement-10059
Id	prsb03-dataelement-10059 (2018-10-31) 0.1
Description	Personal details of Social Context.
Value Domain	
 Person completing record	prsb03-dataelement-10864
Id	prsb03-dataelement-10864 (2019-03-27 17:53:18)
Description	This is the person recording the social context. Should include their name, role, grade, specialty, organisation, professional identifier, date and time completed, contact details

Relationship	Person completing record (<i>prsb03-dataelement-10850 - 2019-03-27 17:15:40</i>)
Operationalization	Free text. Name, Role, Grade, Specialty, Organisation, Professional identifier, Date and time completed, Contact details
Value Domain	
 Person completing record	prsb03-dataelement-10863
Id	prsb03-dataelement-10863 (2019-03-27 17:52:28)
Concept inherits from	 <i>prsb03-dataelement-10850</i> (2019-03-27 17:15:40)
Description	This is the person contributing to the family history record. Should include their name, role, grade, specialty, organisation, professional identifier, date and time completed, contact details
Relationship	Person completing record (<i>prsb03-dataelement-10404 - 2018-10-31</i>)
Operationalization	Free text. Name, Role, Grade, Specialty, Organisation, Professional identifier, Date and time completed, Contact details
Value Domain	
 Smoking record	prsb03-dataelement-12489
Id	prsb03-dataelement-12489 (2019-10-29 14:19:57)
Description	Details of the person's smoking record
 Used by	one transaction, 0 templates, inherited once
 Overall smoking status	prsb03-dataelement-12490
Id	prsb03-dataelement-12490 (2019-10-29 14:22:56) 0.1
Description	Statement about current smoking behaviour for smoking cigarettes (manufactured or roll up).
	Defined by current smoking status and ever smoking status.
Operationalization	<p>Coded text:</p> <p>Current Smoker</p> <p>Former Smoker</p> <p>Never Smoked</p> <p>^999000891000000102 Smoking simple reference set (foundation metadata concept) </p>
Value Domain	
 Used by	one transaction, 0 templates, inherited once



Set quit date

prsb03-dataelement-14006

Id prsb03-dataelement-14006 (2021-02-11 19:20:06)

Description Date set to quit smoking

Operationalization Date

Value Domain

Property

Timestamp precision

at least day, month and year

Used by 0 transactions, 0 templates, inherited once



Date of quitting

prsb03-dataelement-12491

Id prsb03-dataelement-12491 (2019-10-29 14:35:16)

Description Date when the individual stopped smoking (if a former smoker).

Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year

Used by one transaction, 0 templates, inherited once



Other tobacco products used

prsb03-dataelement-12492

Id prsb03-dataelement-12492 (2019-10-29 14:40:14)

Description Details of other tobacco products used (e.g. shisha, pipe, cigar, heated tobacco products)

Operationalization No other tobacco products used

Patient uses other tobacco products.

Plus free text details of products used.

Value Domain

Used by 0 transactions, 0 templates, inherited once



Information and advice given

prsb03-dataelement-12493

Id prsb03-dataelement-12493 (2019-10-29 14:42:47)

Description	Record of whether brief advice about available smoking cessation treatment/support was given at the time of consultation.
-------------	---

2.1.307 Properties

FHIR	Free text only
Relationship	Information and advice given (<i>prsb03-dataelement-10215 - 2018-10-31</i>)
Operationalization	<p>No advice given about available smoking cessation treatment/support</p> <p>Brief advice given about available smoking cessation treatment/support</p> <p>Plus free text with any additional information</p>
Value Domain	
⌚ Used by	0 transactions, 0 templates, inherited once

Nicotine Replacement Therapy used

prsb03-dataelement-12495

Id	prsb03-dataelement-12495 (2019-10-29 16:11:19)
Description	A record of whether nicotine replacement therapy (NRT) is currently used or prescribed in this appointment
Operationalization	<p>NRT not currently used</p> <p>NRT currently used</p> <p>NRT prescribed at this appointment</p>
Value Domain	
⌚ Used by	0 transactions, 0 templates, inherited once

Varenicline or other pharmacotherapy used

prsb03-dataelement-12496

Id	prsb03-dataelement-12496 (2019-10-29 16:26:30)
Description	Record of whether varenicline or other smoking cessation pharmacotherapy (other than nicotine replacement therapy) is currently used or prescribed in this appointment.
Operationalization	<p>Varenicline/other pharmacotherapy not used</p> <p>Varenicline/other pharmacotherapy currently used</p> <p>Varenicline/other pharmacotherapy prescribed in this appointment</p>
Value Domain	
⌚ Used by	0 transactions, 0 templates, inherited once

 e-cigarettes used

prsb03-dataelement-12497

Id prsb03-dataelement-12497 (2019-10-29 16:35:51)

Description Record of current use of e-cigarettes

Operationalization Coded - SNOMED CT:

722499006 |Electronic cigarette user (finding)|

Value Domain

 Used by 0 transactions, 0 templates, inherited once

 Therapy prescribed (see medication item entry information model)

prsb03-dataelement-12506

Id prsb03-dataelement-12506 (2019-10-29 17:07:06)

Description Record of nicotine replacement therapy, varenicline or bupropion (or other smoking cessation pharmacotherapy) being prescribed at the time of the consultation

Operationalization To be entered via Medication item entry (see medications and medical devices information model - PRSB Standards for the Structure and Content of Health and Care Records (2018): <https://theprsb.org/standards/healthandcarerecords/>

Value Domain

 Used by 0 transactions, 0 templates, inherited once

 Referral details

prsb03-dataelement-12508

Id prsb03-dataelement-12508 (2019-10-29 17:08:47)

Description Record of whether referral to smoking cessation services was offered and/or made at the time of the consultation.

Operationalization Referral to smoking cessation services

Referral not offered

Referral offered but declined

And free text with any additional information

Value Domain

 Used by 0 transactions, 0 templates, inherited once

 Comment

prsb03-dataelement-12510

Id prsb03-dataelement-12510 (2019-10-29 17:16:21)

Description	Additional information about tobacco use or its management not captured in other fields.
Operationalization	Free text
Value Domain	
⌚ Used by	0 transactions, 0 templates, inherited once

  Alcohol record

prsb03-dataelement-12498

Id	prsb03-dataelement-12498 (2019-10-29 16:51:15)
Description	Details of a person's alcohol record
⌚ Used by	2 transactions, 0 templates, inherited 0 times

  Audit questionnaire

prsb03-dataelement-12499

Id	prsb03-dataelement-12499 (2019-10-29 16:52:18)
Description	Alcohol use disorder identification test (AUDIT) questionnaire
Operationalization	SNOMED-CT coded. Please note the codes in this section are still under review by NHS Digital and may change (24-05-2018). Any changes will be reflected (and highlighted) in GMS contract changes 2018/19 guidance and audit requirements (NHS Employers). www.nhsemployers.org/gms201819
Assessment using Alcohol Use Disorders Identification Test Consumption [SNOMED-CT::1084571000000109]	
Alcohol use disorder identification test consumption questionnaire [SNOMED-CT::335811000000106]	
Alcohol consumption screening test declined [SNOMED-CT::428073005]	
Alcohol assessment declined [SNOMED-CT::361731000000101]	
⌚ Used by	2 transactions, 0 templates, inherited 0 times

 Date

prsb03-dataelement-12524

Id	prsb03-dataelement-12524 (2019-10-29 17:53:29)
Description	Date of person's AUDIT questionnaire.
Operationalization	Date and time
Value Domain	
Property	Timestamp precision

at least day, month and year

⌚ Used by 2 transactions, 0 templates, inherited 0 times



AUDIT-C cluster


prsb03-dataelement-12500

Id prsb03-dataelement-12500 (2019-10-29 16:55:54)

Description

AUDIT-C questions: Frequency of consumption, Typical consumption, Binge drinking.

⌚ Used by 2 transactions, 0 templates, inherited 0 times



Frequency of consumption

prsb03-dataelement-12501

Id prsb03-dataelement-12501 (2019-10-29 16:57:59)

Description How often did you have a drink containing alcohol in the past year?

Operationalization

- 0: Never [No drinking of alcohol in the past year.]
- 1: Monthly or Less [Drinking alcohol monthly or less frequently during the past year.]
- 2: 2 to 4 Times a Month [Drinking alcohol two to four times a month during the past year.]
- 3: 2 to 3 Times a Week [Drinking alcohol two to three times a week during the past year.]
- 4: 4 or More Times a Week [Drinking alcohol four or more times a week during the past year.]

Value Domain

⌚ Used by 2 transactions, 0 templates, inherited 0 times



Typical consumption cluster

prsb03-dataelement-12502

Id prsb03-dataelement-12502 (2019-10-29 17:00:28)

Description Details of the person's typical consumption

⌚ Used by 2 transactions, 0 templates, inherited 0 times



Absolute value

prsb03-dataelement-12503

Id prsb03-dataelement-12503 (2019-10-29 17:02:06)

Description	How many drinks did you have on a typical day when you were drinking in the past year?
Operationalization	Integer (0 to n)
Value Domain	
Used by	2 transactions, 0 templates, inherited 0 times

 Categorical value

prsb03-dataelement-12504

Id	prsb03-dataelement-12504 (2019-10-29 17:04:12)
Description	How many drinks did you have on a typical day when you were drinking in the past year? This item is generated from Typical consumption (absolute value).
Operationalization	0: 0 to 2 [Zero to two drinks of alcohol on a typical day in the past year.] 1: 3 or 4 [Three or four drinks of alcohol on a typical day in the past year.] 2: 5 or 6 [Five or six drinks of alcohol on a typical day in the past year.] 3: 7 to 9 [Seven, eight or nine drinks of alcohol on a typical day in the past year.] 4: 10 or More [Ten or more drinks of alcohol on a typical day in the past year.]
Value Domain	
Used by	2 transactions, 0 templates, inherited 0 times

 Binge drinking

prsb03-dataelement-12505

Id	prsb03-dataelement-12505 (2019-10-29 17:05:54)
Description	How often did you have six or more drinks on one occasion in the past year?
Operationalization	0:Never [Never, in the past year.] 1: Less than Monthly [Less than monthly, during the past year.] 2: Monthly [Monthly, during the past year.] 3: Weekly [Weekly, during the past year.] 4: Daily or Almost Daily [Daily, or almost daily, during the past year.]
Value Domain	
Used by	2 transactions, 0 templates, inherited 0 times

 AUDIT-C total score

prsb03-dataelement-12525

Id	prsb03-dataelement-12525 (2019-10-31 13:52:46)
Description	AUDIT-C total score calculated from the 3 questions only: Frequency of consumption, Typical consumption (categorical value), Binge drinking.
Operationalization	<p>SNOMED-CT coded with associated value calculated from the first 3 questions only.</p> <p>Please note the codes in this section are still under review by NHS Digital and may change (24-05-2018). Any changes will be reflected (and highlighted) in GMS contract changes 2018/19 guidance and audit requirements (NHS Employers). www.nhsemployers.org/gms201819</p> <p>[SNOMED-CT::1084581000000106] (Alcohol Use Disorders Identification Test - Consumption score)</p> <p>And add a value to a field associated with the code to record the score. The score are as follows:</p> <ul style="list-style-type: none"> Current non-drinker (AUDIT-C score = 0) Low risk of alcohol misuse (AUDIT-C score 1-4) High risk of alcohol misuse (AUDIT-C score >=5)
Value Domain	
 Used by	2 transactions, 0 templates, inherited 0 times

 if AUDIT-C score >=5

prsb03-dataelement-12507

Id	prsb03-dataelement-12507 (2019-10-29 17:08:20)
Description	Populate this section if the AUDIT-C score is >=5.
 Used by	2 transactions, 0 templates, inherited 0 times

 AUDIT questionnaire

prsb03-dataelement-12509

Id	prsb03-dataelement-12509 (2019-10-29 17:10:47)
Description	Alcohol use disorder identification test (AUDIT) questionnaire
Operationalization	<p>SNOMED-CT coded.</p> <p>Please note the codes in this section are still under review by NHS Digital and may change (24-05-2018). Any changes will be reflected (and highlighted) in GMS contract changes 2018/19 guidance and audit requirements (NHS Employers). www.nhsemployers.org/gms201819</p> <p>Assessment using alcohol use disorders identification [SNOMED-CT::450760003]</p> <p>Alcohol use disorders identification test [SNOMED-CT::273265007]</p>

Alcohol Use Disorders Identification Test declined [SNOMED-CT::922471000000101]

Value Domain



Inability to stop

prsb03-dataelement-12511

Id prsb03-dataelement-12511 (2019-10-29 17:17:08)

Description

How often during the last year have you found that you were not able to stop drinking once you had started?

Operationalization

0: Never [Never, in the past year.]

1: Less than Monthly [Less than monthly, during the past year.]

2: Monthly [Monthly, during the past year.]

3: Weekly [Weekly, during the past year.]

4: Daily or Almost Daily [Daily, or almost daily, during the past year.]

Value Domain



Used by

2 transactions, 0 templates, inherited 0 times



Failed expectations

prsb03-dataelement-12512

Id prsb03-dataelement-12512 (2019-10-29 17:18:25)

Description

How often during the last year have you failed to do what was normally expected of you because of drinking?

Value
Domain

Used by 2 transactions, 0 templates, inherited 0 times



Morning drinking

prsb03-dataelement-12513

Id prsb03-dataelement-12513 (2019-10-29 17:19:40)

Description

How often during the last year have you needed a first drink in the morning to get yourself going after a heavy drinking session?

Operationalization

0: Never [Never, in the past year.]

1: Less than Monthly [Less than monthly, during the past year.]

2: Monthly [Monthly, during the past year.]

3: Weekly [Weekly, during the past year.]

4: Daily or Almost Daily [Daily, or almost daily, during the past year.]

Value Domain

⌚ Used by 2 transactions, 0 templates, inherited 0 times



Guilt/remorse

prsb03-dataelement-12514

Id prsb03-dataelement-12514 (2019-10-29 17:21:13)

Description How often during the last year have you had a feeling of guilt or remorse after drinking?

Operationalization

0: Never [Never, in the past year.]

1: Less than Monthly [Less than monthly, during the past year.]

2: Monthly [Monthly, during the past year.]

3: Weekly [Weekly, during the past year.]

4: Daily or Almost Daily [Daily, or almost daily, during the past year.]

Value Domain

⌚ Used by 2 transactions, 0 templates, inherited 0 times



Loss of memory

prsb03-dataelement-12515

Id prsb03-dataelement-12515 (2019-10-29 17:22:19)

Description How often during the last year have you been unable to remember what happened the night before because of your drinking?

Operationalization

0: Never [Never, in the past year.]

1: Less than Monthly [Less than monthly, during the past year.]

2: Monthly [Monthly, during the past year.]

3: Weekly [Weekly, during the past year.]

4: Daily or Almost Daily [Daily, or almost daily, during the past year.]

Value Domain

⌚ Used by 2 transactions, 0 templates, inherited 0 times



Injuries

prsb03-dataelement-12516

Id	prsb03-dataelement-12516 (2019-10-29 17:23:40)
Description	Have you or someone else been injured because of your drinking?
Operationalization	<p>0: No [No occurrence.]</p> <p>2: Yes, but not in the last year. [Yes, this has occurred, but not in the last year.]</p> <p>4: Yes, during the last year. [Yes this has occurred during the last year.]</p>
Value Domain	
_USED_BY_	2 transactions, 0 templates, inherited 0 times

prsb03-dataelement-12517

Id	prsb03-dataelement-12517 (2019-10-29 17:27:36)
Description	Has a relative, friend, doctor, or other health care worker been concerned about your drinking or suggested you cut down?
Value Domain	
USED_BY	2 transactions, 0 templates, inherited 0 times

prsb03-dataelement-12518

Id	prsb03-dataelement-12518 (2019-10-29 17:32:10)
Description	AUDIT total score calculated from the 10 AUDIT questions.
Operationalization	<p>SNOMED-CT coded with associated value calculated from the 10 AUDIT questions.</p> <p>Please note the codes in this section are still under review by NHS Digital and may change (24-05-2018). Any changes will be reflected (and highlighted) in GMS contract changes 2018/19 guidance and audit requirements (NHS Employers). www.nhsemployers.org/gms201819</p> <p>Alcohol use disorders identification test score [SNOMED-CT::443280005]</p> <p>And add a value to a field associated with the code to record the score. The score are as follows:</p> <ul style="list-style-type: none"> • 0–7 indicates sensible or lower risk drinking • 8–15 indicates increasing risk drinking • 16–19 indicates higher risk drinking

- 20 and over indicates possible alcohol dependence

Value Domain

 Used by 2 transactions, 0 templates, inherited 0 times

  Medications and medical devices

prsb03-dataelement-12526

Id prsb03-dataelement-12526 (2019-11-04 14:00:57)

Concept inherits from  prsb03-dataelement-636 (2018-10-31)

Description Medications and medical devices

  Medication administration record entry

prsb03-dataelement-12527

Id prsb03-dataelement-12527 (2019-11-04 14:01:34)

Concept inherits from  prsb03-dataelement-12483 (2019-07-03 12:24:36)

Description Each entry holds details of medications administered

  Medication name

prsb03-dataelement-12528

Id prsb03-dataelement-12528 (2019-11-04 14:01:34)

Concept inherits from  prsb03-dataelement-12484 (2019-07-03 12:27:06)

Description May be generic name or brand name.

2.1.308 Properties

MedicationStatement.medication[x].medication CodableConcept

FHIR MedicationStatement.medication[x].medicationReference (see Medication) (Systems should send as much details as they can. dm+d code can be sent as a simple code/description pair using CodeableConcept, or as a detailed medication record)

  Route

prsb03-dataelement-12529

Id prsb03-dataelement-12529 (2019-11-04 14:01:34)

Concept inherits from  prsb03-dataelement-12485 (2019-07-03 12:28:40)

Description The route by which the medication is administered e.g. oral, IM, IV

2.1.309 Properties

FHIR MedicationStatement.dosage.route

 Dose administered

prsb03-dataelement-12530

Id	prsb03-dataelement-12530 (2019-11-04 14:01:34)
Concept inherits from	 prsb03-dataelement-12487 (2019-07-03 12:35:08)
Description	The quantity and units of medication administered
Operationalization	Free text. The quantity and units administered
Value Domain	

 Administration date and time

prsb03-dataelement-12531

Id	prsb03-dataelement-12531 (2019-11-04 14:01:34)
Concept inherits from	 prsb03-dataelement-12486 (2019-07-03 12:28:41)
Description	The date and time when the medication was administered.
Operationalization	Date and time
Value Domain	

Property

Timestamp precision

at least day, month and year

  Medication item entry

prsb03-dataelement-12532

Id	prsb03-dataelement-12532 (2019-11-04 14:01:34)
Concept inherits from	 prsb03-dataelement-10663 (2018-11-13 15:56:21)
Description	All medications and devices that can be prescribed to be entered via this Medication item entry. Handles details of continuation / addition / amendment of admission medications.

  Medication item cluster

prsb03-dataelement-12533

Id	prsb03-dataelement-12533 (2019-11-04 14:01:34)
Concept inherits from	 prsb03-dataelement-10664 (2018-11-13 16:25:51)
Description	Medication item cluster

 Date

prsb03-dataelement-12534

Id	prsb03-dataelement-12534 (2019-11-04 14:01:34)
Concept inherits from	 prsb03-dataelement-10843 (2019-03-27 16:59:52)
Description	The date on which the medication or medical device was prescribed.
Operationalization	Date and time
Value Domain	

Property	Timestamp precision	
	at least day, month and year, hour and minute	
📁🟡 Location		prsb03-dataelement-12535
Id	prsb03-dataelement-12535 (2019-11-04 14:01:34)	
Concept inherits from	🟡 <i>prsb03-dataelement-10844</i> (2019-03-27 17:01:20)	
Description	The location where the medication or the medical device was prescribed.	
🟡 Performing professional		prsb03-dataelement-12536
Id	prsb03-dataelement-12536 (2019-11-04 14:01:34)	
Concept inherits from	🔵 <i>prsb03-dataelement-10845</i> (2019-03-27 17:01:47)	
Description	Details of the professional prescribing the medication or medical device.	
Value Domain		
📁🟡 Performing professional		prsb03-dataelement-12537
Id	prsb03-dataelement-12537 (2019-11-04 14:01:34)	
Concept inherits from	🟡 <i>prsb03-dataelement-12002</i> (2019-05-31 15:12:28)	
Description	The professional who prescribed the medication or medical device.	
Relationship	Performing professional (<i>prsb03-dataelement-11281</i> - 2019-05-30 11:53:30)	
🟡 Name		prsb03-dataelement-12538
Id	prsb03-dataelement-12538 (2019-11-04 14:01:34)	
Concept inherits from	🟡 <i>prsb03-dataelement-12003</i> (2019-05-31 15:12:48)	
Description	The name of the professional.	
Rationale	Practitioner.name	
Operationalization	Free text.	
Value Domain		
Property	max length	
	70	
🟡 Role		prsb03-dataelement-12539
Id	prsb03-dataelement-12539 (2019-11-04 14:01:34)	

Concept inherits from

 prsb03-dataelement-12004 (2019-05-31 15:12:48)

Description

The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc

Rationale

Practitioner.PractitionerRole.code

Operationalization

FHIR value set :- SDSjobroletype

Value Domain



Grade

prsb03-dataelement-12540

Id

prsb03-dataelement-12540 (2019-11-04 14:01:34)

Concept inherits from

 prsb03-dataelement-12005 (2019-05-31 15:12:48)

Description

The grade of the professional.

Rationale

PractitionerRole.code

Operationalization

Free text

Value Domain

Property

max length

150



Speciality

prsb03-dataelement-12541

Id

prsb03-dataelement-12541 (2019-11-04 14:01:34)

Concept inherits from

 prsb03-dataelement-12006 (2019-05-31 15:12:48)

Description

The specialty of the professional e.g. physiotherapy, oncology, mental health etc

Rationale

PractitionerRole.speciality

Operationalization

NHS data dictionary - Activity treatment function code

Value Domain

Property

max length

3



Professional identifier

prsb03-dataelement-12542

Id

prsb03-dataelement-12542 (2019-11-04 14:01:34)

Concept inherits from

 prsb03-dataelement-12007 (2019-05-31 15:12:48)

Description

Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary : - Professional registration identifier

Value Domain

Property

max length

32



Organisation

prsb03-dataelement-12543

Id prsb03-dataelement-12543 (2019-11-04 14:01:34)

Concept inherits from prsb03-dataelement-12008 (2019-05-31 15:12:48)

Description The name of the organisation the professional works for.



Contact details

prsb03-dataelement-12544

Id prsb03-dataelement-12544 (2019-11-04 14:01:34)

Concept inherits from prsb03-dataelement-12009 (2019-05-31 15:12:48)

Description Contact details of the professional

Rationale Practitioner.telecom
PractitionerRole.telecom
Organisation.telcom

Operationalization NHS data dictionary - UK phone number

Value Domain

Property

max length

35



Medication name

prsb03-dataelement-12545

Id prsb03-dataelement-12545 (2019-11-04 14:01:34)

Concept inherits from prsb03-dataelement-10536 (2018-10-31)

Description May be generic name or brand name.

2.1.310 Properties

MedicationStatement.medication[x].medication CodableConcept

FHIR MedicationStatement.medication[x].medicationReference (see Medication) (Systems should send as much details as they can. dm+d code can be sent as a simple code/description pair using CodeableConcept, or as a detailed medication record)



Form

prsb03-dataelement-12546

Id	prsb03-dataelement-12546 (2019-11-04 14:01:34)
Concept inherits from	 prsb03-dataelement-10537 (2018-10-31)
Description	The form of the medication e.g. capsule, drops, tablet, lotion etc.

2.1.311 Properties

FHIR MedicationStatement.medication[x].medicationReference.medication.form (i.e. form is on the medication profile). Where VTM has form specified (coded) it goes here AMP & VMP don't need separate Form (it is optional to populate) For VTM the form could be in MedicationStatement.dosage.text (as it would be part of a dosage string) i.e. not a separately specified code



Quantity supplied

prsb03-dataelement-12547

Id	prsb03-dataelement-12547 (2019-11-04 14:01:34)
Concept inherits from	 prsb03-dataelement-10539 (2018-10-31)
Description	The quantity of the medication (e.g. tablets, inhalers, etc.) provided to the person. This may be dispensed by the pharmacy or on the ward. Record in a structured format i.e. value and a unit

2.1.312 Properties

FHIR MedicationStatement.quantityDispensed (Amount of medication to supply per dispense) quantity (as a valueQuantity) - Mandatory quantityText (as a valueString) - Mandatory

Operationalization Free text



Route

prsb03-dataelement-12548

Id	prsb03-dataelement-12548 (2019-11-04 14:01:34)
Concept inherits from	 prsb03-dataelement-10538 (2018-10-31)
Description	The route by which the medication is administered e.g. oral, IM, IV

2.1.313 Properties

FHIR MedicationStatement.dosage.route



Site

prsb03-dataelement-12549

Id	prsb03-dataelement-12549 (2019-11-04 14:01:34)
Concept inherits from	 prsb03-dataelement-10540 (2018-10-31)
Description	The anatomical site at which the medication is to be administered.

2.1.314 Properties

FHIR MedicationStatement.dosage.site

Method	prsb03-dataelement-12550
--------	--------------------------

Id	prsb03-dataelement-12550 (2019-11-04 14:01:34)
Concept inherits from	<i>prsb03-dataelement-10541</i> (2018-10-31)
Description	The technique or method by which the medication is to be administered.

2.1.315 Properties

FHIR MedicationStatement.dosage.method

Dose directions description	prsb03-dataelement-12551
-----------------------------	--------------------------

Id	prsb03-dataelement-12551 (2019-11-04 14:01:34)
Concept inherits from	<i>prsb03-dataelement-10544</i> (2018-10-31)
Description	Describes the entire medication dosage and administration directions including dose quantity and medication frequency and optionally duration e.g. "1 tablet at night" or "2mg at 10pm".

2.1.316 Properties

FHIR MedicationStatement.dosage.text

Operationalization Free text

Value Domain

Property	max length
	150

Dose amount description	prsb03-dataelement-12552
-------------------------	--------------------------

Id	prsb03-dataelement-12552 (2019-11-04 14:01:34)
Concept inherits from	<i>prsb03-dataelement-10542</i> (2018-10-31)
Description	A description of the medication single dose amount e.g. "30 mg" or "2 tabs".

2.1.317 Properties

FHIR MedicationStatement.dosage.text

Operationalization Free text

Value Domain

Dose timing description	prsb03-dataelement-12553
-------------------------	--------------------------

Id	prsb03-dataelement-12553 (2019-11-04 14:01:34)
----	--

Concept inherits from	 prsb03-dataelement-10543 (2018-10-31)
Description	A description of the frequency of taking or administration of a medication dose. e.g. "Twice a day", "At 8am, 2pm and 10pm".

2.1.318 Properties

FHIR MedicationStatement.dosage.timing [a complex data type that holds lots of timing formats]

Operationalization Free text

Value Domain

 Parsable dose directions	prsb03-dataelement-12554
--	--------------------------

Id prsb03-dataelement-12554 (2019-11-04 14:01:34)

Concept inherits from  prsb03-dataelement-10552 (2018-10-31)

Description A parsable 'dose syntax' which carries dose strength, dose timing, dose duration and maximum dose information, e.g. "20-30mg ^4/6h prn [180mg /24h]" = 20 to 30 mgs, up to 4-6 hourly as required. Maximum 180mg in 24 hours. The 'as required reason' e.g. 'for pain' should be carried in the Additional Instruction element. Note that this is generally a symptom and is not the same as the Indication which will usually describe a diagnosis or condition. Where supported, this would generally be used to exchange dosage information between systems, while Structured dose directions are likely to be used only within openEHR-based systems

Value Domain

Property

max length

150

  Structured dose direction cluster	prsb03-dataelement-12555
---	--------------------------

Id prsb03-dataelement-12555 (2019-11-04 14:01:34)

Concept inherits from  prsb03-dataelement-11639 (2019-05-30 17:40:22)

Description A structural representation of the elements carried by the dose syntax in 'parsable dose strength / timing' i.e. dose strength, dose timing, dose duration and maximum dose.

 Structured dose direction	prsb03-dataelement-12556
---	--------------------------

Id prsb03-dataelement-12556 (2019-11-04 14:01:34)

Concept inherits from  prsb03-dataelement-10553 (2018-10-31)

Description A structural representation of the elements carried by the dose syntax in 'parsable dose strength / timing' i.e. dose strength, dose timing, dose duration and maximum dose.

Operationalization As per FHIR Dose Syntax Implementation Guidance (NHS Digital):
<https://developer.nhs.uk/apis/dose-syntax-implementation/>

Value Domain

 Structured dose amount	prsb03-dataelement-12557
--	--------------------------

Id prsb03-dataelement-12557 (2019-11-04 14:01:34)

Concept inherits from  prsb03-dataelement-10554 (2018-10-31)

Description A structural representation of dose amount, e.g. 20mg or 2 tablets. This element will generally only be used when persisting data within systems with 'parsable dose directions' being used to exchange the same information between systems.

Operationalization As per FHIR Dose Syntax Implementation Guidance (NHS Digital): <https://simplifier.net/guide/DoseSyntaxImplementationGuidanceforFHIRR4/Home>

Value Domain

 Structured dose timing	prsb03-dataelement-12558
--	--------------------------

Id prsb03-dataelement-12558 (2019-11-04 14:01:34)

Concept inherits from  prsb03-dataelement-10555 (2018-10-31)

Description A slot containing a structural, computable representation of dose timing and maximum dose. This element will generally only be used when persisting data within systems with 'parsable dose directions' being used to exchange the same information between systems.

Operationalization As per FHIR Dose Syntax Implementation Guidance (NHS Digital): <https://simplifier.net/guide/DoseSyntaxImplementationGuidanceforFHIRR4/Home>

Value Domain

 Dose direction duration	prsb03-dataelement-12559
---	--------------------------

Id prsb03-dataelement-12559 (2019-11-04 14:01:34)

Concept inherits from  prsb03-dataelement-10548 (2018-10-31)

Description Recommendation of the time period for which the medication should be continued, including direction not to discontinue.

2.1.319 Properties

For coded information use MedicationStatement.dosage.additionalInstruction If no codes exist use MedicationStatement.dosage.additionalInstruction CodeableConcept.text Duration goes in FHIR MedicationStatement.effective[x].effectivePeriod 12/01/2018 MS.dosage.timing.bounds create another option "boundsCodeableConcept" to hold Continue Indef; Do not disconue; Stop When course complete MS.dosage.timing.bounds.duration to hold the duration For primary care always in dosage string

Operationalization As per FHIR Dose Syntax Implementation Guidance (NHS Digital): <https://simplifier.net/guide/DoseSyntaxImplementationGuidanceforFHIRR4/Home>

Value Domain

 Additional instructions	
---	--

prsb03-dataelement-12560

Id	prsb03-dataelement-12560 (2019-11-04 14:01:34)
Concept inherits from	 prsb03-dataelement-10545 (2018-10-31)
Description	Allows for: requirements for adherence support, e.g. compliance aids, prompts and packaging requirements, additional information about specific medicines e.g. where specific brand required, person requirements, e.g. unable to swallow tablets.

2.1.320 Properties

Specific patient instruction use MedicationStatement.dosage.patientInstruction For narrative instructions FHIR (e.g. monitoring, pain, prevention) use MedicationStatement.note For dispensing instructions (EPS narrative) use MedicationRequest.note (intent "order" or "plan")

Operationalization FHIR value set : - Additional instruction

Value Domain

 Request for advice
prsb03-dataelement-12561

Id	prsb03-dataelement-12561 (2019-11-04 14:01:34)
Concept inherits from	 prsb03-dataelement-10559 (2018-10-31)
Description	Request for advice and recommendation about medication
Operationalization	Free text
Value Domain	

Property	max length
	150

 Person completing record
prsb03-dataelement-12562

Id prsb03-dataelement-12562 (2019-11-04 14:01:34)

Concept inherits from  prsb03-dataelement-10961 (2019-05-18 21:23:41)

Description This is the person recording the medication.

Should include their name, role, grade, specialty, organisation, professional identifier, date and time completed, contact details

Relationship Person completing record (*prsb03-dataelement-10860 - 2019-03-27 17:46:45*)

Operationalization Free text. Name, Role, Grade, Specialty, Organisation, Professional identifier, Date and time completed, Contact details

Value Domain

 Course details cluster
prsb03-dataelement-12563

Id prsb03-dataelement-12563 (2019-11-04 14:01:34)

Concept inherits from  *prsb03-dataelement-10561* (2018-10-31)

Description Details of the overall course of medication.

 Course status

prsb03-dataelement-12564

Id prsb03-dataelement-12564 (2019-11-04 14:01:34)

Concept inherits from  *prsb03-dataelement-10666* (2018-11-13 16:47:55)

Description The status of this prescription.

Operationalization FHIR value set : - Medication status

Value Domain

 Indication

prsb03-dataelement-12565

Id prsb03-dataelement-12565 (2019-11-04 14:01:34)

Concept inherits from  *prsb03-dataelement-10546* (2018-10-31)

Description Reason for medication being prescribed, where known.

2.1.321 Properties

FHIR MedicationStatement.reasonCode

Operationalization Free text

Value Domain

Property

max length

150

 Start date/time

prsb03-dataelement-12566

Id prsb03-dataelement-12566 (2019-11-04 14:01:34)

Concept inherits from  *prsb03-dataelement-10667* (2018-11-13 16:49:22)

Description The date and/or time that the medication course should begin.

Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute

 End date/time

prsb03-dataelement-12567

Id	prsb03-dataelement-12567 (2019-11-04 14:01:34)
Concept inherits from	 prsb03-dataelement-10557 (2018-10-31)
Description	The date and/or time that the medication course should finish.
Operationalization	Date and time
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>

 Link to indication record	prsb03-dataelement-12568
---	--------------------------

Id	prsb03-dataelement-12568 (2019-11-04 14:01:34)
Concept inherits from	 prsb03-dataelement-10668 (2018-11-13 16:59:09)
Description	A link to the record which contains the indication for this medication order.
Operationalization	Free text with URL
Value Domain	
Property	<p style="text-align: center;">max length</p> <p>150</p>

 Comment/recommendation	prsb03-dataelement-12569
--	--------------------------

Id	prsb03-dataelement-12569 (2019-11-04 14:01:34)
Concept inherits from	 prsb03-dataelement-10547 (2018-10-31)
Description	Suggestions about duration and/or review, ongoing monitoring requirements, advice on starting, discontinuing or changing medication. Additional comment or recommendation about the medication course e.g. 'Patient named supply', 'unlicensed medication', 'Foreign brand' or monitoring recommendations

2.1.322 Properties

FHIR [JH] This will be dropped from the PRSB information model, as conflicts with description above

Operationalization Free text

Value Domain

Property	<p style="text-align: center;">max length</p> <p>150</p>
----------	---

 Medication change summary cluster	prsb03-dataelement-12570
---	--------------------------

Id	prsb03-dataelement-12570 (2019-11-04 14:01:34)
----	--

Concept inherits from	 prsb03-dataelement-10568 (2018-10-31)
Description	Records the changes made to medication.
 Status	prsb03-dataelement-12571
Id	prsb03-dataelement-12571 (2019-11-04 14:01:34)
Concept inherits from	 prsb03-dataelement-10669 (2018-11-13 17:00:50)
Description	The nature of any change made to the medication.
Operationalization	FHIR value set : Medication status
Value Domain	
 Indication	prsb03-dataelement-12572
Id	prsb03-dataelement-12572 (2019-11-04 14:01:34)
Concept inherits from	 prsb03-dataelement-10670 (2018-11-13 17:02:07)
Description	Reason for change in medication, e.g. sub-therapeutic dose, person intolerant.
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> max length 150 </div>
 Date of change	prsb03-dataelement-12573
Id	prsb03-dataelement-12573 (2019-11-04 14:01:34)
Concept inherits from	 prsb03-dataelement-10671 (2018-11-13 17:03:03)
Description	The date of the change - addition, or amendment
Operationalization	Date and time
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> Timestamp precision at least day, month and year, hour and minute </div>
 Description of amendment	prsb03-dataelement-12574
Id	prsb03-dataelement-12574 (2019-11-04 14:01:34)
Concept inherits from	 prsb03-dataelement-10672 (2018-11-13 17:03:42)
Description	Where a change is made to the medication i.e. one drug stopped and another started or eg dose, frequency or route is changed.

Operationalization Free text

Value Domain

Property

max length

150

Total dose daily quantity

prsb03-dataelement-12575

Id prsb03-dataelement-12575 (2019-11-04 14:01:34)

Concept inherits from  prsb03-dataelement-10665 (2018-11-13 16:44:41)

Description The total daily dose of this medication. This is helpful for estimating optimal adherence to dosing guidance. It may be computed from product/dose strength and frequency or entered manually.

Operationalization Free text

Value Domain

Person completing record

prsb03-dataelement-12576

Id prsb03-dataelement-12576 (2019-11-04 14:01:34)

Concept inherits from  prsb03-dataelement-11993 (2019-05-31 15:11:27)

Description Details of the person completing the record.

Relationship Person completing record (*prsb03-dataelement-319 - 2018-10-31*)

Name

prsb03-dataelement-12577

Id prsb03-dataelement-12577 (2019-11-04 14:01:34)

Concept inherits from  prsb03-dataelement-11994 (2019-05-31 15:12:02)

Description The name of the person completing the record.

Relationship Name (*prsb03-dataelement-10219 - 2018-10-31*)

Rationale Composition.author.Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70

Role

prsb03-dataelement-12578

Id prsb03-dataelement-12578 (2019-11-04 14:01:34)

Concept inherits from	 prsb03-dataelement-11995 (2019-05-31 15:12:02)
Description	The organisational role of the person completing record.

2.1.323 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship	Role (<i>prsb03-dataelement-10220 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobrole
Value Domain	

 Grade	prsb03-dataelement-12579
---	--------------------------

Id	prsb03-dataelement-12579 (2019-11-04 14:01:34)
Concept inherits from	 prsb03-dataelement-11996 (2019-05-31 15:12:02)
Description	The grade of the person completing the record.
Relationship	Grade (<i>prsb03-dataelement-10221 - 2018-10-31</i>)
Rationale	PractitionerRole.code
Operationalization	Free text.
Value Domain	

Property	 max length
	150

 Specialty	prsb03-dataelement-12580
---	--------------------------

Id	prsb03-dataelement-12580 (2019-11-04 14:01:34)
Concept inherits from	 prsb03-dataelement-11997 (2019-05-31 15:12:02)
Description	The main specialty of the person completing the record.

2.1.324 Properties

FHIR PractitionerRole.specialty

Relationship	Specialty (<i>prsb03-dataelement-10222 - 2018-10-31</i>)
Rationale	PractitionerRole.specialty
Operationalization	NHS data dictionary :- Activity treatment function code
Value Domain	

Property	 max length
----------	--

  Organisation

prsb03-dataelement-12581

Id	prsb03-dataelement-12581 (2019-11-04 14:01:34)
Concept inherits from	 <i>prsb03-dataelement-11998</i> (2019-05-31 15:12:02)
Description	The organisation the person completing the record works for.
Relationship	Organisation (<i>prsb03-dataelement-10226 - 2018-10-31</i>)

 Professional identifier

prsb03-dataelement-12582

Id	prsb03-dataelement-12582 (2019-11-04 14:01:34)
Concept inherits from	 <i>prsb03-dataelement-11999</i> (2019-05-31 15:12:02)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.325 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship	Professional identifier (<i>prsb03-dataelement-10223 - 2018-10-31</i>)
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary :- Professional registration identifier
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 2px; display: inline-block;">max length</div> <div style="text-align: center;">32</div>

 Date completed

prsb03-dataelement-12583

Id	prsb03-dataelement-12583 (2019-11-04 14:01:34)
Concept inherits from	 <i>prsb03-dataelement-12000</i> (2019-05-31 15:12:02)
Description	The date and time the record was completed.
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)
Rationale	Composition.date
Operationalization	Date and time.
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 2px; display: inline-block;">Timestamp precision</div>

at least day, month and year, hour and minute

Contact details

prsb03-dataelement-12584

Id	prsb03-dataelement-12584 (2019-11-04 14:01:34)
Concept inherits from	 <i>prsb03-dataelement-12001</i> (2019-05-31 15:12:02)
Description	Contact details of the person completing the record.

2.1.326 Properties

FHIR	PractitionerRole.telecom		
Relationship	Contact details (<i>prsb03-dataelement-10225</i> - 2018-10-31)		
Rationale	Practitioner:telecom PractitionerRole:telecom Organisation.telcom		
Operationalization	NHS data dictionary : - UK telephone number		
Value Domain			
Property	<table> <tr> <td>max length</td> </tr> <tr> <td>35</td> </tr> </table>	max length	35
max length			
35			

Medication discontinued entry

prsb03-dataelement-12585

Id	prsb03-dataelement-12585 (2019-11-04 14:01:34)
Concept inherits from	 <i>prsb03-dataelement-10576</i> (2018-10-31)
Description	Medication discontinued entry

Name of discontinued medication

prsb03-dataelement-12586

Id	prsb03-dataelement-12586 (2019-11-04 14:01:34)
Concept inherits from	 <i>prsb03-dataelement-10577</i> (2018-10-31)
Description	The name of the medication or medical device being discontinued

Status

prsb03-dataelement-12587

Id	prsb03-dataelement-12587 (2019-11-04 14:01:34)
Concept inherits from	 <i>prsb03-dataelement-12472</i> (2019-06-25 11:42:23)
Description	The status of any change made to the medication. MUST CONTAIN STOPPED.
Operationalization	FHIR value set: - Medication status

Value Domain

 Status	prsb03-dataelement-12588
--	--------------------------

Id

prsb03-dataelement-12588 (2019-11-04 14:01:34)

Concept inherits from

 prsb03-dataelement-10578 (2018-10-31)

Description

The nature of any change made to the medication.

Operationalization

Free text

Value Domain

 Indication	prsb03-dataelement-12589
--	--------------------------

Id

prsb03-dataelement-12589 (2019-11-04 14:01:34)

Concept inherits from

 prsb03-dataelement-10579 (2018-10-31)

Description

The clinical indication for any changes in medication status

Operationalization

Free text

Value Domain

Property

max length

150

 Date of change	prsb03-dataelement-12590
--	--------------------------

Id

prsb03-dataelement-12590 (2019-11-04 14:01:34)

Concept inherits from

 prsb03-dataelement-10580 (2018-10-31)

Description

The date of the discontinuation

Operationalization

Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute

 Description of amendment	prsb03-dataelement-12591
--	--------------------------

Id

prsb03-dataelement-12591 (2019-11-04 14:01:34)

Concept inherits from

 prsb03-dataelement-10581 (2018-10-31)

Description

A description of any amendment

Operationalization

Free text

Value Domain

Property

max length

150



Comment

prsb03-dataelement-12592

Id

prsb03-dataelement-12592 (2019-11-04 14:01:34)

Concept inherits from

prsb03-dataelement-10582 (2018-10-31)

Description

Any additional comment about the discontinuation or amendment.

Operationalization

Free text

Value Domain

Property

max length

150



Medical devices entry

prsb03-dataelement-12593

Id

prsb03-dataelement-12593 (2019-11-04 14:01:34)

Concept inherits from

prsb03-dataelement-10583 (2018-10-31)

Description

Medical devices



Medical device

prsb03-dataelement-12594

Id

prsb03-dataelement-12594 (2019-11-04 14:01:34)

Concept inherits from

prsb03-dataelement-10673 (2018-11-13 17:10:15)

Description

Any medical device that isn't prescribed.

Operationalization

Free text

Value Domain

Property

max length

150



Comments

prsb03-dataelement-12595

Id

prsb03-dataelement-12595 (2019-11-04 14:01:34)

Concept inherits from

prsb03-dataelement-11280 (2019-05-29 17:47:02)

Description

Any information regarding the medical device.

Operationalization

Free text

Value Domain

Property

max length

150



Performing Professional

prsb03-dataelement-12596

Id

prsb03-dataelement-12596 (2019-11-04 14:01:34)

Concept inherits from

prsb03-dataelement-10549 (2018-10-31)

Description

Details of the professional administering the Medication (including name and role)

Value Domain



Location

prsb03-dataelement-12597

Id

prsb03-dataelement-12597 (2019-11-04 14:01:34)

Concept inherits from

prsb03-dataelement-10550 (2018-10-31)

Description

Details of where the Medication was administered

Value Domain



Date

prsb03-dataelement-12598

Id

prsb03-dataelement-12598 (2019-11-04 14:01:34)

Concept inherits from

prsb03-dataelement-10551 (2018-10-31)

Description

The date on which the Medication was administered

Value Domain



Start date/time

prsb03-dataelement-12599

Id

prsb03-dataelement-12599 (2019-11-04 14:01:34)

Concept inherits from

prsb03-dataelement-10556 (2018-10-31)

Description

The date and/or time that the medication course should begin.

Value Domain



Authorised date

prsb03-dataelement-12600

Id

prsb03-dataelement-12600 (2019-11-04 14:01:34)

Concept inherits from

prsb03-dataelement-10558 (2018-10-31)

Description

Date prescriber created prescription

Operationalization

Date and Time

Value Domain



Valid from date

prsb03-dataelement-12601

Id

prsb03-dataelement-12601 (2019-11-04 14:01:34)

Concept inherits from

prsb03-dataelement-10560 (2018-10-31)


Description

Date the prescription can be issued from. Valid for 6 months

Operationalization

Date and Time

Value Domain



Repeat medications

prsb03-dataelement-12602

Id

prsb03-dataelement-12602 (2019-11-04 14:01:34)

Concept inherits from

prsb03-dataelement-10585 (2018-10-31)

Description

This is the sub-section where all repeat medications within a specific period are recorded



For medications that have been changed

prsb03-dataelement-12603

Id

prsb03-dataelement-12603 (2019-11-04 14:01:34)

Concept inherits from

prsb03-dataelement-10607 (2018-10-31)

Description

i.e. additions, amendments and discontinued, in addition to the above, also record: is the sub-section where all current repeat medications are recorded.



•Prescribed elsewhere

prsb03-dataelement-12604

Id


prsb03-dataelement-12604 (2019-11-04 14:01:34)

Concept inherits from

prsb03-dataelement-10629 (2018-10-31)

Description

Prescribed elsewhere: Medication managed by another organisation



Number of alcohol units consumed per week

prsb03-dataelement-12519

Id

prsb03-dataelement-12519 (2019-10-29 17:43:43)


Description

The number of alcohol units consumed by the patient per week.

Operationalization

Integer (0 to n)

Value Domain



History of heavy alcohol use

prsb03-dataelement-12520

Id	prsb03-dataelement-12520 (2019-10-29 17:45:50)
Description	Whether the patient reports a history of heavy alcohol use in the past.
Operationalization	<p>History of heavy alcohol use</p> <p>No history of heavy alcohol use</p> <p>Not known</p>
Value Domain	
Information and advice given	 prsb03-dataelement-12521
Id	prsb03-dataelement-12521 (2019-10-29 17:47:52)
Description	Record of whether brief advice about alcohol use was offered and/or given.
2.1.327 Properties	
FHIR	Free text only
Relationship	Information and advice given (<i>prsb03-dataelement-10215 - 2018-10-31</i>)
Operationalization	<p>SNOMED-CT coded.</p> <p>Please note the codes in this section are still under review by NHS Digital and may change (24-05-2018). Any changes will be reflected (and highlighted) in GMS contract changes 2018/19 guidance and audit requirements (NHS Employers). www.nhsemployers.org/gms201819</p> <p>Brief intervention for excessive alcohol consumption completed [SNOMED-CT::366371000000105]</p> <p>Brief intervention for excessive alcohol consumption declined [SNOMED-CT::379411000000105]</p>
Value Domain	
Referral details	 prsb03-dataelement-12522
Id	prsb03-dataelement-12522 (2019-10-29 17:49:43)
Description	Record of whether referral to alcohol support services was offered and/or made.
Relationship	Referral details (<i>prsb03-dataelement-12508 - 2019-10-29 17:08:47</i>)
Operationalization	Free text and coded form (SNOMED CT).

Please note the codes in this section are still under review by NHS Digital and may change (24-05-2018). Any changes will be reflected (and highlighted) in GMS contract changes 2018/19 guidance and audit requirements (NHS Employers). www.nhsemployers.org/gms201819

Referral to specialist alcohol treatment service [SNOMED-CT::431260004]

Declined referral to specialist alcohol treatment service [SNOMED-CT::380861000000109]

Declined referral to specialist alcohol treatment service [SNOMED-CT::781191000000101]

Referral to specialist alcohol treatment service declined by patient [SNOMED-CT::442444001]

Value Domain



Comment

prsb03-dataelement-12523

Id

prsb03-dataelement-12523 (2019-10-29 17:52:11)

Description

Additional information about alcohol use or its management not captured in other fields.

Operationalization Free text

Value Domain



Services and care

prsb03-dataelement-10044

Id

prsb03-dataelement-10044 (2018-10-31)

Description

The services and care provided for the person.



Services and care record entry

prsb03-dataelement-12421

Id

prsb03-dataelement-12421 (2019-06-11 16:55:24)

Description

This is a services and care record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.



Social care package name

prsb03-dataelement-12965

Id

prsb03-dataelement-12965 (2020-04-03 17:21:47)

Description

Name of specific type of package being provided (e.g. Reablement, Home Based Care XYZ, etc)

Operationalization Free text

Value Domain

Property

max length

150



Social care package type

prsb03-dataelement-12966

Id prsb03-dataelement-12966 (2020-04-03 17:25:36)

Description Higher level categorisation of package type, e.g. Adults Home Support

Operationalization Free text

Value Domain

Property

max length

150



Service provided

prsb03-dataelement-12448

Id prsb03-dataelement-12448 (2019-06-17 16:05:21)

Description Details of the service providing support for the person's health or well-being.


Operationalization Free text

Value Domain

Property

max length

150



Service start date

prsb03-dataelement-11834

Id prsb03-dataelement-11834 (2019-05-31 14:28:13)

Description The date service started to be provided.

Relationship Date (*prsb03-dataelement-11688 - 2019-05-31 11:50:22*)

Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Service end date

prsb03-dataelement-12420

Id prsb03-dataelement-12420 (2019-06-07 19:30:52)

Description The date the service is planned to be ended or the actual end date.

Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Local authority

prsb03-dataelement-11835

Id	prsb03-dataelement-11835 (2019-05-31 14:28:42)
Description	The name of the local authority providing the care package.
Relationship	Location (<i>prsb03-dataelement-11689 - 2019-05-31 11:51:04</i>)

 Coded value prsb03-dataelement-13566

Id	prsb03-dataelement-13566 (2020-09-04 18:45:25)				
Description	The coded value for local authority				
Operationalization	NHS data dictionary: - Organisation data service				
Value Domain					
Property	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50px; padding: 5px;">min length</td> <td style="width: 50px; padding: 5px;">max length</td> </tr> <tr> <td style="padding: 5px; text-align: center;">3</td> <td style="padding: 5px; text-align: center;">5</td> </tr> </table>	min length	max length	3	5
min length	max length				
3	5				

 Free text prsb03-dataelement-13567

Id	prsb03-dataelement-13567 (2020-09-04 18:46:37)		
Concept inherits from	 <i>prsb03-dataelement-13220 (2020-07-08 12:57:49)</i>		
Description	Free text field to be used if no code is available		
Operationalization	Free text		
Value Domain			
Property	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 100px; padding: 5px;">max length</td> </tr> <tr> <td style="padding: 5px; text-align: center;">150</td> </tr> </table>	max length	150
max length			
150			

 Care funding source prsb03-dataelement-13067

Id	prsb03-dataelement-13067 (2020-05-21 13:41:46)		
Concept inherits from	 <i>prsb03-dataelement-10410 (2018-10-31)</i>		
Description	A reference to the funding source and any conditions or limitations associated.		
Operationalization	Free text		
Value Domain			
Property	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 100px; padding: 5px;">max length</td> </tr> <tr> <td style="padding: 5px; text-align: center;">150</td> </tr> </table>	max length	150
max length			
150			

  Performing professional prsb03-dataelement-11836

Id	prsb03-dataelement-11836 (2019-05-31 14:29:23)
Description	The professional providing the service.
Relationship	Performing professional (<i>prsb03-dataelement-11281 - 2019-05-30 11:53:30</i>)
Operationalization	Free text

 Name	prsb03-dataelement-11837
--	--------------------------

Id	prsb03-dataelement-11837 (2019-05-31 14:29:41)		
Concept inherits from	 <i>prsb03-dataelement-11282 (2019-05-30 11:57:38)</i>		
Description	The name of the professional.		
Rationale	Practitioner.name		
Operationalization	Free text.		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>70</td> </tr> </table>	max length	70
max length			
70			

 Role	prsb03-dataelement-11838
---	--------------------------

Id	prsb03-dataelement-11838 (2019-05-31 14:29:41)
Concept inherits from	 <i>prsb03-dataelement-11283 (2019-05-30 11:58:48)</i>
Description	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc
Rationale	Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobroletype
Value Domain	

 Grade	prsb03-dataelement-11839
---	--------------------------

Id	prsb03-dataelement-11839 (2019-05-31 14:29:41)		
Concept inherits from	 <i>prsb03-dataelement-11288 (2019-05-30 12:19:40)</i>		
Description	The grade of the professional.		
Rationale	PractitionerRole.code		
Operationalization	Free text		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>150</td> </tr> </table>	max length	150
max length			
150			

 Speciality

prsb03-dataelement-11840

Id	prsb03-dataelement-11840 (2019-05-31 14:29:41)
Concept inherits from	 prsb03-dataelement-11284 (2019-05-30 12:01:15)
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc
Rationale	PractitionerRole.speciality
Operationalization	NHS data dictionary - Activity treatment function code
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 3 </div>

 Professional identifier

prsb03-dataelement-11841

Id	prsb03-dataelement-11841 (2019-05-31 14:29:41)
Concept inherits from	 prsb03-dataelement-11285 (2019-05-30 12:02:46)
Description	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.
Rationale	Practitioner.identifier (for professional national identifiers), PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary : - Professional registration identifier
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 32 </div>

  Organisation

prsb03-dataelement-11842

Id	prsb03-dataelement-11842 (2019-05-31 14:29:41)
Concept inherits from	 prsb03-dataelement-11286 (2019-05-30 12:17:19)
Description	The name of the organisation the professional works for.

 Contact details

prsb03-dataelement-11843

Id	prsb03-dataelement-11843 (2019-05-31 14:29:41)
Concept inherits from	 prsb03-dataelement-11287 (2019-05-30 12:18:13)
Description	Contact details of the professional
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom

Operationalization NHS data dictionary - UK phone number

Value Domain

Property

max length

35

Person completing record

prsb03-dataelement-11593

Id prsb03-dataelement-11593 (2019-05-30 14:59:53)

Concept inherits from  prsb03-dataelement-11289 (2019-05-30 12:24:39)

Description Details of the person completing the record.

Relationship Person completing record (*prsb03-dataelement-319 - 2018-10-31*)

Name

prsb03-dataelement-11594

Id prsb03-dataelement-11594 (2019-05-30 15:00:18)

Concept inherits from  prsb03-dataelement-11290 (2019-05-30 12:25:39)

Description The name of the person completing the record.

Relationship Name (*prsb03-dataelement-10219 - 2018-10-31*)

Rationale Composition.author.Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70

Role

prsb03-dataelement-11595

Id prsb03-dataelement-11595 (2019-05-30 15:00:18)

Concept inherits from  prsb03-dataelement-11291 (2019-05-30 12:25:39)

Description The organisational role of the person completing record.

2.1.328 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship Role (*prsb03-dataelement-10220 - 2018-10-31*)

Rationale Composition.author.PractitionerRole.code

Operationalization FHIR value set :- SDSjobrole

Value Domain



Grade

prsb03-dataelement-11596

Id	prsb03-dataelement-11596 (2019-05-30 15:00:18)
Concept inherits from	prsb03-dataelement-11292 (2019-05-30 12:25:39)
Description	The grade of the person completing the record.
Relationship	Grade (<i>prsb03-dataelement-10221 - 2018-10-31</i>)
Rationale	PractitionerRole.code
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 150 </div>



Specialty

prsb03-dataelement-11597

Id	prsb03-dataelement-11597 (2019-05-30 15:00:18)
Concept inherits from	prsb03-dataelement-11293 (2019-05-30 12:25:39)
Description	The main specialty of the person completing the record.

2.1.329 Properties

FHIR	PractitionerRole.specialty
Relationship	Specialty (<i>prsb03-dataelement-10222 - 2018-10-31</i>)
Rationale	PractitionerRole.speciality
Operationalization	NHS data dictionary :- Activity treatment function code
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 3 </div>



Organisation

prsb03-dataelement-11598

Id	prsb03-dataelement-11598 (2019-05-30 15:00:18)
Concept inherits from	prsb03-dataelement-11294 (2019-05-30 12:25:39)
Description	The organisation the person completing the record works for.
Relationship	Organisation (<i>prsb03-dataelement-10226 - 2018-10-31</i>)



Professional identifier

prsb03-dataelement-11599

Id	prsb03-dataelement-11599 (2019-05-30 15:00:18)
Concept inherits from	 prsb03-dataelement-11295 (2019-05-30 12:25:39)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.330 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship	Professional identifier (<i>prsb03-dataelement-10223 - 2018-10-31</i>)		
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)		
Operationalization	NHS data dictionary :- Professional registration identifier		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>32</td> </tr> </table>	max length	32
max length			
32			



Date completed

prsb03-dataelement-11600

Id	prsb03-dataelement-11600 (2019-05-30 15:00:18)		
Concept inherits from	 prsb03-dataelement-11296 (2019-05-30 12:25:39)		
Description	The date and time the record was completed.		
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)		
Rationale	Composition.date		
Operationalization	Date and time.		
Value Domain			
Property	<table border="1"> <tr> <td>Timestamp precision</td> </tr> <tr> <td>at least day, month and year, hour and minute</td> </tr> </table>	Timestamp precision	at least day, month and year, hour and minute
Timestamp precision			
at least day, month and year, hour and minute			



Contact details

prsb03-dataelement-11601

Id	prsb03-dataelement-11601 (2019-05-30 15:00:18)
Concept inherits from	 prsb03-dataelement-11297 (2019-05-30 12:25:39)
Description	Contact details of the person completing the record.

2.1.331 Properties

FHIR PractitionerRole.telecom

Relationship	Contact details (<i>prsb03-dataelement-10225 - 2018-10-31</i>)
Rationale	Practitioner:telecom PractitionerRole:telecom Organisation.telcom
Operationalization	NHS data dictionary : - UK telephone number
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 2px; display: inline-block;">max length</div> <div style="text-align: center;">35</div>

  Care needs summary prsb03-dataelement-13063

Id	prsb03-dataelement-13063 (2020-05-15 16:38:45)
Description	A description of the person's current care needs.

 Care needs summary prsb03-dataelement-13097

Id	prsb03-dataelement-13097 (2020-06-22 15:53:40) 0.1
Description	A summary of the person's nursing care needs e.g. catheter / continence / stoma care, skin care (wounds, ulcers), tracheostomy, nutrition and fluids, behavioural care and support.
Value Domain	

 Care needs summary prsb03-dataelement-13064

Id	prsb03-dataelement-13064 (2020-05-15 16:40:47) 0.2
Description	A narrative summary of the person's nursing and care needs e.g. catheter/continence/stoma care, skin care (wounds, ulcers), tracheostomy, nutrition and fluids, behavioural care and support.. Attach additional support plans as required.
Operationalization	Free text
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 2px; display: inline-block;">max length</div> <div style="text-align: center;">150</div>

  Performing professional prsb03-dataelement-13174

Id	prsb03-dataelement-13174 (2020-06-24 17:17:43)
Description	The professional who completed the care needs summary.
Relationship	Performing professional (<i>prsb03-dataelement-12027 - 2019-05-31 15:30:22</i>)

 Name prsb03-dataelement-13182

Id prsb03-dataelement-13182 (2020-06-24 17:19:47)

Concept inherits from  prsb03-dataelement-12028 (2019-05-31 15:30:50)

Description The name of the professional.

Rationale Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70



Role

prsb03-dataelement-13183

Id prsb03-dataelement-13183 (2020-06-24 17:19:47)

Concept inherits from  prsb03-dataelement-12029 (2019-05-31 15:30:50)

Description The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc

Rationale Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobroletype

Value Domain



Grade

prsb03-dataelement-13184

Id prsb03-dataelement-13184 (2020-06-24 17:19:47)

Concept inherits from  prsb03-dataelement-12030 (2019-05-31 15:30:50)

Description The grade of the professional.

Rationale PractitionerRole.code

Operationalization Free text

Value Domain

Property

max length

150



Speciality

prsb03-dataelement-13185

Id prsb03-dataelement-13185 (2020-06-24 17:19:47)

Concept inherits from  prsb03-dataelement-12031 (2019-05-31 15:30:50)

Description The specialty of the professional e.g. physiotherapy, oncology, mental health etc

Rationale PractitionerRole.speciality

Operationalization NHS data dictionary - Activity treatment function code

Value Domain

Property

max length

3



Professional identifier

prsb03-dataelement-13186

Id prsb03-dataelement-13186 (2020-06-24 17:19:47)

Concept inherits from prsb03-dataelement-12032 (2019-05-31 15:30:50)

Description Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary : - Professional registration identifier

Value Domain

Property

max length

32



Organisation

prsb03-dataelement-13187

Id prsb03-dataelement-13187 (2020-06-24 17:19:47)

Concept inherits from prsb03-dataelement-12033 (2019-05-31 15:30:50)

Description The name of the organisation the professional works for.



Contact details

prsb03-dataelement-13188

Id prsb03-dataelement-13188 (2020-06-24 17:19:47)

Concept inherits from prsb03-dataelement-12034 (2019-05-31 15:30:50)

Description Contact details of the professional

Rationale Practitioner.telecom
PractitionerRole.telecom
Organisation.telcom

Operationalization NHS data dictionary - UK phone number

Value Domain

Property

max length

35



Location

prsb03-dataelement-13189

Id	prsb03-dataelement-13189 (2020-06-24 17:22:23)
Description	The location where the care needs summary was written.
Relationship	Location (<i>prsb03-dataelement-10550 - 2018-10-31</i>)

🟡 Coded value
prsb03-dataelement-13729

Id	prsb03-dataelement-13729 (2020-09-25 16:20:00)				
Description	The coded value for location				
Operationalization	NHS data dictionary: - Organisation data service				
Value Domain					
Property	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center; padding: 5px;">min length</td> <td style="text-align: center; padding: 5px;">max length</td> </tr> <tr> <td style="text-align: center; padding: 5px;">3</td> <td style="text-align: center; padding: 5px;">5</td> </tr> </table>	min length	max length	3	5
min length	max length				
3	5				

🟡 Free text
prsb03-dataelement-13730

Id	prsb03-dataelement-13730 (2020-09-25 16:24:30)
Operationalization	Free text
Value Domain	

🟡 Date
prsb03-dataelement-13190

Id	prsb03-dataelement-13190 (2020-06-24 17:25:46)		
Description	The date the care needs summary was written.		
Relationship	Date (<i>prsb03-dataelement-10763 - 2019-03-18 13:51:22</i>)		
Operationalization	Date and time.		
Value Domain			
Property	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center; padding: 5px;">Timestamp precision</td> </tr> <tr> <td style="text-align: center; padding: 5px;">at least day, month and year, hour and minute</td> </tr> </table>	Timestamp precision	at least day, month and year, hour and minute
Timestamp precision			
at least day, month and year, hour and minute			

📁🟡 Person completing record
prsb03-dataelement-13191

Id	prsb03-dataelement-13191 (2020-06-24 17:27:12)
Description	A record of the details of the person that entered the care needs summary, and the date on which it was entered.
Relationship	Person completing record (<i>prsb03-dataelement-13100 - 2020-06-24 15:58:27</i>)

🟡 Name
prsb03-dataelement-13192

Id	prsb03-dataelement-13192 (2020-06-24 17:27:59)
Concept inherits from	 prsb03-dataelement-13101 (2020-06-24 16:00:08)
Description	The name of the person completing the record.
Relationship	Name (<i>prsb03-dataelement-10219 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.name
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> max length 70 </div>
 Used by	0 transactions, 0 templates, inherited once

 Role	prsb03-dataelement-13193
--	--------------------------

Id	prsb03-dataelement-13193 (2020-06-24 17:27:59)
Concept inherits from	 prsb03-dataelement-13102 (2020-06-24 16:00:08)
Description	The organisational role of the person completing record.

2.1.332 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship	Role (<i>prsb03-dataelement-10220 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobrole
Value Domain	
 Used by	0 transactions, 0 templates, inherited once

 Grade	prsb03-dataelement-13194
---	--------------------------

Id	prsb03-dataelement-13194 (2020-06-24 17:27:59)
Concept inherits from	 prsb03-dataelement-13103 (2020-06-24 16:00:08)
Description	The grade of the person completing the record.
Relationship	Grade (<i>prsb03-dataelement-10221 - 2018-10-31</i>)
Rationale	PractitionerRole.code
Operationalization	Free text.

Value Domain

Property

max length

150

🕒 Used by

0 transactions, 0 templates, inherited once



Specialty

prsb03-dataelement-13195

Id

prsb03-dataelement-13195 (2020-06-24 17:27:59)

Concept inherits from

prsb03-dataelement-13104 (2020-06-24 16:00:08)

Description

The main specialty of the person completing the record.

2.1.333 Properties

FHIR

PractitionerRole.specialty

Relationship

Specialty (*prsb03-dataelement-10222 - 2018-10-31*)

Rationale

PractitionerRole.speciality

Operationalization

NHS data dictionary :- Activity treatment function code

Value Domain

Property

max length

3

🕒 Used by

0 transactions, 0 templates, inherited once



Organisation

prsb03-dataelement-13196

Id

prsb03-dataelement-13196 (2020-06-24 17:27:59)

Concept inherits from

prsb03-dataelement-13105 (2020-06-24 16:00:08)

Description

The organisation the person completing the record works for.

Relationship

Organisation (*prsb03-dataelement-10226 - 2018-10-31*)

🕒 Used by

0 transactions, 0 templates, inherited once



Professional identifier

prsb03-dataelement-13197

Id

prsb03-dataelement-13197 (2020-06-24 17:27:59)

Concept inherits from	 prsb03-dataelement-13106 (2020-06-24 16:00:08)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.334 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship	Professional identifier (<i>prsb03-dataelement-10223 - 2018-10-31</i>)
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary :- Professional registration identifier

Value Domain

Property

max length

32

 Used by 0 transactions, 0 templates, inherited once

Date completed

prsb03-dataelement-13198

Id	prsb03-dataelement-13198 (2020-06-24 17:27:59)
Concept inherits from	 prsb03-dataelement-13107 (2020-06-24 16:00:08)
Description	The date and time the record was completed.
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)
Rationale	Composition.date
Operationalization	Date and time.
Value Domain	

Property

Timestamp precision

at least day, month and year, hour and minute

 Used by 0 transactions, 0 templates, inherited once

Contact details

prsb03-dataelement-13199

Id	prsb03-dataelement-13199 (2020-06-24 17:27:59)
Concept inherits from	 prsb03-dataelement-13108 (2020-06-24 16:00:08)
Description	Contact details of the person completing the record.

2.1.335 Properties

FHIR	PractitionerRole.telecom
Relationship	Contact details (<i>prsb03-dataelement-10225 - 2018-10-31</i>)
Rationale	Practitioner:telecom PractitionerRole:telecom Organisation.telcom
Operationalization	NHS data dictionary : - UK telephone number
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> max length 35 </div>
Used by	0 transactions, 0 templates, inherited once

Assessed level of care

prsb03-dataelement-13425

Id	prsb03-dataelement-13425 (2020-08-11 14:29:31) 0.1
Description	Record whether Enhanced care observation was required during the admission and details of level of enhanced care observation needed and why.

Level of enhanced care observation

prsb03-dataelement-13427

Id	prsb03-dataelement-13427 (2020-08-11 14:35:51) 0.1
Description	Record the level of enhanced care observation the person required during the admission and prior to discharge if different.
	Record why needed e.g. to reduce risk and protect the person because of high risk of falling and sustaining injury or person very confused.
Operationalization	Levels: A - General level i.e. needed usual inpatient observation B = Intermittent observation i.e. every 30 to 60 minutes C = Continuous observation within eyesight i.e. in a cohort bay D= High level multi professional continuous observation

Value Domain

Property

max length
 150

Person completing record

prsb03-dataelement-13731

Id	prsb03-dataelement-13731 (2020-09-25 16:25:22)
Concept inherits from	prsb03-dataelement-13100 (2020-06-24 15:58:27)

Description A record of the details of the person that entered the property or equipment the resident is taking into hospital, and the date on which it was entered.

Relationship Person completing record (*prsb03-dataelement-13035 - 2020-04-28 19:33:13*)

 Name	prsb03-dataelement-13732
--	--------------------------

Id prsb03-dataelement-13732 (2020-09-25 16:26:25)

Concept inherits from  *prsb03-dataelement-13101* (2020-06-24 16:00:08)

Description The name of the person completing the record.

Relationship Name (*prsb03-dataelement-10219 - 2018-10-31*)

Rationale Composition.author.Practitioner.name

Operationalization Free text.

Value Domain

Property	max length
	70

 Role	prsb03-dataelement-13733
---	--------------------------

Id prsb03-dataelement-13733 (2020-09-25 16:26:25)

Concept inherits from  *prsb03-dataelement-13102* (2020-06-24 16:00:08)

Description The organisational role of the person completing record.

2.1.336 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship Role (*prsb03-dataelement-10220 - 2018-10-31*)

Rationale Composition.author.Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobrole

Value Domain

 Grade	prsb03-dataelement-13734
---	--------------------------

Id prsb03-dataelement-13734 (2020-09-25 16:26:25)

Concept inherits from  *prsb03-dataelement-13103* (2020-06-24 16:00:08)

Description The grade of the person completing the record.

Relationship Grade (*prsb03-dataelement-10221 - 2018-10-31*)

Rationale PractitionerRole.code

Operationalization Free text.

Value Domain

Property

max length

150



Specialty

prsb03-dataelement-13735

Id

prsb03-dataelement-13735 (2020-09-25 16:26:25)

Concept inherits from

prsb03-dataelement-13104 (2020-06-24 16:00:08)

Description

The main specialty of the person completing the record.

2.1.337 Properties

FHIR PractitionerRole.specialty

Relationship

Specialty (*prsb03-dataelement-10222 - 2018-10-31*)

Rationale

PractitionerRole.specialty

Operationalization

NHS data dictionary :- Activity treatment function code

Value Domain

Property

max length

3



Organisation

prsb03-dataelement-13736

Id

prsb03-dataelement-13736 (2020-09-25 16:26:25)

Concept inherits from

prsb03-dataelement-13105 (2020-06-24 16:00:08)

Description

The organisation the person completing the record works for.

Relationship

Organisation (*prsb03-dataelement-10226 - 2018-10-31*)

Professional identifier

prsb03-dataelement-13737

Id

prsb03-dataelement-13737 (2020-09-25 16:26:25)

Concept inherits from

prsb03-dataelement-13106 (2020-06-24 16:00:08)

Description

Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.338 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship

Professional identifier (*prsb03-dataelement-10223 - 2018-10-31*)

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary :- Professional registration identifier

Value Domain

Property

max length

32



Date completed

prsb03-dataelement-13738

Id prsb03-dataelement-13738 (2020-09-25 16:26:25)

Concept inherits from prsb03-dataelement-13107 (2020-06-24 16:00:08)

Description The date and time the record was completed.

Relationship Date completed (*prsb03-dataelement-10224 - 2018-10-31*)

Rationale Composition.date

Operationalization Date and time.

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Contact details

prsb03-dataelement-13739

Id prsb03-dataelement-13739 (2020-09-25 16:26:25)

Concept inherits from prsb03-dataelement-13108 (2020-06-24 16:00:08)

Description Contact details of the person completing the record.

2.1.339 Properties

FHIR PractitionerRole.telecom

Relationship Contact details (*prsb03-dataelement-10225 - 2018-10-31*)

Rationale Practitioner:telecom
PractitionerRole:telecom
Organisation.telcom

Operationalization NHS data dictionary : - UK telephone number

Value Domain

Property

max length

35

 Person completing record	prsb03-dataelement-13426
Id	prsb03-dataelement-13426 (2020-08-11 14:31:47) 0.1
Value Domain	
  Primary support reason	prsb03-dataelement-12974
Id	prsb03-dataelement-12974 (2020-04-06 20:09:53)
Description	The primary support reason for social care.
  Primary support reason record entry	prsb03-dataelement-12975
Id	prsb03-dataelement-12975 (2020-04-06 20:14:11)
Description	This is a primary support reason record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.
 Primary support reason	prsb03-dataelement-12976
Id	prsb03-dataelement-12976 (2020-04-06 20:15:36)
Description	The Primary Support Reason used to classify a person for National Reporting on Short and Long Term Services (SALT) e.g. Learning disability support, mental health support, physical support
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;">max length</div> <div style="border: 1px solid #ccc; padding: 5px; display: inline-block;">150</div>
 Active	prsb03-dataelement-13305
Id	prsb03-dataelement-13305 (2020-08-06 13:21:08)
Description	Flag to indicate whether the primary support reason is currently active
Operationalization	Flag: - Yes or No
Value Domain	
 Start date	prsb03-dataelement-13306
Id	prsb03-dataelement-13306 (2020-08-06 13:22:22)
Description	The date a primary support reason was authorised as active.
Operationalization	Date and time
Value Domain	

Property

Timestamp precision

at least day, month and year, hour and minute



End date

prsb03-dataelement-13307

Id

prsb03-dataelement-13307 (2020-08-06 13:22:57)

Description

The end date of authorisation.

Operationalization

Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Family history

prsb03-dataelement-251

Id

prsb03-dataelement-251 (2018-10-31)

Description

Family history

Used by

3 transactions, 0 templates, inherited 0 times



Family history record entry

prsb03-dataelement-10653

Id

prsb03-dataelement-10653 (2018-11-13 12:07:47)

Description

This is a family history record entry. There may be 0 to many record entry/entries under a section. Each record entry is made up of a number of elements or data items.

Used by

3 transactions, 0 templates, inherited 0 times



Date

prsb03-dataelement-10153

Id

prsb03-dataelement-10153 (2018-10-31)

Description

The date the family history was taken.

Operationalization

Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Location

prsb03-dataelement-10851

Id prsb03-dataelement-10851 (2019-03-27 17:17:04)

Description The location where the family history was taken.

 Coded value

prsb03-dataelement-13682

Id prsb03-dataelement-13682 (2020-09-09 12:51:27)

Description The coded value for location

Operationalization NHS data dictionary : - Organisation data service

Value Domain

Property

min length	max length
------------	------------

3	5
---	---

 Free text

prsb03-dataelement-13683

Id prsb03-dataelement-13683 (2020-09-09 12:52:38)

Concept inherits from  prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150

  Performing professional

prsb03-dataelement-11640

Id prsb03-dataelement-11640 (2019-05-30 17:58:57)

Description The professional who took the family history.

Relationship Performing professional (*prsb03-dataelement-11281 - 2019-05-30 11:53:30*)

 Name

prsb03-dataelement-11641

Id prsb03-dataelement-11641 (2019-05-30 17:59:44)

Concept inherits from  prsb03-dataelement-11282 (2019-05-30 11:57:38)

Description The name of the professional.

Rationale Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70



Role

prsb03-dataelement-11642

Id

prsb03-dataelement-11642 (2019-05-30 17:59:44)

Concept inherits from

prsb03-dataelement-11283 (2019-05-30 11:58:48)

Description

The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc

Rationale

Practitioner.PractitionerRole.code

Operationalization

FHIR value set :- SDSjobroletype

Value Domain



Grade

prsb03-dataelement-11643

Id

prsb03-dataelement-11643 (2019-05-30 17:59:44)

Concept inherits from

prsb03-dataelement-11288 (2019-05-30 12:19:40)

Description

The grade of the professional.

Rationale

PractitionerRole.code

Operationalization


Free text

Value Domain

Property

max length

150



Speciality

prsb03-dataelement-11644

Id

prsb03-dataelement-11644 (2019-05-30 17:59:44)

Concept inherits from

prsb03-dataelement-11284 (2019-05-30 12:01:15)

Description

The specialty of the professional e.g. physiotherapy, oncology, mental health etc

Rationale

PractitionerRole.speciality

Operationalization

NHS data dictionary - Activity treatment function code

Value Domain

Property

max length

3



Professional identifier

prsb03-dataelement-11645

Id	prsb03-dataelement-11645 (2019-05-30 17:59:44)
Concept inherits from	🟡 prsb03-dataelement-11285 (2019-05-30 12:02:46)
Description	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.
Rationale	Practitioner.identifier (for professional national identifiers), PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary : - Professional registration identifier
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 32 </div>

📁🟡 Organisation

prsb03-dataelement-11646

Id	prsb03-dataelement-11646 (2019-05-30 17:59:44)
Concept inherits from	🟡 prsb03-dataelement-11286 (2019-05-30 12:17:19)
Description	The name of the organisation the professional works for.

🟡 Contact details

prsb03-dataelement-11647

Id	prsb03-dataelement-11647 (2019-05-30 17:59:44)
Concept inherits from	🟡 prsb03-dataelement-11287 (2019-05-30 12:18:13)
Description	Contact details of the professional
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom
Operationalization	NHS data dictionary - UK phone number

Value Domain

Property

max length
 35

✖ Person completing record

prsb03-dataelement-10850

Id	prsb03-dataelement-10850 (2019-03-27 17:15:40)
Description	This is the person contributing to the family history record. Should include their name, role, grade, specialty, organisation, professional identifier, date and time completed, contact details
Relationship	Person completing record (<i>prsb03-dataelement-10404 - 2018-10-31</i>)
Operationalization	Free text. Name, Role, Grade, Specialty, Organisation, Professional identifier, Date and time completed, Contact details

Value Domain



0 transactions, 0 templates, inherited once

📁🟡 Relationship to person

prsb03-dataelement-10155

Id prsb03-dataelement-10155 (2018-10-31)

Description The relationship of the family member with the condition to the person.

🟡 Coded value

prsb03-dataelement-13676

Id prsb03-dataelement-13676 (2020-09-09 12:28:47)

Description The coded value for relationship to person

Operationalization SNOMED CT: - <303071001 |Person in the family (person)|

Value Domain

🟡 Free text

prsb03-dataelement-13677

Id prsb03-dataelement-13677 (2020-09-09 12:29:29)

Concept inherits from 🟡 prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150

📁🟡 Family history

prsb03-dataelement-10151

Id prsb03-dataelement-10151 (2018-10-31)

Description The record of relevant illness in family relations deemed to be significant to the care or health of the person, including mental illness and suicide, genetic information etc.

⌚ Used by 3 transactions, 0 templates, inherited 0 times

🟡 Coded value

prsb03-dataelement-13678

Id prsb03-dataelement-13678 (2020-09-09 12:35:18)

Description The coded value for family history

Operationalization SNOMED CT:- <404684003 |Clinical finding (finding)| OR <243796009 |Situation with explicit context (situation)|

Value Domain

 Used by 3 transactions, 0 templates, inherited 0 times



Free text

prsb03-dataelement-13679

Id

prsb03-dataelement-13679 (2020-09-09 12:38:35)

Concept inherits from

 prsb03-dataelement-13223 (2020-07-08 17:40:09)

Description

Free text field to be used if no coded text available

Value Domain

Property

max length

150

 Used by

3 transactions, 0 templates, inherited 0 times

 Condition or diagnosis

prsb03-dataelement-10152

Id

prsb03-dataelement-10152 (2018-10-31) 0.1

Description

The condition or diagnosis of the family member deemed to be significant to the care or health of the person.



Coded value

prsb03-dataelement-13680

Id

prsb03-dataelement-13680 (2020-09-09 12:45:15) 0.1

Description

The coded value for condition or diagnosis

Operationalization

SNOMED CT: - 999000771000000106 | Family history simple reference set (foundation metadata concept) |

Value Domain



Free text

prsb03-dataelement-13681

Id

prsb03-dataelement-13681 (2020-09-09 12:48:08) 0.1

Concept inherits from

 prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description

Free text field to be used if no code is available

Operationalization

Free text

Value Domain

Property

max length

150

  Person completing record

prsb03-dataelement-11630

Id	prsb03-dataelement-11630 (2019-05-30 15:28:16)
Concept inherits from	 <i>prsb03-dataelement-11289</i> (2019-05-30 12:24:39)
Description	Details of the person completing the record.
Relationship	Person completing record (<i>prsb03-dataelement-319 - 2018-10-31</i>)

 Name

prsb03-dataelement-11631

Id	prsb03-dataelement-11631 (2019-05-30 15:28:41)
Concept inherits from	 <i>prsb03-dataelement-11290</i> (2019-05-30 12:25:39)
Description	The name of the person completing the record.
Relationship	Name (<i>prsb03-dataelement-10219 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.name
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 70 </div>

 Role

prsb03-dataelement-11632

Id	prsb03-dataelement-11632 (2019-05-30 15:28:41)
Concept inherits from	 <i>prsb03-dataelement-11291</i> (2019-05-30 12:25:39)
Description	The organisational role of the person completing record.

2.1.340 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship	Role (<i>prsb03-dataelement-10220 - 2018-10-31</i>)
Rationale	Composition.author.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobrole
Value Domain	

 Grade

prsb03-dataelement-11633

Id	prsb03-dataelement-11633 (2019-05-30 15:28:41)
Concept inherits from	 <i>prsb03-dataelement-11292</i> (2019-05-30 12:25:39)

Description	The grade of the person completing the record.
Relationship	Grade (<i>prsb03-dataelement-10221 - 2018-10-31</i>)
Rationale	PractitionerRole.code
Operationalization	Free text.
Value Domain	

Property

max length

150



Specialty

prsb03-dataelement-11634

Id	prsb03-dataelement-11634 (2019-05-30 15:28:41)
Concept inherits from	<i>prsb03-dataelement-11293 (2019-05-30 12:25:39)</i>
Description	The main specialty of the person completing the record.

2.1.341 Properties

FHIR

PractitionerRole.specialty

Relationship	Specialty (<i>prsb03-dataelement-10222 - 2018-10-31</i>)
Rationale	PractitionerRole.specialty
Operationalization	NHS data dictionary :- Activity treatment function code
Value Domain	
Property	

max length

3



Organisation

prsb03-dataelement-11635

Id	prsb03-dataelement-11635 (2019-05-30 15:28:41)
Concept inherits from	<i>prsb03-dataelement-11294 (2019-05-30 12:25:39)</i>
Description	The organisation the person completing the record works for.
Relationship	Organisation (<i>prsb03-dataelement-10226 - 2018-10-31</i>)



Professional identifier

prsb03-dataelement-11636

Id	prsb03-dataelement-11636 (2019-05-30 15:28:41)
Concept inherits from	<i>prsb03-dataelement-11295 (2019-05-30 12:25:39)</i>
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.342 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship	Professional identifier (<i>prsb03-dataelement-10223 - 2018-10-31</i>)
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary :- Professional registration identifier
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 2px;">max length</div> <div style="border: 1px solid black; padding: 2px; text-align: center;">32</div>



Date completed

prsb03-dataelement-11637

Id	prsb03-dataelement-11637 (2019-05-30 15:28:41)
Concept inherits from	<i>prsb03-dataelement-11296</i> (2019-05-30 12:25:39)
Description	The date and time the record was completed.
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)
Rationale	Composition.date
Operationalization	Date and time.
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 2px; text-align: center;">Timestamp precision</div> <div style="border: 1px solid black; padding: 2px; text-align: center;">at least day, month and year, hour and minute</div>



Contact details

prsb03-dataelement-11638

Id	prsb03-dataelement-11638 (2019-05-30 15:28:41)
Concept inherits from	<i>prsb03-dataelement-11297</i> (2019-05-30 12:25:39)
Description	Contact details of the person completing the record.

2.1.343 Properties

FHIR PractitionerRole.telecom

Relationship	Contact details (<i>prsb03-dataelement-10225 - 2018-10-31</i>)
Rationale	Practitioner:telecom PractitionerRole:telecom Organisation.telcom
Operationalization	NHS data dictionary : - UK telephone number

Value Domain

Property

max length

35



Maternal or paternal relation

prsb03-dataelement-10154

Id

prsb03-dataelement-10154 (2018-10-31) 0.1

Description

Record of whether the condition or diagnosis was on the mother's or father's side of the family, where needed e.g. paternal grandfather.

Operationalization

Free text

Value Domain

Property

max length

150



Comment

prsb03-dataelement-10156

Id

prsb03-dataelement-10156 (2018-10-31)

Description

Any further textual comment.

Operationalization

Free text

Value Domain

Property

max length

150



Investigation results

prsb03-dataelement-257

Id

prsb03-dataelement-257 (2018-10-31)

Description

Investigation results

Used by

5 transactions, 0 templates, inherited 0 times



Investigation results record entry

prsb03-dataelement-10654

Id

prsb03-dataelement-10654 (2018-11-13 12:10:48)

Description

This is a investigation result record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.

Used by

5 transactions, 0 templates, inherited 0 times



Date

prsb03-dataelement-10157

Id	prsb03-dataelement-10157 (2018-10-31)
Description	The date and time when the investigation was performed
Operationalization	Date and time
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>
Used by	5 transactions, 0 templates, inherited 0 times

 Performing professional
prsb03-dataelement-10158

Id	prsb03-dataelement-10158 (2018-10-31)
Description	Details of the professional performing the investigation (including name and role)
Value Domain	

  Performing professional
prsb03-dataelement-12099

Id	prsb03-dataelement-12099 (2019-05-31 15:55:11)
Description	The professional who performed the investigation.
Relationship	Performing professional (<i>prsb03-dataelement-11281 - 2019-05-30 11:53:30</i>)
Used by	one transaction, 0 templates, inherited 0 times

 Name
prsb03-dataelement-12100

Id	prsb03-dataelement-12100 (2019-05-31 15:55:33)
Concept inherits from	 <i>prsb03-dataelement-11282 (2019-05-30 11:57:38)</i>
Description	The name of the professional.
Rationale	Practitioner.name
Operationalization	Free text.
Value Domain	
Property	<p style="text-align: center;">max length</p> <p>70</p>
Used by	one transaction, 0 templates, inherited 0 times

 Role prsb03-dataelement-12101

Id	prsb03-dataelement-12101 (2019-05-31 15:55:33)
Concept inherits from	 prsb03-dataelement-11283 (2019-05-30 11:58:48)
Description	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc
Rationale	Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobroletype
Value Domain	
 Used by	one transaction, 0 templates, inherited 0 times

 Grade prsb03-dataelement-12102

Id	prsb03-dataelement-12102 (2019-05-31 15:55:33)		
Concept inherits from	 prsb03-dataelement-11288 (2019-05-30 12:19:40)		
Description	The grade of the professional.		
Rationale	PractitionerRole.code		
Operationalization	Free text		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>150</td> </tr> </table>	max length	150
max length			
150			
 Used by	one transaction, 0 templates, inherited 0 times		

 Speciality prsb03-dataelement-12103

Id	prsb03-dataelement-12103 (2019-05-31 15:55:33)		
Concept inherits from	 prsb03-dataelement-11284 (2019-05-30 12:01:15)		
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc		
Rationale	PractitionerRole.speciality		
Operationalization	NHS data dictionary - Activity treatment function code		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>3</td> </tr> </table>	max length	3
max length			
3			

 Used by one transaction, 0 templates, inherited 0 times

 Professional identifier prsb03-dataelement-12104

Id	prsb03-dataelement-12104 (2019-05-31 15:55:33)
Concept inherits from	 prsb03-dataelement-11285 (2019-05-30 12:02:46)
Description	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.
Rationale	Practitioner.identifier (for professional national identifiers), PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary : - Professional registration identifier
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 32 </div>
 Used by	one transaction, 0 templates, inherited 0 times

 Organisation prsb03-dataelement-12105

Id	prsb03-dataelement-12105 (2019-05-31 15:55:33)
Concept inherits from	 prsb03-dataelement-11286 (2019-05-30 12:17:19)
Description	The name of the organisation the professional works for.
 Used by	one transaction, 0 templates, inherited 0 times

 Contact details prsb03-dataelement-12106

Id	prsb03-dataelement-12106 (2019-05-31 15:55:33)
Concept inherits from	 prsb03-dataelement-11287 (2019-05-30 12:18:13)
Description	Contact details of the professional
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom
Operationalization	NHS data dictionary - UK phone number
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length </div>

⌚ Used by

one transaction, 0 templates, inherited 0 times



Location

prsb03-dataelement-10159

Id prsb03-dataelement-10159 (2018-10-31)

Description The location where the investigation took place.



Coded location

prsb03-dataelement-13725

Id prsb03-dataelement-13725 (2020-09-16 12:46:40)

Description The coded value for location

Operationalization NHS data dictionary : Organisation data service

Value Domain

Property

min length	max length
-------------------	-------------------

3	5
---	---



Free text

prsb03-dataelement-13726

Id prsb03-dataelement-13726 (2020-09-16 13:10:32)

Concept inherits from 🌐 prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150



Investigation

prsb03-dataelement-10160

Id prsb03-dataelement-10160 (2018-10-31)

Description The investigation performed.

⌚ Used by 5 transactions, 0 templates, inherited 0 times



Coded value

prsb03-dataelement-13525

Id

prsb03-dataelement-13525 (2020-09-04 14:11:36)

Description	The coded value for investigation
Operationalization	SNOMED CT: - <71388002 Procedure (procedure)
Value Domain	
⌚ Used by	5 transactions, 0 templates, inherited 0 times



Free text

prsb03-dataelement-13526

Id prsb03-dataelement-13526 (2020-09-04 14:22:43)

Concept inherits from 📁 🌐 *prsb03-dataelement-13220* (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150

⌚ Used by 5 transactions, 0 templates, inherited 0 times



Investigation result

prsb03-dataelement-10161

Id prsb03-dataelement-10161 (2018-10-31)

Description For each investigation, the result of the investigation. This can include a report which may have results for multiple tests.

⌚ Used by 5 transactions, 0 templates, inherited 0 times



Coded value

prsb03-dataelement-13527

Id prsb03-dataelement-13527 (2020-09-04 14:25:41)

Description The coded value for investigation results

Operationalization SNOMED CT:- <404684003 |Clinical finding (finding)| OR <243796009 |Situation with explicit context (situation)|

Value Domain

⌚ Used by 5 transactions, 0 templates, inherited 0 times



Free text

prsb03-dataelement-13528

Id prsb03-dataelement-13528 (2020-09-04 14:29:50)

Concept inherits from  prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150

 Used by 5 transactions, 0 templates, inherited 0 times

 Investigation Method

prsb03-dataelement-14094

Id prsb03-dataelement-14094 (2021-02-18 13:46:34)

Description Method used in carrying out investigation

Operationalization Coded entry - Point of care test, Laboratory test

Value Domain

 Used by 5 transactions, 0 templates, inherited 0 times

  Structured investigation result

prsb03-dataelement-12415

Id prsb03-dataelement-12415 (2019-06-07 16:21:34)

Description A structured set of information for each investigation result.

 Used by 5 transactions, 0 templates, inherited 0 times

 Value

prsb03-dataelement-12416

Id prsb03-dataelement-12416 (2019-06-07 16:22:08)

Description The value of the investigation result.

Operationalization Numeric

Value Domain

Property

max length

10

 Used by 5 transactions, 0 templates, inherited 0 times

 Units of measure

prsb03-dataelement-12417

Id	prsb03-dataelement-12417 (2019-06-07 16:23:50)
Description	The units of the investigation result.
Operationalization	UCUM code
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 10 </div>
Used by	5 transactions, 0 templates, inherited 0 times

 Reference ranges	prsb03-dataelement-12418
--	--------------------------

Id	prsb03-dataelement-12418 (2019-06-07 16:24:48)
Description	The reference range for the investigation result.
Operationalization	Free text
Value Domain	
Used by	5 transactions, 0 templates, inherited 0 times

 Abnormal indicator	prsb03-dataelement-12419
--	--------------------------

Id	prsb03-dataelement-12419 (2019-06-07 16:26:00)
Description	Indicator if the investigation is abnormal.
Operationalization	Abnormal or Normal
Value Domain	
Used by	5 transactions, 0 templates, inherited 0 times

  Person completing record	prsb03-dataelement-12107
--	--------------------------

Id	prsb03-dataelement-12107 (2019-05-31 15:55:48)
Concept inherits from	 prsb03-dataelement-11289 (2019-05-30 12:24:39)
Description	Details of the person completing the record.
Relationship	Person completing record (prsb03-dataelement-319 - 2018-10-31)

 Name	prsb03-dataelement-12108
--	--------------------------

Id	prsb03-dataelement-12108 (2019-05-31 15:56:17)
Concept inherits from	 prsb03-dataelement-11290 (2019-05-30 12:25:39)

Description	The name of the person completing the record.
Relationship	Name (<i>prsb03-dataelement-10219 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.name
Operationalization	Free text.
Value Domain	

Property**max length**

70

**Role**

prsb03-dataelement-12109

Id	prsb03-dataelement-12109 (2019-05-31 15:56:17)
Concept inherits from	<i>prsb03-dataelement-11291</i> (2019-05-30 12:25:39)
Description	The organisational role of the person completing record.

2.1.344 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship	Role (<i>prsb03-dataelement-10220 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobrole
Value Domain	


**Grade**

prsb03-dataelement-12110

Id	prsb03-dataelement-12110 (2019-05-31 15:56:17)
Concept inherits from	<i>prsb03-dataelement-11292</i> (2019-05-30 12:25:39)
Description	The grade of the person completing the record.
Relationship	Grade (<i>prsb03-dataelement-10221 - 2018-10-31</i>)
Rationale	PractitionerRole.code
Operationalization	Free text.
Value Domain	

Property**max length**

150

**Specialty**

prsb03-dataelement-12111

Id	prsb03-dataelement-12111 (2019-05-31 15:56:17)
----	--

Concept inherits from	 prsb03-dataelement-11293 (2019-05-30 12:25:39)
Description	The main specialty of the person completing the record.

2.1.345 Properties

FHIR  PractitionerRole.specialty

Relationship  Specialty (*prsb03-dataelement-10222 - 2018-10-31*)

Rationale  PractitionerRole.speciality

Operationalization  NHS data dictionary :- Activity treatment function code

Value Domain

Property  **max length**

3



 Organisation

prsb03-dataelement-12112

Id  prsb03-dataelement-12112 (2019-05-31 15:56:17)

Concept inherits from  prsb03-dataelement-11294 (2019-05-30 12:25:39)

Description  The organisation the person completing the record works for.

Relationship  Organisation (*prsb03-dataelement-10226 - 2018-10-31*)



 Professional identifier

prsb03-dataelement-12113

Id  prsb03-dataelement-12113 (2019-05-31 15:56:17)

Concept inherits from  prsb03-dataelement-11295 (2019-05-30 12:25:39)

Description  Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.346 Properties

FHIR  PractitionerRole.Practitioner.identifier (local)  Practitioner.identifier (professional)

Relationship  Professional identifier (*prsb03-dataelement-10223 - 2018-10-31*)

Rationale  Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization  NHS data dictionary :- Professional registration identifier

Value Domain

Property  **max length**

32



 Date completed

		prsb03-dataelement-12114
Id		prsb03-dataelement-12114 (2019-05-31 15:56:17)
Concept inherits from	 prsb03-dataelement-11296 (2019-05-30 12:25:39)	
Description		The date and time the record was completed.
Relationship		Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)
Rationale		Composition.date
Operationalization		Date and time.
Value Domain		
Property	Timestamp precision	
	at least day, month and year, hour and minute	

 Contact details		prsb03-dataelement-12115
Id		prsb03-dataelement-12115 (2019-05-31 15:56:17)
Concept inherits from	 prsb03-dataelement-11297 (2019-05-30 12:25:39)	
Description		Contact details of the person completing the record.
2.1.347 Properties		
FHIR	PractitionerRole.telecom	
Relationship		Contact details (<i>prsb03-dataelement-10225 - 2018-10-31</i>)
Rationale		Practitioner:telecom PractitionerRole:telecom Organisation:telcom
Operationalization		NHS data dictionary : - UK telephone number
Value Domain		
Property	max length	
	35	

 Person completing record		prsb03-dataelement-10955
Id		prsb03-dataelement-10955 (2019-05-18 21:08:06) 0.1
Description		This is the person recording the investigation result.
	Should include their name, role, grade, specialty, organisation, professional identifier, date and time completed, contact details	
Relationship		Person completing record (<i>prsb03-dataelement-10860 - 2019-03-27 17:46:45</i>)

Operationalization Free text. Name, Role, Grade, Specialty, Organisation, Professional identifier, Date and time completed, Contact details

Value Domain



Signpost details

prsb03-dataelement-13973

Id prsb03-dataelement-13973 (2021-02-11 12:24:29)

Description Details of signpost

Used by 14 transactions, 0 templates, inherited 0 times



Signpost details record entry

prsb03-dataelement-13974

Id prsb03-dataelement-13974 (2021-02-11 12:26:44)

Description This is the signpost details record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.

Used by 14 transactions, 0 templates, inherited 0 times



Date

prsb03-dataelement-13975

Id prsb03-dataelement-13975 (2021-02-11 12:28:32)

Description Date of signpost

Value Domain

Property

Timestamp precision

at least day, month and year

Used by 14 transactions, 0 templates, inherited 0 times



Signpost to

prsb03-dataelement-13976

Id prsb03-dataelement-13976 (2021-02-11 12:29:57)

Description Details of where the signpost is to.

If not an individual, this could be a service

Used by 14 transactions, 0 templates, inherited 0 times



Name

prsb03-dataelement-13977

Id	prsb03-dataelement-13977 (2021-02-11 12:32:55)
Description	Name of person signposted to
Operationalization	Free Text
Value Domain	
⌚ Used by	14 transactions, 0 templates, inherited 0 times

prsb03-dataelement-13978

Id	prsb03-dataelement-13978 (2021-02-11 12:34:34)
Description	Role of person been signposted to.
Operationalization	Free Text
Value Domain	
⌚ Used by	14 transactions, 0 templates, inherited 0 times

prsb03-dataelement-13979

Id	prsb03-dataelement-13979 (2021-02-11 12:39:31)
Description	The grade of the person been signposted to.
Operationalization	Free text
Value Domain	
⌚ Used by	14 transactions, 0 templates, inherited 0 times

prsb03-dataelement-13980

Id	prsb03-dataelement-13980 (2021-02-11 12:40:50)
Description	The team or department of the person been signposted to.
Operationalization	Free text
Value Domain	
⌚ Used by	14 transactions, 0 templates, inherited 0 times

prsb03-dataelement-13981

Id	prsb03-dataelement-13981 (2021-02-11 12:41:59)
Description	The specialty of where been signposted e.g. physiotherapy, oncology, mental health etc

Value Domain

 Used by 14 transactions, 0 templates, inherited 0 times

Service

prsb03-dataelement-13982

Id prsb03-dataelement-13982 (2021-02-11 12:43:49)

Description The service of where been signposted to.

 Used by 14 transactions, 0 templates, inherited 0 times

Coded value

prsb03-dataelement-13983

Id prsb03-dataelement-13983 (2021-02-11 12:45:12)

Description The coded value for service

Operationalization SNOMED CT : - 1127531000000102 |Services simple reference set (foundation metadata concept)|

Value Domain

 Used by 14 transactions, 0 templates, inherited 0 times

Free text

prsb03-dataelement-13984

Id prsb03-dataelement-13984 (2021-02-11 12:46:37)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

 Used by 14 transactions, 0 templates, inherited once


Organisation

prsb03-dataelement-13985

Id prsb03-dataelement-13985 (2021-02-11 12:48:00)

Description Name of organisation been signposted to.

Operationalization Free text

 Used by 14 transactions, 0 templates, inherited 0 times

Contact details

prsb03-dataelement-13987

Id	prsb03-dataelement-13987 (2021-02-11 13:06:04)
Description	The contact details of where been signposted to
Operationalization	Free text
Value Domain	
⌚ Used by	14 transactions, 0 templates, inherited 0 times

 Coded value

prsb03-dataelement-13986

Id	prsb03-dataelement-13986 (2021-02-11 12:50:43) 0.1
Description	The coded value for organisation
Value Domain	

 Reason for signpost

prsb03-dataelement-13988

Id	prsb03-dataelement-13988 (2021-02-11 16:06:08)
Description	Reason for signposting
⌚ Used by	14 transactions, 0 templates, inherited 0 times

 Coded value

prsb03-dataelement-13989

Id	prsb03-dataelement-13989 (2021-02-11 16:10:28)
Description	Coded value for reason for signpost
Operationalization	SNOMED CT :- ^1127581000000103 Health issues simple reference set
Value Domain	

 Free text

prsb03-dataelement-13990

Id	prsb03-dataelement-13990 (2021-02-11 16:13:18)
Description	Free text
Operationalization	Free text
Value Domain	
⌚ Used by	14 transactions, 0 templates, inherited 0 times

 Clinical urgency for signpost

prsb03-dataelement-13991

Id	prsb03-dataelement-13991 (2021-02-11 16:24:10)
Description	The details of the clinical urgency of signpost

Operationalization

Free text

⌚ Used by

14 transactions, 0 templates, inherited 0 times

  Investigations requested

prsb03-dataelement-10730

Id prsb03-dataelement-10730 (2019-02-08 16:17:16)

Description Details of any investigations requested

  Investigations requested record entry

prsb03-dataelement-10731

Id prsb03-dataelement-10731 (2019-02-08 16:19:05)

Description This is an investigation requested record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.

 Date

prsb03-dataelement-10732

Id prsb03-dataelement-10732 (2019-02-08 16:21:40)

Description The date the investigation was requested.

Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute

  Location

prsb03-dataelement-10736

Id prsb03-dataelement-10736 (2019-02-08 16:24:49)

Description The location where the investigation was requested.

 Coded value

prsb03-dataelement-13727

Id prsb03-dataelement-13727 (2020-09-16 13:22:15)

Description The coded value for location

Operationalization NHS data dictionary: - Organisation data service

Value Domain

Property

min length max length

3

5

 Free text

prsb03-dataelement-13728

Id prsb03-dataelement-13728 (2020-09-16 13:37:26)

Concept inherits from  prsb03-dataelement-13223 (2020-07-08 17:40:09)

Description Free text field to be used if no coded text available

Value Domain

Property

max length

150



Performing professional

prsb03-dataelement-10735

Id

prsb03-dataelement-10735 (2019-02-08 16:24:11) 0.1

Description

The professional requesting the investigation.

Value Domain



 Performing professional

prsb03-dataelement-12081

Id

prsb03-dataelement-12081 (2019-05-31 15:49:09)

Description

The professional who requested the investigation.

Relationship

Performing professional (*prsb03-dataelement-11281 - 2019-05-30 11:53:30*)



Name

prsb03-dataelement-12082

Id

prsb03-dataelement-12082 (2019-05-31 15:49:33)

Concept inherits from

 prsb03-dataelement-11282 (2019-05-30 11:57:38)

Description

The name of the professional.

Rationale

Practitioner.name

Operationalization

Free text.

Value Domain

Property

max length

70



Role

prsb03-dataelement-12083

Id

prsb03-dataelement-12083 (2019-05-31 15:49:33)

Concept inherits from

 prsb03-dataelement-11283 (2019-05-30 11:58:48)

Description

The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc

Rationale

Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobroletype

Value Domain

 Grade	prsb03-dataelement-12084
---	--------------------------

Id prsb03-dataelement-12084 (2019-05-31 15:49:33)

Concept inherits from  prsb03-dataelement-11288 (2019-05-30 12:19:40)

Description The grade of the professional.

Rationale PractitionerRole.code

Operationalization Free text

Value Domain

Property 

150

 Speciality	prsb03-dataelement-12085
--	--------------------------

Id prsb03-dataelement-12085 (2019-05-31 15:49:33)

Concept inherits from  prsb03-dataelement-11284 (2019-05-30 12:01:15)

Description The specialty of the professional e.g. physiotherapy, oncology, mental health etc

Rationale PractitionerRole.speciality

Operationalization NHS data dictionary - Activity treatment function code

Value Domain

Property 

3

 Professional identifier	prsb03-dataelement-12086
---	--------------------------

Id prsb03-dataelement-12086 (2019-05-31 15:49:33)

Concept inherits from  prsb03-dataelement-11285 (2019-05-30 12:02:46)

Description Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary : - Professional registration identifier

Value Domain

Property 

Organisation	prsb03-dataelement-12087
Id	prsb03-dataelement-12087 (2019-05-31 15:49:33)
Concept inherits from	prsb03-dataelement-11286 (2019-05-30 12:17:19)
Description	The name of the organisation the professional works for.
Contact details	prsb03-dataelement-12088
Id	prsb03-dataelement-12088 (2019-05-31 15:49:33)
Concept inherits from	prsb03-dataelement-11287 (2019-05-30 12:18:13)
Description	Contact details of the professional
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom
Operationalization	NHS data dictionary - UK phone number
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 35 </div>
Investigation requested	prsb03-dataelement-10733
Id	prsb03-dataelement-10733 (2019-02-08 16:22:42)
Description	The investigation that is requested. The investigation may refer to an individual test or a group of related tests or broader investigation required (so the investigator can determine the appropriate tests)
Used by	0 transactions, 0 templates, inherited once
Coded value	prsb03-dataelement-13529
Id	prsb03-dataelement-13529 (2020-09-04 15:10:24)
Description	The coded value for Investigation requested
Operationalization	SNOMED CT: - <71388002 Procedure (procedure)
Value Domain	
Free text	prsb03-dataelement-13530
Id	prsb03-dataelement-13530 (2020-09-04 15:14:59)

Concept inherits from	 prsb03-dataelement-13220 (2020-07-08 12:57:49)
Description	Free text field to be used if no code is available
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> max length 150 </div>
 Status of request	prsb03-dataelement-10734
Id	prsb03-dataelement-10734 (2019-02-08 16:23:21)
Description	The status of the investigation request.
Operationalization	Code : - draft active suspended completed entered-in-error cancelled
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> max length 16 </div>
 Reason for request	prsb03-dataelement-10737
Id	prsb03-dataelement-10737 (2019-02-08 16:25:36)
Description	An explanation or justification for why this investigation is being requested.
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> max length 150 </div>
 Request priority	prsb03-dataelement-10738
Id	prsb03-dataelement-10738 (2019-02-08 16:26:22)
Description	The urgency of the investigation requested.
Operationalization	Code : - routine urgent asap stat
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> max length 10 </div>
 Person completing record	prsb03-dataelement-10956

Id	prsb03-dataelement-10956 (2019-05-18 21:09:13) 0.1
Description	This is the person recording the investigation request.
	Should include their name, role, grade, specialty, organisation, professional identifier, date and time completed, contact details
Relationship	Person completing record (<i>prsb03-dataelement-10860 - 2019-03-27 17:46:45</i>)
Operationalization	Free text. Name, Role, Grade, Specialty, Organisation, Professional identifier, Date and time completed, Contact details
Value Domain	
Used by	0 transactions, 0 templates, inherited once



prsb03-dataelement-12089

Id	prsb03-dataelement-12089 (2019-05-31 15:49:50)
Value Domain	



Person completing record

prsb03-dataelement-12090

Id	prsb03-dataelement-12090 (2019-05-31 15:49:53)
Concept inherits from	🟡 <i>prsb03-dataelement-11289 (2019-05-30 12:24:39)</i>
Description	Details of the person completing the record.
Relationship	Person completing record (<i>prsb03-dataelement-319 - 2018-10-31</i>)



Name

prsb03-dataelement-12091

Id	prsb03-dataelement-12091 (2019-05-31 15:50:55)
Concept inherits from	🟡 <i>prsb03-dataelement-11290 (2019-05-30 12:25:39)</i>
Description	The name of the person completing the record.
Relationship	Name (<i>prsb03-dataelement-10219 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.name
Operationalization	Free text.
Value Domain	

Property

max length

70



Role

prsb03-dataelement-12092

Id	prsb03-dataelement-12092 (2019-05-31 15:50:55)
Concept inherits from	 <i>prsb03-dataelement-11291</i> (2019-05-30 12:25:39)
Description	The organisational role of the person completing record.

2.1.348 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship	Role (<i>prsb03-dataelement-10220 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobrole
Value Domain	

 Grade	prsb03-dataelement-12093
---	--------------------------

Id	prsb03-dataelement-12093 (2019-05-31 15:50:55)
Concept inherits from	 <i>prsb03-dataelement-11292</i> (2019-05-30 12:25:39)
Description	The grade of the person completing the record.
Relationship	Grade (<i>prsb03-dataelement-10221 - 2018-10-31</i>)
Rationale	PractitionerRole.code
Operationalization	Free text.
Value Domain	

Property	max length
	150

 Specialty	prsb03-dataelement-12094
---	--------------------------

Id	prsb03-dataelement-12094 (2019-05-31 15:50:55)
Concept inherits from	 <i>prsb03-dataelement-11293</i> (2019-05-30 12:25:39)
Description	The main specialty of the person completing the record.

2.1.349 Properties

FHIR PractitionerRole.specialty

Relationship	Specialty (<i>prsb03-dataelement-10222 - 2018-10-31</i>)
Rationale	PractitionerRole.specialty
Operationalization	NHS data dictionary :- Activity treatment function code
Value Domain	

Property

max length

3



Organisation

prsb03-dataelement-12095

Id

prsb03-dataelement-12095 (2019-05-31 15:50:55)

Concept inherits from

prsb03-dataelement-11294 (2019-05-30 12:25:39)

Description

The organisation the person completing the record works for.

Relationship

Organisation (*prsb03-dataelement-10226 - 2018-10-31*)

Professional identifier

prsb03-dataelement-12096

Id

prsb03-dataelement-12096 (2019-05-31 15:50:55)

Concept inherits from

prsb03-dataelement-11295 (2019-05-30 12:25:39)

Description

Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.350 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship Professional identifier (*prsb03-dataelement-10223 - 2018-10-31*)

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary :- Professional registration identifier

Value Domain

Property

max length

32



Date completed

prsb03-dataelement-12097

Id

prsb03-dataelement-12097 (2019-05-31 15:50:55)

Concept inherits from

prsb03-dataelement-11296 (2019-05-30 12:25:39)

Description

The date and time the record was completed.

Relationship Date completed (*prsb03-dataelement-10224 - 2018-10-31*)

Rationale Composition.date

Operationalization Date and time.

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Contact details

prsb03-dataelement-12098

Id

prsb03-dataelement-12098 (2019-05-31 15:50:55)

Concept inherits from

prsb03-dataelement-11297 (2019-05-30 12:25:39)

Description

Contact details of the person completing the record.

2.1.351 Properties

FHIR

PractitionerRole.telecom

Relationship

Contact details (*prsb03-dataelement-10225 - 2018-10-31*)

Rationale

Practitioner.telecom
PractitionerRole.telecom
Organisation.telcom

Operationalization

NHS data dictionary : - UK telephone number

Value Domain

Property

max length

35



Observations

prsb03-dataelement-12475

Id

prsb03-dataelement-12475 (2019-06-27 12:29:34)

Description

The record of essential physiological observations

Used by

one transaction, 0 templates, inherited 0 times



Observations

prsb03-dataelement-12474

Id

prsb03-dataelement-12474 (2019-06-27 12:13:35)

Description

The record of essential physiological observations e.g pulse, blood pressure, oxygen saturation/capnography, temperature, pain score, respiration rate, level of consciousness or new confusion. Use of National Early Warning Score (NEWS2) where appropriate.

Operationalization

FHIR NEWS2 specification produced by NHS Digital and the associated observations. See implementation guidance for restriction of the use of NEWS2 by age.

Value Domain

Used by

one transaction, 0 templates, inherited 0 times

  Examination findings

prsb03-dataelement-557

Id	prsb03-dataelement-557 (2018-10-31)
Description	Examination findings
Used by	6 transactions, 0 templates, inherited 0 times

  Examination findings record entry

prsb03-dataelement-10662

Id	prsb03-dataelement-10662 (2018-11-13 13:47:29)
Description	This is a examination findings record entry. There may be 0 to many record entry/entries under a section. Each record entry is made up of a number of elements or data items.
Used by	6 transactions, 0 templates, inherited 0 times

 Date

prsb03-dataelement-10462

Id	prsb03-dataelement-10462 (2018-10-31)
Description	The date the examination was performed.
Operationalization	Date and time
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p style="text-align: center;">at least day, month and year, hour and minute</p>
Used by	6 transactions, 0 templates, inherited 0 times

 Performing Professional

prsb03-dataelement-10460

Id	prsb03-dataelement-10460 (2018-10-31) 0.1
Description	Details of the professional performing the examination (including name and role).
Operationalization	Free text
Value Domain	
Used by	0 transactions, 0 templates, inherited once

  Performing professional

prsb03-dataelement-12116

Id	prsb03-dataelement-12116 (2019-05-31 15:59:16)
Description	The professional who performed the examination.

Relationship Performing professional (*prsb03-dataelement-11281 - 2019-05-30 11:53:30*)

 Name	prsb03-dataelement-12117
--	--------------------------

Id prsb03-dataelement-12117 (2019-05-31 15:59:38)

Concept inherits from  *prsb03-dataelement-11282 (2019-05-30 11:57:38)*

Description The name of the professional.

Rationale Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70

 Role	prsb03-dataelement-12118
--	--------------------------

Id prsb03-dataelement-12118 (2019-05-31 15:59:38)

Concept inherits from  *prsb03-dataelement-11283 (2019-05-30 11:58:48)*

Description The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc

Rationale Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobroletype

Value Domain

 Grade	prsb03-dataelement-12119
---	--------------------------

Id prsb03-dataelement-12119 (2019-05-31 15:59:38)

Concept inherits from  *prsb03-dataelement-11288 (2019-05-30 12:19:40)*

Description The grade of the professional.

Rationale PractitionerRole.code

Operationalization Free text

Value Domain

Property

max length

150

 Speciality	prsb03-dataelement-12120
--	--------------------------

Id prsb03-dataelement-12120 (2019-05-31 15:59:38)

Concept inherits from	 prsb03-dataelement-11284 (2019-05-30 12:01:15)
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc
Rationale	PractitionerRole.speciality
Operationalization	NHS data dictionary - Activity treatment function code
Value Domain	

Property	max length
	3

 Professional identifier

prsb03-dataelement-12121

Id	prsb03-dataelement-12121 (2019-05-31 15:59:38)
Concept inherits from	 prsb03-dataelement-11285 (2019-05-30 12:02:46)
Description	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary : - Professional registration identifier
Value Domain	
Property	max length
	32

 Organisation

prsb03-dataelement-12122

Id	prsb03-dataelement-12122 (2019-05-31 15:59:38)
Concept inherits from	 prsb03-dataelement-11286 (2019-05-30 12:17:19)
Description	The name of the organisation the professional works for.

 Contact details

prsb03-dataelement-12123

Id	prsb03-dataelement-12123 (2019-05-31 15:59:38)
Concept inherits from	 prsb03-dataelement-11287 (2019-05-30 12:18:13)
Description	Contact details of the professional
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom
Operationalization	NHS data dictionary - UK phone number
Value Domain	

Property

max length

35



Location

prsb03-dataelement-10461

Id

prsb03-dataelement-10461 (2018-10-31)

Description

The location where the examination was performed.



Coded value

prsb03-dataelement-13445

Id

prsb03-dataelement-13445 (2020-08-27 15:31:49)

Description

The coded value for location

Operationalization

NHS data dictionary : - Organisation data service

Value Domain

Property

min length**max length**

3

5



Free text

prsb03-dataelement-13446

Id

prsb03-dataelement-13446 (2020-08-27 15:32:44)

Concept inherits from

prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description

Free text field to be used if no code is available

Operationalization

Free text

Value Domain

Property

max length

150



Examination

prsb03-dataelement-10457

Id

prsb03-dataelement-10457 (2018-10-31) 0.1

Description

The examination performed, e.g. general appearance, vital signs, mental state, head and neck examination, oral examination, cardiovascular system, respiratory system, abdomen, genitourinary, nervous system, musculoskeletal system, skin. This could include site and must include laterality where applicable.

Operationalization

This is the record of the examinations undertaken during the appointment. Text or coded text (SNOMED CT). The examination performed, eg general appearance, vital signs, mental state, head and neck examination, oral examination, cardiovascular system, respiratory system, abdomen, genitourinary, nervous system, musculoskeletal system, skin.

Value Domain



Examination findings

		prsb03-dataelement-10458
Id	prsb03-dataelement-10458 (2018-10-31)	
Description	The record of findings from the examinations performed.	
 Coded value		prsb03-dataelement-13443
Id	prsb03-dataelement-13443 (2020-08-27 11:58:27)	
Description	The coded value for examination findings	
Operationalization	SNOMED CT : - ^1127601000000107 Healthcare matters simple reference set (foundation metadata concept)	
Value Domain		
 Free text		prsb03-dataelement-13444
Id	prsb03-dataelement-13444 (2020-08-27 15:18:28)	
Concept inherits from	 prsb03-dataelement-13223 (2020-07-08 17:40:09)	
Description	Free text field to be used if no coded text available	
Value Domain		
Property	max length 150	
 General appearance		prsb03-dataelement-10463
Id	prsb03-dataelement-10463 (2018-10-31) 0.1	
Description	The record of a clinician's 'first impression' assessment including general clinical examination finding, e.g., clubbing, anaemia, jaundice, obese/malnourished/cachectic, height, weight, etc	
Operationalization	Free Text or SNOMED CT	
Value Domain		
  Observations		prsb03-dataelement-10464
Id	prsb03-dataelement-10464 (2018-10-31)	
Description	The record of essential physiological measurements, e.g., heart rate, blood pressure, temperature, pulse, height, weight, respiratory rate, oxygen saturation.	
 Used by	6 transactions, 0 templates, inherited 0 times	
  Observations record entry		prsb03-dataelement-13866
Id	prsb03-dataelement-13866 (2021-01-27 18:14:05)	

Description This is an observations record entry. There may be 0 to many record entry/entries under a section. Each record entry is made up of a number of elements or data items.

⌚ Used by one transaction, 0 templates, inherited 0 times

Coded value

prsb03-dataelement-13447

Id prsb03-dataelement-13447 (2020-08-27 16:08:42)

Description The coded value for observations

Operationalization SNOMED CT: - <363787002 | Observable entity (observable entity) |

Value Domain

⌚ Used by one transaction, 0 templates, inherited 0 times

Value

prsb03-dataelement-13832

Id prsb03-dataelement-13832 (2020-12-23 15:22:16)

Description The measured value of the observations

Operationalization Enumerated value e.g. numeric, natural numbers, mild, moderate

Value Domain

⌚ Used by one transaction, 0 templates, inherited 0 times

Units of measure

prsb03-dataelement-13833

Id prsb03-dataelement-13833 (2020-12-23 15:23:47)

Description The units of measure for the observation.

Relationship Units of measure (*prsb03-dataelement-13822 - 2020-12-18 18:22:30*)

Operationalization UCUM code

Value Domain

Property

max length

10

⌚ Used by one transaction, 0 templates, inherited 0 times

Site

prsb03-dataelement-13848

Id prsb03-dataelement-13848 (2020-12-30 12:15:58)

Description	The anatomical site at which the observation is taken
Operationalization	SNOMED CT: - 442083009 Anatomical or acquired body structure (body structure)
Value Domain	
⌚ Used by	one transaction, 0 templates, inherited 0 times

 Interpretation

prsb03-dataelement-13843

Id	prsb03-dataelement-13843 (2020-12-29 15:04:11)
Description	The assessment made based on the result of the observation e.g high, low
Operationalization	FHIR value set: - Interpretation
Value Domain	
⌚ Used by	one transaction, 0 templates, inherited 0 times

 Free text

prsb03-dataelement-13448

Id	prsb03-dataelement-13448 (2020-08-27 16:09:58)		
Concept inherits from	 prsb03-dataelement-13220 (2020-07-08 12:57:49)		
Description	Free text field to be used if no code is available		
Operationalization	Free text		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>150</td> </tr> </table>	max length	150
max length			
150			
⌚ Used by	one transaction, 0 templates, inherited 0 times		

 News 2 score

prsb03-dataelement-13860

Id	prsb03-dataelement-13860 (2021-01-27 17:37:33) 0.1
Value Domain	

 Height/length

prsb03-dataelement-13761

Id	prsb03-dataelement-13761 (2020-09-29 17:39:18)
Description	The person's height and length measurement
⌚ Used by	5 transactions, 0 templates, inherited 0 times

 Coded value

prsb03-dataelement-13812

Id	prsb03-dataelement-13812 (2020-12-16 15:09:39)
Description	The coded value for height/length
Operationalization	SNOMED CT: - 50373000 Body height measure (observable entity) OR 248334005 Length of body (observable entity)
Value Domain	
Used by	5 transactions, 0 templates, inherited 0 times

 Value

prsb03-dataelement-13813

Id	prsb03-dataelement-13813 (2020-12-16 15:51:30)
Description	The value of the observation.
Operationalization	Numeric
Value Domain	
Property	3
Used by	5 transactions, 0 templates, inherited 0 times

 Units of measure

prsb03-dataelement-13817

Id	prsb03-dataelement-13817 (2020-12-18 17:57:29)
Description	The units of measure for height/length
Operationalization	UCUM code
Value Domain	
Property	max length 10
Used by	5 transactions, 0 templates, inherited 0 times

 Weight

prsb03-dataelement-13814

Id	prsb03-dataelement-13814 (2020-12-18 16:56:16)
Description	The person's weight in kgs
Used by	5 transactions, 0 templates, inherited 0 times

 Coded value

prsb03-dataelement-13815

Id	prsb03-dataelement-13815 (2020-12-18 17:03:24)
Description	The coded value of weight
Operationalization	SNOMED CT : - 27113001 Body weight (observable entity)
Value Domain	
Used by	5 transactions, 0 templates, inherited 0 times

 Value

prsb03-dataelement-13816

Id	prsb03-dataelement-13816 (2020-12-18 17:06:19)
Description	The value of the person's weight
Operationalization	Numeric
Value Domain	
Used by	5 transactions, 0 templates, inherited 0 times

 Units of measure

prsb03-dataelement-13818

Id	prsb03-dataelement-13818 (2020-12-18 17:59:33)		
Description	The units of measure for weight		
Relationship	Units of measure (<i>prsb03-dataelement-13817 - 2020-12-18 17:57:29</i>)		
Operationalization	UCUM code		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>10</td> </tr> </table>	max length	10
max length			
10			

Used by 5 transactions, 0 templates, inherited 0 times

 BMI

prsb03-dataelement-13819

Id	prsb03-dataelement-13819 (2020-12-18 18:18:02)
Description	The person's BMI calculation
Used by	5 transactions, 0 templates, inherited 0 times

 Coded value

prsb03-dataelement-13820

Id	prsb03-dataelement-13820 (2020-12-18 18:18:45)
Description	The coded value of BMI
Operationalization	SNOMED CT: - 60621009 Body mass index (observable entity)
Value Domain	
⌚ Used by	5 transactions, 0 templates, inherited 0 times

 Value

prsb03-dataelement-13821

Id	prsb03-dataelement-13821 (2020-12-18 18:20:35)
Description	The value of the person's BMI
Operationalization	Numeric
Value Domain	
Property	2
⌚ Used by	5 transactions, 0 templates, inherited 0 times

 Units of measure

prsb03-dataelement-13822

Id	prsb03-dataelement-13822 (2020-12-18 18:22:30)
Description	The units of measure for BMI
Operationalization	UCUM code
Value Domain	
Property	max length 10
⌚ Used by	5 transactions, 0 templates, inherited 0 times

 Blood pressure

prsb03-dataelement-13823

Id	prsb03-dataelement-13823 (2020-12-18 18:52:08)
Description	The person's blood pressure measurement
⌚ Used by	6 transactions, 0 templates, inherited 0 times

 Systolic blood pressure

prsb03-dataelement-13824

Id	prsb03-dataelement-13824 (2020-12-18 18:53:17)
Description	Details of the person's systolic blood pressure
Used by	6 transactions, 0 templates, inherited 0 times

 Coded value

prsb03-dataelement-13825

Id	prsb03-dataelement-13825 (2020-12-18 18:54:13)
Description	The coded value for systolic blood pressure
Operationalization	SNOMED CT : - <<271649006 Systolic blood pressure (observable entity)
Value Domain	
Used by	6 transactions, 0 templates, inherited 0 times

 Value

prsb03-dataelement-13826

Id	prsb03-dataelement-13826 (2020-12-18 18:55:32)
Description	The value of the systolic blood pressure reading
Operationalization	Numeric
Value Domain	
Property	3
Used by	6 transactions, 0 templates, inherited 0 times

 Units of measure

prsb03-dataelement-13827

Id	prsb03-dataelement-13827 (2020-12-18 18:58:12)
Description	The units of measure for systolic blood pressure
Operationalization	UCUM code
Value Domain	
Property	max length 10
Used by	6 transactions, 0 templates, inherited 0 times

 Site

prsb03-dataelement-13829

Id	prsb03-dataelement-13829 (2020-12-18 19:10:44)
Description	The anatomical site at which the blood pressure is taken

2.1.352 Properties

FHIR MedicationStatement.dosage.site

Relationship	Site (<i>prsb03-dataelement-10540 - 2018-10-31</i>)
Used by	6 transactions, 0 templates, inherited 0 times



Coded value

prsb03-dataelement-13830

Id	prsb03-dataelement-13830 (2020-12-18 19:11:37)
Concept inherits from	🟡 <i>prsb03-dataelement-13657</i> (2020-09-08 20:33:18)
Description	The coded value for site
Operationalization	SNOMED CT: - <442083009 Anatomical or acquired body structure (body structure)
Value Domain	
Used by	6 transactions, 0 templates, inherited 0 times



Free text

prsb03-dataelement-13831

Id	prsb03-dataelement-13831 (2020-12-18 19:11:37)		
Concept inherits from	🟡 <i>prsb03-dataelement-13658</i> (2020-09-08 20:35:42)		
Description	Free text field to be used when code is not available		
Relationship	Free text (<i>prsb03-dataelement-13229 - 2020-07-15 19:30:33</i>)		
Operationalization	Free text		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>150</td> </tr> </table>	max length	150
max length			
150			
Used by	6 transactions, 0 templates, inherited 0 times		



Site

prsb03-dataelement-13828

Id	prsb03-dataelement-13828 (2020-12-18 18:59:29) 0.1
Concept inherits from	✖ <i>prsb03-dataelement-13204</i> (2020-06-24 17:51:17)

Description	The anatomical site at which the medication is administered.
-------------	--

2.1.353 Properties

FHIR MedicationStatement.dosage.site

Relationship Site (*prsb03-dataelement-10540 - 2018-10-31*)

Operationalization TextCoded text - constraint: SiteOfMedicationAdministration.

Any valid site for the administration of a medication.

Constraint binding: [SNOMED-CT]subset= SiteOfMedicationAdministration

Value Domain



Diastolic blood pressure

prsb03-dataelement-13867

Id prsb03-dataelement-13867 (2021-01-27 18:37:13)

Used by 6 transactions, 0 templates, inherited 0 times



Coded value

prsb03-dataelement-13868

Id prsb03-dataelement-13868 (2021-01-27 18:38:53)

Description The coded value for diastolic blood pressure.

Operationalization SNOMED CT :- <>271650006 |Diastolic blood pressure (observable entity)|

Value Domain

Used by 6 transactions, 0 templates, inherited 0 times



Value

prsb03-dataelement-13869

Id prsb03-dataelement-13869 (2021-01-27 18:42:21)

Description The value of the diastolic blood pressure reading

Operationalization Numeric

Value Domain

Property

3

Used by 6 transactions, 0 templates, inherited 0 times



Units of measure

prsb03-dataelement-13870

Id prsb03-dataelement-13870 (2021-01-27 18:45:53)

Description	The units of measure for the diastolic blood pressure
Relationship	Units of measure (<i>prsb03-dataelement-13839 - 2020-12-28 22:51:47</i>)

Operationalization UCUM code

Value Domain

Property

max length

10

⌚ Used by 6 transactions, 0 templates, inherited 0 times



Site

prsb03-dataelement-13871

Id prsb03-dataelement-13871 (2021-01-27 18:49:54)

Description The anatomical site at where the blood pressure is taken

2.1.354 Properties

FHIR MedicationStatement.dosage.site

Relationship Site (*prsb03-dataelement-10540 - 2018-10-31*)

⌚ Used by 6 transactions, 0 templates, inherited 0 times



Coded value

prsb03-dataelement-13872

Id prsb03-dataelement-13872 (2021-01-27 18:51:09)

Concept inherits from ⚡ *prsb03-dataelement-13657 (2020-09-08 20:33:18)*

Description The coded value for site

Operationalization SNOMED CT: - <442083009 | Anatomical or acquired body structure (body structure) |

Value Domain

⌚ Used by 6 transactions, 0 templates, inherited 0 times



Free text

prsb03-dataelement-13873

Id prsb03-dataelement-13873 (2021-01-27 18:51:09)

Concept inherits from ⚡ *prsb03-dataelement-13658 (2020-09-08 20:35:42)*

Description Free text field to be used when code is not available

Relationship Free text (*prsb03-dataelement-13229 - 2020-07-15 19:30:33*)

Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> max length 150 </div>
⌚ Used by	6 transactions, 0 templates, inherited 0 times

Heart rate	prsb03-dataelement-13859
------------	--------------------------

Id	prsb03-dataelement-13859 (2021-01-27 17:25:40)
Description	The beat of the heart as felt through the walls of a peripheral artery measured in bpm
⌚ Used by	5 transactions, 0 templates, inherited 0 times

Coded value	prsb03-dataelement-13970
-------------	--------------------------

Id	prsb03-dataelement-13970 (2021-02-09 14:55:17)
Description	The coded value for heart rate
Operationalization	SNOMED CT : - 364075005 Heart rate (observable entity)
Value Domain	
⌚ Used by	5 transactions, 0 templates, inherited 0 times

Value	prsb03-dataelement-13971
-------	--------------------------

Id	prsb03-dataelement-13971 (2021-02-09 14:58:01)
Description	The numeric value of heart rate
Operationalization	Numeric
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> 3 </div>
⌚ Used by	5 transactions, 0 templates, inherited 0 times

Units of measure	prsb03-dataelement-13972
------------------	--------------------------

Id	prsb03-dataelement-13972 (2021-02-09 15:39:37)
Description	The units of measure for heart rate

Operationalization	UCUM code
Value Domain	
⌚ Used by	5 transactions, 0 templates, inherited 0 times

 Temperature

prsb03-dataelement-14235

Id	prsb03-dataelement-14235 (2021-02-26 16:04:10)
Description	The measurement of the person's temperature in Celsius (OC)
⌚ Used by	3 transactions, 0 templates, inherited 0 times

 Coded value

prsb03-dataelement-14236

Id	prsb03-dataelement-14236 (2021-02-26 16:12:14)
Description	The coded value for temperture
Operationalization	SNOMED CT : -<<386725007 Body temperature (observable entity)
Value Domain	
⌚ Used by	3 transactions, 0 templates, inherited 0 times

 Value

prsb03-dataelement-14237

Id	prsb03-dataelement-14237 (2021-02-26 16:12:47)
Description	The value of the person temperture
Operationalization	Numeric
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> min include 1 2 </div>
⌚ Used by	3 transactions, 0 templates, inherited 0 times

 Units of measure

prsb03-dataelement-14238

Id	prsb03-dataelement-14238 (2021-02-26 16:38:31)
Description	The units of measure for the persons temperture
Operationalization	UCUM code
Value Domain	

⌚ Used by 3 transactions, 0 templates, inherited 0 times

📁🟡 Oxygen saturation

prsb03-dataelement-14239

Id prsb03-dataelement-14239 (2021-02-26 16:51:57)

Description The measurement of oxygen within the blood (expressed as a percentage of 100)

⌚ Used by 3 transactions, 0 templates, inherited 0 times

🟡 Coded value

prsb03-dataelement-14240

Id prsb03-dataelement-14240 (2021-02-26 16:54:49)

Description The coded value for Oxygen saturation

Operationalization SNOMED CT: - 431314004 |Peripheral oxygen saturation (observable entity)|

Value Domain

⌚ Used by 3 transactions, 0 templates, inherited 0 times

🟡 Value

prsb03-dataelement-14241

Id prsb03-dataelement-14241 (2021-02-26 17:00:58)

Description The value for the persons oxygen saturation

Operationalization Numeric

Value Domain

Property

3

⌚ Used by 3 transactions, 0 templates, inherited 0 times

🟡 Units of measure

prsb03-dataelement-14242

Id prsb03-dataelement-14242 (2021-02-26 17:02:06)

Description The units of measure for oxygen saturation

Operationalization UCUM code

Value Domain

Property

max length

3

⌚ Used by 3 transactions, 0 templates, inherited 0 times

📁🟡 Pain score

prsb03-dataelement-14243

Id prsb03-dataelement-14243 (2021-02-26 18:29:57)

Description The pain score for the person

⌚ Used by 3 transactions, 0 templates, inherited 0 times

🟡 Coded value

prsb03-dataelement-14244

Id prsb03-dataelement-14244 (2021-02-26 18:46:05)

Description The coded value for pain score

Operationalization SNOMED CT : - 225908003 | Pain score (observable entity) |

Value Domain

⌚ Used by 3 transactions, 0 templates, inherited 0 times

🟡 Value

prsb03-dataelement-14245

Id prsb03-dataelement-14245 (2021-02-26 18:47:15)

Description The value for the pain score

Operationalization Numeric

Value Domain

⌚ Used by 3 transactions, 0 templates, inherited 0 times

🟡 Units of measure

prsb03-dataelement-14246

Id prsb03-dataelement-14246 (2021-02-26 18:50:11)

Description The units of measure for pain score

Operationalization UCUM

Value Domain

⌚ Used by 3 transactions, 0 templates, inherited 0 times

📁🟡 Level of consciousness

prsb03-dataelement-14247

Id prsb03-dataelement-14247 (2021-02-26 18:57:42)

Description	Person's level of arousal and awareness
Used by	3 transactions, 0 templates, inherited 0 times

 prsb03-dataelement-14250

 Id prsb03-dataelement-14250 (2021-03-01 16:27:28)

 Coded value prsb03-dataelement-14249

 Id prsb03-dataelement-14249 (2021-03-01 16:01:37)

Description
Coded value for level of consciousness

Operationalization SNOMED CT : - 1104441000000107 | Alert Confusion Voice Pain Unresponsive scale score (observable entity) |

Value Domain

Used by 3 transactions, 0 templates, inherited 0 times

 Value prsb03-dataelement-14251

 Id prsb03-dataelement-14251 (2021-03-02 13:15:32)

Description Value of the level of consciousness

Operationalization Numeric

Value Domain

Used by 3 transactions, 0 templates, inherited 0 times

 Units of measure prsb03-dataelement-14252

 Id prsb03-dataelement-14252 (2021-03-02 13:22:41)

Description Unit of measure for level of consciousness

Operationalization UCUM

Value Domain

Used by 3 transactions, 0 templates, inherited 0 times

 Respiratory rate prsb03-dataelement-14248

Id	prsb03-dataelement-14248 (2021-02-26 18:58:54)
Description	Number of breaths you take per minute
⌚ Used by	3 transactions, 0 templates, inherited 0 times

 Coded value

prsb03-dataelement-14254

Id	prsb03-dataelement-14254 (2021-03-05 15:12:15)
Description	Coded value for respiratory rate
Operationalization	SNOMED CT : - 86290005 Respiratory rate (observable entity)
Value Domain	
⌚ Used by	3 transactions, 0 templates, inherited 0 times

 Value

prsb03-dataelement-14255

Id	prsb03-dataelement-14255 (2021-03-05 15:14:26)
Description	Value for respiratory rate
Operationalization	Numeric
Value Domain	
⌚ Used by	3 transactions, 0 templates, inherited 0 times

 Unit of measure

prsb03-dataelement-14256

Id	prsb03-dataelement-14256 (2021-03-05 15:24:38)
Description	Unit of measure of respiratory rate
Operationalization	UCUM code
Value Domain	
⌚ Used by	3 transactions, 0 templates, inherited 0 times

 Air or Oxygen

prsb03-dataelement-14257

Id	prsb03-dataelement-14257 (2021-03-08 14:18:44)
Description	If the person requires Air or Oxygen
⌚ Used by	2 transactions, 0 templates, inherited 0 times

 Coded value

prsb03-dataelement-14258

Id	prsb03-dataelement-14258 (2021-03-08 14:23:18)
Description	The coded value for Air or Oxygen
Operationalization	SNOMED CT: - 722742002 Breathing room air OR 371825009 Patient on oxygen OR 315041000 High concentration oxygen therapy (procedure) OR 9999016 High flow oxygen therapy (procedure)
Value Domain	
Used by	2 transactions, 0 templates, inherited 0 times

 Value

prsb03-dataelement-14259

Id	prsb03-dataelement-14259 (2021-03-08 15:05:33)
Description	The value for air or oxygen
Operationalization	Free text
Value Domain	
Property	10
Used by	2 transactions, 0 templates, inherited 0 times

 Units of measure

prsb03-dataelement-14260

Id	prsb03-dataelement-14260 (2021-03-08 15:09:50)
Description	The unit of measure for the air or oxygen value
Operationalization	UCUM
Value Domain	
Property	max length 10
Used by	2 transactions, 0 templates, inherited 0 times

 National early warning score (NEWS 2)

prsb03-dataelement-13861

Id	prsb03-dataelement-13861 (2021-01-27 17:39:06)
----	--

Description The NEWS is based on a simple aggregate scoring system in which a score is allocated to physiological measurements, already recorded in routine practice, when patients present to, or are being monitored in hospital

⌚ Used by 3 transactions, 0 templates, inherited 0 times

🟡 Coded value total score

prsb03-dataelement-13862

Id prsb03-dataelement-13862 (2021-01-27 17:39:43)

Description The coded value for NEWS 2 total score

Operationalization SNOMED CT : - 1104051000000101 | Royal College of Physicians National Early Warning Score 2 total score (observable entity) |

Value Domain

⌚ Used by 3 transactions, 0 templates, inherited 0 times

🟡 Value for total score

prsb03-dataelement-13863

Id prsb03-dataelement-13863 (2021-01-27 17:40:34)

Description The actual NEWS 2 score.

Operationalization Numeric

Value Domain

⌚ Used by 3 transactions, 0 templates, inherited 0 times

🟡 Coded value subscore

prsb03-dataelement-13864

Id prsb03-dataelement-13864 (2021-01-27 17:42:03)

Description Coded value for the subscore

Operationalization SNOMED CT : - 1104301000000104 | Royal College of Physicians National Early Warning Score 2 - respiration rate score (observable entity) |
 1104351000000103 | Royal College of Physicians National Early Warning Score 2 - pulse score (observable entity) |
 1104311000000102 | Royal College of Physicians National Early Warning Score 2 - oxygen saturation scale 1 score (observable entity) |
 1104331000000105 | Royal College of Physicians National Early Warning Score 2 - air or oxygen score (observable entity) |
 1104371000000107 | Royal College of Physicians National Early Warning Score 2 - temperature score (observable entity) |
 1104341000000101 | Royal College of Physicians National Early Warning Score 2 - systolic blood pressure score (observable entity) |
 1104361000000100 | Royal College of Physicians National Early Warning Score 2 - consciousness score (observable entity) |

Value Domain

⌚ Used by 3 transactions, 0 templates, inherited 0 times

 Subscore	prsb03-dataelement-13865
--	--------------------------

Id	prsb03-dataelement-13865 (2021-01-27 17:43:11)
Description	Subscore from each NEWS2 observation
Operationalization	Numeric
Value Domain	
 Used by	3 transactions, 0 templates, inherited 0 times

 Person completing record	prsb03-dataelement-12124
--	--------------------------

Id	prsb03-dataelement-12124 (2019-05-31 15:59:54)
Concept inherits from	 prsb03-dataelement-11289 (2019-05-30 12:24:39)
Description	Details of the person completing the record.
Relationship	Person completing record (<i>prsb03-dataelement-319 - 2018-10-31</i>)

 Name	prsb03-dataelement-12125
--	--------------------------

Id	prsb03-dataelement-12125 (2019-05-31 16:00:31)
Concept inherits from	 prsb03-dataelement-11290 (2019-05-30 12:25:39)
Description	The name of the person completing the record.
Relationship	Name (<i>prsb03-dataelement-10219 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.name
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 70 </div>

 Role	prsb03-dataelement-12126
--	--------------------------

Id	prsb03-dataelement-12126 (2019-05-31 16:00:31)
Concept inherits from	 prsb03-dataelement-11291 (2019-05-30 12:25:39)
Description	The organisational role of the person completing record.

2.1.355 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship Role (*prsb03-dataelement-10220 - 2018-10-31*)

Rationale Composition.author.Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobrole

Value Domain



Grade

prsb03-dataelement-12127

Id *prsb03-dataelement-12127 (2019-05-31 16:00:31)*

Concept inherits from *prsb03-dataelement-11292 (2019-05-30 12:25:39)*

Description The grade of the person completing the record.

Relationship Grade (*prsb03-dataelement-10221 - 2018-10-31*)

Rationale PractitionerRole.code

Operationalization Free text.

Value Domain

Property

max length

150



Specialty

prsb03-dataelement-12128

Id *prsb03-dataelement-12128 (2019-05-31 16:00:31)*

Concept inherits from *prsb03-dataelement-11293 (2019-05-30 12:25:39)*

Description The main specialty of the person completing the record.

2.1.356 Properties

FHIR PractitionerRole.specialty

Relationship Specialty (*prsb03-dataelement-10222 - 2018-10-31*)

Rationale PractitionerRole.specialty

Operationalization NHS data dictionary :- Activity treatment function code

Value Domain

Property

max length

3



Organisation

prsb03-dataelement-12129

Id	prsb03-dataelement-12129 (2019-05-31 16:00:31)
Concept inherits from	🟡 prsb03-dataelement-11294 (2019-05-30 12:25:39)
Description	The organisation the person completing the record works for.
Relationship	Organisation (prsb03-dataelement-10226 - 2018-10-31)

🟡 Professional identifier
prsb03-dataelement-12130

Id	prsb03-dataelement-12130 (2019-05-31 16:00:31)
Concept inherits from	🟡 prsb03-dataelement-11295 (2019-05-30 12:25:39)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.357 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship	Professional identifier (prsb03-dataelement-10223 - 2018-10-31)
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary :- Professional registration identifier
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 2px; display: inline-block;">max length</div> <div style="text-align: center;">32</div>

🟡 Date completed
prsb03-dataelement-12131

Id	prsb03-dataelement-12131 (2019-05-31 16:00:31)
Concept inherits from	🟡 prsb03-dataelement-11296 (2019-05-30 12:25:39)
Description	The date and time the record was completed.
Relationship	Date completed (prsb03-dataelement-10224 - 2018-10-31)
Rationale	Composition.date
Operationalization	Date and time.
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 2px; display: inline-block;">Timestamp precision</div> <div style="text-align: center;">at least day, month and year, hour and minute</div>

🟡 Contact details
prsb03-dataelement-12132

Id	prsb03-dataelement-12132 (2019-05-31 16:00:31)
Concept inherits from	🟡 prsb03-dataelement-11297 (2019-05-30 12:25:39)
Description	Contact details of the person completing the record.

2.1.358 Properties

FHIR	PractitionerRole.telecom		
Relationship	Contact details (<i>prsb03-dataelement-10225 - 2018-10-31</i>)		
Rationale	Practitioner:telecom PractitionerRole:telecom Organisation.telcom		
Operationalization	NHS data dictionary : - UK telephone number		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>35</td> </tr> </table>	max length	35
max length			
35			

⌚ Person completing record

prsb03-dataelement-10957

Id	prsb03-dataelement-10957 (2019-05-18 21:11:34) 0.1
Description	This is the person recording the examination.
	Should include their name, role, grade, specialty, organisation, professional identifier, date and time completed, contact details
Relationship	Person completing record (<i>prsb03-dataelement-10860 - 2019-03-27 17:46:45</i>)
Operationalization	Free text. Name, Role, Grade, Specialty, Organisation, Professional identifier, Date and time completed, Contact details
Value Domain	

🟡 Vital signs

prsb03-dataelement-10459

Id	prsb03-dataelement-10459 (2018-10-31)
Description	The record of essential physiological measurements, e.g., heart rate, blood pressure, temperature, pulse, respiratory rate, SpO2, level of consciousness etc. Use of Early Warning Score (which may be computed) chart where appropriate.
Value Domain	

🟡 Mental health examination

prsb03-dataelement-10465

Id	prsb03-dataelement-10465 (2018-10-31)
----	---------------------------------------

Description The record of findings from mental health examinations and, where appropriate, the type of the examination

Value
Domain




Head and neck examination

prsb03-dataelement-10466

Id prsb03-dataelement-10466 (2018-10-31)

Description The record of findings from the head and neck examination.

Value Domain



Oral examination

prsb03-dataelement-10467

Id prsb03-dataelement-10467 (2018-10-31)

Description The record of findings from the oral examination.

Value Domain



Cardiovascular examination

prsb03-dataelement-10468

Id prsb03-dataelement-10468 (2018-10-31)

Description The record of findings from the cardiovascular system examination.

Value Domain



Respiratory examination

prsb03-dataelement-10469

Id prsb03-dataelement-10469 (2018-10-31)

Description The record of findings from the respiratory system examination.

Value Domain



Obstetric and Gynaecology examination (including abdominal and uterine palpation)

prsb03-dataelement-10470

Id prsb03-dataelement-10470 (2018-10-31)

Description The record of findings from the obstetric examination e.g. abdominal uterine palpation, striations or Linea Nigra and whether she has previous operative scars, such as previous caesarean section. To include the record of findings from the vaginal examination, including FGM, presentation, moulding, membranes, observation of liquor and general cervical observations and contractions (including the strength, length and frequency), uterus size etc.

**Value
Domain**



Neurological system examination

prsb03-dataelement-10471

Id prsb03-dataelement-10471 (2018-10-31)

Description The record of findings from the neurological system examination.

Value Domain

 Musculoskeletal examination	prsb03-dataelement-10472
---	--------------------------

Id prsb03-dataelement-10472 (2018-10-31)

Description The record of findings from the musculoskeletal examination

Value Domain

 Dermatology examination	prsb03-dataelement-10473
---	--------------------------

Id prsb03-dataelement-10473 (2018-10-31)

Description The record of findings from the examination of the skin

Value Domain

 Abdomen examination	prsb03-dataelement-10474
---	--------------------------

Id prsb03-dataelement-10474 (2018-10-31)

Description The record of findings from the abdominal examination.

Value Domain

 Genitourinary examination	prsb03-dataelement-10475
---	--------------------------

Id prsb03-dataelement-10475 (2018-10-31)

Description The record of findings from the genitourinary examination.

Value Domain

 Comments	prsb03-dataelement-10476
--	--------------------------

Id prsb03-dataelement-10476 (2018-10-31)

Description Any further comments relating to the examination.

Operationalization Free text

Value Domain

Property

max length

150

  Fetal Examinations	prsb03-dataelement-10477
--	--------------------------

Id prsb03-dataelement-10477 (2018-10-31)

Description To be recorded one per fetus

  Current pregnancy	prsb03-dataelement-10814
---	--------------------------

Id prsb03-dataelement-10814 (2019-03-20 18:49:35)

Description Pregnancy status of the person.



Date

prsb03-dataelement-10812

Id prsb03-dataelement-10812 (2019-03-20 18:44:37)

Description The date the observation was recorded

Relationship hl7ips-dataelement-211 - 2017-12-31 12:55:02

Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Performing Professional

prsb03-dataelement-10854

Id prsb03-dataelement-10854 (2019-03-27 17:25:51) 0.1

Description Details of the professional performing the observation (including name and role).

Relationship Performing Professional (*prsb03-dataelement-10492 - 2018-10-31*)

Operationalization Free text

Value Domain



Location

prsb03-dataelement-10855

Id prsb03-dataelement-10855 (2019-03-27 17:27:01)

Description The location where the pregnancy state details were recorded.

Relationship Location (*prsb03-dataelement-10491 - 2018-10-31*)



Coded value

prsb03-dataelement-13531

Id prsb03-dataelement-13531 (2020-09-04 16:13:24)

Description The coded value for location.

Operationalization NHS data dictionary: - Organisation data service

Value Domain

Property

min length max length

3

5



Free text

prsb03-dataelement-13532

Id	prsb03-dataelement-13532 (2020-09-04 16:14:54)
Concept inherits from	🟡 prsb03-dataelement-13220 (2020-07-08 12:57:49)
Description	Free text field to be used if no code is available
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; text-align: center;"> max length 150 </div>

🟡 Pregnancy state prsb03-dataelement-10815

Id	prsb03-dataelement-10815 (2019-03-20 18:51:02)
Description	A flag that indicates whether the person is pregnant.
Relationship	hl7ips-dataelement-212 - 2017-12-31 12:55:33
Comment	Pregnancy state
Operationalization	Flag : - Yes or No
Value Domain	

🟡 Expected delivery date prsb03-dataelement-10813

Id	prsb03-dataelement-10813 (2019-03-20 18:45:38)
Description	The expected delivery date of the person.
Relationship	hl7ips-dataelement-213 - 2017-12-31 12:56:56
Operationalization	SNOMED CT: - 161714006 Estimated date of delivery (observable entity)
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; text-align: center;"> Timestamp precision at least day, month and year </div>

📁🟡 Performing professional prsb03-dataelement-13533

Id	prsb03-dataelement-13533 (2020-09-04 16:31:41)
Description	The professional who observed the pregnancy
Relationship	Performing professional (<i>prsb03-dataelement-11281 - 2019-05-30 11:53:30</i>)

🟡 Name prsb03-dataelement-13534

Id	prsb03-dataelement-13534 (2020-09-04 16:32:32)
Concept inherits from	🟡 prsb03-dataelement-11282 (2019-05-30 11:57:38)

Description The name of the professional.

Rationale Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70



Role

prsb03-dataelement-13535

Id prsb03-dataelement-13535 (2020-09-04 16:32:32)

Concept inherits from prsb03-dataelement-11283 (2019-05-30 11:58:48)

Description The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc

Rationale Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobroletype

Value Domain



Grade

prsb03-dataelement-13536

Id prsb03-dataelement-13536 (2020-09-04 16:32:32)

Concept inherits from prsb03-dataelement-11288 (2019-05-30 12:19:40)

Description The grade of the professional.

Rationale PractitionerRole.code

Operationalization Free text

Value Domain

Property

max length

150



Speciality

prsb03-dataelement-13537

Id prsb03-dataelement-13537 (2020-09-04 16:32:32)

Concept inherits from prsb03-dataelement-11284 (2019-05-30 12:01:15)

Description The specialty of the professional e.g. physiotherapy, oncology, mental health etc

Rationale PractitionerRole.speciality

Operationalization NHS data dictionary - Activity treatment function code

Value Domain

Property

max length

3



Professional identifier

prsb03-dataelement-13538

Id

prsb03-dataelement-13538 (2020-09-04 16:32:32)

Concept inherits from

prsb03-dataelement-11285 (2019-05-30 12:02:46)

Description

Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.

Rationale

Practitioner.identifier (for professional national identifiers), PractitionerRole.identifier (for local role identifiers)

Operationalization

NHS data dictionary : - Professional registration identifier

Value Domain

Property

max length

32



Organisation

prsb03-dataelement-13539

Id

prsb03-dataelement-13539 (2020-09-04 16:32:32)

Concept inherits from

prsb03-dataelement-11286 (2019-05-30 12:17:19)

Description

The name of the organisation the professional works for.



Coded value

prsb03-dataelement-13540

Id

prsb03-dataelement-13540 (2020-09-04 16:32:32)

Concept inherits from

prsb03-dataelement-13521 (2020-09-04 13:43:41)

Description

The coded value for location

Rationale

Practitioner.PractitionerRole.organisation.Name

Operationalization

NHS data dictionary: - Organisation data service

Value Domain

Property

min length

max length

3

7



Free text

prsb03-dataelement-13541

Id

prsb03-dataelement-13541 (2020-09-04 16:32:32)

Concept inherits from

prsb03-dataelement-13522 (2020-09-04 13:45:47)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property **max length**

150

Contact details

prsb03-dataelement-13542

Id prsb03-dataelement-13542 (2020-09-04 16:32:32)

Concept inherits from  prsb03-dataelement-11287 (2019-05-30 12:18:13)

Description Contact details of the professional

Rationale Practitioner.telecom
PractitionerRole.telecom
Organisation.telcom

Operationalization NHS data dictionary - UK phone number

Value Domain

Property **max length**

35

Person completing record

prsb03-dataelement-13543

Id prsb03-dataelement-13543 (2020-09-04 16:32:51)

Concept inherits from  prsb03-dataelement-11289 (2019-05-30 12:24:39)

Description Details of the person completing the record.

Relationship Person completing record (*prsb03-dataelement-319 - 2018-10-31*)

Name

prsb03-dataelement-13544

Id prsb03-dataelement-13544 (2020-09-04 16:33:48)

Concept inherits from  prsb03-dataelement-11290 (2019-05-30 12:25:39)

Description The name of the person completing the record.

Relationship Name (*prsb03-dataelement-10219 - 2018-10-31*)

Rationale Composition.author.Practitioner.name

Operationalization Free text.

Value Domain

Property **max length**



Role

prsb03-dataelement-13545

Id	prsb03-dataelement-13545 (2020-09-04 16:33:48)
Concept inherits from	<i>prsb03-dataelement-11291</i> (2019-05-30 12:25:39)
Description	The organisational role of the person completing record.

2.1.359 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship	Role (<i>prsb03-dataelement-10220 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobrole
Value Domain	



Grade

prsb03-dataelement-13546

Id	prsb03-dataelement-13546 (2020-09-04 16:33:48)
Concept inherits from	<i>prsb03-dataelement-11292</i> (2019-05-30 12:25:39)
Description	The grade of the person completing the record.
Relationship	Grade (<i>prsb03-dataelement-10221 - 2018-10-31</i>)
Rationale	PractitionerRole.code
Operationalization	Free text.
Value Domain	

Property

max length

150



Specialty

prsb03-dataelement-13547

Id	prsb03-dataelement-13547 (2020-09-04 16:33:48)
Concept inherits from	<i>prsb03-dataelement-11293</i> (2019-05-30 12:25:39)
Description	The main specialty of the person completing the record.

2.1.360 Properties

FHIR PractitionerRole.specialty

Relationship	Specialty (<i>prsb03-dataelement-10222 - 2018-10-31</i>)
--------------	--

Rationale	PractitionerRole.speciality
Operationalization	NHS data dictionary :- Activity treatment function code

Value Domain

Property

max length

3



Organisation

prsb03-dataelement-13548

Id prsb03-dataelement-13548 (2020-09-04 16:33:48)

Concept inherits from prsb03-dataelement-11294 (2019-05-30 12:25:39)

Description The organisation the person completing the record works for.

Relationship Organisation (prsb03-dataelement-10226 - 2018-10-31)



Coded value

prsb03-dataelement-13549

Id prsb03-dataelement-13549 (2020-09-04 16:33:48)

Concept inherits from prsb03-dataelement-13523 (2020-09-04 13:52:48)

Description The coded value for location

Rationale Composition.author.Practitioner.PractitionerRole.organisation.Name

Operationalization NHS data dictionary : - Organisation data service

Value Domain

Property

min length max length

3 7



Free text

prsb03-dataelement-13550

Id prsb03-dataelement-13550 (2020-09-04 16:33:48)

Concept inherits from prsb03-dataelement-13524 (2020-09-04 13:54:04)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150



Professional identifier

prsb03-dataelement-13551

Id	prsb03-dataelement-13551 (2020-09-04 16:33:48)
Concept inherits from	 prsb03-dataelement-11295 (2019-05-30 12:25:39)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.361 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship	Professional identifier (<i>prsb03-dataelement-10223 - 2018-10-31</i>)		
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)		
Operationalization	NHS data dictionary :- Professional registration identifier		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>32</td> </tr> </table>	max length	32
max length			
32			



Date completed

prsb03-dataelement-13552

Id	prsb03-dataelement-13552 (2020-09-04 16:33:48)		
Concept inherits from	 prsb03-dataelement-11296 (2019-05-30 12:25:39)		
Description	The date and time the record was completed.		
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)		
Rationale	Composition.date		
Operationalization	Date and time.		
Value Domain			
Property	<table border="1"> <tr> <td>Timestamp precision</td> </tr> <tr> <td>at least day, month and year, hour and minute</td> </tr> </table>	Timestamp precision	at least day, month and year, hour and minute
Timestamp precision			
at least day, month and year, hour and minute			



Contact details

prsb03-dataelement-13553

Id	prsb03-dataelement-13553 (2020-09-04 16:33:48)
Concept inherits from	 prsb03-dataelement-11297 (2019-05-30 12:25:39)
Description	Contact details of the person completing the record.

2.1.362 Properties

FHIR PractitionerRole.telecom

Relationship	Contact details (<i>prsb03-dataelement-10225 - 2018-10-31</i>)
Rationale	Practitioner:telecom PractitionerRole:telecom Organisation.telcom
Operationalization	NHS data dictionary : - UK telephone number
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 35 </div>

 Maternity Personalised Care Plan prsb03-dataelement-10839

Id	prsb03-dataelement-10839 (2019-03-26 18:24:07)
Concept inherits from	 prsb03-dataelement-10484 (2018-10-31)
Description	Personalised care plan details to include the data and plan details
Value Domain	

 Previous pregnancies prsb03-dataelement-10827

Id	prsb03-dataelement-10827 (2019-03-21 15:29:15)
Description	Details of women's previous pregnancies

 Date prsb03-dataelement-10829

Id	prsb03-dataelement-10829 (2019-03-21 15:30:52)
Concept inherits from	 prsb03-dataelement-10490 (2018-10-31)
Description	The date on which the pregnancy outcome/delivery/birth details were recorded
Value Domain	

 Date and Time of Delivery prsb03-dataelement-10836

Id	prsb03-dataelement-10836 (2019-03-22 17:08:48)
Concept inherits from	 prsb03-dataelement-10511 (2018-10-31)
Description	The date and time of the delivery of the baby
Value Domain	

 Location prsb03-dataelement-10830

Id	prsb03-dataelement-10830 (2019-03-21 15:31:36)
Concept inherits from	 prsb03-dataelement-10491 (2018-10-31)

Description	The location where the pregnancy outcome/delivery/birth details was recorded
Value Domain	
 Performing Professional	prsb03-dataelement-10831
Id	prsb03-dataelement-10831 (2019-03-21 15:32:29)
Concept inherits from	 prsb03-dataelement-10492 (2018-10-31)
Description	Details of the professional recording the pregnancy outcome/delivery/birth details (including name and role).
Value Domain	
 Pregnancy Outcome	prsb03-dataelement-10828
Id	prsb03-dataelement-10828 (2019-03-21 15:29:59)
Concept inherits from	 prsb03-dataelement-10493 (2018-10-31)
Description	The pregnancy outcome of each fetus
Value Domain	
 Complications from previous pregnancy	prsb03-dataelement-10832
Id	prsb03-dataelement-10832 (2019-03-21 15:33:45)
Description	Any complications in previous pregnancies e.g. blood transfusion
Value Domain	
  Investigation requests and results	prsb03-dataelement-10833
Id	prsb03-dataelement-10833 (2019-03-21 15:44:47)
Description	Details of a person's requests and results
  Investigation requested	prsb03-dataelement-10834
Id	prsb03-dataelement-10834 (2019-03-21 15:45:23)
Concept inherits from	 prsb03-dataelement-10733 (2019-02-08 16:22:42)
Description	The investigation that is requested. The investigation may refer to an individual test or a group of related tests or broader investigation required (so the investigator can determine the appropriate tests)
  Status of pregnancy	prsb03-dataelement-10805
Id	prsb03-dataelement-10805 (2019-03-20 18:41:51)

Relationship	hl7ips-dataelement-37 - 2017-12-19 11:44:59
❶ Pregnancy Description	prsb03-dataelement-10806
Id	prsb03-dataelement-10806 (2019-03-20 18:42:49)
Concept inherits from	<i>hl7ips-dataelement-225</i> (2018-07-02 13:40:29)
Value Domain	
❷ Structured Description	prsb03-dataelement-10807
Id	prsb03-dataelement-10807 (2019-03-20 18:42:49)
Concept inherits from	<i>hl7ips-dataelement-168</i> (2017-12-25 09:39:11)
❸ Date of Observation	prsb03-dataelement-10808
Id	prsb03-dataelement-10808 (2019-03-20 18:42:49)
Concept inherits from	<i>hl7ips-dataelement-211</i> (2017-12-31 12:55:02)
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year</p>
❹ Pregnancy State	prsb03-dataelement-10809
Id	prsb03-dataelement-10809 (2019-03-20 18:42:49)
Concept inherits from	<i>hl7ips-dataelement-212</i> (2017-12-31 12:55:33)
Value Domain	
❺ Expected delivery date	prsb03-dataelement-10810
Id	prsb03-dataelement-10810 (2019-03-20 18:42:49)
Concept inherits from	<i>hl7ips-dataelement-213</i> (2017-12-31 12:56:56)
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year</p>
❻ Specialist Contact	prsb03-dataelement-10811
Id	prsb03-dataelement-10811 (2019-03-20 18:42:49)
Concept inherits from	<i>hl7ips-dataelement-200</i> (2017-12-25 20:58:56)

 Used by

4 transactions, 0 templates, inherited 0 times



Location

prsb03-dataelement-10764

Id

prsb03-dataelement-10764 (2019-03-18 13:51:59)

Description

The location where the assessment was done.

Relationship

Location (*prsb03-dataelement-10167 - 2018-10-31*)

Operationalization

ODS code or free text.



Coded value

prsb03-dataelement-13570

Id

prsb03-dataelement-13570 (2020-09-07 15:40:22)

Description

The coded value for location

Operationalization

NHS data dictionary: - Organisation data service

Value Domain

Property

min length	max length
-------------------	-------------------

3

5



Free text

prsb03-dataelement-13571

Id

prsb03-dataelement-13571 (2020-09-07 15:41:51)

Concept inherits from

 prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description

Free text field to be used if no code is available

Operationalization

Free text

Value Domain

Property

max length

150



Performing professional

prsb03-dataelement-10765

Id

prsb03-dataelement-10765 (2019-03-18 13:52:36)

Description

Details of the professional performing the assessment (including name and role).

Relationship

Performing professional (*prsb03-dataelement-10168 - 2018-10-31*)

Value Domain



Assessment type

prsb03-dataelement-10822

Id	prsb03-dataelement-10822 (2019-03-21 12:55:22)
Description	The type of the assessment e.g. social care needs assessment.
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> max length 150 </div>
Used by	4 transactions, 0 templates, inherited 0 times

 Assessment summary	prsb03-dataelement-10754
--	--------------------------

Id	prsb03-dataelement-10754 (2019-03-07 18:21:12)
Description	The summary of the assessment
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> max length 250 </div>
Used by	4 transactions, 0 templates, inherited 0 times

 Structured assessment	prsb03-dataelement-10655
---	--------------------------

Id	prsb03-dataelement-10655 (2018-11-13 12:15:56)
Description	Details of the structured assessment.
Used by	4 transactions, 0 templates, inherited 0 times

 Date	prsb03-dataelement-10165
--	--------------------------

Id	prsb03-dataelement-10165 (2018-10-31)
Description	The date on which the structured assessment was done.
Operationalization	Date/time
Value Domain	

 Location	prsb03-dataelement-10167
--	--------------------------

Id	prsb03-dataelement-10167 (2018-10-31)
Description	The date the structured assessment was done.

Operationalization	ODS site code or free text.
Value Domain	
 Performing professional	prsb03-dataelement-10168
Id	prsb03-dataelement-10168 (2018-10-31)
Description	Details of the professional performing the assessment scale.
Operationalization	Free text
Value Domain	
  Performing professional	prsb03-dataelement-12390
Id	prsb03-dataelement-12390 (2019-06-03 16:03:07)
Description	The professional who did the structured assessment.
Relationship	Performing professional (<i>prsb03-dataelement-11281 - 2019-05-30 11:53:30</i>)
 Name	prsb03-dataelement-12391
Id	prsb03-dataelement-12391 (2019-06-03 16:03:28)
Concept inherits from	 <i>prsb03-dataelement-11282 (2019-05-30 11:57:38)</i>
Description	The name of the professional.
Rationale	Practitioner.name
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 70 </div>
 Role	prsb03-dataelement-12392
Id	prsb03-dataelement-12392 (2019-06-03 16:03:28)
Concept inherits from	 <i>prsb03-dataelement-11283 (2019-05-30 11:58:48)</i>
Description	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc
Rationale	Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobroletype
Value Domain	
 Grade	prsb03-dataelement-12393

Id	prsb03-dataelement-12393 (2019-06-03 16:03:28)
Concept inherits from	🟡 prsb03-dataelement-11288 (2019-05-30 12:19:40)
Description	The grade of the professional.
Rationale	PractitionerRole.code
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 150 </div>

✖ Speciality	prsb03-dataelement-12394
--------------	--------------------------

Id	prsb03-dataelement-12394 (2019-06-03 16:03:28)
Concept inherits from	🟡 prsb03-dataelement-11284 (2019-05-30 12:01:15)
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc
Rationale	PractitionerRole.speciality
Operationalization	NHS data dictionary - Activity treatment function code
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 3 </div>

✖ Professional identifier	prsb03-dataelement-12395
---------------------------	--------------------------

Id	prsb03-dataelement-12395 (2019-06-03 16:03:28)
Concept inherits from	🟡 prsb03-dataelement-11285 (2019-05-30 12:02:46)
Description	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.
Rationale	Practitioner.identifier (for professional national identifiers), PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary : - Professional registration identifier
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 32 </div>

✖ Organisation	prsb03-dataelement-12396
----------------	--------------------------

Id	prsb03-dataelement-12396 (2019-06-03 16:03:28)
----	--

Concept inherits from

 prsb03-dataelement-11286 (2019-05-30 12:17:19)

Description

The name of the organisation the professional works for.

 Contact details

prsb03-dataelement-12397

Id

prsb03-dataelement-12397 (2019-06-03 16:03:28)

Concept inherits from

 prsb03-dataelement-11287 (2019-05-30 12:18:13)

Description

Contact details of the professional

Rationale

Practitioner:telecom
PractitionerRole:telecom
Organisation.telcom

Operationalization

NHS data dictionary - UK phone number

Value Domain

Property

max length

35

 Structured assessment name

prsb03-dataelement-11751

Id

prsb03-dataelement-11751 (2019-05-31 13:52:26)

Description

Structured assessment name e.g. New York Heart Failure, Glasgow Coma scale, Activities of Daily Living (ADL) etc.

Operationalization

SNOMED CT

Value Domain

Used by

4 transactions, 0 templates, inherited 0 times

 Assessment score

prsb03-dataelement-10162

Id

prsb03-dataelement-10162 (2018-10-31)

Description

The structured assessment score.

Operationalization

Free text.

Value Domain

Used by

4 transactions, 0 templates, inherited 0 times

 Assessment value

prsb03-dataelement-10163

Id

prsb03-dataelement-10163 (2018-10-31)

Description

The structured assessment value.

Operationalization	Numeric
Value Domain	
⌚ Used by	4 transactions, 0 templates, inherited 0 times

 Global score

prsb03-dataelement-10166

Id	prsb03-dataelement-10166 (2018-10-31)
Description	The total global score from the assessment.
Operationalization	Free text
Value Domain	
⌚ Used by	4 transactions, 0 templates, inherited 0 times

 Subscale score

prsb03-dataelement-10169

Id	prsb03-dataelement-10169 (2018-10-31)
Description	The subscale score of the structured assessment.
Operationalization	Free text.
Value Domain	
⌚ Used by	4 transactions, 0 templates, inherited 0 times

 Subscale value

prsb03-dataelement-10170

Id	prsb03-dataelement-10170 (2018-10-31)
Description	The subscale value of the structured assessment.
Operationalization	Numeric
Value Domain	
⌚ Used by	4 transactions, 0 templates, inherited 0 times

 Person completing record

prsb03-dataelement-11761

Id	prsb03-dataelement-11761 (2019-05-31 14:09:42)
Concept inherits from	 prsb03-dataelement-11289 (2019-05-30 12:24:39)
Description	Details of the person completing the record.
Relationship	Person completing record (prsb03-dataelement-319 - 2018-10-31)

 Name	prsb03-dataelement-11762
Id	prsb03-dataelement-11762 (2019-05-31 14:10:49)
Concept inherits from	 prsb03-dataelement-11290 (2019-05-30 12:25:39)
Description	The name of the person completing the record.
Relationship	Name (prsb03-dataelement-10219 - 2018-10-31)
Rationale	Composition.author.Practitioner.name
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 70 </div>
 Role	prsb03-dataelement-11763
Id	prsb03-dataelement-11763 (2019-05-31 14:10:49)
Concept inherits from	 prsb03-dataelement-11291 (2019-05-30 12:25:39)
Description	The organisational role of the person completing record.
2.1.364 Properties	
FHIR	PractitionerRole.code of the practitioner completing the record
Relationship	Role (prsb03-dataelement-10220 - 2018-10-31)
Rationale	Composition.author.Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobrole
Value Domain	
 Grade	prsb03-dataelement-11764
Id	prsb03-dataelement-11764 (2019-05-31 14:10:49)
Concept inherits from	 prsb03-dataelement-11292 (2019-05-30 12:25:39)
Description	The grade of the person completing the record.
Relationship	Grade (prsb03-dataelement-10221 - 2018-10-31)
Rationale	PractitionerRole.code
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length </div>

 Specialty

prsb03-dataelement-11765

Id	prsb03-dataelement-11765 (2019-05-31 14:10:49)
Concept inherits from	 prsb03-dataelement-11293 (2019-05-30 12:25:39)
Description	The main specialty of the person completing the record.

2.1.365 Properties

FHIR	PractitionerRole.specialty
Relationship	Specialty (prsb03-dataelement-10222 - 2018-10-31)
Rationale	PractitionerRole.specialty
Operationalization	NHS data dictionary :- Activity treatment function code
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">max length</div> <div style="text-align: center;">3</div>

 Organisation

prsb03-dataelement-11766

Id	prsb03-dataelement-11766 (2019-05-31 14:10:49)
Concept inherits from	 prsb03-dataelement-11294 (2019-05-30 12:25:39)
Description	The organisation the person completing the record works for.
Relationship	Organisation (prsb03-dataelement-10226 - 2018-10-31)

 Professional identifier

prsb03-dataelement-11767

Id	prsb03-dataelement-11767 (2019-05-31 14:10:49)
Concept inherits from	 prsb03-dataelement-11295 (2019-05-30 12:25:39)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.366 Properties

FHIR	PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)
Relationship	Professional identifier (prsb03-dataelement-10223 - 2018-10-31)
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary :- Professional registration identifier

Value Domain	
Property	
	<div style="background-color: #e0e0e0; padding: 5px; text-align: center;"> max length </div> <div style="border: 1px solid black; padding: 2px; width: fit-content;">32</div>

 Date completed

prsb03-dataelement-11768

Id	prsb03-dataelement-11768 (2019-05-31 14:10:49)
Concept inherits from	 prsb03-dataelement-11296 (2019-05-30 12:25:39)
Description	The date and time the record was completed.
Relationship	Date completed (prsb03-dataelement-10224 - 2018-10-31)
Rationale	Composition.date
Operationalization	Date and time.
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 5px; text-align: center;"> Timestamp precision </div> <div style="border: 1px solid black; padding: 2px; width: fit-content;">at least day, month and year, hour and minute</div>

 Contact details

prsb03-dataelement-11769

Id	prsb03-dataelement-11769 (2019-05-31 14:10:49)
Concept inherits from	 prsb03-dataelement-11297 (2019-05-30 12:25:39)
Description	Contact details of the person completing the record.

2.1.367 Properties

FHIR	PractitionerRole.telecom
Relationship	Contact details (prsb03-dataelement-10225 - 2018-10-31)
Rationale	Practitioner:telecom PractitionerRole:telecom Organisation:telcom
Operationalization	NHS data dictionary : - UK telephone number
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 5px; text-align: center;"> max length </div> <div style="border: 1px solid black; padding: 2px; width: fit-content;">35</div>

 Person completing record

prsb03-dataelement-10962

Id	prsb03-dataelement-10962 (2019-05-18 21:30:43)
----	--

Concept inherits from

 prsb03-dataelement-10860 (2019-03-27 17:46:45)

Description

This is the person recording the individual requirement.

Should include their name, role, grade, specialty, organisation, professional identifier, date and time completed, contact details

Relationship

Person completing record (*prsb03-dataelement-10850 - 2019-03-27 17:15:40*)

Operationalization

Free text. Name, Role, Grade, Specialty, Organisation, Professional identifier, Date and time completed, Contact details

Value Domain

Performing professional

prsb03-dataelement-12382

Id

prsb03-dataelement-12382 (2019-06-03 16:02:23)

Description

The professional who did the assessment.

Relationship

Performing professional (*prsb03-dataelement-11281 - 2019-05-30 11:53:30*)

Name

prsb03-dataelement-12383

Id

prsb03-dataelement-12383 (2019-06-03 16:02:46)

Concept inherits from

 prsb03-dataelement-11282 (2019-05-30 11:57:38)

Description

The name of the professional.

Rationale

Practitioner.name

Operationalization

Free text.

Value Domain

Property

max length

70

Role

prsb03-dataelement-12384

Id

prsb03-dataelement-12384 (2019-06-03 16:02:46)

Concept inherits from

 prsb03-dataelement-11283 (2019-05-30 11:58:48)

Description

The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc

Rationale

Practitioner.PractitionerRole.code

Operationalization

FHIR value set :- SDSjobroletype

Value Domain

Grade

prsb03-dataelement-12385

Id	prsb03-dataelement-12385 (2019-06-03 16:02:46)
Concept inherits from	 prsb03-dataelement-11288 (2019-05-30 12:19:40)
Description	The grade of the professional.
Rationale	PractitionerRole.code
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 150 </div>

 Speciality prsb03-dataelement-12386

Id	prsb03-dataelement-12386 (2019-06-03 16:02:46)
Concept inherits from	 prsb03-dataelement-11284 (2019-05-30 12:01:15)
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc
Rationale	PractitionerRole.speciality
Operationalization	NHS data dictionary - Activity treatment function code
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 3 </div>

 Professional identifier prsb03-dataelement-12387

Id	prsb03-dataelement-12387 (2019-06-03 16:02:46)
Concept inherits from	 prsb03-dataelement-11285 (2019-05-30 12:02:46)
Description	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary : - Professional registration identifier
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 32 </div>

  Organisation prsb03-dataelement-12388

Id	prsb03-dataelement-12388 (2019-06-03 16:02:46)
Concept inherits from	🟡 <i>prsb03-dataelement-11286</i> (2019-05-30 12:17:19)
Description	The name of the organisation the professional works for.
🟡 Contact details	prsb03-dataelement-12389
Id	prsb03-dataelement-12389 (2019-06-03 16:02:46)
Concept inherits from	🟡 <i>prsb03-dataelement-11287</i> (2019-05-30 12:18:13)
Description	Contact details of the professional
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom
Operationalization	NHS data dictionary - UK phone number
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> max length 35 </div>
📁🟡 Person completing record	prsb03-dataelement-11752
Id	prsb03-dataelement-11752 (2019-05-31 14:08:29)
Concept inherits from	🟡 <i>prsb03-dataelement-11289</i> (2019-05-30 12:24:39)
Description	Details of the person completing the record.
Relationship	Person completing record (<i>prsb03-dataelement-319 - 2018-10-31</i>)
🟡 Name	prsb03-dataelement-11753
Id	prsb03-dataelement-11753 (2019-05-31 14:08:52)
Concept inherits from	🟡 <i>prsb03-dataelement-11290</i> (2019-05-30 12:25:39)
Description	The name of the person completing the record.
Relationship	Name (<i>prsb03-dataelement-10219 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.name
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> max length 70 </div>
🟡 Role	prsb03-dataelement-11754

Id	prsb03-dataelement-11754 (2019-05-31 14:08:52)
Concept inherits from	 <i>prsb03-dataelement-11291</i> (2019-05-30 12:25:39)
Description	The organisational role of the person completing record.

2.1.368 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship	Role (<i>prsb03-dataelement-10220 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobrole
Value Domain	

 Grade	prsb03-dataelement-11755
---	--------------------------

Id	prsb03-dataelement-11755 (2019-05-31 14:08:52)
Concept inherits from	 <i>prsb03-dataelement-11292</i> (2019-05-30 12:25:39)
Description	The grade of the person completing the record.
Relationship	Grade (<i>prsb03-dataelement-10221 - 2018-10-31</i>)
Rationale	PractitionerRole.code
Operationalization	Free text.
Value Domain	

Property	max length
	150

 Specialty	prsb03-dataelement-11756
---	--------------------------

Id	prsb03-dataelement-11756 (2019-05-31 14:08:52)
Concept inherits from	 <i>prsb03-dataelement-11293</i> (2019-05-30 12:25:39)
Description	The main specialty of the person completing the record.

2.1.369 Properties

FHIR PractitionerRole.specialty

Relationship	Specialty (<i>prsb03-dataelement-10222 - 2018-10-31</i>)
Rationale	PractitionerRole.specialty
Operationalization	NHS data dictionary :- Activity treatment function code
Value Domain	

Property

max length

3



Organisation

prsb03-dataelement-11757

Id

prsb03-dataelement-11757 (2019-05-31 14:08:52)

Concept inherits from

prsb03-dataelement-11294 (2019-05-30 12:25:39)

Description

The organisation the person completing the record works for.

Relationship

Organisation (*prsb03-dataelement-10226 - 2018-10-31*)

Professional identifier

prsb03-dataelement-11758

Id

prsb03-dataelement-11758 (2019-05-31 14:08:52)

Concept inherits from

prsb03-dataelement-11295 (2019-05-30 12:25:39)

Description

Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.370 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship

Professional identifier (*prsb03-dataelement-10223 - 2018-10-31*)

Rationale

Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization

NHS data dictionary :- Professional registration identifier

Value Domain

Property

max length

32



Date completed

prsb03-dataelement-11759

Id

prsb03-dataelement-11759 (2019-05-31 14:08:52)

Concept inherits from

prsb03-dataelement-11296 (2019-05-30 12:25:39)

Description

The date and time the record was completed.

Relationship

Date completed (*prsb03-dataelement-10224 - 2018-10-31*)

Rationale

Composition.date

Operationalization

Date and time.

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Contact details

prsb03-dataelement-11760

Id

prsb03-dataelement-11760 (2019-05-31 14:08:52)

Concept inherits from

prsb03-dataelement-11297 (2019-05-30 12:25:39)

Description

Contact details of the person completing the record.

2.1.371 Properties

FHIR

PractitionerRole.telecom

Relationship

Contact details (*prsb03-dataelement-10225 - 2018-10-31*)

Rationale

Practitioner.telecom
PractitionerRole.telecom
Organisation.telcom

Operationalization

NHS data dictionary : - UK telephone number

Value Domain

Property

max length

35



Comment

prsb03-dataelement-10164

Id

prsb03-dataelement-10164 (2018-10-31)

Description

Supporting text may be given regarding the assessment.

Operationalization

Free text

Value Domain



Schwangerschaft

prsb03-dataelement-10803

Id

prsb03-dataelement-10803 (2019-03-20 18:13:39)

Concept inherits from

asic-dataelement-26 (2018-05-14 16:24:44)

Description

Achtung: Schwangere Patientinnen sind vom ASIC Use Case ausgeschlossen.

2.1.372 Properties

Verwendung

Ausschlusskriterium

Umgang mit Missing Values

Einschluss

Relationship	mide-dataelement-416 - 2018-07-30 10:16:40
Terminology Association	This concept is represented by code "82810-3" (Pregnancy status) from code system 2.16.840.1.113883.6.1 LOINC
Value Domain	
Example	Pregnant 77386006
Example	Not pregnant 60001007

 Formulation

prsb03-dataelement-10749

Id	prsb03-dataelement-10749 (2019-03-07 14:50:29)		
Concept inherits from	 prsb03-dataelement-10148 (2018-10-31)		
Description	An account, shared by a therapist and person, of the personal meaning and origins of a person's difficulties. This is viewed in the context of multiple factors including relationships, social circumstances and life events and will indicate the most helpful way forward.		
Operationalization	Free text		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>150</td> </tr> </table>	max length	150
max length			
150			

 Mental capacity assessment

prsb03-dataelement-10757

Id	prsb03-dataelement-10757 (2019-03-08 12:47:59)
Concept inherits from	 prsb03-dataelement-10424 (2018-10-31)
Description	Details of the persons mental capacity assessment

 Person completing record

prsb03-dataelement-10958

Id	prsb03-dataelement-10958 (2019-05-18 21:12:38)
Description	This is the person recording the assessment. Should include their name, role, grade, specialty, organisation, professional identifier, date and time completed, contact details
Relationship	Person completing record (prsb03-dataelement-10860 - 2019-03-27 17:46:45)
Operationalization	Free text. Name, Role, Grade, Specialty, Organisation, Professional identifier, Date and time completed, Contact details
Value Domain	

 Clinical summary

prsb03-dataelement-10750

Id	prsb03-dataelement-10750 (2019-03-07 17:13:57) Not needed
----	---

Concept inherits from



prsb03-dataelement-10147 (2018-10-31)

Description

Summary of the encounter. Where possible, very brief. This may include interpretation of findings and results; differential diagnoses, opinion and specific action(s). Planned actions will be recorded under 'plan'.

Operationalization

Free text

Value Domain



Formulation

prsb03-dataelement-11666

Id

prsb03-dataelement-11666 (2019-05-30 20:43:07)

Description

Details of the person's formulation.



Formulation record entry

prsb03-dataelement-11667

Id

prsb03-dataelement-11667 (2019-05-30 20:44:32)

Description

This is the formulation record entry. There may be 0 to many record entry/entries under a section. Each record entry is made up of a number of elements or data items.



Date

prsb03-dataelement-11669

Id

prsb03-dataelement-11669 (2019-05-30 20:47:42)

Description

The date of the formulation was made.

Operationalization

Date and time.

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Location

prsb03-dataelement-11670

Id

prsb03-dataelement-11670 (2019-05-30 20:48:26)

Description

The location where the formulation was made.

Operationalization

NHS data dictionary: - Organisation data service



Coded value

prsb03-dataelement-13572

Id

prsb03-dataelement-13572 (2020-09-07 15:43:58)

Description

The coded value for location

Operationalization

NHS data dictionary: - Organisation data service

Value Domain

Property

min length max length

 Free text

prsb03-dataelement-13573

Id prsb03-dataelement-13573 (2020-09-07 15:44:39)

Concept inherits from  prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150

  Performing professional

prsb03-dataelement-11671

Id prsb03-dataelement-11671 (2019-05-30 20:49:15)

Description The professional who made the formulation.

Relationship Performing professional (*prsb03-dataelement-11281 - 2019-05-30 11:53:30*)
 Name

prsb03-dataelement-11672

Id prsb03-dataelement-11672 (2019-05-30 20:49:34)

Concept inherits from  prsb03-dataelement-11282 (2019-05-30 11:57:38)

Description The name of the professional.

Rationale Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70

 Role

prsb03-dataelement-11673

Id prsb03-dataelement-11673 (2019-05-30 20:49:34)

Concept inherits from  prsb03-dataelement-11283 (2019-05-30 11:58:48)

Description The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc

Rationale Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobroletype

Value Domain

 Grade	prsb03-dataelement-11674
---	--------------------------

Id prsb03-dataelement-11674 (2019-05-30 20:49:34)

Concept inherits from  prsb03-dataelement-11288 (2019-05-30 12:19:40)

Description The grade of the professional.

Rationale PractitionerRole.code

Operationalization Free text

Value Domain

Property 

150

 Speciality	prsb03-dataelement-11675
--	--------------------------

Id prsb03-dataelement-11675 (2019-05-30 20:49:34)

Concept inherits from  prsb03-dataelement-11284 (2019-05-30 12:01:15)

Description The specialty of the professional e.g. physiotherapy, oncology, mental health etc

Rationale PractitionerRole.speciality

Operationalization NHS data dictionary - Activity treatment function code

Value Domain

Property 

3

 Professional identifier	prsb03-dataelement-11676
---	--------------------------

Id prsb03-dataelement-11676 (2019-05-30 20:49:34)

Concept inherits from  prsb03-dataelement-11285 (2019-05-30 12:02:46)

Description Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary : - Professional registration identifier

Value Domain

Property 

  Organisation

prsb03-dataelement-11677

Id	prsb03-dataelement-11677 (2019-05-30 20:49:34)
Concept inherits from	 <i>prsb03-dataelement-11286</i> (2019-05-30 12:17:19)
Description	The name of the organisation the professional works for.

 Contact details

prsb03-dataelement-11678

Id	prsb03-dataelement-11678 (2019-05-30 20:49:34)
Concept inherits from	 <i>prsb03-dataelement-11287</i> (2019-05-30 12:18:13)
Description	Contact details of the professional
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom
Operationalization	NHS data dictionary - UK phone number

Value Domain

Property

max length

35

 Formulation

prsb03-dataelement-11668

Id	prsb03-dataelement-11668 (2019-05-30 20:46:15)
Concept inherits from	 <i>prsb03-dataelement-10148</i> (2018-10-31)
Description	An account, shared by a therapist and person, of the personal meaning and origins of a person's difficulties. This is viewed in the context of multiple factors including relationships, social circumstances and life events and will indicate the most helpful way forward.
Operationalization	Free text

Value Domain

Property

max length

150

  Person completing record

prsb03-dataelement-11679

Id	prsb03-dataelement-11679 (2019-05-30 20:49:49)
Concept inherits from	 <i>prsb03-dataelement-11289</i> (2019-05-30 12:24:39)

Description	Details of the person completing the record.
Relationship	Person completing record (<i>prsb03-dataelement-319 - 2018-10-31</i>)

 Name	prsb03-dataelement-11680		
Id	prsb03-dataelement-11680 (2019-05-30 20:50:13)		
Concept inherits from	 <i>prsb03-dataelement-11290</i> (2019-05-30 12:25:39)		
Description	The name of the person completing the record.		
Relationship	Name (<i>prsb03-dataelement-10219 - 2018-10-31</i>)		
Rationale	Composition.author.Practitioner.name		
Operationalization	Free text.		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>70</td> </tr> </table>	max length	70
max length			
70			

 Role	prsb03-dataelement-11681
Id	prsb03-dataelement-11681 (2019-05-30 20:50:13)
Concept inherits from	 <i>prsb03-dataelement-11291</i> (2019-05-30 12:25:39)
Description	The organisational role of the person completing record.

2.1.373 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship	Role (<i>prsb03-dataelement-10220 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobrole
Value Domain	

 Grade	prsb03-dataelement-11682
Id	prsb03-dataelement-11682 (2019-05-30 20:50:13)
Concept inherits from	 <i>prsb03-dataelement-11292</i> (2019-05-30 12:25:39)
Description	The grade of the person completing the record.
Relationship	Grade (<i>prsb03-dataelement-10221 - 2018-10-31</i>)
Rationale	PractitionerRole.code
Operationalization	Free text.

Value Domain

Property

max length

150



Specialty

prsb03-dataelement-11683

Id

prsb03-dataelement-11683 (2019-05-30 20:50:13)

Concept inherits from

prsb03-dataelement-11293 (2019-05-30 12:25:39)

Description

The main specialty of the person completing the record.

2.1.374 Properties

FHIR PractitionerRole.specialty

Relationship

Specialty (*prsb03-dataelement-10222 - 2018-10-31*)

Rationale

PractitionerRole.specialty

Operationalization

NHS data dictionary :- Activity treatment function code

Value Domain

Property

max length

3



Organisation

prsb03-dataelement-11684

Id

prsb03-dataelement-11684 (2019-05-30 20:50:13)

Concept inherits from

prsb03-dataelement-11294 (2019-05-30 12:25:39)

Description

The organisation the person completing the record works for.

Relationship

Organisation (*prsb03-dataelement-10226 - 2018-10-31*)

Professional identifier

prsb03-dataelement-11685

Id

prsb03-dataelement-11685 (2019-05-30 20:50:13)

Concept inherits from

prsb03-dataelement-11295 (2019-05-30 12:25:39)

Description

Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.375 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship

Professional identifier (*prsb03-dataelement-10223 - 2018-10-31*)

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary :- Professional registration identifier

Value Domain

Property

max length

32



Date completed

prsb03-dataelement-11686

Id prsb03-dataelement-11686 (2019-05-30 20:50:13)

Concept inherits from prsb03-dataelement-11296 (2019-05-30 12:25:39)

Description The date and time the record was completed.

Relationship Date completed (*prsb03-dataelement-10224 - 2018-10-31*)

Rationale Composition.date

Operationalization Date and time.

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Contact details

prsb03-dataelement-11687

Id prsb03-dataelement-11687 (2019-05-30 20:50:13)

Concept inherits from prsb03-dataelement-11297 (2019-05-30 12:25:39)

Description Contact details of the person completing the record.

2.1.376 Properties

FHIR PractitionerRole.telecom

Relationship Contact details (*prsb03-dataelement-10225 - 2018-10-31*)

Rationale Practitioner:telecom
PractitionerRole:telecom
Organisation.telcom

Operationalization NHS data dictionary : - UK telephone number

Value Domain

Property

max length

35

 Pregnancy State	prsb03-dataelement-10804
Id	prsb03-dataelement-10804 (2019-03-20 18:16:49)
Concept inherits from	<i>hl7ips-dataelement-212</i> (2017-12-31 12:55:33)
Value Domain	
 Risks	prsb03-dataelement-276
Id	prsb03-dataelement-276 (2018-10-31)
Description	Details of any risks related to the person.
 Performing Professional	prsb03-dataelement-10181
Id	prsb03-dataelement-10181 (2018-10-31)
Description	Details of the professional recording the risk (including name and role).
Value Domain	
 Person completing record	prsb03-dataelement-10967
Id	prsb03-dataelement-10967 (2019-05-20 16:32:57)
Description	This is the person recording the risk. Should include their name, role, grade, specialty, organisation, professional identifier, date and time completed, contact details
Relationship	Person completing record (<i>prsb03-dataelement-10860 - 2019-03-27 17:46:45</i>)
Operationalization	Free text. Name, Role, Grade, Specialty, Organisation, Professional identifier, Date and time completed, Contact details
Value Domain	
 Risks to self	prsb03-dataelement-10176
Id	prsb03-dataelement-10176 (2018-10-31)
Description	Details of the persons risk to self

2.1.377 Properties

FHIR Composition.text

 Start date of risk	prsb03-dataelement-11893
Id	prsb03-dataelement-11893 (2019-05-31 14:50:40)
Concept inherits from	 <i>prsb03-dataelement-10179</i> (2018-10-31)
Description	The start date of the risk.
Operationalization	Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



End date of risk

prsb03-dataelement-11894

Id

prsb03-dataelement-11894 (2019-05-31 14:51:05)

Concept inherits from

prsb03-dataelement-10801 (2019-03-20 14:20:23)

Description

The date the risk ended.

Operationalization

Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Risk to self

prsb03-dataelement-13579

Id

prsb03-dataelement-13579 (2020-09-08 11:10:38)

Description

Risks the person poses to themselves, e.g. suicide, overdose, self-harm, self-neglect.

Operationalization

SNOMED CT: - <281694009 |Finding of at risk (finding)|

Value Domain



Location

prsb03-dataelement-11895

Id

prsb03-dataelement-11895 (2019-05-31 14:51:50)

Description

The location where the risk was identified.

Relationship

Location (*prsb03-dataelement-10180 - 2018-10-31*)

Coded value

prsb03-dataelement-13586

Id

prsb03-dataelement-13586 (2020-09-08 12:08:47)

Description

The coded value for location

Operationalization

NHS data dictionary : - Organisation service code

Value Domain

Property

min length max length

3

5



Free text

prsb03-dataelement-13587

Id prsb03-dataelement-13587 (2020-09-08 12:09:57)

Concept inherits from  prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150

Performing professional

prsb03-dataelement-11896

Id prsb03-dataelement-11896 (2019-05-31 14:52:35)

Description The professional who identified the risk.

Relationship Performing professional (*prsb03-dataelement-11281 - 2019-05-30 11:53:30*)

Name

prsb03-dataelement-11897

Id prsb03-dataelement-11897 (2019-05-31 14:52:54)

Concept inherits from  prsb03-dataelement-11282 (2019-05-30 11:57:38)

Description The name of the professional.

Rationale Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70

Role

prsb03-dataelement-11898

Id prsb03-dataelement-11898 (2019-05-31 14:52:54)

Concept inherits from  prsb03-dataelement-11283 (2019-05-30 11:58:48)

Description The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc

Rationale Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobroletype

Value Domain

Grade

prsb03-dataelement-11899

Id	prsb03-dataelement-11899 (2019-05-31 14:52:54)		
Concept inherits from	 prsb03-dataelement-11288 (2019-05-30 12:19:40)		
Description	The grade of the professional.		
Rationale	PractitionerRole.code		
Operationalization	Free text		
Value Domain			
Property	<table border="1"> <tr> <td style="text-align: center; background-color: #d3d3d3;">max length</td> </tr> <tr> <td style="text-align: center;">150</td> </tr> </table>	max length	150
max length			
150			

 Speciality	prsb03-dataelement-11900
--	--------------------------

Id	prsb03-dataelement-11900 (2019-05-31 14:52:54)		
Concept inherits from	 prsb03-dataelement-11284 (2019-05-30 12:01:15)		
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc		
Rationale	PractitionerRole.speciality		
Operationalization	NHS data dictionary - Activity treatment function code		
Value Domain			
Property	<table border="1"> <tr> <td style="text-align: center; background-color: #d3d3d3;">max length</td> </tr> <tr> <td style="text-align: center;">3</td> </tr> </table>	max length	3
max length			
3			

 Professional identifier	prsb03-dataelement-11901
---	--------------------------

Id	prsb03-dataelement-11901 (2019-05-31 14:52:54)		
Concept inherits from	 prsb03-dataelement-11285 (2019-05-30 12:02:46)		
Description	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.		
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)		
Operationalization	NHS data dictionary : - Professional registration identifier		
Value Domain			
Property	<table border="1"> <tr> <td style="text-align: center; background-color: #d3d3d3;">max length</td> </tr> <tr> <td style="text-align: center;">32</td> </tr> </table>	max length	32
max length			
32			

  Organisation	prsb03-dataelement-11902
--	--------------------------

Id	prsb03-dataelement-11902 (2019-05-31 14:52:54)
----	--

Concept inherits from

 prsb03-dataelement-11286 (2019-05-30 12:17:19)

Description

The name of the organisation the professional works for.

 Contact details

prsb03-dataelement-11903

Id

prsb03-dataelement-11903 (2019-05-31 14:52:54)

Concept inherits from

 prsb03-dataelement-11287 (2019-05-30 12:18:13)

Description

Contact details of the professional

Rationale

Practitioner:telecom
PractitionerRole:telecom
Organisation.telcom

Operationalization

NHS data dictionary - UK phone number

Value Domain

Property

max length
35

  Person completing record

prsb03-dataelement-11904

Id

prsb03-dataelement-11904 (2019-05-31 14:53:05)

Concept inherits from

 prsb03-dataelement-11289 (2019-05-30 12:24:39)

Description

Details of the person completing the record.

Relationship

Person completing record (*prsb03-dataelement-319 - 2018-10-31*)
 Name

prsb03-dataelement-11905

Id

prsb03-dataelement-11905 (2019-05-31 14:53:43)

Concept inherits from

 prsb03-dataelement-11290 (2019-05-30 12:25:39)

Description

The name of the person completing the record.

Relationship

Name (*prsb03-dataelement-10219 - 2018-10-31*)

Rationale

Composition.author.Practitioner.name

Operationalization

Free text.

Value Domain

Property

max length
70

 Role

prsb03-dataelement-11906

Id	prsb03-dataelement-11906 (2019-05-31 14:53:43)
Concept inherits from	 <i>prsb03-dataelement-11291</i> (2019-05-30 12:25:39)
Description	The organisational role of the person completing record.

2.1.378 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship	Role (<i>prsb03-dataelement-10220 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobrole
Value Domain	

 Grade	prsb03-dataelement-11907
---	--------------------------

Id	prsb03-dataelement-11907 (2019-05-31 14:53:43)
Concept inherits from	 <i>prsb03-dataelement-11292</i> (2019-05-30 12:25:39)
Description	The grade of the person completing the record.
Relationship	Grade (<i>prsb03-dataelement-10221 - 2018-10-31</i>)
Rationale	PractitionerRole.code
Operationalization	Free text.
Value Domain	

Property	max length
	150

 Specialty	prsb03-dataelement-11908
---	--------------------------

Id	prsb03-dataelement-11908 (2019-05-31 14:53:43)
Concept inherits from	 <i>prsb03-dataelement-11293</i> (2019-05-30 12:25:39)
Description	The main specialty of the person completing the record.

2.1.379 Properties

FHIR PractitionerRole.specialty

Relationship	Specialty (<i>prsb03-dataelement-10222 - 2018-10-31</i>)
Rationale	PractitionerRole.specialty
Operationalization	NHS data dictionary :- Activity treatment function code
Value Domain	

Property

max length

3



Organisation

prsb03-dataelement-11909

Id

prsb03-dataelement-11909 (2019-05-31 14:53:43)

Concept inherits from

prsb03-dataelement-11294 (2019-05-30 12:25:39)

Description

The organisation the person completing the record works for.

Relationship

Organisation (*prsb03-dataelement-10226 - 2018-10-31*)

Professional identifier

prsb03-dataelement-11910

Id

prsb03-dataelement-11910 (2019-05-31 14:53:43)

Concept inherits from

prsb03-dataelement-11295 (2019-05-30 12:25:39)

Description

Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.380 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship

Professional identifier (*prsb03-dataelement-10223 - 2018-10-31*)

Rationale

Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization

NHS data dictionary :- Professional registration identifier

Value Domain

Property

max length

32



Date completed

prsb03-dataelement-11911

Id

prsb03-dataelement-11911 (2019-05-31 14:53:43)

Concept inherits from

prsb03-dataelement-11296 (2019-05-30 12:25:39)

Description

The date and time the record was completed.

Relationship

Date completed (*prsb03-dataelement-10224 - 2018-10-31*)

Rationale

Composition.date

Operationalization

Date and time.

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Contact details

prsb03-dataelement-11912

Id

prsb03-dataelement-11912 (2019-05-31 14:53:43)

Concept inherits from

prsb03-dataelement-11297 (2019-05-30 12:25:39)

Description

Contact details of the person completing the record.

2.1.381 Properties

FHIR PractitionerRole.telecom

Relationship Contact details (*prsb03-dataelement-10225 - 2018-10-31*)Rationale Practitioner.telecom
PractitionerRole.telecom
Organisation.telcom


Operationalization NHS data dictionary : - UK telephone number

Value Domain

Property

max length

35



Date of self harm

prsb03-dataelement-10823

Id

prsb03-dataelement-10823 (2019-03-21 13:34:44)

Value Domain



Risks to others

prsb03-dataelement-10177


Id

prsb03-dataelement-10177 (2018-10-31)

Description Details of the person's risk to others

2.1.382 Properties

FHIR Composition.text



Start date of risk

prsb03-dataelement-11913

Id

prsb03-dataelement-11913 (2019-05-31 14:54:14)

Concept inherits from

prsb03-dataelement-10179 (2018-10-31)

Description

The start date of the risk.

Operationalization

Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



End date of risk

prsb03-dataelement-11914

Id

prsb03-dataelement-11914 (2019-05-31 14:54:38)

Concept inherits from

prsb03-dataelement-10801 (2019-03-20 14:20:23)

Description

The date the risk ended.

Operationalization

Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Risks to others

prsb03-dataelement-13580

Id

prsb03-dataelement-13580 (2020-09-08 11:21:20)

Description

Risks to professionals or others.

Operationalization

SNOMED CT: - <>391155006 |At risk of harming others (finding)|

Value Domain



Location

prsb03-dataelement-11915

Id

prsb03-dataelement-11915 (2019-05-31 14:55:04)

Description

The location where the risk to others was identified.

Relationship

Location (*prsb03-dataelement-10180 - 2018-10-31*)

Coded value

prsb03-dataelement-13588

Id

prsb03-dataelement-13588 (2020-09-08 12:15:45)

Description

The coded value for location

Operationalization

NHS data dictionary : - Organisation data service

Value Domain

Property

min length max length

3

5



Free text

		prsb03-dataelement-13589
Id		prsb03-dataelement-13589 (2020-09-08 12:17:17)
Concept inherits from	 prsb03-dataelement-13220	(2020-07-08 12:57:49)
Description		Free text field to be used if no code is available
Operationalization		Free text
Value Domain		
Property	max length	150

 	Performing professional	prsb03-dataelement-11916
---	-------------------------	--------------------------

Id	prsb03-dataelement-11916 (2019-05-31 14:55:39)
Description	The professional who identifies the risk to others.
Relationship	Performing professional (<i>prsb03-dataelement-11281 - 2019-05-30 11:53:30</i>)

 Name	prsb03-dataelement-11917
Id	prsb03-dataelement-11917 (2019-05-31 14:55:55)
Concept inherits from	 prsb03-dataelement-11282 (2019-05-30 11:57:38)
Description	The name of the professional.
Rationale	Practitioner.name
Operationalization	Free text.
Value Domain	
Property	max length
	70

 Role	prsb03-dataelement-11918
--	--------------------------

Id	prsb03-dataelement-11918 (2019-05-31 14:55:55)
Concept inherits from	 prsb03-dataelement-11283 (2019-05-30 11:58:48)
Description	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc
Rationale	Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobroletype
Value Domain	

 Grade	
---	--

prsb03-dataelement-11919

Speciality	
Id	prsb03-dataelement-11920 (2019-05-31 14:55:55)
Concept inherits from	 <i>prsb03-dataelement-11284</i> (2019-05-30 12:01:15)
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc
Rationale	PractitionerRole.speciality
Operationalization	NHS data dictionary - Activity treatment function code
Value Domain	
Property	max length

 Professional identifier	prsb03-dataelement-11921
	prsb03-dataelement-11921 (2019-05-31 14:55:55)
Concept inherits from	 <i>prsb03-dataelement-11285</i> (2019-05-30 12:02:46)
Description	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary : - Professional registration identifier
Value Domain	
Property	max length

  Organisation prsb03-dataelement-11922

Id prsb03-dataelement-11922 (2019-05-31 14:55:55)

Concept inherits from  prsb03-dataelement-11286 (2019-05-30 12:17:19)

Description The name of the organisation the professional works for.

Contact details

prsb03-dataelement-11923

Id prsb03-dataelement-11923 (2019-05-31 14:55:55)

Concept inherits from  prsb03-dataelement-11287 (2019-05-30 12:18:13)

Description Contact details of the professional

Rationale Practitioner.telecom
PractitionerRole.telecom
Organisation.telcom

Operationalization NHS data dictionary - UK phone number

Value Domain

Property

max length

35

Person completing record

prsb03-dataelement-11924

Id prsb03-dataelement-11924 (2019-05-31 14:56:46)

Concept inherits from  prsb03-dataelement-11289 (2019-05-30 12:24:39)

Description Details of the person completing the record.

Relationship Person completing record (prsb03-dataelement-319 - 2018-10-31)

Name

prsb03-dataelement-11925

Id prsb03-dataelement-11925 (2019-05-31 14:57:11)

Concept inherits from  prsb03-dataelement-11290 (2019-05-30 12:25:39)

Description The name of the person completing the record.

Relationship Name (prsb03-dataelement-10219 - 2018-10-31)

Rationale Composition.author.Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70

Role

prsb03-dataelement-11926

Id	prsb03-dataelement-11926 (2019-05-31 14:57:11)
Concept inherits from	 <i>prsb03-dataelement-11291</i> (2019-05-30 12:25:39)
Description	The organisational role of the person completing record.

2.1.383 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship	Role (<i>prsb03-dataelement-10220 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobrole
Value Domain	

 Grade	prsb03-dataelement-11927
---	--------------------------

Id	prsb03-dataelement-11927 (2019-05-31 14:57:11)
Concept inherits from	 <i>prsb03-dataelement-11292</i> (2019-05-30 12:25:39)
Description	The grade of the person completing the record.
Relationship	Grade (<i>prsb03-dataelement-10221 - 2018-10-31</i>)
Rationale	PractitionerRole.code
Operationalization	Free text.
Value Domain	

Property	max length
	150

 Specialty	prsb03-dataelement-11928
---	--------------------------

Id	prsb03-dataelement-11928 (2019-05-31 14:57:11)
Concept inherits from	 <i>prsb03-dataelement-11293</i> (2019-05-30 12:25:39)
Description	The main specialty of the person completing the record.

2.1.384 Properties

FHIR PractitionerRole.specialty

Relationship	Specialty (<i>prsb03-dataelement-10222 - 2018-10-31</i>)
Rationale	PractitionerRole.specialty
Operationalization	NHS data dictionary :- Activity treatment function code
Value Domain	

Property

max length

3



Organisation

prsb03-dataelement-11929

Id

prsb03-dataelement-11929 (2019-05-31 14:57:11)

Concept inherits from

prsb03-dataelement-11294 (2019-05-30 12:25:39)

Description

The organisation the person completing the record works for.

Relationship

Organisation (*prsb03-dataelement-10226 - 2018-10-31*)

Professional identifier

prsb03-dataelement-11930

Id

prsb03-dataelement-11930 (2019-05-31 14:57:11)

Concept inherits from

prsb03-dataelement-11295 (2019-05-30 12:25:39)

Description

Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.385 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship

Professional identifier (*prsb03-dataelement-10223 - 2018-10-31*)

Rationale

Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization

NHS data dictionary :- Professional registration identifier

Value Domain

Property

max length

32



Date completed

prsb03-dataelement-11931

Id

prsb03-dataelement-11931 (2019-05-31 14:57:11)

Concept inherits from

prsb03-dataelement-11296 (2019-05-30 12:25:39)

Description

The date and time the record was completed.

Relationship

Date completed (*prsb03-dataelement-10224 - 2018-10-31*)

Rationale

Composition.date

Operationalization

Date and time.

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Contact details

prsb03-dataelement-11932

Id

prsb03-dataelement-11932 (2019-05-31 14:57:11)

Concept inherits from

prsb03-dataelement-11297 (2019-05-30 12:25:39)

Description

Contact details of the person completing the record.

2.1.386 Properties

FHIR PractitionerRole.telecom

Relationship Contact details (*prsb03-dataelement-10225 - 2018-10-31*)Rationale
Practitioner.telecom
PractitionerRole.telecom
Organisation.telcom

Operationalization NHS data dictionary : - UK telephone number

Value Domain

Property

max length

35



Risk from others

prsb03-dataelement-10178

Id prsb03-dataelement-10178 (2018-10-31)

Description Risks to the person from an identified individual e.g. family member etc.

2.1.387 Properties

FHIR Composition.text

Operationalization Free Text.



Start date of risk

prsb03-dataelement-11933

Id

prsb03-dataelement-11933 (2019-05-31 14:58:12)

Concept inherits from

prsb03-dataelement-10179 (2018-10-31)

Description

The start date of the risk.

Operationalization

Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



End date of risk

prsb03-dataelement-11934

Id

prsb03-dataelement-11934 (2019-05-31 14:58:38)

Concept inherits from

prsb03-dataelement-10801 (2019-03-20 14:20:23)

Description

The date the risk ended.

Operationalization


Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Risk from others

prsb03-dataelement-13581

Id

prsb03-dataelement-13581 (2020-09-08 11:37:50)

Description

Risks to the person from an identified individual e.g. family member etc.

Operationalization

SNOMED CT: - <281694009 |Finding of at risk (finding)|

Value Domain



Location

prsb03-dataelement-11935

Id

prsb03-dataelement-11935 (2019-05-31 14:59:06)

Description

The location where the risk from others was identified.

Relationship

Location (*prsb03-dataelement-10180 - 2018-10-31*)

Coded value

prsb03-dataelement-13590

Id

prsb03-dataelement-13590 (2020-09-08 12:21:08)

Description

The coded value for location

Operationalization

NHS data dictionary : - Organisation data service

Value Domain

Property

min length max length

3

5



Free text

prsb03-dataelement-13591

Id

prsb03-dataelement-13591 (2020-09-08 12:22:47)

Concept inherits from  prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150

Performing professional

prsb03-dataelement-11936

Id prsb03-dataelement-11936 (2019-05-31 14:59:33)

Description The professional who identified the risk from others.

Relationship Performing professional (*prsb03-dataelement-11281 - 2019-05-30 11:53:30*)

Name

prsb03-dataelement-11937

Id prsb03-dataelement-11937 (2019-05-31 14:59:53)

Concept inherits from  prsb03-dataelement-11282 (2019-05-30 11:57:38)

Description The name of the professional.

Rationale Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70

Role

prsb03-dataelement-11938

Id prsb03-dataelement-11938 (2019-05-31 14:59:53)

Concept inherits from  prsb03-dataelement-11283 (2019-05-30 11:58:48)

Description The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc

Rationale Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobroletype

Value Domain

Grade

prsb03-dataelement-11939

Id prsb03-dataelement-11939 (2019-05-31 14:59:53)

Concept inherits from  prsb03-dataelement-11288 (2019-05-30 12:19:40)

Description The grade of the professional.

Rationale PractitionerRole.code

Operationalization Free text

Value Domain

Property

max length

150



Speciality

prsb03-dataelement-11940

Id prsb03-dataelement-11940 (2019-05-31 14:59:53)

Concept inherits from  prsb03-dataelement-11284 (2019-05-30 12:01:15)

Description The specialty of the professional e.g. physiotherapy, oncology, mental health etc

Rationale PractitionerRole.speciality

Operationalization NHS data dictionary - Activity treatment function code

Value Domain

Property

max length

3



Professional identifier

prsb03-dataelement-11941

Id prsb03-dataelement-11941 (2019-05-31 14:59:53)

Concept inherits from  prsb03-dataelement-11285 (2019-05-30 12:02:46)

Description Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary : - Professional registration identifier

Value Domain

Property

max length

32



Organisation

prsb03-dataelement-11942

Id prsb03-dataelement-11942 (2019-05-31 14:59:53)

Concept inherits from  prsb03-dataelement-11286 (2019-05-30 12:17:19)

Description The name of the organisation the professional works for.

Contact details

prsb03-dataelement-11943

Id prsb03-dataelement-11943 (2019-05-31 14:59:53)

Concept inherits from  prsb03-dataelement-11287 (2019-05-30 12:18:13)

Description Contact details of the professional

Rationale Practitioner.telecom
PractitionerRole.telecom
Organisation.telcom

Operationalization NHS data dictionary - UK phone number

Value Domain

Property

max length

35

Person completing record

prsb03-dataelement-11944

Id prsb03-dataelement-11944 (2019-05-31 15:00:03)

Concept inherits from  prsb03-dataelement-11289 (2019-05-30 12:24:39)

Description Details of the person completing the record.

Relationship Person completing record (*prsb03-dataelement-319 - 2018-10-31*)

Name

prsb03-dataelement-11945

Id prsb03-dataelement-11945 (2019-05-31 15:00:27)

Concept inherits from  prsb03-dataelement-11290 (2019-05-30 12:25:39)

Description The name of the person completing the record.

Relationship Name (*prsb03-dataelement-10219 - 2018-10-31*)

Rationale Composition.author.Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70

Role

prsb03-dataelement-11946

Id prsb03-dataelement-11946 (2019-05-31 15:00:27)

Concept inherits from	 prsb03-dataelement-11291 (2019-05-30 12:25:39)
Description	The organisational role of the person completing record.

2.1.388 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship Role (*prsb03-dataelement-10220 - 2018-10-31*)

Rationale Composition.author.Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobrole

Value Domain

 Grade	prsb03-dataelement-11947
---	--------------------------

Id prsb03-dataelement-11947 (2019-05-31 15:00:27)

Concept inherits from  prsb03-dataelement-11292 (2019-05-30 12:25:39)

Description The grade of the person completing the record.

Relationship Grade (*prsb03-dataelement-10221 - 2018-10-31*)

Rationale PractitionerRole.code

Operationalization Free text.

Value Domain

Property	 max length
	150

 Specialty	prsb03-dataelement-11948
---	--------------------------

Id prsb03-dataelement-11948 (2019-05-31 15:00:27)

Concept inherits from  prsb03-dataelement-11293 (2019-05-30 12:25:39)

Description The main specialty of the person completing the record.

2.1.389 Properties

FHIR PractitionerRole.specialty

Relationship Specialty (*prsb03-dataelement-10222 - 2018-10-31*)

Rationale PractitionerRole.specialty

Operationalization NHS data dictionary :- Activity treatment function code

Value Domain

Property	 max length
----------	--

  Organisation

prsb03-dataelement-11949

Id	prsb03-dataelement-11949 (2019-05-31 15:00:27)
Concept inherits from	 <i>prsb03-dataelement-11294</i> (2019-05-30 12:25:39)
Description	The organisation the person completing the record works for.
Relationship	Organisation (<i>prsb03-dataelement-10226 - 2018-10-31</i>)

 Professional identifier

prsb03-dataelement-11950

Id	prsb03-dataelement-11950 (2019-05-31 15:00:27)
Concept inherits from	 <i>prsb03-dataelement-11295</i> (2019-05-30 12:25:39)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.390 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship	Professional identifier (<i>prsb03-dataelement-10223 - 2018-10-31</i>)
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary :- Professional registration identifier
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 2px; display: inline-block;">max length</div> <div style="text-align: center;">32</div>

 Date completed

prsb03-dataelement-11951

Id	prsb03-dataelement-11951 (2019-05-31 15:00:27)
Concept inherits from	 <i>prsb03-dataelement-11296</i> (2019-05-30 12:25:39)
Description	The date and time the record was completed.
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)
Rationale	Composition.date
Operationalization	Date and time.
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 2px; display: inline-block;">Timestamp precision</div>

at least day, month and year, hour and minute

Contact details

prsb03-dataelement-11952

Id	prsb03-dataelement-11952 (2019-05-31 15:00:27)
Concept inherits from	 <i>prsb03-dataelement-11297</i> (2019-05-30 12:25:39)
Description	Contact details of the person completing the record.

2.1.391 Properties

FHIR	PractitionerRole.telecom
Relationship	Contact details (<i>prsb03-dataelement-10225</i> - 2018-10-31)

Rationale	Practitioner:telecom PractitionerRole:telecom Organisation.telcom
-----------	---

Operationalization	NHS data dictionary : - UK telephone number
--------------------	---

Value Domain

Property	max length
	35

Risk of accidents

prsb03-dataelement-10751

Id	prsb03-dataelement-10751 (2019-03-07 17:19:00)
Description	Details of the risks the person poses to themselves from accidents.

Start date of risk

prsb03-dataelement-11953

Id	prsb03-dataelement-11953 (2019-05-31 15:00:58)
Concept inherits from	 <i>prsb03-dataelement-10179</i> (2018-10-31)

Description	The start date of the risk.
-------------	-----------------------------

Operationalization	Date and time
--------------------	---------------

Value Domain

Property	Timestamp precision
	at least day, month and year, hour and minute

End date of risk

prsb03-dataelement-11954

Id	prsb03-dataelement-11954 (2019-05-31 15:01:29)
----	--

Concept inherits from  prsb03-dataelement-10801 (2019-03-20 14:20:23)

Description The date the risk ended.


Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Risk of accidents

prsb03-dataelement-13582

Id prsb03-dataelement-13582 (2020-09-08 11:57:25)

Description Risks the person poses to themselves from accidents.

Operationalization Free text

Value Domain

Property

max length

150



Location

prsb03-dataelement-11955

Id prsb03-dataelement-11955 (2019-05-31 15:01:51)

Description The location where the risk of accidents was identified.

Relationship Location (*prsb03-dataelement-10180 - 2018-10-31*)



Coded value

prsb03-dataelement-13592

Id prsb03-dataelement-13592 (2020-09-08 12:24:12)

Description The coded value for location

Operationalization NHS data dictionary : - Organisation data service

Value Domain

Property

min length max length

3

5



Free text

prsb03-dataelement-13593

Id prsb03-dataelement-13593 (2020-09-08 12:25:18)

Concept inherits from

 prsb03-dataelement-13223 (2020-07-08 17:40:09)

Description Free text field to be used if no coded text available

Value Domain

Property

max length

150



Performing professional

prsb03-dataelement-11956

Id prsb03-dataelement-11956 (2019-05-31 15:02:24)

Description The professional who identified the risk of accidents.

Relationship Performing professional (*prsb03-dataelement-11281 - 2019-05-30 11:53:30*)

Name

prsb03-dataelement-11957

Id prsb03-dataelement-11957 (2019-05-31 15:02:41)

Concept inherits from prsb03-dataelement-11282 (2019-05-30 11:57:38)

Description The name of the professional.

Rationale Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70

Used by 0 transactions, 0 templates, inherited once



Role

prsb03-dataelement-11958

Id prsb03-dataelement-11958 (2019-05-31 15:02:41)

Concept inherits from prsb03-dataelement-11283 (2019-05-30 11:58:48)

Description The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc

Rationale Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobroletype

Value Domain

Used by 0 transactions, 0 templates, inherited once



Grade

prsb03-dataelement-11959

Id prsb03-dataelement-11959 (2019-05-31 15:02:41)

Concept inherits from  prsb03-dataelement-11288 (2019-05-30 12:19:40)

Description The grade of the professional.

Rationale PractitionerRole.code

Operationalization Free text

Value Domain

Property

max length

150

 Used by 0 transactions, 0 templates, inherited once

Speciality

prsb03-dataelement-11960

Id prsb03-dataelement-11960 (2019-05-31 15:02:41)

Concept inherits from  prsb03-dataelement-11284 (2019-05-30 12:01:15)

Description The specialty of the professional e.g. physiotherapy, oncology, mental health etc

Rationale PractitionerRole.speciality

Operationalization NHS data dictionary - Activity treatment function code

Value Domain

Property

max length

3

 Used by 0 transactions, 0 templates, inherited once

Professional identifier

prsb03-dataelement-11961

Id prsb03-dataelement-11961 (2019-05-31 15:02:41)

Concept inherits from  prsb03-dataelement-11285 (2019-05-30 12:02:46)

Description Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary : - Professional registration identifier

Value Domain

Property

max length

32

 Used by 0 transactions, 0 templates, inherited once

  Organisation

prsb03-dataelement-11962

Id	prsb03-dataelement-11962 (2019-05-31 15:02:41)
Concept inherits from	 <i>prsb03-dataelement-11286</i> (2019-05-30 12:17:19)
Description	The name of the organisation the professional works for.
 Used by	0 transactions, 0 templates, inherited once

 Contact details

prsb03-dataelement-11963

Id	prsb03-dataelement-11963 (2019-05-31 15:02:41)		
Concept inherits from	 <i>prsb03-dataelement-11287</i> (2019-05-30 12:18:13)		
Description	Contact details of the professional		
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom		
Operationalization	NHS data dictionary - UK phone number		
Value Domain			
Property	<table border="0"> <tr> <td style="background-color: #e0e0e0; padding: 2px;">max length</td> </tr> <tr> <td style="text-align: center;">35</td> </tr> </table>	max length	35
max length			
35			
 Used by	0 transactions, 0 templates, inherited once		

  Person completing record

prsb03-dataelement-11964

Id	prsb03-dataelement-11964 (2019-05-31 15:02:51)
Concept inherits from	 <i>prsb03-dataelement-11289</i> (2019-05-30 12:24:39)
Description	Details of the person completing the record.
Relationship	Person completing record (<i>prsb03-dataelement-319 - 2018-10-31</i>)

 Name

prsb03-dataelement-11965

Id	prsb03-dataelement-11965 (2019-05-31 15:03:12)
Concept inherits from	 <i>prsb03-dataelement-11290</i> (2019-05-30 12:25:39)

Description	The name of the person completing the record.
Relationship	Name (<i>prsb03-dataelement-10219 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.name
Operationalization	Free text.
Value Domain	

Property**max length**

70

**Role**

prsb03-dataelement-11966

Id	prsb03-dataelement-11966 (2019-05-31 15:03:12)
Concept inherits from	<i>prsb03-dataelement-11291</i> (2019-05-30 12:25:39)
Description	The organisational role of the person completing record.

2.1.392 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship	Role (<i>prsb03-dataelement-10220 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobrole
Value Domain	


**Grade**

prsb03-dataelement-11967

Id	prsb03-dataelement-11967 (2019-05-31 15:03:12)
Concept inherits from	<i>prsb03-dataelement-11292</i> (2019-05-30 12:25:39)
Description	The grade of the person completing the record.
Relationship	Grade (<i>prsb03-dataelement-10221 - 2018-10-31</i>)
Rationale	PractitionerRole.code
Operationalization	Free text.
Value Domain	

Property**max length**

150

**Specialty**

prsb03-dataelement-11968

Id	prsb03-dataelement-11968 (2019-05-31 15:03:12)
----	--

Concept inherits from	 prsb03-dataelement-11293 (2019-05-30 12:25:39)
Description	The main specialty of the person completing the record.

2.1.393 Properties

FHIR  PractitionerRole.specialty

Relationship  Specialty (*prsb03-dataelement-10222 - 2018-10-31*)

Rationale  PractitionerRole.speciality

Operationalization  NHS data dictionary :- Activity treatment function code

Value Domain 

Property  **max length**

3



 Organisation

prsb03-dataelement-11969

Id  prsb03-dataelement-11969 (2019-05-31 15:03:12)

Concept inherits from  prsb03-dataelement-11294 (2019-05-30 12:25:39)

Description  The organisation the person completing the record works for.

Relationship  Organisation (*prsb03-dataelement-10226 - 2018-10-31*)



 Professional identifier

prsb03-dataelement-11970

Id  prsb03-dataelement-11970 (2019-05-31 15:03:12)

Concept inherits from  prsb03-dataelement-11295 (2019-05-30 12:25:39)

Description  Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.394 Properties

FHIR  PractitionerRole.Practitioner.identifier (local)  Practitioner.identifier (professional)

Relationship  Professional identifier (*prsb03-dataelement-10223 - 2018-10-31*)

Rationale  Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization  NHS data dictionary :- Professional registration identifier

Value Domain 

Property  **max length**

32



 Date completed

		prsb03-dataelement-11971
Id	prsb03-dataelement-11971 (2019-05-31 15:03:12)	
Concept inherits from	 prsb03-dataelement-11296 (2019-05-30 12:25:39)	
Description	The date and time the record was completed.	
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)	
Rationale	Composition.date	
Operationalization	Date and time.	
Value Domain		
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>	

 Contact details	prsb03-dataelement-11972	
Id	prsb03-dataelement-11972 (2019-05-31 15:03:12)	
Concept inherits from	 prsb03-dataelement-11297 (2019-05-30 12:25:39)	
Description	Contact details of the person completing the record.	
2.1.395 Properties		
FHIR	PractitionerRole.telecom	
Relationship	Contact details (<i>prsb03-dataelement-10225 - 2018-10-31</i>)	
Rationale	Practitioner:telecom PractitionerRole:telecom Organisation:telcom	
Operationalization	NHS data dictionary : - UK telephone number	
Value Domain		
Property	<p style="text-align: center;">max length</p> <p>35</p>	

  Other risks	prsb03-dataelement-10802
Id	prsb03-dataelement-10802 (2019-03-20 14:23:40)
Description	Details of other risks, factors or behaviours relating to the person.
 Start date of risk	prsb03-dataelement-11973

Id prsb03-dataelement-11973 (2019-05-31 15:03:41)

Concept inherits from	 prsb03-dataelement-10179 (2018-10-31)
Description	The start date of the risk.
Operationalization	Date and time
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>
 End date of risk	prsb03-dataelement-11974
Id	prsb03-dataelement-11974 (2019-05-31 15:04:10)
Concept inherits from	 prsb03-dataelement-10801 (2019-03-20 14:20:23)
Description	The date the risk ended.
Operationalization	Date and time
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>
 Other risks	prsb03-dataelement-13583
Id	prsb03-dataelement-13583 (2020-09-08 12:01:56)
Description	Other risks, factors or behaviours relating to the person.
Operationalization	Free text
Value Domain	
Property	<p style="text-align: center;">max length</p> <p>150</p>
 Location	prsb03-dataelement-11975
Id	prsb03-dataelement-11975 (2019-05-31 15:04:35)
Description	The location where the other risks were identified.
Relationship	Location (<i>prsb03-dataelement-10180 - 2018-10-31</i>)
 Coded value	prsb03-dataelement-13594
Id	prsb03-dataelement-13594 (2020-09-08 12:26:43)
Description	The coded value for location

Operationalization NHS data dictionary : - Organisation data service

Value Domain

Property

min length	max length
------------	------------

3	5
---	---



Free text

prsb03-dataelement-13595

Id

prsb03-dataelement-13595 (2020-09-08 12:27:58)

Concept inherits from

prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description

Free text field to be used if no code is available

Operationalization

Free text

Value Domain

Property

max length

150



Performing professional

prsb03-dataelement-11976

Id

prsb03-dataelement-11976 (2019-05-31 15:05:03)

Description

The professional who identified the other risks.

Relationship

Performing professional (*prsb03-dataelement-11281 - 2019-05-30 11:53:30*)



Name

prsb03-dataelement-11977

Id

prsb03-dataelement-11977 (2019-05-31 15:05:19)

Concept inherits from

prsb03-dataelement-11282 (2019-05-30 11:57:38)

Description

The name of the professional.

Rationale

Practitioner.name

Operationalization

Free text.

Value Domain

Property

max length

70



Role

prsb03-dataelement-11978

Id

prsb03-dataelement-11978 (2019-05-31 15:05:19)

Concept inherits from

prsb03-dataelement-11283 (2019-05-30 11:58:48)

Description	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc
Rationale	Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobroletype
Value Domain	



Grade

prsb03-dataelement-11979

Id	prsb03-dataelement-11979 (2019-05-31 15:05:19)
Concept inherits from	🟡 prsb03-dataelement-11288 (2019-05-30 12:19:40)
Description	The grade of the professional.
Rationale	PractitionerRole.code
Operationalization	Free text

Value Domain

Property

max length

150



Speciality

prsb03-dataelement-11980

Id	prsb03-dataelement-11980 (2019-05-31 15:05:19)
Concept inherits from	🟡 prsb03-dataelement-11284 (2019-05-30 12:01:15)
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc
Rationale	PractitionerRole.speciality
Operationalization	NHS data dictionary - Activity treatment function code

Value Domain

Property

max length

3



Professional identifier

prsb03-dataelement-11981

Id	prsb03-dataelement-11981 (2019-05-31 15:05:19)
Concept inherits from	🟡 prsb03-dataelement-11285 (2019-05-30 12:02:46)
Description	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary : - Professional registration identifier

Value Domain

Property

max length

32



Organisation

prsb03-dataelement-11982

Id

prsb03-dataelement-11982 (2019-05-31 15:05:19)

Concept inherits from

prsb03-dataelement-11286 (2019-05-30 12:17:19)

Description

The name of the organisation the professional works for.



Contact details

prsb03-dataelement-11983

Id

prsb03-dataelement-11983 (2019-05-31 15:05:19)

Concept inherits from

prsb03-dataelement-11287 (2019-05-30 12:18:13)

Description

Contact details of the professional

Rationale

Practitioner.telecom
PractitionerRole.telecom
Organisation.telcom

Operationalization

NHS data dictionary - UK phone number

Value Domain

Property

max length

35



Person completing record

prsb03-dataelement-11984

Id

prsb03-dataelement-11984 (2019-05-31 15:05:29)

Concept inherits from

prsb03-dataelement-11289 (2019-05-30 12:24:39)

Description

Details of the person completing the record.

Relationship

Person completing record (*prsb03-dataelement-319 - 2018-10-31*)

Name

prsb03-dataelement-11985

Id

prsb03-dataelement-11985 (2019-05-31 15:05:47)

Concept inherits from

prsb03-dataelement-11290 (2019-05-30 12:25:39)

Description

The name of the person completing the record.

Relationship

Name (*prsb03-dataelement-10219 - 2018-10-31*)

Rationale

Composition.author.Practitioner.name

Operationalization Free text.

Value Domain

Property

maxLength

70



Role

prsb03-dataelement-11986

Id prsb03-dataelement-11986 (2019-05-31 15:05:47)

Concept inherits from *prsb03-dataelement-11291* (2019-05-30 12:25:39)

Description The organisational role of the person completing record.

2.1.396 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship Role (*prsb03-dataelement-10220 - 2018-10-31*)

Rationale Composition.author.Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobrole

Value Domain



Grade

prsb03-dataelement-11987

Id prsb03-dataelement-11987 (2019-05-31 15:05:47)

Concept inherits from *prsb03-dataelement-11292* (2019-05-30 12:25:39)

Description The grade of the person completing the record.

Relationship Grade (*prsb03-dataelement-10221 - 2018-10-31*)

Rationale PractitionerRole.code

Operationalization Free text.

Value Domain

Property

maxLength

150



Specialty

prsb03-dataelement-11988

Id prsb03-dataelement-11988 (2019-05-31 15:05:47)

Concept inherits from *prsb03-dataelement-11293* (2019-05-30 12:25:39)

Description The main specialty of the person completing the record.

2.1.397 Properties

FHIR PractitionerRole.specialty

Relationship Specialty (*prsb03-dataelement-10222 - 2018-10-31*)

Rationale PractitionerRole.speciality

Operationalization NHS data dictionary :- Activity treatment function code

Value Domain

Property

max length

3



Organisation

prsb03-dataelement-11989

Id prsb03-dataelement-11989 (2019-05-31 15:05:47)

Concept inherits from prsb03-dataelement-11294 (2019-05-30 12:25:39)

Description The organisation the person completing the record works for.

Relationship Organisation (*prsb03-dataelement-10226 - 2018-10-31*)



Professional identifier

prsb03-dataelement-11990

Id prsb03-dataelement-11990 (2019-05-31 15:05:47)

Concept inherits from prsb03-dataelement-11295 (2019-05-30 12:25:39)

Description Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.398 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship Professional identifier (*prsb03-dataelement-10223 - 2018-10-31*)

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary :- Professional registration identifier

Value Domain

Property

max length

32



Date completed

prsb03-dataelement-11991

Id prsb03-dataelement-11991 (2019-05-31 15:05:47)

Concept inherits from	 prsb03-dataelement-11296 (2019-05-30 12:25:39)
Description	The date and time the record was completed.
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)
Rationale	Composition.date
Operationalization	Date and time.
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 5px; text-align: center;">Timestamp precision</div> <div style="border: 1px solid #ccc; padding: 5px; text-align: center;">at least day, month and year, hour and minute</div>

 Contact details	prsb03-dataelement-11992
---	--------------------------

Id	prsb03-dataelement-11992 (2019-05-31 15:05:47)
Concept inherits from	 prsb03-dataelement-11297 (2019-05-30 12:25:39)
Description	Contact details of the person completing the record.

2.1.399 Properties

FHIR	PractitionerRole.telecom
Relationship	Contact details (<i>prsb03-dataelement-10225 - 2018-10-31</i>)
Rationale	Practitioner:telecom PractitionerRole:telecom Organisation:telcom
Operationalization	NHS data dictionary : - UK telephone number
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 5px; text-align: center;">max length</div> <div style="border: 1px solid #ccc; padding: 5px; text-align: center;">35</div>

 Infection risk	prsb03-dataelement-12479
--	--------------------------

Id	prsb03-dataelement-12479 (2019-06-27 15:22:39)
Description	Details of any known infection of the person for which special handling might be required

 Start date of risk	prsb03-dataelement-10179
--	--------------------------

Id	prsb03-dataelement-10179 (2018-10-31)
Description	The start date of the risk.
Operationalization	Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute

⌚ Used by

0 transactions, 0 templates, inherited 5 times



End date of risk

prsb03-dataelement-10801

Id

prsb03-dataelement-10801 (2019-03-20 14:20:23)

Description

The date the risk ended.

Operationalization

Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute

⌚ Used by

0 transactions, 0 templates, inherited 5 times



Infection risk

prsb03-dataelement-13596

Id

prsb03-dataelement-13596 (2020-09-08 15:58:56)

Description

Any known infection of the person for which special handling might be required

Operationalization

Free text

Value Domain

Property

max length

150



Location

prsb03-dataelement-10180

Id

prsb03-dataelement-10180 (2018-10-31)

Description

The location where the risk was identified.



Coded value

prsb03-dataelement-13584

Id

prsb03-dataelement-13584 (2020-09-08 12:05:13)

Description

The coded value for location

Operationalization

NHS data dictionary : - Organisation data service

Value Domain

Property

min length	max length
-------------------	-------------------

3	5
---	---



Free text

prsb03-dataelement-13585

Id

prsb03-dataelement-13585 (2020-09-08 12:06:42)

Concept inherits from

prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description

Free text field to be used if no code is available

Operationalization

Free text

Value Domain

Property

max length

150



Performing professional

prsb03-dataelement-13597

Id

prsb03-dataelement-13597 (2020-09-08 16:01:11)

Description

The professional who identified the risk of infections.

Relationship

Performing professional (*prsb03-dataelement-11956 - 2019-05-31 15:02:24*)

Name

prsb03-dataelement-13598

Id

prsb03-dataelement-13598 (2020-09-08 16:02:57)

Concept inherits from

prsb03-dataelement-11957 (2019-05-31 15:02:41)

Description

The name of the professional.

Rationale

Practitioner.name

Operationalization

Free text.

Value Domain

Property

max length

70



Role

prsb03-dataelement-13599

Id

prsb03-dataelement-13599 (2020-09-08 16:02:57)

Concept inherits from

prsb03-dataelement-11958 (2019-05-31 15:02:41)

Description

The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc

Rationale Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobroletype

Value Domain



Grade

prsb03-dataelement-13600

Id prsb03-dataelement-13600 (2020-09-08 16:02:57)

Concept inherits from prsb03-dataelement-11959 (2019-05-31 15:02:41)

Description The grade of the professional.

Rationale PractitionerRole.code

Operationalization Free text

Value Domain

Property

max length

150



Speciality

prsb03-dataelement-13601

Id prsb03-dataelement-13601 (2020-09-08 16:02:57)

Concept inherits from prsb03-dataelement-11960 (2019-05-31 15:02:41)

Description The specialty of the professional e.g. physiotherapy, oncology, mental health etc

Rationale PractitionerRole.speciality

Operationalization NHS data dictionary - Activity treatment function code

Value Domain

Property

max length

3



Professional identifier

prsb03-dataelement-13602

Id prsb03-dataelement-13602 (2020-09-08 16:02:57)

Concept inherits from prsb03-dataelement-11961 (2019-05-31 15:02:41)

Description Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary : - Professional registration identifier

Value Domain

Property

max length

32



Organisation

prsb03-dataelement-13603

Id


prsb03-dataelement-13603 (2020-09-08 16:02:57)

Concept inherits from

prsb03-dataelement-11962 (2019-05-31 15:02:41)

Description

The name of the organisation the professional works for.



Contact details

prsb03-dataelement-13604

Id

prsb03-dataelement-13604 (2020-09-08 16:02:57)

Concept inherits from

prsb03-dataelement-11963 (2019-05-31 15:02:41)

Description

Contact details of the professional

Rationale

Practitioner.telecom
 PractitionerRole.telecom
 Organisation.telcom

Operationalization

NHS data dictionary - UK phone number

Value Domain

Property

max length

35



Person completing record

prsb03-dataelement-13605

Id

prsb03-dataelement-13605 (2020-09-08 16:04:28)

Concept inherits from

prsb03-dataelement-13035 (2020-04-28 19:33:13)

Description

A record of the details of the person that entered the reasonable adjustment and the date on which it was entered.

Relationship

Person completing record (*prsb03-dataelement-11289 - 2019-05-30 12:24:39*)

Name

prsb03-dataelement-13606

Id

prsb03-dataelement-13606 (2020-09-08 16:05:09)

Concept inherits from

prsb03-dataelement-13036 (2020-04-28 19:33:40)

Description

The name of the person completing the record.

Relationship

Name (*prsb03-dataelement-10219 - 2018-10-31*)

Rationale

Composition.author.Practitioner.name

Operationalization

Free text.

Value Domain

Property

max length

70



Role

prsb03-dataelement-13607

Id

prsb03-dataelement-13607 (2020-09-08 16:05:09)

Concept inherits from

prsb03-dataelement-13037 (2020-04-28 19:33:40)

Description

The organisational role of the person completing record.

2.1.400 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship

Role (*prsb03-dataelement-10220 - 2018-10-31*)

Rationale

Composition.author.Practitioner.PractitionerRole.code

Operationalization

FHIR value set :- SDSjobrole

Value Domain



Grade

prsb03-dataelement-13608

Id

prsb03-dataelement-13608 (2020-09-08 16:05:09)

Concept inherits from

prsb03-dataelement-13038 (2020-04-28 19:33:40)

Description

The grade of the person completing the record.

Relationship

Grade (*prsb03-dataelement-10221 - 2018-10-31*)

Rationale

PractitionerRole.code

Operationalization

Free text.

Value Domain

Property

max length

150



Specialty

prsb03-dataelement-13609

Id

prsb03-dataelement-13609 (2020-09-08 16:05:09)

Concept inherits from

prsb03-dataelement-13039 (2020-04-28 19:33:40)

Description

The main specialty of the person completing the record.

2.1.401 Properties

FHIR PractitionerRole.specialty

Relationship Specialty (*prsb03-dataelement-10222 - 2018-10-31*)

Rationale PractitionerRole.speciality

Operationalization NHS data dictionary :- Activity treatment function code

Value Domain

Property

max length

3



Organisation

prsb03-dataelement-13610

Id prsb03-dataelement-13610 (2020-09-08 16:05:09)

Concept inherits from prsb03-dataelement-13040 (2020-04-28 19:33:40)

Description The organisation the person completing the record works for.

Relationship Organisation (*prsb03-dataelement-10226 - 2018-10-31*)



Professional identifier

prsb03-dataelement-13611

Id prsb03-dataelement-13611 (2020-09-08 16:05:09)

Concept inherits from prsb03-dataelement-13041 (2020-04-28 19:33:40)

Description Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.402 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship Professional identifier (*prsb03-dataelement-10223 - 2018-10-31*)

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary :- Professional registration identifier

Value Domain

Property

max length

32



Date completed

prsb03-dataelement-13612

Id prsb03-dataelement-13612 (2020-09-08 16:05:09)

Concept inherits from	 prsb03-dataelement-13042 (2020-04-28 19:33:40)
Description	The date and time the record was completed.
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)
Rationale	Composition.date
Operationalization	Date and time.
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>

 Contact details	prsb03-dataelement-13613
---	--------------------------

Id	prsb03-dataelement-13613 (2020-09-08 16:05:09)
Concept inherits from	 prsb03-dataelement-13043 (2020-04-28 19:33:40)
Description	Contact details of the person completing the record.

2.1.403 Properties

FHIR	PractitionerRole.telecom
Relationship	Contact details (<i>prsb03-dataelement-10225 - 2018-10-31</i>)
Rationale	Practitioner:telecom PractitionerRole:telecom Organisation:telcom
Operationalization	NHS data dictionary : - UK telephone number
Value Domain	
Property	<p style="text-align: center;">max length</p> <p>35</p>

 Person completing record	prsb03-dataelement-10959
--	--------------------------

Id	prsb03-dataelement-10959 (2019-05-18 21:13:52) 0.1
Concept inherits from	 prsb03-dataelement-10860 (2019-03-27 17:46:45)
Description	This is the person recording the individual requirement.
Relationship	Should include their name, role, grade, specialty, organisation, professional identifier, date and time completed, contact details
Relationship	Person completing record (<i>prsb03-dataelement-10850 - 2019-03-27 17:15:40</i>)

Operationalization Free text. Name, Role, Grade, Specialty, Organisation, Professional identifier, Date and time completed, Contact details

Value Domain

 Other risk behaviours

prsb03-dataelement-10752

Id prsb03-dataelement-10752 (2019-03-07 17:21:05) 0.1

Value Domain

 Factors affecting risk

prsb03-dataelement-10753

Id prsb03-dataelement-10753 (2019-03-07 17:21:36) 0.1

Value Domain

 Allergies and adverse reactions

prsb03-dataelement-282

Id prsb03-dataelement-282 (2018-10-31)

Description Allergies and adverse reactions

 Used by 12 transactions, 0 templates, inherited 0 times

 Allergies and adverse reactions record entry

prsb03-dataelement-10657

Id prsb03-dataelement-10657 (2018-11-13 12:23:03)

Description This is a allergies and adverse reactions record entry. There may be 1 to many record entries under a section.

Each record entry is made up of a number of elements or data items.

 Used by 12 transactions, 0 templates, inherited 0 times

 Type of reaction

prsb03-dataelement-10186

Id prsb03-dataelement-10186 (2018-10-31)

Description The type of reaction experienced by the person (allergic, adverse, intolerance)

2.1.404 Properties

FHIR AllergyIntolerance.type

Rationale AllergyIntolerance.type

Operationalization FHIR value set :- Allergy, Intolerance

Value Domain

 Used by 12 transactions, 0 templates, inherited 0 times

  Causative agent

prsb03-dataelement-10182

Id prsb03-dataelement-10182 (2018-10-31)

Description The agent such as food, drug or substances that has caused or may cause an allergy, intolerance or adverse reaction in this person Or "No known drug allergies or adverse reactions" Or "Information not available"

2.1.405 Properties

FHIR AllergyIntolerance.code

 Used by 12 transactions, 0 templates, inherited 0 times

 Coded value

prsb03-dataelement-13441

Id prsb03-dataelement-13441 (2020-08-19 14:12:48)

Description The coded value for causative agent

Rationale Allergyintolerance.code

Operationalization SNOMED CT : - <105590001 |Substance OR <373873005 |Pharmaceutical / biologic product| OR <>716186003 |No known allergy| OR 196461000000101 |Transfer-degraded drug allergy| OR 196471000000108 |Transfer-degraded non-drug allergy)

Value Domain

 Used by 12 transactions, 0 templates, inherited 0 times

 Free text

prsb03-dataelement-13442

Id prsb03-dataelement-13442 (2020-08-19 15:33:40)

Concept inherits from  prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150

 Used by 12 transactions, 0 templates, inherited 0 times

  Reaction details cluster

prsb03-dataelement-10658

Id	prsb03-dataelement-10658 (2018-11-13 12:29:25)
Description	Details of the reaction.
Used by	12 transactions, 0 templates, inherited 0 times

🟡 Date prsb03-dataelement-10190

Id	prsb03-dataelement-10190 (2018-10-31)
Description	The date that the reaction was identified.

2.1.406 Properties

FHIR dateAsserted

Rationale Allergyintolerance.asserteddate

Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute

Used by	12 transactions, 0 templates, inherited 0 times
---------	---

📁🟡 Location prsb03-dataelement-10846

Id prsb03-dataelement-10846 (2019-03-27 17:04:11)

Description Details of where the allergy was identified. Linked to the date of the diagnosis by the professional.

🟡 Coded value prsb03-dataelement-13439

Id prsb03-dataelement-13439 (2020-08-19 13:58:37)

Description The coded value for location.

Rationale Location.identifier

Operationalization NHS data dictionary : - Organisation data service

Value Domain

Property

min length max length

3 5

🟡 Free text prsb03-dataelement-13440

Id prsb03-dataelement-13440 (2020-08-19 14:02:39)

Concept inherits from  prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150

Performing professional

prsb03-dataelement-10847

Id prsb03-dataelement-10847 (2019-03-27 17:08:07)

Description Details of the professional recording the allergy (including name and role).

Value Domain

Person completing record

prsb03-dataelement-10968

Id prsb03-dataelement-10968 (2019-05-20 18:12:21)

Description This is the person recording the allergies or adverse reactions.

Should include their name, role, grade, specialty, organisation, professional identifier, date and time completed, contact details

Relationship Person completing record (*prsb03-dataelement-10860 - 2019-03-27 17:46:45*)

Operationalization Free text. Name, Role, Grade, Specialty, Organisation, Professional identifier, Date and time completed, Contact details

Value Domain

Substance

prsb03-dataelement-11665

Id prsb03-dataelement-11665 (2019-05-30 20:17:32)

Description The substance, or a class of substances, that is considered to be responsible for the adverse reaction.

Coded value

prsb03-dataelement-13554

Id prsb03-dataelement-13554 (2020-09-04 16:44:48)

Description The coded value for substance

Rationale AllergyIntolerance.reaction.substance

Operationalization SNOMED CT : - <105590001 | Substance (substance) | or <373873005 | Pharmaceutical / biologic product (product) |

Value Domain



Free text

prsb03-dataelement-13555

Id prsb03-dataelement-13555 (2020-09-04 16:45:54)

Concept inherits from prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150



Description of reaction

prsb03-dataelement-10183

Id prsb03-dataelement-10183 (2018-10-31)

Description A description of the manifestation of the allergic or adverse reaction experienced by the person.
For example, skin rash.

2.1.407 Properties

FHIR AllergyIntolerance.reaction.manifestation AllergyIntolerance.reaction.description

Used by 12 transactions, 0 templates, inherited 0 times



Coded value

prsb03-dataelement-13556

Id prsb03-dataelement-13556 (2020-09-04 16:48:37)

Description The coded value for description of reaction.

Rationale AllergyIntolerance.reaction.manifestation

Operationalization SNOMED CT: - ^1127581000000103 |Health issues simple reference set|

Value Domain

Used by 12 transactions, 0 templates, inherited 0 times



Free text

prsb03-dataelement-13557

Id prsb03-dataelement-13557 (2020-09-04 16:51:03)

Concept inherits from prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150

◎ Used by

12 transactions, 0 templates, inherited 0 times



Onset date

prsb03-dataelement-13844

Id

prsb03-dataelement-13844 (2020-12-29 22:44:39)

Description

Date and time when manifestations showed e.g could be at home a few days earlier than the contact

Operationalization

Date and time

Value Domain

Property

Timestamp precision

at least year



Severity

prsb03-dataelement-10184

Id

prsb03-dataelement-10184 (2018-10-31)

Description

A description of the severity of the reaction.

2.1.408 Properties

FHIR AllergyIntolerance.reaction.severity

◎ Used by

12 transactions, 0 templates, inherited 0 times



Coded value

prsb03-dataelement-13558

Id

prsb03-dataelement-13558 (2020-09-04 17:43:42)

Description

The coded value for severity

Rationale

AllergyIntolerance.reaction.severity

Operationalization

FHIR value set : - Severity

Value Domain

◎ Used by

12 transactions, 0 templates, inherited 0 times



Free text

prsb03-dataelement-13559

Id

prsb03-dataelement-13559 (2020-09-04 17:48:53)

Concept inherits from  prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150

 Used by 12 transactions, 0 templates, inherited 0 times

  Certainty

prsb03-dataelement-10185

Id prsb03-dataelement-10185 (2018-10-31)

Description A description of the certainty that the stated causative agent caused the allergic or adverse reaction.

2.1.409 Properties

FHIR AllergyIntolerance.verificationStatus

 Used by 12 transactions, 0 templates, inherited 0 times

 Coded value

prsb03-dataelement-13560

Id prsb03-dataelement-13560 (2020-09-04 17:52:26)

Description The coded value for certainty.

Rationale AllergyIntolerance.verificationStatus

Operationalization FHIR value set : - Certainty

Value Domain

 Used by 12 transactions, 0 templates, inherited 0 times

 Free text

prsb03-dataelement-13561

Id prsb03-dataelement-13561 (2020-09-04 17:55:21)

Concept inherits from  prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150

⌚ Used by

12 transactions, 0 templates, inherited 0 times

📁🟡 Route of exposure

prsb03-dataelement-13856

Id

prsb03-dataelement-13856 (2021-01-18 18:45:19)

Description

The route the person was exposed to the substance

🟡 Coded value

prsb03-dataelement-13857

Id

prsb03-dataelement-13857 (2021-01-18 18:50:12)

Description

The coded value for route of exposure

Rationale

AllergyIntolerance.exposureroute

Operationalization

SNOMED CT: - ^999000051000001100 |ePrescribing route of administration simple reference set|

Value Domain

🟡 Free text

prsb03-dataelement-13858

Id

prsb03-dataelement-13858 (2021-01-18 18:55:02)

Concept inherits from

🟡 prsb03-dataelement-13223 (2020-07-08 17:40:09)

Description

Free text field to be used if no coded text available

Value Domain

Property

max length

150

🟡 Comment

prsb03-dataelement-10189

Id

prsb03-dataelement-10189 (2018-10-31)

Description

Any additional comment or clarification about the adverse reaction.

Operationalization

Free text

Value Domain

Property

max length

150

⌚ Used by

12 transactions, 0 templates, inherited 0 times



Evidence

prsb03-dataelement-10187

Id prsb03-dataelement-10187 (2018-10-31)

Description Results of investigations that confirmed the certainty of the diagnosis. Examples might include results of skin prick allergy tests

2.1.410 Properties

FHIR AllergyIntolerance.extension.evidence

Rationale AllergyIntolerance.extension.evidence

Operationalization Free text

Value Domain

Property

max length

150

Used by 12 transactions, 0 templates, inherited 0 times



Date first experienced

prsb03-dataelement-10188

Id prsb03-dataelement-10188 (2018-10-31)

Description When the reaction was first experienced i.e this may not be the first this has happened. May be a date or partial date (e.g. year) or text (**e.g. during childhood**)**2.1.411 Properties**

FHIR AllergyIntolerance.onset[x]

Rationale AllergyIntolerance.onset

Operationalization Date and time

Value Domain

Property

Timestamp precision

at least year

Used by 12 transactions, 0 templates, inherited 0 times



Allergy end date

prsb03-dataelement-14253

Id prsb03-dataelement-14253 (2021-03-04 13:29:34)

Description The date the allergy was diagnosed as ended

Operationalization	Date and time
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least year</p>
Used by	12 transactions, 0 templates, inherited 0 times

 Comment	prsb03-dataelement-14273
---	--------------------------

Id	prsb03-dataelement-14273 (2021-04-09 11:01:11)
Description	Any further comments on the person's allergies or adverse reactions.
Operationalization	Free text
Value Domain	

 Probability of recurrence	prsb03-dataelement-10191
---	--------------------------

Id	prsb03-dataelement-10191 (2018-10-31) 0.1
Description	Probability of the reaction (allergic, adverse, intolerant) occurring.

2.1.412 Properties

FHIR	AllergyIntolerance.extensionProbabilityOfRecurrence
Rationale	AllergyIntolerance.extensionProbabilityOfRecurrence
Operationalization	Free text
Value Domain	
Property	<p style="text-align: center;">max length</p> <p>150</p>

 Performing professional	prsb03-dataelement-12010
---	--------------------------

Id	prsb03-dataelement-12010 (2019-05-31 15:23:59)
Description	The professional who identified the reaction.
Relationship	Performing professional (<i>prsb03-dataelement-11281 - 2019-05-30 11:53:30</i>)

 Name	prsb03-dataelement-12011
--	--------------------------

Id	prsb03-dataelement-12011 (2019-05-31 15:24:24)
Concept inherits from	 prsb03-dataelement-11282 (2019-05-30 11:57:38)

Description The name of the professional.

Rationale Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70



Role

prsb03-dataelement-12012

Id prsb03-dataelement-12012 (2019-05-31 15:24:24)

Concept inherits from prsb03-dataelement-11283 (2019-05-30 11:58:48)

Description The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc

Rationale Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobroletype

Value Domain



Grade

prsb03-dataelement-12013

Id prsb03-dataelement-12013 (2019-05-31 15:24:24)

Concept inherits from prsb03-dataelement-11288 (2019-05-30 12:19:40)

Description The grade of the professional.

Rationale PractitionerRole.code

Operationalization Free text

Value Domain

Property

max length

150



Speciality

prsb03-dataelement-12014

Id prsb03-dataelement-12014 (2019-05-31 15:24:24)

Concept inherits from prsb03-dataelement-11284 (2019-05-30 12:01:15)

Description The specialty of the professional e.g. physiotherapy, oncology, mental health etc

Rationale PractitionerRole.speciality

Operationalization NHS data dictionary - Activity treatment function code

Value Domain

Property

max length

3



Professional identifier

prsb03-dataelement-12015

Id

prsb03-dataelement-12015 (2019-05-31 15:24:24)

Concept inherits from

prsb03-dataelement-11285 (2019-05-30 12:02:46)

Description

Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.

Rationale

Practitioner.identifier (for professional national identifiers), PractitionerRole.identifier (for local role identifiers)

Operationalization

NHS data dictionary : - Professional registration identifier

Value Domain

Property

max length

32



Organisation

prsb03-dataelement-12016

Id


prsb03-dataelement-12016 (2019-05-31 15:24:24)

Concept inherits from

prsb03-dataelement-11286 (2019-05-30 12:17:19)

Description

The name of the organisation the professional works for.



Contact details

prsb03-dataelement-12017

Id

prsb03-dataelement-12017 (2019-05-31 15:24:24)

Concept inherits from

prsb03-dataelement-11287 (2019-05-30 12:18:13)

Description

Contact details of the professional

Rationale

Practitioner:telecom
PractitionerRole:telecom
Organisation.telcom

Operationalization

NHS data dictionary - UK phone number

Value Domain

Property

max length

35



Person completing record

prsb03-dataelement-12018

Id

prsb03-dataelement-12018 (2019-05-31 15:24:36)

Concept inherits from	 prsb03-dataelement-11289 (2019-05-30 12:24:39)
Description	Details of the person completing the record.
Relationship	Person completing record (<i>prsb03-dataelement-319 - 2018-10-31</i>)

 Name	prsb03-dataelement-12019
--	--------------------------

Id	prsb03-dataelement-12019 (2019-05-31 15:24:56)		
Concept inherits from	 prsb03-dataelement-11290 (2019-05-30 12:25:39)		
Description	The name of the person completing the record.		
Relationship	Name (<i>prsb03-dataelement-10219 - 2018-10-31</i>)		
Rationale	Composition.author.Practitioner.name		
Operationalization	Free text.		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>70</td> </tr> </table>	max length	70
max length			
70			

 Role	prsb03-dataelement-12020
--	--------------------------

Id	prsb03-dataelement-12020 (2019-05-31 15:24:56)
Concept inherits from	 prsb03-dataelement-11291 (2019-05-30 12:25:39)
Description	The organisational role of the person completing record.

2.1.413 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship	Role (<i>prsb03-dataelement-10220 - 2018-10-31</i>)
Rationale	Composition.author.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobrole
Value Domain	

 Grade	prsb03-dataelement-12021
---	--------------------------

Id	prsb03-dataelement-12021 (2019-05-31 15:24:56)
Concept inherits from	 prsb03-dataelement-11292 (2019-05-30 12:25:39)
Description	The grade of the person completing the record.
Relationship	Grade (<i>prsb03-dataelement-10221 - 2018-10-31</i>)
Rationale	PractitionerRole.code

Operationalization Free text.

Value Domain

Property

max length

150



Specialty

prsb03-dataelement-12022

Id prsb03-dataelement-12022 (2019-05-31 15:24:56)

Concept inherits from prsb03-dataelement-11293 (2019-05-30 12:25:39)

Description The main specialty of the person completing the record.

2.1.414 Properties

FHIR PractitionerRole.specialty

Relationship Specialty (prsb03-dataelement-10222 - 2018-10-31)

Rationale PractitionerRole.specialty

Operationalization NHS data dictionary :- Activity treatment function code

Value Domain

Property

max length

3



Organisation

prsb03-dataelement-12023

Id prsb03-dataelement-12023 (2019-05-31 15:24:56)

Concept inherits from prsb03-dataelement-11294 (2019-05-30 12:25:39)

Description The organisation the person completing the record works for.

Relationship Organisation (prsb03-dataelement-10226 - 2018-10-31)



Professional identifier

prsb03-dataelement-12024

Id prsb03-dataelement-12024 (2019-05-31 15:24:56)

Concept inherits from prsb03-dataelement-11295 (2019-05-30 12:25:39)

Description Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.415 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship	Professional identifier (<i>prsb03-dataelement-10223 - 2018-10-31</i>)
Rationale	Practitioner.identifier (for professional national identifiers), PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary :- Professional registration identifier

Value Domain

Property

max length

32



Date completed

prsb03-dataelement-12025

Id	prsb03-dataelement-12025 (2019-05-31 15:24:56)
Concept inherits from	<i>prsb03-dataelement-11296 (2019-05-30 12:25:39)</i>
Description	The date and time the record was completed.
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)
Rationale	Composition.date
Operationalization	Date and time.

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Contact details

prsb03-dataelement-12026

Id	prsb03-dataelement-12026 (2019-05-31 15:24:56)
Concept inherits from	<i>prsb03-dataelement-11297 (2019-05-30 12:25:39)</i>
Description	Contact details of the person completing the record.

2.1.416 Properties

FHIR **PractitionerRole.telecom**Relationship *Contact details (prsb03-dataelement-10225 - 2018-10-31)*Rationale
Practitioner:telecom
PractitionerRole:telecom
Organisation.telcom

Operationalization NHS data dictionary : - UK telephone number

Value Domain

Property

max length

 Person completing record	prsb03-dataelement-10960
--	--------------------------

Id	prsb03-dataelement-10960 (2019-05-18 21:15:23)
Concept inherits from	 prsb03-dataelement-10860 (2019-03-27 17:46:45)
Description	This is the person recording the individual requirement.
	Should include their name, role, grade, specialty, organisation, professional identifier, date and time completed, contact details
Relationship	Person completing record (<i>prsb03-dataelement-10850 - 2019-03-27 17:15:40</i>)
Operationalization	Free text. Name, Role, Grade, Specialty, Organisation, Professional identifier, Date and time completed, Contact details
Value Domain	

  Medications and medical devices	prsb03-dataelement-636
---	------------------------

Id	prsb03-dataelement-636 (2018-10-31)
Description	Medications and medical devices
 Used by	9 transactions, 0 templates, inherited once

  Medication administration record entry	prsb03-dataelement-12483
--	--------------------------

Id	prsb03-dataelement-12483 (2019-07-03 12:24:36)
Description	Each entry holds details of medications administered
 Used by	0 transactions, 0 templates, inherited once

  Medication name	prsb03-dataelement-12484
---	--------------------------

Id	prsb03-dataelement-12484 (2019-07-03 12:27:06)
Concept inherits from	 prsb03-dataelement-10536 (2018-10-31)
Description	May be generic name or brand name.

2.1.417 Properties

MedicationStatement.medication[x].medication CodableConcept
 FHIR MedicationStatement.medication[x].medicationReference (see Medication) (Systems should send as much details as they can. dm+d code can be sent as a simple code/description pair using CodeableConcept, or as a detailed medication record)

 Used by 0 transactions, 0 templates, inherited once

 Coded value prsb03-dataelement-13663

Id	prsb03-dataelement-13663 (2020-09-08 21:49:56)
Concept inherits from	 <i>prsb03-dataelement-13622</i> (2020-09-08 19:15:21)
Description	The coded value for medication name
Operationalization	dm+d: any code from the VTM, VMP, AMP, VMPP and AMPP concept classes
Value Domain	

 Free text prsb03-dataelement-13664

Id	prsb03-dataelement-13664 (2020-09-08 21:49:56)		
Concept inherits from	 <i>prsb03-dataelement-13623</i> (2020-09-08 19:17:39)		
Description	Free text field to be used if no code is available		
Operationalization	Free text		
Value Domain			
Property	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 5px; background-color: #e0e0e0;">max length</td> </tr> <tr> <td style="padding: 5px;">150</td> </tr> </table>	max length	150
max length			
150			

 Route prsb03-dataelement-12485

Id	prsb03-dataelement-12485 (2019-07-03 12:28:40)
Concept inherits from	 <i>prsb03-dataelement-10538</i> (2018-10-31)
Description	The route by which the medication is administered e.g. oral, IM, IV

2.1.418 Properties

FHIR MedicationStatement.dosage.route

 Used by 0 transactions, 0 templates, inherited once

 Coded value prsb03-dataelement-13661

Id	prsb03-dataelement-13661 (2020-09-08 21:47:04)
Concept inherits from	 <i>prsb03-dataelement-13655</i> (2020-09-08 20:30:38)
Description	The coded value for route

Operationalization SNOMED CT: - 999000051000001100 |ePrescribing route of administration simple reference set (foundation metadata concept)|

Value Domain



Free text

prsb03-dataelement-13662

Id

prsb03-dataelement-13662 (2020-09-08 21:47:04)

Concept inherits from

prsb03-dataelement-13656 (2020-09-08 20:31:40)

Description

Free text field to be used if no code is available

Operationalization

Free text

Value Domain

Property

max length

150



Dose administered

prsb03-dataelement-12487

Id

prsb03-dataelement-12487 (2019-07-03 12:35:08)

Description

The quantity and units of medication administered

Operationalization

Free text. The quantity and units administered

Value Domain

Used by

0 transactions, 0 templates, inherited once



Administration date and time

prsb03-dataelement-12486

Id

prsb03-dataelement-12486 (2019-07-03 12:28:41)

Description

The date and time when the medication was administered.

Operationalization

Date and time

Value Domain

Property

Timestamp precision

at least day, month and year

Used by

0 transactions, 0 templates, inherited once



Medication item entry

prsb03-dataelement-10663

Id

prsb03-dataelement-10663 (2018-11-13 15:56:21)

Description All medications and devices that can be prescribed to be entered via this Medication item entry.
Handles details of continuation / addition / amendment of admission medications.

⌚ Used by 9 transactions, 0 templates, inherited 2 times

  Medication item cluster

prsb03-dataelement-10664

Id prsb03-dataelement-10664 (2018-11-13 16:25:51)

Description Medication item cluster

⌚ Used by 9 transactions, 0 templates, inherited 2 times

 Date

prsb03-dataelement-10843

Id prsb03-dataelement-10843 (2019-03-27 16:59:52)

Description The date on which the medication or medical device was prescribed.

Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute

⌚ Used by 9 transactions, 0 templates, inherited 3 times

  Location

prsb03-dataelement-10844

Id prsb03-dataelement-10844 (2019-03-27 17:01:20)

Description The location where the medication or the medical device was prescribed.

⌚ Used by 0 transactions, 0 templates, inherited 3 times

 Coded value

prsb03-dataelement-13620

Id prsb03-dataelement-13620 (2020-09-08 19:05:36)

Description The coded value for location

Operationalization NHS data dictionary : - Organisation data service


Value Domain

Property

min length max length

3

5



Free text

prsb03-dataelement-13621

Id prsb03-dataelement-13621 (2020-09-08 19:07:01)

Concept inherits from prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150



Performing professional

prsb03-dataelement-10845

Id prsb03-dataelement-10845 (2019-03-27 17:01:47) 0.1

Description Details of the professional prescribing the medication or medical device.

Value Domain

Used by 0 transactions, 0 templates, inherited 3 times



Performing professional

prsb03-dataelement-12002

Id prsb03-dataelement-12002 (2019-05-31 15:12:28)

Description The professional who prescribed the medication or medical device.

Relationship Performing professional (*prsb03-dataelement-11281 - 2019-05-30 11:53:30*)

Used by 0 transactions, 0 templates, inherited 3 times



Name

prsb03-dataelement-12003

Id prsb03-dataelement-12003 (2019-05-31 15:12:48)

Concept inherits from prsb03-dataelement-11282 (2019-05-30 11:57:38)

Description The name of the professional.

Rationale Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70

 Used by 0 transactions, 0 templates, inherited 3 times

 Role prsb03-dataelement-12004

Id	prsb03-dataelement-12004 (2019-05-31 15:12:48)
Concept inherits from	 prsb03-dataelement-11283 (2019-05-30 11:58:48)
Description	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc
Rationale	Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobroletype
Value Domain	
 Used by	0 transactions, 0 templates, inherited 3 times

 Grade prsb03-dataelement-12005

Id	prsb03-dataelement-12005 (2019-05-31 15:12:48)
Concept inherits from	 prsb03-dataelement-11288 (2019-05-30 12:19:40)
Description	The grade of the professional.
Rationale	PractitionerRole.code
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 150 </div>
 Used by	0 transactions, 0 templates, inherited 3 times

 Speciality prsb03-dataelement-12006

Id	prsb03-dataelement-12006 (2019-05-31 15:12:48)
Concept inherits from	 prsb03-dataelement-11284 (2019-05-30 12:01:15)
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc
Rationale	PractitionerRole.speciality
Operationalization	NHS data dictionary - Activity treatment function code
Value Domain	

Property

max length

3

◎ Used by

0 transactions, 0 templates, inherited 3 times

 Professional identifier

prsb03-dataelement-12007

Id

prsb03-dataelement-12007 (2019-05-31 15:12:48)

Concept inherits from

 prsb03-dataelement-11285 (2019-05-30 12:02:46)

Description

Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.

Rationale

Practitioner.identifier (for professional national identifiers), PractitionerRole.identifier (for local role identifiers)

Operationalization

NHS data dictionary : - Professional registration identifier

Value Domain

Property

max length

32

◎ Used by

0 transactions, 0 templates, inherited 3 times

  Organisation

prsb03-dataelement-12008

Id

prsb03-dataelement-12008 (2019-05-31 15:12:48)

Concept inherits from

 prsb03-dataelement-11286 (2019-05-30 12:17:19)

Description

The name of the organisation the professional works for.

◎ Used by

0 transactions, 0 templates, inherited 3 times

 Contact details

prsb03-dataelement-12009

Id

prsb03-dataelement-12009 (2019-05-31 15:12:48)

Concept inherits from

 prsb03-dataelement-11287 (2019-05-30 12:18:13)

Description

Contact details of the professional

Rationale

Practitioner.telecom
PractitionerRole.telecom
Organisation.telcom

Operationalization

NHS data dictionary - UK phone number

Value Domain

Property

max length

35

🕒 Used by

0 transactions, 0 templates, inherited 3 times



Medication name

prsb03-dataelement-10536

Id

prsb03-dataelement-10536 (2018-10-31)

Description

May be generic name or brand name.

2.1.419 Properties

MedicationStatement.medication[x].medication CodableConcept

FHIR MedicationStatement.medication[x].medicationReference (see Medication) (Systems should send as much details as they can. dm+d code can be sent as a simple code/description pair using CodeableConcept, or as a detailed medication record)

🕒 Used by

9 transactions, 0 templates, inherited 5 times



Coded value

prsb03-dataelement-13622

Id

prsb03-dataelement-13622 (2020-09-08 19:15:21)

Description

The coded value for medication name

Operationalization

dm+d: any code from the VTM, VMP, AMP, VMPP and AMPP concept classes

Value Domain

🕒 Used by

9 transactions, 0 templates, inherited once



Free text

prsb03-dataelement-13623

Id

prsb03-dataelement-13623 (2020-09-08 19:17:39)

Concept inherits from

🕒 prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description

Free text field to be used if no code is available

Operationalization

Free text

Value Domain

Property

max length

150

🕒 Used by

9 transactions, 0 templates, inherited once

 Form	prsb03-dataelement-10537
--	--------------------------

Id prsb03-dataelement-10537 (2018-10-31)

Description The form of the medication e.g. capsule, drops, tablet, lotion etc.

2.1.420 Properties

FHIR MedicationStatement.medicatio[n][x].medicationReference.medicatio[n].form (i.e. form is on the medication profile). Where VTM has form specified (coded) it goes here AMP & VMP don't need separate Form (it is optional to populate) For VTM the form could be in MedicationStatement.dosage.text (as it would be part of a dosage string) i.e. not a separately specified code

 Used by 9 transactions, 0 templates, inherited 4 times

 Coded value	prsb03-dataelement-13624
---	--------------------------

Id prsb03-dataelement-13624 (2020-09-08 19:32:29)

Description The coded value for form.

Operationalization SNOMED CT: - 421967003 | Drug dose form (qualifier value) |

Value Domain

 Used by 9 transactions, 0 templates, inherited 0 times

 Free text	prsb03-dataelement-13625
---	--------------------------

Id prsb03-dataelement-13625 (2020-09-08 19:33:34)

Concept inherits from  prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150

 Used by 9 transactions, 0 templates, inherited 0 times

 Quantity supplied	prsb03-dataelement-10539
---	--------------------------

Id prsb03-dataelement-10539 (2018-10-31)

Description	The quantity of the medication (e.g. tablets, inhalers, etc.) provided to the person. This may be dispensed by the pharmacy or on the ward. Record in a structured format i.e. value and a unit
-------------	---

2.1.421 Properties

FHIR MedicationStatement.quantityDispensed (Amount of medication to supply per dispense) quantity (as a valueQuantity) - Mandatory quantityText (as a valueString) - Mandatory

Operationalization Free text

⌚ Used by 9 transactions, 0 templates, inherited 3 times



Value

prsb03-dataelement-14271

Id prsb03-dataelement-14271 (2021-03-31 16:58:30)

Description The value of the quantity supplied

Operationalization Enumerated value

Value Domain

⌚ Used by 9 transactions, 0 templates, inherited 0 times



Unit of measure

prsb03-dataelement-14272

Id prsb03-dataelement-14272 (2021-03-31 16:59:56)

Description Unit of measure of quantity supplied

Relationship Unit of measure (*prsb03-dataelement-14256 - 2021-03-05 15:24:38*)

Operationalization UCUM code

Value Domain

⌚ Used by 9 transactions, 0 templates, inherited 0 times



Date supplied

prsb03-dataelement-13792

Id prsb03-dataelement-13792 (2020-10-22 18:56:07)

Description The date/time the medication was supplied.

Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute

⌚ Used by

one transaction, 0 templates, inherited 0 times

  Route	prsb03-dataelement-10538
---	--------------------------

Id prsb03-dataelement-10538 (2018-10-31)

Description The route by which the medication is administered e.g. oral, IM, IV

2.1.422 Properties

FHIR MedicationStatement.dosage.route

 Used by 9 transactions, 0 templates, inherited 5 times

 Coded value	prsb03-dataelement-13655
---	--------------------------

Id prsb03-dataelement-13655 (2020-09-08 20:30:38)

Description The coded value for route

Operationalization SNOMED CT: - 999000051000001100 |ePrescribing route of administration simple reference set (foundation metadata concept)|

Value Domain

 Used by 9 transactions, 0 templates, inherited once

 Free text	prsb03-dataelement-13656
---	--------------------------

Id prsb03-dataelement-13656 (2020-09-08 20:31:40)

Concept inherits from  prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150

 Used by 9 transactions, 0 templates, inherited once

  Site	prsb03-dataelement-10540
--	--------------------------

Id prsb03-dataelement-10540 (2018-10-31)

Description The anatomical site at which the medication is to be administered.

2.1.423 Properties

FHIR MedicationStatement.dosage.site

⌚ Used by 9 transactions, 0 templates, inherited 3 times



Coded value

prsb03-dataelement-13657

Id prsb03-dataelement-13657 (2020-09-08 20:33:18)

Description The coded value for site

Operationalization SNOMED CT: - <442083009 | Anatomical or acquired body structure (body structure) |

Value Domain

⌚ Used by 9 transactions, 0 templates, inherited 2 times



Free text

prsb03-dataelement-13658

Id prsb03-dataelement-13658 (2020-09-08 20:35:42)

Description Free text field to be used when code is not available

Relationship Free text (*prsb03-dataelement-13229 - 2020-07-15 19:30:33*)

Operationalization Free text

Value Domain

Property

max length

150

⌚ Used by 9 transactions, 0 templates, inherited 2 times



Method

prsb03-dataelement-10541

Id prsb03-dataelement-10541 (2018-10-31)

Description The technique or method by which the medication is to be administered.

2.1.424 Properties

FHIR MedicationStatement.dosage.method

⌚ Used by 0 transactions, 0 templates, inherited 3 times



Coded value

		prsb03-dataelement-13845
Id	prsb03-dataelement-13845 (2020-12-29 23:05:59)	
Description	The coded value for method	
Operationalization	FHIR value set : - Method	
Value Domain		
 Free text		prsb03-dataelement-13846
Id	prsb03-dataelement-13846 (2020-12-29 23:07:37)	
Concept inherits from	 prsb03-dataelement-13223 (2020-07-08 17:40:09)	
Description	Free text field to be used if no coded text available	
Value Domain		
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 150 </div>	
 Supply type		prsb03-dataelement-13754
Id	prsb03-dataelement-13754 (2020-09-29 11:32:50)	
Description	A description of the type of supply (e.g. emergency supply, over the counter medication, patient group direction etc)	
Value Domain		
 Used by	9 transactions, 0 templates, inherited 0 times	
 Batch number		prsb03-dataelement-13752
Id	prsb03-dataelement-13752 (2020-09-29 10:51:55) 0.1	
Description	The batch number of the medicine	
Operationalization	Derived from FMD code/Free text	
 Batch number		prsb03-dataelement-13789
Id	prsb03-dataelement-13789 (2020-10-22 18:25:26)	
Concept inherits from	 prsb03-dataelement-10697 (2018-12-04 15:10:59)	
Description	The batch number of the product.	
 Used by	9 transactions, 0 templates, inherited 0 times	
 Coded value		

prsb03-dataelement-13790

Id	prsb03-dataelement-13790 (2020-10-22 18:26:28)
Concept inherits from	🟡 prsb03-dataelement-13233 (2020-07-21 15:15:57)
Description	The coded value for the batch number
Operationalization	FMD code : - Derived from Falsified medicines directive
Value Domain	
⌚ Used by	9 transactions, 0 templates, inherited 0 times

🟡 Free text

prsb03-dataelement-13791

Id	prsb03-dataelement-13791 (2020-10-22 18:26:28)
Concept inherits from	🟡 prsb03-dataelement-13234 (2020-07-21 15:17:14)
Description	Free text field to be used if no code is available
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> maxLength 150 </div>
⌚ Used by	9 transactions, 0 templates, inherited 0 times

🟡 Over the counter medication flag

prsb03-dataelement-13379

Id	prsb03-dataelement-13379 (2020-08-10 16:51:27)
Description	Indicates if the medication or device is acquired without a prescription i.e. got by the person over the counter
Operationalization	Flag : - Yes or No
Value Domain	

🟡 Dose directions description

prsb03-dataelement-10544

Id	prsb03-dataelement-10544 (2018-10-31)
Description	Describes the entire medication dosage and administration directions including dose quantity and medication frequency and optionally duration e.g. "1 tablet at night" or "2mg at 10pm".

2.1.425 Properties

FHIR MedicationStatement.dosage.text

Operationalization Free text

Value Domain

Property

max length

150

⌚ Used by

9 transactions, 0 templates, inherited 4 times

✖ Dose amount description

prsb03-dataelement-10542

Id

prsb03-dataelement-10542 (2018-10-31) 0.1

Description

A description of the medication single dose amount e.g. "30 mg" or "2 tabs".

2.1.426 Properties

FHIR MedicationStatement.dosage.text

Operationalization Free text

Value Domain

⌚ Used by

0 transactions, 0 templates, inherited 4 times

✖ Dose timing description

prsb03-dataelement-10543

Id

prsb03-dataelement-10543 (2018-10-31) 0.1

Description

A description of the frequency of taking or administration of a medication dose. e.g. "Twice a day", "At 8am, 2pm and 10pm".

2.1.427 Properties

FHIR MedicationStatement.dosage.timing [a complex data type that holds lots of timing formats]

Operationalization Free text

Value Domain

⌚ Used by

0 transactions, 0 templates, inherited 4 times

✖ Parsable dose directions

prsb03-dataelement-10552

Id

prsb03-dataelement-10552 (2018-10-31) 0.1

Description

A parsable 'dose syntax' which carries dose strength, dose timing, dose duration and maximum dose information, e.g. "20-30mg ^4/6h prn [180mg /24h]" = 20 to 30 mgs, up to 4-6 hourly as required. Maximum 180mg in 24 hours. The 'as required reason' e.g. 'for pain' should be carried in the Additional Instruction element. Note that this is generally a symptom and is not the same as

the Indication which will usually describe a diagnosis or condition. Where supported, this would generally be used to exchange dosage information between systems, while Structured dose directions are likely to be used only within openEHR-based systems

Value Domain

Property

max length

150

⌚ Used by 0 transactions, 0 templates, inherited 3 times

Structured dose direction cluster

prsb03-dataelement-11639

Id prsb03-dataelement-11639 (2019-05-30 17:40:22)

Description A structural representation of the elements carried by the dose syntax in 'parsable dose strength / timing' i.e. dose strength, dose timing, dose duration and maximum dose.

⌚ Used by 9 transactions, 0 templates, inherited 3 times

Structured dose direction

prsb03-dataelement-10553

Id prsb03-dataelement-10553 (2018-10-31)

Description A structural representation of the elements carried by the dose syntax in 'parsable dose strength / timing' i.e. dose strength, dose timing, dose duration and maximum dose.

Operationalization As per FHIR Dose Syntax Implementation Guidance (NHS Digital):
<https://developer.nhs.uk/apis/dose-syntax-implementation/>

Value Domain

⌚ Used by 0 transactions, 0 templates, inherited 3 times

Structured dose amount

prsb03-dataelement-10554

Id prsb03-dataelement-10554 (2018-10-31)

Description A structural representation of dose amount, e.g. 20mg or 2 tablets. This element will generally only be used when persisting data within systems with 'parsable dose directions' being used to exchange the same information between systems.

Operationalization As per FHIR Dose Syntax Implementation Guidance (NHS Digital): <https://simplifier.net/guide/DoseSyntaxImplementationforFHIRR4/Home>

Value Domain

⌚ Used by 9 transactions, 0 templates, inherited 3 times

Structured dose timing

prsb03-dataelement-10555

Id	prsb03-dataelement-10555 (2018-10-31)
Description	A slot containing a structural, computable representation of dose timing and maximum dose. This element will generally only be used when persisting data within systems with 'parsable dose directions' being used to exchange the same information between systems.
Operationalization	As per FHIR Dose Syntax Implementation Guidance (NHS Digital): https://simplifier.net/guide/DoseSyntaxImplementationGuidanceforFHIRR4/Home
Value Domain	
⌚ Used by	9 transactions, 0 templates, inherited 3 times

⌚ Dose direction duration

prsb03-dataelement-10548

Id	prsb03-dataelement-10548 (2018-10-31)
Description	Recommendation of the time period for which the medication should be continued, including direction not to discontinue.

2.1.428 Properties

For coded information use MedicationStatement.dosage.additionalInstruction If no codes exist use MedicationStatement.dosage.additionalInstruction CodeableConcept.text Duration goes in FHIR MedicationStatement.effective[x].effectivePeriod 12/01/2018 MS.dosage.timing.bounds create another option "boundsCodeableConcept" to hold Continue Indef; Do not disconue; Stop When course complete MS.dosage.timing.bounds.duration to hold the duration For primary care always in dosage string

Operationalization	As per FHIR Dose Syntax Implementation Guidance (NHS Digital): https://simplifier.net/guide/DoseSyntaxImplementationGuidanceforFHIRR4/Home
--------------------	--

Value Domain

⌚ Used by	9 transactions, 0 templates, inherited 3 times
-----------	--

⌚ Additional instructions

prsb03-dataelement-10545

Id	prsb03-dataelement-10545 (2018-10-31)
Description	Allows for: requirements for adherence support, e.g. compliance aids, prompts and packaging requirements, additional information about specific medicines e.g. where specific brand required, person requirements, e.g. unable to swallow tablets.

2.1.429 Properties

Specific patient instruction use MedicationStatement.dosage.patientInstruction For narrative instructions FHIR (e.g. monitoring, pain, prevention) use MedicationStatement.note For dispensing instructions (EPS narrative) use MedicationRequest.note (intent "order" or "plan")

Operationalization	FHIR value set : - Additional instruction
--------------------	---

Value Domain

⌚ Used by	9 transactions, 0 templates, inherited 3 times
-----------	--

 Request for advice

prsb03-dataelement-10559

Id prsb03-dataelement-10559 (2018-10-31) 0.1

Description Request for advice and recommendation about medication

Operationalization Free text

Value Domain

Property

max length

150

Used by 0 transactions, 0 templates, inherited 3 times

 Matters identified during discussion

prsb03-dataelement-13753

Id prsb03-dataelement-13753 (2020-09-29 11:01:13)

Description Matters identified during the service about the patient's experience of using the medication.

Operationalization Coded text using the following descriptors:

- a. patient reports using the medicine as prescribed
- b. patient reports not using the medicine as prescribed
- c. patient has not started using the medicine
- d. prescriber has stopped new medicine
- e. patient is not using the medicine in line with the directions of the prescriber
- f. patient reports missing a dose in the past 7 days
- g. patient reports need for more information about the medicine
- h. patient reports side effects
- i. patient reports negative feelings about the medicine
- j. patient reports uncertainty on whether the medicine is working
- k. patient reports concern about remembering to take the medicine
- l. patient reports difficulty using the medicine due to its pharmaceutical form/formulation
- i. other - free text option

Value Domain

Used by 9 transactions, 0 templates, inherited 0 times

 Person completing record

prsb03-dataelement-10961

Id prsb03-dataelement-10961 (2019-05-18 21:23:41)

Description This is the person recording the medication.

	Should include their name, role, grade, specialty, organisation, professional identifier, date and time completed, contact details
Relationship	Person completing record (<i>prsb03-dataelement-10860 - 2019-03-27 17:46:45</i>)
Operationalization	Free text. Name, Role, Grade, Specialty, Organisation, Professional identifier, Date and time completed, Contact details
Value Domain	
⌚ Used by	0 transactions, 0 templates, inherited 3 times

 Course details cluster

prsb03-dataelement-10561

Id	prsb03-dataelement-10561 (2018-10-31)
Description	Details of the overall course of medication.
⌚ Used by	9 transactions, 0 templates, inherited 3 times

 Course status

prsb03-dataelement-10666

Id	prsb03-dataelement-10666 (2018-11-13 16:47:55)
Description	The status of this prescription.
Operationalization	FHIR value set : - Medication status
Value Domain	
⌚ Used by	0 transactions, 0 templates, inherited 3 times

 Indication

prsb03-dataelement-10546

Id	prsb03-dataelement-10546 (2018-10-31)
Description	Reason for medication being prescribed, where known.

2.1.430 Properties

FHIR MedicationStatement.reasonCode

Operationalization Free text

Value Domain

Property **max length**

150

⌚ Used by 9 transactions, 0 templates, inherited 3 times

 Start date/time	prsb03-dataelement-10667
---	--------------------------

Id	prsb03-dataelement-10667 (2018-11-13 16:49:22)
Description	The date and/or time that the medication course should begin.
Operationalization	Date and time
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>
 Used by	0 transactions, 0 templates, inherited 3 times

 End date/time	prsb03-dataelement-10557
---	--------------------------

Id	prsb03-dataelement-10557 (2018-10-31)
Description	The date and/or time that the medication course should finish.
Operationalization	Date and time
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>
 Used by	0 transactions, 0 templates, inherited 3 times

 Link to indication record	prsb03-dataelement-10668
---	--------------------------

Id	prsb03-dataelement-10668 (2018-11-13 16:59:09)
Description	A link to the record which contains the indication for this medication order.
Operationalization	Free text with URL
Value Domain	
Property	<p style="text-align: center;">max length</p> <p>150</p>
 Used by	0 transactions, 0 templates, inherited 3 times

 Comment/recommendation	prsb03-dataelement-10547
--	--------------------------

Id	prsb03-dataelement-10547 (2018-10-31)
Description	Suggestions about duration and/or review, ongoing monitoring requirements, advice on starting, discontinuing or changing medication. Additional comment or recommendation about the medication course e.g. 'Patient named supply', 'unlicensed medication', 'Foreign brand' or monitoring recommendations

2.1.431 Properties

FHIR [JH] This will be dropped from the PRSB information model, as conflicts with description above

Operationalization Free text

Value Domain

Property

max length

150

⌚ Used by 0 transactions, 0 templates, inherited 3 times

📁🟡 Medication change summary cluster

prsb03-dataelement-10568

Id prsb03-dataelement-10568 (2018-10-31)

Description Records the changes made to medication.

⌚ Used by 0 transactions, 0 templates, inherited 3 times

🟡 Status

prsb03-dataelement-10669

Id prsb03-dataelement-10669 (2018-11-13 17:00:50)

Description The nature of any change made to the medication.

Operationalization FHIR value set : Medication status

Value Domain

⌚ Used by 0 transactions, 0 templates, inherited 3 times

🟡 Indication

prsb03-dataelement-10670

Id prsb03-dataelement-10670 (2018-11-13 17:02:07)

Description Reason for change in medication, e.g. sub-therapeutic dose, person intolerant.

Operationalization Free text

Value Domain

Property

max length

150

 Used by 0 transactions, 0 templates, inherited 3 times Date of change

prsb03-dataelement-10671

Id prsb03-dataelement-10671 (2018-11-13 17:03:03)

Description The date of the change - addition, or amendment

Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute

 Used by 0 transactions, 0 templates, inherited 3 times Description of amendment

prsb03-dataelement-10672

Id prsb03-dataelement-10672 (2018-11-13 17:03:42)

Description Where a change is made to the medication i.e. one drug stopped and another started or eg dose, frequency or route is changed.

Operationalization Free text

Value Domain

Property

max length

150

 Used by 0 transactions, 0 templates, inherited 3 times Total dose daily quantity

prsb03-dataelement-10665

Id prsb03-dataelement-10665 (2018-11-13 16:44:41)

Description The total daily dose of this medication. This is helpful for estimating optimal adherence to dosing guidance. It may be computed from product/dose strength and frequency or entered manually.

Operationalization Free text

Value Domain

 Used by 0 transactions, 0 templates, inherited 3 times

 Anticipatory medicines/equipment	prsb03-dataelement-14023
--	--------------------------

Id	prsb03-dataelement-14023 (2021-02-15 17:36:45)
Concept inherits from	 prsb03-dataelement-10370 (2018-10-31)
Description	Medicines or equipment available that may be required in specific situations and their location. A statement regarding the availability or location of the anticipatory medicines/equipment.
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 150 </div>
 Used by	2 transactions, 0 templates, inherited 0 times

  Person completing record	prsb03-dataelement-11993
--	--------------------------

Id	prsb03-dataelement-11993 (2019-05-31 15:11:27)
Concept inherits from	 prsb03-dataelement-11289 (2019-05-30 12:24:39)
Description	Details of the person completing the record.
Relationship	Person completing record (prsb03-dataelement-319 - 2018-10-31)
 Used by	0 transactions, 0 templates, inherited 3 times

 Name	prsb03-dataelement-11994
--	--------------------------

Id	prsb03-dataelement-11994 (2019-05-31 15:12:02)
Concept inherits from	 prsb03-dataelement-11290 (2019-05-30 12:25:39)
Description	The name of the person completing the record.
Relationship	Name (prsb03-dataelement-10219 - 2018-10-31)
Rationale	Composition.author.Practitioner.name
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 70 </div>
 Used by	0 transactions, 0 templates, inherited 3 times

 Role	prsb03-dataelement-11995
--	--------------------------

Id	prsb03-dataelement-11995 (2019-05-31 15:12:02)
Concept inherits from	 <i>prsb03-dataelement-11291</i> (2019-05-30 12:25:39)
Description	The organisational role of the person completing record.

2.1.432 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship	Role (<i>prsb03-dataelement-10220 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobrole
Value Domain	
 Used by	0 transactions, 0 templates, inherited 3 times

 Grade	prsb03-dataelement-11996
---	--------------------------

Id	prsb03-dataelement-11996 (2019-05-31 15:12:02)		
Concept inherits from	 <i>prsb03-dataelement-11292</i> (2019-05-30 12:25:39)		
Description	The grade of the person completing the record.		
Relationship	Grade (<i>prsb03-dataelement-10221 - 2018-10-31</i>)		
Rationale	PractitionerRole.code		
Operationalization	Free text.		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>150</td> </tr> </table>	max length	150
max length			
150			
 Used by	0 transactions, 0 templates, inherited 3 times		

 Specialty	prsb03-dataelement-11997
---	--------------------------

Id	prsb03-dataelement-11997 (2019-05-31 15:12:02)
Concept inherits from	 <i>prsb03-dataelement-11293</i> (2019-05-30 12:25:39)
Description	The main specialty of the person completing the record.

2.1.433 Properties

FHIR	PractitionerRole.specialty
Relationship	Specialty (<i>prsb03-dataelement-10222 - 2018-10-31</i>)
Rationale	PractitionerRole.speciality
Operationalization	NHS data dictionary :- Activity treatment function code
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 3 </div>
Used by	0 transactions, 0 templates, inherited 3 times

 	Organisation	prsb03-dataelement-11998
---	--------------	--------------------------

Id	prsb03-dataelement-11998 (2019-05-31 15:12:02)
Concept inherits from	 <i>prsb03-dataelement-11294</i> (2019-05-30 12:25:39)
Description	The organisation the person completing the record works for.
Relationship	Organisation (<i>prsb03-dataelement-10226 - 2018-10-31</i>)
Used by	0 transactions, 0 templates, inherited 3 times

	Professional identifier	prsb03-dataelement-11999
---	-------------------------	--------------------------

Id	prsb03-dataelement-11999 (2019-05-31 15:12:02)
Concept inherits from	 <i>prsb03-dataelement-11295</i> (2019-05-30 12:25:39)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.434 Properties

FHIR	PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)
Relationship	Professional identifier (<i>prsb03-dataelement-10223 - 2018-10-31</i>)
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary :- Professional registration identifier
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length </div>

32

⌚ Used by 0 transactions, 0 templates, inherited 3 times

🟡 Date completed

prsb03-dataelement-12000

Id	prsb03-dataelement-12000 (2019-05-31 15:12:02)
Concept inherits from	🟡 prsb03-dataelement-11296 (2019-05-30 12:25:39)
Description	The date and time the record was completed.
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)
Rationale	Composition.date
Operationalization	Date and time.
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>

⌚ Used by 0 transactions, 0 templates, inherited 3 times

🟡 Contact details

prsb03-dataelement-12001

Id	prsb03-dataelement-12001 (2019-05-31 15:12:02)
Concept inherits from	🟡 prsb03-dataelement-11297 (2019-05-30 12:25:39)
Description	Contact details of the person completing the record.

2.1.435 Properties

FHIR	PractitionerRole.telecom
Relationship	Contact details (<i>prsb03-dataelement-10225 - 2018-10-31</i>)
Rationale	Practitioner:telecom PractitionerRole:telecom Organisation:telcom
Operationalization	NHS data dictionary : - UK telephone number
Value Domain	

Property

max length

35

⌚ Used by 0 transactions, 0 templates, inherited 3 times

 Medical devices entry

prsb03-dataelement-10583

Id	prsb03-dataelement-10583 (2018-10-31)
Description	Medical devices
Used by	0 transactions, 0 templates, inherited 2 times

 Medical device

prsb03-dataelement-10673

Id	prsb03-dataelement-10673 (2018-11-13 17:10:15)		
Description	Any medical device that isn't prescribed.		
Operationalization	Free text		
Value Domain			
Property	<table><tr><td>max length</td></tr><tr><td>150</td></tr></table>	max length	150
max length			
150			
Used by	0 transactions, 0 templates, inherited 2 times		

 Comments

prsb03-dataelement-11280

Id	prsb03-dataelement-11280 (2019-05-29 17:47:02)		
Description	Any information regarding the medical device.		
Operationalization	Free text		
Value Domain			
Property	<table><tr><td>max length</td></tr><tr><td>150</td></tr></table>	max length	150
max length			
150			
Used by	0 transactions, 0 templates, inherited 2 times		

 Medication discontinued entry

prsb03-dataelement-10576

Id	prsb03-dataelement-10576 (2018-10-31)
Description	Medication discontinued entry
Used by	0 transactions, 0 templates, inherited 2 times

 Name of discontinued medication

prsb03-dataelement-10577

Id	prsb03-dataelement-10577 (2018-10-31)
Description	The name of the medication or medical device being discontinued
Used by	0 transactions, 0 templates, inherited 2 times

 Coded value
prsb03-dataelement-13659

Id	prsb03-dataelement-13659 (2020-09-08 20:57:52)
Description	The coded value for medication name
Operationalization	SNOMED CT: - ^999000581000001102 National Health Service dictionary of medicines and devices virtual therapeutic moiety simple reference set (foundation metadata concept) OR ^999000561000001109 National Health Service dictionary of medicines and devices virtual medicinal product simple reference set (foundation metadata concept) OR ^999000571000001104 National Health Service dictionary of medicines and devices virtual medicinal product pack simple reference set (foundation metadata concept) OR ^999000541000001108 National Health Service dictionary of medicines and devices actual medicinal product simple reference set (foundation metadata concept) OR ^999000551000001106 National Health Service dictionary of medicines and devices actual medicinal product pack simple reference set (foundation metadata concept)

Value Domain

 Free text
prsb03-dataelement-13660

Id	prsb03-dataelement-13660 (2020-09-08 20:58:40)
Concept inherits from	 prsb03-dataelement-13229 (2020-07-15 19:30:33)
Description	Amount of vaccine administered.
Relationship	Free text (prsb03-dataelement-13223 - 2020-07-08 17:40:09)
Operationalization	Free text

Value Domain

Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length <input type="text" value="150"/> </div>
----------	--

 Status
prsb03-dataelement-12472

Id	prsb03-dataelement-12472 (2019-06-25 11:42:23)
Description	The status of any change made to the medication. MUST CONTAIN STOPPED.
Operationalization	FHIR value set: - Medication status
Value Domain	
Used by	0 transactions, 0 templates, inherited 2 times

 Status	prsb03-dataelement-10578
Id	prsb03-dataelement-10578 (2018-10-31)
Description	The nature of any change made to the medication.
Operationalization	Free text
Value Domain	
 Used by	0 transactions, 0 templates, inherited 2 times
 Indication	prsb03-dataelement-10579
Id	prsb03-dataelement-10579 (2018-10-31)
Description	The clinical indication for any changes in medication status
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> max length 150 </div>
 Used by	0 transactions, 0 templates, inherited 3 times
 Date of change	prsb03-dataelement-10580
Id	prsb03-dataelement-10580 (2018-10-31)
Description	The date of the discontinuation
Operationalization	Date and time
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> Timestamp precision at least day, month and year, hour and minute </div>
 Used by	0 transactions, 0 templates, inherited 2 times
 Description of amendment	prsb03-dataelement-10581
Id	prsb03-dataelement-10581 (2018-10-31)
Description	A description of any amendment
Operationalization	Free text
Value Domain	

Property

max length

150



0 transactions, 0 templates, inherited 2 times



Comment

prsb03-dataelement-10582

Id

prsb03-dataelement-10582 (2018-10-31)

Description

Any additional comment about the discontinuation or amendment.

Operationalization

Free text

Value Domain

Property

max length

150



0 transactions, 0 templates, inherited 2 times



Over the counter medication item entry

prsb03-dataelement-13109

Id

prsb03-dataelement-13109 (2020-06-24 16:04:03) 0.1

Description

The details of, and instructions for, over the counter purchased medications that the person is using. All over the counter medications that the person uses regularly that are not prescribed by a medical professional. These may or may not be required for the treatment and management of their health condition(s). Examples include analgesics for pain relief (brufen tablets); topical anaesthetics (voltarol gel); vitamin and mineral supplements (folic acid and calcium); herbal medicines (St Johns Wort). Include details of reason for use, dose amount, frequency, start date and duration of medication.



Medication name

prsb03-dataelement-13200

Id

prsb03-dataelement-13200 (2020-06-24 17:45:11) 0.1

Concept inherits from

prsb03-dataelement-10536 (2018-10-31)

Description

May be generic name or brand name.

2.1.436 Properties

MedicationStatement.medication[x].medication CodableConcept
 MedicationStatement.medication[x].medicationReference (see Medication) (Systems should send as much details as they can. dm+d code can be sent as a simple code/description pair using CodeableConcept, or as a detailed medication record)



Indication

prsb03-dataelement-13201

Id

prsb03-dataelement-13201 (2020-06-24 17:46:45) 0.1

Description	Reason for medication being taken, where known.
-------------	---

2.1.437 Properties

FHIR	MedicationStatement.reasonCode
------	--------------------------------

Relationship	Indication (<i>prsb03-dataelement-10546 - 2018-10-31</i>)
--------------	---

Operationalization	A free text or Coded text term giving the clinical indication or reason for ordering the medication. Coded terms are preferable.
--------------------	--

Value Domain	
--------------	--



Form

prsb03-dataelement-13202

Id	prsb03-dataelement-13202 (2020-06-24 17:49:30) 0.1
----	--

Concept inherits from	<i>prsb03-dataelement-10537 (2018-10-31)</i>
-----------------------	--

Description	The form of the medication e.g. capsule, drops, tablet, lotion etc.
-------------	---

2.1.438 Properties

FHIR	MedicationStatement.medication[x].medicationReference.medication.form (i.e. form is on the medication profile). Where VTM has form specified (coded) it goes here AMP & VMP don't need separate Form (it is optional to populate) For VTM the form could be in MedicationStatement.dosage.text (as it would be part of a dosage string) i.e. not a separately specified code
------	--



Route

prsb03-dataelement-13203

Id	prsb03-dataelement-13203 (2020-06-24 17:50:25) 0.1
----	--

Concept inherits from	<i>prsb03-dataelement-10538 (2018-10-31)</i>
-----------------------	--

Description	The route by which the medication is administered e.g. oral, IM, IV
-------------	---

2.1.439 Properties

FHIR	MedicationStatement.dosage.route
------	----------------------------------



Site

prsb03-dataelement-13204

Id	prsb03-dataelement-13204 (2020-06-24 17:51:17) 0.1
----	--

Description	The anatomical site at which the medication is administered.
-------------	--

2.1.440 Properties

FHIR	MedicationStatement.dosage.site
------	---------------------------------

Relationship	Site (<i>prsb03-dataelement-10540 - 2018-10-31</i>)
--------------	---

Operationalization	TextCoded text - constraint: SiteOfMedicationAdministration.
--------------------	--

	Any valid site for the administration of a medication.
--	--

Constraint binding: [SNOMED-CT]subset= SiteOfMedicationAdministration

Value Domain

⌚ Used by

0 transactions, 0 templates, inherited once

✖ Method

prsb03-dataelement-13205

Id

prsb03-dataelement-13205 (2020-06-24 17:53:03) 0.1

Description

The technique or method by which the medication is administered.

2.1.441 Properties

FHIR MedicationStatement.dosage.method

Relationship Method (*prsb03-dataelement-10541 - 2018-10-31*)

Operationalization Free text

Value Domain

✖ Dose directions description

prsb03-dataelement-13206

Id

prsb03-dataelement-13206 (2020-06-24 17:54:29) 0.1

Concept inherits from

⌚ *prsb03-dataelement-10544 (2018-10-31)*

Description

Describes the entire medication dosage and administration directions including dose quantity and medication frequency and optionally duration e.g. "1 tablet at night" or "2mg at 10pm".

2.1.442 Properties

FHIR MedicationStatement.dosage.text

Operationalization Free text

Value Domain

Property

max length

150

✖ Dose amount description

prsb03-dataelement-13207

Id

prsb03-dataelement-13207 (2020-06-24 17:55:24) 0.1

Concept inherits from

⌚ *prsb03-dataelement-10542 (2018-10-31)*

Description

A description of the medication single dose amount e.g. "30 mg" or "2 tabs".

2.1.443 Properties

FHIR MedicationStatement.dosage.text

Operationalization Free text

Value Domain



Dose timing description

prsb03-dataelement-13208

Id prsb03-dataelement-13208 (2020-06-24 17:56:17) 0.1

Concept inherits from prsb03-dataelement-10543 (2018-10-31)

Description A description of the frequency of taking or administration of a medication dose. e.g. "Twice a day", "At 8am, 2pm and 10pm".

2.1.444 Properties

FHIR MedicationStatement.dosage.timing [a complex data type that holds lots of timing formats]

Operationalization Free text

Value Domain



Person completing record

prsb03-dataelement-13210

Id prsb03-dataelement-13210 (2020-06-24 18:00:25) 0.1

Description A record of the details of the person that entered the information about the over the counter medications, and the date on which it was entered.

Relationship Person completing record (*prsb03-dataelement-13191 - 2020-06-24 17:27:12*)



Name

prsb03-dataelement-13211

Id prsb03-dataelement-13211 (2020-06-24 18:01:03) 0.1

Concept inherits from prsb03-dataelement-13192 (2020-06-24 17:27:59)

Description The name of the person completing the record.

Relationship Name (*prsb03-dataelement-10219 - 2018-10-31*)

Rationale Composition.author.Practitioner.name

Operationalization Free text.

Value Domain

Property max length

70



Role

	prsb03-dataelement-13212
Id	prsb03-dataelement-13212 (2020-06-24 18:01:03) 0.1
Concept inherits from	🟡 prsb03-dataelement-13193 (2020-06-24 17:27:59)
Description	The organisational role of the person completing record.

2.1.445 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship Role ([prsb03-dataelement-10220 - 2018-10-31](#))

Rationale Composition.author.Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobrole

Value Domain

 Grade	prsb03-dataelement-13213
Id	prsb03-dataelement-13213 (2020-06-24 18:01:03) 0.1
Concept inherits from	🟡 prsb03-dataelement-13194 (2020-06-24 17:27:59)
Description	The grade of the person completing the record.
Relationship	Grade (prsb03-dataelement-10221 - 2018-10-31)
Rationale	PractitionerRole.code
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 150 </div>

 Specialty	prsb03-dataelement-13214
Id	prsb03-dataelement-13214 (2020-06-24 18:01:03) 0.1
Concept inherits from	🟡 prsb03-dataelement-13195 (2020-06-24 17:27:59)
Description	The main specialty of the person completing the record.

2.1.446 Properties

FHIR PractitionerRole.specialty

Relationship Specialty ([prsb03-dataelement-10222 - 2018-10-31](#))

Rationale PractitionerRole.specialty

Operationalization NHS data dictionary :- Activity treatment function code

Value Domain

Property

max length

3



Organisation

prsb03-dataelement-13215

Id

prsb03-dataelement-13215 (2020-06-24 18:01:03) 0.1

Concept inherits from

🟡 prsb03-dataelement-13196 (2020-06-24 17:27:59)

Description

The organisation the person completing the record works for.

Relationship

Organisation (*prsb03-dataelement-10226 - 2018-10-31*)

Professional identifier

prsb03-dataelement-13216

Id

prsb03-dataelement-13216 (2020-06-24 18:01:03) 0.1

Concept inherits from

🟡 prsb03-dataelement-13197 (2020-06-24 17:27:59)

Description

Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.447 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship

Professional identifier (*prsb03-dataelement-10223 - 2018-10-31*)

Rationale

Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization

NHS data dictionary :- Professional registration identifier

Value Domain

Property

max length

32



Date completed

prsb03-dataelement-13217

Id

prsb03-dataelement-13217 (2020-06-24 18:01:03) 0.1

Concept inherits from

🟡 prsb03-dataelement-13198 (2020-06-24 17:27:59)

Description

The date and time the record was completed.

Relationship

Date completed (*prsb03-dataelement-10224 - 2018-10-31*)

Rationale

Composition.date

Operationalization

Date and time.

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute

 Contact details

prsb03-dataelement-13218

Id

prsb03-dataelement-13218 (2020-06-24 18:01:03) 0.1

Concept inherits from

 prsb03-dataelement-13199 (2020-06-24 17:27:59)

Description

Contact details of the person completing the record.

2.1.448 Properties

FHIR PractitionerRole.telecom

Relationship Contact details (*prsb03-dataelement-10225 - 2018-10-31*)Rationale Practitioner.telecom
PractitionerRole.telecom
Organisation.telcom

Operationalization NHS data dictionary : - UK telephone number

Value Domain

Property max length

35

 Person completing record

prsb03-dataelement-13209

Id prsb03-dataelement-13209 (2020-06-24 17:58:16) 0.1

Concept inherits from  prsb03-dataelement-10956 (2019-05-18 21:09:13)

Description This is the person recording the investigation request.

Should include their name, role, grade, specialty, organisation, professional identifier, date and time completed, contact details

Relationship Person completing record (*prsb03-dataelement-10860 - 2019-03-27 17:46:45*)

Operationalization Free text. Name, Role, Grade, Specialty, Organisation, Professional identifier, Date and time completed, Contact details

Value Domain

 Medication item entry

prsb03-dataelement-13110

Id

prsb03-dataelement-13110 (2020-06-24 16:05:21) 0.1

Concept inherits from  prsb03-dataelement-10663 (2018-11-13 15:56:21)

Description All medications and devices that can be prescribed to be entered via this Medication item entry.
Handles details of continuation / addition / amendment of admission medications.

Medication item cluster

prsb03-dataelement-13111

Id prsb03-dataelement-13111 (2020-06-24 16:06:14) 0.1

Concept inherits from  prsb03-dataelement-10664 (2018-11-13 16:25:51)

Description Medication item cluster

Date

prsb03-dataelement-13112

Id prsb03-dataelement-13112 (2020-06-24 16:06:14) 0.1

Concept inherits from  prsb03-dataelement-10843 (2019-03-27 16:59:52)

Description The date on which the medication or medical device was prescribed.

Operationalization Date and time

Value Domain

Timestamp precision

at least day, month and year, hour and minute

Location

prsb03-dataelement-13113

Id prsb03-dataelement-13113 (2020-06-24 16:06:14) 0.1

Concept inherits from  prsb03-dataelement-10844 (2019-03-27 17:01:20)

Description The location where the medication or the medical device was prescribed.

Performing professional

prsb03-dataelement-13114

Id prsb03-dataelement-13114 (2020-06-24 16:06:14) 0.1

Concept inherits from  prsb03-dataelement-10845 (2019-03-27 17:01:47)

Description Details of the professional prescribing the medication or medical device.

Value Domain

Performing professional

prsb03-dataelement-13115

Id prsb03-dataelement-13115 (2020-06-24 16:06:14) 0.1

Concept inherits from  prsb03-dataelement-12002 (2019-05-31 15:12:28)

Description The professional who prescribed the medication or medical device.

Relationship	Performing professional (prsb03-dataelement-11281 - 2019-05-30 11:53:30)
Name	prsb03-dataelement-13116
Id	prsb03-dataelement-13116 (2020-06-24 16:06:14) 0.1
Concept inherits from	🟡 prsb03-dataelement-12003 (2019-05-31 15:12:48)
Description	The name of the professional.
Rationale	Practitioner.name
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 70 </div>
Role	prsb03-dataelement-13117
Id	prsb03-dataelement-13117 (2020-06-24 16:06:14) 0.1
Concept inherits from	🟡 prsb03-dataelement-12004 (2019-05-31 15:12:48)
Description	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc
Rationale	Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobroletype
Value Domain	
Grade	prsb03-dataelement-13118
Id	prsb03-dataelement-13118 (2020-06-24 16:06:14) 0.1
Concept inherits from	🟡 prsb03-dataelement-12005 (2019-05-31 15:12:48)
Description	The grade of the professional.
Rationale	PractitionerRole.code
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 150 </div>
Speciality	prsb03-dataelement-13119
Id	prsb03-dataelement-13119 (2020-06-24 16:06:14) 0.1

Concept inherits from	 prsb03-dataelement-12006 (2019-05-31 15:12:48)
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc
Rationale	PractitionerRole.speciality
Operationalization	NHS data dictionary - Activity treatment function code
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 2px 5px; display: inline-block;">max length</div> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">3</div>

 Professional identifier prsb03-dataelement-13120

Id	prsb03-dataelement-13120 (2020-06-24 16:06:14) 0.1
Concept inherits from	 prsb03-dataelement-12007 (2019-05-31 15:12:48)
Description	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary : - Professional registration identifier
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 2px 5px; display: inline-block;">max length</div> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">32</div>

 Organisation prsb03-dataelement-13121

Id	prsb03-dataelement-13121 (2020-06-24 16:06:14) 0.1
Concept inherits from	 prsb03-dataelement-12008 (2019-05-31 15:12:48)
Description	The name of the organisation the professional works for.

 Contact details prsb03-dataelement-13122

Id	prsb03-dataelement-13122 (2020-06-24 16:06:14) 0.1
Concept inherits from	 prsb03-dataelement-12009 (2019-05-31 15:12:48)
Description	Contact details of the professional
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom
Operationalization	NHS data dictionary - UK phone number
Value Domain	

Property

max length

35



Medication name

prsb03-dataelement-13123

Id

prsb03-dataelement-13123 (2020-06-24 16:06:14) 0.1

Concept inherits from

prsb03-dataelement-10536 (2018-10-31)

Description

May be generic name or brand name.

2.1.449 Properties

MedicationStatement.medication[x].medication CodableConcept

FHIR MedicationStatement.medication[x].medicationReference (see Medication) (Systems should send as much details as they can. dm+d code can be sent as a simple code/description pair using CodeableConcept, or as a detailed medication record)



Form

prsb03-dataelement-13124

Id

prsb03-dataelement-13124 (2020-06-24 16:06:14) 0.1

Concept inherits from

prsb03-dataelement-10537 (2018-10-31)

Description

The form of the medication e.g. capsule, drops, tablet, lotion etc.

2.1.450 Properties

MedicationStatement.medication[x].medicationReference.medication.form (i.e. form is on the medication profile). Where VTM has form specified (coded) it goes here AMP & VMP don't need separate Form (it is optional to populate) For VTM the form could be in MedicationStatement.dosage.text (as it would be part of a dosage string) i.e. not a separately specified code

Quantity supplied

prsb03-dataelement-13125

Id

prsb03-dataelement-13125 (2020-06-24 16:06:14) 0.1

Concept inherits from

prsb03-dataelement-10539 (2018-10-31)

Description

The quantity of the medication (e.g. tablets, inhalers, etc.) provided to the person. This may be dispensed by the pharmacy or on the ward. Record in a structured format i.e. value and a unit

2.1.451 Properties

FHIR MedicationStatement.quantityDispensed (Amount of medication to supply per dispense) quantity (as a valueQuantity) - Mandatory quantityText (as a valueString) - Mandatory

Operationalization Free text



Route

prsb03-dataelement-13126

Id prsb03-dataelement-13126 (2020-06-24 16:06:14) 0.1

Concept inherits from  prsb03-dataelement-10538 (2018-10-31)

Description The route by which the medication is administered e.g. oral, IM, IV

2.1.452 Properties

FHIR MedicationStatement.dosage.route



Site

prsb03-dataelement-13127

Id prsb03-dataelement-13127 (2020-06-24 16:06:14) 0.1

Concept inherits from  prsb03-dataelement-10540 (2018-10-31)

Description The anatomical site at which the medication is to be administered.

2.1.453 Properties

FHIR MedicationStatement.dosage.site



Method

prsb03-dataelement-13128

Id prsb03-dataelement-13128 (2020-06-24 16:06:14) 0.1

Concept inherits from  prsb03-dataelement-10541 (2018-10-31)

Description The technique or method by which the medication is to be administered.

2.1.454 Properties

FHIR MedicationStatement.dosage.method



Dose directions description

prsb03-dataelement-13129

Id prsb03-dataelement-13129 (2020-06-24 16:06:14) 0.1

Concept inherits from  prsb03-dataelement-10544 (2018-10-31)

Description Describes the entire medication dosage and administration directions including dose quantity and medication frequency and optionally duration e.g. "1 tablet at night" or "2mg at 10pm".

2.1.455 Properties

FHIR MedicationStatement.dosage.text

Operationalization Free text

Value Domain

Property

max length

 Dose amount description

prsb03-dataelement-13130

Id prsb03-dataelement-13130 (2020-06-24 16:06:14) 0.1

Concept inherits from  prsb03-dataelement-10542 (2018-10-31)

Description A description of the medication single dose amount e.g. "30 mg" or "2 tabs".

2.1.456 Properties

FHIR MedicationStatement.dosage.text

Operationalization Free text

Value Domain

 Dose timing description

prsb03-dataelement-13131

Id prsb03-dataelement-13131 (2020-06-24 16:06:14) 0.1

Concept inherits from  prsb03-dataelement-10543 (2018-10-31)

Description A description of the frequency of taking or administration of a medication dose. e.g. "Twice a day", "At 8am, 2pm and 10pm".

2.1.457 Properties

FHIR MedicationStatement.dosage.timing [a complex data type that holds lots of timing formats]

Operationalization Free text

Value Domain

 Parsable dose directions

prsb03-dataelement-13132

Id prsb03-dataelement-13132 (2020-06-24 16:06:14) 0.1

Concept inherits from  prsb03-dataelement-10552 (2018-10-31)

Description A parsable 'dose syntax' which carries dose strength, dose timing, dose duration and maximum dose information, e.g. "20-30mg ^4/6h prn [180mg /24h]" = 20 to 30 mgs, up to 4-6 hourly as required. Maximum 180mg in 24 hours. The 'as required reason' e.g. 'for pain' should be carried in the Additional Instruction element. Note that this is generally a symptom and is not the same as the Indication which will usually describe a diagnosis or condition. Where supported, this would generally be used to exchange dosage information between systems, while Structured dose directions are likely to be used only within openEHR-based systems

Value Domain

Property max length

150

 Structured dose direction cluster

prsb03-dataelement-13133

Id prsb03-dataelement-13133 (2020-06-24 16:06:14) 0.1

Concept inherits from  prsb03-dataelement-11639 (2019-05-30 17:40:22)

Description A structural representation of the elements carried by the dose syntax in 'parsable dose strength / timing' i.e. dose strength, dose timing, dose duration and maximum dose.

 Structured dose direction

prsb03-dataelement-13134

Id prsb03-dataelement-13134 (2020-06-24 16:06:14) 0.1

Concept inherits from  prsb03-dataelement-10553 (2018-10-31)

Description A structural representation of the elements carried by the dose syntax in 'parsable dose strength / timing' i.e. dose strength, dose timing, dose duration and maximum dose.

Operationalization As per FHIR Dose Syntax Implementation Guidance (NHS Digital): <https://developer.nhs.uk/apis/dose-syntax-implementation/>

Value Domain

 Structured dose amount

prsb03-dataelement-13135

Id prsb03-dataelement-13135 (2020-06-24 16:06:14) 0.1

Concept inherits from  prsb03-dataelement-10554 (2018-10-31)

Description A structural representation of dose amount, e.g. 20mg or 2 tablets. This element will generally only be used when persisting data within systems with 'parsable dose directions' being used to exchange the same information between systems.

Operationalization As per FHIR Dose Syntax Implementation Guidance (NHS Digital): <https://simplifier.net/guide/DoseSyntaxImplementationGuidanceforFHIR4/Home>

Value Domain

 Structured dose timing

prsb03-dataelement-13136

Id prsb03-dataelement-13136 (2020-06-24 16:06:14) 0.1

Concept inherits from  prsb03-dataelement-10555 (2018-10-31)

Description A slot containing a structural, computable representation of dose timing and maximum dose. This element will generally only be used when persisting data within systems with 'parsable dose directions' being used to exchange the same information between systems.

Operationalization As per FHIR Dose Syntax Implementation Guidance (NHS Digital): <https://simplifier.net/guide/DoseSyntaxImplementationGuidanceforFHIR4/Home>

Value Domain

 Dose direction duration

prsb03-dataelement-13137

Id	prsb03-dataelement-13137 (2020-06-24 16:06:14) 0.1
Concept inherits from	 prsb03-dataelement-10548 (2018-10-31)
Description	Recommendation of the time period for which the medication should be continued, including direction not to discontinue.

2.1.458 Properties

For coded information use MedicationStatement.dosage.additionalInstruction If no codes exist use MedicationStatement.dosage.additionalInstruction CodeableConcept.text Duration goes in FHIR MedicationStatement.effective[x].effectivePeriod 12/01/2018 MS.dosage.timing.bounds create another option "boundsCodeableConcept" to hold Continue Indef; Do not disconue; Stop When course complete MS.dosage.timing.bounds.duration to hold the duration For primary care always in dosage string

Operationalization As per FHIR Dose Syntax Implementation Guidance (NHS Digital): <https://simplifier.net/guide/DoseSyntaxImplementationGuidanceforFHIRR4/Home>

Value Domain

 Additional instructions

prsb03-dataelement-13138

Id	prsb03-dataelement-13138 (2020-06-24 16:06:14) 0.1
Concept inherits from	 prsb03-dataelement-10545 (2018-10-31)
Description	Allows for: requirements for adherence support, e.g. compliance aids, prompts and packaging requirements, additional information about specific medicines e.g. where specific brand required, person requirements, e.g. unable to swallow tablets.

2.1.459 Properties

Specific patient instruction use MedicationStatement.dosage.patientInstruction For narrative instructions FHIR (e.g. monitoring, pain, prevention) use MedicationStatement.note For dispensing instructions (EPS narrative) use MedicationRequest.note (intent "order" or "plan")

Operationalization FHIR value set : - Additional instruction

Value Domain

 Request for advice

prsb03-dataelement-13139

Id	prsb03-dataelement-13139 (2020-06-24 16:06:14) 0.1
Concept inherits from	 prsb03-dataelement-10559 (2018-10-31)
Description	Request for advice and recommendation about medication
Operationalization	Free text
Value Domain	
Property	max length

 Person completing record

prsb03-dataelement-13140

Id	prsb03-dataelement-13140 (2020-06-24 16:06:14) 0.1
Concept inherits from	 prsb03-dataelement-10961 (2019-05-18 21:23:41)
Description	This is the person recording the medication.
	Should include their name, role, grade, specialty, organisation, professional identifier, date and time completed, contact details
Relationship	Person completing record (<i>prsb03-dataelement-10860 - 2019-03-27 17:46:45</i>)
Operationalization	Free text. Name, Role, Grade, Specialty, Organisation, Professional identifier, Date and time completed, Contact details
Value Domain	

  Course details cluster

prsb03-dataelement-13141

Id	prsb03-dataelement-13141 (2020-06-24 16:06:14) 0.1
Concept inherits from	 prsb03-dataelement-10561 (2018-10-31)
Description	Details of the overall course of medication.

 Course status

prsb03-dataelement-13142

Id	prsb03-dataelement-13142 (2020-06-24 16:06:14) 0.1
Concept inherits from	 prsb03-dataelement-10666 (2018-11-13 16:47:55)
Description	The status of this prescription.
Operationalization	FHIR value set : - Medication status
Value Domain	

 Indication

prsb03-dataelement-13143

Id	prsb03-dataelement-13143 (2020-06-24 16:06:14) 0.1
Concept inherits from	 prsb03-dataelement-10546 (2018-10-31)
Description	Reason for medication being prescribed, where known.

2.1.460 Properties

FHIR	MedicationStatement.reasonCode
------	--------------------------------

Operationalization	Free text
--------------------	-----------

Value Domain	
Property	
	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 150 </div>

 Start date/time

prsb03-dataelement-13144

Id	prsb03-dataelement-13144 (2020-06-24 16:06:14) 0.1
Concept inherits from	 <i>prsb03-dataelement-10667 (2018-11-13 16:49:22)</i>
Description	The date and/or time that the medication course should begin.
Operationalization	Date and time
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> Timestamp precision at least day, month and year, hour and minute </div>

 End date/time

prsb03-dataelement-13145

Id	prsb03-dataelement-13145 (2020-06-24 16:06:14) 0.1
Concept inherits from	 <i>prsb03-dataelement-10557 (2018-10-31)</i>
Description	The date and/or time that the medication course should finish.
Operationalization	Date and time
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> Timestamp precision at least day, month and year, hour and minute </div>

 Link to indication record

prsb03-dataelement-13146

Id	prsb03-dataelement-13146 (2020-06-24 16:06:14) 0.1
Concept inherits from	 <i>prsb03-dataelement-10668 (2018-11-13 16:59:09)</i>
Description	A link to the record which contains the indication for this medication order.
Operationalization	Free text with URL
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 150 </div>

 Comment/recommendation

prsb03-dataelement-13147

Id	prsb03-dataelement-13147 (2020-06-24 16:06:14) 0.1
Concept inherits from	 prsb03-dataelement-10547 (2018-10-31)
Description	Suggestions about duration and/or review, ongoing monitoring requirements, advice on starting, discontinuing or changing medication. Additional comment or recommendation about the medication course e.g. 'Patient named supply', 'unlicensed medication', 'Foreign brand' or monitoring recommendations

2.1.461 Properties

FHIR [JH] This will be dropped from the PRSB information model, as conflicts with description above


Operationalization Free text

Value Domain

Property

max length

150



Medication change summary cluster

prsb03-dataelement-13148

Id prsb03-dataelement-13148 (2020-06-24 16:06:14) 0.1

Concept inherits from  [prsb03-dataelement-10568 \(2018-10-31\)](#)

Description Records the changes made to medication.



Status

prsb03-dataelement-13149

Id prsb03-dataelement-13149 (2020-06-24 16:06:14) 0.1

Concept inherits from  [prsb03-dataelement-10669 \(2018-11-13 17:00:50\)](#)

Description The nature of any change made to the medication.

Operationalization FHIR value set : Medication status

Value Domain



Indication

prsb03-dataelement-13150

Id prsb03-dataelement-13150 (2020-06-24 16:06:14) 0.1

Concept inherits from  [prsb03-dataelement-10670 \(2018-11-13 17:02:07\)](#)

Description Reason for change in medication, e.g. sub-therapeutic dose, person intolerant.

Operationalization Free text

Value Domain

Property

max length

150

 Date of change	prsb03-dataelement-13151
Id	prsb03-dataelement-13151 (2020-06-24 16:06:14) 0.1
Concept inherits from	 prsb03-dataelement-10671 (2018-11-13 17:03:03)
Description	The date of the change - addition, or amendment
Operationalization	Date and time
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>
 Description of amendment	prsb03-dataelement-13152
Id	prsb03-dataelement-13152 (2020-06-24 16:06:14) 0.1
Concept inherits from	 prsb03-dataelement-10672 (2018-11-13 17:03:42)
Description	Where a change is made to the medication i.e. one drug stopped and another started or eg dose, frequency or route is changed.
Operationalization	Free text
Value Domain	
Property	<p style="text-align: center;">max length</p> <p>150</p>
 Total dose daily quantity	prsb03-dataelement-13153
Id	prsb03-dataelement-13153 (2020-06-24 16:06:14) 0.1
Concept inherits from	 prsb03-dataelement-10665 (2018-11-13 16:44:41)
Description	The total daily dose of this medication. This is helpful for estimating optimal adherence to dosing guidance. It may be computed from product/dose strength and frequency or entered manually.
Operationalization	Free text
Value Domain	
  Person completing record	prsb03-dataelement-13154
Id	prsb03-dataelement-13154 (2020-06-24 16:06:14) 0.1
Concept inherits from	 prsb03-dataelement-11993 (2019-05-31 15:11:27)
Description	Details of the person completing the record.
Relationship	Person completing record (prsb03-dataelement-319 - 2018-10-31)

 Name	prsb03-dataelement-13155
Id	prsb03-dataelement-13155 (2020-06-24 16:06:14) 0.1
Concept inherits from	 prsb03-dataelement-11994 (2019-05-31 15:12:02)
Description	The name of the person completing the record.
Relationship	Name (<i>prsb03-dataelement-10219 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.name
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 70 </div>
 Role	prsb03-dataelement-13156
Id	prsb03-dataelement-13156 (2020-06-24 16:06:14) 0.1
Concept inherits from	 prsb03-dataelement-11995 (2019-05-31 15:12:02)
Description	The organisational role of the person completing record.
2.1.462 Properties	
FHIR	PractitionerRole.code of the practitioner completing the record
Relationship	Role (<i>prsb03-dataelement-10220 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobrole
Value Domain	
 Grade	prsb03-dataelement-13157
Id	prsb03-dataelement-13157 (2020-06-24 16:06:14) 0.1
Concept inherits from	 prsb03-dataelement-11996 (2019-05-31 15:12:02)
Description	The grade of the person completing the record.
Relationship	Grade (<i>prsb03-dataelement-10221 - 2018-10-31</i>)
Rationale	PractitionerRole.code
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length </div>

 Specialty

prsb03-dataelement-13158

Id prsb03-dataelement-13158 (2020-06-24 16:06:14) 0.1

Concept inherits from  prsb03-dataelement-11997 (2019-05-31 15:12:02)

Description The main specialty of the person completing the record.

2.1.463 Properties

FHIR PractitionerRole.specialty

Relationship Specialty (*prsb03-dataelement-10222 - 2018-10-31*)

Rationale PractitionerRole.specialty

Operationalization NHS data dictionary :- Activity treatment function code

Value Domain

Property

max length

3

 Organisation

prsb03-dataelement-13159

Id prsb03-dataelement-13159 (2020-06-24 16:06:14) 0.1

Concept inherits from  prsb03-dataelement-11998 (2019-05-31 15:12:02)

Description The organisation the person completing the record works for.

Relationship Organisation (*prsb03-dataelement-10226 - 2018-10-31*)
 Professional identifier

prsb03-dataelement-13160

Id prsb03-dataelement-13160 (2020-06-24 16:06:14) 0.1

Concept inherits from  prsb03-dataelement-11999 (2019-05-31 15:12:02)

Description Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.464 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship Professional identifier (*prsb03-dataelement-10223 - 2018-10-31*)

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary :- Professional registration identifier

Value Domain	
Property	
	<div style="background-color: #e0e0e0; padding: 5px; text-align: center;">max length</div> <div style="border: 1px solid black; padding: 2px; display: inline-block;">32</div>

 Date completed

prsb03-dataelement-13161

Id	prsb03-dataelement-13161 (2020-06-24 16:06:14) 0.1
Concept inherits from	 <i>prsb03-dataelement-12000</i> (2019-05-31 15:12:02)
Description	The date and time the record was completed.
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)
Rationale	Composition.date
Operationalization	Date and time.
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 5px; text-align: center;">Timestamp precision</div> <div style="border: 1px solid black; padding: 2px; display: inline-block;">at least day, month and year, hour and minute</div>

 Contact details

prsb03-dataelement-13162

Id	prsb03-dataelement-13162 (2020-06-24 16:06:14) 0.1
Concept inherits from	 <i>prsb03-dataelement-12001</i> (2019-05-31 15:12:02)
Description	Contact details of the person completing the record.

2.1.465 Properties

FHIR	PractitionerRole.telecom
Relationship	Contact details (<i>prsb03-dataelement-10225 - 2018-10-31</i>)
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom
Operationalization	NHS data dictionary : - UK telephone number
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 5px; text-align: center;">max length</div> <div style="border: 1px solid black; padding: 2px; display: inline-block;">35</div>

 Medication discontinued entry

prsb03-dataelement-13163

Id	prsb03-dataelement-13163 (2020-06-24 16:06:14) 0.1
----	--

Concept inherits from  prsb03-dataelement-10576 (2018-10-31)

Description Medication discontinued entry

  Name of discontinued medication

prsb03-dataelement-13164

Id prsb03-dataelement-13164 (2020-06-24 16:06:14) 0.1

Concept inherits from  prsb03-dataelement-10577 (2018-10-31)

Description The name of the medication or medical device being discontinued

 Status

prsb03-dataelement-13165

Id prsb03-dataelement-13165 (2020-06-24 16:06:14) 0.1

Concept inherits from  prsb03-dataelement-12472 (2019-06-25 11:42:23)

Description The status of any change made to the medication. MUST CONTAIN STOPPED.

Operationalization FHIR value set: - Medication status

Value Domain

 Status

prsb03-dataelement-13166

Id prsb03-dataelement-13166 (2020-06-24 16:06:14) 0.1

 Concept inherits from prsb03-dataelement-10578 (2018-10-31)

Description The nature of any change made to the medication.

Operationalization Free text

Value Domain

 Indication

prsb03-dataelement-13167

Id prsb03-dataelement-13167 (2020-06-24 16:06:14) 0.1

 Concept inherits from prsb03-dataelement-10579 (2018-10-31)

Description The clinical indication for any changes in medication status

Operationalization Free text

Value Domain

Property

max length

150

 Date of change

prsb03-dataelement-13168

Id

prsb03-dataelement-13168 (2020-06-24 16:06:14) 0.1

Concept inherits from	 prsb03-dataelement-10580 (2018-10-31)
Description	The date of the discontinuation
Operationalization	Date and time
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>

 Description of amendment	prsb03-dataelement-13169
Id	prsb03-dataelement-13169 (2020-06-24 16:06:14) 0.1
Concept inherits from	 prsb03-dataelement-10581 (2018-10-31)
Description	A description of any amendment
Operationalization	Free text
Value Domain	
Property	<p style="text-align: center;">max length</p> <p>150</p>

 Comment	prsb03-dataelement-13170
Id	prsb03-dataelement-13170 (2020-06-24 16:06:14) 0.1
Concept inherits from	 prsb03-dataelement-10582 (2018-10-31)
Description	Any additional comment about the discontinuation or amendment.
Operationalization	Free text
Value Domain	
Property	<p style="text-align: center;">max length</p> <p>150</p>

 Medical devices entry	prsb03-dataelement-13171
Id	prsb03-dataelement-13171 (2020-06-24 16:06:14) 0.1
Concept inherits from	 prsb03-dataelement-10583 (2018-10-31)
Description	Medical devices

 Medical device	prsb03-dataelement-13172
Id	prsb03-dataelement-13172 (2020-06-24 16:06:14) 0.1

Concept inherits from	 prsb03-dataelement-10673 (2018-11-13 17:10:15)
Description	Any medical device that isn't prescribed.
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> max length 150 </div>

 Comments	prsb03-dataelement-13173
--	--------------------------

Id	prsb03-dataelement-13173 (2020-06-24 16:06:14) 0.1
Concept inherits from	 prsb03-dataelement-11280 (2019-05-29 17:47:02)
Description	Any information regarding the medical device.
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> max length 150 </div>

  Acute medications	prsb03-dataelement-12646
---	--------------------------

Id	prsb03-dataelement-12646 (2019-11-19 15:49:41)
Description	This is the sub-section where all acute medications within a specific period are recorded.

 Acute medication extraction period	prsb03-dataelement-12647
--	--------------------------

Id	prsb03-dataelement-12647 (2019-11-19 15:51:07)
Description	Acute medications (For the 12 month period <dd-Mmm-yyyy> to <dd-Mmm-yyyy>)
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> Timestamp precision at least day, month and year </div>

 prsb03-dataelement-12648	prsb03-dataelement-12648 (2019-11-19 17:03:31)
--	--

  Medication item cluster	prsb03-dataelement-12649
---	--------------------------

Id	prsb03-dataelement-12649 (2019-11-19 17:03:32)
----	--

Description	Medication item cluster
Relationship	Medication item cluster (<i>prsb03-dataelement-10664 - 2018-11-13 16:25:51</i>)

 Date	prsb03-dataelement-12650
 Location	prsb03-dataelement-12651
 Performing professional	prsb03-dataelement-12652
 Performing professional	prsb03-dataelement-12653
Id	prsb03-dataelement-12650 (2019-11-19 17:11:10)
Concept inherits from	 <i>prsb03-dataelement-10843</i> (2019-03-27 16:59:52)
Description	The date on which the medication or medical device was prescribed.
Operationalization	Date and time
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>
 Used by	0 transactions, 0 templates, inherited once
Id	prsb03-dataelement-12651 (2019-11-19 17:11:10)
Concept inherits from	 <i>prsb03-dataelement-10844</i> (2019-03-27 17:01:20)
Description	The location where the medication or the medical device was prescribed.
 Used by	0 transactions, 0 templates, inherited once
Id	prsb03-dataelement-12652 (2019-11-19 17:11:10)
Concept inherits from	 <i>prsb03-dataelement-10845</i> (2019-03-27 17:01:47)
Description	Details of the professional prescribing the medication or medical device.
Value Domain	
 Used by	0 transactions, 0 templates, inherited once
Id	prsb03-dataelement-12653 (2019-11-19 17:11:10)
Concept inherits from	 <i>prsb03-dataelement-12002</i> (2019-05-31 15:12:28)
Description	The professional who prescribed the medication or medical device.

Relationship	Performing professional (<i>prsb03-dataelement-11281 - 2019-05-30 11:53:30</i>)
Used by	0 transactions, 0 templates, inherited once
Name	prsb03-dataelement-12654
Id	prsb03-dataelement-12654 (2019-11-19 17:11:10)
Concept inherits from	🟡 <i>prsb03-dataelement-12003 (2019-05-31 15:12:48)</i>
Description	The name of the professional.
Rationale	Practitioner.name
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 70 </div>
Used by	0 transactions, 0 templates, inherited once
Role	prsb03-dataelement-12655
Id	prsb03-dataelement-12655 (2019-11-19 17:11:10)
Concept inherits from	🟡 <i>prsb03-dataelement-12004 (2019-05-31 15:12:48)</i>
Description	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc
Rationale	Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobroletype
Value Domain	
Used by	0 transactions, 0 templates, inherited once
Grade	prsb03-dataelement-12656
Id	prsb03-dataelement-12656 (2019-11-19 17:11:10)
Concept inherits from	🟡 <i>prsb03-dataelement-12005 (2019-05-31 15:12:48)</i>
Description	The grade of the professional.
Rationale	PractitionerRole.code
Operationalization	Free text

Value Domain	
Property	
	max length
	150

⌚ Used by 0 transactions, 0 templates, inherited once

 Speciality	prsb03-dataelement-12657
Id	prsb03-dataelement-12657 (2019-11-19 17:11:10)
Concept inherits from	 prsb03-dataelement-12006 (2019-05-31 15:12:48)
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc
Rationale	PractitionerRole.speciality
Operationalization	NHS data dictionary - Activity treatment function code
Value Domain	
Property	
	max length
	3

⌚ Used by 0 transactions, 0 templates, inherited once

 Professional identifier	prsb03-dataelement-12658
Id	prsb03-dataelement-12658 (2019-11-19 17:11:10)
Concept inherits from	 prsb03-dataelement-12007 (2019-05-31 15:12:48)
Description	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary : - Professional registration identifier
Value Domain	
Property	
	max length
	32

⌚ Used by 0 transactions, 0 templates, inherited once

  Organisation	prsb03-dataelement-12659
--	--------------------------

Id	prsb03-dataelement-12659 (2019-11-19 17:11:10)
Concept inherits from	 prsb03-dataelement-12008 (2019-05-31 15:12:48)
Description	The name of the organisation the professional works for.
Used by	0 transactions, 0 templates, inherited once

 Contact details	prsb03-dataelement-12660
Id	prsb03-dataelement-12660 (2019-11-19 17:11:10)
Concept inherits from	 prsb03-dataelement-12009 (2019-05-31 15:12:48)
Description	Contact details of the professional
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom
Operationalization	NHS data dictionary - UK phone number
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> max length 35 </div>
Used by	0 transactions, 0 templates, inherited once

  Medication name	prsb03-dataelement-12661
---	--------------------------

Id	prsb03-dataelement-12661 (2019-11-19 17:11:10)
Concept inherits from	 prsb03-dataelement-10536 (2018-10-31)
Description	May be generic name or brand name.

2.1.466 Properties

MedicationStatement.medication[x].medication CodableConcept
 FHIR MedicationStatement.medication[x].medicationReference (see Medication) (Systems should send as much details as they can. dm+d code can be sent as a simple code/description pair using CodeableConcept, or as a detailed medication record)

Used by	0 transactions, 0 templates, inherited once
---------	---

  Form	prsb03-dataelement-12662
--	--------------------------

Id	prsb03-dataelement-12662 (2019-11-19 17:11:10)
Concept inherits from	 prsb03-dataelement-10537 (2018-10-31)

Description	The form of the medication e.g. capsule, drops, tablet, lotion etc.
-------------	---

2.1.467 Properties

FHIR MedicationStatement.medication[x].medicationReference.medication.form (i.e. form is on the medication profile). Where VTM has form specified (coded) it goes here AMP & VMP don't need separate Form (it is optional to populate) For VTM the form could be in MedicationStatement.dosage.text (as it would be part of a dosage string) i.e. not a separately specified code

⌚ Used by	0 transactions, 0 templates, inherited once
-----------	---



Quantity supplied

prsb03-dataelement-12663

Id	prsb03-dataelement-12663 (2019-11-19 17:11:10)
Concept inherits from	🟡 prsb03-dataelement-10539 (2018-10-31)
Description	The quantity of the medication (e.g. tablets, inhalers, etc.) provided to the person. This may be dispensed by the pharmacy or on the ward. Record in a structured format i.e. value and a unit

2.1.468 Properties

FHIR MedicationStatement.quantityDispensed (Amount of medication to supply per dispense) quantity (as a valueQuantity) - Mandatory quantityText (as a valueString) - Mandatory

Operationalization	Free text
⌚ Used by	0 transactions, 0 templates, inherited once



Route

prsb03-dataelement-12664

Id	prsb03-dataelement-12664 (2019-11-19 17:11:10)
Concept inherits from	🟡 prsb03-dataelement-10538 (2018-10-31)
Description	The route by which the medication is administered e.g. oral, IM, IV

2.1.469 Properties

FHIR MedicationStatement.dosage.route

⌚ Used by	0 transactions, 0 templates, inherited once
-----------	---



Site

prsb03-dataelement-12665

Id	prsb03-dataelement-12665 (2019-11-19 17:11:10)
Concept inherits from	🟡 prsb03-dataelement-10540 (2018-10-31)

Description The anatomical site at which the medication is to be administered.

2.1.470 Properties

FHIR MedicationStatement.dosage.site

⌚ Used by 0 transactions, 0 templates, inherited once



Method

prsb03-dataelement-12666

Id prsb03-dataelement-12666 (2019-11-19 17:11:10)

Concept inherits from 🟡 *prsb03-dataelement-10541* (2018-10-31)

Description The technique or method by which the medication is to be administered.

2.1.471 Properties

FHIR MedicationStatement.dosage.method

⌚ Used by 0 transactions, 0 templates, inherited once



Dose directions description

prsb03-dataelement-12667

Id prsb03-dataelement-12667 (2019-11-19 17:11:10)

Concept inherits from 🟡 *prsb03-dataelement-10544* (2018-10-31)

Description Describes the entire medication dosage and administration directions including dose quantity and medication frequency and optionally duration e.g. "1 tablet at night" or "2mg at 10pm".

2.1.472 Properties

FHIR MedicationStatement.dosage.text

Operationalization Free text

Value Domain

Property

max length

150

⌚ Used by 0 transactions, 0 templates, inherited once



Dose amount description

prsb03-dataelement-12668

Id

prsb03-dataelement-12668 (2019-11-19 17:11:10)

Concept inherits from

 prsb03-dataelement-10542 (2018-10-31)

Description

A description of the medication single dose amount e.g. "30 mg" or "2 tabs".

2.1.473 Properties

FHIR MedicationStatement.dosage.text

Operationalization Free text

Value Domain

 Used by 0 transactions, 0 templates, inherited once

 Dose timing description

prsb03-dataelement-12669

Id prsb03-dataelement-12669 (2019-11-19 17:11:10)

Concept inherits from  prsb03-dataelement-10543 (2018-10-31)

Description A description of the frequency of taking or administration of a medication dose. e.g. "Twice a day", "At 8am, 2pm and 10pm".

2.1.474 Properties

FHIR MedicationStatement.dosage.timing [a complex data type that holds lots of timing formats]

Operationalization Free text

Value Domain

 Used by 0 transactions, 0 templates, inherited once

 Parsable dose directions

prsb03-dataelement-12670

Id prsb03-dataelement-12670 (2019-11-19 17:11:10)

Concept inherits from  prsb03-dataelement-10552 (2018-10-31)

Description A parsable 'dose syntax' which carries dose strength, dose timing, dose duration and maximum dose information, e.g. "20-30mg ^4/6h prn [180mg /24h]" = 20 to 30 mgs, up to 4-6 hourly as required. Maximum 180mg in 24 hours. The 'as required reason' e.g. 'for pain' should be carried in the Additional Instruction element. Note that this is generally a symptom and is not the same as the Indication which will usually describe a diagnosis or condition. Where supported, this would generally be used to exchange dosage information between systems, while Structured dose directions are likely to be used only within openEHR-based systems

Value Domain

Property max length

150

 Used by 0 transactions, 0 templates, inherited once

  Structured dose direction cluster

prsb03-dataelement-12671

Id prsb03-dataelement-12671 (2019-11-19 17:11:10)

Concept inherits from  prsb03-dataelement-11639 (2019-05-30 17:40:22)

Description A structural representation of the elements carried by the dose syntax in 'parsable dose strength / timing' i.e. dose strength, dose timing, dose duration and maximum dose.

 Used by 0 transactions, 0 templates, inherited once

 Structured dose direction

prsb03-dataelement-12672

Id prsb03-dataelement-12672 (2019-11-19 17:11:10)

Concept inherits from  prsb03-dataelement-10553 (2018-10-31)

Description A structural representation of the elements carried by the dose syntax in 'parsable dose strength / timing' i.e. dose strength, dose timing, dose duration and maximum dose.

Operationalization As per FHIR Dose Syntax Implementation Guidance (NHS Digital):
<https://developer.nhs.uk/apis/dose-syntax-implementation/>

Value Domain

 Used by 0 transactions, 0 templates, inherited once

 Structured dose amount

prsb03-dataelement-12673

Id prsb03-dataelement-12673 (2019-11-19 17:11:10)

Concept inherits from  prsb03-dataelement-10554 (2018-10-31)

Description A structural representation of dose amount, e.g. 20mg or 2 tablets. This element will generally only be used when persisting data within systems with 'parsable dose directions' being used to exchange the same information between systems.

Operationalization As per FHIR Dose Syntax Implementation Guidance (NHS Digital): <https://simplifier.net/guide/DoseSyntaxImplementationGuidanceforFHIRR4/Home>

Value Domain

 Used by 0 transactions, 0 templates, inherited once

 Structured dose timing

prsb03-dataelement-12674

Id	prsb03-dataelement-12674 (2019-11-19 17:11:10)
Concept inherits from	 prsb03-dataelement-10555 (2018-10-31)
Description	A slot containing a structural, computable representation of dose timing and maximum dose. This element will generally only be used when persisting data within systems with 'parsable dose directions' being used to exchange the same information between systems.
Operationalization	As per FHIR Dose Syntax Implementation Guidance (NHS Digital): https://simplifier.net/guide/DoseSyntaxImplementationGuidanceforFHIRR4/Home
Value Domain	
 Used by	0 transactions, 0 templates, inherited once

prsb03-dataelement-12675

Id	prsb03-dataelement-12675 (2019-11-19 17:11:10)
Concept inherits from	 prsb03-dataelement-10548 (2018-10-31)
Description	Recommendation of the time period for which the medication should be continued, including direction not to discontinue.

2.1.475 Properties

For coded information use MedicationStatement.dosage.additionalInstruction If no codes exist use MedicationStatement.dosage.additionalInstruction CodeableConcept.text Duration goes in FHIR MedicationStatement.effective[x].effectivePeriod 12/01/2018 MS.dosage.timing.bounds create another option "boundsCodeableConcept" to hold Continue Indef; Do not disconue; Stop When course complete MS.dosage.timing.bounds.duration to hold the duration For primary care always in dosage string

Operationalization As per FHIR Dose Syntax Implementation Guidance (NHS Digital): <https://simplifier.net/guide/DoseSyntaxImplementationGuidanceforFHIRR4/Home>

Value Domain	
 Used by	0 transactions, 0 templates, inherited once

prsb03-dataelement-12701

Id	prsb03-dataelement-12701 (2019-11-19 17:22:14)
Description	Medication quantity prescribed
Value Domain	
 Used by	0 transactions, 0 templates, inherited once

prsb03-dataelement-12702

Id	prsb03-dataelement-12702 (2019-11-19 17:23:30)
Concept inherits from	<i>prsb03-dataelement-10558</i> (2018-10-31)
Description	Date prescriber created prescription
Operationalization	Date and Time
Value Domain	
Used by	0 transactions, 0 templates, inherited once

prsb03-dataelement-12703

Id	prsb03-dataelement-12703 (2019-11-19 17:24:54)
Value Domain	
Used by	0 transactions, 0 templates, inherited once

Valid from date prsb03-dataelement-12704

Id	prsb03-dataelement-12704 (2019-11-19 17:24:55)
Concept inherits from	<i>prsb03-dataelement-10560</i> (2018-10-31)
Description	Date the prescription can be issued from. Valid for 6 months
Operationalization	Date and Time
Value Domain	
Used by	0 transactions, 0 templates, inherited once

Indication prsb03-dataelement-12705

Id	prsb03-dataelement-12705 (2019-11-19 17:26:09)
Concept inherits from	<i>prsb03-dataelement-10579</i> (2018-10-31)
Description	The clinical indication for any changes in medication status
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 150 </div>
Used by	0 transactions, 0 templates, inherited once

 Additional instructions

prsb03-dataelement-12676

Id	prsb03-dataelement-12676 (2019-11-19 17:11:10)
Concept inherits from	 prsb03-dataelement-10545 (2018-10-31)
Description	Allows for: requirements for adherence support, e.g. compliance aids, prompts and packaging requirements, additional information about specific medicines e.g. where specific brand required, person requirements, e.g. unable to swallow tablets.

2.1.476 Properties

Specific patient instruction use MedicationStatement.dosage.patientInstruction For narrative instructions FHIR (e.g. monitoring, pain, prevention) use MedicationStatement.note For dispensing instructions (EPS narrative) use MedicationRequest.note (intent "order" or "plan")

Operationalization FHIR value set : - Additional instruction

Value Domain

 Used by 0 transactions, 0 templates, inherited once

 Request for advice

prsb03-dataelement-12677

Id	prsb03-dataelement-12677 (2019-11-19 17:11:10)
Concept inherits from	 prsb03-dataelement-10559 (2018-10-31)
Description	Request for advice and recommendation about medication
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 150 </div>
Used by	0 transactions, 0 templates, inherited once

 Person completing record

prsb03-dataelement-12678

Id	prsb03-dataelement-12678 (2019-11-19 17:11:10)
Concept inherits from	 prsb03-dataelement-10961 (2019-05-18 21:23:41)
Description	This is the person recording the medication.

Should include their name, role, grade, specialty, organisation, professional identifier, date and time completed, contact details

Relationship	Person completing record (<i>prsb03-dataelement-10860 - 2019-03-27 17:46:45</i>)
Operationalization	Free text. Name, Role, Grade, Specialty, Organisation, Professional identifier, Date and time completed, Contact details
Value Domain	
Used by	0 transactions, 0 templates, inherited once

  Course details cluster	prsb03-dataelement-12679
--	--------------------------

Id	prsb03-dataelement-12679 (2019-11-19 17:11:10)
Concept inherits from	 <i>prsb03-dataelement-10561 (2018-10-31)</i>
Description	Details of the overall course of medication.
Used by	0 transactions, 0 templates, inherited once

 Course status	prsb03-dataelement-12680
---	--------------------------

Id	prsb03-dataelement-12680 (2019-11-19 17:11:10)
Concept inherits from	 <i>prsb03-dataelement-10666 (2018-11-13 16:47:55)</i>
Description	The status of this prescription.
Operationalization	FHIR value set : - Medication status
Value Domain	
Used by	0 transactions, 0 templates, inherited once

 Indication	prsb03-dataelement-12681
--	--------------------------

Id	prsb03-dataelement-12681 (2019-11-19 17:11:10)
Concept inherits from	 <i>prsb03-dataelement-10546 (2018-10-31)</i>
Description	Reason for medication being prescribed, where known.

2.1.477 Properties

FHIR	MedicationStatement.reasonCode
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 150 </div>

 Used by

0 transactions, 0 templates, inherited once

 Start date/time

prsb03-dataelement-12682

Id

prsb03-dataelement-12682 (2019-11-19 17:11:10)

Concept inherits from

 prsb03-dataelement-10667 (2018-11-13 16:49:22)

Description

The date and/or time that the medication course should begin.

Operationalization

Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute

 Used by

0 transactions, 0 templates, inherited once

 End date/time

prsb03-dataelement-12683

Id

prsb03-dataelement-12683 (2019-11-19 17:11:10)

Concept inherits from

 prsb03-dataelement-10557 (2018-10-31)

Description

The date and/or time that the medication course should finish.

Operationalization

Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute

 Used by

0 transactions, 0 templates, inherited once

 Link to indication record

prsb03-dataelement-12684

Id

prsb03-dataelement-12684 (2019-11-19 17:11:10)

Concept inherits from

 prsb03-dataelement-10668 (2018-11-13 16:59:09)

Description

A link to the record which contains the indication for this medication order.

Operationalization

Free text with URL

Value Domain

Property

max length

	150
⌚ Used by	0 transactions, 0 templates, inherited once
✖ Comment/recommendation	prsb03-dataelement-12685
Id	prsb03-dataelement-12685 (2019-11-19 17:11:10)
Concept inherits from	🟡 prsb03-dataelement-10547 (2018-10-31)
Description	Suggestions about duration and/or review, ongoing monitoring requirements, advice on starting, discontinuing or changing medication. Additional comment or recommendation about the medication course e.g. 'Patient named supply', 'unlicensed medication', 'Foreign brand' or monitoring recommendations
2.1.478 Properties	
FHIR [JH]	This will be dropped from the PRSB information model, as conflicts with description above
Operationalization	Free text
Value Domain	
Property	max length
	150
⌚ Used by	0 transactions, 0 templates, inherited once
📁 ✖ Medication change summary cluster	prsb03-dataelement-12686
Id	prsb03-dataelement-12686 (2019-11-19 17:11:10)
Concept inherits from	🟡 prsb03-dataelement-10568 (2018-10-31)
Description	Records the changes made to medication.
⌚ Used by	0 transactions, 0 templates, inherited once
✖ Status	prsb03-dataelement-12687
Id	prsb03-dataelement-12687 (2019-11-19 17:11:10)
Concept inherits from	🟡 prsb03-dataelement-10669 (2018-11-13 17:00:50)
Description	The nature of any change made to the medication.
Operationalization	FHIR value set : Medication status
Value Domain	



Used by

0 transactions, 0 templates, inherited once



Indication

prsb03-dataelement-12688

Id

prsb03-dataelement-12688 (2019-11-19 17:11:10)

Concept inherits from

prsb03-dataelement-10670 (2018-11-13 17:02:07)

Description

Reason for change in medication, e.g. sub-therapeutic dose, person intolerant.

Operationalization

Free text

Value Domain

Property

max length

150



Used by

0 transactions, 0 templates, inherited once



Date of change

prsb03-dataelement-12689

Id

prsb03-dataelement-12689 (2019-11-19 17:11:10)

Concept inherits from

prsb03-dataelement-10671 (2018-11-13 17:03:03)

Description

The date of the change - addition, or amendment

Operationalization

Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Used by

0 transactions, 0 templates, inherited once



Description of amendment

prsb03-dataelement-12690

Id

prsb03-dataelement-12690 (2019-11-19 17:11:10)

Concept inherits from

prsb03-dataelement-10672 (2018-11-13 17:03:42)

Description

Where a change is made to the medication i.e. one drug stopped and another started or eg dose, frequency or route is changed.

Operationalization

Free text

Value Domain

Property	max length
	150
Used by	0 transactions, 0 templates, inherited once

✖ Total dose daily quantity

prsb03-dataelement-12691

Id	prsb03-dataelement-12691 (2019-11-19 17:11:10)
Concept inherits from	🟡 prsb03-dataelement-10665 (2018-11-13 16:44:41)
Description	The total daily dose of this medication. This is helpful for estimating optimal adherence to dosing guidance. It may be computed from product/dose strength and frequency or entered manually.
Operationalization	Free text
Value Domain	
Used by	0 transactions, 0 templates, inherited once

📁 ✖ Person completing record

prsb03-dataelement-12692

Id	prsb03-dataelement-12692 (2019-11-19 17:11:10)
Concept inherits from	🟡 prsb03-dataelement-11993 (2019-05-31 15:11:27)
Description	Details of the person completing the record.
Relationship	Person completing record (<i>prsb03-dataelement-319 - 2018-10-31</i>)
Used by	0 transactions, 0 templates, inherited once

✖ Name

prsb03-dataelement-12693

Id	prsb03-dataelement-12693 (2019-11-19 17:11:10)
Concept inherits from	🟡 prsb03-dataelement-11994 (2019-05-31 15:12:02)
Description	The name of the person completing the record.
Relationship	Name (<i>prsb03-dataelement-10219 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.name
Operationalization	Free text.
Value Domain	
Property	max length

70

⌚ Used by 0 transactions, 0 templates, inherited once



Role

prsb03-dataelement-12694

Id prsb03-dataelement-12694 (2019-11-19 17:11:10)

Concept inherits from 🌟 *prsb03-dataelement-11995* (2019-05-31 15:12:02)

Description The organisational role of the person completing record.

2.1.479 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship Role (*prsb03-dataelement-10220 - 2018-10-31*)

Rationale Composition.author.Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobrole

Value Domain

⌚ Used by 0 transactions, 0 templates, inherited once



Grade

prsb03-dataelement-12695

Id prsb03-dataelement-12695 (2019-11-19 17:11:10)

Concept inherits from 🌟 *prsb03-dataelement-11996* (2019-05-31 15:12:02)

Description The grade of the person completing the record.

Relationship Grade (*prsb03-dataelement-10221 - 2018-10-31*)

Rationale PractitionerRole.code

Operationalization Free text.

Value Domain

Property

max length

150

⌚ Used by 0 transactions, 0 templates, inherited once



Specialty

prsb03-dataelement-12696

Id

prsb03-dataelement-12696 (2019-11-19 17:11:10)

Concept inherits from	 prsb03-dataelement-11997 (2019-05-31 15:12:02)
Description	The main specialty of the person completing the record.

2.1.480 Properties

FHIR	PractitionerRole.specialty
Relationship	Specialty (prsb03-dataelement-10222 - 2018-10-31)
Rationale	PractitionerRole.speciality
Operationalization	NHS data dictionary :- Activity treatment function code
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 3 </div>
Used by	0 transactions, 0 templates, inherited once

Organisation

prsb03-dataelement-12697

Id	prsb03-dataelement-12697 (2019-11-19 17:11:10)
Concept inherits from	 prsb03-dataelement-11998 (2019-05-31 15:12:02)
Description	The organisation the person completing the record works for.
Relationship	Organisation (prsb03-dataelement-10226 - 2018-10-31)
Used by	0 transactions, 0 templates, inherited once

Professional identifier

prsb03-dataelement-12698

Id	prsb03-dataelement-12698 (2019-11-19 17:11:10)
Concept inherits from	 prsb03-dataelement-11999 (2019-05-31 15:12:02)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.481 Properties

FHIR	PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)
Relationship	Professional identifier (prsb03-dataelement-10223 - 2018-10-31)
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary :- Professional registration identifier

Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;">max length</div>
	32
Used by	0 transactions, 0 templates, inherited once

Date completed prsb03-dataelement-12699

Id	prsb03-dataelement-12699 (2019-11-19 17:11:10)
Concept inherits from	prsb03-dataelement-12000 (2019-05-31 15:12:02)
Description	The date and time the record was completed.
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)
Rationale	Composition.date
Operationalization	Date and time.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;">Timestamp precision</div>
	at least day, month and year, hour and minute
Used by	0 transactions, 0 templates, inherited once

Contact details prsb03-dataelement-12700

Id	prsb03-dataelement-12700 (2019-11-19 17:11:10)
Concept inherits from	prsb03-dataelement-12001 (2019-05-31 15:12:02)
Description	Contact details of the person completing the record.


2.1.482 Properties

FHIR	PractitionerRole.telecom
Relationship	Contact details (<i>prsb03-dataelement-10225 - 2018-10-31</i>)
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom
Operationalization	NHS data dictionary : - UK telephone number
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;">max length</div>



Used by

0 transactions, 0 templates, inherited once



Repeat medications

prsb03-dataelement-10585

Id

prsb03-dataelement-10585 (2018-10-31)

Description

This is the sub-section where all repeat medications within a specific period are recorded



Used by

0 transactions, 0 templates, inherited once



Medication item cluster

prsb03-dataelement-12706

Id

prsb03-dataelement-12706 (2019-11-19 17:33:23)

Description

Medication item cluster

Relationship

Medication item cluster (*prsb03-dataelement-12649 - 2019-11-19 17:03:32*)

Date

prsb03-dataelement-12707

Id

prsb03-dataelement-12707 (2019-11-19 17:33:50)

Concept inherits from

prsb03-dataelement-12650 (2019-11-19 17:11:10)

Description

The date on which the medication or medical device was prescribed.

Operationalization

Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Used by



Location

prsb03-dataelement-12708

Id

prsb03-dataelement-12708 (2019-11-19 17:33:50)

Concept inherits from

prsb03-dataelement-12651 (2019-11-19 17:11:10)

Description

The location where the medication or the medical device was prescribed.



Used by



Performing professional

	prsb03-dataelement-12709
Id	prsb03-dataelement-12709 (2019-11-19 17:33:50)
Concept inherits from	☒ prsb03-dataelement-12652 (2019-11-19 17:11:10)
Description	Details of the professional prescribing the medication or medical device.
Value Domain	
◎ Used by	0 transactions, 0 templates, inherited once

📁☒	Performing professional	prsb03-dataelement-12710
Id	prsb03-dataelement-12710 (2019-11-19 17:33:50)	
Concept inherits from	☒ prsb03-dataelement-12653 (2019-11-19 17:11:10)	
Description	The professional who prescribed the medication or medical device.	
Relationship	Performing professional (<i>prsb03-dataelement-11281 - 2019-05-30 11:53:30</i>)	
◎ Used by	0 transactions, 0 templates, inherited once	

☒	Name	prsb03-dataelement-12711
Id	prsb03-dataelement-12711 (2019-11-19 17:33:50)	
Concept inherits from	☒ prsb03-dataelement-12654 (2019-11-19 17:11:10)	
Description	The name of the professional.	
Rationale	Practitioner.name	
Operationalization	Free text.	
Value Domain		
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> max length <input type="text" value="70"/> </div>	
◎ Used by	0 transactions, 0 templates, inherited once	

☒	Role	prsb03-dataelement-12712
Id	prsb03-dataelement-12712 (2019-11-19 17:33:50)	
Concept inherits from	☒ prsb03-dataelement-12655 (2019-11-19 17:11:10)	
Description	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc	

Rationale	Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobroletype
Value Domain	
Used by	0 transactions, 0 templates, inherited once

Grade

prsb03-dataelement-12713

Id	prsb03-dataelement-12713 (2019-11-19 17:33:50)
Concept inherits from	prsb03-dataelement-12656 (2019-11-19 17:11:10)
Description	The grade of the professional.
Rationale	PractitionerRole.code
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 150 </div>
Used by	0 transactions, 0 templates, inherited once

Speciality

prsb03-dataelement-12714

Id	prsb03-dataelement-12714 (2019-11-19 17:33:50)
Concept inherits from	prsb03-dataelement-12657 (2019-11-19 17:11:10)
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc
Rationale	PractitionerRole.speciality
Operationalization	NHS data dictionary - Activity treatment function code
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 3 </div>
Used by	0 transactions, 0 templates, inherited once

Professional identifier

prsb03-dataelement-12715

Id	prsb03-dataelement-12715 (2019-11-19 17:33:50)
Concept inherits from	prsb03-dataelement-12658 (2019-11-19 17:11:10)

Description	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.
Rationale	Practitioner.identifier (for professional national identifiers), PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary : - Professional registration identifier
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 32 </div>
Used by	0 transactions, 0 templates, inherited once

  Organisation

prsb03-dataelement-12716

Id	prsb03-dataelement-12716 (2019-11-19 17:33:50)
Concept inherits from	 prsb03-dataelement-12659 (2019-11-19 17:11:10)
Description	The name of the organisation the professional works for.
Used by	0 transactions, 0 templates, inherited once

 Contact details

prsb03-dataelement-12717

Id	prsb03-dataelement-12717 (2019-11-19 17:33:50)
Concept inherits from	 prsb03-dataelement-12660 (2019-11-19 17:11:10)
Description	Contact details of the professional
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom
Operationalization	NHS data dictionary - UK phone number
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 35 </div>
Used by	0 transactions, 0 templates, inherited once

  Medication name

prsb03-dataelement-12718

Id	prsb03-dataelement-12718 (2019-11-19 17:33:50)
Concept inherits from	 prsb03-dataelement-12661 (2019-11-19 17:11:10)

Description	May be generic name or brand name.
-------------	------------------------------------

2.1.483 Properties

MedicationStatement.medication[x].medicationCodeableConcept
 FHIR MedicationStatement.medication[x].medicationReference (see Medication) (Systems should send as much details as they can. dm+d code can be sent as a simple code/description pair using CodeableConcept, or as a detailed medication record)

⌚ Used by	0 transactions, 0 templates, inherited once
-----------	---



Form

prsb03-dataelement-12719

Id	prsb03-dataelement-12719 (2019-11-19 17:33:50)
Concept inherits from	🟡 prsb03-dataelement-12662 (2019-11-19 17:11:10)
Description	The form of the medication e.g. capsule, drops, tablet, lotion etc.

2.1.484 Properties

MedicationStatement.medication[x].medicationReference.medication.form (i.e. form is on the medication profile). Where VTM has form specified (coded) it goes here AMP & VMP don't need separate Form (it is optional to populate) For VTM the form could be in MedicationStatement.dosage.text (as it would be part of a dosage string) i.e. not a separately specified code

⌚ Used by	0 transactions, 0 templates, inherited once
-----------	---



Quantity supplied

prsb03-dataelement-12720

Id	prsb03-dataelement-12720 (2019-11-19 17:33:50)
Concept inherits from	✖️ prsb03-dataelement-12663 (2019-11-19 17:11:10)
Description	The quantity of the medication (e.g. tablets, inhalers, etc.) provided to the person. This may be dispensed by the pharmacy or on the ward. Record in a structured format i.e. value and a unit

2.1.485 Properties

MedicationStatement.quantityDispensed (Amount of medication to supply per dispense) quantity (as a valueQuantity) - Mandatory quantityText (as a valueString) - Mandatory

Operationalization	Free text
--------------------	-----------

⌚ Used by	0 transactions, 0 templates, inherited once
-----------	---



Route

prsb03-dataelement-12721

Id	prsb03-dataelement-12721 (2019-11-19 17:33:50)
----	--

Concept inherits from  prsb03-dataelement-12664 (2019-11-19 17:11:10)

Description The route by which the medication is administered e.g. oral, IM, IV

2.1.486 Properties

FHIR MedicationStatement.dosage.route

 Used by 0 transactions, 0 templates, inherited once



Site

prsb03-dataelement-12722

Id prsb03-dataelement-12722 (2019-11-19 17:33:50)

Concept inherits from  prsb03-dataelement-12665 (2019-11-19 17:11:10)

Description The anatomical site at which the medication is to be administered.

2.1.487 Properties

FHIR MedicationStatement.dosage.site

 Used by 0 transactions, 0 templates, inherited once



Method

prsb03-dataelement-12723

Id prsb03-dataelement-12723 (2019-11-19 17:33:50)

Concept inherits from  prsb03-dataelement-12666 (2019-11-19 17:11:10)

Description The technique or method by which the medication is to be administered.

2.1.488 Properties

FHIR MedicationStatement.dosage.method

 Used by 0 transactions, 0 templates, inherited once



Dose directions description

prsb03-dataelement-12724

Id prsb03-dataelement-12724 (2019-11-19 17:33:50)

Concept inherits from  prsb03-dataelement-12667 (2019-11-19 17:11:10)

Description Describes the entire medication dosage and administration directions including dose quantity and medication frequency and optionally duration e.g. "1 tablet at night" or "2mg at 10pm".

2.1.489 Properties

FHIR MedicationStatement.dosage.text

Operationalization Free text

Value Domain

Property

max length

150

🕒 Used by 0 transactions, 0 templates, inherited once

✖ Dose amount description

prsb03-dataelement-12725

Id prsb03-dataelement-12725 (2019-11-19 17:33:50)

Concept inherits from ✎ *prsb03-dataelement-12668* (2019-11-19 17:11:10)

Description A description of the medication single dose amount e.g. "30 mg" or "2 tabs".

2.1.490 Properties

FHIR MedicationStatement.dosage.text

Operationalization Free text

Value Domain

🕒 Used by 0 transactions, 0 templates, inherited once

✖ Dose timing description

prsb03-dataelement-12726

Id prsb03-dataelement-12726 (2019-11-19 17:33:50)

Concept inherits from ✎ *prsb03-dataelement-12669* (2019-11-19 17:11:10)

Description A description of the frequency of taking or administration of a medication dose. e.g. "Twice a day", "At 8am, 2pm and 10pm".

2.1.491 Properties

FHIR MedicationStatement.dosage.timing [a complex data type that holds lots of timing formats]

Operationalization Free text

Value Domain

🕒 Used by 0 transactions, 0 templates, inherited once

 Parsable dose directions	prsb03-dataelement-12727		
Id	prsb03-dataelement-12727 (2019-11-19 17:33:50)		
Concept inherits from	 prsb03-dataelement-12670 (2019-11-19 17:11:10)		
Description	A parsable 'dose syntax' which carries dose strength, dose timing, dose duration and maximum dose information, e.g. "20-30mg ^4/6h prn [180mg /24h]" = 20 to 30 mgs, up to 4-6 hourly as required. Maximum 180mg in 24 hours. The 'as required reason' e.g. 'for pain' should be carried in the Additional Instruction element. Note that this is generally a symptom and is not the same as the Indication which will usually describe a diagnosis or condition. Where supported, this would generally be used to exchange dosage information between systems, while Structured dose directions are likely to be used only within openEHR-based systems		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>150</td> </tr> </table>	max length	150
max length			
150			
 Used by	0 transactions, 0 templates, inherited once		

 Structured dose direction cluster	prsb03-dataelement-12728
Id	prsb03-dataelement-12728 (2019-11-19 17:33:50)
Concept inherits from	 prsb03-dataelement-12671 (2019-11-19 17:11:10)
Description	A structural representation of the elements carried by the dose syntax in 'parsable dose strength / timing' i.e. dose strength, dose timing, dose duration and maximum dose.

 Used by 0 transactions, 0 templates, inherited once

 Structured dose direction	prsb03-dataelement-12729
Id	prsb03-dataelement-12729 (2019-11-19 17:33:50)
Concept inherits from	 prsb03-dataelement-12672 (2019-11-19 17:11:10)
Description	A structural representation of the elements carried by the dose syntax in 'parsable dose strength / timing' i.e. dose strength, dose timing, dose duration and maximum dose.
Operationalization	As per FHIR Dose Syntax Implementation Guidance (NHS Digital): https://developer.nhs.uk/apis/dose-syntax-implementation/
Value Domain	
 Used by	0 transactions, 0 templates, inherited once

 Structured dose amount

prsb03-dataelement-12730

Id	prsb03-dataelement-12730 (2019-11-19 17:33:50)
Concept inherits from	 prsb03-dataelement-12673 (2019-11-19 17:11:10)
Description	A structural representation of dose amount, e.g. 20mg or 2 tablets. This element will generally only be used when persisting data within systems with 'parsable dose directions' being used to exchange the same information between systems.
Operationalization	As per FHIR Dose Syntax Implementation Guidance (NHS Digital): https://simplifier.net/guide/DoseSyntaxImplementationGuidanceforFHIRR4/Home
Value Domain	
Used by	0 transactions, 0 templates, inherited once

 Structured dose timing

prsb03-dataelement-12731

Id	prsb03-dataelement-12731 (2019-11-19 17:33:50)
Concept inherits from	 prsb03-dataelement-12674 (2019-11-19 17:11:10)
Description	A slot containing a structural, computable representation of dose timing and maximum dose. This element will generally only be used when persisting data within systems with 'parsable dose directions' being used to exchange the same information between systems.
Operationalization	As per FHIR Dose Syntax Implementation Guidance (NHS Digital): https://simplifier.net/guide/DoseSyntaxImplementationGuidanceforFHIRR4/Home
Value Domain	
Used by	0 transactions, 0 templates, inherited once

 Dose direction duration

prsb03-dataelement-12732

Id	prsb03-dataelement-12732 (2019-11-19 17:33:50)
Concept inherits from	 prsb03-dataelement-12675 (2019-11-19 17:11:10)
Description	Recommendation of the time period for which the medication should be continued, including direction not to discontinue.

2.1.492 Properties

For coded information use MedicationStatement.dosage.additionalInstruction If no codes exist use MedicationStatement.dosage.additionalInstruction CodeableConcept.text Duration goes in FHIR MedicationStatement.effective[x].effectivePeriod 12/01/2018 MS.dosage.timing.bounds create another option "boundsCodeableConcept" to hold Continue Indef; Do not disconue; Stop When course complete MS.dosage.timing.bounds.duration to hold the duration For primary care always in dosage string

Operationalization	As per FHIR Dose Syntax Implementation Guidance (NHS Digital): https://simplifier.net/guide/DoseSyntaxImplementationGuidanceforFHIRR4/Home
--------------------	--

Value Domain

 Used by 0 transactions, 0 templates, inherited once

 Prescribed quantity

prsb03-dataelement-12733

Id prsb03-dataelement-12733 (2019-11-19 17:33:50)

Concept inherits from  prsb03-dataelement-12701 (2019-11-19 17:22:14)

Description Medication quantity prescribed

Value Domain

 Used by 0 transactions, 0 templates, inherited once

 Date started

prsb03-dataelement-12763

Id prsb03-dataelement-12763 (2019-11-19 17:40:42)

Description This is when the medication was first prescribed.

Value Domain

Property 

at least day, month and year

 Used by 0 transactions, 0 templates, inherited once

 Authorised date

prsb03-dataelement-12734

Id prsb03-dataelement-12734 (2019-11-19 17:33:50)

Concept inherits from  prsb03-dataelement-12702 (2019-11-19 17:23:30)

Description Date prescriber created prescription

Operationalization Date and Time

Value Domain

 Used by 0 transactions, 0 templates, inherited once


prsb03-dataelement-12735

Id prsb03-dataelement-12735 (2019-11-19 17:33:50)

Concept inherits from  prsb03-dataelement-12703 (2019-11-19 17:24:54)

Value Domain	
⌚ Used by	0 transactions, 0 templates, inherited once

🟡 Valid from date	prsb03-dataelement-12736
-------------------	--------------------------

Id	prsb03-dataelement-12736 (2019-11-19 17:33:50)
Concept inherits from	🟡 prsb03-dataelement-12704 (2019-11-19 17:24:55)
Description	Date the prescription can be issued from. Valid for 6 months
Operationalization	Date and Time
Value Domain	
⌚ Used by	0 transactions, 0 templates, inherited once

🟡 Number of issues permissible	prsb03-dataelement-12764
--------------------------------	--------------------------

Id	prsb03-dataelement-12764 (2019-11-19 17:41:55)
Description	The number of repeat issues permissible
Value Domain	
⌚ Used by	0 transactions, 0 templates, inherited once

🟡 Number of issues made	prsb03-dataelement-12765
-------------------------	--------------------------

Id	prsb03-dataelement-12765 (2019-11-19 17:43:17)
Description	The number of repeats already issued
Value Domain	
⌚ Used by	0 transactions, 0 templates, inherited once

🟡 Valid to date	prsb03-dataelement-12766
-----------------	--------------------------

Id	prsb03-dataelement-12766 (2019-11-19 17:44:06)
Description	Date the prescription is valid to
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p style="text-align: center;">at least day, month and year</p>
⌚ Used by	0 transactions, 0 templates, inherited once

 Indication	prsb03-dataelement-12737		
Id	prsb03-dataelement-12737 (2019-11-19 17:33:50)		
Concept inherits from	 prsb03-dataelement-12705 (2019-11-19 17:26:09)		
Description	The clinical indication for any changes in medication status		
Operationalization	Free text		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>150</td> </tr> </table>	max length	150
max length			
150			
⌚ Used by	0 transactions, 0 templates, inherited once		

 Additional instructions	prsb03-dataelement-12738
Id	prsb03-dataelement-12738 (2019-11-19 17:33:50)
Concept inherits from	 prsb03-dataelement-12676 (2019-11-19 17:11:10)
Description	Allows for: requirements for adherence support, e.g. compliance aids, prompts and packaging requirements, additional information about specific medicines e.g. where specific brand required, person requirements, e.g. unable to swallow tablets.

2.1.493 Properties

Specific patient instruction use MedicationStatement.dosage.patientInstruction For narrative instructions FHIR (e.g. monitoring, pain, prevention) use MedicationStatement.note For dispensing instructions (EPS narrative) use MedicationRequest.note (intent "order" or "plan")

Operationalization FHIR value set : - Additional instruction

Value Domain

⌚ Used by 0 transactions, 0 templates, inherited once

 Request for advice	prsb03-dataelement-12739
Id	prsb03-dataelement-12739 (2019-11-19 17:33:50)
Concept inherits from	 prsb03-dataelement-12677 (2019-11-19 17:11:10)
Description	Request for advice and recommendation about medication
Operationalization	Free text
Value Domain	

Property

max length

150

◉ Used by

0 transactions, 0 templates, inherited once

🟡 Request dispensed

prsb03-dataelement-12767

Id

prsb03-dataelement-12767 (2019-11-19 17:45:17)

Description

This is an indicator as to whether the item will be repeat dispensed by pharmacy

Operationalization

Repeat dispense by pharmacy, not repeat dispense by pharmacy.

Value Domain

◉ Used by

0 transactions, 0 templates, inherited once

✖ Person completing record

prsb03-dataelement-12740

Id

prsb03-dataelement-12740 (2019-11-19 17:33:50)

Concept inherits from

✖ prsb03-dataelement-12678 (2019-11-19 17:11:10)

Description

This is the person recording the medication.

Should include their name, role, grade, specialty, organisation, professional identifier, date and time completed, contact details

Relationship

Person completing record (*prsb03-dataelement-10860 - 2019-03-27 17:46:45*)

Operationalization

Free text. Name, Role, Grade, Specialty, Organisation, Professional identifier, Date and time completed, Contact details

Value Domain

◉ Used by

0 transactions, 0 templates, inherited once

📁 ✖ Course details cluster

prsb03-dataelement-12741

Id

prsb03-dataelement-12741 (2019-11-19 17:33:50)

Concept inherits from

✖ prsb03-dataelement-12679 (2019-11-19 17:11:10)

Description

Details of the overall course of medication.

◉ Used by

0 transactions, 0 templates, inherited once

✖ Course status

	prsb03-dataelement-12742 (2019-11-19 17:33:50)
Id	prsb03-dataelement-12742 (2019-11-19 17:33:50)
Concept inherits from	☒ prsb03-dataelement-12680 (2019-11-19 17:11:10)
Description	The status of this prescription.
Operationalization	FHIR value set : - Medication status
Value Domain	
⌚ Used by	0 transactions, 0 templates, inherited once

☒ Indication	prsb03-dataelement-12743
Id	prsb03-dataelement-12743 (2019-11-19 17:33:50)
Concept inherits from	☒ prsb03-dataelement-12681 (2019-11-19 17:11:10)
Description	Reason for medication being prescribed, where known.
2.1.494 Properties	
FHIR	MedicationStatement.reasonCode
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> max length 150 </div>
⌚ Used by	0 transactions, 0 templates, inherited once

☒ Start date/time	prsb03-dataelement-12744
Id	prsb03-dataelement-12744 (2019-11-19 17:33:50)
Concept inherits from	☒ prsb03-dataelement-12682 (2019-11-19 17:11:10)
Description	The date and/or time that the medication course should begin.
Operationalization	Date and time
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> Timestamp precision at least day, month and year, hour and minute </div>
⌚ Used by	0 transactions, 0 templates, inherited once

 End date/time	prsb03-dataelement-12745
Id	prsb03-dataelement-12745 (2019-11-19 17:33:50)
Concept inherits from	 prsb03-dataelement-12683 (2019-11-19 17:11:10)
Description	The date and/or time that the medication course should finish.
Operationalization	Date and time
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>
 Used by	0 transactions, 0 templates, inherited once
 Link to indication record	prsb03-dataelement-12746
Id	prsb03-dataelement-12746 (2019-11-19 17:33:50)
Concept inherits from	 prsb03-dataelement-12684 (2019-11-19 17:11:10)
Description	A link to the record which contains the indication for this medication order.
Operationalization	Free text with URL
Value Domain	
Property	<p style="text-align: center;">max length</p> <p>150</p>
 Used by	0 transactions, 0 templates, inherited once
 Comment/recommendation	prsb03-dataelement-12747
Id	prsb03-dataelement-12747 (2019-11-19 17:33:50)
Concept inherits from	 prsb03-dataelement-12685 (2019-11-19 17:11:10)
Description	Suggestions about duration and/or review, ongoing monitoring requirements, advice on starting, discontinuing or changing medication. Additional comment or recommendation about the medication course e.g. 'Patient named supply', 'unlicensed medication', 'Foreign brand' or monitoring recommendations
2.1.495 Properties	
FHIR [JH]	This will be dropped from the PRSB information model, as conflicts with description above
Operationalization	Free text

Value Domain	
Property	<p style="text-align: center;">max length</p> <p style="text-align: center;">150</p>
Used by	0 transactions, 0 templates, inherited once

Medication change summary cluster

prsb03-dataelement-12748

Id	prsb03-dataelement-12748 (2019-11-19 17:33:50)
Concept inherits from	prsb03-dataelement-12686 (2019-11-19 17:11:10)
Description	Records the changes made to medication.
Used by	0 transactions, 0 templates, inherited once

Status

prsb03-dataelement-12749

Id	prsb03-dataelement-12749 (2019-11-19 17:33:50)
Concept inherits from	prsb03-dataelement-12687 (2019-11-19 17:11:10)
Description	The nature of any change made to the medication.
Operationalization	FHIR value set : Medication status
Value Domain	
Used by	0 transactions, 0 templates, inherited once

Indication

prsb03-dataelement-12750

Id	prsb03-dataelement-12750 (2019-11-19 17:33:50)
Concept inherits from	prsb03-dataelement-12688 (2019-11-19 17:11:10)
Description	Reason for change in medication, e.g. sub-therapeutic dose, person intolerant.
Operationalization	Free text
Value Domain	
Property	<p style="text-align: center;">max length</p> <p style="text-align: center;">150</p>
Used by	0 transactions, 0 templates, inherited once

Date of change

	prsb03-dataelement-12751 (2019-11-19 17:33:50)
Concept inherits from	 prsb03-dataelement-12689 (2019-11-19 17:11:10)
Description	The date of the change - addition, or amendment
Operationalization	Date and time
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>
Used by	0 transactions, 0 templates, inherited once

 Description of amendment	prsb03-dataelement-12752
Id	prsb03-dataelement-12752 (2019-11-19 17:33:50)
Concept inherits from	 prsb03-dataelement-12690 (2019-11-19 17:11:10)
Description	Where a change is made to the medication i.e. one drug stopped and another started or eg dose, frequency or route is changed.
Operationalization	Free text
Value Domain	
Property	<p style="text-align: center;">max length</p> <p>150</p>
Used by	0 transactions, 0 templates, inherited once

 Total dose daily quantity	prsb03-dataelement-12753
Id	prsb03-dataelement-12753 (2019-11-19 17:33:50)
Concept inherits from	 prsb03-dataelement-12691 (2019-11-19 17:11:10)
Description	The total daily dose of this medication. This is helpful for estimating optimal adherence to dosing guidance. It may be computed from product/dose strength and frequency or entered manually.
Operationalization	Free text
Value Domain	
Used by	0 transactions, 0 templates, inherited once

  Person completing record	
--	--

		prsb03-dataelement-12754
Id	prsb03-dataelement-12754 (2019-11-19 17:33:50)	
Concept inherits from	☒ prsb03-dataelement-12692 (2019-11-19 17:11:10)	
Description	Details of the person completing the record.	
Relationship	Person completing record (<i>prsb03-dataelement-319 - 2018-10-31</i>)	
◎ Used by	0 transactions, 0 templates, inherited once	
☒ Name		prsb03-dataelement-12755
Id	prsb03-dataelement-12755 (2019-11-19 17:33:50)	
Concept inherits from	☒ prsb03-dataelement-12693 (2019-11-19 17:11:10)	
Description	The name of the person completing the record.	
Relationship	Name (<i>prsb03-dataelement-10219 - 2018-10-31</i>)	
Rationale	Composition.author.Practitioner.name	
Operationalization	Free text.	
Value Domain		
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 70 </div>	
◎ Used by	0 transactions, 0 templates, inherited once	
☒ Role		prsb03-dataelement-12756
Id	prsb03-dataelement-12756 (2019-11-19 17:33:50)	
Concept inherits from	☒ prsb03-dataelement-12694 (2019-11-19 17:11:10)	
Description	The organisational role of the person completing record.	
2.1.496 Properties		
FHIR	PractitionerRole.code of the practitioner completing the record	
Relationship	Role (<i>prsb03-dataelement-10220 - 2018-10-31</i>)	
Rationale	Composition.author.PractitionerRole.code	
Operationalization	FHIR value set :- SDSjobrole	
Value Domain		
◎ Used by	0 transactions, 0 templates, inherited once	

 Grade	prsb03-dataelement-12757
Id	prsb03-dataelement-12757 (2019-11-19 17:33:50)
Concept inherits from	 prsb03-dataelement-12695 (2019-11-19 17:11:10)
Description	The grade of the person completing the record.
Relationship	Grade (<i>prsb03-dataelement-10221 - 2018-10-31</i>)
Rationale	PractitionerRole.code
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 150 </div>
 Used by	0 transactions, 0 templates, inherited once
 Specialty	prsb03-dataelement-12758
Id	prsb03-dataelement-12758 (2019-11-19 17:33:50)
Concept inherits from	 prsb03-dataelement-12696 (2019-11-19 17:11:10)
Description	The main specialty of the person completing the record.
2.1.497 Properties	
FHIR	PractitionerRole.specialty
Relationship	Specialty (<i>prsb03-dataelement-10222 - 2018-10-31</i>)
Rationale	PractitionerRole.specialty
Operationalization	NHS data dictionary :- Activity treatment function code
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 3 </div>
 Used by	0 transactions, 0 templates, inherited once
 Organisation	prsb03-dataelement-12759
Id	prsb03-dataelement-12759 (2019-11-19 17:33:50)

Concept inherits from	 prsb03-dataelement-12697 (2019-11-19 17:11:10)
Description	The organisation the person completing the record works for.
Relationship	Organisation (<i>prsb03-dataelement-10226 - 2018-10-31</i>)
Used by	0 transactions, 0 templates, inherited once

 Professional identifier

prsb03-dataelement-12760

Id	prsb03-dataelement-12760 (2019-11-19 17:33:50)
Concept inherits from	 prsb03-dataelement-12698 (2019-11-19 17:11:10)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.498 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship	Professional identifier (<i>prsb03-dataelement-10223 - 2018-10-31</i>)		
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)		
Operationalization	NHS data dictionary :- Professional registration identifier		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>32</td> </tr> </table>	max length	32
max length			
32			
Used by	0 transactions, 0 templates, inherited once		

 Date completed

prsb03-dataelement-12761

Id	prsb03-dataelement-12761 (2019-11-19 17:33:50)	
Concept inherits from	 prsb03-dataelement-12699 (2019-11-19 17:11:10)	
Description	The date and time the record was completed.	
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)	
Rationale	Composition.date	
Operationalization	Date and time.	
Value Domain		
Property	<table border="1"> <tr> <td>Timestamp precision</td> </tr> </table>	Timestamp precision
Timestamp precision		

	at least day, month and year, hour and minute
⌚ Used by	0 transactions, 0 templates, inherited once
 Contact details	prsb03-dataelement-12762
Id	prsb03-dataelement-12762 (2019-11-19 17:33:50)
Concept inherits from	 prsb03-dataelement-12700 (2019-11-19 17:11:10)
Description	Contact details of the person completing the record.
2.1.499 Properties	
FHIR	PractitionerRole.telecom
Relationship	Contact details (<i>prsb03-dataelement-10225 - 2018-10-31</i>)
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom
Operationalization	NHS data dictionary : - UK telephone number
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 35 </div>
⌚ Used by	0 transactions, 0 templates, inherited once
 Discontinued medications	prsb03-dataelement-12768
Id	prsb03-dataelement-12768 (2019-11-19 17:50:19)
Description	This is the sub-section where all discontinued repeat medications are recorded.
 Discontinued medication extraction period	prsb03-dataelement-12769
Id	prsb03-dataelement-12769 (2019-11-19 17:51:54)
Description	Date range of discontinued medications
Operationalization	Discontinued Medications (For the <X> month period <dd-Mmm-yyyy> to <dd-Mmm-yyyy>)
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> Timestamp precision at least day, month and year </div>

 Medication item cluster	prsb03-dataelement-12770
Id	prsb03-dataelement-12770 (2019-11-19 17:56:27)
Description	Medication item cluster
Relationship	Medication item cluster (<i>prsb03-dataelement-12706 - 2019-11-19 17:33:23</i>)
 Date	prsb03-dataelement-12832
Id	prsb03-dataelement-12832 (2019-11-19 17:57:19)
Concept inherits from	 <i>prsb03-dataelement-12707 (2019-11-19 17:33:50)</i>
Description	The date on which the medication or medical device was prescribed.
Operationalization	Date and time
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>
 Used by	0 transactions, 0 templates, inherited once
 Location	prsb03-dataelement-12833
Id	prsb03-dataelement-12833 (2019-11-19 17:57:19)
Concept inherits from	 <i>prsb03-dataelement-12708 (2019-11-19 17:33:50)</i>
Description	The location where the medication or the medical device was prescribed.
 Used by	0 transactions, 0 templates, inherited once
 Performing professional	prsb03-dataelement-12834
Id	prsb03-dataelement-12834 (2019-11-19 17:57:19)
Concept inherits from	 <i>prsb03-dataelement-12709 (2019-11-19 17:33:50)</i>
Description	Details of the professional prescribing the medication or medical device.
Value Domain	
 Used by	0 transactions, 0 templates, inherited once
 Performing professional	prsb03-dataelement-12835
Id	prsb03-dataelement-12835 (2019-11-19 17:57:19)

Concept inherits from	 prsb03-dataelement-12710 (2019-11-19 17:33:50)
Description	The professional who prescribed the medication or medical device.
Relationship	Performing professional (<i>prsb03-dataelement-11281 - 2019-05-30 11:53:30</i>)
Used by	0 transactions, 0 templates, inherited once

 Name

prsb03-dataelement-12836

Id	prsb03-dataelement-12836 (2019-11-19 17:57:19)
Concept inherits from	 prsb03-dataelement-12711 (2019-11-19 17:33:50)
Description	The name of the professional.
Rationale	Practitioner.name
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 70 </div>
Used by	0 transactions, 0 templates, inherited once

 Role

prsb03-dataelement-12837

Id	prsb03-dataelement-12837 (2019-11-19 17:57:19)
Concept inherits from	 prsb03-dataelement-12712 (2019-11-19 17:33:50)
Description	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc
Rationale	Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobroletype
Value Domain	
Used by	0 transactions, 0 templates, inherited once

 Grade

prsb03-dataelement-12838

Id	prsb03-dataelement-12838 (2019-11-19 17:57:19)
Concept inherits from	 prsb03-dataelement-12713 (2019-11-19 17:33:50)
Description	The grade of the professional.

Rationale	PractitionerRole.code
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; text-align: center;"> max length 150 </div>
Used by	0 transactions, 0 templates, inherited once

 Speciality	prsb03-dataelement-12839
Id	prsb03-dataelement-12839 (2019-11-19 17:57:19)
Concept inherits from	 prsb03-dataelement-12714 (2019-11-19 17:33:50)
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc
Rationale	PractitionerRole.speciality
Operationalization	NHS data dictionary - Activity treatment function code
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; text-align: center;"> max length 3 </div>
Used by	0 transactions, 0 templates, inherited once

 Professional identifier	prsb03-dataelement-12840
Id	prsb03-dataelement-12840 (2019-11-19 17:57:19)
Concept inherits from	 prsb03-dataelement-12715 (2019-11-19 17:33:50)
Description	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.
Rationale	Practitioner.identifier (for professional national identifiers), PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary : - Professional registration identifier
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; text-align: center;"> max length 32 </div>
Used by	0 transactions, 0 templates, inherited once



Organisation

prsb03-dataelement-12841

Id

prsb03-dataelement-12841 (2019-11-19 17:57:19)

Concept inherits from

prsb03-dataelement-12716 (2019-11-19 17:33:50)

Description

The name of the organisation the professional works for.

Used by

0 transactions, 0 templates, inherited once



Contact details

prsb03-dataelement-12842

Id

prsb03-dataelement-12842 (2019-11-19 17:57:19)

Concept inherits from

prsb03-dataelement-12717 (2019-11-19 17:33:50)

Description

Contact details of the professional

Rationale

Practitioner.telecom
PractitionerRole.telecom
Organisation.telcom

Operationalization

NHS data dictionary - UK phone number

Value Domain

Property

max length

35

Used by

0 transactions, 0 templates, inherited once



Medication name

prsb03-dataelement-12843

Id

prsb03-dataelement-12843 (2019-11-19 17:57:19)

Concept inherits from

prsb03-dataelement-12718 (2019-11-19 17:33:50)

Description

May be generic name or brand name.

2.1.500 Properties

MedicationStatement.medication[x].medication CodableConcept
 MedicationStatement.medication[x].medicationReference (see Medication) (Systems should send as much details as they can. dm+d code can be sent as a simple code/description pair using CodeableConcept, or as a detailed medication record)

Used by

0 transactions, 0 templates, inherited once



Form

prsb03-dataelement-12844

Id	prsb03-dataelement-12844 (2019-11-19 17:57:19)
Concept inherits from	 prsb03-dataelement-12719 (2019-11-19 17:33:50)
Description	The form of the medication e.g. capsule, drops, tablet, lotion etc.

2.1.501 Properties

FHIR MedicationStatement.medication[x].medicationReference.medication.form (i.e. form is on the medication profile). Where VTM has form specified (coded) it goes here AMP & VMP don't need separate Form (it is optional to populate) For VTM the form could be in MedicationStatement.dosage.text (as it would be part of a dosage string) i.e. not a separately specified code

 Used by	0 transactions, 0 templates, inherited once
---	---

Quantity supplied

prsb03-dataelement-12845

Id	prsb03-dataelement-12845 (2019-11-19 17:57:19)
Concept inherits from	 prsb03-dataelement-12720 (2019-11-19 17:33:50)
Description	The quantity of the medication (e.g. tablets, inhalers, etc.) provided to the person. This may be dispensed by the pharmacy or on the ward. Record in a structured format i.e. value and a unit

2.1.502 Properties

FHIR MedicationStatement.quantityDispensed (Amount of medication to supply per dispense) quantity (as a valueQuantity) - Mandatory quantityText (as a valueString) - Mandatory

Operationalization	Free text
 Used by	0 transactions, 0 templates, inherited once

Route

prsb03-dataelement-12846

Id	prsb03-dataelement-12846 (2019-11-19 17:57:19)
Concept inherits from	 prsb03-dataelement-12721 (2019-11-19 17:33:50)
Description	The route by which the medication is administered e.g. oral, IM, IV

2.1.503 Properties

FHIR MedicationStatement.dosage.route

 Used by	0 transactions, 0 templates, inherited once
---	---

Site

prsb03-dataelement-12847

Id	prsb03-dataelement-12847 (2019-11-19 17:57:19)
Concept inherits from	🟡 prsb03-dataelement-12722 (2019-11-19 17:33:50)
Description	The anatomical site at which the medication is to be administered.

2.1.504 Properties

FHIR MedicationStatement.dosage.site

⌚ Used by 0 transactions, 0 templates, inherited once

📁 🟡 Method	prsb03-dataelement-12848
------------	--------------------------

Id	prsb03-dataelement-12848 (2019-11-19 17:57:19)
Concept inherits from	🟡 prsb03-dataelement-12723 (2019-11-19 17:33:50)
Description	The technique or method by which the medication is to be administered.

2.1.505 Properties

FHIR MedicationStatement.dosage.method

⌚ Used by 0 transactions, 0 templates, inherited once

✖ Dose directions description	prsb03-dataelement-12849
-------------------------------	--------------------------

Id	prsb03-dataelement-12849 (2019-11-19 17:57:19)
Concept inherits from	✖ prsb03-dataelement-12724 (2019-11-19 17:33:50)
Description	Describes the entire medication dosage and administration directions including dose quantity and medication frequency and optionally duration e.g. "1 tablet at night" or "2mg at 10pm".

2.1.506 Properties

FHIR MedicationStatement.dosage.text

Operationalization Free text

Value Domain

Property

max length

150

⌚ Used by 0 transactions, 0 templates, inherited once

✖ Dose amount description

prsb03-dataelement-12850

Id	prsb03-dataelement-12850 (2019-11-19 17:57:19)
Concept inherits from	☒ prsb03-dataelement-12725 (2019-11-19 17:33:50)
Description	A description of the medication single dose amount e.g. "30 mg" or "2 tabs".

2.1.507 Properties

FHIR MedicationStatement.dosage.text

Operationalization Free text

Value Domain

🕒 Used by 0 transactions, 0 templates, inherited once

☒ Dose timing description

prsb03-dataelement-12851

Id	prsb03-dataelement-12851 (2019-11-19 17:57:19)
Concept inherits from	☒ prsb03-dataelement-12726 (2019-11-19 17:33:50)
Description	A description of the frequency of taking or administration of a medication dose. e.g. "Twice a day", "At 8am, 2pm and 10pm".

2.1.508 Properties

FHIR MedicationStatement.dosage.timing [a complex data type that holds lots of timing formats]

Operationalization Free text

Value Domain

🕒 Used by 0 transactions, 0 templates, inherited once

☒ Parsable dose directions

prsb03-dataelement-12852

Id	prsb03-dataelement-12852 (2019-11-19 17:57:19)
Concept inherits from	☒ prsb03-dataelement-12727 (2019-11-19 17:33:50)
Description	A parsable 'dose syntax' which carries dose strength, dose timing, dose duration and maximum dose information, e.g. "20-30mg ^4/6h prn [180mg /24h]" = 20 to 30 mgs, up to 4-6 hourly as required. Maximum 180mg in 24 hours. The 'as required reason' e.g. 'for pain' should be carried in the Additional Instruction element. Note that this is generally a symptom and is not the same as the Indication which will usually describe a diagnosis or condition. Where supported, this would generally be used to exchange dosage information between systems, while Structured dose directions are likely to be used only within openEHR-based systems
Value Domain	

Property	max length
	150
◎ Used by	0 transactions, 0 templates, inherited once

 	Structured dose direction cluster	prsb03-dataelement-12853
---	-----------------------------------	--------------------------

Id	prsb03-dataelement-12853 (2019-11-19 17:57:19)
Concept inherits from	 <i>prsb03-dataelement-12728 (2019-11-19 17:33:50)</i>
Description	A structural representation of the elements carried by the dose syntax in 'parsable dose strength / timing' i.e. dose strength, dose timing, dose duration and maximum dose.
◎ Used by	0 transactions, 0 templates, inherited once

	Structured dose direction	prsb03-dataelement-12854
---	---------------------------	--------------------------

Id	prsb03-dataelement-12854 (2019-11-19 17:57:19)
Concept inherits from	 <i>prsb03-dataelement-12729 (2019-11-19 17:33:50)</i>
Description	A structural representation of the elements carried by the dose syntax in 'parsable dose strength / timing' i.e. dose strength, dose timing, dose duration and maximum dose.
Operationalization	As per FHIR Dose Syntax Implementation Guidance (NHS Digital): https://developer.nhs.uk/apis/dose-syntax-implementation/
Value Domain	
◎ Used by	0 transactions, 0 templates, inherited once

	Structured dose amount	prsb03-dataelement-12855
---	------------------------	--------------------------

Id	prsb03-dataelement-12855 (2019-11-19 17:57:19)
Concept inherits from	 <i>prsb03-dataelement-12730 (2019-11-19 17:33:50)</i>
Description	A structural representation of dose amount, e.g. 20mg or 2 tablets. This element will generally only be used when persisting data within systems with 'parsable dose directions' being used to exchange the same information between systems.
Operationalization	As per FHIR Dose Syntax Implementation Guidance (NHS Digital): https://simplifier.net/guide/DoseSyntaxImplementationGuidanceforFHIRR4/Home
Value Domain	
◎ Used by	0 transactions, 0 templates, inherited once

 Structured dose timing

prsb03-dataelement-12856

Id	prsb03-dataelement-12856 (2019-11-19 17:57:19)
Concept inherits from	 prsb03-dataelement-12731 (2019-11-19 17:33:50)
Description	A slot containing a structural, computable representation of dose timing and maximum dose. This element will generally only be used when persisting data within systems with 'parsable dose directions' being used to exchange the same information between systems.
Operationalization	As per FHIR Dose Syntax Implementation Guidance (NHS Digital): https://simplifier.net/guide/DoseSyntaxImplementationGuidanceforFHIRR4/Home
Value Domain	
Used by	0 transactions, 0 templates, inherited once

 Dose direction duration

prsb03-dataelement-12857

Id	prsb03-dataelement-12857 (2019-11-19 17:57:19)
Concept inherits from	 prsb03-dataelement-12732 (2019-11-19 17:33:50)
Description	Recommendation of the time period for which the medication should be continued, including direction not to discontinue.

2.1.509 Properties

For coded information use MedicationStatement.dosage.additionalInstruction If no codes exist use MedicationStatement.dosage.additionalInstruction CodeableConcept.text Duration goes in FHIR MedicationStatement.effective[x].effectivePeriod 12/01/2018 MS.dosage.timing.bounds create another option "boundsCodeableConcept" to hold Continue Indef; Do not disconue; Stop When course complete MS.dosage.timing.bounds.duration to hold the duration For primary care always in dosage string

Operationalization	As per FHIR Dose Syntax Implementation Guidance (NHS Digital): https://simplifier.net/guide/DoseSyntaxImplementationGuidanceforFHIRR4/Home
--------------------	--

Value Domain

Used by 0 transactions, 0 templates, inherited once

 Prescribed quantity

prsb03-dataelement-12858

Id	prsb03-dataelement-12858 (2019-11-19 17:57:19)
Concept inherits from	 prsb03-dataelement-12733 (2019-11-19 17:33:50)
Description	Medication quantity prescribed
Value Domain	
Used by	0 transactions, 0 templates, inherited once

 Date started	prsb03-dataelement-12859
--	--------------------------

Id prsb03-dataelement-12859 (2019-11-19 17:57:19)

Concept inherits from  prsb03-dataelement-12763 (2019-11-19 17:40:42)

Description This is when the medication was first prescribed.

Value Domain

Property

Timestamp precision

at least day, month and year

 Used by 0 transactions, 0 templates, inherited once

 Date discontinued	prsb03-dataelement-12893
---	--------------------------

Id prsb03-dataelement-12893 (2019-11-19 18:02:44)

Description This is when the medication was stopped.

Operationalization Date/time

Value Domain

Property

Timestamp precision

at least day, month and year

 Used by 0 transactions, 0 templates, inherited once

 Authorised date	prsb03-dataelement-12860
---	--------------------------

Id prsb03-dataelement-12860 (2019-11-19 17:57:19)

Concept inherits from  prsb03-dataelement-12734 (2019-11-19 17:33:50)

Description Date prescriber created prescription

Operationalization Date and Time

Value Domain

 Used by 0 transactions, 0 templates, inherited once

 Authorised date	prsb03-dataelement-12861
---	--------------------------

Id prsb03-dataelement-12861 (2019-11-19 17:57:19)

Concept inherits from  prsb03-dataelement-12735 (2019-11-19 17:33:50)

Value Domain

Used by

0 transactions, 0 templates, inherited once

 Valid from date

prsb03-dataelement-12862

Id

prsb03-dataelement-12862 (2019-11-19 17:57:19)

Concept inherits from

 prsb03-dataelement-12736 (2019-11-19 17:33:50)

Description

Date the prescription can be issued from. Valid for 6 months

Operationalization

Date and Time

Value Domain

Used by

0 transactions, 0 templates, inherited once

 Number of issues permissible

prsb03-dataelement-12863

Id

prsb03-dataelement-12863 (2019-11-19 17:57:19)

Concept inherits from

 prsb03-dataelement-12764 (2019-11-19 17:41:55)

Description

The number of repeat issues permissible

Value Domain

Used by

0 transactions, 0 templates, inherited once

 Number of issues made

prsb03-dataelement-12864

Id

prsb03-dataelement-12864 (2019-11-19 17:57:19)

Concept inherits from

 prsb03-dataelement-12765 (2019-11-19 17:43:17)

Description

The number of repeats already issued

Value Domain

Used by

0 transactions, 0 templates, inherited once

 Valid to date

prsb03-dataelement-12865

Id

prsb03-dataelement-12865 (2019-11-19 17:57:19)

Concept inherits from

 prsb03-dataelement-12766 (2019-11-19 17:44:06)

Description

Date the prescription is valid to

Value Domain

Property	Timestamp precision
	at least day, month and year
⌚ Used by	0 transactions, 0 templates, inherited once

🟡 Indication	prsb03-dataelement-12866
--------------	--------------------------

Id	prsb03-dataelement-12866 (2019-11-19 17:57:19)
Concept inherits from	🟡 <i>prsb03-dataelement-12737</i> (2019-11-19 17:33:50)
Description	The clinical indication for any changes in medication status
Operationalization	Free text
Value Domain	
Property	max length
	150
⌚ Used by	0 transactions, 0 templates, inherited once

🟡 Reason for discontinuation	prsb03-dataelement-12894
------------------------------	--------------------------

Id	prsb03-dataelement-12894 (2019-11-19 18:10:11)
Description	Reason medication was discontinued
Operationalization	Free text
Value Domain	
⌚ Used by	0 transactions, 0 templates, inherited once

🟡 Additional instructions	prsb03-dataelement-12867
---------------------------	--------------------------

Id	prsb03-dataelement-12867 (2019-11-19 17:57:19)
Concept inherits from	🟡 <i>prsb03-dataelement-12738</i> (2019-11-19 17:33:50)
Description	Allows for: requirements for adherence support, e.g. compliance aids, prompts and packaging requirements, additional information about specific medicines e.g. where specific brand required, person requirements, e.g. unable to swallow tablets.

2.1.510 Properties

Specific patient instruction use MedicationStatement.dosage.patientInstruction For narrative instructions FHIR (e.g. monitoring, pain, prevention) use MedicationStatement.note For dispensing instructions (EPS narrative) use MedicationRequest.note (intent "order" or "plan")

Operationalization FHIR value set : - Additional instruction

Value Domain

⌚ Used by 0 transactions, 0 templates, inherited once

 Request for advice

prsb03-dataelement-12868

Id	prsb03-dataelement-12868 (2019-11-19 17:57:19)
Concept inherits from	🟡 prsb03-dataelement-12739 (2019-11-19 17:33:50)
Description	Request for advice and recommendation about medication
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 150 </div>
⌚ Used by	0 transactions, 0 templates, inherited once

 Request dispensed

prsb03-dataelement-12869

Id	prsb03-dataelement-12869 (2019-11-19 17:57:19)
Concept inherits from	🟡 prsb03-dataelement-12767 (2019-11-19 17:45:17)
Description	This is an indicator as to whether the item will be repeat dispensed by pharmacy
Operationalization	Repeat dispense by pharmacy, not repeat dispense by pharmacy.
Value Domain	
⌚ Used by	0 transactions, 0 templates, inherited once

 Person completing record


prsb03-dataelement-12870

Id	prsb03-dataelement-12870 (2019-11-19 17:57:19)
Concept inherits from	⌚ prsb03-dataelement-12740 (2019-11-19 17:33:50)
Description	This is the person recording the medication.
	Should include their name, role, grade, specialty, organisation, professional identifier, date and time completed, contact details
Relationship	Person completing record (<i>prsb03-dataelement-10860 - 2019-03-27 17:46:45</i>)

Operationalization Free text. Name, Role, Grade, Specialty, Organisation, Professional identifier, Date and time completed, Contact details

Value Domain

⌚ Used by 0 transactions, 0 templates, inherited once



Course details cluster

prsb03-dataelement-12871

Id prsb03-dataelement-12871 (2019-11-19 17:57:19)

Concept inherits from ✖️ prsb03-dataelement-12741 (2019-11-19 17:33:50)

Description Details of the overall course of medication.

⌚ Used by 0 transactions, 0 templates, inherited once



Course status

prsb03-dataelement-12872

Id prsb03-dataelement-12872 (2019-11-19 17:57:19)

Concept inherits from ✖️ prsb03-dataelement-12742 (2019-11-19 17:33:50)

Description The status of this prescription.

Operationalization FHIR value set : - Medication status

Value Domain

⌚ Used by 0 transactions, 0 templates, inherited once



Indication

prsb03-dataelement-12873

Id prsb03-dataelement-12873 (2019-11-19 17:57:19)

Concept inherits from ✖️ prsb03-dataelement-12743 (2019-11-19 17:33:50)

Description Reason for medication being prescribed, where known.

2.1.511 Properties

FHIR MedicationStatement.reasonCode

Operationalization Free text

Value Domain

Property max length

150

⌚ Used by 0 transactions, 0 templates, inherited once

 Start date/time	prsb03-dataelement-12874
Id	prsb03-dataelement-12874 (2019-11-19 17:57:19)
Concept inherits from	 prsb03-dataelement-12744 (2019-11-19 17:33:50)
Description	The date and/or time that the medication course should begin.
Operationalization	Date and time
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>
 Used by	0 transactions, 0 templates, inherited once
 End date/time	prsb03-dataelement-12875
Id	prsb03-dataelement-12875 (2019-11-19 17:57:19)
Concept inherits from	 prsb03-dataelement-12745 (2019-11-19 17:33:50)
Description	The date and/or time that the medication course should finish.
Operationalization	Date and time
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>
 Used by	0 transactions, 0 templates, inherited once
 Link to indication record	prsb03-dataelement-12876
Id	prsb03-dataelement-12876 (2019-11-19 17:57:19)
Concept inherits from	 prsb03-dataelement-12746 (2019-11-19 17:33:50)
Description	A link to the record which contains the indication for this medication order.
Operationalization	Free text with URL
Value Domain	
Property	<p style="text-align: center;">max length</p> <p>150</p>

 Used by 0 transactions, 0 templates, inherited once

Comment/recommendation

prsb03-dataelement-12877

Id prsb03-dataelement-12877 (2019-11-19 17:57:19)

Concept inherits from  prsb03-dataelement-12747 (2019-11-19 17:33:50)

Description Suggestions about duration and/or review, ongoing monitoring requirements, advice on starting, discontinuing or changing medication. Additional comment or recommendation about the medication course e.g. 'Patient named supply', 'unlicensed medication', 'Foreign brand' or monitoring recommendations

2.1.512 Properties

FHIR [JH] This will be dropped from the PRSB information model, as conflicts with description above

Operationalization Free text

Value Domain

Property

max length

150

 Used by 0 transactions, 0 templates, inherited once

Medication change summary cluster

prsb03-dataelement-12878

Id prsb03-dataelement-12878 (2019-11-19 17:57:19)

Concept inherits from  prsb03-dataelement-12748 (2019-11-19 17:33:50)

Description Records the changes made to medication.

 Used by 0 transactions, 0 templates, inherited once

Status

prsb03-dataelement-12879

Id prsb03-dataelement-12879 (2019-11-19 17:57:19)

Concept inherits from  prsb03-dataelement-12749 (2019-11-19 17:33:50)

Description The nature of any change made to the medication.

Operationalization FHIR value set : Medication status

Value Domain

 Used by 0 transactions, 0 templates, inherited once

 Indication

prsb03-dataelement-12880

Id	prsb03-dataelement-12880 (2019-11-19 17:57:19)
Concept inherits from	 prsb03-dataelement-12750 (2019-11-19 17:33:50)
Description	Reason for change in medication, e.g. sub-therapeutic dose, person intolerant.
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 150 </div>
Used by	0 transactions, 0 templates, inherited once

 Date of change

prsb03-dataelement-12881

Id	prsb03-dataelement-12881 (2019-11-19 17:57:19)
Concept inherits from	 prsb03-dataelement-12751 (2019-11-19 17:33:50)
Description	The date of the change - addition, or amendment
Operationalization	Date and time
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> Timestamp precision at least day, month and year, hour and minute </div>
Used by	0 transactions, 0 templates, inherited once

 Description of amendment

prsb03-dataelement-12882

Id	prsb03-dataelement-12882 (2019-11-19 17:57:19)
Concept inherits from	 prsb03-dataelement-12752 (2019-11-19 17:33:50)
Description	Where a change is made to the medication i.e. one drug stopped and another started or eg dose, frequency or route is changed.
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 150 </div>
Used by	0 transactions, 0 templates, inherited once

 Total dose daily quantity	prsb03-dataelement-12883
Id	prsb03-dataelement-12883 (2019-11-19 17:57:19)
Concept inherits from	 prsb03-dataelement-12753 (2019-11-19 17:33:50)
Description	The total daily dose of this medication. This is helpful for estimating optimal adherence to dosing guidance. It may be computed from product/dose strength and frequency or entered manually.
Operationalization	Free text
Value Domain	
 Used by	0 transactions, 0 templates, inherited once
  Person completing record	prsb03-dataelement-12884
Id	prsb03-dataelement-12884 (2019-11-19 17:57:19)
Concept inherits from	 prsb03-dataelement-12754 (2019-11-19 17:33:50)
Description	Details of the person completing the record.
Relationship	Person completing record (<i>prsb03-dataelement-319 - 2018-10-31</i>)
 Used by	0 transactions, 0 templates, inherited once
 Name	prsb03-dataelement-12885
Id	prsb03-dataelement-12885 (2019-11-19 17:57:19)
Concept inherits from	 prsb03-dataelement-12755 (2019-11-19 17:33:50)
Description	The name of the person completing the record.
Relationship	Name (<i>prsb03-dataelement-10219 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.name
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 70 </div>
 Used by	0 transactions, 0 templates, inherited once
 Role	

	prsb03-dataelement-12886
Id	prsb03-dataelement-12886 (2019-11-19 17:57:19)
Concept inherits from	☒ prsb03-dataelement-12756 (2019-11-19 17:33:50)
Description	The organisational role of the person completing record.

2.1.513 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship Role ([prsb03-dataelement-10220 - 2018-10-31](#))

Rationale Composition.author.Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobrole

Value Domain

🕒 Used by 0 transactions, 0 templates, inherited once

☒ Grade	prsb03-dataelement-12887
Id	prsb03-dataelement-12887 (2019-11-19 17:57:19)
Concept inherits from	☒ prsb03-dataelement-12757 (2019-11-19 17:33:50)
Description	The grade of the person completing the record.
Relationship	Grade (prsb03-dataelement-10221 - 2018-10-31)
Rationale	PractitionerRole.code
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;">max length</div> <div style="border: 1px solid #ccc; padding: 5px; display: inline-block;">150</div>
🕒 Used by	0 transactions, 0 templates, inherited once

☒ Specialty	prsb03-dataelement-12888
Id	prsb03-dataelement-12888 (2019-11-19 17:57:19)
Concept inherits from	☒ prsb03-dataelement-12758 (2019-11-19 17:33:50)
Description	The main specialty of the person completing the record.

2.1.514 Properties

FHIR PractitionerRole.specialty

Relationship	Specialty (<i>prsb03-dataelement-10222 - 2018-10-31</i>)
Rationale	PractitionerRole.speciality
Operationalization	NHS data dictionary :- Activity treatment function code
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; text-align: center;"> max length 3 </div>
Used by	0 transactions, 0 templates, inherited once

  Organisation	prsb03-dataelement-12889
--	--------------------------

Id	prsb03-dataelement-12889 (2019-11-19 17:57:19)
Concept inherits from	 <i>prsb03-dataelement-12759</i> (2019-11-19 17:33:50)
Description	The organisation the person completing the record works for.
Relationship	Organisation (<i>prsb03-dataelement-10226 - 2018-10-31</i>)
Used by	0 transactions, 0 templates, inherited once

 Professional identifier	prsb03-dataelement-12890
---	--------------------------

Id	prsb03-dataelement-12890 (2019-11-19 17:57:19)
Concept inherits from	 <i>prsb03-dataelement-12760</i> (2019-11-19 17:33:50)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.515 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship	Professional identifier (<i>prsb03-dataelement-10223 - 2018-10-31</i>)
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary :- Professional registration identifier
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; text-align: center;"> max length 32 </div>
Used by	0 transactions, 0 templates, inherited once

 Date completed	prsb03-dataelement-12891
Id	prsb03-dataelement-12891 (2019-11-19 17:57:19)
Concept inherits from	 prsb03-dataelement-12761 (2019-11-19 17:33:50)
Description	The date and time the record was completed.
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)
Rationale	Composition.date
Operationalization	Date and time.
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>
 Used by	0 transactions, 0 templates, inherited once
 Contact details	prsb03-dataelement-12892
Id	prsb03-dataelement-12892 (2019-11-19 17:57:19)
Concept inherits from	 prsb03-dataelement-12762 (2019-11-19 17:33:50)
Description	Contact details of the person completing the record.
2.1.516 Properties	
FHIR	PractitionerRole.telecom
Relationship	Contact details (<i>prsb03-dataelement-10225 - 2018-10-31</i>)
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom
Operationalization	NHS data dictionary : - UK telephone number
Value Domain	
Property	<p style="text-align: center;">max length</p> <p>35</p>
 Used by	0 transactions, 0 templates, inherited once
 Prescribed elsewhere	prsb03-dataelement-12895

Id	prsb03-dataelement-12895 (2019-11-20 12:01:16)
Description	Prescribed elsewhere: Medication managed by another organisation
Relationship	•Prescribed elsewhere (<i>prsb03-dataelement-10629 - 2018-10-31</i>)

 Medication item cluster	prsb03-dataelement-12896
---	--------------------------

Id	prsb03-dataelement-12896 (2019-11-20 12:12:23)
Description	Medication item cluster
Relationship	Medication item cluster (<i>prsb03-dataelement-12770 - 2019-11-19 17:56:27</i>)

 Date	prsb03-dataelement-12897
--	--------------------------

Id	prsb03-dataelement-12897 (2019-11-20 12:13:29)
Concept inherits from	 <i>prsb03-dataelement-12832 (2019-11-19 17:57:19)</i>
Description	The date on which the medication or medical device was prescribed.
Operationalization	Date and time
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p style="text-align: center;">at least day, month and year, hour and minute</p>

 Location	prsb03-dataelement-12898
--	--------------------------

Id	prsb03-dataelement-12898 (2019-11-20 12:13:29)
Concept inherits from	 <i>prsb03-dataelement-12833 (2019-11-19 17:57:19)</i>
Description	The location where the medication or the medical device was prescribed.

 Performing professional	prsb03-dataelement-12899
---	--------------------------

Id	prsb03-dataelement-12899 (2019-11-20 12:13:29)
Concept inherits from	 <i>prsb03-dataelement-12834 (2019-11-19 17:57:19)</i>
Description	Details of the professional prescribing the medication or medical device.
Value Domain	

 Performing professional	prsb03-dataelement-12900
---	--------------------------

Id	prsb03-dataelement-12900 (2019-11-20 12:13:29)
Concept inherits from	 <i>prsb03-dataelement-12835 (2019-11-19 17:57:19)</i>
Description	The professional who prescribed the medication or medical device.

Relationship	Performing professional (<i>prsb03-dataelement-11281 - 2019-05-30 11:53:30</i>)
⊕ Name	prsb03-dataelement-12901
Id	prsb03-dataelement-12901 (2019-11-20 12:13:29)
Concept inherits from	⊕ <i>prsb03-dataelement-12836 (2019-11-19 17:57:19)</i>
Description	The name of the professional.
Rationale	Practitioner.name
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 70 </div>
⊕ Role	prsb03-dataelement-12902
Id	prsb03-dataelement-12902 (2019-11-20 12:13:29)
Concept inherits from	⊕ <i>prsb03-dataelement-12837 (2019-11-19 17:57:19)</i>
Description	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc
Rationale	Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobroletype
Value Domain	
⊕ Grade	prsb03-dataelement-12903
Id	prsb03-dataelement-12903 (2019-11-20 12:13:29)
Concept inherits from	⊕ <i>prsb03-dataelement-12838 (2019-11-19 17:57:19)</i>
Description	The grade of the professional.
Rationale	PractitionerRole.code
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 150 </div>
⊕ Speciality	prsb03-dataelement-12904
Id	prsb03-dataelement-12904 (2019-11-20 12:13:29)

Concept inherits from	 prsb03-dataelement-12839 (2019-11-19 17:57:19)
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc
Rationale	PractitionerRole.speciality
Operationalization	NHS data dictionary - Activity treatment function code
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 2px 5px; display: inline-block;">max length</div> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">3</div>

 Professional identifier	prsb03-dataelement-12905
Id	prsb03-dataelement-12905 (2019-11-20 12:13:29)
Concept inherits from	 prsb03-dataelement-12840 (2019-11-19 17:57:19)
Description	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary : - Professional registration identifier
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 2px 5px; display: inline-block;">max length</div> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">32</div>

  Organisation	prsb03-dataelement-12906
Id	prsb03-dataelement-12906 (2019-11-20 12:13:29)
Concept inherits from	 prsb03-dataelement-12841 (2019-11-19 17:57:19)
Description	The name of the organisation the professional works for.

 Contact details	prsb03-dataelement-12907
Id	prsb03-dataelement-12907 (2019-11-20 12:13:29)
Concept inherits from	 prsb03-dataelement-12842 (2019-11-19 17:57:19)
Description	Contact details of the professional
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom
Operationalization	NHS data dictionary - UK phone number
Value Domain	

Property	max length	35
----------	------------	----

  Medication name	prsb03-dataelement-12908
---	--------------------------

Id	prsb03-dataelement-12908 (2019-11-20 12:13:29)
Concept inherits from	 prsb03-dataelement-12843 (2019-11-19 17:57:19)
Description	May be generic name or brand name.

2.1.517 Properties

MedicationStatement.medication[x].medication CodableConcept
 FHIR MedicationStatement.medication[x].medicationReference (see Medication) (Systems should send as much details as they can. dm+d code can be sent as a simple code/description pair using CodeableConcept, or as a detailed medication record)

  Form	prsb03-dataelement-12909
--	--------------------------

Id	prsb03-dataelement-12909 (2019-11-20 12:13:29)
Concept inherits from	 prsb03-dataelement-12844 (2019-11-19 17:57:19)
Description	The form of the medication e.g. capsule, drops, tablet, lotion etc.

2.1.518 Properties

MedicationStatement.medication[x].medicationReference.medication.form (i.e. form is on the medication profile). Where VTM has form specified (coded) it goes here AMP & VMP don't need separate Form (it is optional to populate) For VTM the form could be in MedicationStatement.dosage.text (as it would be part of a dosage string) i.e. not a separately specified code

  Quantity supplied	prsb03-dataelement-12910
---	--------------------------

Id	prsb03-dataelement-12910 (2019-11-20 12:13:29)
Concept inherits from	 prsb03-dataelement-12845 (2019-11-19 17:57:19)
Description	The quantity of the medication (e.g. tablets, inhalers, etc.) provided to the person. This may be dispensed by the pharmacy or on the ward. Record in a structured format i.e. value and a unit

2.1.519 Properties

FHIR MedicationStatement.quantityDispensed (Amount of medication to supply per dispense) quantity (as a valueQuantity) - Mandatory quantityText (as a valueString) - Mandatory

Operationalization Free text

  Route	prsb03-dataelement-12911
---	--------------------------

Id	prsb03-dataelement-12911 (2019-11-20 12:13:29)
Concept inherits from	🟡 prsb03-dataelement-12846 (2019-11-19 17:57:19)
Description	The route by which the medication is administered e.g. oral, IM, IV

2.1.520 Properties

FHIR MedicationStatement.dosage.route

📁 🟡 Site	prsb03-dataelement-12912
----------	--------------------------

Id	prsb03-dataelement-12912 (2019-11-20 12:13:29)
Concept inherits from	🟡 prsb03-dataelement-12847 (2019-11-19 17:57:19)
Description	The anatomical site at which the medication is to be administered.

2.1.521 Properties

FHIR MedicationStatement.dosage.site

📁 🟡 Method	prsb03-dataelement-12913
------------	--------------------------

Id	prsb03-dataelement-12913 (2019-11-20 12:13:29)
Concept inherits from	🟡 prsb03-dataelement-12848 (2019-11-19 17:57:19)
Description	The technique or method by which the medication is to be administered.

2.1.522 Properties

FHIR MedicationStatement.dosage.method

✖ Dose directions description	prsb03-dataelement-12914
-------------------------------	--------------------------

Id	prsb03-dataelement-12914 (2019-11-20 12:13:29)
Concept inherits from	✖ prsb03-dataelement-12849 (2019-11-19 17:57:19)
Description	Describes the entire medication dosage and administration directions including dose quantity and medication frequency and optionally duration e.g. "1 tablet at night" or "2mg at 10pm".

2.1.523 Properties

FHIR MedicationStatement.dosage.text

Operationalization Free text

Value Domain

Property

max length

 Dose amount description

prsb03-dataelement-12915

Id	prsb03-dataelement-12915 (2019-11-20 12:13:29)
Concept inherits from	 prsb03-dataelement-12850 (2019-11-19 17:57:19)
Description	A description of the medication single dose amount e.g. "30 mg" or "2 tabs".

2.1.524 Properties

FHIR	MedicationStatement.dosage.text
Operationalization	Free text
Value Domain	

 Dose timing description

prsb03-dataelement-12916

Id	prsb03-dataelement-12916 (2019-11-20 12:13:29)
Concept inherits from	 prsb03-dataelement-12851 (2019-11-19 17:57:19)
Description	A description of the frequency of taking or administration of a medication dose. e.g. "Twice a day", "At 8am, 2pm and 10pm".

2.1.525 Properties

FHIR	MedicationStatement.dosage.timing [a complex data type that holds lots of timing formats]
Operationalization	Free text
Value Domain	

 Parsable dose directions

prsb03-dataelement-12917

Id	prsb03-dataelement-12917 (2019-11-20 12:13:29)
Concept inherits from	 prsb03-dataelement-12852 (2019-11-19 17:57:19)
Description	A parsable 'dose syntax' which carries dose strength, dose timing, dose duration and maximum dose information, e.g. "20-30mg ^4/6h prn [180mg /24h]" = 20 to 30 mgs, up to 4-6 hourly as required. Maximum 180mg in 24 hours. The 'as required reason' e.g. 'for pain' should be carried in the Additional Instruction element. Note that this is generally a symptom and is not the same as the Indication which will usually describe a diagnosis or condition. Where supported, this would generally be used to exchange dosage information between systems, while Structured dose directions are likely to be used only within openEHR-based systems
Value Domain	

Property

max length

150

  Structured dose direction cluster

prsb03-dataelement-12918

Id prsb03-dataelement-12918 (2019-11-20 12:13:29)

Concept inherits from  prsb03-dataelement-12853 (2019-11-19 17:57:19)

Description A structural representation of the elements carried by the dose syntax in 'parsable dose strength / timing' i.e. dose strength, dose timing, dose duration and maximum dose.

 Structured dose direction

prsb03-dataelement-12919

Id prsb03-dataelement-12919 (2019-11-20 12:13:29)

Concept inherits from  prsb03-dataelement-12854 (2019-11-19 17:57:19)

Description A structural representation of the elements carried by the dose syntax in 'parsable dose strength / timing' i.e. dose strength, dose timing, dose duration and maximum dose.

Operationalization As per FHIR Dose Syntax Implementation Guidance (NHS Digital):
<https://developer.nhs.uk/apis/dose-syntax-implementation/>

Value Domain

 Structured dose amount

prsb03-dataelement-12920

Id prsb03-dataelement-12920 (2019-11-20 12:13:29)

Concept inherits from  prsb03-dataelement-12855 (2019-11-19 17:57:19)

Description A structural representation of dose amount, e.g. 20mg or 2 tablets. This element will generally only be used when persisting data within systems with 'parsable dose directions' being used to exchange the same information between systems.

Operationalization As per FHIR Dose Syntax Implementation Guidance (NHS Digital): <https://simplifier.net/guide/DoseSyntaxImplementationGuidanceforFHIR4/Home>

Value Domain

 Structured dose timing

prsb03-dataelement-12921

Id prsb03-dataelement-12921 (2019-11-20 12:13:29)

Concept inherits from  prsb03-dataelement-12856 (2019-11-19 17:57:19)

Description A slot containing a structural, computable representation of dose timing and maximum dose. This element will generally only be used when persisting data within systems with 'parsable dose directions' being used to exchange the same information between systems.

Operationalization As per FHIR Dose Syntax Implementation Guidance (NHS Digital): <https://simplifier.net/guide/DoseSyntaxImplementationGuidanceforFHIR4/Home>

Value Domain

 Dose direction duration	prsb03-dataelement-12922
---	--------------------------

Id	prsb03-dataelement-12922 (2019-11-20 12:13:29)
Concept inherits from	 <i>prsb03-dataelement-12857</i> (2019-11-19 17:57:19)
Description	Recommendation of the time period for which the medication should be continued, including direction not to discontinue.

2.1.526 Properties

For coded information use MedicationStatement.dosage.additionalInstruction If no codes exist use MedicationStatement.dosage.additionalInstruction CodeableConcept.text Duration goes in FHIR MedicationStatement.effective[x].effectivePeriod 12/01/2018 MS.dosage.timing.bounds create another option "boundsCodeableConcept" to hold Continue Indef; Do not disconue; Stop When course complete MS.dosage.timing.bounds.duration to hold the duration For primary care always in dosage string

Operationalization As per FHIR Dose Syntax Implementation Guidance (NHS Digital): <https://simplifier.net/guide/DoseSyntaxImplementationGuidanceforFHIRR4/Home>

Value Domain

 Prescribed quantity	prsb03-dataelement-12923
---	--------------------------

Id	prsb03-dataelement-12923 (2019-11-20 12:13:29)
Concept inherits from	 <i>prsb03-dataelement-12858</i> (2019-11-19 17:57:19)
Description	Medication quantity prescribed
Value Domain	

 Date started	prsb03-dataelement-12924
--	--------------------------

Id	prsb03-dataelement-12924 (2019-11-20 12:13:29)		
Concept inherits from	 <i>prsb03-dataelement-12859</i> (2019-11-19 17:57:19)		
Description	This is when the medication was first prescribed.		
Value Domain			
Property	<table border="1"> <tr> <td style="text-align: center;">Timestamp precision</td> </tr> <tr> <td>at least day, month and year</td> </tr> </table>	Timestamp precision	at least day, month and year
Timestamp precision			
at least day, month and year			

 Date discontinued	prsb03-dataelement-12925
---	--------------------------

Id	prsb03-dataelement-12925 (2019-11-20 12:13:29)
Concept inherits from	 <i>prsb03-dataelement-12893</i> (2019-11-19 18:02:44)
Description	This is when the medication was stopped.
Operationalization	Date/time

<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td style="padding: 5px;">Value Domain</td></tr> <tr><td style="padding: 5px;">Property</td></tr> </table>	Value Domain	Property	<p style="text-align: center;">Timestamp precision</p> <p style="text-align: center;">at least day, month and year</p>								
Value Domain											
Property											
<p> Authorised date</p>	prsb03-dataelement-12926										
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td style="padding: 5px;">Id</td><td style="padding: 5px;">prsb03-dataelement-12926 (2019-11-20 12:13:29)</td></tr> <tr><td style="padding: 5px;">Concept inherits from</td><td style="padding: 5px;"> prsb03-dataelement-12860 (2019-11-19 17:57:19)</td></tr> <tr><td style="padding: 5px;">Description</td><td style="padding: 5px;">Date prescriber created prescription</td></tr> <tr><td style="padding: 5px;">Operationalization</td><td style="padding: 5px;">Date and Time</td></tr> <tr><td style="padding: 5px;">Value Domain</td><td style="padding: 5px;"></td></tr> </table>	Id	prsb03-dataelement-12926 (2019-11-20 12:13:29)	Concept inherits from	prsb03-dataelement-12860 (2019-11-19 17:57:19)	Description	Date prescriber created prescription	Operationalization	Date and Time	Value Domain		
Id	prsb03-dataelement-12926 (2019-11-20 12:13:29)										
Concept inherits from	prsb03-dataelement-12860 (2019-11-19 17:57:19)										
Description	Date prescriber created prescription										
Operationalization	Date and Time										
Value Domain											
<p> prsb03-dataelement-12927</p>											
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td style="padding: 5px;">Id</td><td style="padding: 5px;">prsb03-dataelement-12927 (2019-11-20 12:13:29)</td></tr> <tr><td style="padding: 5px;">Concept inherits from</td><td style="padding: 5px;"> prsb03-dataelement-12861 (2019-11-19 17:57:19)</td></tr> <tr><td style="padding: 5px;">Value Domain</td><td style="padding: 5px;"></td></tr> </table>	Id	prsb03-dataelement-12927 (2019-11-20 12:13:29)	Concept inherits from	prsb03-dataelement-12861 (2019-11-19 17:57:19)	Value Domain						
Id	prsb03-dataelement-12927 (2019-11-20 12:13:29)										
Concept inherits from	prsb03-dataelement-12861 (2019-11-19 17:57:19)										
Value Domain											
<p> Valid from date</p>	prsb03-dataelement-12928										
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td style="padding: 5px;">Id</td><td style="padding: 5px;">prsb03-dataelement-12928 (2019-11-20 12:13:29)</td></tr> <tr><td style="padding: 5px;">Concept inherits from</td><td style="padding: 5px;"> prsb03-dataelement-12862 (2019-11-19 17:57:19)</td></tr> <tr><td style="padding: 5px;">Description</td><td style="padding: 5px;">Date the prescription can be issued from. Valid for 6 months</td></tr> <tr><td style="padding: 5px;">Operationalization</td><td style="padding: 5px;">Date and Time</td></tr> <tr><td style="padding: 5px;">Value Domain</td><td style="padding: 5px;"></td></tr> </table>	Id	prsb03-dataelement-12928 (2019-11-20 12:13:29)	Concept inherits from	prsb03-dataelement-12862 (2019-11-19 17:57:19)	Description	Date the prescription can be issued from. Valid for 6 months	Operationalization	Date and Time	Value Domain		
Id	prsb03-dataelement-12928 (2019-11-20 12:13:29)										
Concept inherits from	prsb03-dataelement-12862 (2019-11-19 17:57:19)										
Description	Date the prescription can be issued from. Valid for 6 months										
Operationalization	Date and Time										
Value Domain											
<p> Number of issues permissible</p>	prsb03-dataelement-12929										
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td style="padding: 5px;">Id</td><td style="padding: 5px;">prsb03-dataelement-12929 (2019-11-20 12:13:29)</td></tr> <tr><td style="padding: 5px;">Concept inherits from</td><td style="padding: 5px;"> prsb03-dataelement-12863 (2019-11-19 17:57:19)</td></tr> <tr><td style="padding: 5px;">Description</td><td style="padding: 5px;">The number of repeat issues permissible</td></tr> <tr><td style="padding: 5px;">Value Domain</td><td style="padding: 5px;"></td></tr> </table>	Id	prsb03-dataelement-12929 (2019-11-20 12:13:29)	Concept inherits from	prsb03-dataelement-12863 (2019-11-19 17:57:19)	Description	The number of repeat issues permissible	Value Domain				
Id	prsb03-dataelement-12929 (2019-11-20 12:13:29)										
Concept inherits from	prsb03-dataelement-12863 (2019-11-19 17:57:19)										
Description	The number of repeat issues permissible										
Value Domain											
<p> Number of issues made</p>	prsb03-dataelement-12930										
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td style="padding: 5px;">Id</td><td style="padding: 5px;">prsb03-dataelement-12930 (2019-11-20 12:13:29)</td></tr> <tr><td style="padding: 5px;">Concept inherits from</td><td style="padding: 5px;"> prsb03-dataelement-12864 (2019-11-19 17:57:19)</td></tr> <tr><td style="padding: 5px;">Description</td><td style="padding: 5px;">The number of repeats already issued</td></tr> </table>	Id	prsb03-dataelement-12930 (2019-11-20 12:13:29)	Concept inherits from	prsb03-dataelement-12864 (2019-11-19 17:57:19)	Description	The number of repeats already issued					
Id	prsb03-dataelement-12930 (2019-11-20 12:13:29)										
Concept inherits from	prsb03-dataelement-12864 (2019-11-19 17:57:19)										
Description	The number of repeats already issued										

Value Domain



Valid to date

prsb03-dataelement-12931

Id

prsb03-dataelement-12931 (2019-11-20 12:13:29)

Concept inherits from

prsb03-dataelement-12865 (2019-11-19 17:57:19)

Description

Date the prescription is valid to

Value Domain

Property

Timestamp precision

at least day, month and year



Indication

prsb03-dataelement-12932

Id

prsb03-dataelement-12932 (2019-11-20 12:13:29)

Concept inherits from

prsb03-dataelement-12866 (2019-11-19 17:57:19)

Description

The clinical indication for any changes in medication status

Operationalization

Free text

Value Domain

Property

max length

150



Reason for discontinuation

prsb03-dataelement-12933

Id

prsb03-dataelement-12933 (2019-11-20 12:13:29)

Concept inherits from

prsb03-dataelement-12894 (2019-11-19 18:10:11)

Description

Reason medication was discontinued

Operationalization

Free text

Value Domain



Additional instructions

prsb03-dataelement-12934

Id

prsb03-dataelement-12934 (2019-11-20 12:13:29)

Concept inherits from

prsb03-dataelement-12867 (2019-11-19 17:57:19)

Description

Allows for: requirements for adherence support, e.g. compliance aids, prompts and packaging requirements, additional information about specific medicines e.g. where specific brand required, person requirements, e.g. unable to swallow tablets.

2.1.527 Properties

Specific patient instruction use MedicationStatement.dosage.patientInstruction For narrative instructions FHIR (e.g. monitoring, pain, prevention) use MedicationStatement.note For dispensing instructions (EPS narrative) use MedicationRequest.note (intent "order" or "plan")

Operationalization FHIR value set : - Additional instruction

Value Domain

 Comment/recommendation	prsb03-dataelement-12960
--	--------------------------

Id prsb03-dataelement-12960 (2019-11-20 12:24:31)

Description Suggestions about duration and/or review, ongoing monitoring requirements, advice on starting, discontinuing or changing medication.

Operationalization Free text

Value Domain

 Organisation	prsb03-dataelement-12961
--	--------------------------

Id prsb03-dataelement-12961 (2019-11-20 12:25:46)

Description Prescribing organisation

Operationalization ODS code

Value Domain

 Request for advice	prsb03-dataelement-12935
--	--------------------------

Id prsb03-dataelement-12935 (2019-11-20 12:13:29)

Concept inherits from  prsb03-dataelement-12868 (2019-11-19 17:57:19)

Description Request for advice and recommendation about medication

Operationalization Free text

Value Domain

Property

max length

150

 Request dispensed	prsb03-dataelement-12936
---	--------------------------

Id prsb03-dataelement-12936 (2019-11-20 12:13:29)

Concept inherits from  prsb03-dataelement-12869 (2019-11-19 17:57:19)

Description This is an indicator as to whether the item will be repeat dispensed by pharmacy

Operationalization Repeat dispense by pharmacy, not repeat dispense by pharmacy.

Value Domain

 Person completing record

prsb03-dataelement-12937

Id prsb03-dataelement-12937 (2019-11-20 12:13:29)

Concept inherits from  prsb03-dataelement-12870 (2019-11-19 17:57:19)

Description This is the person recording the medication.

Should include their name, role, grade, specialty, organisation, professional identifier, date and time completed, contact details

Relationship Person completing record (prsb03-dataelement-10860 - 2019-03-27 17:46:45)

Operationalization Free text. Name, Role, Grade, Specialty, Organisation, Professional identifier, Date and time completed, Contact details

Value Domain

 Course details cluster

prsb03-dataelement-12938

Id prsb03-dataelement-12938 (2019-11-20 12:13:29)

Concept inherits from  prsb03-dataelement-12871 (2019-11-19 17:57:19)

Description Details of the overall course of medication.

 Course status

prsb03-dataelement-12939

Id prsb03-dataelement-12939 (2019-11-20 12:13:29)

Concept inherits from  prsb03-dataelement-12872 (2019-11-19 17:57:19)

Description The status of this prescription.

Operationalization FHIR value set : - Medication status

Value Domain

 Indication

prsb03-dataelement-12940

Id prsb03-dataelement-12940 (2019-11-20 12:13:29)

Concept inherits from  prsb03-dataelement-12873 (2019-11-19 17:57:19)

Description Reason for medication being prescribed, where known.

2.1.528 Properties

FHIR MedicationStatement.reasonCode

Operationalization Free text

<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td style="width: 10%;">Value Domain</td><td></td></tr> <tr><td>Property</td><td style="text-align: center; padding: 5px;">max length</td></tr> <tr><td></td><td style="text-align: center; padding: 5px;">150</td></tr> </table>	Value Domain		Property	max length		150	<p> Start date/time prsb03-dataelement-12941</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td style="width: 10%;">Id</td><td>prsb03-dataelement-12941 (2019-11-20 12:13:29)</td></tr> <tr><td>Concept inherits from</td><td> prsb03-dataelement-12874 (2019-11-19 17:57:19)</td></tr> <tr><td>Description</td><td>The date and/or time that the medication course should begin.</td></tr> <tr><td>Operationalization</td><td>Date and time</td></tr> <tr><td>Value Domain</td><td></td></tr> <tr> <td>Property</td><td style="text-align: center; padding: 5px;">Timestamp precision</td></tr> <tr><td></td><td style="text-align: center; padding: 5px;">at least day, month and year, hour and minute</td></tr> </table> <p> End date/time prsb03-dataelement-12942</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td style="width: 10%;">Id</td><td>prsb03-dataelement-12942 (2019-11-20 12:13:29)</td></tr> <tr><td>Concept inherits from</td><td> prsb03-dataelement-12875 (2019-11-19 17:57:19)</td></tr> <tr><td>Description</td><td>The date and/or time that the medication course should finish.</td></tr> <tr><td>Operationalization</td><td>Date and time</td></tr> <tr><td>Value Domain</td><td></td></tr> <tr> <td>Property</td><td style="text-align: center; padding: 5px;">Timestamp precision</td></tr> <tr><td></td><td style="text-align: center; padding: 5px;">at least day, month and year, hour and minute</td></tr> </table> <p> Link to indication record prsb03-dataelement-12943</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td style="width: 10%;">Id</td><td>prsb03-dataelement-12943 (2019-11-20 12:13:29)</td></tr> <tr><td>Concept inherits from</td><td> prsb03-dataelement-12876 (2019-11-19 17:57:19)</td></tr> <tr><td>Description</td><td>A link to the record which contains the indication for this medication order.</td></tr> <tr><td>Operationalization</td><td>Free text with URL</td></tr> <tr><td>Value Domain</td><td></td></tr> <tr> <td>Property</td><td style="text-align: center; padding: 5px;">max length</td></tr> <tr><td></td><td style="text-align: center; padding: 5px;">150</td></tr> </table> <p> Comment/recommendation prsb03-dataelement-12944</p>	Id	prsb03-dataelement-12941 (2019-11-20 12:13:29)	Concept inherits from	prsb03-dataelement-12874 (2019-11-19 17:57:19)	Description	The date and/or time that the medication course should begin.	Operationalization	Date and time	Value Domain		Property	Timestamp precision		at least day, month and year, hour and minute	Id	prsb03-dataelement-12942 (2019-11-20 12:13:29)	Concept inherits from	prsb03-dataelement-12875 (2019-11-19 17:57:19)	Description	The date and/or time that the medication course should finish.	Operationalization	Date and time	Value Domain		Property	Timestamp precision		at least day, month and year, hour and minute	Id	prsb03-dataelement-12943 (2019-11-20 12:13:29)	Concept inherits from	prsb03-dataelement-12876 (2019-11-19 17:57:19)	Description	A link to the record which contains the indication for this medication order.	Operationalization	Free text with URL	Value Domain		Property	max length		150
Value Domain																																																	
Property	max length																																																
	150																																																
Id	prsb03-dataelement-12941 (2019-11-20 12:13:29)																																																
Concept inherits from	prsb03-dataelement-12874 (2019-11-19 17:57:19)																																																
Description	The date and/or time that the medication course should begin.																																																
Operationalization	Date and time																																																
Value Domain																																																	
Property	Timestamp precision																																																
	at least day, month and year, hour and minute																																																
Id	prsb03-dataelement-12942 (2019-11-20 12:13:29)																																																
Concept inherits from	prsb03-dataelement-12875 (2019-11-19 17:57:19)																																																
Description	The date and/or time that the medication course should finish.																																																
Operationalization	Date and time																																																
Value Domain																																																	
Property	Timestamp precision																																																
	at least day, month and year, hour and minute																																																
Id	prsb03-dataelement-12943 (2019-11-20 12:13:29)																																																
Concept inherits from	prsb03-dataelement-12876 (2019-11-19 17:57:19)																																																
Description	A link to the record which contains the indication for this medication order.																																																
Operationalization	Free text with URL																																																
Value Domain																																																	
Property	max length																																																
	150																																																

Id	prsb03-dataelement-12944 (2019-11-20 12:13:29)
Concept inherits from	☒ prsb03-dataelement-12877 (2019-11-19 17:57:19)
Description	Suggestions about duration and/or review, ongoing monitoring requirements, advice on starting, discontinuing or changing medication. Additional comment or recommendation about the medication course e.g. 'Patient named supply', 'unlicensed medication', 'Foreign brand' or monitoring recommendations

2.1.529 Properties

FHIR [JH] This will be dropped from the PRSB information model, as conflicts with description above

Operationalization Free text

Value Domain

Property

max length

150



☒ Medication change summary cluster

prsb03-dataelement-12945

Id prsb03-dataelement-12945 (2019-11-20 12:13:29)

Concept inherits from ☒ prsb03-dataelement-12878 (2019-11-19 17:57:19)

Description Records the changes made to medication.



Status

prsb03-dataelement-12946

Id prsb03-dataelement-12946 (2019-11-20 12:13:29)

Concept inherits from ☒ prsb03-dataelement-12879 (2019-11-19 17:57:19)

Description The nature of any change made to the medication.

Operationalization FHIR value set : Medication status

Value Domain



Indication

prsb03-dataelement-12947

Id prsb03-dataelement-12947 (2019-11-20 12:13:29)

Concept inherits from ☒ prsb03-dataelement-12880 (2019-11-19 17:57:19)

Description Reason for change in medication, e.g. sub-therapeutic dose, person intolerant.

Operationalization Free text

Value Domain

Property

max length

150

 Date of change

prsb03-dataelement-12948

Id prsb03-dataelement-12948 (2019-11-20 12:13:29)

Concept inherits from  prsb03-dataelement-12881 (2019-11-19 17:57:19)

Description The date of the change - addition, or amendment

Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute

 Description of amendment

prsb03-dataelement-12949

Id prsb03-dataelement-12949 (2019-11-20 12:13:29)

Concept inherits from  prsb03-dataelement-12882 (2019-11-19 17:57:19)

Description Where a change is made to the medication i.e. one drug stopped and another started or eg dose, frequency or route is changed.

Operationalization Free text

Value Domain

Property

max length

150

 Total dose daily quantity

prsb03-dataelement-12950

Id prsb03-dataelement-12950 (2019-11-20 12:13:29)

Concept inherits from  prsb03-dataelement-12883 (2019-11-19 17:57:19)

Description The total daily dose of this medication. This is helpful for estimating optimal adherence to dosing guidance. It may be computed from product/dose strength and frequency or entered manually.

Operationalization Free text

Value Domain

 Person completing record

prsb03-dataelement-12951

Id prsb03-dataelement-12951 (2019-11-20 12:13:29)

Concept inherits from  prsb03-dataelement-12884 (2019-11-19 17:57:19)

Description Details of the person completing the record.

Relationship Person completing record (prsb03-dataelement-319 - 2018-10-31)

 Name	prsb03-dataelement-12952
Id	prsb03-dataelement-12952 (2019-11-20 12:13:29)
Concept inherits from	 prsb03-dataelement-12885 (2019-11-19 17:57:19)
Description	The name of the person completing the record.
Relationship	Name (prsb03-dataelement-10219 - 2018-10-31)
Rationale	Composition.author.Practitioner.name
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 70 </div>
 Role	prsb03-dataelement-12953
Id	prsb03-dataelement-12953 (2019-11-20 12:13:29)
Concept inherits from	 prsb03-dataelement-12886 (2019-11-19 17:57:19)
Description	The organisational role of the person completing record.
2.1.530 Properties	
FHIR	PractitionerRole.code of the practitioner completing the record
Relationship	Role (prsb03-dataelement-10220 - 2018-10-31)
Rationale	Composition.author.Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobrole
Value Domain	
 Grade	prsb03-dataelement-12954
Id	prsb03-dataelement-12954 (2019-11-20 12:13:29)
Concept inherits from	 prsb03-dataelement-12887 (2019-11-19 17:57:19)
Description	The grade of the person completing the record.
Relationship	Grade (prsb03-dataelement-10221 - 2018-10-31)
Rationale	PractitionerRole.code
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length </div>

 Specialty

prsb03-dataelement-12955

Id	prsb03-dataelement-12955 (2019-11-20 12:13:29)
Concept inherits from	 prsb03-dataelement-12888 (2019-11-19 17:57:19)
Description	The main specialty of the person completing the record.

2.1.531 Properties

FHIR	PractitionerRole.specialty
Relationship	Specialty (prsb03-dataelement-10222 - 2018-10-31)
Rationale	PractitionerRole.specialty
Operationalization	NHS data dictionary :- Activity treatment function code
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">max length</div> <div style="text-align: center;">3</div>

 Organisation

prsb03-dataelement-12956

Id	prsb03-dataelement-12956 (2019-11-20 12:13:29)
Concept inherits from	 prsb03-dataelement-12889 (2019-11-19 17:57:19)
Description	The organisation the person completing the record works for.
Relationship	Organisation (prsb03-dataelement-10226 - 2018-10-31)

 Professional identifier

prsb03-dataelement-12957

Id	prsb03-dataelement-12957 (2019-11-20 12:13:29)
Concept inherits from	 prsb03-dataelement-12890 (2019-11-19 17:57:19)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.532 Properties

FHIR	PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)
Relationship	Professional identifier (prsb03-dataelement-10223 - 2018-10-31)
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary :- Professional registration identifier

Value Domain	
Property	
	<div style="background-color: #e0e0e0; padding: 5px; text-align: center;">max length</div> <div style="border: 1px solid black; padding: 2px; display: inline-block;">32</div>

 Date completed

prsb03-dataelement-12958

Id	prsb03-dataelement-12958 (2019-11-20 12:13:29)
Concept inherits from	 <i>prsb03-dataelement-12891</i> (2019-11-19 17:57:19)
Description	The date and time the record was completed.
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)
Rationale	Composition.date
Operationalization	Date and time.
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 5px; text-align: center;">Timestamp precision</div> <div style="border: 1px solid black; padding: 2px; display: inline-block;">at least day, month and year, hour and minute</div>

 Contact details

prsb03-dataelement-12959

Id	prsb03-dataelement-12959 (2019-11-20 12:13:29)
Concept inherits from	 <i>prsb03-dataelement-12892</i> (2019-11-19 17:57:19)
Description	Contact details of the person completing the record.

2.1.533 Properties

FHIR	PractitionerRole.telecom
Relationship	Contact details (<i>prsb03-dataelement-10225 - 2018-10-31</i>)
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom
Operationalization	NHS data dictionary : - UK telephone number
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 5px; text-align: center;">max length</div> <div style="border: 1px solid black; padding: 2px; display: inline-block;">35</div>

 Performing Professional

prsb03-dataelement-10549

Id	prsb03-dataelement-10549 (2018-10-31) 0.1
----	---

Description	Details of the professional administering the Medication (including name and role)
Value Domain	
Used by	0 transactions, 0 templates, inherited once

X Location

prsb03-dataelement-10550

Id	prsb03-dataelement-10550 (2018-10-31) 0.1
Description	Details of where the Medication was administered
Value Domain	
Used by	0 transactions, 0 templates, inherited once

X Date

prsb03-dataelement-10551

Id	prsb03-dataelement-10551 (2018-10-31) 0.1
Description	The date on which the Medication was administered
Value Domain	
Used by	0 transactions, 0 templates, inherited once

X Start date/time

prsb03-dataelement-10556

Id	prsb03-dataelement-10556 (2018-10-31) 0.1
Description	The date and/or time that the medication course should begin.
Value Domain	
Used by	0 transactions, 0 templates, inherited once

X Authorised date

prsb03-dataelement-10558

Id	prsb03-dataelement-10558 (2018-10-31) 0.1
Description	Date prescriber created prescription
Operationalization	Date and Time
Value Domain	
Used by	0 transactions, 0 templates, inherited 2 times

X Valid from date

prsb03-dataelement-10560

Id	prsb03-dataelement-10560 (2018-10-31) 0.1
Description	Date the prescription can be issued from. Valid for 6 months
Operationalization	Date and Time
Value Domain	
Used by	0 transactions, 0 templates, inherited 2 times

  For medications that have been changed

prsb03-dataelement-10607

Id	prsb03-dataelement-10607 (2018-10-31) 0.1
Description	i.e. additions, amendments and discontinued, in addition to the above, also record: is the subsection where all current repeat medications are recorded.
Used by	0 transactions, 0 templates, inherited once

  •Prescribed elsewhere

prsb03-dataelement-10629

Id	prsb03-dataelement-10629 (2018-10-31) 0.1
Description	Prescribed elsewhere: Medication managed by another organisation
Used by	0 transactions, 0 templates, inherited once

  Equipment and adaptations

prsb03-dataelement-12969

Id	prsb03-dataelement-12969 (2020-04-06 18:25:26)
Description	Details of equipment/asset (or modifications) that the Local Authority has provided to the patient.

  Equipment record entry

prsb03-dataelement-12970

Id	prsb03-dataelement-12970 (2020-04-06 18:27:46)
Description	This is a equipment record entry. There may be 1 to many record entries under a section.

  Equipment name

prsb03-dataelement-12971

Id	prsb03-dataelement-12971 (2020-04-06 19:22:47)
Description	The name of the equipment (e.g. 'Keysafe', 'Handrail' 'Lifeline Alarm', etc.)

 Coded value

prsb03-dataelement-13780

Id	prsb03-dataelement-13780 (2020-10-21 16:01:39)
Description	The coded value for equipment name

Operationalization SNOMED CT

Value Domain

 Free text prsb03-dataelement-13782

Id prsb03-dataelement-13782 (2020-10-21 16:08:03)

Concept inherits from  prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property **max length**

150

 Free text prsb03-dataelement-13781

Id prsb03-dataelement-13781 (2020-10-21 16:02:39) 0.1

Concept inherits from  prsb03-dataelement-13450 (2020-08-27 16:43:57)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property **max length**

150

 Date prsb03-dataelement-13066

Id prsb03-dataelement-13066 (2020-05-18 17:47:43)

Description

The date the equipment was issued.

Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute

 Comment prsb03-dataelement-12972

Id prsb03-dataelement-12972 (2020-04-06 19:25:30)

Description Any further details about the equipment, e.g. position of handrail(s) within the person's home

Operationalization Free text

Value Domain

Property

max length

150



Clinical Review of Systems

prsb03-dataelement-314

Id prsb03-dataelement-314 (2018-10-31)

Description Information gathered on symptoms related to physiological systems.

Used by 0 transactions, 0 templates, inherited once



Clinical review of systems

prsb03-dataelement-10214

Id prsb03-dataelement-10214 (2018-10-31)

Description The clinical review of systems. This is the record of the review of systems as volunteered by the patient or their representative or carer. The record of clinical information gathered in responses to questions to the patient about specific symptoms from various physiological systems, including food intake (increasing/decreasing) weight change, swallowing difficulties etc.

2.1.534 Properties

FHIR Observation.category Observation.code Observation.valueCodeableConcept Observation.subject

Operationalization SNOMED CT: - 415300000 |Review of systems (procedure)|

Value Domain

Used by 0 transactions, 0 templates, inherited once



Information and advice given

prsb03-dataelement-315

Id prsb03-dataelement-315 (2018-10-31)

Description Information and advice given

Used by 14 transactions, 0 templates, inherited 0 times



Information and advice given

prsb03-dataelement-10215

Id prsb03-dataelement-10215 (2018-10-31)



There is an open issue with this item:

- prsb03-issue-44: Review wording and value ()

Description

The oral or written information or advice given to the patient, carer, other authorised representative, care professional or other third party. May include advice about actions related to medicines or other ongoing care activities on an 'information prescription'. State here if there are concerns about the extent to which the patient and/or carer understand the information provided about diagnosis, prognosis and treatment.

2.1.535 Properties

FHIR

Free text only

Operationalization Free text

Value Domain

Property

max length

150

Used by

14 transactions, 0 templates, inherited 0 times

Date

prsb03-dataelement-10216

Id

prsb03-dataelement-10216 (2018-10-31)

Description

The date on which the information and advice was given.

Value Domain

Location

prsb03-dataelement-10217

Id

prsb03-dataelement-10217 (2018-10-31)

Description

Details of where the information and advice was given.

Value Domain

Performing Professional

prsb03-dataelement-10218

Id

prsb03-dataelement-10218 (2018-10-31)

Description

Details of the professional giving the information and advice (including name and role).

Value Domain

Contact for further information

prsb03-dataelement-329


Id

prsb03-dataelement-329 (2018-10-31)

Description

Contact for further information

Contact for further information record entry

		prsb03-dataelement-10659
Id	prsb03-dataelement-10659 (2018-11-13 13:14:13)	
Description	This is a Contact for further information record entry. There may be 1 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
 Contact for further information		prsb03-dataelement-10229
Id	prsb03-dataelement-10229 (2018-10-31)	
Description	The contact details of whom to contact for information regarding this attendance.	
Operationalization	Free text	
Value Domain		
 Distribution list		prsb03-dataelement-330
Id	prsb03-dataelement-330 (2018-10-31)	
Description	Distribution list	
 Used by	14 transactions, 0 templates, inherited 0 times	
 Distribution list record entry		prsb03-dataelement-10660
Id	prsb03-dataelement-10660 (2018-11-13 13:21:33)	
Description	This is a Distribution list record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
 Used by	14 transactions, 0 templates, inherited 0 times	
 Name		prsb03-dataelement-10230
Id	prsb03-dataelement-10230 (2018-10-31)	
Description	The name of the person the communication is to be sent to, this can be a person or professional.	
2.1.536 Properties		
FHIR	Practitioner.name Patient..... RelatedPerson.....	
Operationalization	Free text	
Value Domain		
Property	 <div style="border: 1px solid #ccc; padding: 2px;">max length</div> <div style="border: 1px solid #ccc; padding: 2px; height: 40px;">70</div>	
 Used by		14 transactions, 0 templates, inherited 0 times

 Role	prsb03-dataelement-10231
--	--------------------------

Id	prsb03-dataelement-10231 (2018-10-31)
Description	If the communication is being sent to either a named individual, or to a non-named person with a specific role, then this is the role of the recipient.

Role may be entered as the communication is being created, or sourced from the hospital system. This may be a role defined in the National Workforce data set (see the NHS Data Dictionary Job Role Code).

2.1.537 Properties

FHIR	PractitionerRole.code
Operationalization	FHIR value set : - SDSjobrole
Value Domain	
 Used by	14 transactions, 0 templates, inherited 0 times

 Grade	prsb03-dataelement-10232
---	--------------------------

Id	prsb03-dataelement-10232 (2018-10-31)
Description	The grade of the recipient, if known by the sending institution, otherwise omitted.

2.1.538 Properties

FHIR	PractitionerRole.code		
Operationalization	Free text		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>150</td> </tr> </table>	max length	150
max length			
150			
 Used by	14 transactions, 0 templates, inherited 0 times		

 Organisation name	prsb03-dataelement-10233
---	--------------------------

Id	prsb03-dataelement-10233 (2018-10-31)
Description	The name of the organisation the recipient is representing or the organisation named as the receiving organisation.

An identifier for the organisation will be sent alongside the name, but may not displayed on rendered document.

2.1.539 Properties

FHIR Organization.name Organization.identifier

Operationalization NHS data dictionary : - Organisation code

Value Domain

Property	min length	max length
	3	5

⌚ Used by 14 transactions, 0 templates, inherited 0 times



Team

prsb03-dataelement-10234

Id prsb03-dataelement-10234 (2018-10-31)

Description Team that the recipient belongs to in the context of receiving this message, or the team acting as the recipient.

2.1.540 Properties

FHIR Organization.name

Operationalization Free text

Value Domain

Property	max length
	150

⌚ Used by 14 transactions, 0 templates, inherited 0 times



Relationship

prsb03-dataelement-10235

Id prsb03-dataelement-10235 (2018-10-31) 0.1

Description The relationship of the receiver to the person for example, carer or parent

2.1.541 Properties

FHIR RelatedPerson.relationship



Relationship

prsb03-dataelement-13793

Id	prsb03-dataelement-13793 (2020-11-02 15:35:45)
Description	The relationship of the receiver to the person for example, carer or parent
Relationship	Relationship (<i>prsb03-dataelement-10346 - 2018-10-31</i>)
Operationalization	FHIR value set : - Related person
Value Domain	
Used by	14 transactions, 0 templates, inherited 0 times

 Birth Details

prsb03-dataelement-336

Id	prsb03-dataelement-336 (2018-10-31)
Description	Birth Details

 APGAR score

prsb03-dataelement-10236

Id	prsb03-dataelement-10236 (2018-10-31)
Description	A set of observations made on the baby following birth to check adaptation to life outside the womb. This includes 1 minute, 5 minutes and 10 minutes
Value Domain	

 Birth Order

prsb03-dataelement-10237

Id	prsb03-dataelement-10237 (2018-10-31)
Description	The sequence in which this baby was born (one of one, one of two etc.)
Value Domain	

 Birth weight

prsb03-dataelement-10238

Id	prsb03-dataelement-10238 (2018-10-31)
Description	Numeric value for weight at birth.
Value Domain	

 Date & Time of birth

prsb03-dataelement-10239

Id	prsb03-dataelement-10239 (2018-10-31)
Description	The date and time of birth of the baby.
Value Domain	

 Delivery place type

prsb03-dataelement-10240

Id	prsb03-dataelement-10240 (2018-10-31)
----	---------------------------------------

Description The type of place in which the baby was born (e.g. Private health facility, domestic address, NHS hospital, midwifery led unit etc.)

Value
Domain



Fetal Problems Diagnosed Before Birth

prsb03-dataelement-10241

Id prsb03-dataelement-10241 (2018-10-31)

Description Problems with the fetus diagnosed with screening or ultrasound. e.g. Down syndrome, congenital heart disease etc.

Value
Domain



Length of gestation

prsb03-dataelement-10242

Id prsb03-dataelement-10242 (2018-10-31)

Description Gestational age in weeks and days (usually equivalent to length of pregnancy).

Value Domain



Location of birth

prsb03-dataelement-10243

Id prsb03-dataelement-10243 (2018-10-31)

Description The place of birth (including the address and organisation name where relevant).

Value Domain



Maternal problems in pregnancy

prsb03-dataelement-10244

Id prsb03-dataelement-10244 (2018-10-31)

Description Maternal medical conditions or infectious diseases arising in pregnancy which may have an impact on the fetus, e.g. gestational diabetes, rubella etc.

Value
Domain



Multiple Birth

prsb03-dataelement-10245

Id prsb03-dataelement-10245 (2018-10-31)

Description Where the baby is one of a multiple birth, to include the total number of offspring and to include whether the baby is identical to one of the siblings.

Value
Domain



Neonatal resuscitation

prsb03-dataelement-10246

Id prsb03-dataelement-10246 (2018-10-31)

Description Details of neonatal resuscitation measures required, e.g. chest compression, oxygen mask etc.

Value Domain

 Physical problems detected at birth	prsb03-dataelement-10247
---	--------------------------

Id prsb03-dataelement-10247 (2018-10-31)

Description Physical problems identified with the baby at, or shortly after, birth. E.g. cleft lip/palate, extensive bruising, cephalohematoma etc.

Value Domain

 Name	prsb03-dataelement-10248
--	--------------------------

Id prsb03-dataelement-10248 (2018-10-31)

Description The given name as recorded by the midwife

Value Domain

 NHS Number	prsb03-dataelement-10249
--	--------------------------

Id prsb03-dataelement-10249 (2018-10-31)

Description The unique identifier for a woman within the NHS in England and Wales.

Value Domain

 Baby Identifier	prsb03-dataelement-10250
---	--------------------------

Id prsb03-dataelement-10250 (2018-10-31)

Description Baby identifier details

Value Domain

 Gender	prsb03-dataelement-10251
--	--------------------------

Id prsb03-dataelement-10251 (2018-10-31)

Description The person's phenotypic sex. Determines how the person will be treated clinically.

Value Domain

 Birth Outcome	prsb03-dataelement-10252
---	--------------------------

Id prsb03-dataelement-10252 (2018-10-31)

Description The birth outcome of each fetus

Value Domain

 Rhesus Status	prsb03-dataelement-10253
---	--------------------------

Id prsb03-dataelement-10253 (2018-10-31)

Description An indication of whether the fetus has or does not have the rhesus factor (or Rh D antigen) on the surface of their red blood cells, using the Rh System.

Value
Domain



Congenital Abnormalities

prsb03-dataelement-10254

Id prsb03-dataelement-10254 (2018-10-31)

Description (Yes no field) as per NHSDD and recorded on Birth Notification

Value Domain



Investigations Requested

prsb03-dataelement-10255

Id prsb03-dataelement-10255 (2018-10-31)

Description To include any investigations requested including post mortem investigations)

Value Domain



Problems during delivery

prsb03-dataelement-10256

Id prsb03-dataelement-10256 (2018-10-31)

Description Problems experienced by the baby during delivery e.g. cord prolapse, meconium aspiration, fetal distress etc.

**Value
Domain**



Put To Breast

prsb03-dataelement-10257

Id prsb03-dataelement-10257 (2018-10-31)

Description Whether or not the baby was put to the breast.

Value Domain




Spontaneous Respiration

prsb03-dataelement-10258

Id prsb03-dataelement-10258 (2018-10-31)

Description Details of neonatal resuscitation measures required, e.g. chest compression, oxygen mask etc.

Value Domain



Type of delivery

prsb03-dataelement-10259

Id prsb03-dataelement-10259 (2018-10-31)

Description Type of delivery for the baby, e.g. Vacuum extraction, breech extraction, elective caesarean section etc.

**Value
Domain**

 Types of delivery (attempted)

prsb03-dataelement-10260

Id prsb03-dataelement-10260 (2018-10-31)

Description The type(s) of delivery for the baby that was attempted, but was not the final delivery method.

Value Domain

  Demographic History

prsb03-dataelement-361

Id prsb03-dataelement-361 (2018-10-31)

Description Demographic History

 Date of birth

prsb03-dataelement-10261

Id prsb03-dataelement-10261 (2018-10-31)

Description History of date of birth changes.

Value Domain

 Gender

prsb03-dataelement-10262

Id prsb03-dataelement-10262 (2018-10-31)

Description History of gender change.

Value Domain

 Patient address

prsb03-dataelement-10263

Id prsb03-dataelement-10263 (2018-10-31)

Description History of Patient's usual place of residence.

Value Domain

 Patient name

prsb03-dataelement-10264

Id prsb03-dataelement-10264 (2018-10-31)

Description Any previous names, aliases and preferred name. This will normally be given by a Patient Demographics Service (PDS) patient trace, or the name of the patient held on the local Patient Administration System (PAS).

Value
Domain Patient telephone number

prsb03-dataelement-10265

Id prsb03-dataelement-10265 (2018-10-31)

Description History of Telephone contact details of the patient. To include, e.g., mobile, work and home number if available.

Value
Domain

 Developmental Skills	prsb03-dataelement-366
--	------------------------

Id prsb03-dataelement-366 (2018-10-31)

Description Developmental Skills

 Date first achieved	prsb03-dataelement-10267
---	--------------------------

Id prsb03-dataelement-10267 (2018-10-31)

Description The date the developmental skill was first achieved (developmental first) as reported by the parent. This is primarily for parent reporting as part of parent child health record at the time the skill is acquired.

Value
Domain

 Date of enquiry	prsb03-dataelement-10268
---	--------------------------

Id prsb03-dataelement-10268 (2018-10-31)

Description The date the parent or carer was asked by a health professional about the developmental skill (milestone).

Value
Domain

 Date of observation	prsb03-dataelement-10269
---	--------------------------

Id prsb03-dataelement-10269 (2018-10-31)

Description The date a health professional observed or tested a developmental skill (milestone).

Value Domain

 Health and care professional	prsb03-dataelement-10852
--	--------------------------

Id prsb03-dataelement-10852 (2019-03-27 17:20:36)

Description The name and designation of the professional recording the developmental skills.

2.1.542 Properties

FHIR Encounter.participant

Relationship Professional seeing the person (*prsb03-dataelement-10729 - 2019-02-08 16:12:10*)

Operationalization Text

Value Domain

 Location	prsb03-dataelement-10853
--	--------------------------

Id	prsb03-dataelement-10853 (2019-03-27 17:22:18)
Description	The location where the developmental skills were recorded.
Relationship	Location (<i>prsb03-dataelement-10848 - 2019-03-27 17:10:12</i>)
Value Domain	

 Developmental Skill

prsb03-dataelement-10270

Id	prsb03-dataelement-10270 (2018-10-31)
Description	The name of the developmental skill (e.g. Walks independently, smiles, finger feeds etc.).
Value Domain	

 Result of enquiry

prsb03-dataelement-10271

Id	prsb03-dataelement-10271 (2018-10-31)
Description	Whether the developmental skill was achieved, not achieved or equivocal.
Value Domain	

 Result of observation

prsb03-dataelement-10272

Id	prsb03-dataelement-10272 (2018-10-31)
Description	Whether the developmental skill was achieved, not achieved or equivocal.
Value Domain	

 Comments

prsb03-dataelement-10266

Id	prsb03-dataelement-10266 (2018-10-31)
Description	Supporting text may be given regarding the developmental skill.
Value Domain	

 Educational History

prsb03-dataelement-373

Id	prsb03-dataelement-373 (2018-10-31)
Description	Educational History

 Educational Assessment

prsb03-dataelement-10273

Id	prsb03-dataelement-10273 (2018-10-31)
Description	The outcome of an educational assessment.
Value Domain	

 Educational establishment

prsb03-dataelement-10274

Id prsb03-dataelement-10274 (2018-10-31)

Description Name of Educational establishment.

Value Domain

 Type of Educational establishment

prsb03-dataelement-10275

Id prsb03-dataelement-10275 (2018-10-31)

Description Phase/Type of Education establishment.

Value Domain

 Type of Special Educational Need

prsb03-dataelement-10276

Id prsb03-dataelement-10276 (2018-10-31)

Description The type of special educational needs for the child.

Value Domain

 Year From

prsb03-dataelement-10277

Id prsb03-dataelement-10277 (2018-10-31)

Description The year the child attended the school from.

Value Domain

 Year To

prsb03-dataelement-10278

Id prsb03-dataelement-10278 (2018-10-31)

Description The year the child left the school.

Value Domain

 Feeding Status

prsb03-dataelement-392

Id prsb03-dataelement-392 (2018-10-31)

Description Feeding Status

 Date

prsb03-dataelement-10292

Id prsb03-dataelement-10292 (2018-10-31)

Description The date the feeding status was recorded.

Value Domain

 Date breast milk feeding stopped

prsb03-dataelement-10293

Id prsb03-dataelement-10293 (2018-10-31)

Description Date of last breast milk feed to the nearest month and year.

Value Domain

 Feeding concerns	prsb03-dataelement-10294
--	--------------------------

Id prsb03-dataelement-10294 (2018-10-31)

Description A record of any concerns about the baby's feeding.

Value Domain

 Feeding method	prsb03-dataelement-10295
--	--------------------------

Id prsb03-dataelement-10295 (2018-10-31)

Description A record of the predominant feeding method for the baby, e.g., breast fed, bottle/cup fed, gastrostomy, nasogastric feeds etc.

Value
Domain

 First milk feed	prsb03-dataelement-10296
---	--------------------------

Id prsb03-dataelement-10296 (2018-10-31)

Description Whether or not the baby's first feed was breast milk.

Value Domain

 Introduction of solids	prsb03-dataelement-10297
--	--------------------------

Id prsb03-dataelement-10297 (2018-10-31)

Description Whether the baby has been introduced to solid foods at the time seen.

Value Domain

 Milk feeding status of the baby	prsb03-dataelement-10298
---	--------------------------

Id prsb03-dataelement-10298 (2018-10-31)

Description Whether the baby is totally breast milk fed, partially breast milk fed or not breast milk fed. To be recorded each time a baby has contact with a health professional.

Value
Domain

 Health and Wellbeing Assessment and Reviews	prsb03-dataelement-399
---	------------------------

Id prsb03-dataelement-399 (2018-10-31)


Description Health and Wellbeing Assessment and Reviews

 Date	prsb03-dataelement-10299
--	--------------------------

Id prsb03-dataelement-10299 (2018-10-31)

Description The date the feeding status was recorded.

Value Domain



Post Birth Review

prsb03-dataelement-10300

Id prsb03-dataelement-10300 (2018-10-31)

Description This details those checks and assessments done on the baby prior to leaving hospital that do not make up the NIPE screening

Value
Domain



New Baby Review

prsb03-dataelement-10301

Id prsb03-dataelement-10301 (2018-10-31)

Description The details captured as part of the New Baby Review

Value Domain



6-8 Week Health Visitor Review

prsb03-dataelement-10302

Id prsb03-dataelement-10302 (2018-10-31)

Description The details captured as part of the 6-8 Heath Visitor Review

Value Domain



1 Year Review

prsb03-dataelement-10303

Id prsb03-dataelement-10303 (2018-10-31)

Description The details captured as part of the 1 Year Review

Value Domain



2-2 1/2 Year Health and Development Review

prsb03-dataelement-10304

Id prsb03-dataelement-10304 (2018-10-31)

Description The details captured as part of the 2- 2 1/2 Health and Development Review

Value Domain



School Entry Review

prsb03-dataelement-10305

Id prsb03-dataelement-10305 (2018-10-31)

Description The details captured as part of the school entry review including the outcome of the hearing and screening check

Value
Domain

 Ad-Hoc Health Review

prsb03-dataelement-10306

Id prsb03-dataelement-10306 (2018-10-31)

Description The details captured as part of any ad-hoc Health Review undertaken

Value Domain

 Immunisations

prsb03-dataelement-407

Id prsb03-dataelement-407 (2018-10-31)

Description Immunisations

 Batch number

prsb03-dataelement-10307

Id prsb03-dataelement-10307 (2018-10-31)

Description The batch number of the vaccine.

Value Domain

 Date

prsb03-dataelement-10308

Id prsb03-dataelement-10308 (2018-10-31)

Description The date on which the Immunisation was administered.

Value Domain

 Dose Amount

prsb03-dataelement-10309

Id prsb03-dataelement-10309 (2018-10-31)

Description Amount of vaccine administered.

Value Domain

 Dose sequence

prsb03-dataelement-10310

Id prsb03-dataelement-10310 (2018-10-31)

Description Nominal position in a series of vaccines.

Value Domain

 Indication

prsb03-dataelement-10311

Id prsb03-dataelement-10311 (2018-10-31)

Description The clinical indication or reason for administering the immunisation

Value Domain

 Location

prsb03-dataelement-10312

Id prsb03-dataelement-10312 (2018-10-31)

Description Details of where the immunisation was performed.

Value Domain



Manufacturer

prsb03-dataelement-10313

Id prsb03-dataelement-10313 (2018-10-31)

Description The vaccine manufacturer.

Value Domain



Name of immunisation

prsb03-dataelement-10314

Id prsb03-dataelement-10314 (2018-10-31)

Description Which immunisation has been administered (SNOMED CT code – list of available immunisations).

Value Domain



Outcome status

prsb03-dataelement-10315

Id prsb03-dataelement-10315 (2018-10-31)

Description Whether the vaccine was administered or not, including the reason why

Value Domain



Performing Professional

prsb03-dataelement-10316

Id prsb03-dataelement-10316 (2018-10-31)

Description Details of the professional performing the immunisation (including name and role)

Value Domain

⌚ Used by 0 transactions, 0 templates, inherited once



Reported

prsb03-dataelement-10317

Id prsb03-dataelement-10317 (2018-10-31)

Description A flag to indicate the information was reported to a healthcare professional

Value Domain



Route

prsb03-dataelement-10318

Id prsb03-dataelement-10318 (2018-10-31)

Description How vaccine entered the body.

Value Domain

 Site	prsb03-dataelement-10319
--	--------------------------

Id prsb03-dataelement-10319 (2018-10-31)

Description Body site vaccine was administered into.

Value Domain

 Vaccine product	prsb03-dataelement-10320
---	--------------------------

Id prsb03-dataelement-10320 (2018-10-31)

Description Vaccine product administered.

Value Domain

 Measurements	prsb03-dataelement-421
--	------------------------

Id prsb03-dataelement-421 (2018-10-31)

Description Measurements

 BMI Centile	prsb03-dataelement-10321
--	--------------------------

Id prsb03-dataelement-10321 (2018-10-31)

Description Child BMI centile calculated using the height/weight/gender and age of the child.

Value Domain

 Date	prsb03-dataelement-10322
--	--------------------------

Id prsb03-dataelement-10322 (2018-10-31)

Description The date on which the measurement was recorded.

Value Domain

 Head Circumference	prsb03-dataelement-10323
--	--------------------------

Id prsb03-dataelement-10323 (2018-10-31)

Description Numeric value for the head circumference

Value Domain

 Height/Length	prsb03-dataelement-10324
---	--------------------------

Id prsb03-dataelement-10324 (2018-10-31)

Description Numeric value for the body length.

Value Domain

 Location	prsb03-dataelement-10325
Id	prsb03-dataelement-10325 (2018-10-31)
Description	The location where the measurement was recorded.
Value Domain	
 Performing Professional	prsb03-dataelement-10326
Id	prsb03-dataelement-10326 (2018-10-31)
Description	Details of the professional performing the measurement (including name and role).
Value Domain	
 Weight	prsb03-dataelement-10327
Id	prsb03-dataelement-10327 (2018-10-31)
Description	Numeric value for weight.
Value Domain	
 National Screening Programme	prsb03-dataelement-428
Id	prsb03-dataelement-428 (2018-10-31)
Description	National Screening Programme
 Newborn Blood Spot Screening	prsb03-dataelement-10328
Id	prsb03-dataelement-10328 (2018-10-31)
Description	The details captured as part of the NBS programme which screens for sickle cell disease (SCD), cystic fibrosis (CF), congenital hypothyroidism (CHT) and inherited metabolic diseases (IMDs).
Value Domain	
 Newborn Hearing Screening	prsb03-dataelement-10329
Id	prsb03-dataelement-10329 (2018-10-31)
Description	The details captured as part of the NHSP programme which offers 2 types of test for babies:
	<ul style="list-style-type: none"> • automated otoacoustic emission (AOAE) • automated auditory brainstem response (AABR)
Value Domain	
 Newborn and Infant Physical Examination (72 hours)	prsb03-dataelement-10330
Id	prsb03-dataelement-10330 (2018-10-31)

Description The details captured as part of the NIPE programme which tests babies within 72 hours of birth for conditions relating to their:

- heart
- hips
- eyes
- testes

Value
Domain



Newborn and Infant Physical Examination (6-8 Weeks)

prsb03-dataelement-10331

Id prsb03-dataelement-10331 (2018-10-31)

Description The details captured as part of the NIPE programme which tests babies again at 6-8 weeks for conditions relating to their:

- heart
- hips
- eyes
- testes

Value
Domain



National screening programme


prsb03-dataelement-10332

Id prsb03-dataelement-10332 (2018-10-31)

Description The overarching screening programme. e.g.

- NHS Fetal Anomaly Screening Programme
- NHS Infectious Diseases in Pregnancy Screening Programme
- NHS Sickle Cell and Thalassaemia Screening Programme

Value Domain



Specific test performed


prsb03-dataelement-10333

Id prsb03-dataelement-10333 (2018-10-31)

Description The specific screening test performed, e.g. Combined test, Quadruple test, HIV, Syphilis etc.

This may include site and laterality where applicable

Value Domain



Screening test outcome

prsb03-dataelement-10334

Id prsb03-dataelement-10334 (2018-10-31)

Description The overall outcome of the screening test (this may include the status e.g. declined, deferred etc.).

Value
Domain



Comments

prsb03-dataelement-10335

Id prsb03-dataelement-10335 (2018-10-31)

Description Supporting text may be given regarding the screening test, outcome and actions taken.

Value Domain



•National antenatal screening programme

prsb03-dataelement-10336

Id prsb03-dataelement-10336 (2018-10-31)



NHS Fetal Anomaly Screening Programme - Down's, Edwards' and Patau's Syndromes.

prsb03-dataelement-10337

Id prsb03-dataelement-10337 (2018-10-31)

Description The details captured as part of the NHS Fetal Anomaly Screening Programme which screens for Down's, Edwards' and Patau's syndromes

Value
Domain



NHS Fetal Anomaly Screening Programme - Structural Anomalies

prsb03-dataelement-10338

Id prsb03-dataelement-10338 (2018-10-31)

Description The details captured as part of the NHS Fetal Anomaly Screening Programme which screens for fetal anomalies

Value
Domain



NHS Infectious Diseases in Pregnancy Screening Programme

prsb03-dataelement-10339

Id prsb03-dataelement-10339 (2018-10-31)

Description The details captured as part of the NHS Infectious Diseases in Pregnancy Screening Programme which screens for Hepatitis B, HIV and Syphilis via a blood test

Chlamydia for under 25s and Hepatitis C can be recorded here as required

Value
Domain



NHS Sickle Cell and Thalassaemia Screening Programme

prsb03-dataelement-10340

Id prsb03-dataelement-10340 (2018-10-31)

Description The details captured as part of the NHS Sickle Cell and Thalassaemia Screening Programme which screens to find out if the woman is a carrier of the sickle cell or thalassaemia gene and therefore

likely to pass it on to the baby. This may also be applicable to the baby's father if the woman is identified as a carrier of a haemoglobin disease.

Value
Domain

 NHS Diabetic Eye Screening Programme	prsb03-dataelement-10341
--	--------------------------

Id prsb03-dataelement-10341 (2018-10-31)

Description The details captured as part of the NHS Diabetic Eye Screening Programme which is offered to women with diabetes in pregnancy

Value
Domain

 Parent/Guardian/Personal Comment	prsb03-dataelement-442
--	------------------------

Id prsb03-dataelement-442 (2018-10-31)

Description Parent/Guardian/Personal Comment

 Date	prsb03-dataelement-10342
--	--------------------------

Id prsb03-dataelement-10342 (2018-10-31)

Description Date the comment was entered and shared

Value Domain

 Who	prsb03-dataelement-10343
---	--------------------------

Id prsb03-dataelement-10343 (2018-10-31)

Description Who recorded the comment and what relationship they are to the child

Value Domain

 Parent / guardian or personal comment	prsb03-dataelement-10344
---	--------------------------

Id prsb03-dataelement-10344 (2018-10-31)

Description Free text comment made by the parent / guardian of the child, or the child themselves

Value Domain

 Plan and requested actions	prsb03-dataelement-535
--	------------------------

Id prsb03-dataelement-535 (2018-10-31)

Description The details of planned investigations, procedures and treatment, and whether this plan has been agreed with the person or their legitimate representative.

Used by 14 transactions, 0 templates, inherited 0 times

 Plan and requested actions record entry	prsb03-dataelement-10661
---	--------------------------

Id prsb03-dataelement-10661 (2018-11-13 13:38:58)

Description This is a plan and requested actions record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.

 Used by 14 transactions, 0 templates, inherited 0 times

 Date	prsb03-dataelement-10445
--	--------------------------

Id prsb03-dataelement-10445 (2018-10-31)

Description The date on which the plan and requested actions were prepared.

Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute

 Performing Professional	prsb03-dataelement-10446
--	--------------------------

Id prsb03-dataelement-10446 (2018-10-31)

Description Details of the professional making the plan and requested actions.

Value Domain

 Performing professional	prsb03-dataelement-12167
---	--------------------------

Id prsb03-dataelement-12167 (2019-05-31 16:13:42)

Description The professional who prepared the plan and requested actions.

Relationship Performing professional (*prsb03-dataelement-11281 - 2019-05-30 11:53:30*)

 Name	prsb03-dataelement-12168
--	--------------------------

Id prsb03-dataelement-12168 (2019-05-31 16:14:03)

Concept inherits from  prsb03-dataelement-11282 (2019-05-30 11:57:38)

Description The name of the professional.

Rationale Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

 Role

prsb03-dataelement-12169

Id	prsb03-dataelement-12169 (2019-05-31 16:14:03)
Concept inherits from	 <i>prsb03-dataelement-11283 (2019-05-30 11:58:48)</i>
Description	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc
Rationale	Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobroletype
Value Domain	

 Grade

prsb03-dataelement-12170

Id	prsb03-dataelement-12170 (2019-05-31 16:14:03)
Concept inherits from	 <i>prsb03-dataelement-11288 (2019-05-30 12:19:40)</i>
Description	The grade of the professional.
Rationale	PractitionerRole.code
Operationalization	Free text
Value Domain	

Property

max length

150

 Speciality

prsb03-dataelement-12171

Id	prsb03-dataelement-12171 (2019-05-31 16:14:03)
Concept inherits from	 <i>prsb03-dataelement-11284 (2019-05-30 12:01:15)</i>
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc
Rationale	PractitionerRole.speciality
Operationalization	NHS data dictionary - Activity treatment function code
Value Domain	

Property

max length

3

 Professional identifier

prsb03-dataelement-12172

Id	prsb03-dataelement-12172 (2019-05-31 16:14:03)		
Concept inherits from	 prsb03-dataelement-11285 (2019-05-30 12:02:46)		
Description	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.		
Rationale	Practitioner.identifier (for professional national identifiers), PractitionerRole.identifier (for local role identifiers)		
Operationalization	NHS data dictionary : - Professional registration identifier		
Value Domain			
Property	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 5px; background-color: #e0e0e0;">max length</td> </tr> <tr> <td style="padding: 5px;">32</td> </tr> </table>	max length	32
max length			
32			

  Organisation

prsb03-dataelement-12173

Id	prsb03-dataelement-12173 (2019-05-31 16:14:03)
Concept inherits from	 prsb03-dataelement-11286 (2019-05-30 12:17:19)
Description	The name of the organisation the professional works for.

 Contact details

prsb03-dataelement-12174

Id	prsb03-dataelement-12174 (2019-05-31 16:14:03)
Concept inherits from	 prsb03-dataelement-11287 (2019-05-30 12:18:13)
Description	Contact details of the professional
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom
Operationalization	NHS data dictionary - UK phone number

Value Domain

Property

max length
35

  Location

prsb03-dataelement-10842

Id	prsb03-dataelement-10842 (2019-03-27 16:46:10)
Description	The location where the plan and requested actions were prepared.

 Coded value

prsb03-dataelement-13684

Id	prsb03-dataelement-13684 (2020-09-09 13:11:31)
Description	The coded value for location

Operationalization NHS data dictionary : - Organisation data service

Value Domain

Property

min length	max length
------------	------------

3	5
---	---



Free text

prsb03-dataelement-13685

Id

prsb03-dataelement-13685 (2020-09-09 13:12:37)

Concept inherits from

prsb03-dataelement-13220 (2020-07-08 12:57:49)

Description

Free text field to be used if no code is available

Operationalization

Free text

Value Domain

Property

max length

150



Actions

prsb03-dataelement-10435

Id

prsb03-dataelement-10435 (2018-10-31)

Description

Including planned investigations, procedures, Interventions and treatment for a patient's identified conditions and priorities. For each action the following should be identified: a) person responsible - name and designation / department / hospital / patient etc or role (eg GP) responsible for carrying out the proposed action, and where action should take place.b) status - requested, planned or completed. c) When action requested for - requested date, time, or period - as relevant. d) suggested strategies - suggested strategies for potential problems. e) outcome expectations, including patient's expectations.

Operationalization Free text

Value Domain



Actions for professionals

prsb03-dataelement-10436

Id

prsb03-dataelement-10436 (2018-10-31)

Description

Including planned investigations, procedures and treatment for a person's identified conditions and priorities. For each action the following should be identified: outcome expectations, including the person's expectations. A record of the planned and requested actions. May be structured (table), with actions, names, dates, status, location, strategies.

Operationalization Free text

Value Domain



14 transactions, 0 templates, inherited 0 times



Actions for person or their carer

prsb03-dataelement-10437

Id	prsb03-dataelement-10437 (2018-10-31)
Description	For each action the following should be identified: outcome expectations, including person's expectations. A record of the planned and requested actions. May be structured (table), with actions, names, dates, status, location, strategies.
Operationalization	Free text
Value Domain	
Used by	14 transactions, 0 templates, inherited 0 times

 Agreed with the person or their legitimate representative	prsb03-dataelement-10438
---	--------------------------

Id	prsb03-dataelement-10438 (2018-10-31)
Description	Indicates whether the person or their legitimate representative has agreed the entire plan or individual aspects of treatment, expected outcomes, risks and alternative treatments. A record of the agreement of the decisions made.
Operationalization	Free text
Value Domain	

 Outcome of plan and requested actions	prsb03-dataelement-10950
---	--------------------------

Id	prsb03-dataelement-10950 (2019-05-16 17:36:54)
Description	The details of the outcome of the plan and requested actions.
Operationalization	Free text.
Value Domain	

  Person completing record	prsb03-dataelement-12175
--	--------------------------

Id	prsb03-dataelement-12175 (2019-05-31 16:15:12)
Concept inherits from	 prsb03-dataelement-11289 (2019-05-30 12:24:39)
Description	Details of the person completing the record.
Relationship	Person completing record (prsb03-dataelement-319 - 2018-10-31)

 Name	prsb03-dataelement-12176
--	--------------------------

Id	prsb03-dataelement-12176 (2019-05-31 16:15:32)
Concept inherits from	 prsb03-dataelement-11290 (2019-05-30 12:25:39)
Description	The name of the person completing the record.
Relationship	Name (prsb03-dataelement-10219 - 2018-10-31)
Rationale	Composition.author.Practitioner.name
Operationalization	Free text.

Value Domain

Property

max length

70



Role

prsb03-dataelement-12177

Id

prsb03-dataelement-12177 (2019-05-31 16:15:32)

Concept inherits from

prsb03-dataelement-11291 (2019-05-30 12:25:39)

Description

The organisational role of the person completing record.

2.1.543 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship

Role (*prsb03-dataelement-10220 - 2018-10-31*)

Rationale

Composition.author.Practitioner.PractitionerRole.code

Operationalization

FHIR value set :- SDSjobrole

Value Domain



Grade

prsb03-dataelement-12178

Id

prsb03-dataelement-12178 (2019-05-31 16:15:32)

Concept inherits from

prsb03-dataelement-11292 (2019-05-30 12:25:39)

Description

The grade of the person completing the record.

Relationship

Grade (*prsb03-dataelement-10221 - 2018-10-31*)

Rationale

PractitionerRole.code

Operationalization

Free text.

Value Domain

Property

max length

150



Specialty

prsb03-dataelement-12179

Id

prsb03-dataelement-12179 (2019-05-31 16:15:32)

Concept inherits from

prsb03-dataelement-11293 (2019-05-30 12:25:39)

Description

The main specialty of the person completing the record.

2.1.544 Properties

FHIR PractitionerRole.specialty

Relationship Specialty (*prsb03-dataelement-10222 - 2018-10-31*)

Rationale PractitionerRole.speciality

Operationalization NHS data dictionary :- Activity treatment function code

Value Domain

Property

max length

3



Organisation

prsb03-dataelement-12180

Id prsb03-dataelement-12180 (2019-05-31 16:15:32)

Concept inherits from *prsb03-dataelement-11294* (2019-05-30 12:25:39)

Description The organisation the person completing the record works for.

Relationship Organisation (*prsb03-dataelement-10226 - 2018-10-31*)



Professional identifier

prsb03-dataelement-12181

Id prsb03-dataelement-12181 (2019-05-31 16:15:32)

Concept inherits from *prsb03-dataelement-11295* (2019-05-30 12:25:39)

Description Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.545 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship Professional identifier (*prsb03-dataelement-10223 - 2018-10-31*)

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary :- Professional registration identifier

Value Domain

Property

max length

32



Date completed

prsb03-dataelement-12182

Id prsb03-dataelement-12182 (2019-05-31 16:15:32)

Concept inherits from	 prsb03-dataelement-11296 (2019-05-30 12:25:39)
Description	The date and time the record was completed.
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)
Rationale	Composition.date
Operationalization	Date and time.
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 5px; text-align: center;">Timestamp precision</div> <div style="border: 1px solid #ccc; padding: 5px; text-align: center;">at least day, month and year, hour and minute</div>

 Contact details	prsb03-dataelement-12183
---	--------------------------

Id	prsb03-dataelement-12183 (2019-05-31 16:15:32)
Concept inherits from	 prsb03-dataelement-11297 (2019-05-30 12:25:39)
Description	Contact details of the person completing the record.

2.1.546 Properties

FHIR	PractitionerRole.telecom
Relationship	Contact details (<i>prsb03-dataelement-10225 - 2018-10-31</i>)
Rationale	Practitioner:telecom PractitionerRole:telecom Organisation:telcom
Operationalization	NHS data dictionary : - UK telephone number
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 5px; text-align: center;">max length</div> <div style="border: 1px solid #ccc; padding: 5px; text-align: center;">35</div>

 Care planning arrangements	prsb03-dataelement-10439
--	--------------------------

Id	prsb03-dataelement-10439 (2018-10-31)
Description	Record if CPA (Care Programme Approach) documentation is available and how and where it can be accessed; care and treatment plan in Wales and Scotland. In Wales this is superseded by the Mental Health Measure 2010.
Operationalization	Free text
Value Domain	
Used by	0 transactions, 0 templates, inherited once

 Special monitoring required

prsb03-dataelement-10440

Id	prsb03-dataelement-10440 (2018-10-31) 0.1
Description	Eg neuro-obs, O2 saturation etc
Value Domain	

 Aims and limitations of treatment and special instructions

prsb03-dataelement-10441

Id	prsb03-dataelement-10441 (2018-10-31) 0.1
Description	The current aim of treatment including limitations to treatment and communications issues, eg, not for ITU
Value Domain	

 Escalation plan

prsb03-dataelement-10442

Id	prsb03-dataelement-10442 (2018-10-31) 0.1
Description	Who needs to be contacted in the event of significant problems or patient deterioration include, eg seniority/name/ contact details of person to be called
Value Domain	
Used by	0 transactions, 0 templates, inherited once

 Investigations requested

prsb03-dataelement-10443

Id	prsb03-dataelement-10443 (2018-10-31)
Description	This includes a name or description of the investigation requested and the date requested.
Operationalization	Free text
Value Domain	

 Procedures requested

prsb03-dataelement-10444

Id	prsb03-dataelement-10444 (2018-10-31)
Description	These are the diagnostic or therapeutic procedures that have actually been requested (and the date requested).
Operationalization	Free text
Value Domain	

 Person completing record

prsb03-dataelement-12605

Id	prsb03-dataelement-12605 (2019-11-14 12:34:50)
----	--

Concept inherits from	 prsb03-dataelement-11289 (2019-05-30 12:24:39)
Description	Details of the person completing the record.
Relationship	Person completing record (<i>prsb03-dataelement-319 - 2018-10-31</i>)

 Name	prsb03-dataelement-12606
--	--------------------------

Id	prsb03-dataelement-12606 (2019-11-14 12:35:42)		
Concept inherits from	 prsb03-dataelement-11290 (2019-05-30 12:25:39)		
Description	The name of the person completing the record.		
Relationship	Name (<i>prsb03-dataelement-10219 - 2018-10-31</i>)		
Rationale	Composition.author.Practitioner.name		
Operationalization	Free text.		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>70</td> </tr> </table>	max length	70
max length			
70			

 Role	prsb03-dataelement-12607
--	--------------------------

Id	prsb03-dataelement-12607 (2019-11-14 12:35:42)
Concept inherits from	 prsb03-dataelement-11291 (2019-05-30 12:25:39)
Description	The organisational role of the person completing record.

2.1.547 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship	Role (<i>prsb03-dataelement-10220 - 2018-10-31</i>)
Rationale	Composition.author.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobrole
Value Domain	

 Grade	prsb03-dataelement-12608
---	--------------------------

Id	prsb03-dataelement-12608 (2019-11-14 12:35:42)
Concept inherits from	 prsb03-dataelement-11292 (2019-05-30 12:25:39)
Description	The grade of the person completing the record.
Relationship	Grade (<i>prsb03-dataelement-10221 - 2018-10-31</i>)
Rationale	PractitionerRole.code

Operationalization Free text.

Value Domain

Property

max length

150



Specialty

prsb03-dataelement-12609

Id prsb03-dataelement-12609 (2019-11-14 12:35:42)

Concept inherits from prsb03-dataelement-11293 (2019-05-30 12:25:39)

Description The main specialty of the person completing the record.

2.1.548 Properties

FHIR PractitionerRole.specialty

Relationship Specialty (*prsb03-dataelement-10222 - 2018-10-31*)

Rationale PractitionerRole.specialty

Operationalization NHS data dictionary :- Activity treatment function code

Value Domain

Property

max length

3



Organisation

prsb03-dataelement-12610

Id prsb03-dataelement-12610 (2019-11-14 12:35:42)

Concept inherits from prsb03-dataelement-11294 (2019-05-30 12:25:39)

Description The organisation the person completing the record works for.

Relationship Organisation (*prsb03-dataelement-10226 - 2018-10-31*)



Professional identifier

prsb03-dataelement-12611

Id prsb03-dataelement-12611 (2019-11-14 12:35:42)

Concept inherits from prsb03-dataelement-11295 (2019-05-30 12:25:39)

Description Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.549 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship	Professional identifier (<i>prsb03-dataelement-10223 - 2018-10-31</i>)
Rationale	Practitioner.identifier (for professional national identifiers), PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary :- Professional registration identifier

Value Domain

Property

max length

32



Date completed

prsb03-dataelement-12612

Id	prsb03-dataelement-12612 (2019-11-14 12:35:42)
Concept inherits from	<i>prsb03-dataelement-11296</i> (2019-05-30 12:25:39)
Description	The date and time the record was completed.
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)
Rationale	Composition.date
Operationalization	Date and time.

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Contact details

prsb03-dataelement-12613

Id	prsb03-dataelement-12613 (2019-11-14 12:35:42)
Concept inherits from	<i>prsb03-dataelement-11297</i> (2019-05-30 12:25:39)
Description	Contact details of the person completing the record.

2.1.550 Properties

FHIR **PractitionerRole.telecom**Relationship *Contact details (prsb03-dataelement-10225 - 2018-10-31)*Rationale
Practitioner:telecom
PractitionerRole:telecom
Organisation.telcom

Operationalization NHS data dictionary : - UK telephone number

Value Domain

Property

max length

  Senior Reviewing Clinician

prsb03-dataelement-12614

Id prsb03-dataelement-12614 (2019-11-14 17:14:10)

Concept inherits from  prsb03-dataelement-327 (2018-10-31)

Description Senior Reviewing Clinician

 Name

prsb03-dataelement-12615

Id prsb03-dataelement-12615 (2019-11-14 17:14:36)

Concept inherits from  prsb03-dataelement-10227 (2018-10-31)

Description The name of the senior clinician responsible for reviewing the patient treatment and discharge plan.

Operationalization The person name as held on the source system. Where possible this should be broken down into its constituent parts (prefix, given name, family name, suffix).

Value Domain

 Role

prsb03-dataelement-14279

Id prsb03-dataelement-14279 (2021-05-05 15:22:04)

Concept inherits from  prsb03-dataelement-12186 (2019-05-31 16:19:35)

Description The role the professional has in relation to the person.

Relationship Role (prsb03-dataelement-11283 - 2019-05-30 11:58:48)

Operationalization FHIR value set : - sdsjobrole

Value Domain

 Professional identifier

prsb03-dataelement-12616

Id prsb03-dataelement-12616 (2019-11-14 17:14:36) 0.1

Concept inherits from  prsb03-dataelement-10228 (2018-10-31)

Description The unique identifier issued by the regulatory body e.g., GMC number, HCPC number etc.

Operationalization The professional identifier type and the identifier itself as held on the source system. An identifier for the person completing the record will be sent (but may not be displayed in the rendered message).

Value Domain

  Mental health

prsb03-dataelement-10790

Id prsb03-dataelement-10790 (2019-03-19 18:14:47) 0.1

Description	Details of information relating to a person's mental health and social care
 Care planning arrangements	prsb03-dataelement-10791
Id	prsb03-dataelement-10791 (2019-03-19 18:17:47) 0.1
Concept inherits from	 prsb03-dataelement-10439 (2018-10-31)
Description	Record if CPA (Care Programme Approach) documentation is available and how and where it can be accessed; care and treatment plan in Wales and Scotland. In Wales this is superseded by the Mental Health Measure 2010.
Operationalization	Free text
Value Domain	
 Escalation plan	prsb03-dataelement-10792
Id	prsb03-dataelement-10792 (2019-03-19 18:18:19) 0.1
Concept inherits from	 prsb03-dataelement-10442 (2018-10-31)
Description	Who needs to be contacted in the event of significant problems or patient deterioration include, eg seniority/name/ contact details of person to be called
Value Domain	
 Formulation	prsb03-dataelement-10793
Id	prsb03-dataelement-10793 (2019-03-19 18:19:23) 0.1
Concept inherits from	 prsb03-dataelement-10148 (2018-10-31)
Description	An account, shared by a therapist and person, of the personal meaning and origins of a person's difficulties. This is viewed in the context of multiple factors including relationships, social circumstances and life events and will indicate the most helpful way forward.
Operationalization	Free text
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 2px;">max length</div> <div style="border: 1px solid #ccc; padding: 2px; width: fit-content;">150</div>
  Mental health act or equivalent status	prsb03-dataelement-10794
Id	prsb03-dataelement-10794 (2019-03-19 18:20:35) 0.1
Concept inherits from	 prsb03-dataelement-10427 (2018-10-31)
Description	Details of the persons mental health act record

Mental capacity assessment	prsb03-dataelement-10795
Id	prsb03-dataelement-10795 (2019-03-19 18:21:26) 0.1
Concept inherits from	prsb03-dataelement-10424 (2018-10-31)
Description	Details of the persons mental capacity assessment
Deprivation of Liberty Safeguards or equivalent	prsb03-dataelement-10796
Id	prsb03-dataelement-10796 (2019-03-19 18:23:37) 0.1
Concept inherits from	prsb03-dataelement-10426 (2018-10-31)
Description	Details of the person's Deprivation of Liberty Safeguards (DoLS) or equivalent
Treatments and interventions and changes made to treatments.	prsb03-dataelement-10826
Id	prsb03-dataelement-10826 (2019-03-21 14:22:11) 0.1
Concept inherits from	prsb03-dataelement-10149 (2018-10-31)
Description	The relevant treatments and interventions which the patient received during the inpatient stay. Include psychological therapies. All medications should be recorded under the medications section.
Operationalization	Free text
Value Domain	
Person and carer concerns expectations and wishes	prsb03-dataelement-292
Id	prsb03-dataelement-292 (2018-10-31)
Description	Person and carer concerns, expectations and wishes
Date	prsb03-dataelement-10193
Id	prsb03-dataelement-10193 (2018-10-31)
Description	The date on which the concerns, wishes or goals of the person were recorded
Value Domain	
Location	prsb03-dataelement-10856
Id	prsb03-dataelement-10856 (2019-03-27 17:32:49)
Description	The location where the concerns, expectations and wishes were recorded.
Relationship	Location (prsb03-dataelement-10853 - 2019-03-27 17:22:18)
Value Domain	
Patient and carer concerns, expectations and wishes	

	prsb03-dataelement-10192
--	--------------------------

Id	prsb03-dataelement-10192 (2018-10-31)
Description	Description of the concerns, wishes or goals of the person in relation to their care, as expressed by the person, their representative or carer. Record who has expressed these (patient or carer/ representative on behalf of the patient).Where the person lacks capacity this may include their representative's concerns, expectations or wishes.

2.1.551 Properties

FHIR Observation.category Observation.code Observation.valueCodeabelConcept Observation.subject
Observation.comment

Operationalization A record of statements expressed by the person or their carer or representative. Free Text

Value Domain

📁 📄 Person completing record	prsb03-dataelement-13740
------------------------------	--------------------------

Id	prsb03-dataelement-13740 (2020-09-25 16:27:48)
Concept inherits from	🟡 prsb03-dataelement-13052 (2020-04-28 19:36:14)
Description	A record of the details of the person that entered the impairment and the date on which it was entered.
Relationship	Person completing record (<i>prsb03-dataelement-11289 - 2019-05-30 12:24:39</i>)

🟡 Name	prsb03-dataelement-13741
--------	--------------------------

Id	prsb03-dataelement-13741 (2020-09-25 16:28:39)
Concept inherits from	🟡 prsb03-dataelement-13053 (2020-04-28 19:36:38)
Description	The name of the person completing the record.
Relationship	Name (<i>prsb03-dataelement-10219 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.name
Operationalization	Free text.

Value Domain

Property	<table border="1"> <tr> <td>max length</td></tr> <tr> <td>70</td></tr> </table>	max length	70
max length			
70			

🟡 Role	prsb03-dataelement-13742
--------	--------------------------

Id	prsb03-dataelement-13742 (2020-09-25 16:28:39)
Concept inherits from	🟡 prsb03-dataelement-13054 (2020-04-28 19:36:38)
Description	The organisational role of the person completing record.

2.1.552 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship Role (*prsb03-dataelement-10220 - 2018-10-31*)

Rationale Composition.author.Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobrole

Value Domain



Grade

prsb03-dataelement-13743

Id *prsb03-dataelement-13743 (2020-09-25 16:28:39)*

Concept inherits from *prsb03-dataelement-13055 (2020-04-28 19:36:38)*

Description The grade of the person completing the record.

Relationship Grade (*prsb03-dataelement-10221 - 2018-10-31*)

Rationale PractitionerRole.code

Operationalization Free text.

Value Domain

Property

max length

150



Specialty

prsb03-dataelement-13744

Id *prsb03-dataelement-13744 (2020-09-25 16:28:39)*

Concept inherits from *prsb03-dataelement-13056 (2020-04-28 19:36:38)*

Description The main specialty of the person completing the record.

2.1.553 Properties

FHIR PractitionerRole.specialty

Relationship Specialty (*prsb03-dataelement-10222 - 2018-10-31*)

Rationale PractitionerRole.specialty

Operationalization NHS data dictionary :- Activity treatment function code

Value Domain

Property

max length

3



Organisation

prsb03-dataelement-13745

Id	prsb03-dataelement-13745 (2020-09-25 16:28:39)
Concept inherits from	🟡 prsb03-dataelement-13057 (2020-04-28 19:36:38)
Description	The organisation the person completing the record works for.
Relationship	Organisation (prsb03-dataelement-10226 - 2018-10-31)

🟡 Professional identifier

prsb03-dataelement-13746

Id	prsb03-dataelement-13746 (2020-09-25 16:28:39)
Concept inherits from	🟡 prsb03-dataelement-13058 (2020-04-28 19:36:38)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.554 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship	Professional identifier (prsb03-dataelement-10223 - 2018-10-31)
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary :- Professional registration identifier
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 2px; border-radius: 5px;">max length</div> <div style="text-align: center;">32</div>

🟡 Date completed

prsb03-dataelement-13747

Id	prsb03-dataelement-13747 (2020-09-25 16:28:39)
Concept inherits from	🟡 prsb03-dataelement-13059 (2020-04-28 19:36:38)
Description	The date and time the record was completed.
Relationship	Date completed (prsb03-dataelement-10224 - 2018-10-31)
Rationale	Composition.date
Operationalization	Date and time.
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 2px; border-radius: 5px;">Timestamp precision</div> <div style="text-align: center;">at least day, month and year, hour and minute</div>

🟡 Contact details

prsb03-dataelement-13748

Id	prsb03-dataelement-13748 (2020-09-25 16:28:39)
Concept inherits from	🟡 prsb03-dataelement-13060 (2020-04-28 19:36:38)
Description	Contact details of the person completing the record.

2.1.555 Properties

FHIR PractitionerRole.telecom

Relationship Contact details (*prsb03-dataelement-10225 - 2018-10-31*)

Rationale Practitioner:telecom
PractitionerRole:telecom
Organisation.telcom

Operationalization NHS data dictionary : - UK telephone number

Value Domain

Property

max length

35

❸ Person completing record

prsb03-dataelement-10857

Id prsb03-dataelement-10857 (2019-03-27 17:34:07) 0.1

Description This is the person recording the concerns, wished and expectations.

Should include their name, role, grade, specialty, organisation, professional identifier, date and time completed, contact details.

Relationship Person completing record (*prsb03-dataelement-10404 - 2018-10-31*)

Operationalization Free text. Name, Role, Grade, Specialty, Organisation, Professional identifier, Date and time completed, Contact details

Value Domain

🟡 Maternity Care Plan Type

prsb03-dataelement-10194

Id prsb03-dataelement-10194 (2018-10-31)

Description The stage of maternity to which the care plan applies e.g. antenatal

Value Domain

🟡 Planned delivery setting

prsb03-dataelement-10195

Id prsb03-dataelement-10195 (2018-10-31)

Description The planned delivery setting where the pregnant woman plans to have her baby as designated by the Care Professional in consultation with the woman

Value
Domain

 Reason for change of planned delivery setting	prsb03-dataelement-10196
---	--------------------------

Id prsb03-dataelement-10196 (2018-10-31)

Description The reason why the planned delivery setting has changed

Value Domain

 Advance statement	prsb03-dataelement-10197
---	--------------------------

Id prsb03-dataelement-10197 (2018-10-31)

Description Written requests and preferences made by a person with capacity conveying their wishes, beliefs and values for their future care should they lose capacity. Include the location of the document if known.

Operationalization Coded text and/or text. A record of the presence of an advance statement using the following SNOMED CT concept from the National Information Standard (SCCI1580): SNOMED CT: 816281000000101. Has advance statement (Mental Capacity Act 2005). The content of the advance statement should also be included as text or attached as a document where available.

Value Domain

 Preferred place of care	prsb03-dataelement-10198
---	--------------------------

Id prsb03-dataelement-10198 (2018-10-31)

Description The preferences that a person has identified as their preferred place to receive care.

Operationalization A record of the preferences that a person has identified as their preferred place to receive care. Free Text

Value Domain

 Preferred place of death	prsb03-dataelement-10199
--	--------------------------

Id prsb03-dataelement-10199 (2018-10-31)

Description The preferences that a person has identified as their preferred place to die.

Operationalization End of life care plan use case only. Preferences will be identified as 1st/2nd choice etc as given by the person. Each recorded preference should include the name of the place that the person has identified. It may also include coded values from the National Information Standard (SCCI1580), together with the associated text:10: Hospital (Acute/Community/Other)20: Private residence21: Patient's own home22: Other private residence (eg relatives home, carers home)30: Hospice (inpatient specialist palliative care)40: Care Home50: Other (free text eg secure and detained settings)517111000000103

Preferred place of death: patient unable to express preference517131000000106

Preferred place of death: discussion not appropriate766391000000108

Preferred place of death: patient declined discussion517161000000101

Preferred place of death: patient undecided

Value Domain

 Used by 0 transactions, 0 templates, inherited once

 Care and support plan

prsb03-dataelement-508

Id prsb03-dataelement-508 (2018-10-31)

Description This records the decisions reached during conversation between the individual and health and care professional about future plans and also records progress.

 Strengths

prsb03-dataelement-10419

Id prsb03-dataelement-10419 (2018-10-31)

Description Any strengths and assets the person has relating to their goals and hopes about their health and well-being.

Operationalization Free text

Value Domain

 Needs, concerns or problems

prsb03-dataelement-10414

Id prsb03-dataelement-10414 (2018-10-31)

Description Needs, concerns or problems the person has that relating to their health and well-being. May be linked to the problem list from the person's record to avoid duplication. May include biological, psychological and social needs, concerns or problems. May include (eg) financial concerns over debt.

Operationalization Free text

 Goals and hopes

prsb03-dataelement-10413

Id prsb03-dataelement-10413 (2018-10-31)

Description The overall goals, hopes, aims or targets that the person has. Including anything that the person wants to achieve that relates to their future health and wellbeing. Each goal may include a description of why it is important to the person. Goals may also be ranked in order of importance or priority to the person.

Operationalization Free text

 Actions and activities

prsb03-dataelement-10408

Id prsb03-dataelement-10408 (2018-10-31)

Description Actions or activities the person or others plan to take to achieve the person's goals and the resources required to do this.

 Stage goal

prsb03-dataelement-10674

Id prsb03-dataelement-10674 (2018-11-15 13:32:26)

Description A specific sub-goal that is related to the overall goal as agreed by the person in collaboration with a professional.

Operationalization Free text

Value Domain



What

prsb03-dataelement-10675

Id

prsb03-dataelement-10675 (2018-11-15 13:33:22)

Description

What the action is and how it is to be carried out?

Operationalization

Free text.

Value Domain



Who

prsb03-dataelement-10676

Id

prsb03-dataelement-10676 (2018-11-15 13:34:04)

Description

Name and role (e.g. person, carer, GP, OT, etc.) of the person, or a team, carrying out the proposed action, and, if relevant where action should take place.

Operationalization

Free text.

Value Domain



When

prsb03-dataelement-10677

Id

prsb03-dataelement-10677 (2018-11-15 13:34:38)

Description

Planned date, time, or interval, as relevant

Operationalization

Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Suggested strategies

prsb03-dataelement-10678

Id

prsb03-dataelement-10678 (2018-11-15 13:35:19)

Description

Suggested strategies for potential problems.

Operationalization

Free text.

Value Domain



Status

prsb03-dataelement-10679

Id

prsb03-dataelement-10679 (2018-11-15 13:35:57)

Description

The status of the action or activity e.g. started, not started, completed, not applicable.

Operationalization Free text.

Value Domain

 Confidence	prsb03-dataelement-10680
--	--------------------------

Id

prsb03-dataelement-10680 (2018-11-15 13:54:04)

Description

How confident the person feels to carry it out

Operationalization

Free text.

Value Domain

 Outcome	prsb03-dataelement-10681
---	--------------------------

Id

prsb03-dataelement-10681 (2018-11-15 13:54:34)

Description

The outcome of the stage goal

Operationalization

Free text.

Value Domain

 Date last updated	prsb03-dataelement-10682
---	--------------------------

Id

prsb03-dataelement-10682 (2018-11-15 13:55:05)

Description

Date when action/activity record was last updated

Operationalization

Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute

 Review date	prsb03-dataelement-10683
---	--------------------------

Id

prsb03-dataelement-10683 (2018-11-15 13:55:47)

Description

When the stage goal and action need to be reviewed.

Operationalization

Date and time.

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute

 Outcomes	prsb03-dataelement-10416
--	--------------------------

Id

prsb03-dataelement-10416 (2018-10-31)

Description Outcomes of each of the person's goals, aims and targets. Includes comments recorded by the person, date and status.

Operationalization Free text

Value Domain

 Agreed with person or legitimate representative

prsb03-dataelement-10409

Id prsb03-dataelement-10409 (2018-10-31)

Description Indicates whether the plan was discussed and agreed with the person or legitimate representative. A record of the agreement of the decisions made.

Operationalization Free text

Value Domain

 Care funding source

prsb03-dataelement-10410

Id prsb03-dataelement-10410 (2018-10-31)

Description A reference to the funding source and any conditions or limitations associated.

Operationalization Free text

Value Domain

Property

max length

150

 Used by

0 transactions, 0 templates, inherited once

 Date last updated

prsb03-dataelement-10411

Id prsb03-dataelement-10411 (2018-10-31)

Description Date when action/activity record was last updated

Operationalization Date and Time

Value Domain

 Date this plan was last updated

prsb03-dataelement-10412

Id prsb03-dataelement-10412 (2018-10-31)

Description This is a record of the date that this care and support plan was last updated.

Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



0 transactions, 0 templates, inherited once

Other care planning documents

prsb03-dataelement-10415

Id prsb03-dataelement-10415 (2018-10-31)

Description Reference other care planning documents, including the type, location and date.

This may include condition-specific plans, advance care plans, end of life care plan, etc.

Operationalization Free text.

Value Domain

Planned review date/interval

prsb03-dataelement-10417

Id prsb03-dataelement-10417 (2018-10-31)

Description This is the date/interval when this information will next be reviewed.

Operationalization Date and time

Value Domain

Responsibility for review

prsb03-dataelement-10418

Id prsb03-dataelement-10418 (2018-10-31)

Description This is a record of who has responsibility for arranging review of this information.

Should include their name, role and contact details.

Operationalization Free text.

Value Domain

Location

prsb03-dataelement-12044

Id prsb03-dataelement-12044 (2019-05-31 15:32:03)

Description The location where the care and support plan was prepared.

Relationship Location (*prsb03-dataelement-11689 - 2019-05-31 11:51:04*)

Coded value

prsb03-dataelement-13665

Id prsb03-dataelement-13665 (2020-09-08 22:17:08)

Description The coded value for location

Operationalization NHS data dictionary: - Organisation data service

Value Domain

Property

min length	max length
------------	------------

3	5
---	---



Free text

prsb03-dataelement-13666

Id

prsb03-dataelement-13666 (2020-09-08 22:18:17)

Concept inherits from

prsb03-dataelement-13223 (2020-07-08 17:40:09)

Description

Free text field to be used if no coded text available

Value Domain

Property

max length

150



Performing professional

prsb03-dataelement-12027

Id

prsb03-dataelement-12027 (2019-05-31 15:30:22)

Description

The professional who prepared the care and support plan.

Relationship

Performing professional (*prsb03-dataelement-11281 - 2019-05-30 11:53:30*)



Name

prsb03-dataelement-12028

Id

prsb03-dataelement-12028 (2019-05-31 15:30:50)

Concept inherits from

prsb03-dataelement-11282 (2019-05-30 11:57:38)

Description

The name of the professional.

Rationale

Practitioner.name

Operationalization

Free text.

Value Domain

Property

max length

70



0 transactions, 0 templates, inherited 2 times



Role

prsb03-dataelement-12029

Id

prsb03-dataelement-12029 (2019-05-31 15:30:50)

Concept inherits from	 prsb03-dataelement-11283 (2019-05-30 11:58:48)
Description	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc
Rationale	Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobroletype
Value Domain	
 Used by	0 transactions, 0 templates, inherited 2 times

 Grade

prsb03-dataelement-12030

Id	prsb03-dataelement-12030 (2019-05-31 15:30:50)		
Concept inherits from	 prsb03-dataelement-11288 (2019-05-30 12:19:40)		
Description	The grade of the professional.		
Rationale	PractitionerRole.code		
Operationalization	Free text		
Value Domain			
Property	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 5px; background-color: #e0e0e0;">max length</td> </tr> <tr> <td style="padding: 5px;">150</td> </tr> </table>	max length	150
max length			
150			
 Used by	0 transactions, 0 templates, inherited 2 times		

 Speciality

prsb03-dataelement-12031

Id	prsb03-dataelement-12031 (2019-05-31 15:30:50)		
Concept inherits from	 prsb03-dataelement-11284 (2019-05-30 12:01:15)		
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc		
Rationale	PractitionerRole.speciality		
Operationalization	NHS data dictionary - Activity treatment function code		
Value Domain			
Property	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 5px; background-color: #e0e0e0;">max length</td> </tr> <tr> <td style="padding: 5px;">3</td> </tr> </table>	max length	3
max length			
3			
 Used by	0 transactions, 0 templates, inherited 2 times		

 Professional identifier

prsb03-dataelement-12032

Id	prsb03-dataelement-12032 (2019-05-31 15:30:50)		
Concept inherits from	🟡 prsb03-dataelement-11285 (2019-05-30 12:02:46)		
Description	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.		
Rationale	Practitioner.identifier (for professional national identifiers), PractitionerRole.identifier (for local role identifiers)		
Operationalization	NHS data dictionary : - Professional registration identifier		
Value Domain			
Property	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 5px; background-color: #d3d3d3; text-align: center;">max length</td></tr> <tr> <td style="padding: 5px; text-align: center;">32</td></tr> </table>	max length	32
max length			
32			
⌚ Used by	0 transactions, 0 templates, inherited 2 times		

prsb03-dataelement-12033

Id	prsb03-dataelement-12033 (2019-05-31 15:30:50)
Concept inherits from	🟡 prsb03-dataelement-11286 (2019-05-30 12:17:19)
Description	The name of the organisation the professional works for.
⌚ Used by	0 transactions, 0 templates, inherited 2 times

prsb03-dataelement-12034

Id	prsb03-dataelement-12034 (2019-05-31 15:30:50)		
Concept inherits from	🟡 prsb03-dataelement-11287 (2019-05-30 12:18:13)		
Description	Contact details of the professional		
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom		
Operationalization	NHS data dictionary - UK phone number		
Value Domain			
Property	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 5px; background-color: #d3d3d3; text-align: center;">max length</td></tr> <tr> <td style="padding: 5px; text-align: center;">35</td></tr> </table>	max length	35
max length			
35			
⌚ Used by	0 transactions, 0 templates, inherited 2 times		

 Person completing record

prsb03-dataelement-12035

Id	prsb03-dataelement-12035 (2019-05-31 15:31:01)
Concept inherits from	 prsb03-dataelement-11289 (2019-05-30 12:24:39)
Description	Details of the person completing the record.
Relationship	Person completing record (prsb03-dataelement-319 - 2018-10-31)

 Name

prsb03-dataelement-12036

Id	prsb03-dataelement-12036 (2019-05-31 15:31:27)
Concept inherits from	 prsb03-dataelement-11290 (2019-05-30 12:25:39)
Description	The name of the person completing the record.
Relationship	Name (prsb03-dataelement-10219 - 2018-10-31)
Rationale	Composition.author.Practitioner.name
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 70 </div>

 Role

prsb03-dataelement-12037

Id	prsb03-dataelement-12037 (2019-05-31 15:31:27)
Concept inherits from	 prsb03-dataelement-11291 (2019-05-30 12:25:39)
Description	The organisational role of the person completing record.

2.1.556 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship	Role (prsb03-dataelement-10220 - 2018-10-31)
Rationale	Composition.author.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobrole
Value Domain	

 Grade

prsb03-dataelement-12038

Id	prsb03-dataelement-12038 (2019-05-31 15:31:27)
Concept inherits from	 prsb03-dataelement-11292 (2019-05-30 12:25:39)

Description	The grade of the person completing the record.
Relationship	Grade (<i>prsb03-dataelement-10221 - 2018-10-31</i>)
Rationale	PractitionerRole.code
Operationalization	Free text.
Value Domain	

Property

max length

150



Specialty

prsb03-dataelement-12039

Id	prsb03-dataelement-12039 (2019-05-31 15:31:27)
Concept inherits from	Specialty (<i>prsb03-dataelement-11293 - 2019-05-30 12:25:39</i>)
Description	The main specialty of the person completing the record.

2.1.557 Properties

FHIR

PractitionerRole.specialty

Relationship	Specialty (<i>prsb03-dataelement-10222 - 2018-10-31</i>)
Rationale	PractitionerRole.specialty
Operationalization	NHS data dictionary :- Activity treatment function code
Value Domain	
Property	

max length

3



Organisation

prsb03-dataelement-12040

Id	prsb03-dataelement-12040 (2019-05-31 15:31:27)
Concept inherits from	Organisation (<i>prsb03-dataelement-11294 - 2019-05-30 12:25:39</i>)
Description	The organisation the person completing the record works for.
Relationship	Organisation (<i>prsb03-dataelement-10226 - 2018-10-31</i>)



Professional identifier

prsb03-dataelement-12041

Id	prsb03-dataelement-12041 (2019-05-31 15:31:27)
Concept inherits from	Professional identifier (<i>prsb03-dataelement-11295 - 2019-05-30 12:25:39</i>)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.558 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship	Professional identifier (<i>prsb03-dataelement-10223 - 2018-10-31</i>)
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary :- Professional registration identifier
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 2px;">max length</div> <div style="border: 1px solid black; padding: 2px; text-align: center;">32</div>



Date completed

prsb03-dataelement-12042

Id	prsb03-dataelement-12042 (2019-05-31 15:31:27)
Concept inherits from	<i>prsb03-dataelement-11296</i> (2019-05-30 12:25:39)
Description	The date and time the record was completed.
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)
Rationale	Composition.date
Operationalization	Date and time.
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 2px; text-align: center;">Timestamp precision</div> <div style="border: 1px solid black; padding: 2px; text-align: center;">at least day, month and year, hour and minute</div>



Contact details

prsb03-dataelement-12043

Id	prsb03-dataelement-12043 (2019-05-31 15:31:27)
Concept inherits from	<i>prsb03-dataelement-11297</i> (2019-05-30 12:25:39)
Description	Contact details of the person completing the record.

2.1.559 Properties

FHIR PractitionerRole.telecom

Relationship	Contact details (<i>prsb03-dataelement-10225 - 2018-10-31</i>)
Rationale	Practitioner:telecom PractitionerRole:telecom Organisation.telcom
Operationalization	NHS data dictionary : - UK telephone number

Value Domain

Property

max length

35



Person completing record

prsb03-dataelement-10840

Id

prsb03-dataelement-10840 (2019-03-27 16:19:24)

Concept inherits from

prsb03-dataelement-10404 (2018-10-31)

Description

This is the person contributing to an additional supporting plan. Should include their name, role, grade, specialty, organisation, professional identifier, date and time completed, contact details

Operationalization

Free text. Name, Role, Grade, Specialty, Organisation, Professional identifier, Date and time completed, Contact details

Value Domain



Contingency plans

prsb03-dataelement-469

Id

prsb03-dataelement-469 (2018-10-31)

Description

These are the things to do and people to contact should an individual's health or other circumstances get worse



Agreed with person or legitimate representative

prsb03-dataelement-10369

Id

prsb03-dataelement-10369 (2018-10-31)

Description

Indicates whether the plan was discussed and agreed with the person or legitimate representative.

Operationalization

Free text

Value Domain



Anticipatory medicines/equipment

prsb03-dataelement-10370

Id

prsb03-dataelement-10370 (2018-10-31)

Description

Medicines or equipment available that may be required in specific situations and their location. A statement regarding the availability or location of the anticipatory medicines/equipment.

Operationalization

Free text

Value Domain

Property

max length

150



Used by 0 transactions, 0 templates, inherited once

  Advance statement	prsb03-dataelement-10777
---	--------------------------

Id	prsb03-dataelement-10777 (2019-03-19 17:12:20)
Description	Written requests and preferences made by a person with capacity conveying their wishes, beliefs and values for their future care should they lose capacity.
Relationship	Advance statement (<i>prsb03-dataelement-10197 - 2018-10-31</i>)

 Date	prsb03-dataelement-12267
--	--------------------------

Id	prsb03-dataelement-12267 (2019-05-31 16:39:20)
Description	The date when the advanced statements was made.
Relationship	Date (<i>prsb03-dataelement-11688 - 2019-05-31 11:50:22</i>)
Operationalization	Date and time
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>

  Location	prsb03-dataelement-12268
--	--------------------------

Id	prsb03-dataelement-12268 (2019-05-31 16:39:59)
Description	The location where the advanced statement was made.
Relationship	Location (<i>prsb03-dataelement-11689 - 2019-05-31 11:51:04</i>)

 Coded value	prsb03-dataelement-13698
---	--------------------------

Id	prsb03-dataelement-13698 (2020-09-09 17:14:46)				
Description	The coded value for location				
Operationalization	NHS data dictionary: - Organisation data service				
Value Domain					
Property	<table style="margin-left: auto; margin-right: auto;"> <tr> <td style="padding: 2px 10px;">min length</td> <td style="padding: 2px 10px;">max length</td> </tr> <tr> <td style="text-align: center;">3</td> <td style="text-align: center;">5</td> </tr> </table>	min length	max length	3	5
min length	max length				
3	5				

 Free text	prsb03-dataelement-13699
---	--------------------------

Id	prsb03-dataelement-13699 (2020-09-09 17:16:21)
Concept inherits from	 <i>prsb03-dataelement-13220 (2020-07-08 12:57:49)</i>

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property max length

150



Advance statement

prsb03-dataelement-13695

Id prsb03-dataelement-13695 (2020-09-09 17:06:33)

Description Does the person have an advance statement.



Coded value

prsb03-dataelement-13696

Id prsb03-dataelement-13696 (2020-09-09 17:09:21)

Description The coded value for advance statement

Operationalization SNOMED CT: - 816281000000101 | Has advance statement (Mental Capacity Act 2005) (finding) |

Value Domain



Free text

prsb03-dataelement-13697

Id prsb03-dataelement-13697 (2020-09-09 17:10:48)

Concept inherits from prsb03-dataelement-13220 (2020-07-08 12:57:49)


Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property max length

150



Location of document

prsb03-dataelement-13760

Id prsb03-dataelement-13760 (2020-09-29 14:53:49)

Description The location of where the advanced statement is held.

Relationship Location of document (*prsb03-dataelement-13706 - 2020-09-10 12:30:14*)

Operationalization Free text or URL

Value Domain



Performing professional

prsb03-dataelement-12269

Id	prsb03-dataelement-12269 (2019-05-31 16:40:44)
Description	The professional who made the advance statement.
Relationship	Performing professional (<i>prsb03-dataelement-11281 - 2019-05-30 11:53:30</i>)

 Name

prsb03-dataelement-12270

Id	prsb03-dataelement-12270 (2019-05-31 16:41:01)
Concept inherits from	 <i>prsb03-dataelement-11282 (2019-05-30 11:57:38)</i>
Description	The name of the professional.
Rationale	Practitioner.name
Operationalization	Free text.
Value Domain	

Property

 max length

70

 Role

prsb03-dataelement-12271

Id	prsb03-dataelement-12271 (2019-05-31 16:41:01)
Concept inherits from	 <i>prsb03-dataelement-11283 (2019-05-30 11:58:48)</i>
Description	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc
Rationale	Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobroletype
Value Domain	

 Grade

prsb03-dataelement-12272

Id	prsb03-dataelement-12272 (2019-05-31 16:41:01)
Concept inherits from	 <i>prsb03-dataelement-11288 (2019-05-30 12:19:40)</i>
Description	The grade of the professional.
Rationale	PractitionerRole.code
Operationalization	Free text
Value Domain	

Property

 max length

150

 Speciality

prsb03-dataelement-12273

Id	prsb03-dataelement-12273 (2019-05-31 16:41:01)		
Concept inherits from	 prsb03-dataelement-11284 (2019-05-30 12:01:15)		
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc		
Rationale	PractitionerRole.speciality		
Operationalization	NHS data dictionary - Activity treatment function code		
Value Domain			
Property	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 5px; text-align: center;">max length</td> </tr> <tr> <td style="padding: 5px; text-align: center;">3</td> </tr> </table>	max length	3
max length			
3			

 Professional identifier prsb03-dataelement-12274

Id	prsb03-dataelement-12274 (2019-05-31 16:41:01)		
Concept inherits from	 prsb03-dataelement-11285 (2019-05-30 12:02:46)		
Description	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.		
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)		
Operationalization	NHS data dictionary : - Professional registration identifier		
Value Domain			
Property	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 5px; text-align: center;">max length</td> </tr> <tr> <td style="padding: 5px; text-align: center;">32</td> </tr> </table>	max length	32
max length			
32			

  Organisation prsb03-dataelement-12275

Id	prsb03-dataelement-12275 (2019-05-31 16:41:01)
Concept inherits from	 prsb03-dataelement-11286 (2019-05-30 12:17:19)
Description	The name of the organisation the professional works for.

 Contact details prsb03-dataelement-12276

Id	prsb03-dataelement-12276 (2019-05-31 16:41:01)
Concept inherits from	 prsb03-dataelement-11287 (2019-05-30 12:18:13)
Description	Contact details of the professional
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom

Operationalization NHS data dictionary - UK phone number

Value Domain

Property

max length

35

Person completing record

prsb03-dataelement-12277

Id prsb03-dataelement-12277 (2019-05-31 16:41:55)

Concept inherits from  prsb03-dataelement-11289 (2019-05-30 12:24:39)

Description Details of the person completing the record.

Relationship Person completing record (*prsb03-dataelement-319 - 2018-10-31*)

Name

prsb03-dataelement-12278

Id prsb03-dataelement-12278 (2019-05-31 16:42:15)

Concept inherits from  prsb03-dataelement-11290 (2019-05-30 12:25:39)

Description The name of the person completing the record.

Relationship Name (*prsb03-dataelement-10219 - 2018-10-31*)

Rationale Composition.author.Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70

Role

prsb03-dataelement-12279

Id prsb03-dataelement-12279 (2019-05-31 16:42:15)

Concept inherits from  prsb03-dataelement-11291 (2019-05-30 12:25:39)

Description The organisational role of the person completing record.

2.1.560 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship Role (*prsb03-dataelement-10220 - 2018-10-31*)

Rationale Composition.author.PractitionerRole.code

Operationalization FHIR value set :- SDSjobrole

Value Domain



Grade

prsb03-dataelement-12280

Id	prsb03-dataelement-12280 (2019-05-31 16:42:15)
Concept inherits from	prsb03-dataelement-11292 (2019-05-30 12:25:39)
Description	The grade of the person completing the record.
Relationship	Grade (<i>prsb03-dataelement-10221 - 2018-10-31</i>)
Rationale	PractitionerRole.code
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 150 </div>



Specialty

prsb03-dataelement-12281

Id	prsb03-dataelement-12281 (2019-05-31 16:42:15)
Concept inherits from	prsb03-dataelement-11293 (2019-05-30 12:25:39)
Description	The main specialty of the person completing the record.

2.1.561 Properties

FHIR	PractitionerRole.specialty
Relationship	Specialty (<i>prsb03-dataelement-10222 - 2018-10-31</i>)
Rationale	PractitionerRole.speciality
Operationalization	NHS data dictionary :- Activity treatment function code
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 3 </div>



Organisation

prsb03-dataelement-12282

Id	prsb03-dataelement-12282 (2019-05-31 16:42:15)
Concept inherits from	prsb03-dataelement-11294 (2019-05-30 12:25:39)
Description	The organisation the person completing the record works for.
Relationship	Organisation (<i>prsb03-dataelement-10226 - 2018-10-31</i>)



Professional identifier

prsb03-dataelement-12283

Id	prsb03-dataelement-12283 (2019-05-31 16:42:15)
Concept inherits from	 prsb03-dataelement-11295 (2019-05-30 12:25:39)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.562 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship	Professional identifier (<i>prsb03-dataelement-10223 - 2018-10-31</i>)		
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)		
Operationalization	NHS data dictionary :- Professional registration identifier		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>32</td> </tr> </table>	max length	32
max length			
32			



Date completed

prsb03-dataelement-12284

Id	prsb03-dataelement-12284 (2019-05-31 16:42:15)		
Concept inherits from	 prsb03-dataelement-11296 (2019-05-30 12:25:39)		
Description	The date and time the record was completed.		
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)		
Rationale	Composition.date		
Operationalization	Date and time.		
Value Domain			
Property	<table border="1"> <tr> <td>Timestamp precision</td> </tr> <tr> <td>at least day, month and year, hour and minute</td> </tr> </table>	Timestamp precision	at least day, month and year, hour and minute
Timestamp precision			
at least day, month and year, hour and minute			



Contact details

prsb03-dataelement-12285

Id	prsb03-dataelement-12285 (2019-05-31 16:42:15)
Concept inherits from	 prsb03-dataelement-11297 (2019-05-30 12:25:39)
Description	Contact details of the person completing the record.

2.1.563 Properties

FHIR PractitionerRole.telecom

Relationship Contact details (*prsb03-dataelement-10225 - 2018-10-31*)

Rationale Practitioner:telecom
PractitionerRole:telecom
Organisation.telcom

Operationalization NHS data dictionary : - UK telephone number

Value Domain

Property

max length

35

 Contingency plan name

prsb03-dataelement-10371

Id prsb03-dataelement-10371 (2018-10-31)

Description Name of the contingency plan – what condition or circumstances it is addressing.

Operationalization Free text

Value Domain

 Date this plan was last updated

prsb03-dataelement-10372

Id prsb03-dataelement-10372 (2018-10-31)

Description The date that this contingency plan was last updated.

Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute

 Planned review date/interval

prsb03-dataelement-10373

Id prsb03-dataelement-10373 (2018-10-31)

Description This is the date/interval when this contingency plan will next be reviewed.

Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute

 Responsibility for review

prsb03-dataelement-10374

Id prsb03-dataelement-10374 (2018-10-31)

Description This is who has responsibility for arranging review of this information.

Should include their name, role and contact details.

Operationalization Free text.

Value Domain



Trigger factors

prsb03-dataelement-10375

Id prsb03-dataelement-10375 (2018-10-31)

Description Signs to watch out for that may indicate a significant change in health or other circumstances. A statement of trigger factors.

Operationalization Free text

Value Domain




Coping strategies

prsb03-dataelement-13850

Id prsb03-dataelement-13850 (2021-01-08 16:37:56)

Description Details of coping strategies used



Coping strategy

prsb03-dataelement-13851

Id prsb03-dataelement-13851 (2021-01-08 16:45:37)

Description The coping strategies are defined as thoughts and behaviours that people use to manage the internal and external demands of situations that are appraised as stressful. This should also include a record of any tools used to carry out the coping strategy.

Operationalization Free text

Value Domain

Property

max length

150



Start date

prsb03-dataelement-13852

Id prsb03-dataelement-13852 (2021-01-08 16:47:18)

Description The date when the coping strategy started


Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



End date

prsb03-dataelement-13853

Id prsb03-dataelement-13853 (2021-01-08 16:48:58)

Description The date when the coping strategy ended

Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute

 Relapse indicators / early warning signs
prsb03-dataelement-13854

Id prsb03-dataelement-13854 (2021-01-08 16:49:59)

Description Details of the relapse indicators for the person. These may also be called 'early warning signs'

Operationalization Free text

Value Domain

Property

max length

150

 Early warning signs
prsb03-dataelement-13855

Id prsb03-dataelement-13855 (2021-01-08 16:56:37) Version 1.1 DCSP

Description Details of any early warning signs shown by the person

Operationalization Free text

Value Domain

Property

max length

150

 What should happen
prsb03-dataelement-10376

Id prsb03-dataelement-10376 (2018-10-31)

Description Guidance on specific actions or interventions that may be required or should be avoided in specific situations. This may include circumstances where action needs to be taken if a carer is unable to care for the person. A statement of suggested actions. Usually expressed as: in the event of X do Y.

Operationalization Free text

Value Domain

 Who should be contacted
prsb03-dataelement-10377

Id	prsb03-dataelement-10377 (2018-10-31)
Description	Who should be contacted in the event of significant problems or deterioration in health or wellbeing. E.g. name, role and contact details.
Operationalization	Free text
Value Domain	

 Location	prsb03-dataelement-12079
--	--------------------------

Id	prsb03-dataelement-12079 (2019-05-31 15:39:45)
Description	The location where the contingency plan was prepared.
Relationship	Location (<i>prsb03-dataelement-11689 - 2019-05-31 11:51:04</i>)

 Coded value	prsb03-dataelement-13667
---	--------------------------

Id	prsb03-dataelement-13667 (2020-09-08 22:19:58)				
Description	The coded value for location				
Operationalization	NHS data dictionary : - Organisation data service				
Value Domain					
Property	<table style="margin-left: auto; margin-right: auto;"> <tr> <td style="padding: 2px 10px;">min length</td> <td style="padding: 2px 10px;">max length</td> </tr> <tr> <td style="text-align: center;">3</td> <td style="text-align: center;">5</td> </tr> </table>	min length	max length	3	5
min length	max length				
3	5				

 Free text	prsb03-dataelement-13668
---	--------------------------

Id	prsb03-dataelement-13668 (2020-09-08 22:21:39)		
Concept inherits from	 <i>prsb03-dataelement-13220 (2020-07-08 12:57:49)</i>		
Description	Free text field to be used if no code is available		
Operationalization	Free text		
Value Domain			
Property	<table style="margin-left: auto; margin-right: auto;"> <tr> <td style="padding: 2px 10px;">max length</td> </tr> <tr> <td style="text-align: center;">150</td> </tr> </table>	max length	150
max length			
150			

 Person completing record	prsb03-dataelement-10841
--	--------------------------

Id	prsb03-dataelement-10841 (2019-03-27 16:20:18)
Description	This is the person contributing to the contingency plan. Should include their name, role, grade, specialty, organisation, professional identifier, date and time completed, contact details
Relationship	Person completing record (<i>prsb03-dataelement-10404 - 2018-10-31</i>)

Operationalization Free text. Name, Role, Grade, Specialty, Organisation, Professional identifier, Date and time completed, Contact details

Value Domain



Performing professional

prsb03-dataelement-12045

Id prsb03-dataelement-12045 (2019-05-31 15:33:20)

Description The professional who prepared the contingency plans.

Relationship Performing professional (*prsb03-dataelement-11281 - 2019-05-30 11:53:30*)



Name

prsb03-dataelement-12046

Id prsb03-dataelement-12046 (2019-05-31 15:33:38)

Concept inherits from  *prsb03-dataelement-11282 (2019-05-30 11:57:38)*

Description The name of the professional.

Rationale Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70



Role

prsb03-dataelement-12047

Id prsb03-dataelement-12047 (2019-05-31 15:33:38)

Concept inherits from  *prsb03-dataelement-11283 (2019-05-30 11:58:48)*

Description The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc

Rationale Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobroletype

Value Domain



Grade

prsb03-dataelement-12048

Id prsb03-dataelement-12048 (2019-05-31 15:33:38)

Concept inherits from  *prsb03-dataelement-11288 (2019-05-30 12:19:40)*

Description The grade of the professional.

Rationale PractitionerRole.code

Operationalization Free text

Value Domain

Property

max length

150



Speciality

prsb03-dataelement-12049

Id

prsb03-dataelement-12049 (2019-05-31 15:33:38)

Concept inherits from

prsb03-dataelement-11284 (2019-05-30 12:01:15)

Description

The specialty of the professional e.g. physiotherapy, oncology, mental health etc

Rationale

PractitionerRole.speciality

Operationalization

NHS data dictionary - Activity treatment function code

Value Domain

Property

max length

3



Professional identifier

prsb03-dataelement-12050

Id

prsb03-dataelement-12050 (2019-05-31 15:33:38)

Concept inherits from

prsb03-dataelement-11285 (2019-05-30 12:02:46)

Description

Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.

Rationale

Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary : - Professional registration identifier

Value Domain

Property

max length

32



Organisation

prsb03-dataelement-12051

Id

prsb03-dataelement-12051 (2019-05-31 15:33:38)

Concept inherits from

prsb03-dataelement-11286 (2019-05-30 12:17:19)

Description

The name of the organisation the professional works for.



Contact details

prsb03-dataelement-12052

Id

prsb03-dataelement-12052 (2019-05-31 15:33:38)

Concept inherits from  prsb03-dataelement-11287 (2019-05-30 12:18:13)

Description Contact details of the professional

Rationale Practitioner.telecom
PractitionerRole.telecom
Organisation.telcom

Operationalization NHS data dictionary - UK phone number

Value Domain

Property

max length

35

  Person completing record

prsb03-dataelement-12053

Id prsb03-dataelement-12053 (2019-05-31 15:33:49)

Concept inherits from  prsb03-dataelement-11289 (2019-05-30 12:24:39)

Description Details of the person completing the record.

Relationship Person completing record (*prsb03-dataelement-319 - 2018-10-31*)

 Name

prsb03-dataelement-12054

Id prsb03-dataelement-12054 (2019-05-31 15:34:15)

Concept inherits from  prsb03-dataelement-11290 (2019-05-30 12:25:39)

Description The name of the person completing the record.

Relationship Name (*prsb03-dataelement-10219 - 2018-10-31*)

Rationale Composition.author.Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70

 Role

prsb03-dataelement-12055

Id prsb03-dataelement-12055 (2019-05-31 15:34:15)

Concept inherits from  prsb03-dataelement-11291 (2019-05-30 12:25:39)

Description The organisational role of the person completing record.

2.1.564 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship	Role (<i>prsb03-dataelement-10220 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobrole
Value Domain	

 Grade	prsb03-dataelement-12056
---	--------------------------

Id	prsb03-dataelement-12056 (2019-05-31 15:34:15)
Concept inherits from	 <i>prsb03-dataelement-11292</i> (2019-05-30 12:25:39)
Description	The grade of the person completing the record.
Relationship	Grade (<i>prsb03-dataelement-10221 - 2018-10-31</i>)
Rationale	PractitionerRole.code
Operationalization	Free text.
Value Domain	

Property	max length
	150

 Specialty	prsb03-dataelement-12057
---	--------------------------

Id	prsb03-dataelement-12057 (2019-05-31 15:34:15)
Concept inherits from	 <i>prsb03-dataelement-11293</i> (2019-05-30 12:25:39)
Description	The main specialty of the person completing the record.

2.1.565 Properties

FHIR	PractitionerRole.specialty
Relationship	Specialty (<i>prsb03-dataelement-10222 - 2018-10-31</i>)
Rationale	PractitionerRole.specialty
Operationalization	NHS data dictionary :- Activity treatment function code
Value Domain	

Property	max length
	3

  Organisation	prsb03-dataelement-12058
--	--------------------------

Id	prsb03-dataelement-12058 (2019-05-31 15:34:15)
Concept inherits from	 <i>prsb03-dataelement-11294</i> (2019-05-30 12:25:39)

Description	The organisation the person completing the record works for.
Relationship	Organisation (<i>prsb03-dataelement-10226 - 2018-10-31</i>)

 Professional identifier

prsb03-dataelement-12059

Id	prsb03-dataelement-12059 (2019-05-31 15:34:15)
Concept inherits from	 <i>prsb03-dataelement-11295</i> (2019-05-30 12:25:39)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.566 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship	Professional identifier (<i>prsb03-dataelement-10223 - 2018-10-31</i>)		
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)		
Operationalization	NHS data dictionary :- Professional registration identifier		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>32</td> </tr> </table>	max length	32
max length			
32			

 Date completed

prsb03-dataelement-12060

Id	prsb03-dataelement-12060 (2019-05-31 15:34:15)		
Concept inherits from	 <i>prsb03-dataelement-11296</i> (2019-05-30 12:25:39)		
Description	The date and time the record was completed.		
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)		
Rationale	Composition.date		
Operationalization	Date and time.		
Value Domain			
Property	<table border="1"> <tr> <td>Timestamp precision</td> </tr> <tr> <td>at least day, month and year, hour and minute</td> </tr> </table>	Timestamp precision	at least day, month and year, hour and minute
Timestamp precision			
at least day, month and year, hour and minute			

 Contact details

prsb03-dataelement-12061

Id	prsb03-dataelement-12061 (2019-05-31 15:34:15)
Concept inherits from	 <i>prsb03-dataelement-11297</i> (2019-05-30 12:25:39)

Description Contact details of the person completing the record.

2.1.567 Properties

FHIR PractitionerRole.telecom

Relationship Contact details (*prsb03-dataelement-10225 - 2018-10-31*)

Rationale Practitioner:telecom
PractitionerRole:telecom
Organisation.telcom

Operationalization NHS data dictionary : - UK telephone number

Value Domain

Property

max length

35

Outstanding Issues

prsb03-dataelement-478

Id prsb03-dataelement-478 (2018-10-31) 0.1

Description Outstanding Issues

Tasks which must be done

prsb03-dataelement-10378

Id prsb03-dataelement-10378 (2018-10-31) 0.1

Description Include timescales (appropriate seniority of staff for each task)

Value Domain

Tasks to be done if possible

prsb03-dataelement-10379

Id prsb03-dataelement-10379 (2018-10-31) 0.1

Description E.g. test review, pre-discharge documents, criteria for discharge, including who may discharge the patient.

Value Domain

Person handing over

prsb03-dataelement-480

Id prsb03-dataelement-480 (2018-10-31) 0.1

Description Person handing over

Name

prsb03-dataelement-10380

Id prsb03-dataelement-10380 (2018-10-31) 0.1

Description The name of the person completing the record, preferably in a structured format.

Value Domain

 Role

prsb03-dataelement-10381

Id

prsb03-dataelement-10381 (2018-10-31) 0.1

Description

The role the person is playing within the organisation at the time record was updated.

Value Domain

 Grade

prsb03-dataelement-10382

Id

prsb03-dataelement-10382 (2018-10-31) 0.1

Description

The grade of the person completing the record.

Value Domain

 Specialty

prsb03-dataelement-10383

Id

prsb03-dataelement-10383 (2018-10-31) 0.1

Description

The main specialty of the person completing the record.

Value Domain

 Contact details

prsb03-dataelement-10384

Id

prsb03-dataelement-10384 (2018-10-31) 0.1

Description

Contact details of the person completing the record. For example a phone number, email address. Contact details are used to resolve queries about the record entry.

Value Domain

 Person receiving handover

prsb03-dataelement-485

Id

prsb03-dataelement-485 (2018-10-31) 0.1

Description

Person receiving handover

 Name

prsb03-dataelement-10385

Id

prsb03-dataelement-10385 (2018-10-31) 0.1

Description

The name of the person receiving the handover, preferably in a structured format.

Value Domain

 Role

prsb03-dataelement-10386

Id

prsb03-dataelement-10386 (2018-10-31) 0.1

Description

The role the person is playing within the organisation at the time of handover.

Value Domain

 Grade

prsb03-dataelement-10387

Id

prsb03-dataelement-10387 (2018-10-31) 0.1

Description

The grade of the person receiving the handover

Value Domain

 Specialty

prsb03-dataelement-10388

Id

prsb03-dataelement-10388 (2018-10-31) 0.1

Description

The specialty of the person receiving the handover

Value Domain

 Contact details

prsb03-dataelement-10389

Id

prsb03-dataelement-10389 (2018-10-31) 0.1

Description

Contact details of the person receiving the handover. For example a phone number, email address. Contact details are used to resolve queries about the record entry.

Value
Domain  Handover Details

prsb03-dataelement-490

Id

prsb03-dataelement-490 (2018-10-31) 0.1

Description

Handover Details

 Patient Location

prsb03-dataelement-10390

Id

prsb03-dataelement-10390 (2018-10-31) 0.1

Description

This is the physical location of the patient. For inpatient, e.g., hospital ward, bed, theatre. For ambulatory care, e.g., health centre, clinic. Resources centre, patient's home

Value
Domain Planned patient location

prsb03-dataelement-10391

Id

prsb03-dataelement-10391 (2018-10-31) 0.1

Description

If patient is changing location

Value Domain

 Date of admission

prsb03-dataelement-10392

Id

prsb03-dataelement-10392 (2018-10-31) 0.1

Description	Date patient admitted to hospital
Value Domain	
Expected date of discharge	prsb03-dataelement-10393
Id	prsb03-dataelement-10393 (2018-10-31) 0.1
Description	The date the patient is currently expected to be discharged from hospital
Value Domain	
Responsible consultant	prsb03-dataelement-10394
Id	prsb03-dataelement-10394 (2018-10-31) 0.1
Description	The name and designation of the consultant, who has overall responsibility for the patient (may not actually see the patient)
Value Domain	
Specialty	prsb03-dataelement-10395
Id	prsb03-dataelement-10395 (2018-10-31) 0.1
Description	Specialties designated by royal colleges and faculties. E.g. orthopedics, renal medicine, endocrinology, etc.
Value Domain	
Service	prsb03-dataelement-10396
Id	prsb03-dataelement-10396 (2018-10-31) 0.1
Description	Subspecialties, treatment functions or services. E.g. hand surgery, back surgery, hand clinic, TIA clinic, falls clinic, speech and language therapy, dialysis, family therapy, pre-admission assessment clinic etc.
Value Domain	
Date of decision to handover	prsb03-dataelement-10397
Id	prsb03-dataelement-10397 (2018-10-31) 0.1
Description	Date decision made to handover care.
Value Domain	
New responsible consultant	prsb03-dataelement-10398
Id	prsb03-dataelement-10398 (2018-10-31) 0.1
Description	The name and designation of the consultant who is accepting responsibility for the patient's inpatient care.

Value
Domain

 Date handover accepted

prsb03-dataelement-10399

Id	prsb03-dataelement-10399 (2018-10-31) 0.1
----	---

Description	Date decision made to accept handover of care
-------------	---

Value Domain

 Reason for handover

prsb03-dataelement-10400

Id	prsb03-dataelement-10400 (2018-10-31) 0.1
----	---

Description	A clear statement of the reason for the temporary or permanent handover of care, e.g., low potassium, immediately post-op, unstable medical condition
-------------	---

Value Domain

 Senior clinical contact

prsb03-dataelement-10401

Id	prsb03-dataelement-10401 (2018-10-31) 0.1
----	---

Description	If there is a particular requirement to call a specific person, e.g., consultant, SpR or special intervention team
-------------	--

Value Domain

  Additional support plans

prsb03-dataelement-502

Id	prsb03-dataelement-502 (2018-10-31)
----	-------------------------------------

Description	Additional support plans
-------------	--------------------------

 Additional support plan name

prsb03-dataelement-10402

Id	prsb03-dataelement-10402 (2018-10-31)
----	---------------------------------------

Description	The name of the particular additional supporting plan, e.g. dieticians plan, wound management plan, discharge management plan and behaviour support plan.
-------------	---

Operationalization	Free text
--------------------	-----------

Value Domain

 Additional support plan content

prsb03-dataelement-10403

Id	prsb03-dataelement-10403 (2018-10-31)
----	---------------------------------------

Description	This is the content of any additional care and support plan which the person and/or care professional consider should be shared with others providing care and support. May be structured in different ways, e.g. tables, diagrams, images. This is the content of any additional care and support plan which the individual and/or care professional consider should be shared with others providing care and support. It should be structured as
-------------	--

recommended for the care and support plan and if contains additional detail, it may be referenced here.

Operationalization Free text

Value Domain



Person completing record

prsb03-dataelement-10404

Id prsb03-dataelement-10404 (2018-10-31)

Description This is the person contributing to an additional supporting plan. Should include their name, role, grade, specialty, organisation, professional identifier, date and time completed, contact details

Operationalization Free text. Name, Role, Grade, Specialty, Organisation, Professional identifier, Date and time completed, Contact details

Value Domain

Used by 0 transactions, 0 templates, inherited once



Planned review date/interval

prsb03-dataelement-10405

Id prsb03-dataelement-10405 (2018-10-31)

Description This is the date/interval when this information will next be reviewed.

Operationalization Date and time

Value Domain



Responsibility for review

prsb03-dataelement-10406

Id prsb03-dataelement-10406 (2018-10-31)

Description This is a record of who has responsibility for arranging review of this information. Should include their name, role and contact details.

Operationalization Free text.

Value Domain



Date this plan was last updated

prsb03-dataelement-10407

Id prsb03-dataelement-10407 (2018-10-31)

Description This is a record of the date that this information was last updated.

Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Location

		prsb03-dataelement-12080
Id	prsb03-dataelement-12080 (2019-05-31 15:40:38)	
Description	The location where the additional support plan was prepared.	
Relationship	Location (<i>prsb03-dataelement-11689 - 2019-05-31 11:51:04</i>)	
Operationalization	ODS code or free text	
 Coded value		prsb03-dataelement-13722
Id	prsb03-dataelement-13722 (2020-09-14 13:50:06)	
Description	The coded value for location	
Operationalization	NHS data dictionary:- Organisation data service	
Value Domain		
Property	 	
	3	5
 Free text		prsb03-dataelement-13723
Id	prsb03-dataelement-13723 (2020-09-14 13:52:48)	
Concept inherits from	 <i>prsb03-dataelement-13220 (2020-07-08 12:57:49)</i>	
Description	Free text field to be used if no code is available	
Operationalization	Free text	
Value Domain		
Property		
	150	
  Performing professional		prsb03-dataelement-12062
Id	prsb03-dataelement-12062 (2019-05-31 15:36:17)	
Description	The professional who prepared the additional support plan.	
Relationship	Performing professional (<i>prsb03-dataelement-11281 - 2019-05-30 11:53:30</i>)	
 Name		prsb03-dataelement-12063
Id	prsb03-dataelement-12063 (2019-05-31 15:36:35)	
Concept inherits from	 <i>prsb03-dataelement-11282 (2019-05-30 11:57:38)</i>	
Description	The name of the professional.	
Rationale	Practitioner.name	

Operationalization Free text.

Value Domain

Property

max length

70



Role

prsb03-dataelement-12064

Id prsb03-dataelement-12064 (2019-05-31 15:36:35)

Concept inherits from *prsb03-dataelement-11283* (2019-05-30 11:58:48)

Description The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc

Rationale Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobroletype

Value Domain



Grade

prsb03-dataelement-12065

Id prsb03-dataelement-12065 (2019-05-31 15:36:35)

Concept inherits from *prsb03-dataelement-11288* (2019-05-30 12:19:40)

Description The grade of the professional.

Rationale PractitionerRole.code

Operationalization Free text

Value Domain

Property

max length

150



Speciality

prsb03-dataelement-12066

Id prsb03-dataelement-12066 (2019-05-31 15:36:35)

Concept inherits from *prsb03-dataelement-11284* (2019-05-30 12:01:15)

Description The specialty of the professional e.g. physiotherapy, oncology, mental health etc

Rationale PractitionerRole.speciality

Operationalization NHS data dictionary - Activity treatment function code

Value Domain

Property

max length

 Professional identifier

prsb03-dataelement-12067

Id	prsb03-dataelement-12067 (2019-05-31 15:36:35)
Concept inherits from	 <i>prsb03-dataelement-11285</i> (2019-05-30 12:02:46)
Description	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.
Rationale	Practitioner.identifier (for professional national identifiers), PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary : - Professional registration identifier
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 2px; border-radius: 5px; display: inline-block;">max length</div> <div style="text-align: center;">32</div>

  Organisation

prsb03-dataelement-12068

Id	prsb03-dataelement-12068 (2019-05-31 15:36:35)
Concept inherits from	 <i>prsb03-dataelement-11286</i> (2019-05-30 12:17:19)
Description	The name of the organisation the professional works for.

 Contact details

prsb03-dataelement-12069

Id	prsb03-dataelement-12069 (2019-05-31 15:36:35)
Concept inherits from	 <i>prsb03-dataelement-11287</i> (2019-05-30 12:18:13)
Description	Contact details of the professional
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom
Operationalization	NHS data dictionary - UK phone number
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 2px; border-radius: 5px; display: inline-block;">max length</div> <div style="text-align: center;">35</div>

  Person completing record

prsb03-dataelement-12070

Id	prsb03-dataelement-12070 (2019-05-31 15:36:49)
Concept inherits from	 <i>prsb03-dataelement-11289</i> (2019-05-30 12:24:39)

Description	Details of the person completing the record.
Relationship	Person completing record (<i>prsb03-dataelement-319 - 2018-10-31</i>)

 Name	prsb03-dataelement-12071
--	--------------------------

Id	prsb03-dataelement-12071 (2019-05-31 15:37:13)		
Concept inherits from	 <i>prsb03-dataelement-11290</i> (2019-05-30 12:25:39)		
Description	The name of the person completing the record.		
Relationship	Name (<i>prsb03-dataelement-10219 - 2018-10-31</i>)		
Rationale	Composition.author.Practitioner.name		
Operationalization	Free text.		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>70</td> </tr> </table>	max length	70
max length			
70			

 Role	prsb03-dataelement-12072
--	--------------------------

Id	prsb03-dataelement-12072 (2019-05-31 15:37:13)
Concept inherits from	 <i>prsb03-dataelement-11291</i> (2019-05-30 12:25:39)
Description	The organisational role of the person completing record.

2.1.568 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship	Role (<i>prsb03-dataelement-10220 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobrole
Value Domain	

 Grade	prsb03-dataelement-12073
---	--------------------------

Id	prsb03-dataelement-12073 (2019-05-31 15:37:13)
Concept inherits from	 <i>prsb03-dataelement-11292</i> (2019-05-30 12:25:39)
Description	The grade of the person completing the record.
Relationship	Grade (<i>prsb03-dataelement-10221 - 2018-10-31</i>)
Rationale	PractitionerRole.code
Operationalization	Free text.

Value Domain

Property

max length

150



Specialty

prsb03-dataelement-12074

Id

prsb03-dataelement-12074 (2019-05-31 15:37:13)

Concept inherits from

prsb03-dataelement-11293 (2019-05-30 12:25:39)

Description

The main specialty of the person completing the record.

2.1.569 Properties

FHIR PractitionerRole.specialty

Relationship

Specialty (*prsb03-dataelement-10222 - 2018-10-31*)

Rationale

PractitionerRole.specialty

Operationalization

NHS data dictionary :- Activity treatment function code

Value Domain

Property

max length

3



Organisation

prsb03-dataelement-12075

Id

prsb03-dataelement-12075 (2019-05-31 15:37:13)

Concept inherits from

prsb03-dataelement-11294 (2019-05-30 12:25:39)

Description

The organisation the person completing the record works for.

Relationship

Organisation (*prsb03-dataelement-10226 - 2018-10-31*)

Professional identifier

prsb03-dataelement-12076

Id

prsb03-dataelement-12076 (2019-05-31 15:37:13)

Concept inherits from

prsb03-dataelement-11295 (2019-05-30 12:25:39)

Description

Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.570 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship

Professional identifier (*prsb03-dataelement-10223 - 2018-10-31*)

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary :- Professional registration identifier

Value Domain

Property

max length

32



Date completed

prsb03-dataelement-12077

Id prsb03-dataelement-12077 (2019-05-31 15:37:13)

Concept inherits from prsb03-dataelement-11296 (2019-05-30 12:25:39)

Description The date and time the record was completed.

Relationship Date completed (*prsb03-dataelement-10224 - 2018-10-31*)

Rationale Composition.date

Operationalization Date and time.

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Contact details

prsb03-dataelement-12078

Id prsb03-dataelement-12078 (2019-05-31 15:37:13)

Concept inherits from prsb03-dataelement-11297 (2019-05-30 12:25:39)

Description Contact details of the person completing the record.

2.1.571 Properties

FHIR PractitionerRole.telecom

Relationship Contact details (*prsb03-dataelement-10225 - 2018-10-31*)

Rationale Practitioner:telecom
PractitionerRole:telecom
Organisation.telcom

Operationalization NHS data dictionary : - UK telephone number

Value Domain

Property

max length

35



End of life care

prsb03-dataelement-10743

Id prsb03-dataelement-10743 (2019-03-07 11:06:43)

Description Information relating to end of life care.

N.B. This is not an end of life care plan but contains information that would be found in an end of life care plan.



Date

prsb03-dataelement-10867

Id prsb03-dataelement-10867 (2019-03-27 18:37:13) 0.1

Description The date the end of life care information was recorded.

Relationship Date (*prsb03-dataelement-10755 - 2019-03-07 18:40:35*)

Value Domain

Timestamp precision

at least day, month and year



Location

prsb03-dataelement-10866

Id prsb03-dataelement-10866 (2019-03-27 18:36:09) 0.1

Description The location where the end of life care information was recorded.

Relationship Location (*prsb03-dataelement-10853 - 2019-03-27 17:22:18*)

Value Domain



Person completing record

prsb03-dataelement-10865

Id prsb03-dataelement-10865 (2019-03-27 18:35:06) 0.1

Description This is the person contributing to the end of life care information. Should include their name, role, grade, specialty, organisation, professional identifier, date and time completed, contact details

Relationship Person completing record (*prsb03-dataelement-10841 - 2019-03-27 16:20:18*)

Operationalization Free text. Name, Role, Grade, Specialty, Organisation, Professional identifier, Date and time completed, Contact details

Value Domain



Consent for creation of end of life care plan

prsb03-dataelement-10769

Id prsb03-dataelement-10769 (2019-03-19 13:33:24) 0.1

Concept inherits from prsb03-dataelement-10431 (2018-10-31)

Description Separate explicit consent is required for creation of an end of life care record. This records how this consent has been granted in order to differentiate between person's explicit consent, best interest decision, Lasting Power of Attorney decision and withdrawal of consent.

Operationalization End of life care plan use case only. This is a record of consent to create an end of life care plan.

Value Domain



Date plan was created

prsb03-dataelement-10787

Id prsb03-dataelement-10787 (2019-03-19 17:56:06) 0.1

Description This is a record of the date that this end of life care plan was last updated.

Value Domain



Planned review date

prsb03-dataelement-10770

Id prsb03-dataelement-10770 (2019-03-19 13:40:30) 0.1

Concept inherits from prsb03-dataelement-10208 (2018-10-31)

Description Date the plan is due for review.

Operationalization End of life care plan use case only. The date the plan is due for review.

Value Domain



Cardio-pulmonary resuscitation (CPR) decision

prsb03-dataelement-10771

Id prsb03-dataelement-10771 (2019-03-19 13:42:20)

Description Whether a decision has been made, the decision, who made the decision, the date of decision, date for review and location of documentation. Where the person or their family member/carer have not been informed of the clinical decision please state the reason why.

Relationship Cardio-pulmonary resuscitation (CPR) decision (*prsb03-dataelement-10207 - 2018-10-31*)



Date

prsb03-dataelement-12210

Id prsb03-dataelement-12210 (2019-05-31 16:28:26)

Description The date when the cardio-pulmonary resuscitation decision was made.

Relationship Date (*prsb03-dataelement-11688 - 2019-05-31 11:50:22*)

Operationalization Date and time.

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Location

prsb03-dataelement-12211

Id prsb03-dataelement-12211 (2019-05-31 16:29:12)

Description The location where the cardio-pulmonary resuscitation decision was made.

Relationship Location (*prsb03-dataelement-11689 - 2019-05-31 11:51:04*)

 Coded value

prsb03-dataelement-13689

Id prsb03-dataelement-13689 (2020-09-09 16:47:10)

Description The coded value for location

Operationalization NHS data dictionary: - Organisation data service

Value Domain

Property

 min length  max length

3 5

 Free text

prsb03-dataelement-13690

Id prsb03-dataelement-13690 (2020-09-09 16:48:20)

Concept inherits from  *prsb03-dataelement-13223 (2020-07-08 17:40:09)*

Description Free text field to be used if no coded text available

Value Domain

Property

 max length

150

  Cardio-pulmonary resuscitation (CPR) decision

prsb03-dataelement-13686

Id prsb03-dataelement-13686 (2020-09-09 16:35:43)

Description The cardio-pulmonary resuscitation (CPR) decision.

 Coded value

prsb03-dataelement-13687

Id prsb03-dataelement-13687 (2020-09-09 16:40:50)

Description The coded value for CPR decision or DNACPR

Operationalization SNOMED CT: - 450475007 | For cardiopulmonary resuscitation (finding) |, 450476008 | Not for cardiopulmonary resuscitation (finding) |

Value Domain

 Free text

prsb03-dataelement-13688

Id prsb03-dataelement-13688 (2020-09-09 16:45:48)

Concept inherits from  *prsb03-dataelement-13220 (2020-07-08 12:57:49)*

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length
150

🟡 Date for review

prsb03-dataelement-13705

Id prsb03-dataelement-13705 (2020-09-10 12:10:08)

Description The date for review of CPR decision.

Operationalization Date and time

Value Domain

Property

Timestamp precision
at least day, month and year, hour and minute

🟡 Location of document

prsb03-dataelement-13706

Id prsb03-dataelement-13706 (2020-09-10 12:30:14)

Description The location of the CPR decision document

Operationalization Free text or URL

Value Domain

📁🟡 Performing professional

prsb03-dataelement-12212

Id prsb03-dataelement-12212 (2019-05-31 16:30:12)

Description The professional who made the cardio-pulmonary resuscitation decision.

Relationship Performing professional (*prsb03-dataelement-11281 - 2019-05-30 11:53:30*)

🟡 Name

prsb03-dataelement-12213

Id prsb03-dataelement-12213 (2019-05-31 16:30:28)

Concept inherits from  prsb03-dataelement-11282 (2019-05-30 11:57:38)

Description The name of the professional.

Rationale Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

 Role

prsb03-dataelement-12214

Id	prsb03-dataelement-12214 (2019-05-31 16:30:28)
Concept inherits from	 prsb03-dataelement-11283 (2019-05-30 11:58:48)
Description	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc
Rationale	Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobroletype
Value Domain	

 Grade

prsb03-dataelement-12215

Id	prsb03-dataelement-12215 (2019-05-31 16:30:28)
Concept inherits from	 prsb03-dataelement-11288 (2019-05-30 12:19:40)
Description	The grade of the professional.
Rationale	PractitionerRole.code
Operationalization	Free text
Value Domain	

Property

max length

150

 Speciality

prsb03-dataelement-12216

Id	prsb03-dataelement-12216 (2019-05-31 16:30:28)
Concept inherits from	 prsb03-dataelement-11284 (2019-05-30 12:01:15)
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc
Rationale	PractitionerRole.speciality
Operationalization	NHS data dictionary - Activity treatment function code
Value Domain	

Property

max length

3

 Professional identifier

prsb03-dataelement-12217

Id	prsb03-dataelement-12217 (2019-05-31 16:30:28)
Concept inherits from	 prsb03-dataelement-11285 (2019-05-30 12:02:46)
Description	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.
Rationale	Practitioner.identifier (for professional national identifiers), PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary : - Professional registration identifier
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 32 </div>

  Organisation

prsb03-dataelement-12218

Id	prsb03-dataelement-12218 (2019-05-31 16:30:28)
Concept inherits from	 prsb03-dataelement-11286 (2019-05-30 12:17:19)
Description	The name of the organisation the professional works for.

 Contact details

prsb03-dataelement-12219

Id	prsb03-dataelement-12219 (2019-05-31 16:30:28)
Concept inherits from	 prsb03-dataelement-11287 (2019-05-30 12:18:13)
Description	Contact details of the professional
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom
Operationalization	NHS data dictionary - UK phone number

Value Domain

Property

max length
 35

  Person completing record

prsb03-dataelement-12220

Id	prsb03-dataelement-12220 (2019-05-31 16:30:40)
Concept inherits from	 prsb03-dataelement-11289 (2019-05-30 12:24:39)
Description	Details of the person completing the record.
Relationship	Person completing record (prsb03-dataelement-319 - 2018-10-31)

 Name

		prsb03-dataelement-12221
Id		prsb03-dataelement-12221 (2019-05-31 16:31:04)
Concept inherits from	 prsb03-dataelement-11290	(2019-05-30 12:25:39)
Description		The name of the person completing the record.
Relationship		Name (<i>prsb03-dataelement-10219 - 2018-10-31</i>)
Rationale		Composition.author.Practitioner.name
Operationalization		Free text.
Value Domain		
Property	<div style="background-color: #e0e0e0; padding: 5px; text-align: center;"> max length 70 </div>	

 Role		prsb03-dataelement-12222
--	--	--------------------------

Id	prsb03-dataelement-12222 (2019-05-31 16:31:04)
Concept inherits from	 prsb03-dataelement-11291 (2019-05-30 12:25:39)
Description	The organisational role of the person completing record.

2.1.572 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship	Role (<i>prsb03-dataelement-10220 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobrole
Value Domain	

 Grade		prsb03-dataelement-12223
Id		prsb03-dataelement-12223 (2019-05-31 16:31:04)
Concept inherits from	 prsb03-dataelement-11292	(2019-05-30 12:25:39)
Description		The grade of the person completing the record.
Relationship		Grade (<i>prsb03-dataelement-10221 - 2018-10-31</i>)
Rationale		PractitionerRole.code
Operationalization		Free text.
Value Domain		
Property	<div style="background-color: #e0e0e0; padding: 5px; text-align: center;"> max length 150 </div>	



Specialty

prsb03-dataelement-12224

Id	prsb03-dataelement-12224 (2019-05-31 16:31:04)
Concept inherits from	prsb03-dataelement-11293 (2019-05-30 12:25:39)
Description	The main specialty of the person completing the record.

2.1.573 Properties

FHIR PractitionerRole.specialty

Relationship	Specialty (<i>prsb03-dataelement-10222 - 2018-10-31</i>)
Rationale	PractitionerRole.specialty
Operationalization	NHS data dictionary :- Activity treatment function code
Value Domain	

Property

max length

3



Organisation

prsb03-dataelement-12225

Id	prsb03-dataelement-12225 (2019-05-31 16:31:04)
Concept inherits from	prsb03-dataelement-11294 (2019-05-30 12:25:39)
Description	The organisation the person completing the record works for.
Relationship	Organisation (<i>prsb03-dataelement-10226 - 2018-10-31</i>)



Professional identifier

prsb03-dataelement-12226

Id	prsb03-dataelement-12226 (2019-05-31 16:31:04)
Concept inherits from	prsb03-dataelement-11295 (2019-05-30 12:25:39)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.574 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship	Professional identifier (<i>prsb03-dataelement-10223 - 2018-10-31</i>)
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary :- Professional registration identifier
Value Domain	

Property

max length

32



Date completed

prsb03-dataelement-12227

Id

prsb03-dataelement-12227 (2019-05-31 16:31:04)

Concept inherits from

prsb03-dataelement-11296 (2019-05-30 12:25:39)

Description

The date and time the record was completed.

Relationship

Date completed (*prsb03-dataelement-10224 - 2018-10-31*)

Rationale

Composition.date

Operationalization

Date and time.

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Contact details

prsb03-dataelement-12228

Id

prsb03-dataelement-12228 (2019-05-31 16:31:04)

Concept inherits from

prsb03-dataelement-11297 (2019-05-30 12:25:39)

Description

Contact details of the person completing the record.

2.1.575 Properties

FHIR

PractitionerRole.telecom

Relationship

Contact details (*prsb03-dataelement-10225 - 2018-10-31*)

Rationale

Practitioner:telecom
PractitionerRole:telecom
Organisation:telcom

Operationalization

NHS data dictionary : - UK telephone number

Value Domain

Property

max length

35



Individual requirement

prsb03-dataelement-10772

Id

prsb03-dataelement-10772 (2019-03-19 17:03:23)

Concept inherits from	 prsb03-dataelement-10060 (2018-10-31)
Description	Individual requirement that a person has. These may be communication, cultural, cognitive or mobility needs.

2.1.576 Properties

FHIR	Patient.nhsCommunications
Operationalization	Information volunteered by the person or their representative or carer, or known about locally.Text or coded text (SNOMED CT), constrained as specified in SCCI1605. Accessible Information standard Accessible information - communications support refset ^99900212100000109https://dd4c.hscic.gov.uk/dd4c/publishedmetadatas/intid/657 Accessible information - requires communications professional refset ^99900214100000102https://dd4c.hscic.gov.uk/dd4c/publishedmetadatas/intid/660 Accessible information - requires specific contact method refset ^99900215100000104https://dd4c.hscic.gov.uk/dd4c/publishedmetadatas/intid/658 Accessible information - requires specific information format refset ^99900213100000106https://dd4c.hscic.gov.uk/dd4c/publishedmetadatas/intid/659
Value Domain	

Relevant contacts

prsb03-dataelement-10773

Id	prsb03-dataelement-10773 (2019-03-19 17:07:45) 0.1
Concept inherits from	 prsb03-dataelement-10029 (2018-10-31)
Description	Include the most important contacts including: * Personal contacts e.g., next of kin, in case of emergency contact, lasting power of attorney, dependents, informal carers etc. * Health/care professional contacts e.g., social worker, hospital clinician, care coordinator, key worker, Independent Mental Capacity Advocate (IMCA) etc. Name, relationship, role (if formal role), contact details and availability, e.g. out of hours.

2.1.577 Properties

FHIR	Patient.contact
Operationalization	Details of relevant contacts, such as carers or family members, as recorded on the local system, or volunteered by the patient. This will be a free text list of relevant contacts.
Value Domain	

Estimated prognosis

prsb03-dataelement-10774

Id	prsb03-dataelement-10774 (2019-03-19 17:09:08)
Concept inherits from	 prsb03-dataelement-10202 (2018-10-31)

Description Where a person is terminally ill this is a clinical judgment indicating the anticipated period of time until death. E.g., last days, weeks, months or year of life. Also include the date the prognosis was made.

Operationalization End of life care plan use case only. The prognosis estimated by a clinician.

Value Domain

Estimated prognosis

prsb03-dataelement-10745

Id prsb03-dataelement-10745 (2019-03-07 11:10:45)

Description Details of the persons estimated prognosis

Relationship Estimated prognosis (*prsb03-dataelement-10202 - 2018-10-31*)

Date

prsb03-dataelement-12229

Id prsb03-dataelement-12229 (2019-05-31 16:31:46)

Description The date when the estimated prognosis was made.

Relationship Date (*prsb03-dataelement-11688 - 2019-05-31 11:50:22*)

Operationalization Date and time

Value Domain

Timestamp precision

at least day, month and year, hour and minute

Location

prsb03-dataelement-12230

Id prsb03-dataelement-12230 (2019-05-31 16:32:37)

Description The location where the estimated prognosis was made.

Relationship Location (*prsb03-dataelement-11689 - 2019-05-31 11:51:04*)

Operationalization ODS code or free text

Coded value

prsb03-dataelement-13703

Id prsb03-dataelement-13703 (2020-09-09 17:41:30)

Description The coded value for location

Operationalization NHS data dictionary: - Organisation data service

Value Domain

Property

min length max length

3

5

Free text

prsb03-dataelement-13704

Id prsb03-dataelement-13704 (2020-09-09 17:42:40)

Concept inherits from  prsb03-dataelement-13223 (2020-07-08 17:40:09)

Description Free text field to be used if no coded text available

Value Domain

Property

max length

150

 Estimated prognosis prsb03-dataelement-13691

Id prsb03-dataelement-13691 (2020-09-09 16:49:55)

Description Where a person is terminally ill this is a clinical judgment indicating the anticipated period of time until death e.g. last days, weeks, months or year of life.

Operationalization Free text

Value Domain

  Performing professional prsb03-dataelement-12231

Id prsb03-dataelement-12231 (2019-05-31 16:33:17)

Description The professional who made the estimated prognosis.

Relationship Performing professional (*prsb03-dataelement-11281 - 2019-05-30 11:53:30*)

 Name prsb03-dataelement-12232

Id prsb03-dataelement-12232 (2019-05-31 16:33:33)

Concept inherits from  prsb03-dataelement-11282 (2019-05-30 11:57:38)

Description The name of the professional.

Rationale Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70

 Role prsb03-dataelement-12233

Id prsb03-dataelement-12233 (2019-05-31 16:33:33)

Concept inherits from  prsb03-dataelement-11283 (2019-05-30 11:58:48)

Description	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc
Rationale	Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobroletype
Value Domain	



Grade

prsb03-dataelement-12234

Id	prsb03-dataelement-12234 (2019-05-31 16:33:33)
Concept inherits from	🟡 prsb03-dataelement-11288 (2019-05-30 12:19:40)
Description	The grade of the professional.
Rationale	PractitionerRole.code
Operationalization	Free text

Value Domain

Property

max length

150



Speciality

prsb03-dataelement-12235

Id	prsb03-dataelement-12235 (2019-05-31 16:33:33)
Concept inherits from	🟡 prsb03-dataelement-11284 (2019-05-30 12:01:15)
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc
Rationale	PractitionerRole.speciality
Operationalization	NHS data dictionary - Activity treatment function code

Value Domain

Property

max length

3



Professional identifier

prsb03-dataelement-12236

Id	prsb03-dataelement-12236 (2019-05-31 16:33:33)
Concept inherits from	🟡 prsb03-dataelement-11285 (2019-05-30 12:02:46)
Description	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary : - Professional registration identifier

Value Domain

Property

max length

32



Organisation

prsb03-dataelement-12237

Id


prsb03-dataelement-12237 (2019-05-31 16:33:33)

Concept inherits from

prsb03-dataelement-11286 (2019-05-30 12:17:19)

Description

The name of the organisation the professional works for.



Contact details

prsb03-dataelement-12238

Id

prsb03-dataelement-12238 (2019-05-31 16:33:33)

Concept inherits from

prsb03-dataelement-11287 (2019-05-30 12:18:13)

Description

Contact details of the professional

Rationale

Practitioner.telecom
PractitionerRole.telecom
Organisation.telcom

Operationalization

NHS data dictionary - UK phone number

Value Domain

Property

max length

35



Person completing record

prsb03-dataelement-12239

Id

prsb03-dataelement-12239 (2019-05-31 16:33:44)

Concept inherits from

prsb03-dataelement-11289 (2019-05-30 12:24:39)

Description

Details of the person completing the record.

Relationship

Person completing record (*prsb03-dataelement-319 - 2018-10-31*)

Name

prsb03-dataelement-12240

Id

prsb03-dataelement-12240 (2019-05-31 16:34:04)

Concept inherits from

prsb03-dataelement-11290 (2019-05-30 12:25:39)

Description

The name of the person completing the record.

Relationship

Name (*prsb03-dataelement-10219 - 2018-10-31*)

Rationale

Composition.author.Practitioner.name

Operationalization Free text.

Value Domain

Property

maxLength

70



Role

prsb03-dataelement-12241

Id prsb03-dataelement-12241 (2019-05-31 16:34:04)

Concept inherits from *prsb03-dataelement-11291* (2019-05-30 12:25:39)

Description The organisational role of the person completing record.

2.1.578 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship Role (*prsb03-dataelement-10220 - 2018-10-31*)

Rationale Composition.author.Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobrole

Value Domain



Grade

prsb03-dataelement-12242

Id prsb03-dataelement-12242 (2019-05-31 16:34:04)

Concept inherits from *prsb03-dataelement-11292* (2019-05-30 12:25:39)

Description The grade of the person completing the record.

Relationship Grade (*prsb03-dataelement-10221 - 2018-10-31*)

Rationale PractitionerRole.code

Operationalization Free text.

Value Domain

Property

maxLength

150



Specialty

prsb03-dataelement-12243

Id prsb03-dataelement-12243 (2019-05-31 16:34:04)

Concept inherits from *prsb03-dataelement-11293* (2019-05-30 12:25:39)

Description The main specialty of the person completing the record.

2.1.579 Properties

FHIR PractitionerRole.specialty

Relationship Specialty (*prsb03-dataelement-10222 - 2018-10-31*)

Rationale PractitionerRole.speciality

Operationalization NHS data dictionary :- Activity treatment function code

Value Domain

Property

max length

3



Organisation

prsb03-dataelement-12244

Id prsb03-dataelement-12244 (2019-05-31 16:34:04)

Concept inherits from prsb03-dataelement-11294 (2019-05-30 12:25:39)

Description The organisation the person completing the record works for.

Relationship Organisation (*prsb03-dataelement-10226 - 2018-10-31*)



Professional identifier

prsb03-dataelement-12245

Id prsb03-dataelement-12245 (2019-05-31 16:34:04)

Concept inherits from prsb03-dataelement-11295 (2019-05-30 12:25:39)

Description Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.580 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship Professional identifier (*prsb03-dataelement-10223 - 2018-10-31*)

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary :- Professional registration identifier

Value Domain

Property

max length

32



Date completed

prsb03-dataelement-12246

Id prsb03-dataelement-12246 (2019-05-31 16:34:04)

Concept inherits from	 prsb03-dataelement-11296 (2019-05-30 12:25:39)
Description	The date and time the record was completed.
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)
Rationale	Composition.date
Operationalization	Date and time.
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>

 Contact details	prsb03-dataelement-12247
---	--------------------------

Id	prsb03-dataelement-12247 (2019-05-31 16:34:04)
Concept inherits from	 prsb03-dataelement-11297 (2019-05-30 12:25:39)
Description	Contact details of the person completing the record.

2.1.581 Properties

FHIR	PractitionerRole.telecom
Relationship	Contact details (<i>prsb03-dataelement-10225 - 2018-10-31</i>)
Rationale	Practitioner:telecom PractitionerRole:telecom Organisation:telcom
Operationalization	NHS data dictionary : - UK telephone number
Value Domain	
Property	<p style="text-align: center;">max length</p> <p>35</p>

  Awareness of prognosis	prsb03-dataelement-10775
--	--------------------------

Id	prsb03-dataelement-10775 (2019-03-19 17:09:45)
Description	Details of the persons awareness of prognosis
Relationship	Awareness of prognosis (<i>prsb03-dataelement-10203 - 2018-10-31</i>)

 Date	prsb03-dataelement-12248
--	--------------------------

Id	prsb03-dataelement-12248 (2019-05-31 16:35:21)
Description	The date when the assessment of the level of awareness of the prognosis was made.

Relationship Date (*prsb03-dataelement-11688 - 2019-05-31 11:50:22*)

Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Location

prsb03-dataelement-12249

Id *prsb03-dataelement-12249 (2019-05-31 16:36:50)*

Description The location where the assessment of the level of awareness of the prognosis was made.

Relationship Location (*prsb03-dataelement-11689 - 2019-05-31 11:51:04*)

Operationalization ODS code and free text



Coded value

prsb03-dataelement-13693

Id *prsb03-dataelement-13693 (2020-09-09 16:57:59)*

Description The coded value for location

Operationalization NHS data dictionary: - Organisation data service

Value Domain

Property

min length max length

3

5



Free text

prsb03-dataelement-13694

Id *prsb03-dataelement-13694 (2020-09-09 16:59:05)*

Concept inherits from *prsb03-dataelement-13220 (2020-07-08 12:57:49)*

Description Free text field to be used if no code is available


Operationalization Free text

Value Domain

Property

max length

150



Awareness of prognosis

prsb03-dataelement-13692

Id *prsb03-dataelement-13692 (2020-09-09 16:53:36)*

Description Description of the level of awareness the person and or their carer/family has regarding their estimated prognosis.

Operationalization Free text

Value Domain

  Performing professional	prsb03-dataelement-12250
---	--------------------------

Id prsb03-dataelement-12250 (2019-05-31 16:37:30)

Description The professional who made the assessment of the level of awareness of the prognosis.

Relationship Performing professional (*prsb03-dataelement-11281 - 2019-05-30 11:53:30*)

 Name	prsb03-dataelement-12251
--	--------------------------

Id prsb03-dataelement-12251 (2019-05-31 16:37:48)

Concept inherits from  *prsb03-dataelement-11282* (2019-05-30 11:57:38)

Description The name of the professional.

Rationale Practitioner.name

Operationalization Free text.

Value Domain

Property **max length**

70

 Role	prsb03-dataelement-12252
--	--------------------------

Id prsb03-dataelement-12252 (2019-05-31 16:37:48)

Concept inherits from  *prsb03-dataelement-11283* (2019-05-30 11:58:48)

Description The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc

Rationale Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobroletype

Value Domain

 Grade	prsb03-dataelement-12253
---	--------------------------

Id prsb03-dataelement-12253 (2019-05-31 16:37:48)

Concept inherits from  *prsb03-dataelement-11288* (2019-05-30 12:19:40)

Description The grade of the professional.

Rationale PractitionerRole.code

Operationalization Free text

Value Domain

Property	max length	
		150
Speciality		prsb03-dataelement-12254
Id	prsb03-dataelement-12254 (2019-05-31 16:37:48)	
Concept inherits from	prsb03-dataelement-11284 (2019-05-30 12:01:15)	
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc	
Rationale	PractitionerRole.speciality	
Operationalization	NHS data dictionary - Activity treatment function code	
Value Domain		
Property	max length	
		3
Professional identifier		prsb03-dataelement-12255
Id	prsb03-dataelement-12255 (2019-05-31 16:37:48)	
Concept inherits from	prsb03-dataelement-11285 (2019-05-30 12:02:46)	
Description	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.	
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)	
Operationalization	NHS data dictionary : - Professional registration identifier	
Value Domain		
Property	max length	
		32
Organisation		prsb03-dataelement-12256
Id	prsb03-dataelement-12256 (2019-05-31 16:37:48)	
Concept inherits from	prsb03-dataelement-11286 (2019-05-30 12:17:19)	
Description	The name of the organisation the professional works for.	
Contact details		prsb03-dataelement-12257
Id	prsb03-dataelement-12257 (2019-05-31 16:37:48)	
Concept inherits from	prsb03-dataelement-11287 (2019-05-30 12:18:13)	

Description	Contact details of the professional
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom
Operationalization	NHS data dictionary - UK phone number
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 35 </div>

  Person completing record

prsb03-dataelement-12258

Id	prsb03-dataelement-12258 (2019-05-31 16:38:00)
Concept inherits from	 <i>prsb03-dataelement-11289</i> (2019-05-30 12:24:39)
Description	Details of the person completing the record.
Relationship	Person completing record (<i>prsb03-dataelement-319</i> - 2018-10-31)

 Name

prsb03-dataelement-12259

Id	prsb03-dataelement-12259 (2019-05-31 16:38:20)
Concept inherits from	 <i>prsb03-dataelement-11290</i> (2019-05-30 12:25:39)
Description	The name of the person completing the record.
Relationship	Name (<i>prsb03-dataelement-10219</i> - 2018-10-31)
Rationale	Composition.author.Practitioner.name
Operationalization	Free text.

Value Domain

Property

max length
 70

 Role

prsb03-dataelement-12260

Id	prsb03-dataelement-12260 (2019-05-31 16:38:20)
Concept inherits from	 <i>prsb03-dataelement-11291</i> (2019-05-30 12:25:39)
Description	The organisational role of the person completing record.

2.1.582 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship Role (*prsb03-dataelement-10220* - 2018-10-31)

Rationale	Composition.author.Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobrole
Value Domain	



Grade

prsb03-dataelement-12261

Id	prsb03-dataelement-12261 (2019-05-31 16:38:20)
Concept inherits from	🟡 prsb03-dataelement-11292 (2019-05-30 12:25:39)
Description	The grade of the person completing the record.
Relationship	Grade (<i>prsb03-dataelement-10221 - 2018-10-31</i>)
Rationale	PractitionerRole.code
Operationalization	Free text.
Value Domain	

Property

max length

150



Specialty

prsb03-dataelement-12262

Id	prsb03-dataelement-12262 (2019-05-31 16:38:20)
Concept inherits from	🟡 prsb03-dataelement-11293 (2019-05-30 12:25:39)
Description	The main specialty of the person completing the record.

2.1.583 Properties

FHIR PractitionerRole.specialty

Relationship	Specialty (<i>prsb03-dataelement-10222 - 2018-10-31</i>)
Rationale	PractitionerRole.specialty
Operationalization	NHS data dictionary :- Activity treatment function code
Value Domain	

Property

max length

3



Organisation

prsb03-dataelement-12263

Id	prsb03-dataelement-12263 (2019-05-31 16:38:20)
Concept inherits from	🟡 prsb03-dataelement-11294 (2019-05-30 12:25:39)
Description	The organisation the person completing the record works for.

Relationship Organisation (*prsb03-dataelement-10226 - 2018-10-31*)

 Professional identifier

prsb03-dataelement-12264

Id prsb03-dataelement-12264 (2019-05-31 16:38:20)

Concept inherits from  *prsb03-dataelement-11295* (2019-05-30 12:25:39)

Description Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.584 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship Professional identifier (*prsb03-dataelement-10223 - 2018-10-31*)

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary :- Professional registration identifier

Value Domain

Property

max length

32

 Date completed

prsb03-dataelement-12265

Id prsb03-dataelement-12265 (2019-05-31 16:38:20)

Concept inherits from  *prsb03-dataelement-11296* (2019-05-30 12:25:39)

Description The date and time the record was completed.

Relationship Date completed (*prsb03-dataelement-10224 - 2018-10-31*)

Rationale Composition.date

Operationalization Date and time.

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute

 Contact details

prsb03-dataelement-12266

Id prsb03-dataelement-12266 (2019-05-31 16:38:20)

Concept inherits from  *prsb03-dataelement-11297* (2019-05-30 12:25:39)

Description Contact details of the person completing the record.

2.1.585 Properties

FHIR	PractitionerRole.telecom
Relationship	Contact details (<i>prsb03-dataelement-10225 - 2018-10-31</i>)
Rationale	Practitioner:telecom PractitionerRole:telecom Organisation.telcom
Operationalization	NHS data dictionary : - UK telephone number
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 35 </div>

Services and care

prsb03-dataelement-10776

Id	prsb03-dataelement-10776 (2019-03-19 17:11:22) 0.1
Description	The description of services and care providing support for person's health and social wellbeing.
Relationship	Services and care (<i>prsb03-dataelement-10044 - 2018-10-31</i>)
Operationalization	This is the free text record of services and care as provided by the person or their representative.
Value Domain	

Priorities of care

prsb03-dataelement-10201

Id	prsb03-dataelement-10201 (2018-10-31)
Description	The priorities agreed between the person and their health/care team, where the person has capacity: To get better; please consider all treatment to prolong life. To achieve a balance between getting better and ensuring good quality of life; please consider selected treatments. Comfort; please consider all treatments aimed at symptom control.
Operationalization	Free text
Value Domain	

Anticipatory actions

prsb03-dataelement-10786

Id	prsb03-dataelement-10786 (2019-03-19 17:23:36)
Description	Details of the person's anticipatory actions
Relationship	Anticipatory actions (<i>prsb03-dataelement-10204 - 2018-10-31</i>)

Date

prsb03-dataelement-12286

Id	prsb03-dataelement-12286 (2019-05-31 16:48:34)
Description	The date when the anticipatory actions were identified.
Relationship	Date (<i>prsb03-dataelement-11688 - 2019-05-31 11:50:22</i>)
Operationalization	Date and time
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>

 Location

prsb03-dataelement-12287

Id	prsb03-dataelement-12287 (2019-05-31 16:49:03)
Description	The location where the anticipatory actions were identified.
Relationship	Location (<i>prsb03-dataelement-11689 - 2019-05-31 11:51:04</i>)

 Coded value

prsb03-dataelement-13701

Id	prsb03-dataelement-13701 (2020-09-09 17:23:10)				
Description	The coded value for location				
Operationalization	NHS data dictionary: - Organisation data service				
Value Domain					
Property	<table style="margin-left: auto; margin-right: auto;"> <tr> <td style="padding: 2px 10px;">min length</td> <td style="padding: 2px 10px;">max length</td> </tr> <tr> <td style="text-align: center;">3</td> <td style="text-align: center;">5</td> </tr> </table>	min length	max length	3	5
min length	max length				
3	5				

 Free text

prsb03-dataelement-13702

Id	prsb03-dataelement-13702 (2020-09-09 17:24:16)		
Concept inherits from	 <i>prsb03-dataelement-13223 (2020-07-08 17:40:09)</i>		
Description	Free text field to be used if no coded text available		
Value Domain			
Property	<table style="margin-left: auto; margin-right: auto;"> <tr> <td style="padding: 2px 10px;">max length</td> </tr> <tr> <td style="text-align: center;">150</td> </tr> </table>	max length	150
max length			
150			

 Anticipatory actions

prsb03-dataelement-13700

Id	prsb03-dataelement-13700 (2020-09-09 17:17:57)
----	--

Description Guidance on specific interventions or actions that may be required or should be avoided in specific situations. A statement of anticipatory actions. Usually expressed as: in the event of X do Y.

Operationalization Free text

Value Domain

Property

min length	max length
3	5

📁🟡 Performing professional

prsb03-dataelement-12288

Id prsb03-dataelement-12288 (2019-05-31 16:49:45)

Description The professional who identified the anticipatory actions.

Relationship Performing professional (*prsb03-dataelement-11281 - 2019-05-30 11:53:30*)

🟡 Name

prsb03-dataelement-12289

Id prsb03-dataelement-12289 (2019-05-31 16:50:03)

Concept inherits from 🟡 *prsb03-dataelement-11282 (2019-05-30 11:57:38)*

Description The name of the professional.

Rationale Practitioner.name

Operationalization Free text.

Value Domain

Property

max length
70

🟡 Role

prsb03-dataelement-12290

Id prsb03-dataelement-12290 (2019-05-31 16:50:03)

Concept inherits from 🟡 *prsb03-dataelement-11283 (2019-05-30 11:58:48)*

Description The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc

Rationale Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobroletype

Value Domain

🟡 Grade

prsb03-dataelement-12291

Id prsb03-dataelement-12291 (2019-05-31 16:50:03)

Concept inherits from  prsb03-dataelement-11288 (2019-05-30 12:19:40)

Description The grade of the professional.

Rationale PractitionerRole.code

Operationalization Free text

Value Domain

Property

max length

150



Speciality

prsb03-dataelement-12292

Id prsb03-dataelement-12292 (2019-05-31 16:50:03)

Concept inherits from  prsb03-dataelement-11284 (2019-05-30 12:01:15)

Description The specialty of the professional e.g. physiotherapy, oncology, mental health etc

Rationale PractitionerRole.speciality

Operationalization NHS data dictionary - Activity treatment function code

Value Domain

Property

max length

3



Professional identifier

prsb03-dataelement-12293

Id prsb03-dataelement-12293 (2019-05-31 16:50:03)

Concept inherits from  prsb03-dataelement-11285 (2019-05-30 12:02:46)

Description Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary : - Professional registration identifier

Value Domain

Property

max length

32



Organisation

prsb03-dataelement-12294

Id prsb03-dataelement-12294 (2019-05-31 16:50:03)

Concept inherits from  prsb03-dataelement-11286 (2019-05-30 12:17:19)

Description The name of the organisation the professional works for.

Contact details

prsb03-dataelement-12295

Id prsb03-dataelement-12295 (2019-05-31 16:50:03)

Concept inherits from  prsb03-dataelement-11287 (2019-05-30 12:18:13)

Description Contact details of the professional

Rationale Practitioner.telecom
PractitionerRole.telecom
Organisation.telcom

Operationalization NHS data dictionary - UK phone number

Value Domain

Property

max length

35

Person completing record

prsb03-dataelement-12296

Id prsb03-dataelement-12296 (2019-05-31 16:50:15)

Concept inherits from  prsb03-dataelement-11289 (2019-05-30 12:24:39)

Description Details of the person completing the record.

Relationship Person completing record (*prsb03-dataelement-319 - 2018-10-31*)

Name

prsb03-dataelement-12297

Id prsb03-dataelement-12297 (2019-05-31 16:50:40)

Concept inherits from  prsb03-dataelement-11290 (2019-05-30 12:25:39)

Description The name of the person completing the record.

Relationship Name (*prsb03-dataelement-10219 - 2018-10-31*)

Rationale Composition.author.Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70

Role

prsb03-dataelement-12298

Id prsb03-dataelement-12298 (2019-05-31 16:50:40)

Concept inherits from	 prsb03-dataelement-11291 (2019-05-30 12:25:39)
Description	The organisational role of the person completing record.

2.1.586 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship Role (*prsb03-dataelement-10220 - 2018-10-31*)

Rationale Composition.author.Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobrole

Value Domain

 Grade	prsb03-dataelement-12299
---	--------------------------

Id prsb03-dataelement-12299 (2019-05-31 16:50:40)

Concept inherits from  prsb03-dataelement-11292 (2019-05-30 12:25:39)

Description The grade of the person completing the record.

Relationship Grade (*prsb03-dataelement-10221 - 2018-10-31*)

Rationale PractitionerRole.code

Operationalization Free text.

Value Domain

Property	 max length
	150

 Specialty	prsb03-dataelement-12300
---	--------------------------

Id prsb03-dataelement-12300 (2019-05-31 16:50:40)

Concept inherits from  prsb03-dataelement-11293 (2019-05-30 12:25:39)

Description The main specialty of the person completing the record.

2.1.587 Properties

FHIR PractitionerRole.specialty

Relationship Specialty (*prsb03-dataelement-10222 - 2018-10-31*)

Rationale PractitionerRole.specialty

Operationalization NHS data dictionary :- Activity treatment function code

Value Domain

Property	 max length
----------	--

  Organisation

prsb03-dataelement-12301

Id	prsb03-dataelement-12301 (2019-05-31 16:50:40)
Concept inherits from	 <i>prsb03-dataelement-11294</i> (2019-05-30 12:25:39)
Description	The organisation the person completing the record works for.
Relationship	Organisation (<i>prsb03-dataelement-10226 - 2018-10-31</i>)

 Professional identifier

prsb03-dataelement-12302

Id	prsb03-dataelement-12302 (2019-05-31 16:50:40)
Concept inherits from	 <i>prsb03-dataelement-11295</i> (2019-05-30 12:25:39)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.588 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship	Professional identifier (<i>prsb03-dataelement-10223 - 2018-10-31</i>)
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary :- Professional registration identifier
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 2px; display: inline-block;">max length</div> <div style="text-align: center;">32</div>

 Date completed

prsb03-dataelement-12303

Id	prsb03-dataelement-12303 (2019-05-31 16:50:40)
Concept inherits from	 <i>prsb03-dataelement-11296</i> (2019-05-30 12:25:39)
Description	The date and time the record was completed.
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)
Rationale	Composition.date
Operationalization	Date and time.
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 2px; display: inline-block;">Timestamp precision</div>

at least day, month and year, hour and minute

Contact details

prsb03-dataelement-12304

Id	prsb03-dataelement-12304 (2019-05-31 16:50:40)
Concept inherits from	 <i>prsb03-dataelement-11297</i> (2019-05-30 12:25:39)
Description	Contact details of the person completing the record.

2.1.589 Properties

FHIR	PractitionerRole.telecom
Relationship	Contact details (<i>prsb03-dataelement-10225</i> - 2018-10-31)
Rationale	Practitioner:telecom PractitionerRole:telecom Organisation.telcom
Operationalization	NHS data dictionary : - UK telephone number
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 5px; text-align: center;"> max length 35 </div>

Anticipatory medicines/equipment

prsb03-dataelement-10785

Id	prsb03-dataelement-10785 (2019-03-19 17:21:30)
Description	Details of the persons availability or location regarding their anticipatory medicines/equipment.
Relationship	Anticipatory medicines/equipment (<i>prsb03-dataelement-10205</i> - 2018-10-31)

Date

prsb03-dataelement-12305

Id	prsb03-dataelement-12305 (2019-05-31 16:52:30)
Description	The date when the statement regarding anticipatory medicines/equipment was made.
Relationship	Date (<i>prsb03-dataelement-11688</i> - 2019-05-31 11:50:22)
Operationalization	Date and time
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 5px; text-align: center;"> Timestamp precision at least day, month and year, hour and minute </div>

Location

prsb03-dataelement-12306

Id prsb03-dataelement-12306 (2019-05-31 16:53:01)

Description The location where the statement regarding anticipatory medicines/equipment was made.

Relationship Location (*prsb03-dataelement-11689 - 2019-05-31 11:51:04*)

 Coded value

prsb03-dataelement-13708

Id prsb03-dataelement-13708 (2020-09-10 15:57:43)

Description The coded value for location

Operationalization NHS data dictionary: - Organisation data service

Value Domain

Property

min length	max length
------------	------------

3	5
---	---

 Free text

prsb03-dataelement-13709

Id prsb03-dataelement-13709 (2020-09-10 15:59:37)

Concept inherits from  *prsb03-dataelement-13223 (2020-07-08 17:40:09)*

Description Free text field to be used if no coded text available

Value Domain

Property

max length

150

 Anticipatory medicines/equipment

prsb03-dataelement-13707

Id prsb03-dataelement-13707 (2020-09-10 15:27:00)

Description A statement regarding the availability or location of the anticipatory medicines/equipment.

Operationalization Free text

Value Domain

  Performing professional

prsb03-dataelement-12307

Id prsb03-dataelement-12307 (2019-05-31 16:53:39)

Description The professional who made the statement regarding anticipatory medicines/equipment was made.

Relationship Performing professional (*prsb03-dataelement-11281 - 2019-05-30 11:53:30*)

 Name

prsb03-dataelement-12308

Id prsb03-dataelement-12308 (2019-05-31 16:53:59)

Concept inherits from  prsb03-dataelement-11282 (2019-05-30 11:57:38)

Description The name of the professional.

Rationale Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70



Role

prsb03-dataelement-12309

Id prsb03-dataelement-12309 (2019-05-31 16:53:59)

Concept inherits from  prsb03-dataelement-11283 (2019-05-30 11:58:48)

Description The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc

Rationale Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobroletype

Value Domain



Grade

prsb03-dataelement-12310

Id prsb03-dataelement-12310 (2019-05-31 16:53:59)

Concept inherits from  prsb03-dataelement-11288 (2019-05-30 12:19:40)

Description The grade of the professional.

Rationale PractitionerRole.code

Operationalization Free text

Value Domain

Property

max length

150



Speciality

prsb03-dataelement-12311

Id prsb03-dataelement-12311 (2019-05-31 16:53:59)

Concept inherits from  prsb03-dataelement-11284 (2019-05-30 12:01:15)

Description The specialty of the professional e.g. physiotherapy, oncology, mental health etc

Rationale PractitionerRole.speciality

Operationalization NHS data dictionary - Activity treatment function code

Value Domain

Property

max length

3



Professional identifier

prsb03-dataelement-12312

Id prsb03-dataelement-12312 (2019-05-31 16:53:59)

Concept inherits from prsb03-dataelement-11285 (2019-05-30 12:02:46)

Description Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary : - Professional registration identifier

Value Domain

Property

max length

32



Organisation

prsb03-dataelement-12313

Id prsb03-dataelement-12313 (2019-05-31 16:53:59)

Concept inherits from prsb03-dataelement-11286 (2019-05-30 12:17:19)

Description The name of the organisation the professional works for.



Contact details

prsb03-dataelement-12314

Id prsb03-dataelement-12314 (2019-05-31 16:53:59)

Concept inherits from prsb03-dataelement-11287 (2019-05-30 12:18:13)

Description Contact details of the professional

Rationale Practitioner.telecom
PractitionerRole.telecom
Organisation.telcom

Operationalization NHS data dictionary - UK phone number

Value Domain

Property

max length

35



Person completing record

prsb03-dataelement-12315

Id	prsb03-dataelement-12315 (2019-05-31 16:54:10)
Concept inherits from	 prsb03-dataelement-11289 (2019-05-30 12:24:39)
Description	Details of the person completing the record.
Relationship	Person completing record (<i>prsb03-dataelement-319 - 2018-10-31</i>)

prsb03-dataelement-12316

Id	prsb03-dataelement-12316 (2019-05-31 16:54:34)
Concept inherits from	 prsb03-dataelement-11290 (2019-05-30 12:25:39)
Description	The name of the person completing the record.
Relationship	Name (<i>prsb03-dataelement-10219 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.name
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 70 </div>

prsb03-dataelement-12317

Id	prsb03-dataelement-12317 (2019-05-31 16:54:34)
Concept inherits from	 prsb03-dataelement-11291 (2019-05-30 12:25:39)
Description	The organisational role of the person completing record.

2.1.590 Properties

FHIR	PractitionerRole.code of the practitioner completing the record
Relationship	Role (<i>prsb03-dataelement-10220 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobrole
Value Domain	

prsb03-dataelement-12318

Id	prsb03-dataelement-12318 (2019-05-31 16:54:34)
Concept inherits from	 prsb03-dataelement-11292 (2019-05-30 12:25:39)
Description	The grade of the person completing the record.

Relationship Grade (*prsb03-dataelement-10221 - 2018-10-31*)

Rationale PractitionerRole.code

Operationalization Free text.

Value Domain

Property

max length

150



Specialty

prsb03-dataelement-12319

Id prsb03-dataelement-12319 (2019-05-31 16:54:34)

Concept inherits from prsb03-dataelement-11293 (2019-05-30 12:25:39)

Description The main specialty of the person completing the record.

2.1.591 Properties

FHIR PractitionerRole.specialty

Relationship Specialty (*prsb03-dataelement-10222 - 2018-10-31*)

Rationale PractitionerRole.specialty

Operationalization NHS data dictionary :- Activity treatment function code

Value Domain

Property

max length

3



Organisation

prsb03-dataelement-12320

Id prsb03-dataelement-12320 (2019-05-31 16:54:34)

Concept inherits from prsb03-dataelement-11294 (2019-05-30 12:25:39)

Description The organisation the person completing the record works for.

Relationship Organisation (*prsb03-dataelement-10226 - 2018-10-31*)



Professional identifier

prsb03-dataelement-12321

Id prsb03-dataelement-12321 (2019-05-31 16:54:34)

Concept inherits from prsb03-dataelement-11295 (2019-05-30 12:25:39)

Description Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.592 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship	Professional identifier (<i>prsb03-dataelement-10223 - 2018-10-31</i>)
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary :- Professional registration identifier
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 2px;">max length</div> <div style="border: 1px solid #ccc; padding: 2px; text-align: center;">32</div>



Date completed

prsb03-dataelement-12322

Id	prsb03-dataelement-12322 (2019-05-31 16:54:34)
Concept inherits from	<i>prsb03-dataelement-11296</i> (2019-05-30 12:25:39)
Description	The date and time the record was completed.
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)
Rationale	Composition.date
Operationalization	Date and time.
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 2px; text-align: center;">Timestamp precision</div> <div style="border: 1px solid #ccc; padding: 2px; text-align: center;">at least day, month and year, hour and minute</div>



Contact details

prsb03-dataelement-12323

Id	prsb03-dataelement-12323 (2019-05-31 16:54:34)
Concept inherits from	<i>prsb03-dataelement-11297</i> (2019-05-30 12:25:39)
Description	Contact details of the person completing the record.

2.1.593 Properties

FHIR PractitionerRole.telecom


Relationship	Contact details (<i>prsb03-dataelement-10225 - 2018-10-31</i>)
Rationale	Practitioner:telecom PractitionerRole:telecom Organisation.telcom
Operationalization	NHS data dictionary : - UK telephone number

Value Domain

Property

max length

35



Advance decision to refuse treatment (ADRT)

prsb03-dataelement-10778

Id

prsb03-dataelement-10778 (2019-03-19 17:13:11) 0.1

Concept inherits from

prsb03-dataelement-10428 (2018-10-31)

Description

Details of the person's ADRT status.



Lasting power of attorney for personal welfare or court-appointed deputy (or equivalent)

prsb03-dataelement-10779

Id

prsb03-dataelement-10779 (2019-03-19 17:13:37) 0.1

Concept inherits from

prsb03-dataelement-10425 (2018-10-31)

Description

Details of the person's LPA record or equivalent



Preferred place of death

prsb03-dataelement-10780

Id

prsb03-dataelement-10780 (2019-03-19 17:14:33)

Description

Details of the person's preferred place of death

Relationship

Preferred place of death (*prsb03-dataelement-10199 - 2018-10-31*)

Date

prsb03-dataelement-12324

Id

prsb03-dataelement-12324 (2019-05-31 16:55:33)

Description

The date when the preferred place of death was identified.

Relationship

Date (*prsb03-dataelement-11688 - 2019-05-31 11:50:22*)

Operationalization

Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Location

prsb03-dataelement-12325

Id

prsb03-dataelement-12325 (2019-05-31 16:56:07)

Description

The location where the preferred place of death was identified.

Relationship

Location (*prsb03-dataelement-11689 - 2019-05-31 11:51:04*)

Coded value

prsb03-dataelement-13713

Id prsb03-dataelement-13713 (2020-09-10 16:24:26)

Description The coded value for location

Operationalization NHS data dictionary: - Organisation data service

Value Domain

Property

min length	max length
-------------------	-------------------

3	5
---	---

 **Free text** prsb03-dataelement-13714

Id prsb03-dataelement-13714 (2020-09-10 16:25:48)

Concept inherits from  *prsb03-dataelement-13220* (2020-07-08 12:57:49)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150

  **Preferred place of death 1st** prsb03-dataelement-13710

Id prsb03-dataelement-13710 (2020-09-10 16:01:29)

Description The preferences that a person has identified as their preferred place to die.

 **Name of the place** prsb03-dataelement-13711

Id prsb03-dataelement-13711 (2020-09-10 16:04:08)

Description The name of the preferred place of death

Operationalization Free text

Value Domain

 **Used by** 0 transactions, 0 templates, inherited once

 **Type of place** prsb03-dataelement-13712

Id prsb03-dataelement-13712 (2020-09-10 16:11:41)

Description The type of preferred place of death

Operationalization SCC11580 code : - 10: Hospital (Acute/Community/Other)20: Private residence21: Patient's own home22: Other private residence (eg relatives home, carers home)30:

Hospice (inpatient specialist palliative care)40: Care Home50: Other (free text eg secure and detained settings)517111000000103, Preferred place of death: patient unable to express preference 517131000000106, Preferred place of death: discussion not appropriate766391000000108, Preferred place of death: patient declined discussion517161000000101, Preferred place of death: patient undecided

Value Domain

Used by 0 transactions, 0 templates, inherited once

Preferred place of death 2nd

prsb03-dataelement-13716

Id	prsb03-dataelement-13716 (2020-09-10 16:33:13)
Description	The preferences that a person has identified as their preferred place to die.
Relationship	Preferred place of death 1st (<i>prsb03-dataelement-13710 - 2020-09-10 16:01:29</i>)

Name of the place

prsb03-dataelement-13717

Id	prsb03-dataelement-13717 (2020-09-10 16:33:46)
Concept inherits from	<i>prsb03-dataelement-13711 (2020-09-10 16:04:08)</i>
Description	The name of the preferred place of death
Operationalization	Free text
Value Domain	

Type of place

prsb03-dataelement-13718

Id	prsb03-dataelement-13718 (2020-09-10 16:33:46)
Concept inherits from	<i>prsb03-dataelement-13712 (2020-09-10 16:11:41)</i>
Description	The type of preferred place of death
Operationalization	SCC11580 code : - 10: Hospital (Acute/Community/Other)20: Private residence21: Patient's own home22: Other private residence (eg relatives home, carers home)30: Hospice (inpatient specialist palliative care)40: Care Home50: Other (free text eg secure and detained settings)517111000000103, Preferred place of death: patient unable to express preference 517131000000106, Preferred place of death: discussion not appropriate766391000000108, Preferred place of death: patient declined discussion517161000000101, Preferred place of death: patient undecided

Value Domain

Preferred place of death

prsb03-dataelement-13715

Id	prsb03-dataelement-13715 (2020-09-10 16:30:08) 0.1
Concept inherits from	<i>prsb03-dataelement-10199 (2018-10-31)</i>
Description	The preferences that a person has identified as their preferred place to die.

Operationalization End of life care plan use case only. Preferences will be identified as 1st/2nd choice etc as given by the person. Each recorded preference should include the name of the place that the person has identified. It may also include coded values from the National Information Standard (SCCI1580), together with the associated text:
 10: Hospital (Acute/Community/Other)
 20: Private residence
 21: Patient's own home
 22: Other private residence (eg relatives home, carers home)
 30: Hospice (inpatient specialist palliative care)
 40: Care Home
 50: Other (free text eg secure and detained settings)
 517111000000103

Preferred place of death: patient unable to express preference 517131000000106

Preferred place of death: discussion not appropriate 766391000000108

Preferred place of death: patient declined discussion 517161000000101

Preferred place of death: patient undecided

Value Domain

Performing professional

prsb03-dataelement-12326

Id prsb03-dataelement-12326 (2019-05-31 16:56:54)

Description The professional who identified the preferred place of death.

Relationship Performing professional (*prsb03-dataelement-11281 - 2019-05-30 11:53:30*)

Name

prsb03-dataelement-12327

Id prsb03-dataelement-12327 (2019-05-31 16:57:14)

Concept inherits from  prsb03-dataelement-11282 (2019-05-30 11:57:38)

Description The name of the professional.

Rationale Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70

Role

prsb03-dataelement-12328

Id prsb03-dataelement-12328 (2019-05-31 16:57:14)

Concept inherits from  prsb03-dataelement-11283 (2019-05-30 11:58:48)

Description The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc

Rationale Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobroletype

Value Domain

Grade

prsb03-dataelement-12329

Speciality	
Id	prsb03-dataelement-12330 (2019-05-31 16:57:14)
Concept inherits from	 <i>prsb03-dataelement-11284</i> (2019-05-30 12:01:15)
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc
Rationale	PractitionerRole.speciality
Operationalization	NHS data dictionary - Activity treatment function code
Value Domain	
Property	max length

 Professional identifier	prsb03-dataelement-12331 (2019-05-31 16:57:14)
Id	prsb03-dataelement-12331 (2019-05-31 16:57:14)
Concept inherits from	 <i>prsb03-dataelement-11285</i> (2019-05-30 12:02:46)
Description	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary : - Professional registration identifier
Value Domain	
Property	max length

 Organisation prsb03-dataelement-12332

Id	prsb03-dataelement-12332 (2019-05-31 16:57:14)
Concept inherits from	🟡 <i>prsb03-dataelement-11286</i> (2019-05-30 12:17:19)
Description	The name of the organisation the professional works for.
🟡 Contact details	prsb03-dataelement-12333
Id	prsb03-dataelement-12333 (2019-05-31 16:57:14)
Concept inherits from	🟡 <i>prsb03-dataelement-11287</i> (2019-05-30 12:18:13)
Description	Contact details of the professional
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom
Operationalization	NHS data dictionary - UK phone number
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> max length 35 </div>
📁🟡 Person completing record	prsb03-dataelement-12334
Id	prsb03-dataelement-12334 (2019-05-31 16:57:26)
Concept inherits from	🟡 <i>prsb03-dataelement-11289</i> (2019-05-30 12:24:39)
Description	Details of the person completing the record.
Relationship	Person completing record (<i>prsb03-dataelement-319</i> - 2018-10-31)
🟡 Name	prsb03-dataelement-12335
Id	prsb03-dataelement-12335 (2019-05-31 16:57:52)
Concept inherits from	🟡 <i>prsb03-dataelement-11290</i> (2019-05-30 12:25:39)
Description	The name of the person completing the record.
Relationship	Name (<i>prsb03-dataelement-10219</i> - 2018-10-31)
Rationale	Composition.author.Practitioner.name
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> max length 70 </div>
🟡 Role	prsb03-dataelement-12336

Id	prsb03-dataelement-12336 (2019-05-31 16:57:52)
Concept inherits from	 <i>prsb03-dataelement-11291</i> (2019-05-30 12:25:39)
Description	The organisational role of the person completing record.

2.1.594 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship	Role (<i>prsb03-dataelement-10220 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobrole
Value Domain	

 Grade	prsb03-dataelement-12337
---	--------------------------

Id	prsb03-dataelement-12337 (2019-05-31 16:57:52)
Concept inherits from	 <i>prsb03-dataelement-11292</i> (2019-05-30 12:25:39)
Description	The grade of the person completing the record.
Relationship	Grade (<i>prsb03-dataelement-10221 - 2018-10-31</i>)
Rationale	PractitionerRole.code
Operationalization	Free text.
Value Domain	

Property	max length
	150

 Specialty	prsb03-dataelement-12338
---	--------------------------

Id	prsb03-dataelement-12338 (2019-05-31 16:57:52)
Concept inherits from	 <i>prsb03-dataelement-11293</i> (2019-05-30 12:25:39)
Description	The main specialty of the person completing the record.

2.1.595 Properties

FHIR PractitionerRole.specialty

Relationship	Specialty (<i>prsb03-dataelement-10222 - 2018-10-31</i>)
Rationale	PractitionerRole.specialty
Operationalization	NHS data dictionary :- Activity treatment function code
Value Domain	

Property

max length

3



Organisation

prsb03-dataelement-12339

Id

prsb03-dataelement-12339 (2019-05-31 16:57:52)

Concept inherits from

prsb03-dataelement-11294 (2019-05-30 12:25:39)

Description

The organisation the person completing the record works for.

Relationship

Organisation (*prsb03-dataelement-10226 - 2018-10-31*)

Professional identifier

prsb03-dataelement-12340

Id

prsb03-dataelement-12340 (2019-05-31 16:57:52)

Concept inherits from

prsb03-dataelement-11295 (2019-05-30 12:25:39)

Description

Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.596 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship

Professional identifier (*prsb03-dataelement-10223 - 2018-10-31*)

Rationale

Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization

NHS data dictionary :- Professional registration identifier

Value Domain

Property

max length

32



Date completed

prsb03-dataelement-12341

Id

prsb03-dataelement-12341 (2019-05-31 16:57:52)

Concept inherits from

prsb03-dataelement-11296 (2019-05-30 12:25:39)

Description

The date and time the record was completed.

Relationship

Date completed (*prsb03-dataelement-10224 - 2018-10-31*)

Rationale

Composition.date

Operationalization

Date and time.

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Contact details

prsb03-dataelement-12342

Id

prsb03-dataelement-12342 (2019-05-31 16:57:52)

Concept inherits from

prsb03-dataelement-11297 (2019-05-30 12:25:39)

Description

Contact details of the person completing the record.

2.1.597 Properties

FHIR PractitionerRole.telecom

Relationship Contact details (*prsb03-dataelement-10225 - 2018-10-31*)Rationale Practitioner.telecom
PractitionerRole.telecom
Organisation.telcom

Operationalization NHS data dictionary : - UK telephone number

Value Domain

Property

max length

35



Agreed with person or legitimate person's representative

prsb03-dataelement-10784

Id

prsb03-dataelement-10784 (2019-03-19 17:19:34) 0.1

Description

Indicates whether the person or legitimate representative has agreed the entire plan or individual aspects of treatment, expected outcomes, risks and alternative treatments.

Relationship

Agreed with the person or their legitimate representative (*prsb03-dataelement-10438 - 2018-10-31*)

Operationalization

A record of the agreement of the decisions made, Free text



Date

prsb03-dataelement-12343

Id

prsb03-dataelement-12343 (2019-05-31 16:58:33) 0.1

Concept inherits from

prsb03-dataelement-11688 (2019-05-31 11:50:22)

Description

The date when the mental capacity assessment was made.

Operationalization

Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute

 Location

prsb03-dataelement-12344

Id prsb03-dataelement-12344 (2019-05-31 16:59:03) 0.1

Concept inherits from  prsb03-dataelement-11689 (2019-05-31 11:51:04)

Description The location where the mental capacity assessment was made.

 Performing professional

prsb03-dataelement-12345

Id prsb03-dataelement-12345 (2019-05-31 16:59:45) 0.1

Concept inherits from  prsb03-dataelement-11281 (2019-05-30 11:53:30)

Description The professional who made the mental capacity assessment.

 Name

prsb03-dataelement-12346

Id prsb03-dataelement-12346 (2019-05-31 17:00:07) 0.1

Concept inherits from  prsb03-dataelement-11282 (2019-05-30 11:57:38)

Description The name of the professional.

Rationale Practitioner.name

Operationalization Free text.

Value Domain

Property max length

70

 Role

prsb03-dataelement-12347

Id prsb03-dataelement-12347 (2019-05-31 17:00:07) 0.1

Concept inherits from  prsb03-dataelement-11283 (2019-05-30 11:58:48)

Description The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc

Rationale Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobroletype

Value Domain

 Grade

prsb03-dataelement-12348

Id prsb03-dataelement-12348 (2019-05-31 17:00:07) 0.1

Concept inherits from	 prsb03-dataelement-11288 (2019-05-30 12:19:40)
Description	The grade of the professional.
Rationale	PractitionerRole.code
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 150 </div>

 Speciality

prsb03-dataelement-12349

Id	prsb03-dataelement-12349 (2019-05-31 17:00:07) 0.1
Concept inherits from	 prsb03-dataelement-11284 (2019-05-30 12:01:15)
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc
Rationale	PractitionerRole.speciality
Operationalization	NHS data dictionary - Activity treatment function code
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 3 </div>

 Professional identifier

prsb03-dataelement-12350

Id	prsb03-dataelement-12350 (2019-05-31 17:00:07) 0.1
Concept inherits from	 prsb03-dataelement-11285 (2019-05-30 12:02:46)
Description	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.
Rationale	Practitioner.identifier (for professional national identifiers), PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary : - Professional registration identifier
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 32 </div>

 Organisation

prsb03-dataelement-12351

Id	prsb03-dataelement-12351 (2019-05-31 17:00:07) 0.1
Concept inherits from	 prsb03-dataelement-11286 (2019-05-30 12:17:19)

Description	The name of the organisation the professional works for.
✖ Contact details	prsb03-dataelement-12352
Id	prsb03-dataelement-12352 (2019-05-31 17:00:07) 0.1
Concept inherits from	🟡 prsb03-dataelement-11287 (2019-05-30 12:18:13)
Description	Contact details of the professional
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom
Operationalization	NHS data dictionary - UK phone number
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;">max length</div> <div style="border: 1px solid #ccc; padding: 5px; display: inline-block;">35</div>
📁 ✎ Person completing record	prsb03-dataelement-12353
Id	prsb03-dataelement-12353 (2019-05-31 17:00:18) 0.1
Concept inherits from	🟡 prsb03-dataelement-11289 (2019-05-30 12:24:39)
Description	Details of the person completing the record.
Relationship	Person completing record (prsb03-dataelement-319 - 2018-10-31)
✖ Name	prsb03-dataelement-12354
Id	prsb03-dataelement-12354 (2019-05-31 17:00:42) 0.1
Concept inherits from	🟡 prsb03-dataelement-11290 (2019-05-30 12:25:39)
Description	The name of the person completing the record.
Relationship	Name (prsb03-dataelement-10219 - 2018-10-31)
Rationale	Composition.author.Practitioner.name
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;">max length</div> <div style="border: 1px solid #ccc; padding: 5px; display: inline-block;">70</div>
✖ Role	prsb03-dataelement-12355
Id	prsb03-dataelement-12355 (2019-05-31 17:00:42) 0.1

Concept inherits from	 prsb03-dataelement-11291 (2019-05-30 12:25:39)
Description	The organisational role of the person completing record.

2.1.598 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship Role (*prsb03-dataelement-10220 - 2018-10-31*)

Rationale Composition.author.PractitionerRole.code

Operationalization FHIR value set :- SDSjobrole

Value Domain



Grade

prsb03-dataelement-12356

Id prsb03-dataelement-12356 (2019-05-31 17:00:42) 0.1

Concept inherits from  prsb03-dataelement-11292 (2019-05-30 12:25:39)

Description The grade of the person completing the record.

Relationship Grade (*prsb03-dataelement-10221 - 2018-10-31*)

Rationale PractitionerRole.code

Operationalization Free text.

Value Domain

Property

max length

150



Specialty

prsb03-dataelement-12357

Id prsb03-dataelement-12357 (2019-05-31 17:00:42) 0.1

Concept inherits from  prsb03-dataelement-11293 (2019-05-30 12:25:39)

Description The main specialty of the person completing the record.

2.1.599 Properties

FHIR PractitionerRole.specialty

Relationship Specialty (*prsb03-dataelement-10222 - 2018-10-31*)

Rationale PractitionerRole.specialty

Operationalization NHS data dictionary :- Activity treatment function code

Value Domain

Property

max length

 Organisation

prsb03-dataelement-12358

Id	prsb03-dataelement-12358 (2019-05-31 17:00:42) 0.1
Concept inherits from	 prsb03-dataelement-11294 (2019-05-30 12:25:39)
Description	The organisation the person completing the record works for.
Relationship	Organisation (<i>prsb03-dataelement-10226 - 2018-10-31</i>)

 Professional identifier

prsb03-dataelement-12359

Id	prsb03-dataelement-12359 (2019-05-31 17:00:42) 0.1
Concept inherits from	 prsb03-dataelement-11295 (2019-05-30 12:25:39)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.600 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship	Professional identifier (<i>prsb03-dataelement-10223 - 2018-10-31</i>)
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary :- Professional registration identifier
Value Domain	
Property	max length

32

 Date completed

prsb03-dataelement-12360

Id	prsb03-dataelement-12360 (2019-05-31 17:00:42) 0.1
Concept inherits from	 prsb03-dataelement-11296 (2019-05-30 12:25:39)
Description	The date and time the record was completed.
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)
Rationale	Composition.date
Operationalization	Date and time.
Value Domain	
Property	Timestamp precision

at least day, month and year, hour and minute

Contact details

prsb03-dataelement-12361

Id prsb03-dataelement-12361 (2019-05-31 17:00:42) 0.1

Concept inherits from  *prsb03-dataelement-11297* (2019-05-30 12:25:39)

Description Contact details of the person completing the record.

2.1.601 Properties

FHIR PractitionerRole.telecom

Relationship Contact details (*prsb03-dataelement-10225 - 2018-10-31*)

Rationale
Practitioner.telecom
PractitionerRole.telecom
Organisation.telcom

Operationalization NHS data dictionary : - UK telephone number

Value Domain

Property

max length

35

Preferred place of care

prsb03-dataelement-10781

Id prsb03-dataelement-10781 (2019-03-19 17:15:36)

Description Details of the persons preferred place of care

Relationship Preferred place of care (*prsb03-dataelement-10198 - 2018-10-31*)

Date

prsb03-dataelement-12362

Id prsb03-dataelement-12362 (2019-05-31 17:01:43)

Description The date when the preferred place of care was identified.

Relationship Date (*prsb03-dataelement-11688 - 2019-05-31 11:50:22*)

Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute

Location

prsb03-dataelement-12363

Id	prsb03-dataelement-12363 (2019-05-31 17:02:33)
Description	The location where the preferred place of care was identified.
Relationship	Location (<i>prsb03-dataelement-11689 - 2019-05-31 11:51:04</i>)

 Coded value

prsb03-dataelement-13720

Id	prsb03-dataelement-13720 (2020-09-10 17:00:51)				
Description	The coded value for location				
Operationalization	NHS data dictionary: - Organisation data service				
Value Domain					
Property	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50px; padding: 5px;">min length</td> <td style="width: 50px; padding: 5px;">max length</td> </tr> <tr> <td style="text-align: center; padding: 5px;">3</td> <td style="text-align: center; padding: 5px;">5</td> </tr> </table>	min length	max length	3	5
min length	max length				
3	5				

 Free text

prsb03-dataelement-13721

Id	prsb03-dataelement-13721 (2020-09-10 17:02:59)		
Concept inherits from	 <i>prsb03-dataelement-13220 (2020-07-08 12:57:49)</i>		
Description	Free text field to be used if no code is available		
Operationalization	Free text		
Value Domain			
Property	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50px; padding: 5px;">max length</td> </tr> <tr> <td style="text-align: center; padding: 5px;">150</td> </tr> </table>	max length	150
max length			
150			

 Preferred place of care

prsb03-dataelement-13719

Id	prsb03-dataelement-13719 (2020-09-10 16:56:48)
Description	The preferences that the person has identified as their preferred place to receive care.
Operationalization	Free text
Value Domain	

  Performing professional

prsb03-dataelement-12364

Id	prsb03-dataelement-12364 (2019-05-31 17:03:08)
Description	The professional who identified the preferred place of care.
Relationship	Performing professional (<i>prsb03-dataelement-11281 - 2019-05-30 11:53:30</i>)

 Name

prsb03-dataelement-12365

Id prsb03-dataelement-12365 (2019-05-31 17:03:28)

Concept inherits from  prsb03-dataelement-11282 (2019-05-30 11:57:38)

Description The name of the professional.

Rationale Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70



Role

prsb03-dataelement-12366

Id prsb03-dataelement-12366 (2019-05-31 17:03:28)

Concept inherits from  prsb03-dataelement-11283 (2019-05-30 11:58:48)

Description The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc

Rationale Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobroletype

Value Domain



Grade

prsb03-dataelement-12367

Id prsb03-dataelement-12367 (2019-05-31 17:03:28)

Concept inherits from  prsb03-dataelement-11288 (2019-05-30 12:19:40)

Description The grade of the professional.

Rationale PractitionerRole.code

Operationalization Free text

Value Domain

Property

max length

150



Speciality

prsb03-dataelement-12368

Id prsb03-dataelement-12368 (2019-05-31 17:03:28)

Concept inherits from  prsb03-dataelement-11284 (2019-05-30 12:01:15)

Description The specialty of the professional e.g. physiotherapy, oncology, mental health etc

Rationale PractitionerRole.speciality

Operationalization NHS data dictionary - Activity treatment function code

Value Domain

Property

max length

3



Professional identifier

prsb03-dataelement-12369

Id prsb03-dataelement-12369 (2019-05-31 17:03:28)

Concept inherits from prsb03-dataelement-11285 (2019-05-30 12:02:46)

Description Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary : - Professional registration identifier

Value Domain

Property

max length

32



Organisation

prsb03-dataelement-12370

Id prsb03-dataelement-12370 (2019-05-31 17:03:28)

Concept inherits from prsb03-dataelement-11286 (2019-05-30 12:17:19)

Description The name of the organisation the professional works for.



Contact details

prsb03-dataelement-12371

Id prsb03-dataelement-12371 (2019-05-31 17:03:28)

Concept inherits from prsb03-dataelement-11287 (2019-05-30 12:18:13)

Description Contact details of the professional

Rationale Practitioner.telecom
PractitionerRole.telecom
Organisation.telcom

Operationalization NHS data dictionary - UK phone number

Value Domain

Property

max length

35



Person completing record

prsb03-dataelement-12372

Id	prsb03-dataelement-12372 (2019-05-31 17:03:40)
Concept inherits from	🟡 prsb03-dataelement-11289 (2019-05-30 12:24:39)
Description	Details of the person completing the record.
Relationship	Person completing record (<i>prsb03-dataelement-319 - 2018-10-31</i>)

🟡 Name

prsb03-dataelement-12373

Id	prsb03-dataelement-12373 (2019-05-31 17:04:03)
Concept inherits from	🟡 prsb03-dataelement-11290 (2019-05-30 12:25:39)
Description	The name of the person completing the record.
Relationship	Name (<i>prsb03-dataelement-10219 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.name
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 70 </div>

🟡 Role

prsb03-dataelement-12374

Id	prsb03-dataelement-12374 (2019-05-31 17:04:03)
Concept inherits from	🟡 prsb03-dataelement-11291 (2019-05-30 12:25:39)
Description	The organisational role of the person completing record.

2.1.602 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship	Role (<i>prsb03-dataelement-10220 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobrole
Value Domain	

🟡 Grade

prsb03-dataelement-12375

Id	prsb03-dataelement-12375 (2019-05-31 17:04:03)
Concept inherits from	🟡 prsb03-dataelement-11292 (2019-05-30 12:25:39)
Description	The grade of the person completing the record.

Relationship Grade (*prsb03-dataelement-10221 - 2018-10-31*)

Rationale PractitionerRole.code

Operationalization Free text.

Value Domain

Property

max length

150



Specialty

prsb03-dataelement-12376

Id prsb03-dataelement-12376 (2019-05-31 17:04:03)

Concept inherits from prsb03-dataelement-11293 (2019-05-30 12:25:39)

Description The main specialty of the person completing the record.

2.1.603 Properties

FHIR PractitionerRole.specialty

Relationship Specialty (*prsb03-dataelement-10222 - 2018-10-31*)

Rationale PractitionerRole.specialty

Operationalization NHS data dictionary :- Activity treatment function code

Value Domain

Property

max length

3



Organisation

prsb03-dataelement-12377

Id prsb03-dataelement-12377 (2019-05-31 17:04:03)

Concept inherits from prsb03-dataelement-11294 (2019-05-30 12:25:39)

Description The organisation the person completing the record works for.

Relationship Organisation (*prsb03-dataelement-10226 - 2018-10-31*)



Professional identifier

prsb03-dataelement-12378

Id prsb03-dataelement-12378 (2019-05-31 17:04:03)

Concept inherits from prsb03-dataelement-11295 (2019-05-30 12:25:39)

Description Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.604 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship	Professional identifier (<i>prsb03-dataelement-10223 - 2018-10-31</i>)
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary :- Professional registration identifier
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 2px;">max length</div> <div style="border: 1px solid #ccc; padding: 2px; text-align: center;">32</div>



Date completed

prsb03-dataelement-12379

Id	prsb03-dataelement-12379 (2019-05-31 17:04:03)
Concept inherits from	<i>prsb03-dataelement-11296</i> (2019-05-30 12:25:39)
Description	The date and time the record was completed.
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)
Rationale	Composition.date
Operationalization	Date and time.
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 2px; text-align: center;">Timestamp precision</div> <div style="border: 1px solid #ccc; padding: 2px; text-align: center;">at least day, month and year, hour and minute</div>



Contact details

prsb03-dataelement-12380

Id	prsb03-dataelement-12380 (2019-05-31 17:04:03)
Concept inherits from	<i>prsb03-dataelement-11297</i> (2019-05-30 12:25:39)
Description	Contact details of the person completing the record.

2.1.605 Properties

FHIR PractitionerRole.telecom

Relationship	Contact details (<i>prsb03-dataelement-10225 - 2018-10-31</i>)
Rationale	Practitioner:telecom PractitionerRole:telecom Organisation.telcom
Operationalization	NHS data dictionary : - UK telephone number

Value Domain

Property

max length

35

Actual place of death

prsb03-dataelement-10782

Id prsb03-dataelement-10782 (2019-03-19 17:17:13) 0.1

Concept inherits from  prsb03-dataelement-10211 (2018-10-31)

Description The location where the person actually died as recorded on the death certificate. If the person died somewhere other than their preferred place, record the reasons why this happened.

Operationalization Free text

Value Domain

Property

max length

150

Date of death

prsb03-dataelement-10783

Id prsb03-dataelement-10783 (2019-03-19 17:17:37) 0.1

Concept inherits from  prsb03-dataelement-10213 (2018-10-31)

Description The date on which a person died or is officially deemed to have died, as recorded on the death certificate.

2.1.606 Properties

FHIR

PDS

Operationalization Date and time

Value Domain

Date this plan was last updated

prsb03-dataelement-10788

Id prsb03-dataelement-10788 (2019-03-19 18:00:25) 0.1

Concept inherits from  prsb03-dataelement-10412 (2018-10-31)

Description This is a record of the date that this care and support plan was last updated.

Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute

 Person completing record

prsb03-dataelement-10789

Id	prsb03-dataelement-10789 (2019-03-19 18:02:49) 0.1
Description	This is the person contributing to the end of life care plan. Should include their name, role, grade, specialty, organisation, professional identifier, date and time completed, contact details
Relationship	Person completing record (<i>prsb03-dataelement-10404 - 2018-10-31</i>)
Operationalization	Free text. Name, Role, Grade, Specialty, Organisation, Professional identifier, Date and time completed, Contact details
Value Domain	

 Cardio-pulmonary resuscitation (CPR) decision

prsb03-dataelement-10744

Id	prsb03-dataelement-10744 (2019-03-07 11:07:59)
Concept inherits from	 <i>prsb03-dataelement-10207 (2018-10-31)</i>
Description	Whether a decision has been made, the decision, who made the decision, the date of decision, date for review and location of documentation. Where the person or their family member/carer have not been informed of the clinical decision please state the reason why.
Operationalization	A record of the decision made and the location of the documentation. May include the following SNOMED CT concepts from the National Information Standard (SCCI1580):450475007 For attempted cardiopulmonary resuscitation450476008 Not for attempted cardiopulmonary resuscitation
Value Domain	

 After death

prsb03-dataelement-309

Id	prsb03-dataelement-309 (2018-10-31)
Description	End of Life

 Certification of death

prsb03-dataelement-10209

Id	prsb03-dataelement-10209 (2018-10-31)		
Description	If person is in their last weeks of life, is there a doctor who has seen the person recently who could potentially sign a death certificate? Provide contact details.		
Operationalization	Free text or URL		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>150</td> </tr> </table>	max length	150
max length			
150			

 Actions taken in anticipation of death

prsb03-dataelement-10210

Id	prsb03-dataelement-10210 (2018-10-31)
Description	Plan or statement of intent that has been agreed to facilitate certification of death and/or funeral arrangements e.g. anticipatory discussions with coroner to arrange funeral within 24 hours etc.
Operationalization	Free text
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 2px 5px; display: inline-block;">max length</div> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">150</div>

 Actual place of death

prsb03-dataelement-10211

Id	prsb03-dataelement-10211 (2018-10-31)
Description	The location where the person actually died as recorded on the death certificate. If the person died somewhere other than their preferred place, record the reasons why this happened.
Operationalization	Free text
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 2px 5px; display: inline-block;">max length</div> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">150</div>
Used by	0 transactions, 0 templates, inherited once

 Cause of death

prsb03-dataelement-10212

Id	prsb03-dataelement-10212 (2018-10-31)
Description	The cause of death as recorded on the death certificate
Operationalization	Free text
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 2px 5px; display: inline-block;">max length</div> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">150</div>

 Date of death

prsb03-dataelement-10213

Id	prsb03-dataelement-10213 (2018-10-31)
Description	The date on which a person died or is officially deemed to have died, as recorded on the death certificate.

2.1.607 Properties

FHIR PDS

Operationalization Date and time

Value Domain

⌚ Used by 0 transactions, 0 templates, inherited once



Crisis Care Plan

prsb03-dataelement-300

Id prsb03-dataelement-300 (2018-10-31)

Description Crisis Care Plan



Care funding details

prsb03-dataelement-10200

Id prsb03-dataelement-10200 (2018-10-31)

Description A record of the funding source and any conditions or limitations associated.

Operationalization End of life care plan use case only. Free text.

Value Domain



Estimated prognosis

prsb03-dataelement-10202


Id prsb03-dataelement-10202 (2018-10-31)

Description Where a person is terminally ill this is a clinical judgment indicating the anticipated period of time until death. E.g., last days, weeks, months or year of life. Also include the date the prognosis was made.

Operationalization End of life care plan use case only. The prognosis estimated by a clinician.

Value Domain

⌚ Used by 0 transactions, 0 templates, inherited once



Awareness of prognosis


prsb03-dataelement-10203

Id prsb03-dataelement-10203 (2018-10-31)

Description Description of the level of awareness the person and or their carer/family has regarding their estimated prognosis.

Operationalization End of life care plan use case only. The awareness statement made by a clinician.

Value Domain



Anticipatory actions

prsb03-dataelement-10204

Id	prsb03-dataelement-10204 (2018-10-31)
Description	Please provide guidance on specific interventions or actions that may be required or should be avoided in specific situations.
Operationalization	A statement of anticipatory actions. Usually expressed as: in the event of X do Y.
Value Domain	

 Anticipatory medicines/equipment

prsb03-dataelement-10205

Id	prsb03-dataelement-10205 (2018-10-31)
Description	Medicines or equipment available in the event of a crisis and their location.
Operationalization	A statement regarding the availability or location of the anticipatory medicines/equipment.

Value Domain

 Agreed with person or legitimate representative

prsb03-dataelement-10206

Id	prsb03-dataelement-10206 (2018-10-31)
Description	Indicates whether the crisis care plan was discussed and agreed with the person or legitimate representative. If agreement cannot be obtained the reason for this should be documented.
Operationalization	A record of the agreement of the decisions made.

Value Domain

 Cardio-pulmonary resuscitation (CPR) decision

prsb03-dataelement-10207

Id	prsb03-dataelement-10207 (2018-10-31)
Description	Whether a decision has been made, the decision, who made the decision, the date of decision, date for review and location of documentation. Where the person or their family member/carer have not been informed of the clinical decision please state the reason why.
Operationalization	A record of the decision made and the location of the documentation. May include the following SNOMED CT concepts from the National Information Standard (SCCI1580):450475007 For attempted cardiopulmonary resuscitation450476008 Not for attempted cardiopulmonary resuscitation
Value Domain	

 Used by	0 transactions, 0 templates, inherited once
---	---

 Planned review date

prsb03-dataelement-10208

Id	prsb03-dataelement-10208 (2018-10-31)
Description	Date the plan is due for review.
Operationalization	End of life care plan use case only. The date the plan is due for review.

Value Domain

 Used by 0 transactions, 0 templates, inherited once  Personal comment/plan

prsb03-dataelement-581

Id prsb03-dataelement-581 (2018-10-31)

Description Personal comment/plan

 Date

prsb03-dataelement-10481

Id prsb03-dataelement-10481 (2018-10-31)

Description The date on which the comment was entered and shared

Value Domain

 Person Details

prsb03-dataelement-10482

Id prsb03-dataelement-10482 (2018-10-31)

Description Who recorded the comment and what relationship they are to the woman

Value Domain

 Personal comment

prsb03-dataelement-10483

Id prsb03-dataelement-10483 (2018-10-31)

Description Free text comment recorded by the woman or her representative

Value Domain

 Maternity Personalised Care Plan

prsb03-dataelement-10484

Id prsb03-dataelement-10484 (2018-10-31)

Description Personalised care plan details to include the data and plan details

Value Domain

 Used by 0 transactions, 0 templates, inherited once  Pregnancy episode details

prsb03-dataelement-585

Id prsb03-dataelement-585 (2018-10-31)

Description Pregnancy episode details

 Pregnancy ID

prsb03-dataelement-10485

Id prsb03-dataelement-10485 (2018-10-31)

Description Identifier used to tie together data relating to a specific pregnancy, allowing specific contacts and activities carried out (e.g. scans, tests, observations, findings, diagnoses) to be linked back to the booking appointment for that pregnancy

**Value
Domain**



Fetal Identifier

prsb03-dataelement-10486

Id prsb03-dataelement-10486 (2018-10-31)

Description Identifier which allows woman babies to be identified in the event of multiple births, and in turn allow specific conditions to be attributed to specific babies and linked to labour/antenatal test details

**Value
Domain**



Maternity Episode Start Date

prsb03-dataelement-10487

Id prsb03-dataelement-10487 (2018-10-31)

Description The start date of the maternity episode

Value Domain



Maternity Episode End Date

prsb03-dataelement-10488

Id prsb03-dataelement-10488 (2018-10-31)

Description The end date of the maternity episode

Value Domain



Maternity Episode End Reason

prsb03-dataelement-10489

Id prsb03-dataelement-10489 (2018-10-31)

Description The reason that the woman was discharged from maternity services.

Value Domain



Pregnancy outcome delivery and birth

prsb03-dataelement-590

Id prsb03-dataelement-590 (2018-10-31)

Description Pregnancy outcome delivery and birth



Date

prsb03-dataelement-10490

Id prsb03-dataelement-10490 (2018-10-31)

Description The date on which the pregnancy outcome/delivery/birth details were recorded

Value Domain

⌚ Used by 0 transactions, 0 templates, inherited once

🟡 Location

prsb03-dataelement-10491

Id prsb03-dataelement-10491 (2018-10-31)

Description The location where the pregnancy outcome/delivery/birth details was recorded

Value Domain

⌚ Used by 0 transactions, 0 templates, inherited once

🟡 Performing Professional

prsb03-dataelement-10492

Id prsb03-dataelement-10492 (2018-10-31)

Description Details of the professional recording the pregnancy outcome/delivery/birth details (including name and role).

Value
Domain

⌚ Used by 0 transactions, 0 templates, inherited once

🟡 Pregnancy Outcome

prsb03-dataelement-10493

Id prsb03-dataelement-10493 (2018-10-31)

Description The pregnancy outcome of each fetus

Value Domain

⌚ Used by 0 transactions, 0 templates, inherited once

🟡 •Birth

prsb03-dataelement-10494

Id prsb03-dataelement-10494 (2018-10-31)

🟡 Labour onset method

prsb03-dataelement-10495

Id prsb03-dataelement-10495 (2018-10-31)

Description Details of the method by which the process of labour began, or delivery by caesarean section occurred.

Value
Domain

🟡 Date and time of Established Labour

prsb03-dataelement-10496

Id prsb03-dataelement-10496 (2018-10-31)

Description The Date/time when established labour is confirmed - regular painful contractions and progressive cervical dilatation

Value
Domain

 Date and time Fully Dilated

prsb03-dataelement-10497

Id prsb03-dataelement-10497 (2018-10-31)

Description The date and time that the woman is deemed to be fully dilated

Value Domain

 Duration of 1st Stage

prsb03-dataelement-10498

Id prsb03-dataelement-10498 (2018-10-31)

Description A derived field based on the time of established labour to the time of full dilation

Value Domain

 Onset of 2nd Stage of Labour

prsb03-dataelement-10499

Id prsb03-dataelement-10499 (2018-10-31)

Description The date and time that the second stage of labour was deemed to start

Value Domain

 Date and time pushing commenced

prsb03-dataelement-10500

Id prsb03-dataelement-10500 (2018-10-31)

Description The date and time that pushing commenced

Value Domain

 Location of birth

prsb03-dataelement-10501

Id prsb03-dataelement-10501 (2018-10-31)

Description The place of birth (including the address and organisation name where relevant).

Value Domain

 Delivery place type

prsb03-dataelement-10502

Id prsb03-dataelement-10502 (2018-10-31)

Description The type of place in which the baby was born (e.g. Private health facility, domestic address, NHS hospital, midwifery led unit etc.)

Value
Domain



Birth Attendants

prsb03-dataelement-10503

Id prsb03-dataelement-10503 (2018-10-31)

Description People present at the delivery

Value Domain



Ruptured Membranes Date/Time

prsb03-dataelement-10504

Id prsb03-dataelement-10504 (2018-10-31)

Description Date/time on which membranes ruptured if spontaneous

Value Domain



Duration of Rupture of Membranes

prsb03-dataelement-10505

Id prsb03-dataelement-10505 (2018-10-31)

Description The duration in hours and minutes as derived using the date of rupture versus current date time

Value Domain



Anaesthesia type

prsb03-dataelement-10506

Id prsb03-dataelement-10506 (2018-10-31)

Description The specific type of anaesthesia used to carry out the procedure (if applicable)

Value Domain



Pain Relief

prsb03-dataelement-10507

Id prsb03-dataelement-10507 (2018-10-31)

Description A record of pain relief used during labour and delivery where not anaesthetic or medication

Value Domain



Delivery Decision Date/Time

prsb03-dataelement-10508

Id prsb03-dataelement-10508 (2018-10-31)

Description The date and time of the decision to deliver

Value Domain



Delivery Decision Made by

prsb03-dataelement-10509

Id prsb03-dataelement-10509 (2018-10-31)

Description The details of the clinician making the decision to deliver

Value Domain



Reason for delivery decision

prsb03-dataelement-10510

Id prsb03-dataelement-10510 (2018-10-31)

Description The details of the reason for the decision to deliver

Value Domain



Date and Time of Delivery

prsb03-dataelement-10511

Id prsb03-dataelement-10511 (2018-10-31)

Description The date and time of the delivery of the baby

Value Domain

◎ Used by 0 transactions, 0 templates, inherited once



Duration of second stage

prsb03-dataelement-10512

Id prsb03-dataelement-10512 (2018-10-31)

Description Derived field from the onset of the second stage to the date and time of delivery

Value Domain




Types of delivery (attempted)

prsb03-dataelement-10513

Id prsb03-dataelement-10513 (2018-10-31)

Description The type(s) of delivery for the baby that was attempted, but was not the final delivery method

Value Domain




Type of delivery

prsb03-dataelement-10514

Id prsb03-dataelement-10514 (2018-10-31)

Description Type of delivery for the baby, e.g. Spontaneous vaginal, vacuum extraction, breech extraction, elective caesarean section etc.

Value
Domain

Length of Labour

prsb03-dataelement-10515

Id prsb03-dataelement-10515 (2018-10-31)

Description The length of the stages of labour and duration of the rupture of membranes (derived field)

Value Domain



Delayed Cord Clamping/duration

prsb03-dataelement-10516

Id prsb03-dataelement-10516 (2018-10-31)
 Description Record the duration of which cord clamping occurred
 Value Domain

 Placenta Delivery Method prsb03-dataelement-10517

Id prsb03-dataelement-10517 (2018-10-31)
 Description The method by which the placenta was removed through physiological, active or manual means.
 Where more than one method is used, the final method should be recorded.
 Value Domain

 End of Third Stage prsb03-dataelement-10518

Id prsb03-dataelement-10518 (2018-10-31)
 Description The date and time of the end of the third stage of labour
 Value Domain

 Third stage duration prsb03-dataelement-10519

Id prsb03-dataelement-10519 (2018-10-31)
 Description The duration of the third stage of labour derived between the start of the third stage and the delivery of the placenta
 Value Domain

 Examination of Placenta prsb03-dataelement-10520

Id prsb03-dataelement-10520 (2018-10-31)
 Description A visual examination of the placenta to check completeness
 Value Domain

 Placenta Disposal prsb03-dataelement-10521

Id prsb03-dataelement-10521 (2018-10-31)
 Description The method by which the placenta was disposed
 Value Domain

 Placenta sent for histology prsb03-dataelement-10522

Id prsb03-dataelement-10522 (2018-10-31)
 Description An indication as to whether the placenta was sent for histology

Value Domain

 Umbilical Cord Number of Vessels	prsb03-dataelement-10523
--	--------------------------

Id prsb03-dataelement-10523 (2018-10-31)

Description The number of umbilical cord vessels

Value Domain

 Total Blood Loss	prsb03-dataelement-10524
--	--------------------------

Id prsb03-dataelement-10524 (2018-10-31)

Description The total volume of blood loss in mls following delivery

Value Domain

 Comments	prsb03-dataelement-10525
--	--------------------------

Id prsb03-dataelement-10525 (2018-10-31)

Description Supporting text may be given covering regarding the outcome of the checks and actions taken.

Value Domain

 Scan details	prsb03-dataelement-626
--	------------------------

Id prsb03-dataelement-626 (2018-10-31)

Description Scan details

 Date	prsb03-dataelement-10526
--	--------------------------

Id prsb03-dataelement-10526 (2018-10-31)

Description The date on which the scan was performed

Value Domain

 Performing Professional	prsb03-dataelement-10527
---	--------------------------

Id prsb03-dataelement-10527 (2018-10-31)

Description Details of the professional performing the scan (including name and role)

Value Domain

 Location	prsb03-dataelement-10528
--	--------------------------

Id prsb03-dataelement-10528 (2018-10-31)

Description The location where the scan was recorded

Value Domain



Scan

prsb03-dataelement-10529

Id prsb03-dataelement-10529 (2018-10-31)

Description The type of scan performed

Value Domain



Scan finding

prsb03-dataelement-10530

Id prsb03-dataelement-10530 (2018-10-31)

Description For each pregnancy scan, the finding of the scan (this includes the result value, with unit of observation and reference interval where applicable).

Value
Domain

Comment

prsb03-dataelement-10531

Id prsb03-dataelement-10531 (2018-10-31)

Description Supporting text may be given regarding the scan

Value Domain



Professional comment

prsb03-dataelement-632

Id prsb03-dataelement-632 (2018-10-31)

Description Professional comment



Date

prsb03-dataelement-10532

Id prsb03-dataelement-10532 (2018-10-31)

Description The date on which the professional summary/comment was recorded

Value Domain



Location

prsb03-dataelement-10533

Id prsb03-dataelement-10533 (2018-10-31)

Description The location where the professional summary/comment was recorded.

Value Domain



Performing Professional

prsb03-dataelement-10534

Id prsb03-dataelement-10534 (2018-10-31)

Description Details of the professional performing the professional summary/comment (including name and role)

Value
Domain

 Professional summary	prsb03-dataelement-10535
--	--------------------------

Id prsb03-dataelement-10535 (2018-10-31)

Description Summary of the encounter. Where possible, very brief. This may include interpretation of findings and results, opinion and specific action(s). Planned actions will be recorded under 'plan'

Value
Domain

 Documents (including correspondence and images)	prsb03-dataelement-10820
---	--------------------------

Id prsb03-dataelement-10820 (2019-03-20 19:07:55)

Description Details about documents related to the person.

 Documents	prsb03-dataelement-11259
---	--------------------------

Id prsb03-dataelement-11259 (2019-05-29 13:34:07)

Description This is the documents record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.

 Author	prsb03-dataelement-10938
--	--------------------------

Id prsb03-dataelement-10938 (2019-05-16 15:22:35)

Description The author of the document.

Operationalization Free text

Value Domain

 Date	prsb03-dataelement-10943
--	--------------------------

Id prsb03-dataelement-10943 (2019-05-16 15:34:53)

Description The date and time the document was created.

Operationalization Date and time

Value Domain

Timestamp precision

at least day, month and year, hour and minute

 Performing professional	prsb03-dataelement-12422
---	--------------------------

Id prsb03-dataelement-12422 (2019-06-13 15:09:45)

Description The professional who authored the document.

Relationship Performing professional (*prsb03-dataelement-11281 - 2019-05-30 11:53:30*)

Operationalization Free text.

 Name	prsb03-dataelement-12423
--	--------------------------

Id prsb03-dataelement-12423 (2019-06-13 15:10:21)

Concept inherits from  *prsb03-dataelement-11282* (2019-05-30 11:57:38)

Description The name of the professional.

Rationale Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70

 Role	prsb03-dataelement-12424
--	--------------------------

Id prsb03-dataelement-12424 (2019-06-13 15:10:21)

Concept inherits from  *prsb03-dataelement-11283* (2019-05-30 11:58:48)

Description The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc

Rationale Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobroletype

Value Domain

 Grade	prsb03-dataelement-12425
---	--------------------------

Id prsb03-dataelement-12425 (2019-06-13 15:10:21)

Concept inherits from  *prsb03-dataelement-11288* (2019-05-30 12:19:40)

Description The grade of the professional.

Rationale PractitionerRole.code

Operationalization Free text

Value Domain

Property

max length

150

 Speciality	prsb03-dataelement-12426
--	--------------------------

Id	prsb03-dataelement-12426 (2019-06-13 15:10:21)		
Concept inherits from	 prsb03-dataelement-11284 (2019-05-30 12:01:15)		
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc		
Rationale	PractitionerRole.speciality		
Operationalization	NHS data dictionary - Activity treatment function code		
Value Domain			
Property	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 5px; background-color: #e0e0e0;">max length</td></tr> <tr> <td style="padding: 5px; text-align: center;">3</td></tr> </table>	max length	3
max length			
3			

 Professional identifier

prsb03-dataelement-12427

Id	prsb03-dataelement-12427 (2019-06-13 15:10:21)		
Concept inherits from	 prsb03-dataelement-11285 (2019-05-30 12:02:46)		
Description	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.		
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)		
Operationalization	NHS data dictionary : - Professional registration identifier		
Value Domain			
Property	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 5px; background-color: #e0e0e0;">max length</td></tr> <tr> <td style="padding: 5px; text-align: center;">32</td></tr> </table>	max length	32
max length			
32			

  Organisation

prsb03-dataelement-12428

Id	prsb03-dataelement-12428 (2019-06-13 15:10:21)
Concept inherits from	 prsb03-dataelement-11286 (2019-05-30 12:17:19)
Description	The name of the organisation the professional works for.

 Contact details

prsb03-dataelement-12429

Id	prsb03-dataelement-12429 (2019-06-13 15:10:21)
Concept inherits from	 prsb03-dataelement-11287 (2019-05-30 12:18:13)
Description	Contact details of the professional
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom
Operationalization	NHS data dictionary - UK phone number

Value Domain

Property

max length

35



Documentation location

prsb03-dataelement-10946

Id

prsb03-dataelement-10946 (2019-05-16 16:01:41)

Description

The location of the document

Operationalization

Free text or URL

Value Domain

Property

max length

150



Confidentiality

prsb03-dataelement-10942

Id

prsb03-dataelement-10942 (2019-05-16 15:32:23)

Description

The code specifying the level of confidentiality of the document.

Operationalization

FHIR value set : - Confidentiality

Value Domain



Class

prsb03-dataelement-10940

Id

prsb03-dataelement-10940 (2019-05-16 15:29:15)

Description

The document type e.g. report, summary, images, treatment plan, patient preferences, workflow

Operationalization

Free text.

Value Domain

Property

max length

150



Document title

prsb03-dataelement-10944

Id

prsb03-dataelement-10944 (2019-05-16 15:58:49)

Description

The title of the document.

Operationalization

Free text

Value Domain

Property

max length

150



Document name

prsb03-dataelement-10945

Id

prsb03-dataelement-10945 (2019-05-16 16:00:44)

Description

The name of the document. This should align to the PRSB document naming standard. Where the document is a KOS document this field (designated typeCode) is used to carry the DICOM Imaging procedure: This attribute shall be populated by the XDS-I Imaging Document Source from a code in the Procedure Code Sequence (0008,1032) of the performed procedure with which the document is associated. Values may be found in a suitable DICOM browser

Operationalization

SNOMED CT: - As per the https://theprsb.org/wp-content/uploads/2018/11/Clinical-document-indexing-standards_NHS-Scotland.pdf

Value Domain



Document MIME type

prsb03-dataelement-10949

Id

prsb03-dataelement-10949 (2019-05-16 16:57:32)

Description

MIME type of the document e.g. application, pdf, audio, jpeg

Operationalization

Free text

Value Domain



Person completing record

prsb03-dataelement-12430

Id

prsb03-dataelement-12430 (2019-06-13 15:22:00)

Concept inherits from

prsb03-dataelement-11289 (2019-05-30 12:24:39)

Description

Details of the person completing the record.

Relationship

Person completing record (*prsb03-dataelement-319 - 2018-10-31*)

Name

prsb03-dataelement-12431

Id

prsb03-dataelement-12431 (2019-06-13 15:22:28)

Concept inherits from

prsb03-dataelement-11290 (2019-05-30 12:25:39)

Description

The name of the person completing the record.

Relationship

Name (*prsb03-dataelement-10219 - 2018-10-31*)

Rationale

Composition.author.Practitioner.name

Operationalization

Free text.

Value Domain

Property

max length



Role

prsb03-dataelement-12432

Id	prsb03-dataelement-12432 (2019-06-13 15:22:28)
Concept inherits from	<i>prsb03-dataelement-11291</i> (2019-05-30 12:25:39)
Description	The organisational role of the person completing record.

2.1.608 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship	Role (<i>prsb03-dataelement-10220 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobrole
Value Domain	



Grade

prsb03-dataelement-12433

Id	prsb03-dataelement-12433 (2019-06-13 15:22:28)
Concept inherits from	<i>prsb03-dataelement-11292</i> (2019-05-30 12:25:39)
Description	The grade of the person completing the record.
Relationship	Grade (<i>prsb03-dataelement-10221 - 2018-10-31</i>)
Rationale	PractitionerRole.code
Operationalization	Free text.
Value Domain	

Property

max length

150



Specialty

prsb03-dataelement-12434

Id	prsb03-dataelement-12434 (2019-06-13 15:22:28)
Concept inherits from	<i>prsb03-dataelement-11293</i> (2019-05-30 12:25:39)
Description	The main specialty of the person completing the record.

2.1.609 Properties

FHIR PractitionerRole.specialty

Relationship	Specialty (<i>prsb03-dataelement-10222 - 2018-10-31</i>)
--------------	--

Rationale	PractitionerRole.speciality
Operationalization	NHS data dictionary :- Activity treatment function code

Value Domain

Property

max length

3



Organisation

prsb03-dataelement-12435

Id prsb03-dataelement-12435 (2019-06-13 15:22:28)

Concept inherits from prsb03-dataelement-11294 (2019-05-30 12:25:39)

Description The organisation the person completing the record works for.

Relationship Organisation (prsb03-dataelement-10226 - 2018-10-31)



Professional identifier

prsb03-dataelement-12436

Id prsb03-dataelement-12436 (2019-06-13 15:22:28)

Concept inherits from prsb03-dataelement-11295 (2019-05-30 12:25:39)

Description Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.610 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship Professional identifier (prsb03-dataelement-10223 - 2018-10-31)

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)


Operationalization NHS data dictionary :- Professional registration identifier

Value Domain

Property

max length

32



Date completed

prsb03-dataelement-12437

Id prsb03-dataelement-12437 (2019-06-13 15:22:28)

Concept inherits from prsb03-dataelement-11296 (2019-05-30 12:25:39)

Description The date and time the record was completed.

Relationship Date completed (prsb03-dataelement-10224 - 2018-10-31)

Rationale	Composition.date
Operationalization	Date and time.
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year, hour and minute</p>

 Contact details	prsb03-dataelement-12438
---	--------------------------

Id	prsb03-dataelement-12438 (2019-06-13 15:22:28)
Concept inherits from	 <i>prsb03-dataelement-11297</i> (2019-05-30 12:25:39)
Description	Contact details of the person completing the record.

2.1.611 Properties

FHIR	PractitionerRole.telecom
------	--------------------------

Relationship	Contact details (<i>prsb03-dataelement-10225</i> - 2018-10-31)
--------------	---

Rationale	Practitioner:telecom PractitionerRole:telecom Organisation.telcom
-----------	---

Operationalization	NHS data dictionary : - UK telephone number
--------------------	---

Value Domain	
--------------	--

Property	<p style="text-align: center;">max length</p> <p>35</p>
----------	--

  Service	prsb03-dataelement-11163
---	--------------------------

Id	prsb03-dataelement-11163 (2019-05-28 11:31:34)
----	--

Description	The high level imaging speciality code e.g. (R-3027B, SRT, "Radiology")
-------------	---

Operationalization	SNOMED CT or free text 99900038100000107 Correspondence care setting type simple reference set (foundation metadata concept)
--------------------	---

 Coded value	prsb03-dataelement-13749
---	--------------------------

Id	prsb03-dataelement-13749 (2020-09-25 16:30:31)
----	--

Description	The coded value for service
-------------	-----------------------------

Operationalization	SNOMED CT :- 112753100000102 Services simple reference set (foundation metadata concept)
--------------------	---

Value Domain	
--------------	--

 Free text	prsb03-dataelement-13749
---	--------------------------

prsb03-dataelement-13750

Id prsb03-dataelement-13750 (2020-09-25 16:31:24)

Concept inherits from  prsb03-dataelement-13450 (2020-08-27 16:43:57)

Description Free text field to be used if no code is available

Operationalization Free text

Value Domain

Property

max length

150

 **Comments** prsb03-dataelement-10941

Id prsb03-dataelement-10941 (2019-05-16 15:31:26)

Description Comments associated with the document.

Operationalization Free text

Value Domain

Property

max length

150

  Additional information required for images. prsb03-dataelement-12449

Id prsb03-dataelement-12449 (2019-06-19 15:45:51)

Description Additional information required for images.

 **Image procedure** prsb03-dataelement-12450

Id prsb03-dataelement-12450 (2019-06-19 15:48:03)

Description The procedure used to capture the image

Operationalization Free text
Using DICOM code set <https://dicom.innolitics.com/ciods>

Value Domain

 **Image procedure date** prsb03-dataelement-12451

Id prsb03-dataelement-12451 (2019-06-19 15:53:41)

Description The date and time the image procedure was performed.

Operationalization Date and time

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Performing professional

prsb03-dataelement-12452

Id

prsb03-dataelement-12452 (2019-06-19 15:54:56)

Description

The professional who performed the image procedure.

Relationship

Performing professional (*prsb03-dataelement-11281 - 2019-05-30 11:53:30*)

Name

prsb03-dataelement-12453

Id

prsb03-dataelement-12453 (2019-06-19 15:55:27)

Concept inherits from

prsb03-dataelement-11282 (2019-05-30 11:57:38)

Description

The name of the professional.

Rationale

Practitioner.name

Operationalization

Free text.

Value Domain

Property

max length

70



Role

prsb03-dataelement-12454

Id

prsb03-dataelement-12454 (2019-06-19 15:55:27)

Concept inherits from

prsb03-dataelement-11283 (2019-05-30 11:58:48)

Description

The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc

Rationale

Practitioner.PractitionerRole.code

Operationalization

FHIR value set :- SDSjobroletype

Value Domain



Grade

prsb03-dataelement-12455

Id

prsb03-dataelement-12455 (2019-06-19 15:55:27)

Concept inherits from

prsb03-dataelement-11288 (2019-05-30 12:19:40)

Description

The grade of the professional.

Rationale

PractitionerRole.code

Operationalization

Free text

Value Domain

Property

max length

150



Speciality

prsb03-dataelement-12456

Id

prsb03-dataelement-12456 (2019-06-19 15:55:27)

Concept inherits from

prsb03-dataelement-11284 (2019-05-30 12:01:15)

Description

The specialty of the professional e.g. physiotherapy, oncology, mental health etc

Rationale

PractitionerRole.speciality

Operationalization

NHS data dictionary - Activity treatment function code

Value Domain

Property

max length

3



Professional identifier

prsb03-dataelement-12457

Id

prsb03-dataelement-12457 (2019-06-19 15:55:27)

Concept inherits from

prsb03-dataelement-11285 (2019-05-30 12:02:46)

Description

Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.

Rationale

Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary : - Professional registration identifier

Value Domain

Property

max length

32



Organisation

prsb03-dataelement-12458

Id

prsb03-dataelement-12458 (2019-06-19 15:55:27)

Concept inherits from

prsb03-dataelement-11286 (2019-05-30 12:17:19)

Description

The name of the organisation the professional works for.



Contact details

prsb03-dataelement-12459

Id

prsb03-dataelement-12459 (2019-06-19 15:55:27)

Concept inherits from	 prsb03-dataelement-11287 (2019-05-30 12:18:13)
Description	Contact details of the professional
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom
Operationalization	NHS data dictionary - UK phone number
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> max length 35 </div>

  Images	prsb03-dataelement-11158
--	--------------------------

Id prsb03-dataelement-11158 (2019-05-28 11:19:29)

  Performing professional	prsb03-dataelement-12439
Id	prsb03-dataelement-12439 (2019-06-13 16:21:27)
Concept inherits from	 prsb03-dataelement-11281 (2019-05-30 11:53:30)
Description	The professional who made the mental capacity assessment.

 Name	prsb03-dataelement-12440
--	--------------------------

Id	prsb03-dataelement-12440 (2019-06-13 16:21:54)
Concept inherits from	 prsb03-dataelement-11282 (2019-05-30 11:57:38)
Description	The name of the professional.
Rationale	Practitioner.name
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; width: fit-content;"> max length 70 </div>

 Role	prsb03-dataelement-12441
--	--------------------------

Id	prsb03-dataelement-12441 (2019-06-13 16:21:54)
Concept inherits from	 prsb03-dataelement-11283 (2019-05-30 11:58:48)
Description	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc
Rationale	Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobroletype

Value Domain



Grade

prsb03-dataelement-12442

Id

prsb03-dataelement-12442 (2019-06-13 16:21:54)

Concept inherits from

prsb03-dataelement-11288 (2019-05-30 12:19:40)

Description

The grade of the professional.

Rationale

PractitionerRole.code

Operationalization

Free text

Value Domain

Property

max length

150



Speciality

prsb03-dataelement-12443

Id

prsb03-dataelement-12443 (2019-06-13 16:21:54)

Concept inherits from

prsb03-dataelement-11284 (2019-05-30 12:01:15)

Description

The specialty of the professional e.g. physiotherapy, oncology, mental health etc

Rationale

PractitionerRole.speciality

Operationalization

NHS data dictionary - Activity treatment function code

Value Domain

Property

max length

3



Professional identifier

prsb03-dataelement-12444

Id

prsb03-dataelement-12444 (2019-06-13 16:21:54)

Concept inherits from

prsb03-dataelement-11285 (2019-05-30 12:02:46)

Description

Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.

Rationale

Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization

NHS data dictionary : - Professional registration identifier

Value Domain

Property

max length

Organisation	prsb03-dataelement-12445
Id	prsb03-dataelement-12445 (2019-06-13 16:21:54)
Concept inherits from	prsb03-dataelement-11286 (2019-05-30 12:17:19)
Description	The name of the organisation the professional works for.
Contact details	prsb03-dataelement-12446
Id	prsb03-dataelement-12446 (2019-06-13 16:21:54)
Concept inherits from	prsb03-dataelement-11287 (2019-05-30 12:18:13)
Description	Contact details of the professional
Rationale	Practitioner.telecom PractitionerRole.telecom Organisation.telcom
Operationalization	NHS data dictionary - UK phone number
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 35 </div>
Image capture date	prsb03-dataelement-11159
Id	prsb03-dataelement-11159 (2019-05-28 11:20:13)
Description	The date and time when the image was captured.
Operationalization	Date and time
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> Timestamp precision at least day, month and year, hour and minute </div>
Image ID	prsb03-dataelement-12460
Id	prsb03-dataelement-12460 (2019-06-19 15:59:56)
Description	A unique image identifier generated by the system.
Operationalization	Free text
Value Domain	
Image location	prsb03-dataelement-12461

Id prsb03-dataelement-12461 (2019-06-19 16:02:10)

Description The URL for the image

Operationalization Free text

Value Domain

Property max length

150

mimeType

prsb03-dataelement-11162

Id prsb03-dataelement-11162 (2019-05-28 11:26:27)

Description The type of image.

Operationalization Free text

Value Domain

Imagine capture date

prsb03-dataelement-11164

Id prsb03-dataelement-11164 (2019-05-28 16:35:28)

Description The date and time when the image was captured.

Operationalization Date and time

Value Domain

Property timestamp precision

at least day, month and year

Imagine procedure

prsb03-dataelement-11165

Id prsb03-dataelement-11165 (2019-05-28 16:39:02)

Description The procedure used to capture the image.

Operationalization DICOM code set or free text.

Value Domain

Unique id

prsb03-dataelement-11166

Id prsb03-dataelement-11166 (2019-05-28 16:53:10)

Description Image generated id.

Operationalization Free text.

Value Domain

Format code

prsb03-dataelement-11161

Id	prsb03-dataelement-11161 (2019-05-28 11:25:19)
Description	The format code of the document which provides information on how to display the document.
Operationalization	Free text
Value Domain	

Property

max length

150



Event code list

prsb03-dataelement-11160

Id	prsb03-dataelement-11160 (2019-05-28 11:21:24)
Description	The type of image (acquisition modality) and the anatomical site imaged.
Operationalization	DICOM code
Value Domain	



Person completing record

prsb03-dataelement-12462

Id	prsb03-dataelement-12462 (2019-06-19 16:08:39)
Concept inherits from	prsb03-dataelement-11289 (2019-05-30 12:24:39)
Description	Details of the person completing the record.
Relationship	Person completing record (<i>prsb03-dataelement-319 - 2018-10-31</i>)



Name

prsb03-dataelement-12463

Id	prsb03-dataelement-12463 (2019-06-19 16:09:03)
Concept inherits from	prsb03-dataelement-11290 (2019-05-30 12:25:39)
Description	The name of the person completing the record.
Relationship	Name (<i>prsb03-dataelement-10219 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.name
Operationalization	Free text.

Value Domain

Property

max length

70



Role

prsb03-dataelement-12464

Id	prsb03-dataelement-12464 (2019-06-19 16:09:03)
----	--

Concept inherits from	 prsb03-dataelement-11291 (2019-05-30 12:25:39)
Description	The organisational role of the person completing record.

2.1.612 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship	Role (<i>prsb03-dataelement-10220 - 2018-10-31</i>)
Rationale	Composition.author.Practitioner.PractitionerRole.code
Operationalization	FHIR value set :- SDSjobrole
Value Domain	

 Grade	prsb03-dataelement-12465
---	--------------------------

Id	prsb03-dataelement-12465 (2019-06-19 16:09:03)
Concept inherits from	 prsb03-dataelement-11292 (2019-05-30 12:25:39)
Description	The grade of the person completing the record.
Relationship	Grade (<i>prsb03-dataelement-10221 - 2018-10-31</i>)
Rationale	PractitionerRole.code
Operationalization	Free text.
Value Domain	

Property	 max length
	150

 Specialty	prsb03-dataelement-12466
---	--------------------------

Id	prsb03-dataelement-12466 (2019-06-19 16:09:03)
Concept inherits from	 prsb03-dataelement-11293 (2019-05-30 12:25:39)
Description	The main specialty of the person completing the record.

2.1.613 Properties

FHIR PractitionerRole.specialty

Relationship	Specialty (<i>prsb03-dataelement-10222 - 2018-10-31</i>)
Rationale	PractitionerRole.specialty
Operationalization	NHS data dictionary :- Activity treatment function code
Value Domain	

Property	 max length
----------	--

  Organisation

prsb03-dataelement-12467

Id	prsb03-dataelement-12467 (2019-06-19 16:09:03)
Concept inherits from	 <i>prsb03-dataelement-11294</i> (2019-05-30 12:25:39)
Description	The organisation the person completing the record works for.
Relationship	Organisation (<i>prsb03-dataelement-10226 - 2018-10-31</i>)

 Professional identifier

prsb03-dataelement-12468

Id	prsb03-dataelement-12468 (2019-06-19 16:09:03)
Concept inherits from	 <i>prsb03-dataelement-11295</i> (2019-05-30 12:25:39)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.614 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship	Professional identifier (<i>prsb03-dataelement-10223 - 2018-10-31</i>)
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary :- Professional registration identifier
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 2px; display: inline-block;">max length</div> <div style="text-align: center;">32</div>

 Date completed

prsb03-dataelement-12469

Id	prsb03-dataelement-12469 (2019-06-19 16:09:03)
Concept inherits from	 <i>prsb03-dataelement-11296</i> (2019-05-30 12:25:39)
Description	The date and time the record was completed.
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)
Rationale	Composition.date
Operationalization	Date and time.
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 2px; display: inline-block;">Timestamp precision</div>

at least day, month and year, hour and minute

Contact details

prsb03-dataelement-12470

Id	prsb03-dataelement-12470 (2019-06-19 16:09:03)
Concept inherits from	 <i>prsb03-dataelement-11297</i> (2019-05-30 12:25:39)
Description	Contact details of the person completing the record.

2.1.615 Properties

FHIR	PractitionerRole.telecom
Relationship	Contact details (<i>prsb03-dataelement-10225</i> - 2018-10-31)
Rationale	Practitioner:telecom PractitionerRole:telecom Organisation:telcom
Operationalization	NHS data dictionary : - UK telephone number
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 35 </div>

Comments

prsb03-dataelement-12471

Id	prsb03-dataelement-12471 (2019-06-19 16:09:28)
Description	Comments associated with the imaging
Operationalization	Free text
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 150 </div>

Publication author

prsb03-dataelement-10947

Id	prsb03-dataelement-10947 (2019-05-16 16:02:55)
Description	The publication author of the document.
Operationalization	This attribute contains the sub- attributes: Institution, Person, Role, Specialty, Telecommunication.
Value Domain	

Date published

prsb03-dataelement-10948

Id	prsb03-dataelement-10948 (2019-05-16 16:06:34)
Description	The date the document is published.
Operationalization	Date or time
Value Domain	
Property	<p style="text-align: center;">Timestamp precision</p> <p>at least day, month and year</p>

Document status

prsb03-dataelement-10939

Id	prsb03-dataelement-10939 (2019-05-16 15:25:04)
Description	The lifecycle status of the Document
Value Domain	

Property and equipment

prsb03-dataelement-13095

Id	prsb03-dataelement-13095 (2020-06-22 15:07:43) 0.1
Description	Possessions the person is taking into hospital with them e.g. clothes, glasses, hearing aids etc.

Property or equipment

prsb03-dataelement-13096

Id	prsb03-dataelement-13096 (2020-06-22 15:14:31) 0.2
Description	The list of property and equipment the person is taking into hospital with them.
Operationalization	Free text
Value Domain	

Person completing record

prsb03-dataelement-13100

Id	prsb03-dataelement-13100 (2020-06-24 15:58:27)
Description	A record of the details of the person that entered the property or equipment the resident is taking into hospital, and the date on which it was entered.
Relationship	Person completing record (<i>prsb03-dataelement-13035 - 2020-04-28 19:33:13</i>)
Used by	0 transactions, 0 templates, inherited once

Name

prsb03-dataelement-13101

Id	prsb03-dataelement-13101 (2020-06-24 16:00:08)
Concept inherits from	 <i>prsb03-dataelement-13036 (2020-04-28 19:33:40)</i>
Description	The name of the person completing the record.

Relationship Name (*prsb03-dataelement-10219 - 2018-10-31*)

Rationale Composition.author.Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70

⌚ Used by 0 transactions, 0 templates, inherited 2 times



Role

prsb03-dataelement-13102

Id prsb03-dataelement-13102 (2020-06-24 16:00:08)

Concept inherits from 🌟 *prsb03-dataelement-13037* (2020-04-28 19:33:40)

Description The organisational role of the person completing record.

2.1.616 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Relationship Role (*prsb03-dataelement-10220 - 2018-10-31*)

Rationale Composition.author.Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSjobrole

Value Domain

⌚ Used by 0 transactions, 0 templates, inherited 2 times



Grade

prsb03-dataelement-13103

Id prsb03-dataelement-13103 (2020-06-24 16:00:08)

Concept inherits from 🌟 *prsb03-dataelement-13038* (2020-04-28 19:33:40)

Description The grade of the person completing the record.

Relationship Grade (*prsb03-dataelement-10221 - 2018-10-31*)

Rationale PractitionerRole.code

Operationalization Free text.

Value Domain

Property

max length

150

 Used by 0 transactions, 0 templates, inherited 2 times

Specialty prsb03-dataelement-13104

Id	prsb03-dataelement-13104 (2020-06-24 16:00:08)
Concept inherits from	 <i>prsb03-dataelement-13039</i> (2020-04-28 19:33:40)
Description	The main specialty of the person completing the record.

2.1.617 Properties

FHIR	PractitionerRole.specialty		
Relationship	Specialty (<i>prsb03-dataelement-10222 - 2018-10-31</i>)		
Rationale	PractitionerRole.specialty		
Operationalization	NHS data dictionary :- Activity treatment function code		
Value Domain			
Property	<table border="1"> <tr> <td>max length</td> </tr> <tr> <td>3</td> </tr> </table>	max length	3
max length			
3			

 Used by 0 transactions, 0 templates, inherited 2 times

Organisation prsb03-dataelement-13105

Id	prsb03-dataelement-13105 (2020-06-24 16:00:08)
Concept inherits from	 <i>prsb03-dataelement-13040</i> (2020-04-28 19:33:40)
Description	The organisation the person completing the record works for.
Relationship	Organisation (<i>prsb03-dataelement-10226 - 2018-10-31</i>)
Used by	0 transactions, 0 templates, inherited 2 times

Professional identifier prsb03-dataelement-13106

Id	prsb03-dataelement-13106 (2020-06-24 16:00:08)
Concept inherits from	 <i>prsb03-dataelement-13041</i> (2020-04-28 19:33:40)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.618 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Relationship	Professional identifier (<i>prsb03-dataelement-10223 - 2018-10-31</i>)
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary :- Professional registration identifier
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 2px;">max length</div> <div style="border: 1px solid #ccc; padding: 2px; text-align: center;">32</div>
Used by	0 transactions, 0 templates, inherited 2 times

Date completed

prsb03-dataelement-13107

Id	prsb03-dataelement-13107 (2020-06-24 16:00:08)
Concept inherits from	 prsb03-dataelement-13042 (2020-04-28 19:33:40)
Description	The date and time the record was completed.
Relationship	Date completed (<i>prsb03-dataelement-10224 - 2018-10-31</i>)
Rationale	Composition.date
Operationalization	Date and time.
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 2px; text-align: center;">Timestamp precision</div> <div style="border: 1px solid #ccc; padding: 2px; text-align: center;">at least day, month and year, hour and minute</div>
Used by	0 transactions, 0 templates, inherited 2 times

Contact details

prsb03-dataelement-13108

Id	prsb03-dataelement-13108 (2020-06-24 16:00:08)
Concept inherits from	 prsb03-dataelement-13043 (2020-04-28 19:33:40)
Description	Contact details of the person completing the record.

2.1.619 Properties

FHIR PractitionerRole.telecom

Relationship Contact details (*prsb03-dataelement-10225 - 2018-10-31*)

Rationale Practitioner:telecom
PractitionerRole:telecom
Organisation.telcom

Operationalization NHS data dictionary : - UK telephone number

Value Domain

Property

max length

35

Used by 0 transactions, 0 templates, inherited 2 times

End of life care plan summary

prsb03-dataelement-13329

Id prsb03-dataelement-13329 (2020-08-06 14:29:38) 0.1

Description Record the current end of life care plans that are in place for the person e.g. End of Life Plan; Amber Care Bundle; Gold Standards Framework; Right Care Form

Date

prsb03-dataelement-13330

Id prsb03-dataelement-13330 (2020-08-06 14:36:20) 0.1

Description The date the care plan was created.

Operationalization Date

Value Domain

Property

Timestamp precision

at least day, month and year

Review date

prsb03-dataelement-13331

Id prsb03-dataelement-13331 (2020-08-06 14:39:49) 0.1

Description The date the care plan needs to be reviewed

Operationalization Date

Value Domain

Property

Timestamp precision

at least day, month and year

Assessment notice

prsb03-dataelement-13401

Id prsb03-dataelement-13401 (2020-08-11 12:18:35) 0.1

Description Informs the social services team that an assessment will be required, with expected discharge date if known.

 Issued date and time

prsb03-dataelement-13404

Id prsb03-dataelement-13404 (2020-08-11 12:24:59) 0.1

Description The date and time on which the Assessment Notice was given.

Value Domain

Property

Timestamp precision

at least day, month and year

 Person consultation indicator

prsb03-dataelement-13408

Id prsb03-dataelement-13408 (2020-08-11 12:53:32) 0.1

Description Indicates whether or not the patient has been consulted in relation to the Assessment Notice.

Operationalization Flag; N: No; Y: Yes

Value Domain

 Carer consultation indicator

prsb03-dataelement-13407

Id prsb03-dataelement-13407 (2020-08-11 12:46:33) 0.1

Description Indicates whether or not the carer (where applicable) has been consulted in relation to the Assessment Notice.

Operationalization N: No; Y: Yes; NKC: No Known Carer

Value Domain

 Person consent indicator

prsb03-dataelement-13406

Id prsb03-dataelement-13406 (2020-08-11 12:41:21) 0.1

Description Indicates whether or not the patient has consented to the Assessment Notice or lacks the mental capacity to do so.

Operationalization N: No; Y: Yes; L: Lacks Mental Capacity

Value Domain

 Third party person consent source

prsb03-dataelement-13405

Id prsb03-dataelement-13405 (2020-08-11 12:30:35) 0.1

Description A coded value specifying the source of consent where the patient lacks mental capacity and consent has been provided by a third party with the appropriate legal status.

Operationalization C: Legal Representative (Carer); O: Legal Representative (Other); B: Best Interest Decision;
N/A: Not Applicable

Value Domain

	NHS CHC Assessment	prsb03-dataelement-13403
--	--------------------	--------------------------

Id prsb03-dataelement-13403 (2020-08-11 12:24:26) 0.1

Description NHS Continuing Healthcare Assessment (checklist) entry

Assessment considered indicator	prsb03-dataelement-13409
---------------------------------	--------------------------

Id prsb03-dataelement-13409 (2020-08-11 13:06:02) 0.1

Description Indicates whether or not the NHS body has considered providing the patient with NHS Continuing Health Care.

Operationalization Flag: - yes/ no; N: No; Y: Yes

Value Domain

Assessment considered result	prsb03-dataelement-13410
------------------------------	--------------------------

Id prsb03-dataelement-13410 (2020-08-11 13:09:09) 0.1

Description Used to record the result of a consideration to provide the patient with NHS Continuing Care.

Operationalization Free text

Value Domain

	Discharge notice	prsb03-dataelement-13402
--	------------------	--------------------------

Id prsb03-dataelement-13402 (2020-08-11 12:23:57) 0.1

Description Confirms discharge date to social services

Issued date and time	prsb03-dataelement-13411
----------------------	--------------------------

Id prsb03-dataelement-13411 (2020-08-11 13:14:47) 0.1

Description The date and time on which the discharge notice was given.

Operationalization The date and time on which the discharge notice was given.

Value Domain

Property

Timestamp precision

at least day, month and year

	Withdrawal notice	prsb03-dataelement-13412
--	-------------------	--------------------------

Id prsb03-dataelement-13412 (2020-08-11 13:23:00) 0.1

Description To withdraw either or both the assessment notice and/ or the discharge notice

 **Issued date and time**

prsb03-dataelement-13413

Id prsb03-dataelement-13413 (2020-08-11 13:25:02) 0.1

Description The date and time on which the Withdrawal Notice was issued.

Value Domain

Property

Timestamp precision

at least day, month and year

 **Withdrawal type**

prsb03-dataelement-13416

Id prsb03-dataelement-13416 (2020-08-11 13:34:37) 0.1

Description The type of notice that has been withdrawn.

Operationalization 1: Assessment Notice; 2: Discharge Notice; 3: Assessment Notice and Discharge Notice

Value Domain

 **Reason for withdrawal**

prsb03-dataelement-13415

Id prsb03-dataelement-13415 (2020-08-11 13:30:35) 0.1

Description The reason why the notice has been withdrawn.

Operationalization 01: Patient is safe to discharge without a needs assessment; 02: Patient is eligible for NHS Continuing Health Care; 03: Proposed care package is inadequate; 04: Patient's proposed treatment has been cancelled or postponed; 05: Patient has refused a needs assessment; 06: Patient is resident in another local authority; 07: Patient's condition has deteriorated; 08: Patient has died; 09: Patient has transferred to intermediate care; 10: Patient has self- discharged; 11: Patient is making their own arrangements; 12: Notice sent in error; 13: Other

Value Domain

 **Reason for withdrawal - other**

prsb03-dataelement-13414

Id prsb03-dataelement-13414 (2020-08-11 13:28:20) 0.1

Description A free format description of the reason why the notice has been withdrawn. To be used when 'Reason For Withdrawal = 'Other'.

Operationalization Free text

Value Domain

  **Notice receipt**

prsb03-dataelement-13417

Id prsb03-dataelement-13417 (2020-08-11 13:39:01) 0.1

Description Notice receipt, from social services, entry. A receipt notice is issued and sent to the referring organisation to acknowledge that a notice has been received e.g. assessment, discharge, withdrawal.

 Issued date and time

prsb03-dataelement-13421

Id prsb03-dataelement-13421 (2020-08-11 13:53:46) 0.1

Description The date and time on which the Notice Receipt was issued.

Value Domain

Property

Timestamp precision

at least day, month and year

 Notice type

prsb03-dataelement-13420

Id prsb03-dataelement-13420 (2020-08-11 13:48:36) 0.1

Description The type of notice that the Notice Receipt relates to.

Operationalization 1: Assessment Notice; 2: Discharge Notice; 3: Withdrawal Notice (Assessment); 4: Withdrawal Notice (Discharge); 5: Withdrawal Notice (Assessment and Discharge)

Value Domain

 Response type

prsb03-dataelement-13419

Id prsb03-dataelement-13419 (2020-08-11 13:45:56) 0.1

Description The Notice Receipt response type.

Operationalization 1: Accept ;2: Reject

Value Domain

 Response details

prsb03-dataelement-13418

Id prsb03-dataelement-13418 (2020-08-11 13:43:31) 0.1

Description Supporting information for the Notice Receipt, for example the reason why a notice was rejected

Operationalization Free text

Value Domain

 Shared decision making

prsb03-dataelement-13875

Id prsb03-dataelement-13875 (2021-02-01 16:10:46)

Description The details of the shared decision making process undertaken.

Comment Shared decision making (SDM) is a deliberative practice where individuals and clinicians faced with a decision collaborate to understand and select evidenced based options (such as tests,

treatment, management, or support packages and including doing nothing), and where the person is supported to develop their informed preferences.

Shared decision making

prsb03-dataelement-13876

Id	prsb03-dataelement-13876 (2021-02-01 16:13:46)
Description	The details of the shared decision making process undertaken
Comment	Shared decision making (SDM) is a deliberative practice where individuals and clinicians faced with a decision collaborate to understand and select evidenced based options (such as tests, treatment, management, or support packages and including doing nothing), and where the person is supported to develop their informed preferences.

Shared decision point

prsb03-dataelement-13877

Id	prsb03-dataelement-13877 (2021-02-01 16:17:30)
Description	This is a shared decision point record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.

Problem(s) or issue(s)

prsb03-dataelement-14096

Id	prsb03-dataelement-14096 (2021-02-21 15:37:38)
Description	Problem or issue to which the decision relates, including:
<ul style="list-style-type: none"> ▪ A confirmed diagnosis ▪ Examination findings ▪ Investigation results ▪ Other problems or issues. 	

Examination finding

prsb03-dataelement-14097

Id	prsb03-dataelement-14097 (2021-02-21 15:50:24)
Description	Examination finding relevant to the shared decision.

Examination type

prsb03-dataelement-14098

Id	prsb03-dataelement-14098 (2021-02-21 16:04:14)
Description	The examination type

Problem(s) or issue(s)

prsb03-dataelement-14067

Id	prsb03-dataelement-14067 (2021-02-17 12:14:59)
Description	The problem or issue for which a shared decision was made. The problem will typically require an investigation, treatment, procedure or lifestyle intervention or a change to these e.g. starting, stopping, or switching a prescribed medication. Medical problems or issues would include signs, symptoms, a diagnosis, risk factors, examination findings or investigation results, or other issues.

Coded value

		prsb03-dataelement-14068
Id	prsb03-dataelement-14068 (2021-02-17 23:05:28)	
Description	The coded value for the problem or issue.	
Operationalization	SNOMED CT	
Value Domain		
 Free text		prsb03-dataelement-14069
Id	prsb03-dataelement-14069 (2021-02-17 23:09:18)	
Concept inherits from	 prsb03-dataelement-13886 (2021-02-01 18:42:31)	
Description	Free text field to provide further detail or be used if no code is available.	
Operationalization	Free text.	
Value Domain		
Property	max length	
		150
 Diagnosis		prsb03-dataelement-14070
Id	prsb03-dataelement-14070 (2021-02-17 23:13:19) 0.1	
Description	Confirmed diagnosis relevant to the shared decision.	
 Coded value		prsb03-dataelement-14071
Id	prsb03-dataelement-14071 (2021-02-17 23:22:39) 0.1	
Description	The coded value for the confirmed diagnosis.	
Operationalization	SNOMED CT.	
Value Domain		
 Free text		prsb03-dataelement-14072
Id	prsb03-dataelement-14072 (2021-02-17 23:28:03) 0.1	
Concept inherits from	 prsb03-dataelement-13886 (2021-02-01 18:42:31)	
Description	Free text field to provide further detail or be used if no code is available.	
Operationalization	Free text.	
Value Domain		
Property	max length	
		150

  Encounter details

prsb03-dataelement-14077

Id prsb03-dataelement-14077 (2021-02-18 00:03:21)

Description Details of the encounter where a shared decision was discussed including a record of:

Location and location type

Date and time

Consultation method

Speciality

Professionals present

Person accompanying patient

Use of an interpreter

Recording of the conversation

 Specialty

prsb03-dataelement-14015

Id prsb03-dataelement-14015 (2021-02-15 11:07:47)

Description The specialty to which the shared decision relates e.g. physiotherapy, oncology, mental health etc

Operationalization NHS data dictionary - Activity treatment function code

Value Domain

Property

max length

3

 Date and time of encounter

prsb03-dataelement-13960

Id prsb03-dataelement-13960 (2021-02-03 15:40:11)

Description Date and time of the encounter where a shared decision was discussed.

2.1.620 Properties

FHIR Encounter.period

Relationship Date of contact (*prsb03-dataelement-10069 - 2018-10-31*)

Operationalization Date and time.

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute

Location type

prsb03-dataelement-14016

Id	prsb03-dataelement-14016 (2021-02-15 11:19:12)
Description	The type of location where the encounter in which a shared decision was discussed took place e.g. person's home
Comment	The General Medical Council guidance on Decision making and consent states in section 27 (GMC, 2020) : "To help patients understand and retain relevant information you should: share it in a place and at a time when they are most likely to understand and retain it."
Operationalization	NHS data dictionary - Location type
Value Domain	

Location

prsb03-dataelement-13961

Id	prsb03-dataelement-13961 (2021-02-03 15:52:53)
Description	The location of the encounter where the shared decision was discussed.
Relationship	Location of contact (<i>prsb03-dataelement-10075 - 2018-10-31</i>)

Coded value

prsb03-dataelement-13962

Id	prsb03-dataelement-13962 (2021-02-03 15:54:29)
Description	The coded value for location.
Relationship	Coded value (<i>prsb03-dataelement-13513 - 2020-09-03 18:01:56</i>)
Operationalization	NHS data dictionary : - Organisation data service code
Value Domain	

Property

min length **max length**

3 5

Free text

prsb03-dataelement-13963

Id	prsb03-dataelement-13963 (2021-02-03 15:54:29)
Concept inherits from	 <i>prsb03-dataelement-13514 (2020-09-03 18:04:13)</i>
Description	Free text field to be used if no code is available
Operationalization	Free text
Value Domain	

Property

max length

150

 Consultation method

prsb03-dataelement-14014

Id prsb03-dataelement-14014 (2021-02-15 10:58:56)

Description Consultation method used e.g. face to face, telephone, video consultation

Operationalization NHS data dictionary - Consultation medium

Value Domain

  Person accompanying patient

prsb03-dataelement-13964

Id prsb03-dataelement-13964 (2021-02-04 09:28:42)

Description Identify, where relevant to the shared decision, others accompanying the patient, e.g. parent, relative, friend. Includes: Name, Relationship, role (e.g. informal carer).

2.1.621 Properties

FHIR Encounter.participant

Relationship Person accompanying patient (*prsb03-dataelement-10079 - 2018-10-31*)

Comment The General Medical Council (GMC) guidance on Decision making and consent (GMC, 2020) states in section 27 "accommodate a patient's wishes if they would like anyone else – a relative, partner, friend, carer or advocate – to be involved in discussions and/or help them make decisions."

The NICE guideline on Shared Decision Making (in draft) states in section 1.2.3:

"Ask the person if they want to involve family members, friends or advocates (being aware of safeguarding). If so, include them in discussions as a way to help the person:

- actively engage in the consultation
- explain what is important to them
- make decisions about their care
- remember information they have been given during discussions."

 Name

prsb03-dataelement-14008

Id prsb03-dataelement-14008 (2021-02-15 10:23:49)

Description The name of the person accompanying the patient.

Value Domain

 Relationship

prsb03-dataelement-14009

Id prsb03-dataelement-14009 (2021-02-15 10:28:38)

Description The relationship the person accompanying the patient has to the person, e.g. father, grandmother, family friend etc.

Operationalization FHIR value set : - Related person

Value Domain

 Role

prsb03-dataelement-14010

Id	prsb03-dataelement-14010 (2021-02-15 10:33:50)
Description	Additional roles the person accompanying the patient performs on behalf of the patient (e.g. Carer, Next of Kin, Emergency Contact, Dependent, etc.)
Operationalization	Free text.
Value Domain	

  Professionals present

prsb03-dataelement-14011

Id	prsb03-dataelement-14011 (2021-02-15 10:43:47)
Description	The name and role of the additional individuals or team members present when the shared decision was made. Including consultant(s), nurse consultant(s), allied health professional(s), social worker(s) etc.
Operationalization	The NICE guideline on Shared Decision Making (in draft) states in section 1.2.5: "If a person might find it difficult to share in decision making, for example if they have a mental health condition, English is not their first language or they have sensory difficulties, offer to arrange additional support for them if they do not have, or do not want, support from a partner, friend or carer. Support could come from a nurse, social worker, translator or volunteer (for example, an advocate) who can: <ul style="list-style-type: none">• help them to understand the resources provided• encourage the person to take an active part in decision making• reassure them that shared decision making will be supported by the healthcare professional they see."

 Name

prsb03-dataelement-14012

Id	prsb03-dataelement-14012 (2021-02-15 10:46:55)
Description	The name of the professional present when the shared decision was made.
Operationalization	Free text.
Value Domain	

 Relationship

prsb03-dataelement-14234

Id	prsb03-dataelement-14234 (2021-02-26 01:41:56)
Description	The relationship the professional present or accompanying the patient has to the person e.g. advocate, friend, etc.

Operationalization Free text.

Value Domain

 Job title

prsb03-dataelement-14013

Id	prsb03-dataelement-14013 (2021-02-15 10:49:05)
Description	The job title of the professional present when the shared decision was made.

Operationalization FHIR values set : - sdsjobrole

Value Domain



Use of an interpreter

prsb03-dataelement-13965

Id prsb03-dataelement-13965 (2021-02-04 09:37:32)

Description An indicator to record whether an interpreter was used at a care contact. If yes, records whether a professional interpreter, family member / friend, or other person was used for the purposes of communication. If no, records whether an interpreter was not required or did not attend.

Comment The General Medical Council (GMC) guidance on Decision making and consent (GMC, 2020) says in section 27e: "To help patients understand and retain relevant information you should: use an interpreter or translation service if they have difficulty understanding spoken English."

Operationalization NHS data dictionary : - Interpreter present at care contact indication code

Value Domain



Audio or video recording of the conversation

prsb03-dataelement-13966

Id prsb03-dataelement-13966 (2021-02-04 09:53:11)

Description Audio or video recording of the conversation cluster.

Comment The General Medical Council (GMC) guidance on Decision making and consent states in section 27c: "To help patients understand and retain relevant information you should: accommodate a patient's wishes if they would like to record the discussion."



Audio or visual recording made

prsb03-dataelement-13967

Id prsb03-dataelement-13967 (2021-02-04 09:57:03)

Description An indicator to record if an audio or video recording was made of the conversation.

Operationalization SNOMED CT : - 431315003 |Audio recording of patient interview (procedure)| or 282733006 |Video recording of patient interview (procedure)|.

Value Domain



Consent for audio or video recording of the conversation

prsb03-dataelement-13968

Id prsb03-dataelement-13968 (2021-02-04 10:25:25)

Description This is a record of consent for audio or visual recording of the conversation.

Comment The General Medical Council (GMC) Making and using video recordings of patients guidance (GMC, 2011) states in section 8 the following:


- "make recordings only where you have appropriate consent or other valid authority for doing so."
- "ensure that patients are under no pressure to give their consent for the recording to be made."

- "And you must not: disclose or use recordings for purposes outside the scope of the original consent without obtaining further consent (except in the circumstances set out [elsewhere in that document]."

The GMC guidance on Decision making and consent (GMC, 2020) makes clear that: 'While some interventions require a patient's signature on a form, for most healthcare decisions you can rely on a patient's verbal consent, as long as you are satisfied they've had the opportunity to consider any relevant information (see paragraph 10) and decided to go ahead. Although a patient can give consent verbally (or non-verbally) you should make sure this is recorded in their notes."

Operationalization Free text.

Value Domain



Copy of video or audio recording

prsb03-dataelement-13969

Id prsb03-dataelement-13969 (2021-02-04 10:39:30)

Description The conversation recording should be stored as a video/audio multimedia file or as a transcript (free text).

Comment The General Medical Council (GMC) guidance on Decision making and consent (GMC, 2020) states the following in section 23:

- "If you make a recording as part of a patient's care you must follow our guidance on Making and using visual and audio recordings of patients. Such recordings form part of the medical record and should be treated in the same way as other records."
- "Recordings made by patients are owned by them and do not have to be stored with their medical records."

Operationalization Free text or multimedia file.

Value Domain



Person completing record

prsb03-dataelement-14078

Id prsb03-dataelement-14078 (2021-02-18 00:44:21)

Concept inherits from prsb03-dataelement-13907 (2021-02-02 22:27:51)

Description Details of the person completing the record.



Name

prsb03-dataelement-14079

Id prsb03-dataelement-14079 (2021-02-18 00:46:15)

Concept inherits from prsb03-dataelement-13908 (2021-02-02 22:35:30)

Description The name of the person completing the record.

Rationale Composition.author.Practitioner.name

Operationalization Free text.

Value Domain



Role

prsb03-dataelement-14080

Id	prsb03-dataelement-14080 (2021-02-18 00:46:15)
Concept inherits from	 prsb03-dataelement-13909 (2021-02-02 22:37:50)
Description	The organisational role of the person completing the record.

2.1.622 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Rationale Composition.author.PractitionerRole.code

Operationalization FHIR value set :- SDSJobRoleName

Value Domain

Property

min length	max length
-------------------	-------------------

5	5
---	---

 Grade prsb03-dataelement-14081

Id prsb03-dataelement-14081 (2021-02-18 00:46:15)

Concept inherits from  [prsb03-dataelement-13910](#) (2021-02-02 22:42:50)

Description The grade of the person completing the record.

Rationale PractitionerRole.code

Operationalization Free text.

Value Domain

Property

max length

150

 Specialty prsb03-dataelement-14082

Id prsb03-dataelement-14082 (2021-02-18 00:46:15)

Concept inherits from  [prsb03-dataelement-13911](#) (2021-02-02 22:47:46)

Description The main specialty of the person completing the record.

2.1.623 Properties

FHIR PractitionerRole.specialty

Rationale PractitionerRole.specialty

Operationalization NHS data dictionary :- Activity treatment function code

Value Domain

Property

max length

3



Organisation

prsb03-dataelement-14083

Id

prsb03-dataelement-14083 (2021-02-18 00:46:15)

Concept inherits from

prsb03-dataelement-13912 (2021-02-02 22:55:15)

Description

The organisation the person completing the record works for.



Coded value

prsb03-dataelement-14084

Id

prsb03-dataelement-14084 (2021-02-18 00:46:15)

Concept inherits from

prsb03-dataelement-13913 (2021-02-02 22:58:31)

Description

The coded value for the organisation.

Operationalization

NHS data dictionary :- Organisational identifier

Value Domain

Property

min length**max length**

3

8



Free text

prsb03-dataelement-14085

Id

prsb03-dataelement-14085 (2021-02-18 00:46:15)

Concept inherits from

prsb03-dataelement-13914 (2021-02-02 23:02:16)

Description

Free text field to provide further detail or be used if no code is available.

Operationalization

Free text.

Value Domain

Property

max length

150



Professional identifier

prsb03-dataelement-14086

Id

prsb03-dataelement-14086 (2021-02-18 00:46:15)

Concept inherits from

prsb03-dataelement-13915 (2021-02-02 23:06:19)

Description

Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.624 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary :- Professional registration entry identifier

Value Domain

Property

max length

32



Date completed

prsb03-dataelement-14087

Id prsb03-dataelement-14087 (2021-02-18 00:46:15)

Concept inherits from prsb03-dataelement-13916 (2021-02-02 23:12:04)

Description The date and time the record was completed.

Rationale Composition.date

Operationalization Date and time.

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Contact details

prsb03-dataelement-14088

Id prsb03-dataelement-14088 (2021-02-18 00:46:15)

Concept inherits from prsb03-dataelement-13917 (2021-02-02 23:16:07)

Description Contact details of the person completing the record (e.g. telephone number, email address etc.).

2.1.625 Properties

FHIR PractitionerRole.telecom

Rationale Practitioner:telecom

PractitionerRole.telecom

Organisation.telecom

Operationalization NHS data dictionary :- UK telephone number

Value Domain

Property

max length

35



Supporting the shared decision

prsb03-dataelement-14073

Id prsb03-dataelement-14073 (2021-02-17 23:43:36)

Description A record of the interventions that have supported a shared decision. This includes actions taken before, during and after (or in-between) appointments where a shared decision was discussed.

Comment Other interventions that support shared decision making such as use of an interpreter, recording of the discussion, and person(s) accompanying the patient can be found under encounter details.

The NICE guideline on Shared Decision Making (in draft) states in section 1.2.1:

"Offer people interventions that support shared decision making at different stages, including before, during and after discussions with a healthcare professional, so that they are fully involved throughout their care."




In-between appointment interventions

prsb03-dataelement-14075

Id prsb03-dataelement-14075 (2021-02-17 23:57:10)

Description xxx

Value Domain



Pre-meeting information shared

prsb03-dataelement-14066

Id prsb03-dataelement-14066 (2021-02-17 11:43:19)

Description A record of the actions taken to prepare the patient to make a shared decision before the encounter where a shared decision was made. This should include a summary of any resources the person was offered to prepare them for the decision making process.

Comment The NICE guideline on Shared Decision Making (in draft) states in section 1.2.4:

"Before an appointment where a decision will be discussed, offer the person access to resources in their preferred format (for example a booklet, flyer or app) to help them prepare for discussing options and making shared decisions. It should encourage them to think about what matters to them and what they hope to gain from the appointment (the 'preparation stage'). Resources could include links to relevant NICE guidance or NICE-endorsed information."

In section 1.2.5:

"If a person might find it difficult to share in decision making, for example if they have a mental health condition, English is not their first language or they have sensory difficulties, offer to arrange additional support for them if they do not have, or do not want, support from a partner, friend or carer. Support could come from a nurse, social worker, translator or volunteer (for example, an advocate) who can:

- help them to understand the resources provided
- encourage the person to take an active part in decision making
- reassure them that shared decision making will be supported by the healthcare professional they see."

Operationalization Free text.

  Appointment actions

prsb03-dataelement-14074

Id prsb03-dataelement-14074 (2021-02-17 23:54:32)

Description A record of the actions taken to support shared decision making during the encounter.

  Shared decision cluster

prsb03-dataelement-14095

Id prsb03-dataelement-14095 (2021-02-21 15:14:29)

Description A generic shared decision cluster.

Comment The following frameworks should be considered as alternative versions for recording the core shared decision making discussion:

- Shared decision cluster
- Ask 3 questions model cluster
- BRA(I)N model cluster
- Three talk model cluster

To avoid duplication in the record only one of the above needs to be recorded.

  Agenda setting

prsb03-dataelement-14089

Id prsb03-dataelement-14089 (2021-02-18 01:44:37)

Description A record of the agenda setting process undertaken to support the shared decision.

Comment The NICE guideline on Shared Decision Making (in draft) in section 1.2.6:

"Agree an 'agenda' at the start of each appointment to prioritise together what to discuss. Say how long the appointment will last."

 Patient agenda

prsb03-dataelement-14091

Id prsb03-dataelement-14091 (2021-02-18 01:58:28)

Description A record of what the patient said was their agenda for the appointment.

Comment This may have been elicited by encouraging the patient use the phrase 'My agenda for today is...'

The NICE guideline on Shared Decision Making (in draft) states in section 1.2.6:

"Agree an 'agenda' at the start of each appointment to prioritise together what to discuss. Say how long the appointment will last."

Operationalization Free text.

Value Domain

 Clinician agenda

prsb03-dataelement-14090

Id prsb03-dataelement-14090 (2021-02-18 01:51:20)

Description A record of the clinician's stated agenda for the appointment.

Comment This may have been communicated to the patient with phrases such as 'My agenda for today is...'

The NICE Shared Decision Making guideline (in draft) states in section 1.2.6:

"Agree an 'agenda' at the start of each appointment to prioritise together what to discuss.
Say how long the appointment will last."

Operationalization Free text.

Value Domain

  Decision dialogue	prsb03-dataelement-14099
---	--------------------------

Id prsb03-dataelement-14099 (2021-02-21 16:43:09)

Description A record of the dialogue preceding the decision including the information shared that a person wanted or needed to know in order to make a decision, such as:

- Diagnosis & prognosis
- Options for further investigation, treatment or management (including the option to take no action).
- The potential benefits and risks of each option

Comment The General Medical Council guidance on Decision making (GMC, 2020) and consent states in section 10 that : "You must give patients the information they want or need to make a decision. This will usually include: diagnosis and prognosis, uncertainties about the diagnosis or prognosis, including options for further investigation, options for treating or managing the condition, including the option to take no action, the nature of each option, what would be involved, and the desired outcome, the potential benefits, risks of harm, uncertainties about and likelihood of success for each option, including the option to take no action."

The NICE Shared decision making guideline (in development) states in section 1.2.9: "When offering tests, treatments or other healthcare services:

- openly discuss the risks, benefits and consequences of each option, making sure the person knows this includes choosing no treatment, or no change to what they are currently doing (the 'option talk' stage)."

  Establishing the conversation.	prsb03-dataelement-14101
--	--------------------------

Id prsb03-dataelement-14101 (2021-02-22 13:16:02)

Description Details of what was said regarding the need to consider:

- Alternative treatment options
- The person's goals and hopes

Relationship Team talk (*prsb03-dataelement-13919 - 2021-02-03 09:46:21*)

Comment Overview: The team talk (previously choice talk) includes working together, describing choices, offering support and asking about the person's goals.

Suggested phrase: "Let's work as a team to make a decision that suits you best." (Elwyn, 2020)

A key purpose of the team talk is to make the the person, who by this point recognises that a health issue that requires a decision has been identified, aware that options exist. The team talk can be done face-to-face, by email or letter, telephone or other means and may include the use of patient decision support tools (Elwyn, 2016).

The NICE Shared decision making guideline (in development) states in section 1.2.7: "Ensure the person understands they can take part as fully as they want in making choices about their treatment or care (the 'choice talk' stage of the three-talk model)."

 Establishing the conversation

prsb03-dataelement-14103

Id prsb03-dataelement-14103 (2021-02-22 13:16:02)

Description A description of what was said to:

- Establish collaboration
- Declare the alternatives
- Purpose and reasons for the SDM conversation.

Relationship Information and advice given (*prsb03-dataelement-13921 - 2021-02-03 09:53:58*)

Operationalization Free text.

Value Domain

 Goals and hopes

prsb03-dataelement-14102

Id prsb03-dataelement-14102 (2021-02-22 13:16:02)

Description The overall goals, hopes, aims or targets that the person has. Including anything that the person wants to achieve that relates to their future health and wellbeing. Each goal may include a description of why it is important to the person. Goals may also be ranked in order of importance or priority to the person.

Relationship Goals and hopes (*prsb03-dataelement-13920 - 2021-02-03 09:51:28*)

Operationalization Free text.

Value Domain

 Options entry

prsb03-dataelement-14105

Id prsb03-dataelement-14105 (2021-02-22 13:16:02)

Description Record of the options discussed.

Relationship Options entry (*prsb03-dataelement-13923 - 2021-02-03 10:05:52*)

Comment The General Medical Council (GMC) Decision Making and Consent guidance (GMC, 2020) states that when discussing options for treating or managing a condition the clinician involved must include the option to take no action:

"Doctors must try to find out what matters to patients so they can share relevant information about the benefits and harms of proposed options and reasonable alternatives, including the option to take no action (Principle 4)."

 Coded value

prsb03-dataelement-14106

Id prsb03-dataelement-14106 (2021-02-22 13:16:02)

Description Coded value of the option discussed.

Relationship Coded value (*prsb03-dataelement-13924 - 2021-02-03 10:11:10*)

Operationalization SNOMED CT.

Value Domain



Free text

prsb03-dataelement-14107

Id

prsb03-dataelement-14107 (2021-02-22 13:16:02)

Concept inherits from

prsb03-dataelement-13925 (2021-02-03 10:18:29)

Description

Free text field to provide further detail or be used if no code is available.

Operationalization

Free text.

Value Domain

Property

max length

150



0 transactions, 0 templates, inherited once



Risks communication entry

prsb03-dataelement-14111

Id

prsb03-dataelement-14111 (2021-02-22 13:16:02)

Description

Record of the risks discussed for each option.

Relationship

Risks communication entry (*prsb03-dataelement-13929 - 2021-02-03 10:39:01*)

Comment

The General Medical Council (GMC) Decision Making and Consent guidance (GMC, 2020) states in section 21 that when discussing benefits and harms a clinician should include the following: "Recognised risks of harm that [the clinician] believe[s] anyone in the patient's position would want to know... the effect of the patient's individual clinical circumstances on the probability of a benefit or harm occurring...risks of harm and potential benefits that the patient would consider significant for any reason...any risk of serious harm, however unlikely it is to occur...expected harms, including common side effects and what to do if they occur."

"It wouldn't be reasonable to share every possible risk of harm, potential complication or side effect. Instead, you should tailor the discussion to each individual patient, guided by what matters to them, and share information in a way they can understand." (Section 22).



Coded value

prsb03-dataelement-14113

Id

prsb03-dataelement-14113 (2021-02-22 13:16:02)

Description

Coded value of the risk discussed.

Relationship

Coded value (*prsb03-dataelement-13930 - 2021-02-03 10:44:43*)

Operationalization

SNOMED CT.

Value Domain



Free text

prsb03-dataelement-14112

Id

prsb03-dataelement-14112 (2021-02-22 13:16:02)

Concept inherits from	 prsb03-dataelement-13931 (2021-02-03 10:46:20)		
Description	Free text field to provide further detail or be used if no code is available.		
Operationalization	Free text.		
Value Domain			
Property	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center; padding: 5px;">max length</td> </tr> <tr> <td style="text-align: center; padding: 5px;">150</td> </tr> </table>	max length	150
max length			
150			

  Benefits entry	prsb03-dataelement-14108
--	--------------------------

Id	prsb03-dataelement-14108 (2021-02-22 13:16:02)
Description	Record of the benefits discussed for each option.
Relationship	Benefits entry (<i>prsb03-dataelement-13926 - 2021-02-03 10:21:37</i>)
Comment	The General Medical Council (GMC) Decision Making and Consent guidance (GMC, 2020) states in section 21: "You must give patients clear, accurate and up-to-date information, based on the best available evidence, about the potential benefits and risks of harm of each option, including the option to take no action."

 Coded value	prsb03-dataelement-14109
--	--------------------------

Id	prsb03-dataelement-14109 (2021-02-22 13:16:02)
Description	Coded value of the benefit discussed.
Relationship	Coded value (<i>prsb03-dataelement-13927 - 2021-02-03 10:33:02</i>)
Operationalization	SNOMED CT.
Value Domain	

 Free text	prsb03-dataelement-14110
---	--------------------------

Id	prsb03-dataelement-14110 (2021-02-22 13:16:02)		
Concept inherits from	 prsb03-dataelement-13928 (2021-02-03 10:35:02)		
Description	Free text field to provide further detail or be used if no code is available.		
Operationalization	Free text.		
Value Domain			
Property	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center; padding: 5px;">max length</td> </tr> <tr> <td style="text-align: center; padding: 5px;">150</td> </tr> </table>	max length	150
max length			
150			

  Recording the decision	prsb03-dataelement-14114
--	--------------------------

Id	prsb03-dataelement-14114 (2021-02-22 13:16:02)
----	--

Description Details of the decision made with person. This includes details of the decisions made, what the person said was important to them in coming to the decision, and agreed timescales for review.

Relationship Decision talk (*prsb03-dataelement-13932 - 2021-02-03 11:11:58*)

Comment Overview: The decision talk aims to establish a person's informed preferences and to make preference based decisions.

Suggested phrase: "Tell me what matters most to you for this decision." (Elwyn, 2020)

According to Elwyn (2016) the decision talk discussion may include the following key aspects: Focusing on preferences, eliciting and integrating preferences, moving to a decision, offering review.

The NICE guideline on Shared Decision Making (in draft) states:

In section 1.2.13:

"Make a joint decision or plan about treatment or care and agree when this will be reviewed (the 'decision' or 'planning' stage)."

In section 1.2.14:

"At the end of an appointment, state clearly what decisions have been made to make sure the person agrees with and understands what has been decided, what happens next, what the timescales are, and when it will be reviewed."

In section 1.2.15:

"When writing up the consultation, record any decisions made along with details of what the person said was important to them in making those decisions."

Operationalization Free text.

Decision entry

prsb03-dataelement-14191

Id prsb03-dataelement-14191 (2021-02-24 15:10:35)

Description Record of the decision.

Relationship Options entry (*prsb03-dataelement-14105 - 2021-02-22 13:16:02*)

Comment GMC (DMC 50): "You should take a proportionate approach to the level of detail you record. Good medical practice states that you must include the decisions made and actions agreed - and who is making the decisions and agreeing the actions - in the patient's clinical records. This includes the decision to take no action."

Coded value

prsb03-dataelement-14192

Id prsb03-dataelement-14192 (2021-02-24 15:12:01)

Description Coded value of the decision agreed.

Relationship Coded value (*prsb03-dataelement-14106 - 2021-02-22 13:16:02*)

Operationalization SNOMED CT.

Value Domain

Free text

prsb03-dataelement-14193

Id	prsb03-dataelement-14193 (2021-02-24 15:12:01)
Concept inherits from	 prsb03-dataelement-14107 (2021-02-22 13:16:02)
Description	Free text field to provide further detail or be used if no code is available.
Operationalization	Free text.
Value Domain	

Property	max length 150
----------	--------------------------

 Actions for person or their carer

prsb03-dataelement-14189

Id	prsb03-dataelement-14189 (2021-02-24 14:52:20)
Description	Agreed actions for the person or their carer. For each action the following should be identified: outcome expectations, including person's expectations.
Comment	A record of the planned and requested actions for the person or their carer. May be structured (table), with actions, names, dates, status, location, strategies, or free text.
Kings Fund (2011):	

"There should be a formal system for documenting:

1. the decision
2. the agreed course of action
3. the ongoing roles and responsibilities of each party
4. the risk-sharing agreement.."

Operationalization	Free text.
--------------------	------------

Value Domain	
--------------	--

 Actions for professionals

prsb03-dataelement-14188

Id	prsb03-dataelement-14188 (2021-02-24 14:46:07)
Description	Agreed actions for the professional including planned investigations, procedures and treatment for a person's identified conditions and priorities.
Comment	A record of the agreed actions for the professional(s) . May be structured (table), with actions, names, dates, status, location, strategies, or free text.
Kings Fund (2011):	

"There should be a formal system for documenting:

1. the decision
2. the agreed course of action
3. the ongoing roles and responsibilities of each party
4. the risk-sharing agreement.."

Operationalization	Free text.
--------------------	------------

Value Domain	
--------------	--

 Planned review date/interval

prsb03-dataelement-14190

Id	prsb03-dataelement-14190 (2021-02-24 15:03:16)
Description	This is the date/interval when this information will next be reviewed.
Comment	GMC (DMC 56): "Unless treatment or care begins immediately after a patient has given consent, there will be opportunity for a decision to be reviewed." GMC (DMC 57): "You should review a patient's decision immediately before providing treatment or care and, if treatment is ongoing, make sure there are clear arrangements in place to review decisions regularly, allowing patients opportunity to ask questions and discuss any concerns. You should also consider regularly reviewing a decision to take no action." GMC (DMC 58): "Reviewing a decision is particularly important: if you haven't personally had a discussion with the patient because they were initially seen by a colleague, if significant time has passed since the decision was made, if the patient's condition has changed, if you have reason to believe the patient might have changed their mind, if any aspect of the chosen treatment or care has changed, if new information has become available about the potential benefits or risks of harm of any of the options that might make the patient choose differently."
Operationalization	Date and time or free text.
Value Domain	

 Evaluating the decision

prsb03-dataelement-14228

Id	prsb03-dataelement-14228 (2021-02-26 00:41:18)
Description	A record of the perception of the decision and collaborative process from the perspective of the clinician and the patient, including:
	<ul style="list-style-type: none"> ▪ Clinician's view of the patient's level of health literacy ▪ A record of whether or not the clinician agreed with the decision ▪ A record of the patient's satisfaction with the decision made ▪ A record of decisional regret if experienced by the patient
Comment	See also performance measures.

 Health literacy evaluation

prsb03-dataelement-14229

Id	prsb03-dataelement-14229 (2021-02-26 00:54:20)
Description	Description of the clinician's assessment of the person's level of health literacy. This should include tools or techniques that were used during the conversation to support health literacy, such as: <ul style="list-style-type: none"> ▪ 'Teach back' or 'show me' method ▪ 'Chunking and checking' ▪ Readability tools used for any written materials shared ▪ SMOG test or calculator
Comment	For further information see Health Education England's Health Literacy Toolkit (HEE, 2018).

Operationalization Free text.

Value Domain

 	Decision satisfaction or regret	prsb03-dataelement-14231
---	---------------------------------	--------------------------

Id prsb03-dataelement-14231 (2021-02-26 01:20:26)

Description A record of clinician and patient satisfaction (or regret) relating to the decision.

	Patient decision satisfaction	prsb03-dataelement-14232
---	-------------------------------	--------------------------

Id prsb03-dataelement-14232 (2021-02-26 01:23:52)

Description A record of the person's level of satisfaction (or regret) with the decision made and the reasons for this.

Operationalization Free text.

Value Domain

	Clinician decision satisfaction	prsb03-dataelement-14230
---	---------------------------------	--------------------------

Id prsb03-dataelement-14230 (2021-02-26 01:15:05)

Description A record of whether the clinician agreed with the patient's chosen option and the reasons for this.

Operationalization Free text.

Value Domain

 	Motivational interviewing placeholder	prsb03-dataelement-14233
---	---------------------------------------	--------------------------

Id prsb03-dataelement-14233 (2021-02-26 01:29:18) 0.1

 	Performing professional	prsb03-dataelement-14115
---	-------------------------	--------------------------

Id prsb03-dataelement-14115 (2021-02-22 13:16:02)

Description The professional who conducted the shared decision making conversation.

Relationship Performing professional (*prsb03-dataelement-13933 - 2021-02-03 11:17:05*)

	Organisation	prsb03-dataelement-14116
---	--------------	--------------------------

Id prsb03-dataelement-14116 (2021-02-22 13:16:02)

Concept inherits from  prsb03-dataelement-13934 (2021-02-03 11:20:19)

Description The name of the organisation the professional works for.

Value Domain

	Name	prsb03-dataelement-14117
---	------	--------------------------

Id prsb03-dataelement-14117 (2021-02-22 13:16:02)

Concept inherits from  prsb03-dataelement-13935 (2021-02-03 11:20:19)

Description The name of the professional.

Rationale Practitioner.name

Operationalization Free text.

Value Domain

max length

70

Property



Role

prsb03-dataelement-14118

Id prsb03-dataelement-14118 (2021-02-22 13:16:02)

Concept inherits from  prsb03-dataelement-13936 (2021-02-03 11:20:19)

Description The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc.

Rationale Practitioner.PractitionerRole.code

Operationalization FHIR value set:- SDSjobrolename

Value Domain



Grade

prsb03-dataelement-14119

Id prsb03-dataelement-14119 (2021-02-22 13:16:02)

Concept inherits from  prsb03-dataelement-13937 (2021-02-03 11:20:19)

Description The grade of the professional.

Rationale PractitionerRole.code

Operationalization Free text.

Value Domain

max length

150



Specialty

prsb03-dataelement-14120

Id prsb03-dataelement-14120 (2021-02-22 13:16:02)

Concept inherits from  prsb03-dataelement-13938 (2021-02-03 11:20:19)

Description The specialty of the professional e.g. physiotherapy, oncology, mental health etc.

Rationale PractitionerRole.speciality

Operationalization NHS data dictionary :- Care professional main speciality code

Value Domain

Property

min length	max length
------------	------------

3	3
---	---



Professional identifier

prsb03-dataelement-14121

Id prsb03-dataelement-14121 (2021-02-22 13:16:02)

Concept inherits from prsb03-dataelement-13939 (2021-02-03 11:20:19)

Description Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary :- Professional registration entry identifier

Value Domain

Property

max length

32



Organisation

prsb03-dataelement-14122

Id prsb03-dataelement-14122 (2021-02-22 13:16:02)

Concept inherits from prsb03-dataelement-13940 (2021-02-03 11:20:19)

Description The name of the organisation the professional works for.



Coded value

prsb03-dataelement-14123

Id prsb03-dataelement-14123 (2021-02-22 13:16:02)

Concept inherits from prsb03-dataelement-13941 (2021-02-03 11:20:19)

Description The coded value for the organisation.

Operationalization NHS data dictionary :- Organisation identifier

Value Domain

Property

min length	max length
------------	------------

3	8
---	---



Free text

prsb03-dataelement-14124

Id prsb03-dataelement-14124 (2021-02-22 13:16:02)

Concept inherits from	 prsb03-dataelement-13942 (2021-02-03 11:20:19)		
Description	Free text field to provide further detail or be used if no code is available.		
Operationalization	Free text.		
Value Domain			
Property	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center; padding: 5px;">max length</td> </tr> <tr> <td style="text-align: center; padding: 5px;">150</td> </tr> </table>	max length	150
max length			
150			

 Contact details	prsb03-dataelement-14125
---	--------------------------

Id	prsb03-dataelement-14125 (2021-02-22 13:16:02)		
Concept inherits from	 prsb03-dataelement-13943 (2021-02-03 11:20:19)		
Description	Contact details of the professional.		
Rationale	Practitioner:telecom		
	PractitionerRole:telecom		
	Organisation:telecom		
Operationalization	NHS data dictionary :- UK telephone number		
Value Domain			
Property	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center; padding: 5px;">max length</td> </tr> <tr> <td style="text-align: center; padding: 5px;">35</td> </tr> </table>	max length	35
max length			
35			

  Person completing record	prsb03-dataelement-14126
--	--------------------------

Id	prsb03-dataelement-14126 (2021-02-22 13:16:02)
Concept inherits from	 prsb03-dataelement-13944 (2021-02-03 11:48:41)
Description	Details of the person completing the record.

 Name	prsb03-dataelement-14127
--	--------------------------

Id	prsb03-dataelement-14127 (2021-02-22 13:16:02)
Concept inherits from	 prsb03-dataelement-13945 (2021-02-03 11:49:43)
Description	The name of the person completing the record.
Rationale	Composition.author.Practitioner.name
Operationalization	Free text.
Value Domain	

 Role	prsb03-dataelement-14128
--	--------------------------

Id	prsb03-dataelement-14128 (2021-02-22 13:16:02)
Concept inherits from	 prsb03-dataelement-13946 (2021-02-03 11:49:43)
Description	The organisational role of the person completing the record.

2.1.626 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Rationale Composition.author.Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSJobRoleName

Value Domain

Property

min length	max length
5	5



Grade

prsb03-dataelement-14129

Id prsb03-dataelement-14129 (2021-02-22 13:16:02)

Concept inherits from  [prsb03-dataelement-13947 \(2021-02-03 11:49:43\)](#)

Description The grade of the person completing the record.

Rationale PractitionerRole.code

Operationalization Free text.

Value Domain

Property

max length
150



Specialty

prsb03-dataelement-14130

Id prsb03-dataelement-14130 (2021-02-22 13:16:02)

Concept inherits from  [prsb03-dataelement-13948 \(2021-02-03 11:49:43\)](#)

Description The main specialty of the person completing the record.

2.1.627 Properties

FHIR PractitionerRole.specialty

Rationale PractitionerRole.specialty

Operationalization NHS data dictionary :- Activity treatment function code

Value Domain

Property

max length

  Organisation

prsb03-dataelement-14131

Id prsb03-dataelement-14131 (2021-02-22 13:16:02)

Concept inherits from  prsb03-dataelement-13949 (2021-02-03 11:49:43)

Description The organisation the person completing the record works for.

 Coded value

prsb03-dataelement-14132

Id prsb03-dataelement-14132 (2021-02-22 13:16:02)

Concept inherits from  prsb03-dataelement-13950 (2021-02-03 11:49:43)

Description The coded value for the organisation.

Operationalization NHS data dictionary :- Organisational identifier

Value Domain

Property

min length	max length
------------	------------

3 8

 Free text

prsb03-dataelement-14133

Id prsb03-dataelement-14133 (2021-02-22 13:16:02)

Concept inherits from  prsb03-dataelement-13951 (2021-02-03 11:49:43)

Description Free text field to provide further detail or be used if no code is available.

Operationalization Free text.

Value Domain

Property

max length

150

 Professional identifier

prsb03-dataelement-14134

Id prsb03-dataelement-14134 (2021-02-22 13:16:02)

Concept inherits from  prsb03-dataelement-13952 (2021-02-03 11:49:43)

Description Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.628 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary :- Professional registration entry identifier

Value Domain

Property

max length

32



Date completed

prsb03-dataelement-14135

Id prsb03-dataelement-14135 (2021-02-22 13:16:02)

Concept inherits from prsb03-dataelement-13953 (2021-02-03 11:49:43)

Description The date and time the record was completed.

Rationale Composition.date

Operationalization Date and time.

Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute



Contact details

prsb03-dataelement-14136

Id prsb03-dataelement-14136 (2021-02-22 13:16:02)

Concept inherits from prsb03-dataelement-13954 (2021-02-03 11:49:43)

Description Contact details of the person completing the record (e.g. telephone number, email address etc.).

2.1.629 Properties

FHIR PractitionerRole.telecom

Rationale Practitioner.telecom

PractitionerRole.telecom

Organisation.telecom

Operationalization NHS data dictionary :- UK telephone number

Value Domain

Property

max length

35



Three talk model cluster

prsb03-dataelement-14100

Id	prsb03-dataelement-14100 (2021-02-21 17:01:11)
Description	A structured entry in the record for clinicians following the three talk model approach to shared decision making.
Relationship	Three talk model cluster (<i>prsb03-dataelement-13918 - 2021-02-03 09:38:31</i>)

 Option talk placeholder

prsb03-dataelement-14104

Id	prsb03-dataelement-14104 (2021-02-22 13:16:02)
Description	Details of the option talk with the person (Three talk model).
Relationship	Option talk (<i>prsb03-dataelement-13922 - 2021-02-03 09:57:39</i>)
Comment	<p>Overview: The option talk includes a discussion of the options and alternatives and the harms and benefits of these using evidence based risk communication principles.</p> <p>Suggested phrase: "Let's compare the possible options." (Elwyn, 2020)</p> <p>According to Elwyn (2016) the option talk discussion may include the following key aspects:</p> <p>Checking knowledge, listing options, describing options, exploring harms and benefits, providing patient decision support, summarising.</p> <p>The General Medical Council guidance on Decision making (GMC, 2020) and consent states in section 10 that : "You must give patients the information they want or need to make a decision. This will usually include: diagnosis and prognosis, uncertainties about the diagnosis or prognosis, including options for further investigation, options for treating or managing the condition, including the option to take no action, the nature of each option, what would be involved, and the desired outcome, the potential benefits, risks of harm, uncertainties about and likelihood of success for each option, including the option to take no action."</p> <p>The NICE Shared decision making guideline (in development) states in section 1.2.9: "When offering tests, treatments or other healthcare services:</p> <ul style="list-style-type: none"> • openly discuss the risks, benefits and consequences of each option, making sure the person knows this includes choosing no treatment, or no change to what they are currently doing (the 'option talk' stage)."

 Decision support tool item entry

prsb03-dataelement-13955

Id	prsb03-dataelement-13955 (2021-02-03 13:43:54)
Description	Record of any decision support tools used.
Comment	Examples of patient decision support tools include condition specific decision aids, issue cards, decision boxes, fact boxes, question prompt lists (e.g. BRAN) and generic communication frameworks. Where high-quality situation specific decision support tools do not exist the clinician may need to interpret evidence sources developed for health professionals.
	The General Medical Council (GMC) Decision making and consent guidance (GMC, 2020) states in section 24: "You should consider using visual or other explanatory aids to support patients to understand their personalised risk, taking account of their individual clinical and personal circumstances, compared with population level risk."

 Decision support tool identifier

prsb03-dataelement-14092

Id	prsb03-dataelement-14092 (2021-02-18 02:21:49)
Description	Any alphanumeric identifier associated with the decision support tool (if applicable).
Operationalization	Free text.

Value Domain

 Decision support tool name	prsb03-dataelement-13956
--	--------------------------

Id

prsb03-dataelement-13956 (2021-02-03 13:53:18)

Description

The name of the decision support tool.

Operationalization

Free text.

Value Domain

 Decision support tool type	prsb03-dataelement-13957
--	--------------------------

Id

prsb03-dataelement-13957 (2021-02-03 13:59:31)

Description

The type of the decision support tool.

Comment

Examples of patient decision support tools include condition specific decision aids, issue cards, decision boxes, fact boxes, question prompt lists and generic communication frameworks.

Operationalization

Free text

Value Domain

 Decision support tool location	prsb03-dataelement-13958
---	--------------------------

Id

prsb03-dataelement-13958 (2021-02-03 14:14:39)

Description

The URL for the decision support tool.

Operationalization

Free text.

Value Domain

 Decision support tool MIME type	prsb03-dataelement-13959
---	--------------------------

Id

prsb03-dataelement-13959 (2021-02-03 14:32:12)

Description

MIME type of the document e.g. application, pdf, website.

Operationalization

Free text.

Value Domain

 Ask 3 questions model cluster	prsb03-dataelement-14019
---	--------------------------

Id

prsb03-dataelement-14019 (2021-02-15 12:25:33)

Description

A structured entry in the record for use when a shared decision making conversation has been conducted using the 'Ask 3 questions' framework. This patient focused shared decision making tool encourages the patient to ask the following three questions when making decisions about their healthcare:

What are my options?

What are the pros and cons of each option for me?

How do I get support to help me make a decision that is right for me?

Comment Ask 3 questions is the patient focused part of the national Shared Decision Making programme. It has been adapted with permission for use in the NHS by the Advancing Quality Alliance (AQuA) from the Making Good Decisions in Collaboration (MAGIC) improvement programme. AQuA has developed films, posters and other materials for its Ask 3 questions campaign to be seen by patients in advance of clinical encounters, where a decision may need to be made.

The framework is based on a set of questions originally tested by Shepherd *et al.* 2011 in a cross over trial. The questions tested were:

What are my options? What are the benefits and harms? How likely are these?

In the study, use of these questions was associated with improved scores in the Assessing Communication about Evidence and Patient Preferences (ACEPP) and OPTION (observing patient involvement) scales.

Ask 3 questions item entry 1

prsb03-dataelement-14020

Id prsb03-dataelement-14020 (2021-02-15 16:13:27)

Description A record of what was discussed following the patient asking the question 'What are my options?' (Ask 3 questions framework).

Operationalization Free text.

Value Domain

Ask 3 questions item entry 2

prsb03-dataelement-14021

Id prsb03-dataelement-14021 (2021-02-15 16:31:13)

Description A record of what was discussed following the patient asking the question 'What are the pros and cons of each option for me?' (Ask 3 questions framework).

Operationalization Free text.

Value Domain

Ask 3 questions item entry 3

prsb03-dataelement-14022

Id prsb03-dataelement-14022 (2021-02-15 16:38:01)

Description A record of what was discussed following the patient asking the question 'What are my options?' (Ask 3 questions framework).

Operationalization Free text.

Value Domain

  Performing professional	prsb03-dataelement-14024
---	--------------------------

Id	prsb03-dataelement-14024 (2021-02-15 17:37:30)
Description	The professional who conducted the shared decision making conversation (Ask 3 questions framework).
Relationship	Performing professional (<i>prsb03-dataelement-13896 - 2021-02-01 19:50:38</i>)

 Organisation	prsb03-dataelement-14045
--	--------------------------

Id	prsb03-dataelement-14045 (2021-02-15 17:40:29)
Concept inherits from	 <i>prsb03-dataelement-13902 (2021-02-02 18:16:27)</i>
Description	The name of the organisation the professional works for.
Value Domain	

 Name	prsb03-dataelement-14046
--	--------------------------

Id	prsb03-dataelement-14046 (2021-02-15 17:40:29)		
Concept inherits from	 <i>prsb03-dataelement-13897 (2021-02-01 20:13:26)</i>		
Description	The name of the professional.		
Rationale	Practitioner.name		
Operationalization	Free text.		
Value Domain			
Property	<table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td style="padding: 2px;">max length</td> </tr> <tr> <td style="padding: 2px;">70</td> </tr> </table>	max length	70
max length			
70			

 Role	prsb03-dataelement-14047
--	--------------------------

Id	prsb03-dataelement-14047 (2021-02-15 17:40:29)
Concept inherits from	 <i>prsb03-dataelement-13898 (2021-02-01 20:17:22)</i>
Description	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc.
Rationale	Practitioner.PractitionerRole.code
Operationalization	FHIR value set:- SDJobrolename
Value Domain	

 Grade	prsb03-dataelement-14048
---	--------------------------

Id	prsb03-dataelement-14048 (2021-02-15 17:40:29)
----	--

Concept inherits from  prsb03-dataelement-13899 (2021-02-01 20:23:02)

Description The grade of the professional.

Rationale PractitionerRole.code

Operationalization Free text.

Value Domain

Property

max length

150



Specialty

prsb03-dataelement-14049

Id prsb03-dataelement-14049 (2021-02-15 17:40:29)

Concept inherits from  prsb03-dataelement-13900 (2021-02-01 20:28:38)

Description The specialty of the professional e.g. physiotherapy, oncology, mental health etc.

Rationale PractitionerRole.speciality

Operationalization NHS data dictionary :- Care professional main speciality code

Value Domain

Property

min length **max length**

3 3



Professional identifier

prsb03-dataelement-14050

Id prsb03-dataelement-14050 (2021-02-15 17:40:29)

Concept inherits from  prsb03-dataelement-13901 (2021-02-02 18:12:20)

Description Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary :- Professional registration entry identifier

Value Domain

Property

max length

32



Organisation

prsb03-dataelement-14051

Id prsb03-dataelement-14051 (2021-02-15 17:40:29)

Concept inherits from  prsb03-dataelement-13903 (2021-02-02 21:35:36)

Description The name of the organisation the professional works for.



Coded value

prsb03-dataelement-14052

Id prsb03-dataelement-14052 (2021-02-15 17:40:29)

Concept inherits from prsb03-dataelement-13904 (2021-02-02 21:41:22)

Description The coded value for the organisation.

Operationalization NHS data dictionary :- Organisation identifier

Value Domain

Property

min length	max length
-------------------	-------------------

3	8
---	---



Free text

prsb03-dataelement-14053

Id prsb03-dataelement-14053 (2021-02-15 17:40:29)

Concept inherits from prsb03-dataelement-13905 (2021-02-02 21:45:00)

Description Free text field to provide further detail or be used if no code is available.

Operationalization Free text.

Value Domain

Property

max length

150



Contact details

prsb03-dataelement-14054

Id prsb03-dataelement-14054 (2021-02-15 17:40:29)

Concept inherits from prsb03-dataelement-13906 (2021-02-02 21:51:13)

Description Contact details of the professional.

Rationale Practitioner.telecom

PractitionerRole.telecom

Organisation.telecom

Operationalization NHS data dictionary :- UK telephone number

Value Domain

Property

max length

35



Person completing record

prsb03-dataelement-14055

Id	prsb03-dataelement-14055 (2021-02-17 11:34:44)
Concept inherits from	 prsb03-dataelement-13907 (2021-02-02 22:27:51)
Description	Details of the person completing the record.

prsb03-dataelement-14056

Id	prsb03-dataelement-14056 (2021-02-17 11:36:42)
Concept inherits from	 prsb03-dataelement-13908 (2021-02-02 22:35:30)
Description	The name of the person completing the record.
Rationale	Composition.author.Practitioner.name
Operationalization	Free text.
Value Domain	

prsb03-dataelement-14057

Id	prsb03-dataelement-14057 (2021-02-17 11:36:42)
Concept inherits from	 prsb03-dataelement-13909 (2021-02-02 22:37:50)
Description	The organisational role of the person completing the record.

2.1.630 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Rationale Composition.author.Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSJobRoleName

Value Domain

Property

min length	max length
5	5

prsb03-dataelement-14058

Id	prsb03-dataelement-14058 (2021-02-17 11:36:42)
Concept inherits from	 prsb03-dataelement-13910 (2021-02-02 22:42:50)
Description	The grade of the person completing the record.
Rationale	PractitionerRole.code
Operationalization	Free text.
Value Domain	

Property

max length

150



Specialty

prsb03-dataelement-14059

Id

prsb03-dataelement-14059 (2021-02-17 11:36:42)

Concept inherits from

prsb03-dataelement-13911 (2021-02-02 22:47:46)

Description

The main specialty of the person completing the record.

2.1.631 Properties

FHIR

PractitionerRole.specialty

Rationale

PractitionerRole.specialty

Operationalization

NHS data dictionary :- Activity treatment function code

Value Domain

Property

max length

3



Organisation

prsb03-dataelement-14060

Id

prsb03-dataelement-14060 (2021-02-17 11:36:42)

Concept inherits from

prsb03-dataelement-13912 (2021-02-02 22:55:15)

Description

The organisation the person completing the record works for.



Coded value

prsb03-dataelement-14061

Id

prsb03-dataelement-14061 (2021-02-17 11:36:42)

Concept inherits from

prsb03-dataelement-13913 (2021-02-02 22:58:31)

Description

The coded value for the organisation.

Operationalization

NHS data dictionary :- Organisational identifier

Value Domain

Property

min length **max length**

3

8



Free text

prsb03-dataelement-14062

Id

prsb03-dataelement-14062 (2021-02-17 11:36:42)

Concept inherits from	 prsb03-dataelement-13914 (2021-02-02 23:02:16)
Description	Free text field to provide further detail or be used if no code is available.
Operationalization	Free text.
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 5px; text-align: center;">max length</div> <div style="padding: 5px;">150</div>

 Professional identifier	prsb03-dataelement-14063
---	--------------------------

Id	prsb03-dataelement-14063 (2021-02-17 11:36:42)
Concept inherits from	 prsb03-dataelement-13915 (2021-02-02 23:06:19)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.632 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary :- Professional registration entry identifier
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 5px; text-align: center;">max length</div> <div style="padding: 5px;">32</div>

 Date completed	prsb03-dataelement-14064
--	--------------------------

Id	prsb03-dataelement-14064 (2021-02-17 11:36:42)
Concept inherits from	 prsb03-dataelement-13916 (2021-02-02 23:12:04)
Description	The date and time the record was completed.
Rationale	Composition.date
Operationalization	Date and time.
Value Domain	
Property	<div style="background-color: #e0e0e0; padding: 5px; text-align: center;">Timestamp precision</div> <div style="padding: 5px;">at least day, month and year, hour and minute</div>

 Contact details	prsb03-dataelement-14065
---	--------------------------

Id	prsb03-dataelement-14065 (2021-02-17 11:36:42)
Concept inherits from	 prsb03-dataelement-13917 (2021-02-02 23:16:07)
Description	Contact details of the person completing the record (e.g. telephone number, email address etc.).

2.1.633 Properties

FHIR PractitionerRole.telecom

Rationale Practitioner:telecom

PractitionerRole.telecom

Organisation.telecom

Operationalization NHS data dictionary :- UK telephone number

Value Domain

Property

max length

35



BRA(I)N model Cluster

prsb03-dataelement-13879

Id prsb03-dataelement-13879 (2021-02-01 16:24:40)

Description A structured entry in the record for clinicians following the BRAN or BRAIN approach to shared decision making. The BRAN mnemonic covers the following:
 B = Benefits
 R = Risks
 A = Alternatives
 N = doing Nothing

Alternatively, the BRAIN mnemonic covers the following:

B = Benefits
 R = Risks
 A = Alternatives
 I = Intuition
 N = Next steps (as opposed to 'doing Nothing' in BRAN)

Comment The acronym BRAN is a decision support tool endorsed by the Academy of Medical Royal Colleges (AoMRC) for the purpose of structuring shared decision making conversations (BMJ, 2019).

The Centre for Collaboration, Motivation, and Innovation has developed a BRAN alternative called BRAIN (CCMI, 2015).



Benefits entry

prsb03-dataelement-13880

Id prsb03-dataelement-13880 (2021-02-01 16:40:31)

Description A record of the benefits discussed as part of the shared decision making conversation (BRAN or BRAIN framework).



Coded value

prsb03-dataelement-13885

Id prsb03-dataelement-13885 (2021-02-01 18:38:52)

Description Coded value of the benefits discussed.

Operationalization SNOMED CT.

Value Domain



Free text

prsb03-dataelement-13886

Id prsb03-dataelement-13886 (2021-02-01 18:42:31)

Description Free text field to provide further detail or be used if no code is available.

Operationalization Free text.

Value Domain

Property

max length

150

Used by 0 transactions, 0 templates, inherited 12 times



Risks entry

prsb03-dataelement-13881

Id prsb03-dataelement-13881 (2021-02-01 16:44:09)

Description A record of the risks discussed as part of the shared decision making conversation (BRAN or BRAIN framework).



Coded value

prsb03-dataelement-13887

Id prsb03-dataelement-13887 (2021-02-01 18:47:38)

Description Coded value of the risks discussed.

Operationalization SNOMED CT.

Value Domain

Choice list

Concept List

Concept Description



Free text

prsb03-dataelement-13888

Id prsb03-dataelement-13888 (2021-02-01 18:50:44)

Concept inherits from prsb03-dataelement-13886 (2021-02-01 18:42:31)

Description Free text field to provide further detail or be used if no code is available.

Operationalization Free text.

Value Domain

Property

max length

150



Alternatives entry

prsb03-dataelement-13882

Id prsb03-dataelement-13882 (2021-02-01 16:47:00)

Description A record of the alternatives discussed as part of the shared decision making conversation (BRAN or BRAIN framework).



Coded value

prsb03-dataelement-13889

Id prsb03-dataelement-13889 (2021-02-01 18:55:16)

Description Coded value of the alternatives discussed.

Relationship Coded value (*prsb03-dataelement-13885 - 2021-02-01 18:38:52*)

Operationalization SNOMED CT.

Value Domain



Free text

prsb03-dataelement-13890

Id prsb03-dataelement-13890 (2021-02-01 18:59:37)

Concept inherits from prsb03-dataelement-13886 (2021-02-01 18:42:31)

Description Free text field to provide further detail or be used if no code is available.

Operationalization Free text.

Value Domain

Property

max length

150



Intuition entry

prsb03-dataelement-13891

Id prsb03-dataelement-13891 (2021-02-01 19:10:42)

Description A record of the person's intuition (BRAIN framework).

Comment The Centre for Collaboration, Motivation, and Innovation has developed a BRAN alternative called BRAIN (CCMI, 2015). This model involves the patient first asking the following questions:

What is the decision I need to make?

How much time do I have to make this decision?

Who is involved in making this decision?

What are my values that affect this decision?

The BRAIN mnemonic covers the following:

B = Benefits

R = Risks

A = Alternatives

I = Intuition

N = Next steps (as opposed to 'doing Nothing' in BRAN)

At the intuition step the patient asks the following question:

What do I feel and think about these options? The outcome should be entered into the record here.

Operationalization Free text.

Value Domain

 	Intuition entry	prsb03-dataelement-13883
---	-----------------	--------------------------

Id prsb03-dataelement-13883 (2021-02-01 16:50:05) 0.1

Description A record of the person's intuition (BRAIN framework).

Comment The Centre for Collaboration, Motivation, and Innovation has developed a BRAN alternative called BRAIN (CCMI, 2016). This model involves the patient first asking the following questions:

What is the decision I need to make?

How much time do I have to make this decision?

Who is involved in making this decision?

What are my values that affect this decision?

The BRAIN mnemonic covers the following:

B = Benefits

R = Risks

A = Alternatives

I = Intuition

N = Next steps (as opposed to 'doing Nothing' in BRAN)

At the intuition step the patient asks the following question:

What do I feel and think about these options? The outcome should be entered into the record here.

 	Nothing entry	prsb03-dataelement-13884
---	---------------	--------------------------

Id prsb03-dataelement-13884 (2021-02-01 18:34:45)

Description An indicator showing whether the option to do nothing was discussed as part of the shared decision making conversation (BRAN framework).

 Coded value	prsb03-dataelement-13892
---	--------------------------

Id prsb03-dataelement-13892 (2021-02-01 19:16:02)

Description Coded value to indicate whether the option to do nothing was discussed.

Operationalization Y = yes ; N = no

Value Domain

 Free text	prsb03-dataelement-13893
---	--------------------------

Id	prsb03-dataelement-13893 (2021-02-01 19:21:14)
Concept inherits from	 prsb03-dataelement-13886 (2021-02-01 18:42:31)
Description	Free text field to provide further detail or be used if no code is available.
Operationalization	Free text.
Value Domain	

Property	max length 150
----------	--------------------------

 Next steps entry	prsb03-dataelement-13894
--	--------------------------

Id	prsb03-dataelement-13894 (2021-02-01 19:23:55)
Description	A record of the next steps considered (BRAIN framework).
Comment	The Centre for Collaboration, Motivation, and Innovation has developed a BRAN alternative called BRAIN: B = Benefits R = Risks A = Alternatives I = Intuition N = Next steps (as opposed to 'doing Nothing' in BRAN) Examples of questions that the patient may be encouraged to ask at the next steps stage include (CCMI,2015): Do I need to talk to my family? Do I need more time to think my decision through? Do I want more information? Would I like to wait on treatment? Do I want a second opinion? What would I like to do?
Value Domain	

 Decision entry	prsb03-dataelement-13895
--	--------------------------

Id	prsb03-dataelement-13895 (2021-02-01 19:35:49)
Description	A record of the decision made (BRAN or BRAIN framework).
Comment	The General Medical Council (GMC) Decision making and consent guidance (GMC, 2020) states: "You should take a proportionate approach to the level of detail you record. Good medical practice states that you must include the decisions made and actions agreed - and who is making the decisions and agreeing the actions - in the patient's clinical records. This includes decisions to take no action."
Operationalization	Free text.

Value Domain	
  Performing professional	prsb03-dataelement-13896

Id	prsb03-dataelement-13896 (2021-02-01 19:50:38)
Description	The professional who conducted the shared decision making conversation (BRAN or BRAIN framework).
Relationship	Performing professional (<i>prsb03-dataelement-13638 - 2020-09-08 20:13:16</i>)

Organisation

prsb03-dataelement-13902

Id	prsb03-dataelement-13902 (2021-02-02 18:16:27)
Description	The name of the organisation the professional works for.
Value Domain	
Used by	0 transactions, 0 templates, inherited 2 times

Name

prsb03-dataelement-13897

Id	prsb03-dataelement-13897 (2021-02-01 20:13:26)
Description	The name of the professional.
Rationale	Practitioner.name
Operationalization	Free text.
Value Domain	
Property	<div style="border: 1px solid #ccc; padding: 5px; display: inline-block;"> max length 70 </div>
Used by	0 transactions, 0 templates, inherited 2 times

Role

prsb03-dataelement-13898

Id	prsb03-dataelement-13898 (2021-02-01 20:17:22)
Description	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc.
Rationale	Practitioner.PractitionerRole.code
Operationalization	FHIR value set:- SDSjobrolename
Value Domain	
Used by	0 transactions, 0 templates, inherited 2 times

Grade

prsb03-dataelement-13899

Id	prsb03-dataelement-13899 (2021-02-01 20:23:02)
----	--

Description The grade of the professional.

Rationale PractitionerRole.code

Operationalization Free text.

Value Domain

Property **max length**

150

⌚ Used by 0 transactions, 0 templates, inherited 2 times



Specialty

prsb03-dataelement-13900

Id prsb03-dataelement-13900 (2021-02-01 20:28:38)

Description The specialty of the professional e.g. physiotherapy, oncology, mental health etc.

Rationale PractitionerRole.speciality

Operationalization NHS data dictionary :- Care professional main speciality code

Value Domain

Property **min length** **max length**

3 3

⌚ Used by 0 transactions, 0 templates, inherited 2 times



Professional identifier

prsb03-dataelement-13901

Id prsb03-dataelement-13901 (2021-02-02 18:12:20)

Description Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.

Rationale Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)

Operationalization NHS data dictionary :- Professional registration entry identifier

Value Domain

Property **max length**

32

⌚ Used by 0 transactions, 0 templates, inherited 2 times



Organisation

prsb03-dataelement-13903

Id	prsb03-dataelement-13903 (2021-02-02 21:35:36)
Description	The name of the organisation the professional works for.
Used by	0 transactions, 0 templates, inherited 2 times

 Coded value

prsb03-dataelement-13904

Id	prsb03-dataelement-13904 (2021-02-02 21:41:22)				
Description	The coded value for the organisation.				
Operationalization	NHS data dictionary :- Organisation identifier				
Value Domain					
Property	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 2px 10px; background-color: #f2f2f2;">min length</td> <td style="padding: 2px 10px; background-color: #f2f2f2;">max length</td> </tr> <tr> <td style="text-align: center; padding: 2px 10px;">3</td> <td style="text-align: center; padding: 2px 10px;">8</td> </tr> </table>	min length	max length	3	8
min length	max length				
3	8				
Used by	0 transactions, 0 templates, inherited 2 times				

 Free text

prsb03-dataelement-13905

Id	prsb03-dataelement-13905 (2021-02-02 21:45:00)		
Concept inherits from	 prsb03-dataelement-13886 (2021-02-01 18:42:31)		
Description	Free text field to provide further detail or be used if no code is available.		
Operationalization	Free text.		
Value Domain			
Property	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 2px 10px; background-color: #f2f2f2;">max length</td> </tr> <tr> <td style="text-align: center; padding: 2px 10px;">150</td> </tr> </table>	max length	150
max length			
150			
Used by	0 transactions, 0 templates, inherited 2 times		

 Contact details

prsb03-dataelement-13906

Id	prsb03-dataelement-13906 (2021-02-02 21:51:13)
Description	Contact details of the professional.
Rationale	Practitioner:telecom
	PractitionerRole:telecom
	Organisation:telecom
Operationalization	NHS data dictionary :- UK telephone number

Value Domain

Property

max length

35

🕒 Used by

0 transactions, 0 templates, inherited 2 times

  Person completing record

prsb03-dataelement-13907

Id prsb03-dataelement-13907 (2021-02-02 22:27:51)

Description Details of the person completing the record.

🕒 Used by 0 transactions, 0 templates, inherited 4 times

 Name

prsb03-dataelement-13908

Id prsb03-dataelement-13908 (2021-02-02 22:35:30)

Description The name of the person completing the record.

Rationale Composition.author.Practitioner.name

Operationalization Free text.

Value Domain

🕒 Used by 0 transactions, 0 templates, inherited 4 times

 Role

prsb03-dataelement-13909

Id prsb03-dataelement-13909 (2021-02-02 22:37:50)

Description The organisational role of the person completing the record.

2.1.634 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Rationale Composition.author.Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSJobRoleName

Value Domain

Property

min length **max length**

5 5

🕒 Used by

0 transactions, 0 templates, inherited 4 times



Grade

prsb03-dataelement-13910

Id prsb03-dataelement-13910 (2021-02-02 22:42:50)

Description The grade of the person completing the record.

Rationale PractitionerRole.code

Operationalization Free text.

Value Domain

Property

max length

150

Used by 0 transactions, 0 templates, inherited 4 times



Specialty

prsb03-dataelement-13911

Id prsb03-dataelement-13911 (2021-02-02 22:47:46)

Description The main specialty of the person completing the record.

2.1.635 Properties

FHIR PractitionerRole.specialty

Rationale PractitionerRole.specialty

Operationalization NHS data dictionary :- Activity treatment function code

Value Domain

Property

max length

3

Used by 0 transactions, 0 templates, inherited 4 times



Organisation

prsb03-dataelement-13912

Id prsb03-dataelement-13912 (2021-02-02 22:55:15)

Description The organisation the person completing the record works for.

Used by 0 transactions, 0 templates, inherited 4 times



Coded value

prsb03-dataelement-13913

Id prsb03-dataelement-13913 (2021-02-02 22:58:31)

Description	The coded value for the organisation.	
Operationalization	NHS data dictionary :- Organisational identifier	
Value Domain		
Property	min length	max length
	3	8
⌚ Used by	0 transactions, 0 templates, inherited 4 times	

 Free text	prsb03-dataelement-13914
---	--------------------------

Id	prsb03-dataelement-13914 (2021-02-02 23:02:16)
Concept inherits from	 <i>prsb03-dataelement-13886 (2021-02-01 18:42:31)</i>
Description	Free text field to provide further detail or be used if no code is available.
Operationalization	Free text.
Value Domain	
Property	max length
	150
⌚ Used by	0 transactions, 0 templates, inherited 4 times

 Professional identifier	prsb03-dataelement-13915
---	--------------------------

Id	prsb03-dataelement-13915 (2021-02-02 23:06:19)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.636 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary :- Professional registration entry identifier
Value Domain	
Property	max length
	32
⌚ Used by	0 transactions, 0 templates, inherited 4 times



Date completed

prsb03-dataelement-13916

Id prsb03-dataelement-13916 (2021-02-02 23:12:04)

Description The date and time the record was completed.

Rationale Composition.date

Operationalization Date and time.


Value Domain

Property

Timestamp precision

at least day, month and year, hour and minute

Used by 0 transactions, 0 templates, inherited 4 times



Contact details

prsb03-dataelement-13917

Id prsb03-dataelement-13917 (2021-02-02 23:16:07)

Description Contact details of the person completing the record (e.g. telephone number, email address etc.).

2.1.637 Properties

FHIR PractitionerRole.telecom

Rationale Practitioner.telecom

PractitionerRole.telecom

Organisation.telecom

Operationalization NHS data dictionary :- UK telephone number


Value Domain

Property

max length

35

Used by 0 transactions, 0 templates, inherited 4 times



Three talk model cluster

prsb03-dataelement-13918

Id prsb03-dataelement-13918 (2021-02-03 09:38:31)

Description A structured entry in the record for clinicians following the three talk model approach to shared decision making.



Team talk

prsb03-dataelement-13919

Id	prsb03-dataelement-13919 (2021-02-03 09:46:21)
Description	Details of the team talk (previously choice talk) with the person (Three talk model).
Comment	<p>Overview: The team talk (previously choice talk) includes working together, describing choices, offering support and asking about the person's goals.</p> <p>Suggested phrase: "Let's work as a team to make a decision that suits you best." (Elwyn, 2020)</p> <p>A key purpose of the team talk is to make the the person, who by this point recognises that a health issue that requires a decision has been identified, aware that options exist. The team talk can be done face-to-face, by email or letter, telephone or other means and may include the use of patient decision support tools (Elwyn, 2016).</p> <p>The NICE Shared decision making guideline (in development) states in section 1.2.7: "Ensure the person understands they can take part as fully as they want in making choices about their treatment or care (the 'choice talk' stage of the three-talk model)."</p>

Goals and hopes

prsb03-dataelement-13920

Id	prsb03-dataelement-13920 (2021-02-03 09:51:28)
Description	The overall goals, hopes, aims or targets that the person has. Including anything that the person wants to achieve that relates to their future health and wellbeing. Each goal may include a description of why it is important to the person. Goals may also be ranked in order of importance or priority to the person.
Operationalization	Free text.
Value Domain	

Information and advice given

prsb03-dataelement-13921

Id	prsb03-dataelement-13921 (2021-02-03 09:53:58)
Description	A description of pertinent aspects, including the information and advice given to the person as part of the team talk. This should include any decision support tools used and where a copy of these can be securely obtained.
Comment	According to Elwyn (2016) the team talk discussion may include the following aspects: Establishing collaboration, declaring alternatives, justifying deliberation, checking reaction, deferring closure. See references for further information.
Operationalization	Free text.

Value Domain

Option talk

prsb03-dataelement-13922

Id	prsb03-dataelement-13922 (2021-02-03 09:57:39)
Description	Details of the option talk with the person (Three talk model).
Comment	<p>Overview: The option talk includes a discussion of the options and alternatives and the harms and benefits of these using evidence based risk communication principles.</p> <p>Suggested phrase: "Let's compare the possible options." (Elwyn, 2020)</p> <p>According to Elwyn (2016) the option talk discussion may include the following key aspects: Checking knowledge, listing options, describing options, exploring harms and benefits, providing patient decision support, summarising.</p>

The General Medical Council guidance on Decision making (GMC, 2020) and consent states in section 10 that : "You must give patients the information they want or need to make a decision.

This will usually include: diagnosis and prognosis, uncertainties about the diagnosis or prognosis, including options for further investigation, options for treating or managing the condition, including the option to take no action, the nature of each option, what would be involved, and the desired outcome, the potential benefits, risks of harm, uncertainties about and likelihood of success for each option, including the option to take no action."

The NICE Shared decision making guideline (in development) states in section 1.2.9: "When offering tests, treatments or other healthcare services:

- openly discuss the risks, benefits and consequences of each option, making sure the person knows this includes choosing no treatment, or no change to what they are currently doing (the 'option talk' stage)."

Options entry

prsb03-dataelement-13923

Id	prsb03-dataelement-13923 (2021-02-03 10:05:52)
Description	Record of the options discussed.
Comment	The General Medical Council (GMC) Decision Making and Consent guidance (GMC, 2020) states that when discussing options for treating or managing a condition the clinician involved must include the option to take no action: "Doctors must try to find out what matters to patients so they can share relevant information about the benefits and harms of proposed options and reasonable alternatives, including the option to take no action (Principle 4)."
 Coded value	

prsb03-dataelement-13924

Id	prsb03-dataelement-13924 (2021-02-03 10:11:10)
Description	Coded value of the option discussed.
Operationalization	SNOMED CT.
Value Domain	

Free text

prsb03-dataelement-13925

Id	prsb03-dataelement-13925 (2021-02-03 10:18:29)
Concept inherits from	 prsb03-dataelement-13886 (2021-02-01 18:42:31)
Description	Free text field to provide further detail or be used if no code is available.
Operationalization	Free text.
Value Domain	

Property

max length

150

 Used by	0 transactions, 0 templates, inherited once
---	---

Benefits entry

prsb03-dataelement-13926

Id prsb03-dataelement-13926 (2021-02-03 10:21:37)

Description Record of the benefits discussed for each option.

Comment The General Medical Council (GMC) Decision Making and Consent guidance (GMC, 2020) states in section 21: "You must give patients clear, accurate and up-to-date information, based on the best available evidence, about the potential benefits and risks of harm of each option, including the option to take no action."

🟡 Coded value

prsb03-dataelement-13927

Id prsb03-dataelement-13927 (2021-02-03 10:33:02)

Description Coded value of the benefit discussed.

Operationalization SNOMED CT.

Value Domain

🟡 Free text

prsb03-dataelement-13928

Id prsb03-dataelement-13928 (2021-02-03 10:35:02)

Concept inherits from 🟡 *prsb03-dataelement-13886* (2021-02-01 18:42:31)

Description Free text field to provide further detail or be used if no code is available.

Operationalization Free text.

Value Domain

Property

max length

150

⌚ Used by

0 transactions, 0 templates, inherited once

📁🟡 Risks communication entry

prsb03-dataelement-13929

Id prsb03-dataelement-13929 (2021-02-03 10:39:01)

Description Record of the risks discussed for each option.

Comment The General Medical Council (GMC) Decision Making and Consent guidance (GMC, 2020) states in section 21 that when discussing benefits and harms a clinician should include the following: "Recognised risks of harm that [the clinician] believe[s] anyone in the patient's position would want to know... the effect of the patient's individual clinical circumstances on the probability of a benefit or harm occurring...risks of harm and potential benefits that the patient would consider significant for any reason...any risk of serious harm, however unlikely it is to occur...expected harms, including common side effects and what to do if they occur."

"It wouldn't be reasonable to share every possible risk of harm, potential complication or side effect. Instead, you should tailor the discussion to each individual patient, guided by what matters to them, and share information in a way they can understand." (Section 22).

🟡 Coded value

prsb03-dataelement-13930

Id prsb03-dataelement-13930 (2021-02-03 10:44:43)

Description Coded value of the risk discussed.

Operationalization SNOMED CT.

Value Domain



Free text

prsb03-dataelement-13931

Id prsb03-dataelement-13931 (2021-02-03 10:46:20)

Concept inherits from prsb03-dataelement-13886 (2021-02-01 18:42:31)

Description Free text field to provide further detail or be used if no code is available.

Operationalization Free text.

Value Domain

Property

max length

150



0 transactions, 0 templates, inherited once



Decision talk

prsb03-dataelement-13932

Id prsb03-dataelement-13932 (2021-02-03 11:11:58)

Description Details of the decision talk with the person. This includes details of the decisions made, what the person said was important to them in coming to the decision, and agreed timescales for review.

Comment Overview: The decision talk aims to establish a person's informed preferences and to make preference based decisions.

Suggested phrase: "Tell me what matters most to you for this decision." (Elwyn, 2020)

According to Elwyn (2016) the decision talk discussion may include the following key aspects: Focusing on preferences, eliciting and integrating preferences, moving to a decision, offering review.

The NICE guideline on Shared Decision Making (in draft) states:

In section 1.2.13:

"Make a joint decision or plan about treatment or care and agree when this will be reviewed (the 'decision' or 'planning' stage)."

In section 1.2.14:

"At the end of an appointment, state clearly what decisions have been made to make sure the person agrees with and understands what has been decided, what happens next, what the timescales are, and when it will be reviewed."

In section 1.2.15:

"When writing up the consultation, record any decisions made along with details of what the person said was important to them in making those decisions."

Operationalization Free text.

Value Domain

		Performing professional	prsb03-dataelement-13933
--	--	-------------------------	--------------------------

Id prsb03-dataelement-13933 (2021-02-03 11:17:05)

Description The professional who conducted the shared decision making conversation (Three talk model).

Relationship Performing professional (*prsb03-dataelement-13896 - 2021-02-01 19:50:38*)

	Organisation	prsb03-dataelement-13934
--	--------------	--------------------------

Id prsb03-dataelement-13934 (2021-02-03 11:20:19)

Concept inherits from prsb03-dataelement-13902 (2021-02-02 18:16:27)

Description The name of the organisation the professional works for.

Value Domain

Used by 0 transactions, 0 templates, inherited 2 times

	Name	prsb03-dataelement-13935
--	------	--------------------------

Id prsb03-dataelement-13935 (2021-02-03 11:20:19)

Concept inherits from prsb03-dataelement-13897 (2021-02-01 20:13:26)

Description The name of the professional.

Rationale Practitioner.name

Operationalization Free text.

Value Domain

Property

max length

70

Used by 0 transactions, 0 templates, inherited 2 times

	Role	prsb03-dataelement-13936
--	------	--------------------------

Id prsb03-dataelement-13936 (2021-02-03 11:20:19)

Concept inherits from prsb03-dataelement-13898 (2021-02-01 20:17:22)

Description The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc.

Rationale Practitioner.PractitionerRole.code

Operationalization FHIR value set:- SDSjobrolename

Value Domain

⌚ Used by 0 transactions, 0 templates, inherited 2 times



Grade

prsb03-dataelement-13937

Id prsb03-dataelement-13937 (2021-02-03 11:20:19)

Concept inherits from 🌟 *prsb03-dataelement-13899* (2021-02-01 20:23:02)

Description The grade of the professional.

Rationale PractitionerRole.code

Operationalization Free text.

Value Domain

Property

max length

150

⌚ Used by 0 transactions, 0 templates, inherited 2 times



Specialty

prsb03-dataelement-13938

Id prsb03-dataelement-13938 (2021-02-03 11:20:19)

Concept inherits from 🌟 *prsb03-dataelement-13900* (2021-02-01 20:28:38)

Description The specialty of the professional e.g. physiotherapy, oncology, mental health etc.

Rationale PractitionerRole.speciality

Operationalization NHS data dictionary :- Care professional main speciality code

Value Domain

Property

min length

max length

3

3

⌚ Used by 0 transactions, 0 templates, inherited 2 times



Professional identifier

prsb03-dataelement-13939

Id prsb03-dataelement-13939 (2021-02-03 11:20:19)

Concept inherits from 🌟 *prsb03-dataelement-13901* (2021-02-02 18:12:20)

Description	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.
Rationale	Practitioner.identifier (for professional national identifiers), PractitionerRole.identifier (for local role identifiers)
Operationalization	NHS data dictionary :- Professional registration entry identifier
Value Domain	
Property	<div style="display: flex; align-items: center;"> max length 32 </div>
Used by	0 transactions, 0 templates, inherited 2 times

  Organisation

prsb03-dataelement-13940

Id	prsb03-dataelement-13940 (2021-02-03 11:20:19)
Concept inherits from	 <i>prsb03-dataelement-13903 (2021-02-02 21:35:36)</i>
Description	The name of the organisation the professional works for.
Used by	0 transactions, 0 templates, inherited 2 times

 Coded value

prsb03-dataelement-13941

Id	prsb03-dataelement-13941 (2021-02-03 11:20:19)
Concept inherits from	 <i>prsb03-dataelement-13904 (2021-02-02 21:41:22)</i>
Description	The coded value for the organisation.
Operationalization	NHS data dictionary :- Organisation identifier
Value Domain	
Property	<div style="display: flex; align-items: center;"> min length max length </div>
	3 8
Used by	0 transactions, 0 templates, inherited 2 times

 Free text

prsb03-dataelement-13942

Id	prsb03-dataelement-13942 (2021-02-03 11:20:19)
Concept inherits from	 <i>prsb03-dataelement-13905 (2021-02-02 21:45:00)</i>
Description	Free text field to provide further detail or be used if no code is available.
Operationalization	Free text.

Value Domain


Property

max length

150

⌚ Used by

0 transactions, 0 templates, inherited 2 times



Contact details

prsb03-dataelement-13943

Id

prsb03-dataelement-13943 (2021-02-03 11:20:19)

Concept inherits from

prsb03-dataelement-13906 (2021-02-02 21:51:13)

Description

Contact details of the professional.

Rationale

Practitioner.telecom

PractitionerRole.telecom

Organisation.telecom

Operationalization

NHS data dictionary :- UK telephone number

Value Domain

Property

max length

35

⌚ Used by

0 transactions, 0 templates, inherited 2 times



Person completing record

prsb03-dataelement-13944

Id

prsb03-dataelement-13944 (2021-02-03 11:48:41)

Concept inherits from

prsb03-dataelement-13907 (2021-02-02 22:27:51)

Description

Details of the person completing the record.

⌚ Used by

0 transactions, 0 templates, inherited once



Name

prsb03-dataelement-13945

Id

prsb03-dataelement-13945 (2021-02-03 11:49:43)

Concept inherits from

prsb03-dataelement-13908 (2021-02-02 22:35:30)

Description

The name of the person completing the record.

Rationale

Composition.author.Practitioner.name

Operationalization

Free text.

Value Domain

Used by

0 transactions, 0 templates, inherited once



Role

prsb03-dataelement-13946

Id

prsb03-dataelement-13946 (2021-02-03 11:49:43)

Concept inherits from

prsb03-dataelement-13909 (2021-02-02 22:37:50)

Description

The organisational role of the person completing the record.

2.1.638 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Rationale

Composition.author.PractitionerRole.code

Operationalization

FHIR value set :- SDSJobRoleName

Value Domain

Property

min length **max length**

5 5

Used by

0 transactions, 0 templates, inherited once



Grade

prsb03-dataelement-13947

Id

prsb03-dataelement-13947 (2021-02-03 11:49:43)

Concept inherits from

prsb03-dataelement-13910 (2021-02-02 22:42:50)

Description

The grade of the person completing the record.

Rationale

PractitionerRole.code

Operationalization

Free text.

Value Domain

Property

max length

150

Used by

0 transactions, 0 templates, inherited once



Specialty

prsb03-dataelement-13948

Id

prsb03-dataelement-13948 (2021-02-03 11:49:43)

Concept inherits from	 prsb03-dataelement-13911 (2021-02-02 22:47:46)
Description	The main specialty of the person completing the record.

2.1.639 Properties

FHIR  PractitionerRole.specialty

Rationale  PractitionerRole.specialty

Operationalization  NHS data dictionary :- Activity treatment function code

Value Domain

Property

 max length

3

 Used by  0 transactions, 0 templates, inherited once

Organisation

prsb03-dataelement-13949

Id  prsb03-dataelement-13949 (2021-02-03 11:49:43)

Concept inherits from  prsb03-dataelement-13912 (2021-02-02 22:55:15)

Description  The organisation the person completing the record works for.

 Used by  0 transactions, 0 templates, inherited once

Coded value

prsb03-dataelement-13950

Id  prsb03-dataelement-13950 (2021-02-03 11:49:43)

Concept inherits from  prsb03-dataelement-13913 (2021-02-02 22:58:31)

Description  The coded value for the organisation.

Operationalization  NHS data dictionary :- Organisational identifier

Value Domain

Property

 min length  max length

3

8

 Used by  0 transactions, 0 templates, inherited once

Free text

prsb03-dataelement-13951

Id  prsb03-dataelement-13951 (2021-02-03 11:49:43)

Concept inherits from	 prsb03-dataelement-13914 (2021-02-02 23:02:16)		
Description	Free text field to provide further detail or be used if no code is available.		
Operationalization	Free text.		
Value Domain			
Property	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center; padding: 5px;">max length</td> </tr> <tr> <td style="text-align: center; padding: 5px;">150</td> </tr> </table>	max length	150
max length			
150			
 Used by	0 transactions, 0 templates, inherited once		

 Professional identifier	prsb03-dataelement-13952
---	--------------------------

Id	prsb03-dataelement-13952 (2021-02-03 11:49:43)
Concept inherits from	 prsb03-dataelement-13915 (2021-02-02 23:06:19)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.640 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)		
Operationalization	NHS data dictionary :- Professional registration entry identifier		
Value Domain			
Property	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center; padding: 5px;">max length</td> </tr> <tr> <td style="text-align: center; padding: 5px;">32</td> </tr> </table>	max length	32
max length			
32			
 Used by	0 transactions, 0 templates, inherited once		

 Date completed	prsb03-dataelement-13953
--	--------------------------

Id	prsb03-dataelement-13953 (2021-02-03 11:49:43)
Concept inherits from	 prsb03-dataelement-13916 (2021-02-02 23:12:04)
Description	The date and time the record was completed.
Rationale	Composition.date
Operationalization	Date and time.
Value Domain	

Property

Timestamp precision

at least day, month and year, hour and minute

🕒 Used by

0 transactions, 0 templates, inherited once



Contact details

prsb03-dataelement-13954

Id

prsb03-dataelement-13954 (2021-02-03 11:49:43)

Concept inherits from

🟡 prsb03-dataelement-13917 (2021-02-02 23:16:07)

Description

Contact details of the person completing the record (e.g. telephone number, email address etc.).

2.1.641 Properties

FHIR PractitionerRole.telecom

Rationale Practitioner.telecom

PractitionerRole.telecom

Organisation.telecom

Operationalization NHS data dictionary :- UK telephone number

Value Domain

Property

max length

35

🕒 Used by

0 transactions, 0 templates, inherited once



Post-appointment actions

prsb03-dataelement-14076

Id

prsb03-dataelement-14076 (2021-02-17 23:58:44)

Description

A record of the actions taken to support the shared decision after the appointment. For example printouts summarising the options or decisions made, signposting to relevant online or physical information resources.

Comment

The NICE Shared Decision Making guideline (in draft) states in section 1.2.16 that after appointments:

"Give people resources to help them understand what was discussed and decided in their appointment. This could be a printout summarising the options and decisions or plans made, and links to high-quality online resources (for example, relevant NICE guidelines). Ideally, give people this material to take away, or provide it very soon after the appointment."

In 1.2.17:

"In secondary or tertiary care, consider asking the person if they would like a letter

detailing the information from their appointment to be sent to them and copied to their GP. Letters should be written in line with Academy of Medical Royal Colleges guidance on writing outpatient clinical letters to patients."

Operationalization Free text.

 Performance measures	prsb03-dataelement-14093
--	--------------------------

Id prsb03-dataelement-14093 (2021-02-18 02:32:03)

Description A record of any performance measures used for measuring the effectiveness of shared decision making. e.g. CollaboRATE, Observer OPTION 5, Observer OPTION 12, SDM-Q-9 / SDM-Q-Doc etc.

 Performance measure item entry	prsb03-dataelement-14157
--	--------------------------

Id prsb03-dataelement-14157 (2021-02-23 23:46:10)

Description Generic record of any shared decision performance measuring tools used.

Relationship Decision support tool item entry (*prsb03-dataelement-13955 - 2021-02-03 13:43:54*)

 Performance measure identifier	prsb03-dataelement-14158
--	--------------------------

Id prsb03-dataelement-14158 (2021-02-23 23:57:25)

Description Any alphanumeric identifier associated with the performance measure (if applicable).

Relationship Decision support tool identifier (*prsb03-dataelement-14092 - 2021-02-18 02:21:49*)

Operationalization Free text.

Value Domain

 Performance measure name	prsb03-dataelement-14159
--	--------------------------

Id prsb03-dataelement-14159 (2021-02-23 23:57:25)

Description The name of the performance measure.

Relationship Decision support tool name (*prsb03-dataelement-13956 - 2021-02-03 13:53:18*)

Operationalization Free text.

Value Domain

 Used by 0 transactions, 0 templates, inherited once

 Performance measure output	prsb03-dataelement-14160
--	--------------------------

Id prsb03-dataelement-14160 (2021-02-23 23:57:25)

Description The output of the performance measure e.g. score or free text.

Relationship Decision support tool type (*prsb03-dataelement-13957 - 2021-02-03 13:59:31*)

Operationalization Free text

Value Domain

 Performance measure location	prsb03-dataelement-14161
--	--------------------------

Id prsb03-dataelement-14161 (2021-02-23 23:57:25)

Description The URL for the performance measure.

Relationship Decision support tool location (*prsb03-dataelement-13958 - 2021-02-03 14:14:39*)

Operationalization Free text.

Value Domain

 Performance measure MIME type	prsb03-dataelement-14162
---	--------------------------

Id prsb03-dataelement-14162 (2021-02-23 23:57:25)

Description MIME type of the document e.g. application, pdf, website.

Relationship Decision support tool MIME type (*prsb03-dataelement-13959 - 2021-02-03 14:32:12*)

Operationalization Free text.

Value Domain

  CollaboRATE	prsb03-dataelement-14137
---	--------------------------

Id prsb03-dataelement-14137 (2021-02-22 13:24:45)

Description CollaboRATE is a patient-reported measure of shared decision making. The tool can be completed following a clinical encounter by patients, their parent(s) or guardian(s), or individuals representing the patient.

Comment CollaboRATE has been produced for use in research or as part of routine direct care. It can be used under a Creative Commons Attribution-NonCommerical-NoDerivs 3.0 Unported license.

  CollaboRATE for patients (5 point scale)	prsb03-dataelement-14149
--	--------------------------

Id prsb03-dataelement-14149 (2021-02-22 16:44:34)

Description A record of the person's CollaboRATE for patients score (5 point scale)

Relationship CollaboRATE for parents or guardians (10 point scale) (*prsb03-dataelement-14138 - 2021-02-22 13:29:35*)

 Question 1 score	prsb03-dataelement-14150
--	--------------------------

Id prsb03-dataelement-14150 (2021-02-22 16:45:34)

Description Score (0 - 4) for CollaboRATE Q1:

Thinking about the appointment you have just had...How much effort was made to help you understand your health issues?

Relationship Question 1 score (*prsb03-dataelement-14139 - 2021-02-22 13:36:41*)

Operationalization Ordinal scale (0 - 4)

0 = No effort was made ; 1 = A little effort was made ; 2 = Some effort was made ; 3 = A lot of effort was made ; 4 = Every effort was made

Value Domain



Question 2 score

prsb03-dataelement-14151

Id prsb03-dataelement-14151 (2021-02-22 16:45:34)

Description Score (0 - 9) for CollaboRATE Q2:

Thinking about the appointment you have just had...How much effort was made to listen to the things that matter most to you about your health issues?

Relationship Question 2 score (*prsb03-dataelement-14141 - 2021-02-22 13:51:37*)

Operationalization Ordinal scale (0 - 4)

0 = No effort was made ; 1 = A little effort was made ; 2 = Some effort was made ; 3 = A lot of effort was made ; 4 = Every effort was made

Value Domain



Question 3 score

prsb03-dataelement-14152

Id prsb03-dataelement-14152 (2021-02-22 16:45:34)

Description Score (0 - 9) for CollaboRATE Q3:

Thinking about the appointment you have just had...How much effort was made to include what matters most to you in choosing what to do next?

Relationship Question 3 score (*prsb03-dataelement-14140 - 2021-02-22 13:49:39*)

Operationalization Ordinal scale (0 - 4)

0 = No effort was made ; 1 = A little effort was made ; 2 = Some effort was made ; 3 = A lot of effort was made ; 4 = Every effort was made

Value Domain



CollaboRATE for patients (10 point scale)

prsb03-dataelement-14142

Id prsb03-dataelement-14142 (2021-02-22 14:03:15)

Description A record of the person's CollaboRATE for patients score (10 point scale)

Relationship CollaboRATE for parents or guardians (10 point scale) (*prsb03-dataelement-14138 - 2021-02-22 13:29:35*)



Question 1 score

prsb03-dataelement-14146

Id prsb03-dataelement-14146 (2021-02-22 14:06:37)

Description Score (0 - 9) for CollaboRATE Q1:

Thinking about the appointment you have just had...How much effort was made to help you understand your health issues?

Relationship Question 1 score (*prsb03-dataelement-14139 - 2021-02-22 13:36:41*)

Operationalization Ordinal scale (0 - 9)

0 = No effort was made ; 9 = Every effort was made

Value Domain

 Question 2 score prsb03-dataelement-14147

Id prsb03-dataelement-14147 (2021-02-22 14:06:37)

Description Score (0 - 9) for CollaboRATE Q2:

Thinking about the appointment you have just had...How much effort was made to listen to the things that matter most to you about your health issues?

Relationship Question 2 score (*prsb03-dataelement-14141 - 2021-02-22 13:51:37*)

Operationalization Ordinal scale (0 - 9)

0 = No effort was made ; 9 = Every effort was made

Value Domain

 Question 3 score prsb03-dataelement-14148

Id prsb03-dataelement-14148 (2021-02-22 14:06:37)

Description Score (0 - 9) for CollaboRATE Q3:

Thinking about the appointment you have just had...How much effort was made to include what matters most to you in choosing what to do next?

Relationship Question 3 score (*prsb03-dataelement-14140 - 2021-02-22 13:49:39*)

Operationalization Ordinal scale (0 - 9)

0 = No effort was made ; 9 = Every effort was made

Value Domain

 CollaboRATE for parents or guardians (10 point scale) prsb03-dataelement-14138

Id prsb03-dataelement-14138 (2021-02-22 13:29:35)

Description A record of the person's CollaboRATE for parents or guardians score (10 point scale)

 Question 1 score prsb03-dataelement-14139

Id prsb03-dataelement-14139 (2021-02-22 13:36:41)

Description Score (0 - 9) for CollaboRATE Q1:

Thinking about the appointment you have just had...How much effort was made to help you understand your child's health issues?

Operationalization Ordinal scale (0 - 9)

0 = No effort was made ; 9 = Every effort was made

Value Domain



Question 2 score

prsb03-dataelement-14141

Id prsb03-dataelement-14141 (2021-02-22 13:51:37)

Description Score (0 - 9) for CollaboRATE Q2:

Thinking about the appointment you have just had...How much effort was made to listen to the things that matter most to you about your child's health issues?

Relationship Question 1 score (*prsb03-dataelement-14139 - 2021-02-22 13:36:41*)

Operationalization Ordinal scale (0 - 9)

0 = No effort was made ; 9 = Every effort was made

Value Domain



Question 3 score

prsb03-dataelement-14140

Id prsb03-dataelement-14140 (2021-02-22 13:49:39)

Description Score (0 - 9) for CollaboRATE Q3:

Thinking about the appointment you have just had...How much effort was made to include what matters most to you in choosing what to do next?

Relationship Question 1 score (*prsb03-dataelement-14139 - 2021-02-22 13:36:41*)

Operationalization Ordinal scale (0 - 9)

0 = No effort was made ; 9 = Every effort was made

Value Domain



CollaboRATE for individuals acting on behalf of patients (10 point scale)

prsb03-dataelement-14153

Id prsb03-dataelement-14153 (2021-02-23 23:13:48)

Description A record of the person's CollaboRATE for individuals acting on behalf of patients (10 point scale)

Relationship CollaboRATE for parents or guardians (10 point scale) (*prsb03-dataelement-14138 - 2021-02-22 13:29:35*)

 Question 1 score

prsb03-dataelement-14154

Id prsb03-dataelement-14154 (2021-02-23 23:16:54)

Description Score (0 - 9) for CollaboRATE Q1:

Thinking about the appointment you have just had...How much effort was made to help you understand the patient's health issues?

Relationship Question 1 score (*prsb03-dataelement-14139 - 2021-02-22 13:36:41*)

Operationalization Ordinal scale (0 - 9)

0 = No effort was made ; 9 = Every effort was made

Value Domain

 Question 2 score

prsb03-dataelement-14155

Id prsb03-dataelement-14155 (2021-02-23 23:16:54)

Description Score (0 - 9) for CollaboRATE Q2:

Thinking about the appointment you have just had...How much effort was made to listen to the things that matter most to you about the patient's health issues?

Relationship Question 2 score (*prsb03-dataelement-14141 - 2021-02-22 13:51:37*)

Operationalization Ordinal scale (0 - 9)

0 = No effort was made ; 9 = Every effort was made

Value Domain

 Question 3 score

prsb03-dataelement-14156

Id prsb03-dataelement-14156 (2021-02-23 23:16:54)

Description Score (0 - 9) for CollaboRATE Q3:

Thinking about the appointment you have just had...How much effort was made to include what matters most to you in choosing what to do next for the patient?

Relationship Question 3 score (*prsb03-dataelement-14140 - 2021-02-22 13:49:39*)

Operationalization Ordinal scale (0 - 9)

0 = No effort was made ; 9 = Every effort was made

Value Domain

 9-item shared decision making questionnaire

prsb03-dataelement-14163

Id prsb03-dataelement-14163 (2021-02-24 00:11:44)

Description	A digitised version of the 9-item shared decision making questionnaire, which is composed of the SDM-Q-9 (patient-reported) and SDM-Q-Doc (clinician reported) performance measures.
Comment	The measures were developed for use in research and clinical practice and, according to the authors, should only be applied in the context of preference sensitive decisions <i>i.e.</i> where there are several treatment options for a particular disease.



SDM-Q-9

prsb03-dataelement-14164

Id prsb03-dataelement-14164 (2021-02-24 00:18:07)

Description Digitised entry for the SDM-Q-9 performance measure.

Comment The SDM-Q-9 is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License



Health complaint/problem/illness entry

prsb03-dataelement-14165

Id prsb03-dataelement-14165 (2021-02-24 00:21:08)

Description Please indicate which health complaint/problem/illness the consultation was about:

Operationalization Free text.

Value Domain



Decision entry

prsb03-dataelement-14166

Id prsb03-dataelement-14166 (2021-02-24 00:23:02)

Description Please indicate which decision was made:

Operationalization Free text.

Value Domain



Question 1 response

prsb03-dataelement-14175

Id prsb03-dataelement-14175 (2021-02-24 00:53:17)

Description For each statement please indicate how much you agree or disagree:

My doctor made clear that a decision needs to be made.

Relationship Question 2 response (*prsb03-dataelement-14174 - 2021-02-24 00:49:22*)

Operationalization 1 = completely disagree ; 2 = strongly disagree ; 3 = somewhat disagree ; 4 = somewhat agree ; 5 = strongly agree ; 6 = completely agree

Value Domain



Question 2 response

prsb03-dataelement-14174

Id prsb03-dataelement-14174 (2021-02-24 00:49:22)
Description For each statement please indicate how much you agree or disagree:

My doctor wanted to know exactly how I want to be involved in making the decision.

Relationship Question 3 response (*prsb03-dataelement-14173 - 2021-02-24 00:47:12*)

Operationalization 1 = completely disagree ; 2 = strongly disagree ; 3 = somewhat disagree ; 4 = somewhat agree ; 5 = strongly agree ; 6 = completely agree

Value Domain

 Question 3 response

prsb03-dataelement-14173

Id prsb03-dataelement-14173 (2021-02-24 00:47:12)

Description For each statement please indicate how much you agree or disagree:

My doctor told me that there are different options for treating my medical condition.

Relationship Question 4 response (*prsb03-dataelement-14172 - 2021-02-24 00:44:57*)

Operationalization 1 = completely disagree ; 2 = strongly disagree ; 3 = somewhat disagree ; 4 = somewhat agree ; 5 = strongly agree ; 6 = completely agree

Value Domain

 Question 4 response

prsb03-dataelement-14172

Id prsb03-dataelement-14172 (2021-02-24 00:44:57)

Description For each statement please indicate how much you agree or disagree:

My doctor precisely explained the advantages and disadvantages of the treatment options.

Relationship Question 5 response (*prsb03-dataelement-14171 - 2021-02-24 00:42:32*)

Operationalization 1 = completely disagree ; 2 = strongly disagree ; 3 = somewhat disagree ; 4 = somewhat agree ; 5 = strongly agree ; 6 = completely agree

Value Domain



Question 5 response

prsb03-dataelement-14171

Id prsb03-dataelement-14171 (2021-02-24 00:42:32)

Description For each statement please indicate how much you agree or disagree:

My doctor helped me understand all the information.

Relationship Question 6 response (*prsb03-dataelement-14170 - 2021-02-24 00:39:55*)

Operationalization 1 = completely disagree ; 2 = strongly disagree ; 3 = somewhat disagree ; 4 = somewhat agree ; 5 = strongly agree ; 6 = completely agree

Value Domain



Question 6 response

prsb03-dataelement-14170

Id prsb03-dataelement-14170 (2021-02-24 00:39:55)

Description For each statement please indicate how much you agree or disagree:

My doctor asked me which treatment option I prefer.

Relationship Question 7 response (*prsb03-dataelement-14169 - 2021-02-24 00:37:19*)

Operationalization 1 = completely disagree ; 2 = strongly disagree ; 3 = somewhat disagree ; 4 = somewhat agree ; 5 = strongly agree ; 6 = completely agree

Value Domain



Question 7 response

prsb03-dataelement-14169

Id prsb03-dataelement-14169 (2021-02-24 00:37:19)

Description For each statement please indicate how much you agree or disagree:

My doctor and I thoroughly weighed the different treatment options.

Relationship Question 8 response (*prsb03-dataelement-14168 - 2021-02-24 00:30:29*)

Operationalization 1 = completely disagree ; 2 = strongly disagree ; 3 = somewhat disagree ; 4 = somewhat agree ; 5 = strongly agree ; 6 = completely agree

Value Domain



Question 8 response

prsb03-dataelement-14168

Id prsb03-dataelement-14168 (2021-02-24 00:30:29)

Description For each statement please indicate how much you agree or disagree:

My doctor and I selected a treatment option together.

Relationship Question 9 response (*prsb03-dataelement-14167 - 2021-02-24 00:24:56*)

Operationalization 1 = completely disagree ; 2 = strongly disagree ; 3 = somewhat disagree ; 4 = somewhat agree ; 5 = strongly agree ; 6 = completely agree

Value Domain



Question 9 response

prsb03-dataelement-14167

Id prsb03-dataelement-14167 (2021-02-24 00:24:56)

Description For each statement please indicate how much you agree or disagree:

My doctor and I reached an agreement on how to proceed.

Operationalization 1 = completely disagree ; 2 = strongly disagree ; 3 = somewhat disagree ; 4 = somewhat agree ; 5 = strongly agree ; 6 = completely agree

Value Domain



SDM-Q-Doc


prsb03-dataelement-14176

Id prsb03-dataelement-14176 (2021-02-24 00:56:53)

Description Digitised entry for the SDM-Q-Doc performance measure (Physician version).

Relationship SDM-Q-9 (*prsb03-dataelement-14164 - 2021-02-24 00:18:07*)

Comment The SDM-Q-Doc is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License



Health complaint/problem/illness entry

prsb03-dataelement-14187

Id	prsb03-dataelement-14187 (2021-02-24 00:57:54)
Description	Please indicate which health complaint/problem/illness the consultation was about:
Relationship	Health complaint/problem/illness entry (<i>prsb03-dataelement-14165 - 2021-02-24 00:21:08</i>)
Operationalization	Free text.
Value Domain	



Decision entry

prsb03-dataelement-14186

Id	prsb03-dataelement-14186 (2021-02-24 00:57:54)
Description	Please indicate which decision was made:
Relationship	Decision entry (<i>prsb03-dataelement-14166 - 2021-02-24 00:23:02</i>)
Operationalization	Free text.
Value Domain	



Question 1 response

prsb03-dataelement-14177

Id	prsb03-dataelement-14177 (2021-02-24 00:57:54)
Description	For each statement please indicate how much you agree or disagree:

I made clear to my patient that a decision needs to be made.

Relationship	Question 1 response (<i>prsb03-dataelement-14175 - 2021-02-24 00:53:17</i>)
Operationalization	1 = completely disagree ; 2 = strongly disagree ; 3 = somewhat disagree ; 4 = somewhat agree ; 5 = strongly agree ; 6 = completely agree

Value Domain	
--------------	--



Question 2 response

prsb03-dataelement-14178

Id	prsb03-dataelement-14178 (2021-02-24 00:57:54)
Description	For each statement please indicate how much you agree or disagree:

I wanted to know exactly from my patient how he/she wants to be involved in making the decision.

Relationship Question 2 response (*prsb03-dataelement-14174 - 2021-02-24 00:49:22*)

Operationalization 1 = completely disagree ; 2 = strongly disagree ; 3 = somewhat disagree ; 4 = somewhat agree ; 5 = strongly agree ; 6 = completely agree

Value Domain

 Question 3 response

prsb03-dataelement-14179

Id prsb03-dataelement-14179 (2021-02-24 00:57:54)

Description For each statement please indicate how much you agree or disagree:

I told my patient that there are different options for treating his/her medical condition.

Relationship Question 3 response (*prsb03-dataelement-14173 - 2021-02-24 00:47:12*)

Operationalization 1 = completely disagree ; 2 = strongly disagree ; 3 = somewhat disagree ; 4 = somewhat agree ; 5 = strongly agree ; 6 = completely agree

Value Domain

 Question 4 response

prsb03-dataelement-14180

Id prsb03-dataelement-14180 (2021-02-24 00:57:54)

Description For each statement please indicate how much you agree or disagree:

I precisely explained the advantages and disadvantages of the treatment options to my patient.

Relationship Question 4 response (*prsb03-dataelement-14172 - 2021-02-24 00:44:57*)

Operationalization 1 = completely disagree ; 2 = strongly disagree ; 3 = somewhat disagree ; 4 = somewhat agree ; 5 = strongly agree ; 6 = completely agree

Value Domain

 Question 5 response

prsb03-dataelement-14181

Id prsb03-dataelement-14181 (2021-02-24 00:57:54)

Description For each statement please indicate how much you agree or disagree:

I helped my patient understand all the information.

Relationship Question 5 response (*prsb03-dataelement-14171 - 2021-02-24 00:42:32*)

Operationalization 1 = completely disagree ; 2 = strongly disagree ; 3 = somewhat disagree ; 4 = somewhat agree ; 5 = strongly agree ; 6 = completely agree

Value Domain

 Question 6 response

prsb03-dataelement-14182

Id prsb03-dataelement-14182 (2021-02-24 00:57:54)

Description For each statement please indicate how much you agree or disagree:

I asked my patient which treatment option he/she prefers.

Relationship Question 6 response (*prsb03-dataelement-14170 - 2021-02-24 00:39:55*)

Operationalization 1 = completely disagree ; 2 = strongly disagree ; 3 = somewhat disagree ; 4 = somewhat agree ; 5 = strongly agree ; 6 = completely agree

Value Domain

 Question 7 response

prsb03-dataelement-14183

Id prsb03-dataelement-14183 (2021-02-24 00:57:54)

Description For each statement please indicate how much you agree or disagree:

My patient and I thoroughly weighed the different treatment options.

Relationship Question 7 response (*prsb03-dataelement-14169 - 2021-02-24 00:37:19*)

Operationalization 1 = completely disagree ; 2 = strongly disagree ; 3 = somewhat disagree ; 4 = somewhat agree ; 5 = strongly agree ; 6 = completely agree

Value Domain

 Question 8 response

prsb03-dataelement-14184

Id prsb03-dataelement-14184 (2021-02-24 00:57:54)

Description For each statement please indicate how much you agree or disagree:

My patient and I selected a treatment option together.

Relationship Question 8 response (*prsb03-dataelement-14168 - 2021-02-24 00:30:29*)

Operationalization 1 = completely disagree ; 2 = strongly disagree ; 3 = somewhat disagree ; 4 = somewhat agree ; 5 = strongly agree ; 6 = completely agree

Value Domain



Question 9 response

prsb03-dataelement-14185

Id prsb03-dataelement-14185 (2021-02-24 00:57:54)

Description For each statement please indicate how much you agree or disagree:

My patient and I reached an agreement on how to proceed.

Relationship Question 9 response (*prsb03-dataelement-14167 - 2021-02-24 00:24:56*)

Operationalization 1 = completely disagree ; 2 = strongly disagree ; 3 = somewhat disagree ; 4 = somewhat agree ; 5 = strongly agree ; 6 = completely agree

Value Domain



Documenting consent

prsb03-dataelement-14194

Id prsb03-dataelement-14194 (2021-02-25 23:10:18)

Description A record of documents recording consent for an intervention.



Consent for procedure record entry

prsb03-dataelement-14195

Id prsb03-dataelement-14195 (2021-02-25 23:14:06)

Description This is a consent for procedure record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items



Performance measure name

prsb03-dataelement-14205

Id prsb03-dataelement-14205 (2021-02-25 23:53:24)

Concept inherits from *prsb03-dataelement-14159 (2021-02-23 23:57:25)*

Description The name of the performance measure.

Relationship Decision support tool name (*prsb03-dataelement-13956 - 2021-02-03 13:53:18*)

Operationalization Free text.

Value Domain



date

prsb03-dataelement-14196

Id prsb03-dataelement-14196 (2021-02-25 23:18:47)

Description The date when consent was taken.

Operationalization Date and time.

Value Domain

Property

Timestamp precision

at least day, month and year



Location

prsb03-dataelement-14197

Id prsb03-dataelement-14197 (2021-02-25 23:22:58)

Description The location where consent was taken.



Coded value

prsb03-dataelement-14198

Id prsb03-dataelement-14198 (2021-02-25 23:24:04)

Description The coded value for location.

Operationalization NHS data dictionary : - Organisation data service code

Value Domain



Free text

prsb03-dataelement-14199

Id prsb03-dataelement-14199 (2021-02-25 23:26:22)

Concept inherits from prsb03-dataelement-13886 (2021-02-01 18:42:31)

Description Free text field to provide further detail or be used if no code is available.

Operationalization Free text.

Value Domain

Property

max length

150



Consent form type

prsb03-dataelement-14200

Id prsb03-dataelement-14200 (2021-02-25 23:33:46)

Description Record of consent form used.



Coded value

prsb03-dataelement-14201

Id	prsb03-dataelement-14201 (2021-02-25 23:37:05)
Description	The coded value for the consent form used.
Operationalization	SNOMED CT : - SNOMED CT: - : 849771000000105 Obtaining consent using form 1 (patient agreement to investigation or treatment) (procedure) OR 849781000000107 Obtaining consent using form 2 (parental agreement to investigation or treatment for a child or young person) (procedure) OR 849791000000109 Obtaining consent using form 3 (patient or parental agreement to investigation or treatment) (procedure) OR 849801000000108 Obtaining consent using form 4 (adults who are unable to consent to investigation or treatment) (procedure)

Value Domain

 Free text	prsb03-dataelement-14202
---	--------------------------

Id	prsb03-dataelement-14202 (2021-02-25 23:41:17)
Concept inherits from	 prsb03-dataelement-13886 (2021-02-01 18:42:31)
Description	Free text field to provide further detail or be used if no code is available.
Operationalization	Free text.

Value Domain

Property	 max length
	150

 Consent form location	prsb03-dataelement-14203
---	--------------------------

Id	prsb03-dataelement-14203 (2021-02-25 23:44:55)
Description	The URL for the consent form.
Operationalization	Free text.

Value Domain

 Consent form MIME type	prsb03-dataelement-14204
--	--------------------------

Id	prsb03-dataelement-14204 (2021-02-25 23:50:13)
Description	MIME type of the document e.g. application, pdf, website.
Operationalization	Free text.

Value Domain

 Performing professional	prsb03-dataelement-14205
---	--------------------------

Id	prsb03-dataelement-14206 (2021-02-25 23:56:44)
Description	The professional who completed the consent form.
Relationship	Performing professional (<i>prsb03-dataelement-13933 - 2021-02-03 11:17:05</i>)

 Organisation	prsb03-dataelement-14206
--	--------------------------

		prsb03-dataelement-14207
Id		prsb03-dataelement-14207 (2021-02-25 23:57:55)
Concept inherits from	 prsb03-dataelement-13934 (2021-02-03 11:20:19)	
Description	The name of the organisation the professional works for.	
Value Domain		
 Name		prsb03-dataelement-14208
Id		prsb03-dataelement-14208 (2021-02-25 23:57:55)
Concept inherits from	 prsb03-dataelement-13935 (2021-02-03 11:20:19)	
Description	The name of the professional.	
Rationale	Practitioner.name	
Operationalization	Free text.	
Value Domain		
Property	max length	
	70	
 Role		prsb03-dataelement-14209
Id		prsb03-dataelement-14209 (2021-02-25 23:57:55)
Concept inherits from	 prsb03-dataelement-13936 (2021-02-03 11:20:19)	
Description	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc.	
Rationale	Practitioner.PractitionerRole.code	
Operationalization	FHIR value set:- SDSjobrolename	
Value Domain		
 Grade		prsb03-dataelement-14210
Id		prsb03-dataelement-14210 (2021-02-25 23:57:55)
Concept inherits from	 prsb03-dataelement-13937 (2021-02-03 11:20:19)	
Description	The grade of the professional.	
Rationale	PractitionerRole.code	
Operationalization	Free text.	
Value Domain		
Property	max length	

150

 Specialty

prsb03-dataelement-14211

Id	prsb03-dataelement-14211 (2021-02-25 23:57:55)				
Concept inherits from	 prsb03-dataelement-13938 (2021-02-03 11:20:19)				
Description	The specialty of the professional e.g. physiotherapy, oncology, mental health etc.				
Rationale	PractitionerRole.speciality				
Operationalization	NHS data dictionary :- Care professional main speciality code				
Value Domain					
Property	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center; padding: 5px;">min length</td> <td style="text-align: center; padding: 5px;">max length</td> </tr> <tr> <td style="text-align: center; padding: 5px;">3</td> <td style="text-align: center; padding: 5px;">3</td> </tr> </table>	min length	max length	3	3
min length	max length				
3	3				

 Professional identifier

prsb03-dataelement-14212

Id	prsb03-dataelement-14212 (2021-02-25 23:57:55)		
Concept inherits from	 prsb03-dataelement-13939 (2021-02-03 11:20:19)		
Description	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.		
Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)		
Operationalization	NHS data dictionary :- Professional registration entry identifier		
Value Domain			
Property	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center; padding: 5px;">max length</td> </tr> <tr> <td style="text-align: center; padding: 5px;">32</td> </tr> </table>	max length	32
max length			
32			

  Organisation

prsb03-dataelement-14213

Id	prsb03-dataelement-14213 (2021-02-25 23:57:55)
Concept inherits from	 prsb03-dataelement-13940 (2021-02-03 11:20:19)
Description	The name of the organisation the professional works for.

 Coded value

prsb03-dataelement-14214

Id	prsb03-dataelement-14214 (2021-02-25 23:57:55)
Concept inherits from	 prsb03-dataelement-13941 (2021-02-03 11:20:19)
Description	The coded value for the organisation.

Operationalization NHS data dictionary :- Organisation identifier

Value Domain

Property

min length	max length
------------	------------

3	8
---	---



Free text

prsb03-dataelement-14215

Id prsb03-dataelement-14215 (2021-02-25 23:57:55)

Concept inherits from prsb03-dataelement-13942 (2021-02-03 11:20:19)

Description Free text field to provide further detail or be used if no code is available.

Operationalization Free text.

Value Domain

Property

max length

150



Contact details

prsb03-dataelement-14216

Id prsb03-dataelement-14216 (2021-02-25 23:57:55)

Concept inherits from prsb03-dataelement-13943 (2021-02-03 11:20:19)

Description Contact details of the professional.

Rationale Practitioner.telecom

PractitionerRole.telecom

Organisation.telecom

Operationalization NHS data dictionary :- UK telephone number

Value Domain

Property

max length

35



Person completing record

prsb03-dataelement-14217

Id prsb03-dataelement-14217 (2021-02-26 00:07:31)

Concept inherits from prsb03-dataelement-13907 (2021-02-02 22:27:51)

Description Details of the person completing the record.



Name

prsb03-dataelement-14218

Id	prsb03-dataelement-14218 (2021-02-26 00:08:20)
Concept inherits from	🟡 <i>prsb03-dataelement-13908</i> (2021-02-02 22:35:30)
Description	The name of the person completing the record.
Rationale	Composition.author.Practitioner.name
Operationalization	Free text.
Value Domain	

🟡 Role	prsb03-dataelement-14219
--------	--------------------------

Id	prsb03-dataelement-14219 (2021-02-26 00:08:20)
Concept inherits from	🟡 <i>prsb03-dataelement-13909</i> (2021-02-02 22:37:50)
Description	The organisational role of the person completing the record.

2.1.642 Properties

FHIR PractitionerRole.code of the practitioner completing the record

Rationale Composition.author.Practitioner.PractitionerRole.code

Operationalization FHIR value set :- SDSJobRoleName

Value Domain

Property	min length	max length
	5	5

🟡 Grade	prsb03-dataelement-14220
---------	--------------------------

Id	prsb03-dataelement-14220 (2021-02-26 00:08:20)
Concept inherits from	🟡 <i>prsb03-dataelement-13910</i> (2021-02-02 22:42:50)
Description	The grade of the person completing the record.
Rationale	PractitionerRole.code
Operationalization	Free text.
Value Domain	

Property	max length
	150

🟡 Specialty	prsb03-dataelement-14221
-------------	--------------------------

Id	prsb03-dataelement-14221 (2021-02-26 00:08:20)
Concept inherits from	🟡 <i>prsb03-dataelement-13911</i> (2021-02-02 22:47:46)

Description The main specialty of the person completing the record.

2.1.643 Properties

FHIR PractitionerRole.specialty

Rationale PractitionerRole.specialty

Operationalization NHS data dictionary :- Activity treatment function code

Value Domain

Property

max length

3



Organisation

prsb03-dataelement-14222

Id prsb03-dataelement-14222 (2021-02-26 00:08:20)

Concept inherits from prsb03-dataelement-13912 (2021-02-02 22:55:15)

Description The organisation the person completing the record works for.



Coded value

prsb03-dataelement-14223

Id prsb03-dataelement-14223 (2021-02-26 00:08:20)

Concept inherits from prsb03-dataelement-13913 (2021-02-02 22:58:31)

Description The coded value for the organisation.

Operationalization NHS data dictionary :- Organisational identifier

Value Domain

Property

min length **max length**

3 8



Free text

prsb03-dataelement-14224

Id prsb03-dataelement-14224 (2021-02-26 00:08:20)

Concept inherits from prsb03-dataelement-13914 (2021-02-02 23:02:16)

Description Free text field to provide further detail or be used if no code is available.

Operationalization Free text.

Value Domain

Property

max length

150



Professional identifier

prsb03-dataelement-14225

Id	prsb03-dataelement-14225 (2021-02-26 00:08:20)
Concept inherits from	🟡 prsb03-dataelement-13915 (2021-02-02 23:06:19)
Description	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.

2.1.644 Properties

FHIR PractitionerRole.Practitioner.identifier (local) Practitioner.identifier (professional)

Rationale	Practitioner.identifier (for professional national identifiers),PractitionerRole.identifier (for local role identifiers)		
Operationalization	NHS data dictionary :- Professional registration entry identifier		
Value Domain			
Property	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="background-color: #d3d3d3; padding: 2px 5px;">max length</td> </tr> <tr> <td style="padding: 2px 5px;">32</td> </tr> </table>	max length	32
max length			
32			

🟡 Date completed

prsb03-dataelement-14226

Id	prsb03-dataelement-14226 (2021-02-26 00:08:20)		
Concept inherits from	🟡 prsb03-dataelement-13916 (2021-02-02 23:12:04)		
Description	The date and time the record was completed.		
Rationale	Composition.date		
Operationalization	Date and time.		
Value Domain			
Property	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="background-color: #d3d3d3; padding: 2px 5px;">Timestamp precision</td> </tr> <tr> <td style="padding: 2px 5px;">at least day, month and year, hour and minute</td> </tr> </table>	Timestamp precision	at least day, month and year, hour and minute
Timestamp precision			
at least day, month and year, hour and minute			

🟡 Contact details

prsb03-dataelement-14227

Id	prsb03-dataelement-14227 (2021-02-26 00:08:20)
Concept inherits from	🟡 prsb03-dataelement-13917 (2021-02-02 23:16:07)
Description	Contact details of the person completing the record (e.g. telephone number, email address etc.).

2.1.645 Properties

FHIR PractitionerRole.telecom

Rationale	Practitioner.telecom
-----------	----------------------

PractitionerRole.telecom
 Organisation.telecom
 Operationalization NHS data dictionary :- UK telephone number
 Value Domain

Property
max length
 35

📁 ✎ Agenda Setting

prsb03-dataelement-14017

Id	prsb03-dataelement-14017 (2021-02-15 11:52:12)
Description	xxxxx

📁 ✎ Generic item to be developed

prsb03-dataelement-13878

Id	prsb03-dataelement-13878 (2021-02-01 16:21:59)
----	--

🌐 Test

prsb03-dataelement-12478

Id	prsb03-dataelement-12478 (2019-06-27 14:43:45) 1
Description	Test
Value Domain	

✖️ Attachments

prsb03-dataelement-10915

Id	prsb03-dataelement-10915 (2019-04-02 15:49:23)
Concept inherits from	🟡 prsb03-dataelement-10012 (2018-10-31)
Description	Documents included as attachments which accompany the communication Data items: * number of attachments * type of attachments * attached documents.
Operationalization	Number of attachments by category: present, pending, missing. Supporting narrative: text for each attachment Attachments: various formats, eg jpeg, word Metadata about the attachments: document name standard under development by PRSB. Possibly use FHIR 'composition'.
Value Domain	

3 Scenarios

3.1 🟡 Community Pharmacy Standard 2021-01-26 11:38:36



🟡 Community Pharmacy Standard

prsb03-scenario-32


Version / effective date 2.1 - 2021-01-26 11:38:36

🟡 🔍 Single Community Pharmacy Standard

prsb03-transaction-213 link

Version / effective date 2.1 - 2021-01-26 11:38:36

Single Community Pharmacy Standard



🟡 🔍 Pharmacy Record

prsb03-transaction-214 link

Version / effective date 2.1 - 2021-01-26 11:38:36

Actor stationary (organization) Pharmacy

Associations Data Set (for transaction) PRSB Record structure and content 1(2.16.840.1.113883.3.1937.777.28.1.1 / 2018-10-31)

Contained concepts

Concept	Card/Conf	Id
📁 Person demographics	1 ... 1 Mandatory	prsb03-dataelement-10868 link
	The person's details and contact information.	
└📁 Person name	1 ... 1 Mandatory	prsb03-dataelement-10869 link
	Details of the person's name	
└🟡 Person first name	1 ... 1 Mandatory	prsb03-dataelement-13799 link
	The first name(s) of the person. This includes middle names.NHS data dictionary :- Person given name	
└🟡 Person family name	1 ... 1 Mandatory	prsb03-dataelement-13800 link
	The family name or surname of the personNHS data dictionary : - Person family name	
└🟡 Person preferred name	0 ... 1	prsb03-dataelement-10870 link

	The name by which a person wishes to be addressed. The preferred name volunteered by the person or a preferred name given by PDS that the person has asked to be called by.NHS data dictionary: - Person full name	
└  Title	0 ... 1	prsb03-dataelement-13089 link
	Person's titleNHS data dictionary: - Person title	
└  Person full name	0 ... 1	prsb03-dataelement-13801 link
	The full name of the person in text representation.NHS data dictionary :- Patient full name	
└  Date of birth	1 ... 1 Mandatory	prsb03-dataelement-10871 link
	The date of birth of the person.NHS data dictionary:- Person birth date	
└  Gender	0 ... 1	prsb03-dataelement-10872 link
	The person's stated gender.NHS data dictionary :- Person stated gender code	
└  Ethnicity	0 ... 1	prsb03-dataelement-10874 link
	The ethnicity of the person as specified by the person.NHS data dictionary :- Ethnic category	
└  Sex	1 ... 1 Mandatory	prsb03-dataelement-10877 link
	The person's phenotypic sex. Determines how the person will be treated clinically.NHS data dictionary: - person phenotypic sex	
└  NHS number	0 ... 1	prsb03-dataelement-10879 link
	The unique identifier for a person within the NHS in England and Wales.NHS data dictionary:- NHS number	
└  Other identifier	0 ... *	prsb03-dataelement-10880 link
	Country specific or local identifier, e.g. Community Health Index (CHI) in Scotland. NHS data dictionary: - Local patient identifier(extended), Health and care number (NI only), Community health index number (Scotland only)	
└  Person's address	1 ... 1 Mandatory	prsb03-dataelement-10881 link
	Person's usual place of residence, and where relevant temporary and correspondence addresses.	
└  Address line 1	1 ... 1 Mandatory	prsb03-dataelement-13082 link
	Person's first line of address. NHS data dictionary :- Address line 1	
└  Address line 2	0 ... 1	prsb03-dataelement-13083 link
	Person's second line of address. NHS data dictionary :- Address line 2	
└  Address line 3	0 ... 1	prsb03-dataelement-13084 link
	Person's third line of address. NHS data dictionary : - Address line 3	
└  Address line 4	0 ... 1	prsb03-dataelement-13085 link
	Person's fourth line of address. NHS data dictionary : - Address line 4	
└  Address line 5	0 ... 1	prsb03-dataelement-13086 link
	Person's fifth line of address.NHS data dictionary : - Address line 5	
└  Postcode	0 ... 1	prsb03-dataelement-13087 link
	The person's postcode.NHS data dictionary :- Postcode of usual address	
└  Person's contact details	0 ... 1	prsb03-dataelement-13804 link
	Details of the person's contact information.	
└  Preferred contact method	0 ... 1	prsb03-dataelement-10886 link

	Preferred contact method, e.g. email, letter, phone, text message etc.NHS data dictionary :- Communication contact method	
↳ Person's telephone number details	0 ... *	prsb03-dataelement-10883 link
↳ Person's telephone number	The person's telephone number details 0 ... 1	prsb03-dataelement-13808 link
↳ Person's telephone number type	The person's telephone numberNHS data dictionary : - UK telephone number 0 ... 1	prsb03-dataelement-13805 link
↳ Preference of telephone number	The contact type e.g. home, mobileFHIR value set: - Contact point use 0 ... 1	prsb03-dataelement-13809 link
↳ Person's email address details	The preferred order of use for the telephone numberPreference of use 1-5, 1 being the highest. 0 ... *	prsb03-dataelement-13807 link
↳ Person's email address	Details of the person's email address 0 ... 1	prsb03-dataelement-10882 link
↳ Person's email address type	Email address of the person.NHS data dictionary :- Contact email address 0 ... 1	prsb03-dataelement-13811 link
↳ Preference of email address	The type of email address, home, workFHIR value set: - Contact point use 0 ... 1	prsb03-dataelement-13810 link
↳ Place of birth	The preferred order of use of email addressPreference of use 1-5, 1 being the highest. 0 ... 1	prsb03-dataelement-10884 link
GP practice	The country of birth of the person.NHS data dictionary :- Country code (birth) 1 ... 1 Mandatory	prsb03-dataelement-101 link
↳ GP practice record entry	Details of the person's GP practice. 1 ... * Mandatory	prsb03-dataelement-10643 link
↳ GP name	This is an GP practice record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items 0 ... 1	prsb03-dataelement-10003 link
↳ GP practice details	The name of the person's GP. If the person is registered with a GP practice, their usual GP name will be something volunteered by the person or their representative.Free text 0 ... 1	prsb03-dataelement-10002 link
↳ GP practice identifier	Name and address of the person's registered GP practice Registered GP practice details are available from the Person Demographics Service (PDS), or volunteered from the person or their representative. Include details of the practice name and address.Free text 1 ... 1 Mandatory	prsb03-dataelement-10001 link
	The identifier of the registered GP practice. NHS data dictionary : - General medical practice code (patient registration)	

 Legal information	0 ... 1	prsb03-dataelement-520 link
	The legal information relating to the person.	
 Consent for treatment record	0 ... 1	prsb03-dataelement-10420 link
	Details of the person's consent for treatment.	
 Date	0 ... 1	prsb03-dataelement-13457 link
	The date the consent was taken	
 Location	0 ... 1	prsb03-dataelement-13459 link
	The location of where the consent was taken.	
 Coded value	0 ... 1	prsb03-dataelement-13460 link
	The coded value for location.NHS data dictionary : - Organisation data service code	
 Free text	0 ... 1	prsb03-dataelement-13461 link
	Free text field to be used if no code is available	
 Consent for treatment record	0 ... 1	prsb03-dataelement-13574 link
	Whether consent has been obtained for the treatment. May include where record of consent is located or record of consent. A statement about the patient's consent for treatment.	
 Location of document	0 ... 1	prsb03-dataelement-13777 link
	The location of the consent for treatment record.	
 Performing professional	0 ... 1	prsb03-dataelement-13462 link
	The professional who took the consent for treatment.	
 Name	0 ... 1	prsb03-dataelement-13463 link
	The name of the professional.	
 Role	0 ... 1	prsb03-dataelement-13464 link
	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etcFHIR value set :- SDSjobroletype	
 Grade	0 ... 1	prsb03-dataelement-13465 link
	The grade of the professional.	
 Speciality	0 ... 1	prsb03-dataelement-13466 link
	The specialty of the professional e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code	
 Professional identifier	0 ... 1	prsb03-dataelement-13467 link
	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.NHS data dictionary : - Professional registration identifier	
 Organisation	0 ... 1	prsb03-dataelement-13468 link
	The name of the organisation the professional works for.	
 Contact details	0 ... 1	prsb03-dataelement-13469 link
	Contact details of the professionalNHS data dictionary - UK phone number	
 Person completing record	0 ... 1	prsb03-dataelement-13470 link

	Details of the person completing the record.	
└  Name	0 ... 1	prsb03-dataelement-13471 link
	The name of the person completing the record.Free text.	
└  Role	0 ... 1	prsb03-dataelement-13472 link
	The organisational role of the person completing record.FHIR value set :- SDSjobrole	
└  Grade	0 ... 1	prsb03-dataelement-13473 link
	The grade of the person completing the record.Free text.	
└  Specialty	0 ... 1	prsb03-dataelement-13474 link
	The main specialty of the person completing the record.NHS data dictionary :- Activity treatment function code	
└  Organisation	0 ... 1	prsb03-dataelement-13475 link
	The organisation the person completing the record works for.	
└  Professional identifier	0 ... 1	prsb03-dataelement-13476 link
	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier	
└  Date completed	0 ... 1	prsb03-dataelement-13477 link
	The date and time the record was completed.Date and time.	
└  Contact details	0 ... 1	prsb03-dataelement-13478 link
	Contact details of the person completing the record.	
	NHS data dictionary : - UK telephone number	
└  Consent for information sharing	0 ... 1	prsb03-dataelement-10421 link
	Details of the person's consent for information sharing	
└  Date	0 ... 1	prsb03-dataelement-11713 link
	The date when the consent was givenDate and time	
└  Location	0 ... 1	prsb03-dataelement-11714 link
	The location where the consent was taken.	
└  Coded value	0 ... 1	prsb03-dataelement-13451 link
	The coded value for location.NHS data dictionary : - Organisation data service code	
└  Free text	0 ... 1	prsb03-dataelement-13452 link
	Free text field to be used if no code is availableFree text	
└  Consent for information sharing	0 ... 1	prsb03-dataelement-13575 link
	This is a record of consent for information sharing under the common law duty of confidentiality. Where consent has not been obtained or sought, the reason why should be provided. Include best interests decision where person lacks capacity. This is a placeholder until the national guidance is published.Free text	
└  Reason for consent not given	0 ... 1	prsb03-dataelement-13778 link
	Reason not given for consentFree text	
└  Performing professional	0 ... 1	prsb03-dataelement-11715 link

	The professional who took the consent for information sharing	
└  Name	0 ... 1	prsb03-dataelement-11716 link
	The name of the professional.Free text.	
└  Role	0 ... 1	prsb03-dataelement-11717 link
	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc.FHIR value set :- SDSjobroletype	
└  Grade	0 ... 1	prsb03-dataelement-11718 link
	The grade of the professional.Free text	
└  Speciality	0 ... 1	prsb03-dataelement-11719 link
	The specialty of the professional e.g. physiotherapy, oncology, mental health etc.NHS data dictionary - Activity treatment function code	
└  Professional identifier	0 ... 1	prsb03-dataelement-11720 link
	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.NHS data dictionary : - Professional registration identifier	
└  Organisation	0 ... 1	prsb03-dataelement-11721 link
	The name of the organisation the professional works for.	
└  Contact details	0 ... 1	prsb03-dataelement-11722 link
	Contact details of the professionalNHS data dictionary - UK phone number	
└  Person completing record	0 ... 1	prsb03-dataelement-11723 link
	Details of the person completing the record.	
└  Name	0 ... 1	prsb03-dataelement-11724 link
	The name of the person completing the record.Free text.	
└  Role	0 ... 1	prsb03-dataelement-11725 link
	The organisational role of the person completing record.FHIR value set :- SDSjobrole	
└  Grade	0 ... 1	prsb03-dataelement-11726 link
	The grade of the person completing the record.Free text.	
└  Specialty	0 ... 1	prsb03-dataelement-11727 link
	The main specialty of the person completing the record.NHS data dictionary :- Activity treatment function code	
└  Organisation	0 ... 1	prsb03-dataelement-11728 link
	The organisation the person completing the record works for.	
└  Professional identifier	0 ... 1	prsb03-dataelement-11729 link
	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier	
└  Date completed	0 ... 1	prsb03-dataelement-11730 link
	The date and time the record was completed.Date and time.	
└  Contact details	0 ... 1	prsb03-dataelement-11731 link

	Contact details of the person completing the record.	
	NHS data dictionary : - UK telephone number	
└ Consent relating to child	0 ... 1	prsb03-dataelement-10422 link
└ Date	Details of the person's consent relating to child	
0 ... 1		prsb03-dataelement-11732 link
└ Location	The date when the person with responsibility for the child was identified.Date and time	
0 ... 1		prsb03-dataelement-11733 link
└ Coded value	The location where the person with responsibility for the child was identified.	
0 ... 1		prsb03-dataelement-13674 link
└ Free text	The coded value for locationNHS data dictionary : - Organisation data service	
0 ... 1		prsb03-dataelement-13675 link
└ Consent relating to child	Free text field to be used if no coded text available	
0 ... 1		prsb03-dataelement-13576 link
└ Performing professional	The person with parental responsibility or appointed guardian where a child lacks competency. Consideration of age and competency, applying Gillick competency or Fraser guidelines.Free text	
0 ... 1		prsb03-dataelement-11734 link
└ Name	The professional who identified the person responsible for the child.	
0 ... 1		prsb03-dataelement-11735 link
└ Role	The name of the professional.Free text.	
0 ... 1		prsb03-dataelement-11736 link
└ Grade	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etcFHIR value set :- SDSjobroletype	
0 ... 1		prsb03-dataelement-11737 link
└ Speciality	The grade of the professional.Free text	
0 ... 1		prsb03-dataelement-11738 link
└ Professional identifier	The specialty of the professional e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code	
0 ... 1		prsb03-dataelement-11739 link
└ Organisation	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.NHS data dictionary : - Professional registration identifier	
0 ... 1		prsb03-dataelement-11740 link
└ Contact details	The name of the organisation the professional works for.	
0 ... 1		prsb03-dataelement-11741 link
└ Person completing record	Contact details of the professionalNHS data dictionary - UK phone number	
0 ... 1		prsb03-dataelement-11742 link
└ Name	Details of the person completing the record.	
0 ... 1		prsb03-dataelement-11743 link

	The name of the person completing the record.Free text.	
└  Role	0 ... 1	prsb03-dataelement-11744 link
└  Grade	The organisational role of the person completing record.FHIR value set :- SDSjobrole 0 ... 1	prsb03-dataelement-11745 link
└  Specialty	The grade of the person completing the record.Free text. 0 ... 1	prsb03-dataelement-11746 link
└  Organisation	The main specialty of the person completing the record.NHS data dictionary :- Activity treatment function code 0 ... 1	prsb03-dataelement-11747 link
└  Professional identifier	The organisation the person completing the record works for. 0 ... 1	prsb03-dataelement-11748 link
└  Date completed	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier 0 ... 1	prsb03-dataelement-11749 link
└  Contact details	The date and time the record was completed.Date and time. 0 ... 1	prsb03-dataelement-11750 link
	Contact details of the person completing the record.	
	NHS data dictionary : - UK telephone number	
└  Safeguarding	0 ... 1	prsb03-dataelement-271 link
	The safeguarding details of the person.	
└  Safeguarding concerns	0 ... *	prsb03-dataelement-10821 link
└  Safeguarding indicator	Details of safeguarding concerns 0 ... 1	prsb03-dataelement-13428 link
	Indicates whether or not the hospital considers that there are safeguarding issues associated with the patient.Flag: No =N: Yes = Y	
└  Safeguarding concerns	0 ... 1	prsb03-dataelement-10171 link
└  Coded value	Identified safeguarding concerns. 0 ... 1	prsb03-dataelement-13756 link
	The coded value for safeguarding concernsSNOMED CT : - 999002381000000108 Safeguarding issues simple reference set (foundation metadata concept)	
└  Free text	0 ... 1	prsb03-dataelement-13757 link
	Free text field to be used if no code is availableFree text	
└  Comment	0 ... 1	prsb03-dataelement-10175 link
	Further details on safeguarding concerns.Free text	
└  Eligibility Criteria	0 ... 1	prsb03-dataelement-10700 link
└  Eligibility criteria	1 ... *	prsb03-dataelement-10701 link
	Records which specific eligibility criteria have been met in order to administer the vaccine.Free text	
└  Referral details	0 ... 1	prsb03-dataelement-105 link

	The details of the referral.	
└ Referral details record entry	0 ... *	prsb03-dataelement-10917 link
	This is the referral details record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
└ Date	0 ... 1	prsb03-dataelement-10006 link
	The date of referralDate and time	
└ Referrer details	0 ... 1	prsb03-dataelement-10005 link
	The details of the referrer that is making the transfer.	
	This could be the person, GP surgery, department, specialty, sub-specialty, educational institution, mental health team, care home etc.	
└ Name	0 ... 1	prsb03-dataelement-10971 link
	The name of the referrer.Free text	
└ Role	0 ... 1	prsb03-dataelement-10972 link
	Role of the referrer.FHIR value set : - sdsjobrole	
└ Grade	0 ... 1	prsb03-dataelement-10973 link
	The grade of the referrer.Free text	
└ Team	0 ... 1	prsb03-dataelement-12409 link
	The team or department of the referrer.Free text	
└ Specialty	0 ... 1	prsb03-dataelement-12410 link
	The specialty of the referrer.NHS data dictionary - Activity treatment function code	
└ Service	0 ... 1	prsb03-dataelement-12411 link
	The service of the referrer.	
└ Coded value	0 ... 1	prsb03-dataelement-13397 link
	The coded value for serviceSNOMED CT: - 112753100000102 Services simple reference set (foundation metadata concept)	
└ Free text	0 ... 1	prsb03-dataelement-13398 link
	Free text field to be used if no code is availableFree text	
└ Organisation	0 ... 1	prsb03-dataelement-10974 link
	The organisation of the referrer.	
└ Coded value	0 ... 1	prsb03-dataelement-13399 link
	The coded value for organisation codeNHS data dictionary : - Organisation data service	
└ Free text	0 ... 1	prsb03-dataelement-13400 link
	Free text field to be used if no code is availableFree text	
└ Contact details	0 ... 1	prsb03-dataelement-10975 link
	The contact details of the referrer.Free text	
└ Reason for referral	0 ... 1	prsb03-dataelement-10011 link
	The reason for the referral, e.g. diagnosis, treatment, transfer of care due to relocation, investigation, second opinion, management of the patient (e.g. palliative care), or carer's concerns.Free text	
└ Coded value	0 ... 1	prsb03-dataelement-13455 link

	The coded value for reason for referralSNOMED CT :- ^1127581000000103 Health issues simple reference set	
└─🟡 Free text	0 ... 1	prsb03-dataelement-13456 link
	Free text field to be used if no code is availableFree text	
└─🟡 Expectation of referral	0 ... *	prsb03-dataelement-10699 link
	A clear statement of the expectations of the person or professional making the referral in regards to the management of the patient e.g. advice only, diagnosis, treatment, etc. To include any specific patient expectation.Free text	
└─📁 Clinical urgency of referral	0 ... 1	prsb03-dataelement-10010 link
	The details of the clinical urgency of referral	
└─🟡 Reason for urgency of referral	0 ... 1	prsb03-dataelement-10976 link
	The reason for urgency of referral if not routine.Free text	
└─📁 Referral to	0 ... 1	prsb03-dataelement-10008 link
	Details of where the referral is to be sent.	
	If not an individual, this could be a service, e.g. GP surgery, department, specialty, subspecialty, educational institution, mental health etc.	
└─🟡 Name	0 ... 1	prsb03-dataelement-10977 link
	Name of person the referral is to be sent to.Free text	
└─🟡 Role	0 ... 1	prsb03-dataelement-10978 link
	Role of person where the referral is to be sent to.FHIR value set : - sdsjobrole	
└─🟡 Grade	0 ... 1	prsb03-dataelement-10979 link
	The grade of the person where the referral is sent to.Free text	
└─🟡 Team	0 ... 1	prsb03-dataelement-10982 link
	The team or department of the person where the referral is being sent toFree text.	
└─🟡 Specialty	0 ... 1	prsb03-dataelement-10983 link
	The specialty the referral is being sent to e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code	
└─📁 Service	0 ... 1	prsb03-dataelement-12412 link
	The service of where the referral is sent to.	
└─🟡 Coded value	0 ... 1	prsb03-dataelement-13509 link
	The coded value for serviceSNOMED CT: - 1127531000000102 Services simple reference set (foundation metadata concept)	
└─🟡 Free text	0 ... 1	prsb03-dataelement-13510 link
	Free text field to be used if no code is availableFree text	
└─📁 Organisation	0 ... 1	prsb03-dataelement-10980 link
	The organisation of where the referral is to be sent.	
└─🟡 Coded value	0 ... 1	prsb03-dataelement-13511 link
	The coded value for organisationNHS data dictionary :- Organisation data service	

 Free text	0 ... 1	prsb03-dataelement-13512 link
	Free text field to be used if no code is availableFree text	
 Contact details	0 ... 1	prsb03-dataelement-10981 link
	The contact details of where the referral is to be sent.Free text.	
 Contacts with professionals	1 ... 1 Mandatory	prsb03-dataelement-169 link
	The details of the person's contact with a professional.	
 Contacts with professionals record entry	1 ... * Mandatory	prsb03-dataelement-10718 link
	This is a contacts record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
 Date of contact	1 ... 1 Mandatory	prsb03-dataelement-10069 link
	Date and time of the contact.Date and time.	
 Location of contact	0 ... 1	prsb03-dataelement-10075 link
	The location where the contact took place.	
 Coded value	0 ... 1	prsb03-dataelement-13513 link
	The coded value for locationNHS data dictionary : - Organisation service code	
 Free text	0 ... 1	prsb03-dataelement-13514 link
	Free text field to be used if no code is availableFree text	
 Reason for service	0 ... 1	prsb03-dataelement-13751 link
	The reason why the person has been offered the serviceFree text	
 Contact type	0 ... 1	prsb03-dataelement-10070 link
	Type of contact e.g. GP consultation, outpatient attendanceFree text	
 Consultation method	0 ... 1	prsb03-dataelement-10071 link
	Consultation method used e.g. face to face, telephoneNHS data dictionary - Consultation medium	
 Service	1 ... 1 Mandatory	prsb03-dataelement-10074 link
	The service that was provided.SNOMED CT :- 1127531000000102 Services simple reference set (foundation metadata concept)	
 Person accompanying patient	0 ... *	prsb03-dataelement-10079 link
	Identify, where clinically relevant, others accompanying the patient, e.g. parent, relative, friend. Includes: Name, Relationship, role (e.g. informal carer).NHS data dictionary : - Person full name	
 Organisation name	1 ... 1 Mandatory	prsb03-dataelement-10706 link
	The name, including the identifier, of the organisation providing the serviceNHS data dictionary : - Organisation name	
 Organisation address	0 ... 1	prsb03-dataelement-10713 link
	The name of the organisation, including the identifier.NHS data dictionary : - Organisation address	
 Organisation contact details	0 ... *	prsb03-dataelement-10707 link

	The contact details of the organisation. For example a phone number, NHSmail address etc. Contact details are used to resolve queries about the record entry.	Free text
└  Reason for non-provision of service	0 ... 1	prsb03-dataelement-10708 link
	The reason why the patient was not provided with the service e.g. declined, did not attend etc.	Free text
└  Clinician name	1 ... 1 Mandatory	prsb03-dataelement-10709 link
	The name of the person providing the service.	Free text
└  Role	0 ... 1	prsb03-dataelement-10710 link
	The role of the person providing the service.FHIR values set : - sdsjobrole	
└  Chaperone	0 ... *	prsb03-dataelement-10712 link
	The name of any chaperone(s).	Free text
└  Person collecting the medicine	0 ... 1	prsb03-dataelement-13783 link
	Name, relationship, role (if formal role), contact details	
	Free text	
└  Professional identifier	0 ... 1	prsb03-dataelement-10711 link
	Professional identifier of the person providing the service.NHS data dictionary : - professional identifier	
 Vaccinations	0 ... 1	prsb03-dataelement-10685 link
	Details of vaccinations.	
└  Vaccinations record entry	0 ... *	prsb03-dataelement-10686 link
	This is the vaccinations record entry.	
	There may be 0 to many record entries under a section.	
	Each record entry is made up of a number of elements or data items.	
└  Date	0 ... 1	prsb03-dataelement-10695 link
	The date on which the vaccination was administered or the reported/partial date on which it was reported.Date and time	
└  Vaccine product	1 ... 1 Mandatory	prsb03-dataelement-10687 link
	The vaccine product administered.	
└  Coded value	0 ... 1	prsb03-dataelement-13237 link
	The coded value for vaccine product.dmd (SNOMED) Concept ID AMP (preferred) or VMP term for the vaccine product	
└  Free text	0 ... 1	prsb03-dataelement-13238 link
	Free text field to be used if no code is available	Free text
└  Manufacturer	0 ... 1	prsb03-dataelement-10698 link
	Name of vaccine manufacturer.	
└  Coded value	0 ... 1	prsb03-dataelement-13239 link
	The coded value of the manufacturer.SNOMED CT: - DM+D or GS1	

 Free text	0 ... 1	prsb03-dataelement-13240 link
	Free text field to be used if no code is available	Free text
 Vaccine procedure	1 ... 1 Mandatory	prsb03-dataelement-10688 link
	The procedure which was used to administer the vaccine.	
 Coded value	1 ... 1 Mandatory	prsb03-dataelement-13219 link
	The coded value for vaccine procedureSNOMED CT :- < 127785005 Administration of substance to produce immunity, either active or passive (procedure)	
 Free text	0 ... 1	prsb03-dataelement-13220 link
	Free text field to be used if no code is available	Free text
 Batch number	0 ... 1	prsb03-dataelement-10697 link
	The batch number of the product.	
 Coded value	0 ... 1	prsb03-dataelement-13233 link
	The coded value for the batch numberFMD code : - Derived from Falsified medicines directive	
 Free text	0 ... 1	prsb03-dataelement-13234 link
	Free text field to be used if no code is available	Free text
 Expiry date	0 ... 1	prsb03-dataelement-10696 link
	The date on which the vaccine will expire.Date/time	
 Serialisation code	0 ... 1	prsb03-dataelement-10690 link
	A code that separately identifies two identical vaccines (i.e. same product, same batch).	
 Coded value	0 ... 1	prsb03-dataelement-13235 link
	The coded value for serialisation code.FMD code : - Derived from Falsified medicines directive	
 Free text	0 ... 1	prsb03-dataelement-13236 link
	Free text field to be used if no code is available	Free text
 Body site	0 ... 1	prsb03-dataelement-10691 link
	Body site vaccine was administered.	
 Coded value	0 ... 1	prsb03-dataelement-13222 link
	The coded value for body siteSNOMED CT : - 112794100000100 Vaccine body site of administration simple reference set (foundation metadata concept)	
 Free text	0 ... 1	prsb03-dataelement-13223 link
	Free text field to be used if no coded text available	
 Route	0 ... 1	prsb03-dataelement-10692 link
	How the vaccine entered the body.	
 Coded value	0 ... 1	prsb03-dataelement-13224 link
	The coded value for vaccination routeSNOMED CT: - ^99900005100001100 ePrescribing route of administration simple reference set (foundation metadata concept)	
 Free text	0 ... 1	prsb03-dataelement-13225 link
	Free text field to be used if no coded text available	
 Indication	0 ... 1	prsb03-dataelement-10693 link
	The clinical indication or reason for administering the vaccine.	

 Coded value	0 ... 1	prsb03-dataelement-13226 link
	The coded value for Indication.SNOMED CT:- <404684003 Clinical finding (finding) OR <243796009 Situation with explicit context (situation)	
 Free text	0 ... 1	prsb03-dataelement-13227 link
	Free text field to be used if no code is availableFree text	
 Dose amount	0 ... 1	prsb03-dataelement-10694 link
	Amount of vaccine administered.	
 Value	0 ... 1	prsb03-dataelement-13838 link
	The amount of vaccine administeredFree text	
 Units of measure	0 ... 1	prsb03-dataelement-13839 link
	The units of measure for the dose amountUCUM code	
 Dose sequence	0 ... 1	prsb03-dataelement-10824 link
	Nominal position in a series of vaccines.Numeric value	
 Appliances	0 ... 1	prsb03-dataelement-13762 link
	Details of appliances	
 Appliance records entry	0 ... *	prsb03-dataelement-13763 link
	This is the appliance records entry.	
 Appliance name	1 ... 1 Mandatory	prsb03-dataelement-13764 link
	May be generic name or brand name (as appropriate).As per dm+d (AMP)	
 Product order number	0 ... 1	prsb03-dataelement-13765 link
	The product order number for the appliance.	
 Manufacturer	0 ... 1	prsb03-dataelement-13766 link
	Name of appliance manufacturerFree text	
 Batch number	0 ... 1	prsb03-dataelement-13767 link
	The batch number of the appliance.Free text	
 Size	0 ... 1	prsb03-dataelement-13768 link
	The size of the appliance.UCUM	
 Weight	0 ... 1	prsb03-dataelement-13769 link
	The weight of the appliance.UCUM	
 Colour	0 ... 1	prsb03-dataelement-13770 link
	The colour of the applianceFree text	
 Route	0 ... 1	prsb03-dataelement-13771 link
	Appliance administration description (IM, IV, etc.): may include method of administration, (e.g., by infusion). SNOMED CT: - ^999000051000001100 ePrescribing route of administration simple reference set (foundation metadata concept)	
 Coded Value	0 ... 1	prsb03-dataelement-14268 link
	Coded value for appliance route SNOMED CT: - ^999000051000001100 ePrescribing route of administration simple reference set (foundation metadata concept)	
 Free text	0 ... 1	prsb03-dataelement-14267 link
	Free text field to be used if no coded text available	

 Site	0 ... 1	prsb03-dataelement-13772 link
	The anatomical site at which the appliance is to be used, including laterality.	
 Coded Value	0 ... 1	prsb03-dataelement-14269 link
	Coded value for site SNOMED CT: - <442083009 Anatomical or acquired body structure (body structure)	
 Free text	0 ... 1	prsb03-dataelement-14270 link
	Free text where no coded value is availableFree text	
 Quantity	0 ... 1	prsb03-dataelement-13773 link
	The quantity of the appliance (including the units).UCUM	
 Indication	0 ... 1	prsb03-dataelement-13774 link
	Reason for appliance being prescribed, where known.Free text	
 Matters identified during the discussion	1 ... *	prsb03-dataelement-13775 link
	Matters identified during the service about the patient's experience of using the appliance. To include e.g. patient using/not using the appliance as prescribed, patient reports negative feelings about the appliance etc. Also to include whether the information was provided by the patient or somebody else (e.g. a relative, carer etc) e.g. patient using/not using the appliance as prescribed, patient reports negative feelings about the appliance etc.Free text	
 Date/time	0 ... 1	prsb03-dataelement-13802 link
 Presenting complaints or issues	0 ... 1	prsb03-dataelement-210 link
	Presenting complaints or issues	
 Presenting complaint or issue	0 ... 1	prsb03-dataelement-13784 link
	The health problem or issue experienced by the patient resulting in their attendance. This may include disease state, medical condition, response and reactions to therapies. E.g., blackout, dizziness, chest pain, follow up from admission, falls, a specific procedure, investigation or treatment.	
 Coded value	0 ... 1	prsb03-dataelement-13785 link
	The coded value for presenting complaint or issueSNOMED CT : - ^1127581000000103 Health issues simple reference set	
 Free text	0 ... 1	prsb03-dataelement-13786 link
	Free text	
 History	0 ... 1	prsb03-dataelement-226 link
	History	
 Relevant past medical, surgical and mental health history	0 ... 1	prsb03-dataelement-10130 link
	The record of the person's significant medical, surgical and mental health history. Including relevant previous diagnoses, problems and issues, procedures, investigations, specific anesthesia issues, etc. (will include dental and obstetric history)	
	A list of the person's relevant past medical, surgical and mental health history recorded in free text or coded form or Information relating to past medical, surgical and mental health history may be provided by the referral document or during the consultation.	
 Coded value	0 ... 1	prsb03-dataelement-13787 link

	The coded value relevant past medical, surgical and mental health historySNOMED CT : - ^1127581000000103 Health issues simple reference set	
└  Free text	0 ... 1	prsb03-dataelement-13788 link
	Free text field to be used if no code is availableFree text	
└  Clinical Summary	1 ... 1 Mandatory	prsb03-dataelement-247 link
	Clinical Summary	
└  Clinical narrative	1 ... 1 Mandatory	prsb03-dataelement-10150 link
	A description detailing a patient's reason for attendance, results from the diagnostic and treatment process.Free text	
└  Social context	0 ... 1	prsb03-dataelement-136 link
	The social setting in which the person lives, such as their household, occupational history, and lifestyle factors.	
└  Smoking status	0 ... 1	prsb03-dataelement-10040 link
	Details of the person's smoking status.	
└  Smoking status	0 ... 1	prsb03-dataelement-13283 link
	Record of any drug/substance use by the person.	
└  Coded value	0 ... 1	prsb03-dataelement-13284 link
	The smoking status of the person.SNOMED CT:- ^999000891000000102 Smoking simple reference set (foundation metadata concept)	
└  Free text	0 ... 1	prsb03-dataelement-13285 link
	Free text field to be used if no code is availableFree text	
└  Smoking status - details	0 ... 1	prsb03-dataelement-13286 link
	Further details recorded about the smoking status of the personFree text	
└  Smoking record	0 ... 1	prsb03-dataelement-13995 link
	Details of the person's smoking record	
└  Nicotine Replacement Therapy used	0 ... 1	prsb03-dataelement-14000 link
	A record of whether nicotine replacement therapy (NRT) is currently used or prescribed in this appointment NRT not currently used NRT currently used NRT prescribed at this appointment	
└  Varenicline or other pharmacotherapy used	0 ... 1	prsb03-dataelement-14001 link
	Record of whether varenicline or other smoking cessation pharmacotherapy (other than nicotine replacement therapy) is currently used or prescribed in this appointment. Varenicline/other pharmacotherapy not used Varenicline/other pharmacotherapy currently used Varenicline/other pharmacotherapy prescribed in this appointment	
└  e-cigarettes used	0 ... 1	prsb03-dataelement-14002 link
	Record of current use of e-cigarettes Coded - SNOMED CT: 722499006 Electronic cigarette user (finding)	
└  Set quit date	0 ... 1	prsb03-dataelement-14007 link
	Date set to quit smokingDate	
└  Treatments and interventions and	0 ... 1	prsb03-dataelement-13992 link

changes made to treatments.

The treatments and interventions carried out. Where appropriate record the rationale for the decision to treat and the information sources reviewed e.g. end of life care plan etc. All medications should be recorded under the medications heading.

 Coded value

0 ... 1

prsb03-dataelement-13993 link

 Free text

The coded value for treatment and interventions.SNOMED CT

0 ... 1

prsb03-dataelement-13994 link

 Date stopped smoking

0 ... 1

prsb03-dataelement-13287 link

 Coded value

The date the person stopped smoking (if known)

0 ... 1

prsb03-dataelement-13288 link

 Date

The coded value for date stopped smoking.SNOMED CT:- 160625004 |Date ceased smoking (observable entity)|

0 ... 1

prsb03-dataelement-13289 link

 Alcohol record

0 ... 1

prsb03-dataelement-12498 link

 Audit questionnaire

0 ... 1

prsb03-dataelement-12499 link

Alcohol use disorder identification test (AUDIT) questionnaire SNOMED-CT coded. Please note the codes in this section are still under review by NHS Digital and may change (24-05-2018). Any changes will be reflected (and highlighted) in GMS contract changes 2018/19 guidance and audit requirements (NHS Employers). www.nhsemployers.org/gms201819 Assessment using Alcohol Use Disorders Identification Test Consumption [SNOMED-CT::1084571000000109] Alcohol use disorder identification test consumption questionnaire [SNOMED-CT::335811000000106] Alcohol consumption screening test declined [SNOMED-CT::428073005] Alcohol assessment declined [SNOMED-CT::361731000000101]

 Date

1 ... 1 Mandatory

prsb03-dataelement-12524 link

Date of person's AUDIT questionnaire.

Date and time

 AUDIT-C cluster

0 ... 1

prsb03-dataelement-12500 link

AUDIT-C questions: Frequency of consumption, Typical consumption, Binge drinking.

 Frequency of consumption

1 ... 1 Mandatory

prsb03-dataelement-12501 link

How often did you have a drink containing alcohol in the past year? 0: Never [No drinking of alcohol in the past year.] 1: Monthly or Less [Drinking alcohol monthly or less frequently during the past year.] 2: 2 to 4 Times a Month [Drinking alcohol two to four times a month during the past year.] 3: 2 to 3 Times a Week [Drinking alcohol two to three times a week during the past year.] 4: 4 or More Times a Week [Drinking alcohol four or more times a week during the past year.]

 Typical consumption cluster

1 ... 1 Mandatory

prsb03-dataelement-12502 link

	Details of the person's typical consumption	
└  Absolute value	1 ... 1 Mandatory	prsb03-dataelement-12503 link
	How many drinks did you have on a typical day when you were drinking in the past year?	
└  Categorical value	Integer (0 to n)	
	1 ... 1 Mandatory	prsb03-dataelement-12504 link
	How many drinks did you have on a typical day when you were drinking in the past year? This item is generated from Typical consumption (absolute value).	
	0: 0 to 2 [Zero to two drinks of alcohol on a typical day in the past year.] 1: 3 or 4 [Three or four drinks of alcohol on a typical day in the past year.] 2: 5 or 6 [Five or six drinks of alcohol on a typical day in the past year.] 3: 7 to 9 [Seven, eight or nine drinks of alcohol on a typical day in the past year.] 4: 10 or More [Ten or more drinks of alcohol on a typical day in the past year.]	
└  Binge drinking	1 ... 1 Mandatory	prsb03-dataelement-12505 link
	How often did you have six or more drinks on one occasion in the past year?	
	0:Never [Never, in the past year.] 1: Less than Monthly [Less than monthly, during the past year.] 2: Monthly [Monthly, during the past year.] 3: Weekly [Weekly, during the past year.] 4: Daily or Almost Daily [Daily, or almost daily, during the past year.]	
└  AUDIT-C total score	1 ... 1 Mandatory	prsb03-dataelement-12525 link
	AUDIT-C total score calculated from the 3 questions only: Frequency of consumption, Typical consumption (categorical value), Binge drinking. SNOMED-CT coded with associated value calculated from the first 3 questions only. Please note the codes in this section are still under review by NHS Digital and may change (24-05-2018). Any changes will be reflected (and highlighted) in GMS contract changes 2018/19 guidance and audit requirements (NHS Employers). www.nhsemployers.org/gms201819 [SNOMED-CT::1084581000000106] (Alcohol Use Disorders Identification Test - Consumption score) And add a value to a field associated with the code to record the score. The score are as follows: Current non-drinker (AUDIT-C score = 0) Low risk of alcohol misuse (AUDIT-C score 1-4) High risk of alcohol misuse (AUDIT-C score >=5)	
└  if AUDIT-C score >=5	0 ... *	prsb03-dataelement-12507 link
	Populate this section if the AUDIT-C score is >=5.	
└  Inability to stop	0 ... 1	prsb03-dataelement-12511 link
	How often during the last year have you found that you were not able to stop drinking once you had started?	
	0: Never [Never, in the past year.] 1: Less than Monthly [Less than monthly, during the past year.] 2: Monthly [Monthly, during the past year.] 3: Weekly [Weekly, during the past year.] 4: Daily or Almost Daily [Daily, or almost daily, during the past year.]	
└  Failed expectations	0 ... *	prsb03-dataelement-12512 link
	How often during the last year have you failed to do what was normally expected of you because of drinking?	
└  Morning drinking	0 ... 1	prsb03-dataelement-12513 link

How often during the last year have you needed a first drink in the morning to get yourself going after a heavy drinking session?

0: Never [Never, in the past year.] 1: Less than Monthly [Less than monthly, during the past year.] 2: Monthly [Monthly, during the past year.] 3: Weekly [Weekly, during the past year.] 4: Daily or Almost Daily [Daily, or almost daily, during the past year.]

 Guilt/remorse **0 ... 1** prsb03-dataelement-12514 link

How often during the last year have you had a feeling of guilt or remorse after drinking?

0: Never [Never, in the past year.] 1: Less than Monthly [Less than monthly, during the past year.] 2: Monthly [Monthly, during the past year.] 3: Weekly [Weekly, during the past year.] 4: Daily or Almost Daily [Daily, or almost daily, during the past year.]

 Loss of memory **0 ... 1** prsb03-dataelement-12515 link

How often during the last year have you been unable to remember what happened the night before because of your drinking?

0: Never [Never, in the past year.] 1: Less than Monthly [Less than monthly, during the past year.] 2: Monthly [Monthly, during the past year.] 3: Weekly [Weekly, during the past year.] 4: Daily or Almost Daily [Daily, or almost daily, during the past year.]

 Injuries **0 ... 1** prsb03-dataelement-12516 link

Have you or someone else been injured because of your drinking?

0: No [No occurrence.] 2: Yes, but not in the last year. [Yes, this has occurred, but not in the last year.] 4: Yes, during the last year. [Yes this has occurred during the last year.]

 External concern **0 ... 1** prsb03-dataelement-12517 link

Has a relative, friend, doctor, or other health care worker been concerned about your drinking or suggested you cut down?

 AUDIT total score **0 ... 1** prsb03-dataelement-12518 link

AUDIT total score calculated from the 10 AUDIT questions.

SNOMED-CT coded with associated value calculated from the 10 AUDIT questions. Please note the codes in this section are still under review by NHS Digital and may change (24-05-2018). Any changes will be reflected (and highlighted) in GMS contract changes 2018/19 guidance and audit requirements (NHS Employers). www.nhsemployers.org/gms201819 Alcohol use disorders identification test score [SNOMED-CT::443280005] And add a value to a field associated with the code to record the score. The score are as follows: • 0-7 indicates sensible or lower risk drinking • 8-15 indicates increasing risk drinking • 16-19 indicates higher risk drinking • 20 and over indicates possible alcohol dependence

 Family history **0 ... 1** prsb03-dataelement-251 link

Family history

 Family history record entry **0 ... 1** prsb03-dataelement-10653 link

This is a family history record entry. There may be 0 to many record entry/entries under a section. Each record entry is made up of a number of elements or data items.

 Family history **0 ... 1** prsb03-dataelement-10151 link


The record of relevant illness in family relations deemed to be significant to the care or health of the person, including mental illness and suicide, genetic information etc.

 Coded value	0 ... 1	prsb03-dataelement-13678 link
	The coded value for family historySNOMED CT:- <404684003 Clinical finding (finding) OR <243796009 Situation with explicit context (situation)	
 Free text	0 ... 1	prsb03-dataelement-13679 link
	Free text field to be used if no coded text available	
 Investigation results	0 ... 1	prsb03-dataelement-257 link
	Investigation results	
 Investigation results record entry	0 ... *	prsb03-dataelement-10654 link
	This is a investigation result record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
 Date	0 ... 1	prsb03-dataelement-10157 link
	The date and time when the investigation was performedDate and time	
 Performing professional	0 ... 1	prsb03-dataelement-12099 link
	The professional who performed the investigation.	
 Name	0 ... 1	prsb03-dataelement-12100 link
	The name of the professional.Free text.	
 Role	0 ... 1	prsb03-dataelement-12101 link
	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etcFHIR value set :- SDSjobroletype	
 Grade	0 ... 1	prsb03-dataelement-12102 link
	The grade of the professional.Free text	
 Speciality	0 ... 1	prsb03-dataelement-12103 link
	The specialty of the professional e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code	
 Professional identifier	0 ... 1	prsb03-dataelement-12104 link
	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.NHS data dictionary : - Professional registration identifier	
 Organisation	0 ... 1	prsb03-dataelement-12105 link
	The name of the organisation the professional works for.	
 Contact details	0 ... 1	prsb03-dataelement-12106 link
	Contact details of the professionalNHS data dictionary - UK phone number	
 Investigation	0 ... 1	prsb03-dataelement-10160 link
	The investigation performed.	
 Coded value	0 ... 1	prsb03-dataelement-13525 link
	The coded value for investigationSNOMED CT: - <71388002 Procedure (procedure)	
 Free text	0 ... 1	prsb03-dataelement-13526 link
	Free text field to be used if no code is availableFree text	
 Investigation result	0 ... *	prsb03-dataelement-10161 link
	For each investigation, the result of the investigation. This can include a report which may have results for multiple tests.	

 Coded value	0 ... 1	prsb03-dataelement-13527 link
	The coded value for investigation resultsSNOMED CT:- <404684003 Clinical finding (finding) OR <243796009 Situation with explicit context (situation)	
 Free text	0 ... 1	prsb03-dataelement-13528 link
	Free text field to be used if no code is availableFree text	
 Investigation Method	0 ... 1	prsb03-dataelement-14094 link
	Method used in carrying out investigationCoded entry - Point of care test, Laboratory test	
 Structured investigation result	0 ... 1	prsb03-dataelement-12415 link
	A structured set of information for each investigation result.	
 Value	0 ... 1	prsb03-dataelement-12416 link
	The value of the investigation result.Numeric	
 Units of measure	0 ... 1	prsb03-dataelement-12417 link
	The units of the investigation result.UCUM code	
 Reference ranges	0 ... 1	prsb03-dataelement-12418 link
	The reference range for the investigation result.Free text	
 Abnormal indicator	0 ... 1	prsb03-dataelement-12419 link
	Indicator if the investigation is abnormal.Abnormal or Normal	
 Signpost details	0 ... 1	prsb03-dataelement-13973 link
	Details of signpost	
 Signpost details record entry	0 ... *	prsb03-dataelement-13974 link
	This is the signpost details record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
 Date	0 ... 1	prsb03-dataelement-13975 link
	Date of signpost	
 Signpost to	0 ... 1	prsb03-dataelement-13976 link
	Details of where the signpost is to.	
 Name	0 ... 1	prsb03-dataelement-13977 link
	If not an individual, this could be a service	
 Role	0 ... 1	prsb03-dataelement-13978 link
	Name of person signposted toFree Text	
 Grade	0 ... 1	prsb03-dataelement-13979 link
	Role of person been signposted to.Free Text	
 Team	0 ... 1	prsb03-dataelement-13980 link
	The grade of the person been signposted to.Free text	
	The team or department of the person been signposted to.Free text	

 Specialty	0 ... 1	prsb03-dataelement-13981 link
 Service	0 ... 1	prsb03-dataelement-13982 link
 Coded value	0 ... 1	prsb03-dataelement-13983 link
 Free text	0 ... 1	prsb03-dataelement-13984 link
 Organisation	0 ... 1	prsb03-dataelement-13985 link
 Contact details	0 ... 1	prsb03-dataelement-13987 link
 Reason for signpost	0 ... 1	prsb03-dataelement-13988 link
 Free text	0 ... 1	prsb03-dataelement-13990 link
 Clinical urgency for signpost	0 ... 1	prsb03-dataelement-13991 link
 Examination findings	0 ... 1	prsb03-dataelement-557 link
 Examination findings record entry	0 ... *	prsb03-dataelement-10662 link
 Date	0 ... 1	prsb03-dataelement-10462 link
 Observations	0 ... 1	prsb03-dataelement-10464 link
 Height/length	0 ... 1	prsb03-dataelement-13761 link
 Coded value	0 ... 1	prsb03-dataelement-13812 link
 Value	0 ... 1	prsb03-dataelement-13813 link
 Units of measure	0 ... 1	prsb03-dataelement-13817 link
 Weight	0 ... 1	prsb03-dataelement-13814 link

 Coded value	0 ... 1	prsb03-dataelement-13815 link
	The coded value of weightSNOMED CT : - 27113001 Body weight (observable entity)	
 Value	0 ... 1	prsb03-dataelement-13816 link
	The value of the person's weightNumeric	
 Units of measure	0 ... 1	prsb03-dataelement-13818 link
	The units of measure for weightUCUM code	
 BMI	0 ... 1	prsb03-dataelement-13819 link
	The person's BMI calculation	
 Coded value	0 ... 1	prsb03-dataelement-13820 link
	The coded value of BMISNOMED CT: - 60621009 Body mass index (observable entity)	
 Value	0 ... 1	prsb03-dataelement-13821 link
	The value of the person's BMINumeric	
 Units of measure	0 ... 1	prsb03-dataelement-13822 link
	The units of measure for BMIUCUM code	
 Blood pressure	0 ... 1	prsb03-dataelement-13823 link
	The person's blood pressure measurement	
 Systolic blood pressure	0 ... 1	prsb03-dataelement-13824 link
	Details of the person's systolic blood pressure	
 Coded value	0 ... 1	prsb03-dataelement-13825 link
	The coded value for systolic blood pressureSNOMED CT : - <>271649006 Systolic blood pressure (observable entity)	
 Value	0 ... 1	prsb03-dataelement-13826 link
	The value of the systolic blood pressure readingNumeric	
 Units of measure	0 ... 1	prsb03-dataelement-13827 link
	The units of measure for systolic blood pressureUCUM code	
 Site	0 ... 1	prsb03-dataelement-13829 link
	The anatomical site at which the blood pressure is taken	
 Coded value	0 ... 1	prsb03-dataelement-13830 link
	The coded value for site SNOMED CT: - <442083009 Anatomical or acquired body structure (body structure)	
 Free text	0 ... 1	prsb03-dataelement-13831 link
	Free text field to be used when code is not availableFree text	
 Diastolic blood pressure	0 ... 1	prsb03-dataelement-13867 link
 Coded value	0 ... 1	prsb03-dataelement-13868 link
	The coded value for diastolic blood pressure.SNOMED CT :- <>271650006 Diastolic blood pressure (observable entity)	
 Value	0 ... 1	prsb03-dataelement-13869 link

 Units of measure	The value of the diastolic blood pressure reading Numeric	0 ... 1	prsb03-dataelement-13870 link
 Site	The units of measure for the diastolic blood pressure UCUM code	0 ... 1	prsb03-dataelement-13871 link
 Coded value	The anatomical site at where the blood pressure is taken	0 ... 1	prsb03-dataelement-13872 link
 Free text	The coded value for site SNOMED CT: - <442083009 Anatomical or acquired body structure (body structure)	0 ... 1	prsb03-dataelement-13873 link
 Heart rate	Free text field to be used when code is not available Free text	0 ... 1	prsb03-dataelement-13859 link
 Coded value	The beat of the heart as felt through the walls of a peripheral artery measured in bpm	0 ... 1	prsb03-dataelement-13970 link
 Value	The coded value for heart rateSNOMED CT : - 364075005 Heart rate (observable entity)	0 ... 1	prsb03-dataelement-13971 link
 Units of measure	The numeric value of heart rate Numeric	0 ... 1	prsb03-dataelement-13972 link
 Temperature	The units of measure for heart rate UCUM code	0 ... 1	prsb03-dataelement-14235 link
	The measurement of the person's temperature in Celsius (OC)		
 Coded value	0 ... 1	prsb03-dataelement-14236 link	
	The coded value for tempreatureSNOMED CT : -<<386725007 Body temperature (observable entity)		
 Value	0 ... 1	prsb03-dataelement-14237 link	
 Units of measure	The value of the person tempreature Numeric	0 ... 1	prsb03-dataelement-14238 link
 Oxygen saturation	The units of measure for the persons tempreature UCUM code	0 ... 1	prsb03-dataelement-14239 link
	The measurement of oxygen within the blood (expressed as a percentage of 100)		
 Coded value	0 ... 1	prsb03-dataelement-14240 link	
	The coded value for Oxygen saturationSNOMED CT: - 431314004 Peripheral oxygen saturation (observable entity)		
 Value	0 ... 1	prsb03-dataelement-14241 link	
 Units of measure	The value for the persons oxygen saturation Numeric	0 ... 1	prsb03-dataelement-14242 link
 Pain score	The units of measure for oxygen saturation UCUM code	0 ... 1	prsb03-dataelement-14243 link

	The pain score for the person	
└─🟡 Coded value	0 ... 1	prsb03-dataelement-14244 link
└─🟡 Value	The coded value for pain scoreSNOMED CT : - 225908003 Pain score (observable entity)	prsb03-dataelement-14245 link
└─🟡 Units of measure	0 ... 1	prsb03-dataelement-14246 link
└─📁 Level of consciousness	The units of measure for pain scoreUCUM 0 ... 1	prsb03-dataelement-14247 link
└─🟡 Coded value	Person's level of arousal and awareness 0 ... 1	prsb03-dataelement-14249 link
	Coded value for level of consciousness	
└─🟡 Value	SNOMED CT : - 1104441000000107 Alert Confusion Voice Pain Unresponsive scale score (observable entity) 0 ... 1	prsb03-dataelement-14251 link
└─🟡 Units of measure	Value of the level of consciousnessNumeric 0 ... 1	prsb03-dataelement-14252 link
└─📁 Respiratory rate	Unit of measure for level of consciousnessUCUM 0 ... 1	prsb03-dataelement-14248 link
	Number of breaths you take per minute	
└─🟡 Coded value	0 ... 1	prsb03-dataelement-14254 link
└─🟡 Value	Coded value for respiratory rate SNOMED CT : - 86290005 Respiratory rate (observable entity) 0 ... 1	prsb03-dataelement-14255 link
└─🟡 Unit of measure	Value for respiratory rateNumeric 0 ... 1	prsb03-dataelement-14256 link
└─📁 Air or Oxygen	Unit of measure of respiratory rate UCUM code 0 ... 1	prsb03-dataelement-14257 link
	If the person requires Air or Oxygen	
└─🟡 Coded value	0 ... 1	prsb03-dataelement-14258 link
└─🟡 Value	The coded value for Air or OxygenSNOMED CT: - 722742002 Breathing room air OR 371825009 Patient on oxygen OR 315041000 High concentration oxygen therapy (procedure) OR 9999016 High flow oxygen therapy (procedure) 0 ... 1	prsb03-dataelement-14259 link
└─🟡 Units of measure	The value for air or oxygenFree text 0 ... 1	prsb03-dataelement-14260 link
	The unit of measure for the air or oxygen valueUCUM	

 National early warning score (NEWS 2)	0 ... 1	prsb03-dataelement-13861 link
	The NEWS is based on a simple aggregate scoring system in which a score is allocated to physiological measurements, already recorded in routine practice, when patients present to, or are being monitored in hospital	
 Coded value total score	0 ... 1	prsb03-dataelement-13862 link
	The coded value for NEWS 2 total scoreSNOMED CT : - 1104051000000101 Royal College of Physicians National Early Warning Score 2 total score (observable entity)	
 Value for total score	0 ... 1	prsb03-dataelement-13863 link
	The actual NEWS 2 score.Numeric	
 Coded value subscore	0 ... *	prsb03-dataelement-13864 link
	Coded value for the subscoreSNOMED CT : - 1104301000000104 Royal College of Physicians National Early Warning Score 2 - respiration rate score (observable entity) 1104351000000103 Royal College of Physicians National Early Warning Score 2 - pulse score (observable entity) 1104311000000102 Royal College of Physicians National Early Warning Score 2 - oxygen saturation scale 1 score (observable entity) 1104331000000105 Royal College of Physicians National Early Warning Score 2 - air or oxygen score (observable entity) 1104371000000107 Royal College of Physicians National Early Warning Score 2 - temperature score (observable entity) 1104341000000101 Royal College of Physicians National Early Warning Score 2 - systolic blood pressure score (observable entity) 1104361000000100 Royal College of Physicians National Early Warning Score 2 - consciousness score (observable entity)	
 Subscore	0 ... *	prsb03-dataelement-13865 link
	Subscore from each NEWS2 observationNumeric	
 Assessments	0 ... 1	prsb03-dataelement-262 link
	Details of the person's assessments	
 Assessments record entry	0 ... *	prsb03-dataelement-11664 link
	This is the assessments record entry. There may be 0 to many record entry/entries under a section. Each record entry is made up of a number of elements or data items.	
 Assessment scale	0 ... 1	prsb03-dataelement-12962 link
	Assessment scale used, e.g. New York Heart Failure, Activities of Daily Living (ADL)Free Text. Content could include scale name, date and time of assessment and values recorded, including overall score. Format of assessment would be determined locally and may be tabular.	
 Date	0 ... 1	prsb03-dataelement-10763 link
	The date the assessment was done.Date and time.	
 Assessment type	0 ... 1	prsb03-dataelement-10822 link
	The type of the assessment e.g. social care needs assessment.Free text	
 Assessment summary	0 ... 1	prsb03-dataelement-10754 link
	The summary of the assessmentFree text	
 Structured assessment	0 ... 1	prsb03-dataelement-10655 link
	Details of the structured assessment.	

 Structured assessment name	0 ... 1	prsb03-dataelement-11751 link
	Structured assessment name e.g. New York Heart Failure, Glasgow Coma scale, Activities of Daily Living (ADL) etc.SNOMED CT	
 Assessment score	0 ... 1	prsb03-dataelement-10162 link
	The structured assessment score.Free text.	
 Assessment value	0 ... 1	prsb03-dataelement-10163 link
	The structured assessment value.Numeric	
 Global score	0 ... 1	prsb03-dataelement-10166 link
	The total global score from the assessment.Free text	
 Subscale score	0 ... 1	prsb03-dataelement-10169 link
	The subscale score of the structured assessment.Free text.	
 Subscale value	0 ... 1	prsb03-dataelement-10170 link
	The subscale value of the structured assessment.Numeric	
 Allergies and adverse reactions	0 ... 1	prsb03-dataelement-282 link
	Allergies and adverse reactions	
 Allergies and adverse reactions record entry	0 ... *	prsb03-dataelement-10657 link
	This is a allergies and adverse reactions record entry. There may be 1 to many record entries under a section.	
	Each record entry is made up of a number of elements or data items.	
 Type of reaction	0 ... 1	prsb03-dataelement-10186 link
	The type of reaction experienced by the person (allergic, adverse, intolerance)FHIR value set :- Allergy, Intolerance	
 Causative agent	1 ... 1 Mandatory	prsb03-dataelement-10182 link
	The agent such as food, drug or substances that has caused or may cause an allergy, intolerance or adverse reaction in this person Or "No known drug allergies or adverse reactions" Or "Information not available"	
 Coded value	1 ... 1	prsb03-dataelement-13441 link
	The coded value for causative agentSNOMED CT : - <105590001 Substance OR <373873005 Pharmaceutical / biologic product OR <>716186003 No known allergy OR 196461000000101 Transfer-degraded drug allergy OR 196471000000108 Transfer-degraded non-drug allergy)	
 Free text	1 ... 1	prsb03-dataelement-13442 link
	Free text field to be used if no code is availableFree text	
 Reaction details cluster	0 ... *	prsb03-dataelement-10658 link
	Details of the reaction.	
 Date	0 ... 1	prsb03-dataelement-10190 link
	The date that the reaction was identified.Date and time	
 Description of reaction	0 ... 1	prsb03-dataelement-10183 link

	A description of the manifestation of the allergic or adverse reaction experienced by the person. For example, skin rash.	
└  Coded value	0 ... 1	prsb03-dataelement-13556 link
	The coded value for description of reaction.SNOMED CT: - ^1127581000000103 Health issues simple reference set	
└  Free text	0 ... 1	prsb03-dataelement-13557 link
	Free text field to be used if no code is availableFree text	
└  Severity	0 ... 1	prsb03-dataelement-10184 link
	A description of the severity of the reaction.	
└  Coded value	0 ... 1	prsb03-dataelement-13558 link
	The coded value for severityFHIR value set : - Severity	
└  Free text	0 ... 1	prsb03-dataelement-13559 link
	Free text field to be used if no code is availableFree text	
└  Certainty	0 ... 1	prsb03-dataelement-10185 link
	A description of the certainty that the stated causative agent caused the allergic or adverse reaction.	
└  Coded value	0 ... 1	prsb03-dataelement-13560 link
	The coded value for certainty.FHIR value set : - Certainty	
└  Free text	0 ... 1	prsb03-dataelement-13561 link
	Free text field to be used if no code is availableFree text	
└  Comment	0 ... 1	prsb03-dataelement-10189 link
	Any additional comment or clarification about the adverse reaction.Free text	
└  Evidence	0 ... 1	prsb03-dataelement-10187 link
	Results of investigations that confirmed the certainty of the diagnosis. Examples might include results of skin prick allergy testsFree text	
└  Date first experienced	0 ... 1	prsb03-dataelement-10188 link
	When the reaction was first experienced i.e this may not be the first this has happened. May be a date or partial date (e.g. year) or text (e.g. during childhood)Date and time	
└  Allergy end date	0 ... 1	prsb03-dataelement-14253 link
	The date the allergy was diagnosed as endedDate and time	
└  Medications and medical devices	0 ... 1	prsb03-dataelement-636 link
	Medications and medical devices	
└  Medication item entry	0 ... *	prsb03-dataelement-10663 link
	All medications and devices that can be prescribed to be entered via this Medication item entry. Handles details of continuation / addition / amendment of admission medications.	
└  Medication item cluster	0 ... 1	prsb03-dataelement-10664 link
	Medication item cluster	
└  Date	0 ... 1	prsb03-dataelement-10843 link
	The date on which the medication or medical device was prescribed.Date and time	
└  Medication name	1 ... 1 Mandatory	prsb03-dataelement-10536 link
	May be generic name or brand name.	

 Coded value	0 ... 1	prsb03-dataelement-13622 link
The coded value for medication namedm+d: any code from the VTM, VMP, AMP, VMPP and AMPP concept classes		
 Free text	0 ... 1	prsb03-dataelement-13623 link
Free text field to be used if no code is availableFree text		
 Form	0 ... 1	prsb03-dataelement-10537 link
The form of the medication e.g. capsule, drops, tablet, lotion etc.		
 Coded value	0 ... 1	prsb03-dataelement-13624 link
The coded value for form.SNOMED CT: - 421967003 Drug dose form (qualifier value)		
 Free text	0 ... 1	prsb03-dataelement-13625 link
Free text field to be used if no code is availableFree text		
 Quantity supplied	1 ... 1 Mandatory	prsb03-dataelement-10539 link
The quantity of the medication (e.g. tablets, inhalers, etc.) provided to the person. This may be dispensed by the pharmacy or on the ward. Record in a structured format i.e. value and a unitFree text		
 Value	0 ... 1	prsb03-dataelement-14271 link
The value of the quantity suppliedEnumerated value		
 Unit of measure	0 ... 1	prsb03-dataelement-14272 link
Unit of measure of quantity suppliedUCUM code		
 Date supplied	0 ... 1	prsb03-dataelement-13792 link
The date/time the medication was supplied.Date and time		
 Route	0 ... *	prsb03-dataelement-10538 link
The route by which the medication is administered e.g. oral, IM, IV		
 Coded value	0 ... 1	prsb03-dataelement-13655 link
The coded value for routeSNOMED CT: - 999000051000001100 ePrescribing route of administration simple reference set (foundation metadata concept)		
 Free text	0 ... 1	prsb03-dataelement-13656 link
Free text field to be used if no code is availableFree text		
 Site	0 ... 1	prsb03-dataelement-10540 link
The anatomical site at which the medication is to be administered.		
 Coded value	0 ... 1	prsb03-dataelement-13657 link
The coded value for site SNOMED CT: - <442083009 Anatomical or acquired body structure (body structure)		
 Free text	0 ... 1	prsb03-dataelement-13658 link
Free text field to be used when code is not availableFree text		
 Supply type	0 ... 1	prsb03-dataelement-13754 link
A description of the type of supply (e.g. emergency supply, over the counter medication, patient group direction etc)		
 Batch number	0 ... 1	prsb03-dataelement-13789 link
The batch number of the product.		
 Coded value	0 ... 1	prsb03-dataelement-13790 link

	The coded value for the batch numberFMD code : - Derived from Falsified medicines directive	
└  Free text	0 ... 1	prsb03-dataelement-13791 link
└  Dose directions description	Free text field to be used if no code is availableFree text 0 ... 1	prsb03-dataelement-10544 link
└  Structured dose direction cluster	Describes the entire medication dosage and administration directions including dose quantity and medication frequency and optionally duration e.g. "1 tablet at night" or "2mg at 10pm".Free text 0 ... 1	prsb03-dataelement-11639 link
└  Structured dose amount	A structural representation of the elements carried by the dose syntax in 'parsable dose strength / timing' i.e. dose strength, dose timing, dose duration and maximum dose. 0 ... 1	prsb03-dataelement-10554 link
└  Structured dose timing	A structural representation of dose amount, e.g. 20mg or 2 tablets. This element will generally only be used when persisting data within systems with 'parsable dose directions' being used to exchange the same information between systems.As per FHIR Dose Syntax Implementation Guidance (NHS Digital): https://simplifier.net/guide/DoseSyntaxImplementationGuidanceforFHIRR4/Home 0 ... 1	prsb03-dataelement-10555 link
└  Dose direction duration	A slot containing a structural, computable representation of dose timing and maximum dose. This element will generally only be used when persisting data within systems with 'parsable dose directions' being used to exchange the same information between systems.As per FHIR Dose Syntax Implementation Guidance (NHS Digital): https://simplifier.net/guide/DoseSyntaxImplementationGuidanceforFHIRR4/Home 0 ... 1	prsb03-dataelement-10548 link
└  Additional instructions	Recommendation of the time period for which the medication should be continued, including direction not to discontinue.As per FHIR Dose Syntax Implementation Guidance (NHS Digital): https://simplifier.net/guide/DoseSyntaxImplementationGuidanceforFHIRR4/Home 0 ... *	prsb03-dataelement-10545 link
└  Matters identified during discussion	Allows for: requirements for adherence support, e.g. compliance aids, prompts and packaging requirements, additional information about specific medicines e.g. where specific brand required, person requirements, e.g. unable to swallow tablets.FHIR value set : - Additional instruction 1 ... *	prsb03-dataelement-13753 link
└  Course details cluster	Matters identified during the service about the patient's experience of using the medication. Coded text using the following descriptors: a. patient reports using the medicine as prescribed b. patient reports not using the medicine as prescribed c. patient has not started using the medicine d. prescriber has stopped new medicine e. patient is not using the medicine in line with the directions of the prescriber f. patient reports missing a dose in the past 7 days g. patient reports need for more information about the medicine h. patient reports side effects i. patient reports negative feelings about the medicine j. patient reports uncertainty on whether the medicine is working k. patient reports concern about remembering to take the medicine l. patient reports difficulty using the medicine due to its pharmaceutical form/formulation i. other - free text option 0 ... 1	prsb03-dataelement-10561 link

	Details of the overall course of medication.	
└  Indication	0 ... 1	prsb03-dataelement-10546 link
└  Anticipatory medicines/ equipment	Reason for medication being prescribed, where known.Free text 0 ... *	prsb03-dataelement-14023 link
Information and advice given	Medicines or equipment available that may be required in specific situations and their location. A statement regarding the availability or location of the anticipatory medicines/ equipment.Free text 0 ... 1	prsb03-dataelement-315 link
└  Information and advice given	Information and advice given 0 ... *	prsb03-dataelement-10215 link
	The oral or written information or advice given to the patient, carer, other authorised representative, care professional or other third party. May include advice about actions related to medicines or other ongoing care activities on an 'information prescription'. State here if there are concerns about the extent to which the patient and/or carer understand the information provided about diagnosis, prognosis and treatment.	
Information and advice given	Free text 0 ... 1	prsb03-dataelement-330 link
Distribution list	Distribution list 0 ... *	prsb03-dataelement-10660 link
└  Distribution list record entry	This is a Distribution list record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
└  Name	0 ... 1	prsb03-dataelement-10230 link
	The name of the person the communication is to be sent to, this can be a person or professional.Free text	
└  Role	0 ... 1	prsb03-dataelement-10231 link
	If the communication is being sent to either a named individual, or to a non-named person with a specific role, then this is the role of the recipient.	
	Role may be entered as the communication is being created, or sourced from the hospital system. This may be a role defined in the National Workforce data set (see the NHS Data Dictionary Job Role Code).FHIR value set : - SDSjobrole	
└  Grade	0 ... 1	prsb03-dataelement-10232 link
	The grade of the recipient, if known by the sending institution, otherwise omitted.Free text	
└  Organisation name	0 ... 1	prsb03-dataelement-10233 link
	The name of the organisation the recipient is representing or the organisation named as the receiving organisation.	
	An identifier for the organisation will be sent alongside the name, but may not displayed on rendered document.	
	NHS data dictionary : - Organisation code	
└  Team	0 ... 1	prsb03-dataelement-10234 link

	Team that the recipient belongs to in the context of receiving this message, or the team acting as the recipient.Free text	
└  Relationship	0 ... 1	prsb03-dataelement-13793 link
└  Plan and requested actions	0 ... 1	prsb03-dataelement-535 link
└  Plan and requested actions record entry	0 ... *	prsb03-dataelement-10661 link
└  Actions for professionals	0 ... *	prsb03-dataelement-10436 link
└  Actions for person or their carer	0 ... *	prsb03-dataelement-10437 link

Medication Review

prsb03-transaction-215 link

Version / effective date 2.1 - 2021-01-26 12:11:03

Medication Review (GP)

prsb03-transaction-216 link

Version / effective date 2.1 - 2021-01-26 12:11:03

Actor Sender (organization) Pharmacy
Receiver (organization) General practitioner

Associations Data Set (for transaction) PRSB Record structure and content 1(2.16.840.1.113883.3.1937.777.28.1.1 / 2018-10-31)

Contained concepts

Concept	Card/Conf	Id
└  Person demographics	1 ... 1 Mandatory	prsb03-dataelement-10868 link
	The person's details and contact information.	
└  Person name	1 ... 1 Mandatory	prsb03-dataelement-10869 link
	Details of the person's name	
└  Person full name	1 ... 1 Mandatory	prsb03-dataelement-13801 link
	The full name of the person in text representation.NHS data dictionary :- Patient full name	
└  Date of birth	1 ... 1 Mandatory	prsb03-dataelement-10871 link

	The date of birth of the person.NHS data dictionary:- Person birth date	
└  Gender	0 ... 1	prsb03-dataelement-10872 link
	The person's stated gender.NHS data dictionary :- Person stated gender code	
└  NHS number	0 ... 1	prsb03-dataelement-10879 link
	The unique identifier for a person within the NHS in England and Wales.NHS data dictionary:- NHS number	
└  Other identifier	0 ... *	prsb03-dataelement-10880 link
	Country specific or local identifier, e.g. Community Health Index (CHI) in Scotland. NHS data dictionary: - Local patient identifier(extended), Health and care number (NI only), Community health index number (Scotland only)	
└  Person's address	1 ... 1 Mandatory	prsb03-dataelement-10881 link
	Person's usual place of residence, and where relevant temporary and correspondence addresses.	
└  Address line 1	1 ... 1 Mandatory	prsb03-dataelement-13082 link
	Person's first line of address. NHS data dictionary :- Address line 1	
└  Address line 2	0 ... 1	prsb03-dataelement-13083 link
	Person's second line of address. NHS data dictionary :- Address line 2	
└  Address line 3	0 ... 1	prsb03-dataelement-13084 link
	Person's third line of address. NHS data dictionary : - Address line 3	
└  Address line 4	0 ... 1	prsb03-dataelement-13085 link
	Person's fourth line of address. NHS data dictionary : - Address line 4	
└  Address line 5	0 ... 1	prsb03-dataelement-13086 link
	Person's fifth line of address.NHS data dictionary : - Address line 5	
└  Postcode	0 ... 1	prsb03-dataelement-13087 link
	The person's postcode.NHS data dictionary :- Postcode of usual address	
└  Person's contact details	0 ... *	prsb03-dataelement-13804 link
	Details of the person's contact information.	
└  Person's telephone number details	0 ... *	prsb03-dataelement-10883 link
	The person's telephone number details	
└  Person's telephone number	0 ... 1	prsb03-dataelement-13808 link
	The person's telephone numberNHS data dictionary : - UK telephone number	
└  Person's telephone number type	0 ... 1	prsb03-dataelement-13805 link
	The contact type e.g. home, mobileFHIR value set: - Contact point use	
└  Preference of telephone number	0 ... 1	prsb03-dataelement-13809 link

	The preferred order of use for the telephone numberPreference of use 1-5, 1 being the highest.	
📁 GP practice	1 ... 1 Mandatory	prsb03-dataelement-101 link
	Details of the person's GP practice.	
└📁 GP practice record entry	1 ... *	prsb03-dataelement-10643 link
	This is an GP practice record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items	
└🟡 GP practice identifier	1 ... 1 Mandatory	prsb03-dataelement-10001 link
	The identifier of the registered GP practice. NHS data dictionary : - General medical practice code (patient registration)	
📁 Legal information	0 ... 1	prsb03-dataelement-520 link
	The legal information relating to the person.	
└📁 Consent for treatment record	0 ... 1	prsb03-dataelement-10420 link
	Details of the person's consent for treatment.	
└🟡 Date	0 ... 1	prsb03-dataelement-13457 link
	The date the consent was takenDate	
└📁 Location	0 ... 1	prsb03-dataelement-13459 link
	The location of where the consent was taken.	
└🟡 Coded value	0 ... 1	prsb03-dataelement-13460 link
	The coded value for location.NHS data dictionary : - Organisation data service code	
└🟡 Free text	0 ... 1	prsb03-dataelement-13461 link
	Free text field to be used if no code is availableFree text	
└🟡 Consent for treatment record	0 ... 1	prsb03-dataelement-13574 link
	Whether consent has been obtained for the treatment. May include where record of consent is located or record of consent. A statement about the patient's consent for treatment.Free text	
└🟡 Location of document	0 ... 1	prsb03-dataelement-13777 link
	The location of the consent for treatment record.Free text or URL	
└📁 Performing professional	0 ... 1	prsb03-dataelement-13462 link
	The professional who took the consent for treatment.	
└🟡 Name	0 ... 1	prsb03-dataelement-13463 link
	The name of the professional.Free text	
└🟡 Role	0 ... 1	prsb03-dataelement-13464 link
	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etcFHIR value set :- SDSjobroletype	
└🟡 Grade	0 ... 1	prsb03-dataelement-13465 link
	The grade of the professional.Free text	
└🟡 Speciality	0 ... 1	prsb03-dataelement-13466 link
	The specialty of the professional e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code	

 Professional identifier	0 ... 1	prsb03-dataelement-13467 link
		Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier
 Organisation	0 ... 1	prsb03-dataelement-13468 link
		The name of the organisation the professional works for.
 Contact details	0 ... 1	prsb03-dataelement-13469 link
		Contact details of the professionalNHS data dictionary - UK phone number
 Person completing record	0 ... 1	prsb03-dataelement-13470 link
		Details of the person completing the record.
 Name	0 ... 1	prsb03-dataelement-13471 link
		The name of the person completing the record.Free text.
 Role	0 ... 1	prsb03-dataelement-13472 link
		The organisational role of the person completing record.FHIR value set :- SDSjobrole
 Grade	0 ... 1	prsb03-dataelement-13473 link
		The grade of the person completing the record.Free text.
 Specialty	0 ... 1	prsb03-dataelement-13474 link
		The main specialty of the person completing the record.NHS data dictionary :- Activity treatment function code
 Organisation	0 ... 1	prsb03-dataelement-13475 link
		The organisation the person completing the record works for.
 Professional identifier	0 ... 1	prsb03-dataelement-13476 link
		Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier
 Date completed	0 ... 1	prsb03-dataelement-13477 link
		The date and time the record was completed.Date and time.
 Contact details	0 ... 1	prsb03-dataelement-13478 link
		Contact details of the person completing the record.
		NHS data dictionary : - UK telephone number
 Consent for information sharing	0 ... 1	prsb03-dataelement-10421 link
		Details of the person's consent for information sharing
 Date	0 ... 1	prsb03-dataelement-11713 link
		The date when the consent was givenDate and time
 Location	0 ... 1	prsb03-dataelement-11714 link
		The location where the consent was taken.

 Coded value	0 ... 1	prsb03-dataelement-13451 link
	The coded value for location.NHS data dictionary : - Organisation data service code	
 Free text	0 ... 1	prsb03-dataelement-13452 link
	Free text field to be used if no code is availableFree text	
 Consent for information sharing	0 ... 1	prsb03-dataelement-13575 link
	This is a record of consent for information sharing under the common law duty of confidentiality. Where consent has not been obtained or sought, the reason why should be provided. Include best interests decision where person lacks capacity. This is a placeholder until the national guidance is published.Free text	
 Reason for consent not given	0 ... 1	prsb03-dataelement-13778 link
	Reason not given for consentFree text	
 Performing professional	0 ... 1	prsb03-dataelement-11715 link
	The professional who took the consent for information sharing	
 Name	0 ... 1	prsb03-dataelement-11716 link
	The name of the professional.Free text.	
 Role	0 ... 1	prsb03-dataelement-11717 link
	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etcFHIR value set :- SDSjobroletype	
 Grade	0 ... 1	prsb03-dataelement-11718 link
	The grade of the professional.Free text	
 Speciality	0 ... 1	prsb03-dataelement-11719 link
	The specialty of the professional e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code	
 Professional identifier	0 ... 1	prsb03-dataelement-11720 link
	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.NHS data dictionary : - Professional registration identifier	
 Organisation	0 ... 1	prsb03-dataelement-11721 link
	The name of the organisation the professional works for.	
 Contact details	0 ... 1	prsb03-dataelement-11722 link
	Contact details of the professionalNHS data dictionary - UK phone number	
 Person completing record	0 ... 1	prsb03-dataelement-11723 link
	Details of the person completing the record.	
 Name	0 ... 1	prsb03-dataelement-11724 link
	The name of the person completing the record.Free text.	
 Role	0 ... 1	prsb03-dataelement-11725 link
	The organisational role of the person completing record.FHIR value set :- SDSjobrole	

 Grade	0 ... 1	prsb03-dataelement-11726 link
	The grade of the person completing the record.Free text.	
 Specialty	0 ... 1	prsb03-dataelement-11727 link
	The main specialty of the person completing the record.NHS data dictionary :- Activity treatment function code	
 Organisation	0 ... 1	prsb03-dataelement-11728 link
	The organisation the person completing the record works for.	
 Professional identifier	0 ... 1	prsb03-dataelement-11729 link
	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier	
 Date completed	0 ... 1	prsb03-dataelement-11730 link
	The date and time the record was completed.Date and time.	
 Contact details	0 ... 1	prsb03-dataelement-11731 link
	Contact details of the person completing the record.	
	NHS data dictionary : - UK telephone number	
 Consent relating to child	0 ... 1	prsb03-dataelement-10422 link
	Details of the person's consent relating to child	
 Date	0 ... 1	prsb03-dataelement-11732 link
	The date when the person with responsibility for the child was identified.Date and time	
 Location	0 ... 1	prsb03-dataelement-11733 link
	The location where the person with responsibility for the child was identified.	
 Coded value	0 ... 1	prsb03-dataelement-13674 link
	The coded value for locationNHS data dictionary : - Organisation data service	
 Free text	0 ... 1	prsb03-dataelement-13675 link
	Free text field to be used if no coded text available	
 Consent relating to child	0 ... 1	prsb03-dataelement-13576 link
	The person with parental responsibility or appointed guardian where a child lacks competency. Consideration of age and competency, applying Gillick competency or Fraser guidelines.Free text	
 Performing professional	0 ... 1	prsb03-dataelement-11734 link
	The professional who identified the person responsible for the child.	
 Name	0 ... 1	prsb03-dataelement-11735 link
	The name of the professional.Free text.	
 Role	0 ... 1	prsb03-dataelement-11736 link
	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etcFHIR value set :- SDSjobroletype	
 Grade	0 ... 1	prsb03-dataelement-11737 link
	The grade of the professional.Free text	

 Speciality	0 ... 1	prsb03-dataelement-11738 link
		The specialty of the professional e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code
 Professional identifier	0 ... 1	prsb03-dataelement-11739 link
		Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.NHS data dictionary : - Professional registration identifier
 Organisation	0 ... 1	prsb03-dataelement-11740 link
		The name of the organisation the professional works for.
 Contact details	0 ... 1	prsb03-dataelement-11741 link
		Contact details of the professionalNHS data dictionary - UK phone number
 Person completing record	0 ... 1	prsb03-dataelement-11742 link
		Details of the person completing the record.
 Name	0 ... 1	prsb03-dataelement-11743 link
		The name of the person completing the record.Free text.
 Role	0 ... 1	prsb03-dataelement-11744 link
		The organisational role of the person completing record.FHIR value set :- SDSjobrole
 Grade	0 ... 1	prsb03-dataelement-11745 link
		The grade of the person completing the record.Free text.
 Specialty	0 ... 1	prsb03-dataelement-11746 link
		The main specialty of the person completing the record.NHS data dictionary :- Activity treatment function code
 Organisation	0 ... 1	prsb03-dataelement-11747 link
		The organisation the person completing the record works for.
 Professional identifier	0 ... 1	prsb03-dataelement-11748 link
		Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier
 Date completed	0 ... 1	prsb03-dataelement-11749 link
		The date and time the record was completed.Date and time.
 Contact details	0 ... 1	prsb03-dataelement-11750 link
		Contact details of the person completing the record.
		NHS data dictionary : - UK telephone number
 Safeguarding	0 ... 1	prsb03-dataelement-271 link
		The safeguarding details of the person.
 Safeguarding concerns	0 ... *	prsb03-dataelement-10821 link
		Details of safeguarding concerns

 Safeguarding indicator	0 ... 1	prsb03-dataelement-13428 link
	Indicates whether or not the hospital considers that there are safeguarding issues associated with the patient.Flag: No =N: Yes = Y	
 Safeguarding concerns	0 ... 1	prsb03-dataelement-10171 link
	Identified safeguarding concerns.	
 Coded value	0 ... 1	prsb03-dataelement-13756 link
	The coded value for safeguarding concernsSNOMED CT : - 999002381000000108 Safeguarding issues simple reference set (foundation metadata concept)	
 Free text	0 ... 1	prsb03-dataelement-13757 link
	Free text field to be used if no code is availableFree text	
 Comment	0 ... 1	prsb03-dataelement-10175 link
	Further details on safeguarding concerns.Free text	
 Eligibility Criteria	0 ... 1	prsb03-dataelement-10700 link
 Eligibility criteria	0 ... *	prsb03-dataelement-10701 link
	Records which specific eligibility criteria have been met in order to administer the vaccine.Free text	
 Referral details	0 ... 1	prsb03-dataelement-105 link
	The details of the referral.	
 Referral details record entry	0 ... *	prsb03-dataelement-10917 link
	This is the referral details record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
 Reason for referral	0 ... 1	prsb03-dataelement-10011 link
	The reason for the referral, e.g. diagnosis, treatment, transfer of care due to relocation, investigation, second opinion, management of the patient (e.g. palliative care), or carer's concerns.Free text	
 Coded value	0 ... 1	prsb03-dataelement-13455 link
	The coded value for reason for referralSNOMED CT :- ^1127581000000103 Health issues simple reference set	
 Free text	0 ... 1	prsb03-dataelement-13456 link
	Free text field to be used if no code is availableFree text	
 Expectation of referral	0 ... 1	prsb03-dataelement-10699 link
	A clear statement of the expectations of the person or professional making the referral in regards to the management of the patient e.g. advice only, diagnosis, treatment, etc. To include any specific patient expectation.Free text	
 Clinical urgency of referral	0 ... 1	prsb03-dataelement-10010 link
	The details of the clinical urgency of referral	
 Reason for urgency of referral	0 ... 1	prsb03-dataelement-10976 link
	The reason for urgency of referral if not routine.Free text	

Referral to	0 ... 1	prsb03-dataelement-10008 link
Details of where the referral is to be sent.		
		If not an individual, this could be a service, e.g. GP surgery, department, specialty, subspecialty, educational institution, mental health etc.
Name	0 ... 1	prsb03-dataelement-10977 link
Name of person the referral is to be sent to.Free text		
Role	0 ... 1	prsb03-dataelement-10978 link
Role of person where the referral is to be sent to.FHIR value set : - sdsjobrole		
Grade	0 ... 1	prsb03-dataelement-10979 link
The grade of the person where the referral is sent to.Free text		
Team	0 ... 1	prsb03-dataelement-10982 link
The team or department of the person where the referral is being sent toFree text.		
Specialty	0 ... 1	prsb03-dataelement-10983 link
The specialty the referral is being sent to e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code		
Service	0 ... 1	prsb03-dataelement-12412 link
The service of where the referral is sent to.		
Coded value	0 ... 1	prsb03-dataelement-13509 link
The coded value for serviceSNOMED CT: - 1127531000000102 Services simple reference set (foundation metadata concept)		
Free text	0 ... 1	prsb03-dataelement-13510 link
Free text field to be used if no code is availableFree text		
Organisation	0 ... 1	prsb03-dataelement-10980 link
The organisation of where the referral is to be sent.		
Coded value	0 ... 1	prsb03-dataelement-13511 link
The coded value for organisationNHS data dictionary :- Organisation data service		
Free text	0 ... 1	prsb03-dataelement-13512 link
Free text field to be used if no code is availableFree text		
Contact details	0 ... 1	prsb03-dataelement-10981 link
The contact details of where the referral is to be sent.Free text.		
Contacts with professionals	1 ... 1 Mandatory	prsb03-dataelement-169 link
The details of the person's contact with a professional.		
Contacts with professionals record entry	1 ... * Mandatory	prsb03-dataelement-10718 link
This is a contacts record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.		
Date of contact	1 ... 1 Mandatory	prsb03-dataelement-10069 link

	Date and time of the contact.Date and time.	
└─📁 Location of contact	0 ... 1	prsb03-dataelement-10075 link
	The location where the contact took place.	
└─🟡 Coded value	0 ... 1	prsb03-dataelement-13513 link
	The coded value for locationNHS data dictionary : - Organisation service code	
└─🟡 Free text	0 ... 1	prsb03-dataelement-13514 link
	Free text field to be used if no code is availableFree text	
└─📁 Seen by	0 ... 1	prsb03-dataelement-10077 link
	The professional that saw the person.	
└─🟡 Name	0 ... 1	prsb03-dataelement-13515 link
	The name of the professional that saw the personFree text	
└─🟡 Role	0 ... 1	prsb03-dataelement-13758 link
	The role of the person providing the service.FHIR values set : - sdsjobrole	
└─🟡 Reason for service	0 ... 1	prsb03-dataelement-13751 link
	The reason why the person has been offered the serviceFree text	
└─🟡 Contact type	0 ... 1	prsb03-dataelement-10070 link
	Type of contact e.g. GP consultation, outpatient attendanceFree text	
└─🟡 Consultation method	0 ... 1	prsb03-dataelement-10071 link
	Consultation method used e.g. face to face, telephoneNHS data dictionary - Consultation medium	
└─🟡 Service	0 ... 1	prsb03-dataelement-10074 link
	The service that was provided.SNOMED CT :- 1127531000000102 [Services simple reference set (foundation metadata concept)]	
└─🟡 Person accompanying patient	0 ... *	prsb03-dataelement-10079 link
	Identify, where clinically relevant, others accompanying the patient, e.g. parent, relative, friend. Includes: Name, Relationship, role (e.g. informal carer).NHS data dictionary : - Person full name	
└─🟡 Organisation name	1 ... 1 Mandatory	prsb03-dataelement-10706 link
	The name, including the identifier, of the organisation providing the serviceNHS data dictionary : - Organisation name	
└─🟡 Organisation address	0 ... 1	prsb03-dataelement-10713 link
	The name of the organisation, including the identifier.NHS data dictionary : - Organisation address	
└─🟡 Organisation contact details	0 ... *	prsb03-dataelement-10707 link
	The contact details of the organisation. For example a phone number, NHSmail address etc. Contact details are used to resolve queries about the record entry.Free text	
└─🟡 Reason for non-provision of service	0 ... 1	prsb03-dataelement-10708 link

	The reason why the patient was not provided with the service e.g. declined, did not attend etc.Free text	
└  Chaperone	0 ... *	prsb03-dataelement-10712 link
	The name of any chaperone(s).Free text	
└  Professional identifier	0 ... 1	prsb03-dataelement-10711 link
	Professional identifier of the person providing the service.NHS data dictionary : - professional identifier	
└  Presenting complaints or issues	0 ... 1	prsb03-dataelement-210 link
	Presenting complaints or issues	
└  Presenting complaint or issue	0 ... 1	prsb03-dataelement-10110 link
	The health problem or issue experienced by the patient resulting in their attendance. This may include disease state, medical condition, response and reactions to therapies. E.g., blackout, dizziness, chest pain, follow up from admission, falls, a specific procedure, investigation or treatment.Only ONE (chief complaint) sent as per the ECDS Emergency Care Chief Complaint code set (SNOMED CT).	
└  History	0 ... 1	prsb03-dataelement-226 link
	History	
└  Relevant past medical, surgical and mental health history	0 ... *	prsb03-dataelement-10130 link
	The record of the person's significant medical, surgical and mental health history. Including relevant previous diagnoses, problems and issues, procedures, investigations, specific anaesthesia issues, etc. (will include dental and obstetric history)	
	A list of the person's relevant past medical, surgical and mental health history recorded in free text or coded form or Information relating to past medical, surgical and mental health history may be provided by the referral document or during the consultation.	
└  Coded value	0 ... 1	prsb03-dataelement-13787 link
	The coded value relevant past medical, surgical and mental health historySNOMED CT : - ^1127581000000103 Health issues simple reference set	
└  Free text	0 ... 1	prsb03-dataelement-13788 link
	Free text field to be used if no code is availableFree text	
└  Clinical Summary	0 ... 1	prsb03-dataelement-247 link
	Clinical Summary	
└  Date	0 ... 1	prsb03-dataelement-13308 link
	The date the clinical summary was written.Date	
└  Location	0 ... 1	prsb03-dataelement-13309 link
	The location the clinical summary was written.	
└  Coded value	0 ... 1	prsb03-dataelement-13310 link
	The coded value for location.NHS data dictionary : - Organisation data service code	
└  Free text	0 ... 1	prsb03-dataelement-13311 link

	Free text field to be used if no code is available	Free text	
└  Clinical summary	0 ... 1		prsb03-dataelement-10147 link
	Summary of the encounter. Where possible, very brief. This may include interpretation of findings and results; differential diagnoses, opinion and specific action(s). Planned actions will be recorded under 'plan'.Free text		
└  Performing professional	0 ... 1		prsb03-dataelement-13312 link
└  Name	The professional who wrote the clinical summary	0 ... 1	prsb03-dataelement-13313 link
└  Role	The name of the professional.Free text.	0 ... 1	prsb03-dataelement-13314 link
└  Grade	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etcFHIR value set :- SDSjobroletype	0 ... 1	prsb03-dataelement-13315 link
└  Speciality	The grade of the professional.Free text	0 ... 1	prsb03-dataelement-13316 link
└  Professional identifier	The specialty of the professional e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code	0 ... 1	prsb03-dataelement-13317 link
└  Organisation	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.NHS data dictionary : - Professional registration identifier	0 ... 1	prsb03-dataelement-13318 link
└  Contact details	The name of the organisation the professional works for.	0 ... 1	prsb03-dataelement-13319 link
└  Person completing record	Contact details of the professionalNHS data dictionary - UK phone number	0 ... 1	prsb03-dataelement-13320 link
└  Name	A record of the details of the person that entered the clinical summary and the date on which it was entered.	0 ... 1	prsb03-dataelement-13321 link
└  Role	The name of the person completing the record.Free text.	0 ... 1	prsb03-dataelement-13322 link
└  Grade	The organisational role of the person completing record.FHIR value set :- SDSjobrole	0 ... 1	prsb03-dataelement-13323 link
└  Specialty	The grade of the person completing the record.Free text.	0 ... 1	prsb03-dataelement-13324 link
└  Organisation	The main specialty of the person completing the record.NHS data dictionary :- Activity treatment function code	0 ... 1	prsb03-dataelement-13325 link
	The organisation the person completing the record works for.		

 Professional identifier	0 ... 1	prsb03-dataelement-13326 link
	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier	
 Date completed	0 ... 1	prsb03-dataelement-13327 link
	The date and time the record was completed.Date and time.	
 Contact details	0 ... 1	prsb03-dataelement-13328 link
	Contact details of the person completing the record.	
	NHS data dictionary : - UK telephone number	
 Formulation	0 ... 1	prsb03-dataelement-10148 link
	An account, shared by a therapist and person, of the personal meaning and origins of a person's difficulties. This is viewed in the context of multiple factors including relationships, social circumstances and life events and will indicate the most helpful way forward.Free text	
 Treatments and interventions and changes made to treatments.	0 ... 1	prsb03-dataelement-10149 link
	The relevant treatments and interventions which the patient received during the inpatient stay. Include psychological therapies. All medications should be recorded under the medications section.Free text	
 Clinical narrative	0 ... 1	prsb03-dataelement-10150 link
	A description detailing a patient's reason for attendance, results from the diagnostic and treatment process.Free text	
 Signpost details	0 ... 1	prsb03-dataelement-13973 link
	Details of signpost	
 Signpost details record entry	0 ... *	prsb03-dataelement-13974 link
	This is the signpost details record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
 Date	0 ... 1	prsb03-dataelement-13975 link
	Date of signpost	
 Signpost to	0 ... 1	prsb03-dataelement-13976 link
	Details of where the signpost is to.	
	If not an individual, this could be a service	
 Name	0 ... 1	prsb03-dataelement-13977 link
	Name of person signposted toFree Text	
 Role	0 ... 1	prsb03-dataelement-13978 link
	Role of person been signposted to.Free Text	
 Grade	0 ... 1	prsb03-dataelement-13979 link

	The grade of the person been signposted to.	Free text	
└  Team	0 ... 1		prsb03-dataelement-13980 link
	The team or department of the person been signposted to.	Free text	
└  Specialty	0 ... 1		prsb03-dataelement-13981 link
	The specialty of where been signposted e.g. physiotherapy, oncology, mental health etc		
└  Service	0 ... 1		prsb03-dataelement-13982 link
	The service of where been signposted to.		
└  Coded value	0 ... 1		prsb03-dataelement-13983 link
	The coded value for serviceSNOMED CT : - 1127531000000102 Services simple reference set (foundation metadata concept)		
└  Free text	0 ... 1		prsb03-dataelement-13984 link
	Free text field to be used if no code is available	Free text	
└  Organisation	0 ... 1		prsb03-dataelement-13985 link
	Name of organisation been signposted to.	Free text	
└  Contact details	0 ... 1		prsb03-dataelement-13987 link
	The contact details of where been signposted to	Free text	
└  Reason for signpost	0 ... 1		prsb03-dataelement-13988 link
	Reason for signposting		
└  Free text	0 ... 1		prsb03-dataelement-13990 link
	Free text	Free text	
└  Clinical urgency for signpost	0 ... 1		prsb03-dataelement-13991 link
	The details of the clinical urgency of signpost	Free text	
 Allergies and adverse reactions	0 ... 1		prsb03-dataelement-282 link
	Allergies and adverse reactions		
└  Allergies and adverse reactions	0 ... *		prsb03-dataelement-10657 link
	record entry		
	This is a allergies and adverse reactions record entry. There may be 1 to many record entries under a section.		
	Each record entry is made up of a number of elements or data items.		
└  Type of reaction	0 ... 1		prsb03-dataelement-10186 link
	The type of reaction experienced by the person (allergic, adverse, intolerance)	FHIR value set :-	
	Allergy, Intolerance		
└  Causative agent	1 ... 1 Mandatory		prsb03-dataelement-10182 link
	The agent such as food, drug or substances that has caused or may cause an allergy, intolerance or adverse reaction in this person Or "No known drug allergies or adverse reactions" Or "Information not available"		
└  Coded value	0 ... 1		prsb03-dataelement-13441 link

	The coded value for causative agentSNOMED CT : - <105590001 Substance OR <373873005 Pharmaceutical / biologic product OR <<716186003 No known allergy OR 196461000000101 Transfer-degraded drug allergy OR 196471000000108 Transfer-degraded non-drug allergy)	
└─Free text	0 ... 1	prsb03-dataelement-13442 link
	Free text field to be used if no code is availableFree text	
└─Reaction details cluster	0 ... *	prsb03-dataelement-10658 link
	Details of the reaction.	
└─Date	0 ... 1	prsb03-dataelement-10190 link
	The date that the reaction was identified.Date and time	
└─Description of reaction	0 ... 1	prsb03-dataelement-10183 link
	A description of the manifestation of the allergic or adverse reaction experienced by the person. For example, skin rash.	
└─Coded value	0 ... 1	prsb03-dataelement-13556 link
	The coded value for description of reaction.SNOMED CT: - ^112758100000103 Health issues simple reference set	
└─Free text	0 ... 1	prsb03-dataelement-13557 link
	Free text field to be used if no code is availableFree text	
└─Severity	0 ... 1	prsb03-dataelement-10184 link
	A description of the severity of the reaction.	
└─Coded value	0 ... 1	prsb03-dataelement-13558 link
	The coded value for severityFHIR value set : - Severity	
└─Free text	0 ... 1	prsb03-dataelement-13559 link
	Free text field to be used if no code is availableFree text	
└─Certainty	0 ... 1	prsb03-dataelement-10185 link
	A description of the certainty that the stated causative agent caused the allergic or adverse reaction.	
└─Coded value	0 ... 1	prsb03-dataelement-13560 link
	The coded value for certainty.FHIR value set : - Certainty	
└─Free text	0 ... 1	prsb03-dataelement-13561 link
	Free text field to be used if no code is availableFree text	
└─Comment	0 ... 1	prsb03-dataelement-10189 link
	Any additional comment or clarification about the adverse reaction.Free text	
└─Evidence	0 ... 1	prsb03-dataelement-10187 link
	Results of investigations that confirmed the certainty of the diagnosis. Examples might include results of skin prick allergy testsFree text	
└─Date first experienced	0 ... 1	prsb03-dataelement-10188 link
	When the reaction was first experienced i.e this may not be the first this has happened. May be a date or partial date (e.g. year) or text (e.g. during childhood)Date and time	

 Allergy end date	0 ... 1	prsb03-dataelement-14253 link
	The date the allergy was diagnosed as endedDate and time	
 Medications and medical devices	0 ... 1	prsb03-dataelement-636 link
	Medications and medical devices	
 Medication item entry	0 ... *	prsb03-dataelement-10663 link
	All medications and devices that can be prescribed to be entered via this Medication item entry. Handles details of continuation / addition / amendment of admission medications.	
 Medication item cluster	0 ... *	prsb03-dataelement-10664 link
	Medication item cluster	
 Date	0 ... 1	prsb03-dataelement-10843 link
	The date on which the medication or medical device was prescribed.Date and time	
 Medication name	1 ... 1 Mandatory	prsb03-dataelement-10536 link
	May be generic name or brand name.	
 Coded value	0 ... 1	prsb03-dataelement-13622 link
	The coded value for medication namedm+d: any code from the VTM, VMP, AMP, VMPP and AMPP concept classes	
 Free text	0 ... 1	prsb03-dataelement-13623 link
	Free text field to be used if no code is availableFree text	
 Form	0 ... 1	prsb03-dataelement-10537 link
	The form of the medication e.g. capsule, drops, tablet, lotion etc.	
 Coded value	0 ... 1	prsb03-dataelement-13624 link
	The coded value for form.SNOMED CT: - 421967003 Drug dose form (qualifier value)	
 Free text	0 ... 1	prsb03-dataelement-13625 link
	Free text field to be used if no code is availableFree text	
 Quantity supplied	1 ... 1 Mandatory	prsb03-dataelement-10539 link
	The quantity of the medication (e.g. tablets, inhalers, etc.) provided to the person. This may be dispensed by the pharmacy or on the ward. Record in a structured format i.e. value and a unitFree text	
 Value	0 ... 1	prsb03-dataelement-14271 link
	The value of the quantity suppliedEnumerated value	
 Unit of measure	0 ... 1	prsb03-dataelement-14272 link
	Unit of measure of quantity suppliedUCUM code	
 Route	0 ... *	prsb03-dataelement-10538 link
	The route by which the medication is administered e.g. oral, IM, IV	
 Coded value	0 ... 1	prsb03-dataelement-13655 link

	The coded value for routeSNOMED CT: - 999000051000001100 ePrescribing route of administration simple reference set (foundation metadata concept)	
└  Free text	0 ... 1	prsb03-dataelement-13656 link
	Free text field to be used if no code is availableFree text	
└  Site	0 ... 1	prsb03-dataelement-10540 link
	The anatomical site at which the medication is to be administered.	
└  Coded value	0 ... 1	prsb03-dataelement-13657 link
	The coded value for site SNOMED CT: - <442083009 Anatomical or acquired body structure (body structure)	
└  Free text	0 ... 1	prsb03-dataelement-13658 link
	Free text field to be used when code is not availableFree text	
└  Supply type	0 ... 1	prsb03-dataelement-13754 link
	A description of the type of supply (e.g. emergency supply, over the counter medication, patient group direction etc)	
└  Batch number	0 ... 1	prsb03-dataelement-13789 link
	The batch number of the product.	
└  Coded value	0 ... 1	prsb03-dataelement-13790 link
	The coded value for the batch numberFMD code : - Derived from Falsified medicines directive	
└  Free text	0 ... 1	prsb03-dataelement-13791 link
	Free text field to be used if no code is availableFree text	
└  Dose directions description	0 ... 1	prsb03-dataelement-10544 link
	Describes the entire medication dosage and administration directions including dose quantity and medication frequency and optionally duration e.g. "1 tablet at night" or "2mg at 10pm".Free text	
└  Structured dose direction cluster	0 ... 1	prsb03-dataelement-11639 link
	A structural representation of the elements carried by the dose syntax in 'parsable dose strength / timing' i.e. dose strength, dose timing, dose duration and maximum dose.	
└  Structured dose amount	0 ... 1	prsb03-dataelement-10554 link
	A structural representation of dose amount, e.g. 20mg or 2 tablets. This element will generally only be used when persisting data within systems with 'parsable dose directions' being used to exchange the same information between systems.As per FHIR Dose Syntax Implementation Guidance (NHS Digital): https://simplifier.net/guide/DoseSyntaxImplementationGuidanceforFHIR4/Home	
└  Structured dose timing	0 ... 1	prsb03-dataelement-10555 link
	A slot containing a structural, computable representation of dose timing and maximum dose. This element will generally only be used when persisting data within systems with 'parsable dose directions' being used to exchange the same information between systems.As per FHIR Dose Syntax Implementation Guidance (NHS Digital): https://simplifier.net/guide/DoseSyntaxImplementationGuidanceforFHIR4/Home	

 Dose direction duration	0 ... 1	prsb03-dataelement-10548 link
	Recommendation of the time period for which the medication should be continued, including direction not to discontinue. As per FHIR Dose Syntax Implementation Guidance (NHS Digital): https://simplifier.net/guide/DoseSyntaxImplementationGuidanceforFHIRR4/Home	
 Additional instructions	0 ... *	prsb03-dataelement-10545 link
	Allows for: requirements for adherence support, e.g. compliance aids, prompts and packaging requirements, additional information about specific medicines e.g. where specific brand required, person requirements, e.g. unable to swallow tablets. FHIR value set : - Additional instruction	
 Matters identified during discussion	1 ... * Mandatory	prsb03-dataelement-13753 link
	Matters identified during the service about the patient's experience of using the medication. Coded text using the following descriptors: a. patient reports using the medicine as prescribed b. patient reports not using the medicine as prescribed c. patient has not started using the medicine d. prescriber has stopped new medicine e. patient is not using the medicine in line with the directions of the prescriber f. patient reports missing a dose in the past 7 days g. patient reports need for more information about the medicine h. patient reports side effects i. patient reports negative feelings about the medicine j. patient reports uncertainty on whether the medicine is working k. patient reports concern about remembering to take the medicine l. patient reports difficulty using the medicine due to its pharmaceutical form/formulation i. other - free text option	
 Course details cluster	0 ... 1	prsb03-dataelement-10561 link
	Details of the overall course of medication.	
 Indication	0 ... 1	prsb03-dataelement-10546 link
	Reason for medication being prescribed, where known. Free text	
 Information and advice given	0 ... 1	prsb03-dataelement-315 link
	Information and advice given	
 Information and advice given	0 ... *	prsb03-dataelement-10215 link
	The oral or written information or advice given to the patient, carer, other authorised representative, care professional or other third party. May include advice about actions related to medicines or other ongoing care activities on an 'information prescription'. State here if there are concerns about the extent to which the patient and/or carer understand the information provided about diagnosis, prognosis and treatment.	
	Free text	
 Distribution list	0 ... 1	prsb03-dataelement-330 link
	Distribution list	
 Distribution list record entry	0 ... *	prsb03-dataelement-10660 link
	This is a Distribution list record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
 Name	0 ... 1	prsb03-dataelement-10230 link
	The name of the person the communication is to be sent to, this can be a person or professional. Free text	
 Role	0 ... 1	prsb03-dataelement-10231 link

If the communication is being sent to either a named individual, or to a non-named person with a specific role, then this is the role of the recipient.

Role may be entered as the communication is being created, or sourced from the hospital system. This may be a role defined in the National Workforce data set (see the NHS Data Dictionary Job Role Code). FHIR value set : - SDSjobrole

 Grade	0 ... 1	prsb03-dataelement-10232 link
	The grade of the recipient, if known by the sending institution, otherwise omitted. Free text	
 Organisation name	0 ... 1	prsb03-dataelement-10233 link
	The name of the organisation the recipient is representing or the organisation named as the receiving organisation.	
	An identifier for the organisation will be sent alongside the name, but may not displayed on rendered document.	
	NHS data dictionary : - Organisation code	
 Team	0 ... 1	prsb03-dataelement-10234 link
	Team that the recipient belongs to in the context of receiving this message, or the team acting as the recipient. Free text	
 Relationship	0 ... 1	prsb03-dataelement-13793 link
	The relationship of the receiver to the person for example, carer or parent FHIR value set : - Related person	
 Plan and requested actions	0 ... 1	prsb03-dataelement-535 link
	The details of planned investigations, procedures and treatment, and whether this plan has been agreed with the person or their legitimate representative.	
 Plan and requested actions record entry	0 ... 1	prsb03-dataelement-10661 link
	This is a plan and requested actions record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
 Actions for professionals	0 ... *	prsb03-dataelement-10436 link
	Including planned investigations, procedures and treatment for a person's identified conditions and priorities. For each action the following should be identified: outcome expectations, including the person's expectations. A record of the planned and requested actions. May be structured (table), with actions, names, dates, status, location, strategies. Free text	
 Actions for person or their carer	0 ... *	prsb03-dataelement-10437 link
	For each action the following should be identified: outcome expectations, including person's expectations. A record of the planned and requested actions. May be structured (table), with actions, names, dates, status, location, strategies. Free text	
 New Medicine Service		prsb03-transaction-218 link

Version / effective date 2.1 - 2021-01-26 12:14:39

 New Medicine Service (GP)	prsb03-transaction-219 link
---	-----------------------------

Version / effective date 2.1 - 2021-01-26 12:14:39

Actor Sender (organization) Pharmacy
Receiver (organization) General practitioner

Associations Data Set (for transaction) PRSB Record structure and content 1(2.16.840.1.113883.3.1937.777.28.1.1 / 2018-10-31)

Contained concepts

Concept	Card/Conf		
Person demographics	1 ... 1 Mandatory		prsb03-dataelement-10868 link
	The person's details and contact information.		
Person name	1 ... 1 Mandatory		prsb03-dataelement-10869 link
	Details of the person's name		
Person full name	1 ... 1 Mandatory		prsb03-dataelement-13801 link
	The full name of the person in text representation.NHS data dictionary :- Patient full name		
Date of birth	1 ... 1 Mandatory		prsb03-dataelement-10871 link
	The date of birth of the person.NHS data dictionary:- Person birth date		
Gender	0 ... 1		prsb03-dataelement-10872 link
	The person's stated gender.NHS data dictionary :- Person stated gender code		
NHS number	0 ... 1		prsb03-dataelement-10879 link
	The unique identifier for a person within the NHS in England and Wales.NHS data dictionary:- NHS number		
Other identifier	0 ... *		prsb03-dataelement-10880 link
	Country specific or local identifier, e.g. Community Health Index (CHI) in Scotland. NHS data dictionary: - Local patient identifier(extended), Health and care number (NI only), Community health index number (Scotland only)		
Person's address	1 ... 1 Mandatory		prsb03-dataelement-10881 link
	Person's usual place of residence, and where relevant temporary and correspondence addresses.		
Address line 1	1 ... 1 Mandatory		prsb03-dataelement-13082 link
	Person's first line of address. NHS data dictionary :- Address line 1		
Address line 2	0 ... 1		prsb03-dataelement-13083 link
	Person's second line of address. NHS data dictionary :- Address line 2		
Address line 3	0 ... 1		prsb03-dataelement-13084 link
	Person's third line of address. NHS data dictionary : - Address line 3		
Address line 4	0 ... 1		prsb03-dataelement-13085 link
	Person's fourth line of address. NHS data dictionary : - Address line 4		
Address line 5	0 ... 1		prsb03-dataelement-13086 link
	Person's fifth line of address.NHS data dictionary : - Address line 5		
Postcode	0 ... 1		prsb03-dataelement-13087 link

	The person's postcode.NHS data dictionary :- Postcode of usual address	
↳ Person's contact details	0 ... *	prsb03-dataelement-13804 link
	Details of the person's contact information.	
↳ Person's telephone number details	0 ... *	prsb03-dataelement-10883 link
	The person's telephone number details	
↳ Person's telephone number	0 ... 1	prsb03-dataelement-13808 link
	The person's telephone numberNHS data dictionary : - UK telephone number	
↳ Person's telephone number type	0 ... 1	prsb03-dataelement-13805 link
	The contact type e.g. home, mobileFHIR value set: - Contact point use	
↳ Preference of telephone number	0 ... 1	prsb03-dataelement-13809 link
	The preferred order of use for the telephone numberPreference of use 1-5, 1 being the highest.	
↳ GP practice	1 ... 1 Mandatory	prsb03-dataelement-101 link
	Details of the person's GP practice.	
↳ GP practice record entry	1 ... *	prsb03-dataelement-10643 link
	This is an GP practice record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items	
↳ GP practice identifier	1 ... 1 Mandatory	prsb03-dataelement-10001 link
	The identifier of the registered GP practice. NHS data dictionary : - General medical practice code (patient registration)	
↳ Legal information	0 ... 1	prsb03-dataelement-520 link
	The legal information relating to the person.	
↳ Consent for treatment record	0 ... 1	prsb03-dataelement-10420 link
	Details of the person's consent for treatment.	
↳ Date	0 ... 1	prsb03-dataelement-13457 link
	The date the consent was takenDate	
↳ Location	0 ... 1	prsb03-dataelement-13459 link
	The location of where the consent was taken.	
↳ Coded value	0 ... 1	prsb03-dataelement-13460 link
	The coded value for location.NHS data dictionary : - Organisation data service code	
↳ Free text	0 ... 1	prsb03-dataelement-13461 link
	Free text field to be used if no code is availableFree text	
↳ Consent for treatment record	0 ... 1	prsb03-dataelement-13574 link

	Whether consent has been obtained for the treatment. May include where record of consent is located or record of consent. A statement about the patient's consent for treatment.	Free text
└  Location of document	0 ... 1	prsb03-dataelement-13777 link
	The location of the consent for treatment record.	Free text or URL
└  Performing professional	0 ... 1	prsb03-dataelement-13462 link
	The professional who took the consent for treatment.	
└  Name	0 ... 1	prsb03-dataelement-13463 link
	The name of the professional.	Free text
└  Role	0 ... 1	prsb03-dataelement-13464 link
	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc	FHIR value set :- SDSjobroletype
└  Grade	0 ... 1	prsb03-dataelement-13465 link
	The grade of the professional.	Free text
└  Speciality	0 ... 1	prsb03-dataelement-13466 link
	The specialty of the professional e.g. physiotherapy, oncology, mental health etc	NHS data dictionary - Activity treatment function code
└  Professional identifier	0 ... 1	prsb03-dataelement-13467 link
	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.	NHS data dictionary : - Professional registration identifier
└  Organisation	0 ... 1	prsb03-dataelement-13468 link
	The name of the organisation the professional works for.	
└  Contact details	0 ... 1	prsb03-dataelement-13469 link
	Contact details of the professional	NHS data dictionary - UK phone number
└  Person completing record	0 ... 1	prsb03-dataelement-13470 link
	Details of the person completing the record.	
└  Name	0 ... 1	prsb03-dataelement-13471 link
	The name of the person completing the record.	Free text
└  Role	0 ... 1	prsb03-dataelement-13472 link
	The organisational role of the person completing record.	FHIR value set :- SDSjobrole
└  Grade	0 ... 1	prsb03-dataelement-13473 link
	The grade of the person completing the record.	Free text
└  Specialty	0 ... 1	prsb03-dataelement-13474 link
	The main specialty of the person completing the record.	NHS data dictionary :- Activity treatment function code
└  Organisation	0 ... 1	prsb03-dataelement-13475 link
	The organisation the person completing the record works for.	
└  Professional identifier	0 ... 1	prsb03-dataelement-13476 link

	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier	
└  Date completed	0 ... 1	prsb03-dataelement-13477 link
	The date and time the record was completed.Date and time.	
└  Contact details	0 ... 1	prsb03-dataelement-13478 link
	Contact details of the person completing the record.	
	NHS data dictionary : - UK telephone number	
└  Consent for information sharing	0 ... 1	prsb03-dataelement-10421 link
	Details of the person's consent for information sharing	
└  Date	0 ... 1	prsb03-dataelement-11713 link
	The date when the consent was givenDate and time	
└  Location	0 ... 1	prsb03-dataelement-11714 link
	The location where the consent was taken.	
└  Coded value	0 ... 1	prsb03-dataelement-13451 link
	The coded value for location.NHS data dictionary : - Organisation data service code	
└  Free text	0 ... 1	prsb03-dataelement-13452 link
	Free text field to be used if no code is availableFree text	
└  Consent for information sharing	0 ... 1	prsb03-dataelement-13575 link
	This is a record of consent for information sharing under the common law duty of confidentiality. Where consent has not been obtained or sought, the reason why should be provided. Include best interests decision where person lacks capacity. This is a placeholder until the national guidance is published.Free text	
└  Reason for consent not given	0 ... 1	prsb03-dataelement-13778 link
	Reason not given for consentFree text	
└  Performing professional	0 ... 1	prsb03-dataelement-11715 link
	The professional who took the consent for information sharing	
└  Name	0 ... 1	prsb03-dataelement-11716 link
	The name of the professional.Free text.	
└  Role	0 ... 1	prsb03-dataelement-11717 link
	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etcFHIR value set :- SDSjobroletype	
└  Grade	0 ... 1	prsb03-dataelement-11718 link
	The grade of the professional.Free text	
└  Speciality	0 ... 1	prsb03-dataelement-11719 link
	The specialty of the professional e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code	

 Professional identifier	0 ... 1	prsb03-dataelement-11720 link
		Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier
 Organisation	0 ... 1	prsb03-dataelement-11721 link
		The name of the organisation the professional works for.
 Contact details	0 ... 1	prsb03-dataelement-11722 link
		Contact details of the professionalNHS data dictionary - UK phone number
 Person completing record	0 ... 1	prsb03-dataelement-11723 link
		Details of the person completing the record.
 Name	0 ... 1	prsb03-dataelement-11724 link
		The name of the person completing the record.Free text.
 Role	0 ... 1	prsb03-dataelement-11725 link
		The organisational role of the person completing record.FHIR value set :- SDSjobrole
 Grade	0 ... 1	prsb03-dataelement-11726 link
		The grade of the person completing the record.Free text.
 Specialty	0 ... 1	prsb03-dataelement-11727 link
		The main specialty of the person completing the record.NHS data dictionary :- Activity treatment function code
 Organisation	0 ... 1	prsb03-dataelement-11728 link
		The organisation the person completing the record works for.
 Professional identifier	0 ... 1	prsb03-dataelement-11729 link
		Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier
 Date completed	0 ... 1	prsb03-dataelement-11730 link
		The date and time the record was completed.Date and time.
 Contact details	0 ... 1	prsb03-dataelement-11731 link
		Contact details of the person completing the record.
		NHS data dictionary : - UK telephone number
 Consent relating to child	0 ... 1	prsb03-dataelement-10422 link
		Details of the person's consent relating to child
 Date	0 ... 1	prsb03-dataelement-11732 link
		The date when the person with responsibility for the child was identified.Date and time
 Location	0 ... 1	prsb03-dataelement-11733 link
		The location where the person with responsibility for the child was identified.
 Coded value	0 ... 1	prsb03-dataelement-13674 link

	The coded value for locationNHS data dictionary : - Organisation data service	
└  Free text	0 ... 1	prsb03-dataelement-13675 link
	Free text field to be used if no coded text available	
└  Consent relating to child	0 ... 1	prsb03-dataelement-13576 link
	The person with parental responsibility or appointed guardian where a child lacks competency. Consideration of age and competency, applying Gillick competency or Fraser guidelines.Free text	
└  Performing professional	0 ... 1	prsb03-dataelement-11734 link
	The professional who identified the person responsible for the child.	
└  Name	0 ... 1	prsb03-dataelement-11735 link
	The name of the professional.Free text.	
└  Role	0 ... 1	prsb03-dataelement-11736 link
	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etcFHIR value set :- SDSjobroletype	
└  Grade	0 ... 1	prsb03-dataelement-11737 link
	The grade of the professional.Free text	
└  Speciality	0 ... 1	prsb03-dataelement-11738 link
	The specialty of the professional e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code	
└  Professional identifier	0 ... 1	prsb03-dataelement-11739 link
	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.NHS data dictionary : - Professional registration identifier	
└  Organisation	0 ... 1	prsb03-dataelement-11740 link
	The name of the organisation the professional works for.	
└  Contact details	0 ... 1	prsb03-dataelement-11741 link
	Contact details of the professionalNHS data dictionary - UK phone number	
└  Person completing record	0 ... 1	prsb03-dataelement-11742 link
	Details of the person completing the record.	
└  Name	0 ... 1	prsb03-dataelement-11743 link
	The name of the person completing the record.Free text.	
└  Role	0 ... 1	prsb03-dataelement-11744 link
	The organisational role of the person completing record.FHIR value set :- SDSjobrole	
└  Grade	0 ... 1	prsb03-dataelement-11745 link
	The grade of the person completing the record.Free text.	
└  Specialty	0 ... 1	prsb03-dataelement-11746 link
	The main specialty of the person completing the record.NHS data dictionary :- Activity treatment function code	
└  Organisation	0 ... 1	prsb03-dataelement-11747 link

	The organisation the person completing the record works for.	
└  Professional identifier	0 ... 1	prsb03-dataelement-11748 link
	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier	
└  Date completed	0 ... 1	prsb03-dataelement-11749 link
	The date and time the record was completed.Date and time.	
└  Contact details	0 ... 1	prsb03-dataelement-11750 link
	Contact details of the person completing the record.	
	NHS data dictionary : - UK telephone number	
📁 Safeguarding	0 ... 1	prsb03-dataelement-271 link
	The safeguarding details of the person.	
└  Safeguarding concerns	0 ... *	prsb03-dataelement-10821 link
	Details of safeguarding concerns	
└  Safeguarding indicator	0 ... 1	prsb03-dataelement-13428 link
	Indicates whether or not the hospital considers that there are safeguarding issues associated with the patient.Flag: No =N: Yes = Y	
└  Safeguarding concerns	0 ... 1	prsb03-dataelement-10171 link
	Identified safeguarding concerns.	
└  Coded value	0 ... 1	prsb03-dataelement-13756 link
	The coded value for safeguarding concernsSNOMED CT : - 99900238100000108 Safeguarding issues simple reference set (foundation metadata concept)	
└  Free text	0 ... 1	prsb03-dataelement-13757 link
	Free text field to be used if no code is availableFree text	
└  Comment	0 ... 1	prsb03-dataelement-10175 link
	Further details on safeguarding concerns.Free text	
📁 Eligibility Criteria	0 ... 1	prsb03-dataelement-10700 link
└  Eligibility criteria	0 ... *	prsb03-dataelement-10701 link
	Records which specific eligibility criteria have been met in order to administer the vaccine.Free text	
📁 Referral details	0 ... 1	prsb03-dataelement-105 link
	The details of the referral.	
└  Referral details record entry	0 ... 1	prsb03-dataelement-10917 link
	This is the referral details record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
└  Reason for referral	0 ... 1	prsb03-dataelement-10011 link

	The reason for the referral, e.g. diagnosis, treatment, transfer of care due to relocation, investigation, second opinion, management of the patient (e.g. palliative care), or carer's concerns.Free text	
└  Coded value	0 ... 1	prsb03-dataelement-13455 link
	The coded value for reason for referralsNOMED CT :- ^1127581000000103 Health issues simple reference set	
└  Free text	0 ... 1	prsb03-dataelement-13456 link
	Free text field to be used if no code is availableFree text	
└  Expectation of referral	0 ... *	prsb03-dataelement-10699 link
	A clear statement of the expectations of the person or professional making the referral in regards to the management of the patient e.g. advice only, diagnosis, treatment, etc. To include any specific patient expectation.Free text	
└  Clinical urgency of referral	0 ... 1	prsb03-dataelement-10010 link
	The details of the clinical urgency of referral	
└  Reason for urgency of referral	0 ... 1	prsb03-dataelement-10976 link
	The reason for urgency of referral if not routine.Free text	
└  Referral to	0 ... 1	prsb03-dataelement-10008 link
	Details of where the referral is to be sent.	
	If not an individual, this could be a service, e.g. GP surgery, department, specialty, subspecialty, educational institution, mental health etc.	
└  Name	0 ... 1	prsb03-dataelement-10977 link
	Name of person the referral is to be sent to.Free text	
└  Role	0 ... 1	prsb03-dataelement-10978 link
	Role of person where the referral is to be sent to.FHIR value set :- sdsjobrole	
└  Grade	0 ... 1	prsb03-dataelement-10979 link
	The grade of the person where the referral is sent to.Free text	
└  Team	0 ... 1	prsb03-dataelement-10982 link
	The team or department of the person where the referral is being sent toFree text.	
└  Specialty	0 ... 1	prsb03-dataelement-10983 link
	The specialty the referral is being sent to e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code	
└  Service	0 ... 1	prsb03-dataelement-12412 link
	The service of where the referral is sent to.	
└  Coded value	0 ... 1	prsb03-dataelement-13509 link
	The coded value for serviceSNOMED CT: - 1127531000000102 Services simple reference set (foundation metadata concept)	
└  Free text	0 ... 1	prsb03-dataelement-13510 link
	Free text field to be used if no code is availableFree text	

 Organisation	0 ... 1	prsb03-dataelement-10980 link
	The organisation of where the referral is to be sent.	
 Coded value	0 ... 1	prsb03-dataelement-13511 link
	The coded value for organisationNHS data dictionary :- Organisation data service	
 Free text	0 ... 1	prsb03-dataelement-13512 link
	Free text field to be used if no code is availableFree text	
 Contact details	0 ... 1	prsb03-dataelement-10981 link
	The contact details of where the referral is to be sent.Free text.	
 Contacts with professionals	1 ... 1 Mandatory	prsb03-dataelement-169 link
	The details of the person's contact with a professional.	
 Contacts with professionals record entry	1 ... *	prsb03-dataelement-10718 link
	This is a contacts record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
 Date of contact	1 ... 1 Mandatory	prsb03-dataelement-10069 link
	Date and time of the contact.Date and time.	
 Location of contact	0 ... 1	prsb03-dataelement-10075 link
	The location where the contact took place.	
 Coded value	0 ... 1	prsb03-dataelement-13513 link
	The coded value for locationNHS data dictionary : - Organisation service code	
 Free text	0 ... 1	prsb03-dataelement-13514 link
	Free text field to be used if no code is availableFree text	
 Reason for service	0 ... 1	prsb03-dataelement-13751 link
	The reason why the person has been offered the serviceFree text	
 Consultation method	0 ... 1	prsb03-dataelement-10071 link
	Consultation method used e.g. face to face, telephoneNHS data dictionary - Consultation medium	
 Service	0 ... 1	prsb03-dataelement-10074 link
	The service that was provided.SNOMED CT :- 1127531000000102 Services simple reference set (foundation metadata concept)	
 Person accompanying patient	0 ... *	prsb03-dataelement-10079 link
	Identify, where clinically relevant, others accompanying the patient, e.g. parent, relative, friend. Includes: Name, Relationship, role (e.g. informal carer).NHS data dictionary : - Person full name	
 Organisation name	1 ... 1 Mandatory	prsb03-dataelement-10706 link
	The name, including the identifier, of the organisation providing the serviceNHS data dictionary : - Organisation name	

 Organisation address	0 ... 1	prsb03-dataelement-10713 link
		The name of the organisation, including the identifier.NHS data dictionary : - Organisation address
 Organisation contact details	0 ... *	prsb03-dataelement-10707 link
		The contact details of the organisation. For example a phone number, NHSmail address etc. Contact details are used to resolve queries about the record entry.Free text
 Reason for non-provision of service	0 ... 1	prsb03-dataelement-10708 link
		The reason why the patient was not provided with the service e.g. declined, did not attend etc.Free text
 Clinician name	1 ... 1 Mandatory	prsb03-dataelement-10709 link
		The name of the person providing the service.Free text
 Role	0 ... 1	prsb03-dataelement-10710 link
		The role of the person providing the service.FHIR values set : - sdsjobrole
 Chaperone	0 ... *	prsb03-dataelement-10712 link
		The name of any chaperone(s).Free text
 Professional identifier	0 ... 1	prsb03-dataelement-10711 link
		Professional identifier of the person providing the service.NHS data dictionary : - professional identifier
 History	0 ... 1	prsb03-dataelement-226 link
		History
 Relevant past medical, surgical and mental health history	0 ... 1	prsb03-dataelement-10130 link
		The record of the person's significant medical, surgical and mental health history. Including relevant previous diagnoses, problems and issues, procedures, investigations, specific anesthesia issues, etc. (will include dental and obstetric history)
		A list of the person's relevant past medical, surgical and mental health history recorded in free text or coded form or Information relating to past medical, surgical and mental health history may be provided by the referral document or during the consultation.
 Coded value	0 ... 1	prsb03-dataelement-13787 link
		The coded value relevant past medical, surgical and mental health historySNOMED CT : - ^1127581000000103 Health issues simple reference set
 Free text	0 ... 1	prsb03-dataelement-13788 link
		Free text field to be used if no code is availableFree text
 Clinical Summary	0 ... 1	prsb03-dataelement-247 link
		Clinical Summary
 Date	0 ... 1	prsb03-dataelement-13308 link
		The date the clinical summary was written.Date

 Location	0 ... 1	prsb03-dataelement-13309 link
	The location the clinical summary was written.	
 Coded value	0 ... 1	prsb03-dataelement-13310 link
	The coded value for location.NHS data dictionary : - Organisation data service code	
 Free text	0 ... 1	prsb03-dataelement-13311 link
	Free text field to be used if no code is availableFree text	
 Clinical summary	0 ... 1	prsb03-dataelement-10147 link
	Summary of the encounter. Where possible, very brief. This may include interpretation of findings and results; differential diagnoses, opinion and specific action(s). Planned actions will be recorded under 'plan'.Free text	
 Performing professional	0 ... 1	prsb03-dataelement-13312 link
	The professional who wrote the clinical summary	
 Name	0 ... 1	prsb03-dataelement-13313 link
	The name of the professional.Free text.	
 Role	0 ... 1	prsb03-dataelement-13314 link
	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etcFHIR value set :- SDSjobroletype	
 Grade	0 ... 1	prsb03-dataelement-13315 link
	The grade of the professional.Free text	
 Speciality	0 ... 1	prsb03-dataelement-13316 link
	The specialty of the professional e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code	
 Professional identifier	0 ... 1	prsb03-dataelement-13317 link
	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.NHS data dictionary : - Professional registration identifier	
 Organisation	0 ... 1	prsb03-dataelement-13318 link
	The name of the organisation the professional works for.	
 Contact details	0 ... 1	prsb03-dataelement-13319 link
	Contact details of the professionalNHS data dictionary - UK phone number	
 Person completing record	0 ... 1	prsb03-dataelement-13320 link
	A record of the details of the person that entered the clinical summary and the date on which it was entered.	
 Name	0 ... 1	prsb03-dataelement-13321 link
	The name of the person completing the record.Free text	
 Role	0 ... 1	prsb03-dataelement-13322 link
	The organisational role of the person completing record.FHIR value set :- SDSjobrole	
 Grade	0 ... 1	prsb03-dataelement-13323 link
	The grade of the person completing the record.Free text.	

 Specialty	0 ... 1	prsb03-dataelement-13324 link
	The main specialty of the person completing the record.NHS data dictionary :- Activity treatment function code	
 Organisation	0 ... 1	prsb03-dataelement-13325 link
	The organisation the person completing the record works for.	
 Professional identifier	0 ... 1	prsb03-dataelement-13326 link
	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier	
 Date completed	0 ... 1	prsb03-dataelement-13327 link
	The date and time the record was completed.Date and time.	
 Contact details	0 ... 1	prsb03-dataelement-13328 link
	Contact details of the person completing the record.	
	NHS data dictionary : - UK telephone number	
 Formulation	0 ... 1	prsb03-dataelement-10148 link
	An account, shared by a therapist and person, of the personal meaning and origins of a person's difficulties. This is viewed in the context of multiple factors including relationships, social circumstances and life events and will indicate the most helpful way forward.Free text	
 Treatments and interventions and changes made to treatments.	0 ... 1	prsb03-dataelement-10149 link
	The relevant treatments and interventions which the patient received during the inpatient stay. Include psychological therapies. All medications should be recorded under the medications section.Free text	
 Clinical narrative	0 ... 1	prsb03-dataelement-10150 link
	A description detailing a patient's reason for attendance, results from the diagnostic and treatment process.Free text	
 Signpost details	0 ... 1	prsb03-dataelement-13973 link
	Details of signpost	
 Signpost details record entry	0 ... *	prsb03-dataelement-13974 link
	This is the signpost details record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
 Date	0 ... 1	prsb03-dataelement-13975 link
	Date of signpost	
 Signpost to	0 ... 1	prsb03-dataelement-13976 link
	Details of where the signpost is to.	

If not an individual, this could be a service

 Name	0 ... 1	prsb03-dataelement-13977 link
	Name of person signposted toFree Text	
 Role	0 ... 1	prsb03-dataelement-13978 link
	Role of person been signposted to.Free Text	
 Grade	0 ... 1	prsb03-dataelement-13979 link
	The grade of the person been signposted to.Free text	
 Team	0 ... 1	prsb03-dataelement-13980 link
	The team or department of the person been signposted to.Free text	
 Specialty	0 ... 1	prsb03-dataelement-13981 link
	The specialty of where been signposted e.g. physiotherapy, oncology, mental health etc	
 Service	0 ... 1	prsb03-dataelement-13982 link
	The service of where been signposted to.	
 Coded value	0 ... 1	prsb03-dataelement-13983 link
	The coded value for serviceSNOMED CT : - 1127531000000102 Services simple reference set (foundation metadata concept)	
 Free text	0 ... 1	prsb03-dataelement-13984 link
	Free text field to be used if no code is availableFree text	
 Organisation	0 ... 1	prsb03-dataelement-13985 link
	Name of organisation been signposted to. Free text	
 Contact details	0 ... 1	prsb03-dataelement-13987 link
	The contact details of where been signposted toFree text	
 Reason for signpost	0 ... 1	prsb03-dataelement-13988 link
	Reason for signposting	
 Free text	0 ... 1	prsb03-dataelement-13990 link
	Free textFree text	
 Clinical urgency for signpost	0 ... 1	prsb03-dataelement-13991 link
	The details of the clinical urgency of signpost Free text	
 Allergies and adverse reactions	0 ... 1	prsb03-dataelement-282 link
	Allergies and adverse reactions	
 Allergies and adverse reactions	0 ... 1	prsb03-dataelement-10657 link
record entry	This is a allergies and adverse reactions record entry. There may be 1 to many record entries under a section.	
	Each record entry is made up of a number of elements or data items.	
 Type of reaction	0 ... 1	prsb03-dataelement-10186 link

	The type of reaction experienced by the person (allergic, adverse, intolerance) FHIR value set :- Allergy, Intolerance	
└─ Causative agent	1 ... 1 Mandatory	prsb03-dataelement-10182 link
	The agent such as food, drug or substances that has caused or may cause an allergy, intolerance or adverse reaction in this person Or "No known drug allergies or adverse reactions" Or "Information not available"	
└─ Coded value	0 ... 1	prsb03-dataelement-13441 link
	The coded value for causative agent SNOMED CT : - <105590001 Substance OR <373873005 Pharmaceutical / biologic product OR <>716186003 No known allergy OR 196461000000101 Transfer-degraded drug allergy OR 196471000000108 Transfer-degraded non-drug allergy	
└─ Free text	0 ... 1	prsb03-dataelement-13442 link
	Free text field to be used if no code is availableFree text	
└─ Reaction details cluster	0 ... *	prsb03-dataelement-10658 link
	Details of the reaction.	
└─ Date	0 ... 1	prsb03-dataelement-10190 link
	The date that the reaction was identified.Date and time	
└─ Description of reaction	0 ... 1	prsb03-dataelement-10183 link
	A description of the manifestation of the allergic or adverse reaction experienced by the person. For example, skin rash.	
└─ Coded value	0 ... 1	prsb03-dataelement-13556 link
	The coded value for description of reaction SNOMED CT: - ^1127581000000103 Health issues simple reference set	
└─ Free text	0 ... 1	prsb03-dataelement-13557 link
	Free text field to be used if no code is availableFree text	
└─ Severity	0 ... 1	prsb03-dataelement-10184 link
	A description of the severity of the reaction.	
└─ Coded value	0 ... 1	prsb03-dataelement-13558 link
	The coded value for severity FHIR value set : - Severity	
└─ Free text	0 ... 1	prsb03-dataelement-13559 link
	Free text field to be used if no code is availableFree text	
└─ Certainty	0 ... 1	prsb03-dataelement-10185 link
	A description of the certainty that the stated causative agent caused the allergic or adverse reaction.	
└─ Coded value	0 ... 1	prsb03-dataelement-13560 link
	The coded value for certainty FHIR value set : - Certainty	
└─ Free text	0 ... 1	prsb03-dataelement-13561 link
	Free text field to be used if no code is availableFree text	
└─ Comment	0 ... 1	prsb03-dataelement-10189 link
	Any additional comment or clarification about the adverse reaction.Free text	
└─ Evidence	0 ... 1	prsb03-dataelement-10187 link

	Results of investigations that confirmed the certainty of the diagnosis. Examples might include results of skin prick allergy testsFree text	
└  Date first experienced	0 ... 1	prsb03-dataelement-10188 link
	When the reaction was first experienced i.e this may not be the first this has happened. May be a date or partial date (e.g. year) or text (e.g. during childhood)Date and time	
└  Allergy end date	0 ... 1	prsb03-dataelement-14253 link
	The date the allergy was diagnosed as endedDate and time	
└  Medications and medical devices	0 ... 1	prsb03-dataelement-636 link
	Medications and medical devices	
└  Medication item entry	0 ... *	prsb03-dataelement-10663 link
	All medications and devices that can be prescribed to be entered via this Medication item entry. Handles details of continuation / addition / amendment of admission medications.	
└  Medication item cluster	0 ... *	prsb03-dataelement-10664 link
	Medication item cluster	
└  Date	0 ... 1	prsb03-dataelement-10843 link
	The date on which the medication or medical device was prescribed.Date and time	
└  Medication name	1 ... 1 Mandatory	prsb03-dataelement-10536 link
	May be generic name or brand name.	
└  Coded value	0 ... 1	prsb03-dataelement-13622 link
	The coded value for medication namedm+d: any code from the VTM, VMP, AMP, VMPP and AMPP concept classes	
└  Free text	0 ... 1	prsb03-dataelement-13623 link
	Free text field to be used if no code is availableFree text	
└  Form	0 ... 1	prsb03-dataelement-10537 link
	The form of the medication e.g. capsule, drops, tablet, lotion etc.	
└  Coded value	0 ... 1	prsb03-dataelement-13624 link
	The coded value for form.SNOMED CT: - 421967003 Drug dose form (qualifier value)	
└  Free text	0 ... 1	prsb03-dataelement-13625 link
	Free text field to be used if no code is availableFree text	
└  Quantity supplied	1 ... 1 Mandatory	prsb03-dataelement-10539 link
	The quantity of the medication (e.g. tablets, inhalers, etc.) provided to the person. This may be dispensed by the pharmacy or on the ward. Record in a structured format i.e. value and a unitFree text	
└  Value	0 ... 1	prsb03-dataelement-14271 link
	The value of the quantity suppliedEnumerated value	
└  Unit of measure	0 ... 1	prsb03-dataelement-14272 link
	Unit of measure of quantity suppliedUCUM code	

 Route	0 ... *	prsb03-dataelement-10538 link
	The route by which the medication is administered e.g. oral, IM, IV	
 Coded value	0 ... 1	prsb03-dataelement-13655 link
	The coded value for routeSNOMED CT: - 999000051000001100 ePrescribing route of administration simple reference set (foundation metadata concept)	
 Free text	0 ... 1	prsb03-dataelement-13656 link
	Free text field to be used if no code is availableFree text	
 Site	0 ... 1	prsb03-dataelement-10540 link
	The anatomical site at which the medication is to be administered.	
 Coded value	0 ... 1	prsb03-dataelement-13657 link
	The coded value for site SNOMED CT: - <442083009 Anatomical or acquired body structure (body structure)	
 Free text	0 ... 1	prsb03-dataelement-13658 link
	Free text field to be used when code is not availableFree text	
 Supply type	0 ... 1	prsb03-dataelement-13754 link
	A description of the type of supply (e.g. emergency supply, over the counter medication, patient group direction etc)	
 Batch number	0 ... 1	prsb03-dataelement-13789 link
	The batch number of the product.	
 Coded value	0 ... 1	prsb03-dataelement-13790 link
	The coded value for the batch numberFMD code : - Derived from Falsified medicines directive	
 Free text	0 ... 1	prsb03-dataelement-13791 link
	Free text field to be used if no code is availableFree text	
 Dose directions description	0 ... 1	prsb03-dataelement-10544 link
	Describes the entire medication dosage and administration directions including dose quantity and medication frequency and optionally duration e.g. "1 tablet at night" or "2mg at 10pm".Free text	
 Structured dose direction cluster	0 ... 1	prsb03-dataelement-11639 link
	A structural representation of the elements carried by the dose syntax in 'parsable dose strength / timing' i.e. dose strength, dose timing, dose duration and maximum dose.	
 Structured dose amount	0 ... 1	prsb03-dataelement-10554 link
	A structural representation of dose amount, e.g. 20mg or 2 tablets. This element will generally only be used when persisting data within systems with 'parsable dose directions' being used to exchange the same information between systems.As per FHIR Dose Syntax Implementation Guidance (NHS Digital): https://simplifier.net/guide/DoseSyntaxImplementationGuidanceforFHIRR4/Home	
 Structured dose timing	0 ... 1	prsb03-dataelement-10555 link

	A slot containing a structural, computable representation of dose timing and maximum dose. This element will generally only be used when persisting data within systems with 'parsable dose directions' being used to exchange the same information between systems. As per FHIR Dose Syntax Implementation Guidance (NHS Digital): https://simplifier.net/guide/DoseSyntaxImplementationGuidanceforFHIRR4/Home	
└  Dose direction duration	0 ... 1	prsb03-dataelement-10548 link
	Recommendation of the time period for which the medication should be continued, including direction not to discontinue. As per FHIR Dose Syntax Implementation Guidance (NHS Digital): https://simplifier.net/guide/DoseSyntaxImplementationGuidanceforFHIRR4/Home	
└  Additional instructions	0 ... *	prsb03-dataelement-10545 link
	Allows for: requirements for adherence support, e.g. compliance aids, prompts and packaging requirements, additional information about specific medicines e.g. where specific brand required, person requirements, e.g. unable to swallow tablets. FHIR value set : - Additional instruction	
└  Matters identified during discussion	1 ... * Mandatory	prsb03-dataelement-13753 link
	Matters identified during the service about the patient's experience of using the medication. Coded text using the following descriptors: a. patient reports using the medicine as prescribed b. patient reports not using the medicine as prescribed c. patient has not started using the medicine d. prescriber has stopped new medicine e. patient is not using the medicine in line with the directions of the prescriber f. patient reports missing a dose in the past 7 days g. patient reports need for more information about the medicine h. patient reports side effects i. patient reports negative feelings about the medicine j. patient reports uncertainty on whether the medicine is working k. patient reports concern about remembering to take the medicine l. patient reports difficulty using the medicine due to its pharmaceutical form/formulation i. other - free text option	
└  Course details cluster	0 ... 1	prsb03-dataelement-10561 link
	Details of the overall course of medication.	
└  Indication	0 ... 1	prsb03-dataelement-10546 link
	Reason for medication being prescribed, where known. Free text	
└  Information and advice given	0 ... 1	prsb03-dataelement-315 link
	Information and advice given	
└  Information and advice given	0 ... *	prsb03-dataelement-10215 link
	The oral or written information or advice given to the patient, carer, other authorised representative, care professional or other third party. May include advice about actions related to medicines or other ongoing care activities on an 'information prescription'. State here if there are concerns about the extent to which the patient and/or carer understand the information provided about diagnosis, prognosis and treatment.	
	Free text	
└  Distribution list	0 ... 1	prsb03-dataelement-330 link
	Distribution list	
└  Distribution list record entry	0 ... 1	prsb03-dataelement-10660 link
	This is a Distribution list record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	

 Name	0 ... 1	prsb03-dataelement-10230 link
	The name of the person the communication is to be sent to, this can be a person or professional.Free text	
 Role	0 ... 1	prsb03-dataelement-10231 link
	If the communication is being sent to either a named individual, or to a non-named person with a specific role, then this is the role of the recipient.	
	Role may be entered as the communication is being created, or sourced from the hospital system. This may be a role defined in the National Workforce data set (see the NHS Data Dictionary Job Role Code).FHIR value set : - SDSjobrole	
 Grade	0 ... 1	prsb03-dataelement-10232 link
	The grade of the recipient, if known by the sending institution, otherwise omitted.Free text	
 Organisation name	0 ... 1	prsb03-dataelement-10233 link
	The name of the organisation the recipient is representing or the organisation named as the receiving organisation.	
	An identifier for the organisation will be sent alongside the name, but may not displayed on rendered document.	
	NHS data dictionary : - Organisation code	
 Team	0 ... 1	prsb03-dataelement-10234 link
	Team that the recipient belongs to in the context of receiving this message, or the team acting as the recipient.Free text	
 Relationship	0 ... 1	prsb03-dataelement-13793 link
	The relationship of the receiver to the person for example, carer or parentFHIR value set : - Related person	
 Plan and requested actions	0 ... 1	prsb03-dataelement-535 link
	The details of planned investigations, procedures and treatment, and whether this plan has been agreed with the person or their legitimate representative.	
 Plan and requested actions record entry	0 ... *	prsb03-dataelement-10661 link
	This is a plan and requested actions record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
 Actions for professionals	0 ... *	prsb03-dataelement-10436 link
	Including planned investigations, procedures and treatment for a person's identified conditions and priorities. For each action the following should be identified:outcome expectations, including the person's expectations. A record of the planned and requested actions. May be structured (table), with actions, names, dates, status, location, strategies.Free text	
 Actions for person or their carer	0 ... *	prsb03-dataelement-10437 link
	For each action the following should be identified:outcome expectations, including person's expectations. A record of the planned and requested actions. May be structured (table), with actions, names, dates, status, location, strategies.Free text	
 Appliance Use Review		prsb03-transaction-220 link

Version / effective date 2.1 - 2021-01-26 12:18:11



prsb03-transaction-221 link

Version / effective date 2.1 - 2021-01-26 12:18:11

Actor Sender (organization) Pharmacy
Receiver (organization) General practitioner

Associations Data Set (for transaction) PRSB Record structure and content 1(2.16.840.1.113883.3.1937.777.28.1.1 / 2018-10-31)

Contained concepts

Concept	Card/Conf	Id
Person demographics	1 ... 1 Mandatory The person's details and contact information.	prsb03-dataelement-10868 link
Person name	1 ... 1 Mandatory Details of the person's name	prsb03-dataelement-10869 link
Person full name	1 ... 1 Mandatory The full name of the person in text representation.NHS data dictionary :- Patient full name	prsb03-dataelement-13801 link
Date of birth	1 ... 1 Mandatory The date of birth of the person.NHS data dictionary:- Person birth date	prsb03-dataelement-10871 link
Gender	0 ... 1 The person's stated gender.NHS data dictionary :- Person stated gender code	prsb03-dataelement-10872 link
NHS number	0 ... 1 The unique identifier for a person within the NHS in England and Wales.NHS data dictionary:- NHS number	prsb03-dataelement-10879 link
Other identifier	0 ... * Country specific or local identifier, e.g. Community Health Index (CHI) in Scotland. NHS data dictionary: - Local patient identifier(extended), Health and care number (NI only), Community health index number (Scotland only)	prsb03-dataelement-10880 link
Person's address	1 ... 1 Mandatory Person's usual place of residence, and where relevant temporary and correspondence addresses.	prsb03-dataelement-10881 link
Address line 1	1 ... 1 Mandatory Person's first line of address. NHS data dictionary :- Address line 1	prsb03-dataelement-13082 link
Address line 2	0 ... 1 Person's second line of address. NHS data dictionary :- Address line 2	prsb03-dataelement-13083 link
Address line 3	0 ... 1 Person's third line of address. NHS data dictionary : - Address line 3	prsb03-dataelement-13084 link
Address line 4	0 ... 1 Person's fourth line of address. NHS data dictionary : - Address line 4	prsb03-dataelement-13085 link

 Address line 5	0 ... 1	prsb03-dataelement-13086 link
	Person's fifth line of address.NHS data dictionary : - Address line 5	
 Postcode	0 ... 1	prsb03-dataelement-13087 link
	The person's postcode.NHS data dictionary :- Postcode of usual address	
 Person's contact details	0 ... *	prsb03-dataelement-13804 link
	Details of the person's contact information.	
 Person's telephone number details	0 ... *	prsb03-dataelement-10883 link
	The person's telephone number details	
 Person's telephone number	0 ... 1	prsb03-dataelement-13808 link
	The person's telephone numberNHS data dictionary : - UK telephone number	
 Person's telephone number type	0 ... 1	prsb03-dataelement-13805 link
	The contact type e.g. home, mobileFHIR value set: - Contact point use	
 Preference of telephone number	0 ... 1	prsb03-dataelement-13809 link
	The preferred order of use for the telephone numberPreference of use 1-5, 1 being the highest.	
 GP practice	1 ... 1 Mandatory	prsb03-dataelement-101 link
	Details of the person's GP practice.	
 GP practice record entry	1 ... * Mandatory	prsb03-dataelement-10643 link
	This is an GP practice record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items	
 GP practice identifier	1 ... 1 Mandatory	prsb03-dataelement-10001 link
	The identifier of the registered GP practice. NHS data dictionary : - General medical practice code (patient registration)	
 Legal information	0 ... 1	prsb03-dataelement-520 link
	The legal information relating to the person.	
 Consent for treatment record	0 ... 1	prsb03-dataelement-10420 link
	Details of the person's consent for treatment.	
 Date	0 ... 1	prsb03-dataelement-13457 link
	The date the consent was takenDate	
 Location	0 ... 1	prsb03-dataelement-13459 link
	The location of where the consent was taken.	
 Coded value	0 ... 1	prsb03-dataelement-13460 link
	The coded value for location.NHS data dictionary : - Organisation data service code	

 Free text	0 ... 1	prsb03-dataelement-13461 link
	Free text field to be used if no code is availableFree text	
 Consent for treatment record	0 ... 1	prsb03-dataelement-13574 link
	Whether consent has been obtained for the treatment. May include where record of consent is located or record of consent. A statement about the patient's consent for treatment.Free text	
 Location of document	0 ... 1	prsb03-dataelement-13777 link
	The location of the consent for treatment record.Free text or URL	
 Performing professional	0 ... 1	prsb03-dataelement-13462 link
	The professional who took the consent for treatment.	
 Name	0 ... 1	prsb03-dataelement-13463 link
	The name of the professional.Free text	
 Role	0 ... 1	prsb03-dataelement-13464 link
	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc FHIR value set :- SDSjobrole type	
 Grade	0 ... 1	prsb03-dataelement-13465 link
	The grade of the professional.Free text	
 Speciality	0 ... 1	prsb03-dataelement-13466 link
	The specialty of the professional e.g. physiotherapy, oncology, mental health etc NHS data dictionary - Activity treatment function code	
 Professional identifier	0 ... 1	prsb03-dataelement-13467 link
	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation. NHS data dictionary : - Professional registration identifier	
 Organisation	0 ... 1	prsb03-dataelement-13468 link
	The name of the organisation the professional works for.	
 Contact details	0 ... 1	prsb03-dataelement-13469 link
	Contact details of the professional NHS data dictionary - UK phone number	
 Person completing record	0 ... 1	prsb03-dataelement-13470 link
	Details of the person completing the record.	
 Name	0 ... 1	prsb03-dataelement-13471 link
	The name of the person completing the record. Free text.	
 Role	0 ... 1	prsb03-dataelement-13472 link
	The organisational role of the person completing record. FHIR value set :- SDSjobrole	
 Grade	0 ... 1	prsb03-dataelement-13473 link
	The grade of the person completing the record. Free text.	
 Specialty	0 ... 1	prsb03-dataelement-13474 link

	The main specialty of the person completing the record.NHS data dictionary :- Activity treatment function code	
└─ Organisation	0 ... 1	prsb03-dataelement-13475 link
	The organisation the person completing the record works for.	
└─ Professional identifier	0 ... 1	prsb03-dataelement-13476 link
	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier	
└─ Date completed	0 ... 1	prsb03-dataelement-13477 link
	The date and time the record was completed.Date and time.	
└─ Contact details	0 ... 1	prsb03-dataelement-13478 link
	Contact details of the person completing the record.	
	NHS data dictionary : - UK telephone number	
└─ Consent for information sharing	0 ... 1	prsb03-dataelement-10421 link
	Details of the person's consent for information sharing	
└─ Date	0 ... 1	prsb03-dataelement-11713 link
	The date when the consent was givenDate and time	
└─ Location	0 ... 1	prsb03-dataelement-11714 link
	The location where the consent was taken.	
└─ Coded value	0 ... 1	prsb03-dataelement-13451 link
	The coded value for location.NHS data dictionary : - Organisation data service code	
└─ Free text	0 ... 1	prsb03-dataelement-13452 link
	Free text field to be used if no code is availableFree text	
└─ Consent for information sharing	0 ... 1	prsb03-dataelement-13575 link
	This is a record of consent for information sharing under the common law duty of confidentiality. Where consent has not been obtained or sought, the reason why should be provided. Include best interests decision where person lacks capacity. This is a placeholder until the national guidance is published.Free text	
└─ Reason for consent not given	0 ... 1	prsb03-dataelement-13778 link
	Reason not given for consentFree text	
└─ Performing professional	0 ... 1	prsb03-dataelement-11715 link
	The professional who took the consent for information sharing	
└─ Name	0 ... 1	prsb03-dataelement-11716 link
	The name of the professional.Free text.	
└─ Role	0 ... 1	prsb03-dataelement-11717 link

	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc FHIR value set :- SDSjobrole type	
└  Grade	0 ... 1	prsb03-dataelement-11718 link
	The grade of the professional. Free text	
└  Speciality	0 ... 1	prsb03-dataelement-11719 link
	The specialty of the professional e.g. physiotherapy, oncology, mental health etc NHS data dictionary - Activity treatment function code	
└  Professional identifier	0 ... 1	prsb03-dataelement-11720 link
	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation. NHS data dictionary : - Professional registration identifier	
└  Organisation	0 ... 1	prsb03-dataelement-11721 link
	The name of the organisation the professional works for.	
└  Contact details	0 ... 1	prsb03-dataelement-11722 link
	Contact details of the professional NHS data dictionary - UK phone number	
└  Person completing record	0 ... 1	prsb03-dataelement-11723 link
	Details of the person completing the record.	
└  Name	0 ... 1	prsb03-dataelement-11724 link
	The name of the person completing the record. Free text.	
└  Role	0 ... 1	prsb03-dataelement-11725 link
	The organisational role of the person completing record. FHIR value set :- SDSjobrole	
└  Grade	0 ... 1	prsb03-dataelement-11726 link
	The grade of the person completing the record. Free text.	
└  Specialty	0 ... 1	prsb03-dataelement-11727 link
	The main specialty of the person completing the record. NHS data dictionary : - Activity treatment function code	
└  Organisation	0 ... 1	prsb03-dataelement-11728 link
	The organisation the person completing the record works for.	
└  Professional identifier	0 ... 1	prsb03-dataelement-11729 link
	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation. NHS data dictionary : - Professional registration identifier	
└  Date completed	0 ... 1	prsb03-dataelement-11730 link
	The date and time the record was completed. Date and time.	
└  Contact details	0 ... 1	prsb03-dataelement-11731 link
	Contact details of the person completing the record.	
	NHS data dictionary : - UK telephone number	
└  Consent relating to child	0 ... 1	prsb03-dataelement-10422 link

	Details of the person's consent relating to child	
└  Date	0 ... 1	prsb03-dataelement-11732 link
	The date when the person with responsibility for the child was identified.Date and time	
└  Location	0 ... 1	prsb03-dataelement-11733 link
	The location where the person with responsibility for the child was identified.	
└  Coded value	0 ... 1	prsb03-dataelement-13674 link
	The coded value for locationNHS data dictionary : - Organisation data service	
└  Free text	0 ... 1	prsb03-dataelement-13675 link
	Free text field to be used if no coded text available	
└  Consent relating to child	0 ... 1	prsb03-dataelement-13576 link
	The person with parental responsibility or appointed guardian where a child lacks competency. Consideration of age and competency, applying Gillick competency or Fraser guidelines.Free text	
└  Performing professional	0 ... 1	prsb03-dataelement-11734 link
	The professional who identified the person responsible for the child.	
└  Name	0 ... 1	prsb03-dataelement-11735 link
	The name of the professional.Free text.	
└  Role	0 ... 1	prsb03-dataelement-11736 link
	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etcFHIR value set :- SDSjobroletype	
└  Grade	0 ... 1	prsb03-dataelement-11737 link
	The grade of the professional.Free text	
└  Speciality	0 ... 1	prsb03-dataelement-11738 link
	The specialty of the professional e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code	
└  Professional identifier	0 ... 1	prsb03-dataelement-11739 link
	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.NHS data dictionary : - Professional registration identifier	
└  Organisation	0 ... 1	prsb03-dataelement-11740 link
	The name of the organisation the professional works for.	
└  Contact details	0 ... 1	prsb03-dataelement-11741 link
	Contact details of the professionalNHS data dictionary - UK phone number	
└  Person completing record	0 ... 1	prsb03-dataelement-11742 link
	Details of the person completing the record.	
└  Name	0 ... 1	prsb03-dataelement-11743 link
	The name of the person completing the record.Free text.	
└  Role	0 ... 1	prsb03-dataelement-11744 link

	The organisational role of the person completing record.FHIR value set :- SDSjobrole	
└  Grade	0 ... 1	prsb03-dataelement-11745 link
	The grade of the person completing the record.Free text.	
└  Specialty	0 ... 1	prsb03-dataelement-11746 link
	The main specialty of the person completing the record.NHS data dictionary :- Activity treatment function code	
└  Organisation	0 ... 1	prsb03-dataelement-11747 link
	The organisation the person completing the record works for.	
└  Professional identifier	0 ... 1	prsb03-dataelement-11748 link
	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier	
└  Date completed	0 ... 1	prsb03-dataelement-11749 link
	The date and time the record was completed.Date and time.	
└  Contact details	0 ... 1	prsb03-dataelement-11750 link
	Contact details of the person completing the record.	
	NHS data dictionary : - UK telephone number	
└  Safeguarding	0 ... 1	prsb03-dataelement-271 link
	The safeguarding details of the person.	
└  Safeguarding concerns	0 ... *	prsb03-dataelement-10821 link
	Details of safeguarding concerns	
└  Safeguarding indicator	0 ... 1	prsb03-dataelement-13428 link
	Indicates whether or not the hospital considers that there are safeguarding issues associated with the patient.Flag: No =N: Yes = Y	
└  Safeguarding concerns	0 ... 1	prsb03-dataelement-10171 link
	Identified safeguarding concerns.	
└  Coded value	0 ... 1	prsb03-dataelement-13756 link
	The coded value for safeguarding concernsSNOMED CT : - 99900238100000108 Safeguarding issues simple reference set (foundation metadata concept)	
└  Free text	0 ... 1	prsb03-dataelement-13757 link
	Free text field to be used if no code is availableFree text	
└  Comment	0 ... 1	prsb03-dataelement-10175 link
	Further details on safeguarding concerns.Free text	
└  Referral details	0 ... 1	prsb03-dataelement-105 link
	The details of the referral.	
└  Referral details record entry	0 ... *	prsb03-dataelement-10917 link
	This is the referral details record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	

 Reason for referral	0 ... 1	prsb03-dataelement-10011 link
	The reason for the referral, e.g. diagnosis, treatment, transfer of care due to relocation, investigation, second opinion, management of the patient (e.g. palliative care), or carer's concerns.Free text	
 Coded value	0 ... 1	prsb03-dataelement-13455 link
	The coded value for reason for referralSNOMED CT :- ^1127581000000103 Health issues simple reference set	
 Free text	0 ... 1	prsb03-dataelement-13456 link
	Free text field to be used if no code is availableFree text	
 Expectation of referral	0 ... *	prsb03-dataelement-10699 link
	A clear statement of the expectations of the person or professional making the referral in regards to the management of the patient e.g. advice only, diagnosis, treatment, etc. To include any specific patient expectation.Free text	
 Clinical urgency of referral	0 ... 1	prsb03-dataelement-10010 link
	The details of the clinical urgency of referral	
 Reason for urgency of referral	0 ... 1	prsb03-dataelement-10976 link
	The reason for urgency of referral if not routine.Free text	
 Referral to	0 ... 1	prsb03-dataelement-10008 link
	Details of where the referral is to be sent.	
	If not an individual, this could be a service, e.g. GP surgery, department, specialty, subspecialty, educational institution, mental health etc.	
 Name	0 ... 1	prsb03-dataelement-10977 link
	Name of person the referral is to be sent to.Free text	
 Role	0 ... 1	prsb03-dataelement-10978 link
	Role of person where the referral is to be sent to.FHIR value set : - sdsjobrole	
 Grade	0 ... 1	prsb03-dataelement-10979 link
	The grade of the person where the referral is sent to.Free text	
 Team	0 ... 1	prsb03-dataelement-10982 link
	The team or department of the person where the referral is being sent toFree text.	
 Specialty	0 ... 1	prsb03-dataelement-10983 link
	The specialty the referral is being sent to e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code	
 Service	0 ... 1	prsb03-dataelement-12412 link
	The service of where the referral is sent to.	
 Coded value	0 ... 1	prsb03-dataelement-13509 link
	The coded value for serviceSNOMED CT: - 1127531000000102 Services simple reference set (foundation metadata concept)	

 Free text	0 ... 1	Free text field to be used if no code is availableFree text	prsb03-dataelement-13510 link
 Organisation	0 ... 1	The organisation of where the referral is to be sent.	prsb03-dataelement-10980 link
 Coded value	0 ... 1	The coded value for organisationNHS data dictionary :- Organisation data service	prsb03-dataelement-13511 link
 Free text	0 ... 1	Free text field to be used if no code is availableFree text	prsb03-dataelement-13512 link
 Contact details	0 ... 1	The contact details of where the referral is to be sent.Free text.	prsb03-dataelement-10981 link
 Contacts with professionals	1 ... 1 Mandatory	The details of the person's contact with a professional.	prsb03-dataelement-169 link
 Contacts with professionals record entry	1 ... * Mandatory	This is a contacts record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	prsb03-dataelement-10718 link
 Date of contact	1 ... 1 Mandatory	Date and time of the contact.Date and time.	prsb03-dataelement-10069 link
 Location of contact	0 ... 1	The location where the contact took place.	prsb03-dataelement-10075 link
 Coded value	0 ... 1	The coded value for locationNHS data dictionary : - Organisation service code	prsb03-dataelement-13513 link
 Free text	0 ... 1	Free text field to be used if no code is availableFree text	prsb03-dataelement-13514 link
 Reason for service	0 ... 1	The reason why the person has been offered the serviceFree text	prsb03-dataelement-13751 link
 Consultation method	0 ... 1	Consultation method used e.g. face to face, telephoneNHS data dictionary - Consultation medium	prsb03-dataelement-10071 link
 Service	0 ... 1	The service that was provided.SNOMED CT :- 1127531000000102 Services simple reference set (foundation metadata concept)	prsb03-dataelement-10074 link
 Person accompanying patient	0 ... *	Identify, where clinically relevant, others accompanying the patient, e.g. parent, relative, friend. Includes: Name, Relationship, role (e.g. informal carer).NHS data dictionary : - Person full name	prsb03-dataelement-10079 link

 Organisation name	1 ... 1 Mandatory	prsb03-dataelement-10706 link
	The name, including the identifier, of the organisation providing the service.NHS data dictionary : - Organisation name	
 Organisation address	0 ... 1	prsb03-dataelement-10713 link
	The name of the organisation, including the identifier.NHS data dictionary : - Organisation address	
 Organisation contact details	0 ... *	prsb03-dataelement-10707 link
	The contact details of the organisation. For example a phone number, NHSmail address etc. Contact details are used to resolve queries about the record entry.Free text	
 Reason for non-provision of service	0 ... 1	prsb03-dataelement-10708 link
	The reason why the patient was not provided with the service e.g. declined, did not attend etc.Free text	
 Clinician name	1 ... 1 Mandatory	prsb03-dataelement-10709 link
	The name of the person providing the service.Free text	
 Role	0 ... 1	prsb03-dataelement-10710 link
	The role of the person providing the service.FHIR values set : - sdsjobrole	
 Chaperone	0 ... *	prsb03-dataelement-10712 link
	The name of any chaperone(s).Free text	
 Professional identifier	0 ... 1	prsb03-dataelement-10711 link
	Professional identifier of the person providing the service.NHS data dictionary : - professional identifier	
 Appliances	0 ... 1	prsb03-dataelement-13762 link
	Details of appliances	
 Appliance records entry	0 ... *	prsb03-dataelement-13763 link
	This is the appliance records entry.	
 Appliance name	1 ... 1 Mandatory	prsb03-dataelement-13764 link
	May be generic name or brand name (as appropriate).As per dm+d (AMP)	
 Product order number	0 ... 1	prsb03-dataelement-13765 link
	The product order number for the appliance.	
 Manufacturer	0 ... 1	prsb03-dataelement-13766 link
	Name of appliance manufacturerFree text	
 Batch number	0 ... 1	prsb03-dataelement-13767 link
	The batch number of the appliance.Free text	
 Size	0 ... 1	prsb03-dataelement-13768 link
	The size of the appliance.UCUM	

 Weight	0 ... 1	prsb03-dataelement-13769 link
	The weight of the appliance.UCUM	
 Colour	0 ... 1	prsb03-dataelement-13770 link
	The colour of the applianceFree text	
 Route	0 ... 1	prsb03-dataelement-13771 link
	Appliance administration description (IM, IV, etc.): may include method of administration, (e.g., by infusion). SNOMED CT: - ^999000051000001100 ePrescribing route of administration simple reference set (foundation metadata concept)	
 Coded Value	0 ... 1	prsb03-dataelement-14268 link
	Coded value for appliance route SNOMED CT: - ^999000051000001100 ePrescribing route of administration simple reference set (foundation metadata concept)	
 Free text	0 ... 1	prsb03-dataelement-14267 link
	Free text field to be used if no coded text available	
 Site	0 ... 1	prsb03-dataelement-13772 link
	The anatomical site at which the appliance is to be used, including laterality.	
 Coded Value	0 ... 1	prsb03-dataelement-14269 link
	Coded value for site SNOMED CT: - <442083009 Anatomical or acquired body structure (body structure)	
 Free text	0 ... 1	prsb03-dataelement-14270 link
	Free text where no coded value is availableFree text	
 Quantity	0 ... 1	prsb03-dataelement-13773 link
	The quantity of the appliance (including the units).UCUM	
 Indication	0 ... 1	prsb03-dataelement-13774 link
	Reason for appliance being prescribed, where known.Free text	
 Matters identified during the discussion	1 ... * Mandatory	prsb03-dataelement-13775 link
	Matters identified during the service about the patient's experience of using the appliance. To include e.g. patient using/not using the appliance as prescribed, patient reports negative feelings about the appliance etc. Also to include whether the information was provided by the patient or somebody else (e.g. a relative, carer etc) e.g. patient using/not using the appliance as prescribed, patient reports negative feelings about the appliance etc.Free text	
 Date/time	1 ... 1 Mandatory	prsb03-dataelement-13802 link
 History	0 ... 1	prsb03-dataelement-226 link
	History	
 Relevant past medical, surgical and mental health history	0 ... 1	prsb03-dataelement-10130 link
	The record of the person's significant medical, surgical and mental health history. Including relevant previous diagnoses, problems and issues, procedures, investigations, specific anesthesia issues, etc. (will include dental and obstetric history)	

	A list of the person's relevant past medical, surgical and mental health history recorded in free text or coded form or Information relating to past medical, surgical and mental health history may be provided by the referral document or during the consultation.	
└  Coded value	0 ... 1	prsb03-dataelement-13787 link
	The coded value relevant past medical, surgical and mental health historySNOMED CT : - ^1127581000000103 Health issues simple reference set	
└  Free text	0 ... 1	prsb03-dataelement-13788 link
	Free text field to be used if no code is availableFree text	
└  Clinical Summary	0 ... 1	prsb03-dataelement-247 link
	Clinical Summary	
└  Date	0 ... 1	prsb03-dataelement-13308 link
	The date the clinical summary was written.Date	
└  Location	0 ... 1	prsb03-dataelement-13309 link
	The location the clinical summary was written.	
└  Coded value	0 ... 1	prsb03-dataelement-13310 link
	The coded value for location.NHS data dictionary : - Organisation data service code	
└  Free text	0 ... 1	prsb03-dataelement-13311 link
	Free text field to be used if no code is availableFree text	
└  Clinical summary	0 ... 1	prsb03-dataelement-10147 link
	Summary of the encounter. Where possible, very brief. This may include interpretation of findings and results; differential diagnoses, opinion and specific action(s). Planned actions will be recorded under 'plan'.Free text	
└  Performing professional	0 ... 1	prsb03-dataelement-13312 link
	The professional who wrote the clinical summary	
└  Name	0 ... 1	prsb03-dataelement-13313 link
	The name of the professional.Free text.	
└  Role	0 ... 1	prsb03-dataelement-13314 link
	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etcFHIR value set :- SDSjobroletype	
└  Grade	0 ... 1	prsb03-dataelement-13315 link
	The grade of the professional.Free text	
└  Speciality	0 ... 1	prsb03-dataelement-13316 link
	The specialty of the professional e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code	
└  Professional identifier	0 ... 1	prsb03-dataelement-13317 link
	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.NHS data dictionary : - Professional registration identifier	
└  Organisation	0 ... 1	prsb03-dataelement-13318 link
	The name of the organisation the professional works for.	
└  Contact details	0 ... 1	prsb03-dataelement-13319 link

	Contact details of the professionalNHS data dictionary - UK phone number	
└─ Person completing record	0 ... 1	prsb03-dataelement-13320 link
	A record of the details of the person that entered the clinical summary and the date on which it was entered.	
└─ Name	0 ... 1	prsb03-dataelement-13321 link
	The name of the person completing the record.Free text.	
└─ Role	0 ... 1	prsb03-dataelement-13322 link
	The organisational role of the person completing record.FHIR value set :- SDSjobrole	
└─ Grade	0 ... 1	prsb03-dataelement-13323 link
	The grade of the person completing the record.Free text.	
└─ Specialty	0 ... 1	prsb03-dataelement-13324 link
	The main specialty of the person completing the record.NHS data dictionary :- Activity treatment function code	
└─ Organisation	0 ... 1	prsb03-dataelement-13325 link
	The organisation the person completing the record works for.	
└─ Professional identifier	0 ... 1	prsb03-dataelement-13326 link
	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier	
└─ Date completed	0 ... 1	prsb03-dataelement-13327 link
	The date and time the record was completed.Date and time.	
└─ Contact details	0 ... 1	prsb03-dataelement-13328 link
	Contact details of the person completing the record.	
└─ Formulation	0 ... 1	prsb03-dataelement-10148 link
	NHS data dictionary : - UK telephone number	
└─ Treatments and interventions and changes made to treatments.	0 ... 1	prsb03-dataelement-10149 link
	An account, shared by a therapist and person, of the personal meaning and origins of a person's difficulties. This is viewed in the context of multiple factors including relationships, social circumstances and life events and will indicate the most helpful way forward.Free text	
└─ Clinical narrative	0 ... 1	prsb03-dataelement-10150 link
	The relevant treatments and interventions which the patient received during the inpatient stay. Include psychological therapies. All medications should be recorded under the medications section.Free text	
└─ Signpost details	0 ... 1	prsb03-dataelement-13973 link
	Details of signpost	

↳  Signpost details record entry	0 ... *	This is the signpost details record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	prsb03-dataelement-13974 link
↳  Date	0 ... 1	Date of signpost	prsb03-dataelement-13975 link
↳  Signpost to	0 ... 1	Details of where the signpost is to.	prsb03-dataelement-13976 link
		If not an individual, this could be a service	
↳  Name	0 ... 1	Name of person signposted toFree Text	prsb03-dataelement-13977 link
↳  Role	0 ... 1	Role of person been signposted to.Free Text	prsb03-dataelement-13978 link
↳  Grade	0 ... 1	The grade of the person been signposted to.Free text	prsb03-dataelement-13979 link
↳  Team	0 ... 1	The team or department of the person been signposted to.Free text	prsb03-dataelement-13980 link
↳  Specialty	0 ... 1	The specialty of where been signposted e.g. physiotherapy, oncology, mental health etc	prsb03-dataelement-13981 link
↳  Service	0 ... 1	The service of where been signposted to.	prsb03-dataelement-13982 link
↳  Coded value	0 ... 1	The coded value for serviceSNOMED CT : - 112753100000102 Services simple reference set (foundation metadata concept)	prsb03-dataelement-13983 link
↳  Free text	0 ... 1	Free text field to be used if no code is availableFree text	prsb03-dataelement-13984 link
↳  Organisation	0 ... 1	Name of organisation been signposted to. Free text	prsb03-dataelement-13985 link
↳  Contact details	0 ... 1	The contact details of where been signposted toFree text	prsb03-dataelement-13987 link
↳  Reason for signpost	0 ... 1	Reason for signposting	prsb03-dataelement-13988 link
↳  Free text	0 ... 1	Free textFree text	prsb03-dataelement-13990 link
↳  Clinical urgency for signpost	0 ... 1	The details of the clinical urgency of signpost Free text	prsb03-dataelement-13991 link

 Allergies and adverse reactions	0 ... 1	prsb03-dataelement-282 link
	Allergies and adverse reactions	
 Allergies and adverse reactions record entry	0 ... *	prsb03-dataelement-10657 link
	This is a allergies and adverse reactions record entry. There may be 1 to many record entries under a section.	
	Each record entry is made up of a number of elements or data items.	
 Type of reaction	0 ... 1	prsb03-dataelement-10186 link
	The type of reaction experienced by the person (allergic, adverse, intolerance) FHIR value set :- Allergy, Intolerance	
 Causative agent	1 ... 1 Mandatory	prsb03-dataelement-10182 link
	The agent such as food, drug or substances that has caused or may cause an allergy, intolerance or adverse reaction in this person Or "No known drug allergies or adverse reactions" Or "Information not available"	
 Coded value	0 ... 1	prsb03-dataelement-13441 link
	The coded value for causative agent SNOMED CT : - <105590001 Substance OR <373873005 Pharmaceutical / biologic product OR <<716186003 No known allergy OR 196461000000101 Transfer-degraded drug allergy OR 196471000000108 Transfer-degraded non-drug allergy	
 Free text	0 ... 1	prsb03-dataelement-13442 link
	Free text field to be used if no code is availableFree text	
 Reaction details cluster	0 ... *	prsb03-dataelement-10658 link
	Details of the reaction.	
 Date	0 ... 1	prsb03-dataelement-10190 link
	The date that the reaction was identified.Date and time	
 Description of reaction	0 ... 1	prsb03-dataelement-10183 link
	A description of the manifestation of the allergic or adverse reaction experienced by the person. For example, skin rash.	
 Coded value	0 ... 1	prsb03-dataelement-13556 link
	The coded value for description of reaction SNOMED CT: - ^1127581000000103 Health issues simple reference set	
 Free text	0 ... 1	prsb03-dataelement-13557 link
	Free text field to be used if no code is availableFree text	
 Severity	0 ... 1	prsb03-dataelement-10184 link
	A description of the severity of the reaction.	
 Coded value	0 ... 1	prsb03-dataelement-13558 link
	The coded value for severity FHIR value set : - Severity	

 Free text	0 ... 1	prsb03-dataelement-13559 link
Free text field to be used if no code is available	Free text	
 Certainty	0 ... 1	prsb03-dataelement-10185 link
A description of the certainty that the stated causative agent caused the allergic or adverse reaction.		
 Coded value	0 ... 1	prsb03-dataelement-13560 link
The coded value for certainty.FHIR value set : - Certainty		
 Free text	0 ... 1	prsb03-dataelement-13561 link
Free text field to be used if no code is available	Free text	
 Comment	0 ... 1	prsb03-dataelement-10189 link
Any additional comment or clarification about the adverse reaction.	Free text	
 Evidence	0 ... 1	prsb03-dataelement-10187 link
Results of investigations that confirmed the certainty of the diagnosis. Examples might include results of skin prick allergy tests	Free text	
 Date first experienced	0 ... 1	prsb03-dataelement-10188 link
When the reaction was first experienced i.e this may not be the first this has happened. May be a date or partial date (e.g. year) or text (e.g. during childhood)	Date and time	
 Allergy end date	0 ... 1	prsb03-dataelement-14253 link
The date the allergy was diagnosed as ended	Date and time	
 Information and advice given	0 ... 1	prsb03-dataelement-315 link
Information and advice given		
 Information and advice given	0 ... *	prsb03-dataelement-10215 link
The oral or written information or advice given to the patient, carer, other authorised representative, care professional or other third party. May include advice about actions related to medicines or other ongoing care activities on an 'information prescription'. State here if there are concerns about the extent to which the patient and/or carer understand the information provided about diagnosis, prognosis and treatment.		
Free text		
 Distribution list	0 ... 1	prsb03-dataelement-330 link
Distribution list		
 Distribution list record entry	0 ... *	prsb03-dataelement-10660 link
This is a Distribution list record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.		
 Name	0 ... 1	prsb03-dataelement-10230 link
The name of the person the communication is to be sent to, this can be a person or professional	Free text	
 Role	0 ... 1	prsb03-dataelement-10231 link
If the communication is being sent to either a named individual, or to a non-named person with a specific role, then this is the role of the recipient.		

	Role may be entered as the communication is being created, or sourced from the hospital system. This may be a role defined in the National Workforce data set (see the NHS Data Dictionary Job Role Code).FHIR value set : - SDSjobrole	
└  Grade	0 ... 1	prsb03-dataelement-10232 link
	The grade of the recipient, if known by the sending institution, otherwise omitted.Free text	
└  Organisation name	0 ... 1	prsb03-dataelement-10233 link
	The name of the organisation the recipient is representing or the organisation named as the receiving organisation.	
	An identifier for the organisation will be sent alongside the name, but may not displayed on rendered document.	
	NHS data dictionary : - Organisation code	
└  Team	0 ... 1	prsb03-dataelement-10234 link
	Team that the recipient belongs to in the context of receiving this message, or the team acting as the recipient.Free text	
└  Relationship	0 ... 1	prsb03-dataelement-13793 link
	The relationship of the receiver to the person for example, carer or parentFHIR value set : - Related person	
└  Plan and requested actions	0 ... *	prsb03-dataelement-535 link
	The details of planned investigations, procedures and treatment, and whether this plan has been agreed with the person or their legitimate representative.	
└  Plan and requested actions record entry	0 ... *	prsb03-dataelement-10661 link
	This is a plan and requested actions record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
└  Actions for professionals	0 ... *	prsb03-dataelement-10436 link
	Including planned investigations, procedures and treatment for a person's identified conditions and priorities. For each action the following should be identified:outcome expectations, including the person's expectations. A record of the planned and requested actions. May be structured (table), with actions, names, dates, status, location, strategies.Free text	
└  Actions for person or their carer	0 ... *	prsb03-dataelement-10437 link
	For each action the following should be identified:outcome expectations, including person's expectations. A record of the planned and requested actions. May be structured (table), with actions, names, dates, status, location, strategies.Free text	



→ Vaccination Administration

prsb03-transaction-222 link

Version / effective date 21 - 2021-01-26 12:21:51



← Vaccination Administration (GP)

prsh03-transaction-223 link

Version / effective date 21 - 2021-01-26 12:21:51

Actor Sender (organization) Pharmacy
Receiver (organization) General practitioner

Associations Data Set (for transaction) PRSB Record structure and content 1(2.16.840.1.113883.3.1937.777.28.1.1 / 2018-10-31)

Contained concepts

Concept	Card/Conf	Id
Person demographics	1 ... 1 Mandatory The person's details and contact information.	prsb03-dataelement-10868 link
Person name	1 ... 1 Mandatory Details of the person's name	prsb03-dataelement-10869 link
Person full name	1 ... 1 Mandatory The full name of the person in text representation.NHS data dictionary :- Patient full name	prsb03-dataelement-13801 link
Date of birth	1 ... 1 Mandatory The date of birth of the person.NHS data dictionary:- Person birth date	prsb03-dataelement-10871 link
Gender	0 ... 1 The person's stated gender.NHS data dictionary :- Person stated gender code	prsb03-dataelement-10872 link
NHS number	0 ... 1 The unique identifier for a person within the NHS in England and Wales.NHS data dictionary:- NHS number	prsb03-dataelement-10879 link
Other identifier	0 ... * Country specific or local identifier, e.g. Community Health Index (CHI) in Scotland. NHS data dictionary: - Local patient identifier(extended), Health and care number (NI only), Community health index number (Scotland only)	prsb03-dataelement-10880 link
Person's address	1 ... 1 Mandatory Person's usual place of residence, and where relevant temporary and correspondence addresses.	prsb03-dataelement-10881 link
Address line 1	1 ... 1 Mandatory Person's first line of address. NHS data dictionary :- Address line 1	prsb03-dataelement-13082 link
Address line 2	0 ... 1 Person's second line of address. NHS data dictionary :- Address line 2	prsb03-dataelement-13083 link
Address line 3	0 ... 1 Person's third line of address. NHS data dictionary : - Address line 3	prsb03-dataelement-13084 link
Address line 4	0 ... 1 Person's fourth line of address. NHS data dictionary : - Address line 4	prsb03-dataelement-13085 link
Address line 5	0 ... 1 Person's fifth line of address.NHS data dictionary : - Address line 5	prsb03-dataelement-13086 link
Postcode	0 ... 1 The person's postcode.NHS data dictionary :- Postcode of usual address	prsb03-dataelement-13087 link

 Person's contact details	0 ... *	Details of the person's contact information.	prsb03-dataelement-13804 link
 Person's telephone number details	0 ... *	The person's telephone number details	prsb03-dataelement-10883 link
 Person's telephone number	0 ... 1	The person's telephone numberNHS data dictionary : - UK telephone number	prsb03-dataelement-13808 link
 Person's telephone number type	0 ... 1	The contact type e.g. home, mobileFHIR value set: - Contact point use	prsb03-dataelement-13805 link
 Preference of telephone number	0 ... 1	The preferred order of use for the telephone numberPreference of use 1-5, 1 being the highest.	prsb03-dataelement-13809 link
 GP practice	1 ... 1 Mandatory	Details of the person's GP practice.	prsb03-dataelement-101 link
 GP practice record entry	1 ... *	This is an GP practice record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items	prsb03-dataelement-10643 link
 GP practice identifier	1 ... 1 Mandatory	The identifier of the registered GP practice. NHS data dictionary : - General medical practice code (patient registration)	prsb03-dataelement-10001 link
 Legal information	0 ... 1	The legal information relating to the person.	prsb03-dataelement-520 link
 Consent for treatment record	0 ... 1	Details of the person's consent for treatment.	prsb03-dataelement-10420 link
 Date	0 ... 1	The date the consent was takenDate	prsb03-dataelement-13457 link
 Location	0 ... 1	The location of where the consent was taken.	prsb03-dataelement-13459 link
 Coded value	0 ... 1	The coded value for location.NHS data dictionary : - Organisation data service code	prsb03-dataelement-13460 link
 Free text	0 ... 1	Free text field to be used if no code is availableFree text	prsb03-dataelement-13461 link
 Consent for treatment record	0 ... 1		prsb03-dataelement-13574 link

	Whether consent has been obtained for the treatment. May include where record of consent is located or record of consent. A statement about the patient's consent for treatment.Free text	
└  Location of document	0 ... 1	prsb03-dataelement-13777 link
	The location of the consent for treatment record.Free text or URL	
└  Performing professional	0 ... 1	prsb03-dataelement-13462 link
	The professional who took the consent for treatment.	
└  Name	0 ... 1	prsb03-dataelement-13463 link
	The name of the professional.Free text.	
└  Role	0 ... 1	prsb03-dataelement-13464 link
	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etcFHIR value set :- SDSjobroletype	
└  Grade	0 ... 1	prsb03-dataelement-13465 link
	The grade of the professional.Free text	
└  Speciality	0 ... 1	prsb03-dataelement-13466 link
	The specialty of the professional e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code	
└  Professional identifier	0 ... 1	prsb03-dataelement-13467 link
	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.NHS data dictionary : - Professional registration identifier	
└  Organisation	0 ... 1	prsb03-dataelement-13468 link
	The name of the organisation the professional works for.	
└  Contact details	0 ... 1	prsb03-dataelement-13469 link
	Contact details of the professionalNHS data dictionary - UK phone number	
└  Person completing record	0 ... 1	prsb03-dataelement-13470 link
	Details of the person completing the record.	
└  Name	0 ... 1	prsb03-dataelement-13471 link
	The name of the person completing the record.Free text.	
└  Role	0 ... 1	prsb03-dataelement-13472 link
	The organisational role of the person completing record.FHIR value set :- SDSjobrole	
└  Grade	0 ... 1	prsb03-dataelement-13473 link
	The grade of the person completing the record.Free text.	
└  Specialty	0 ... 1	prsb03-dataelement-13474 link
	The main specialty of the person completing the record.NHS data dictionary :- Activity treatment function code	
└  Organisation	0 ... 1	prsb03-dataelement-13475 link
	The organisation the person completing the record works for.	
└  Professional identifier	0 ... 1	prsb03-dataelement-13476 link

	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier	
└  Date completed	0 ... 1 The date and time the record was completed.Date and time.	prsb03-dataelement-13477 link
└  Contact details	0 ... 1 Contact details of the person completing the record. NHS data dictionary : - UK telephone number	prsb03-dataelement-13478 link
└  Consent for information sharing	0 ... 1 Details of the person's consent for information sharing	prsb03-dataelement-10421 link
└  Date	0 ... 1 The date when the consent was givenDate and time	prsb03-dataelement-11713 link
└  Location	0 ... 1 The location where the consent was taken.	prsb03-dataelement-11714 link
└  Coded value	0 ... 1 The coded value for location.NHS data dictionary : - Organisation data service code	prsb03-dataelement-13451 link
└  Free text	0 ... 1 Free text field to be used if no code is availableFree text	prsb03-dataelement-13452 link
└  Consent for information sharing	0 ... 1 This is a record of consent for information sharing under the common law duty of confidentiality. Where consent has not been obtained or sought, the reason why should be provided. Include best interests decision where person lacks capacity. This is a placeholder until the national guidance is published.Free text	prsb03-dataelement-13575 link
└  Reason for consent not given	0 ... 1 Reason not given for consentFree text	prsb03-dataelement-13778 link
└  Performing professional	0 ... 1 The professional who took the consent for information sharing	prsb03-dataelement-11715 link
└  Name	0 ... 1 The name of the professional.Free text.	prsb03-dataelement-11716 link
└  Role	0 ... 1 The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etcFHIR value set :- SDSjobroletype	prsb03-dataelement-11717 link
└  Grade	0 ... 1 The grade of the professional.Free text	prsb03-dataelement-11718 link
└  Speciality	0 ... 1 The specialty of the professional e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code	prsb03-dataelement-11719 link

 Professional identifier	0 ... 1	prsb03-dataelement-11720 link
Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.NHS data dictionary : - Professional registration identifier		
 Organisation	0 ... 1	prsb03-dataelement-11721 link
The name of the organisation the professional works for.		
 Contact details	0 ... 1	prsb03-dataelement-11722 link
Contact details of the professionalNHS data dictionary - UK phone number		
 Person completing record	0 ... 1	prsb03-dataelement-11723 link
Details of the person completing the record.		
 Name	0 ... 1	prsb03-dataelement-11724 link
The name of the person completing the record.Free text.		
 Role	0 ... 1	prsb03-dataelement-11725 link
The organisational role of the person completing record.FHIR value set :- SDSjobrole		
 Grade	0 ... 1	prsb03-dataelement-11726 link
The grade of the person completing the record.Free text.		
 Specialty	0 ... 1	prsb03-dataelement-11727 link
The main specialty of the person completing the record.NHS data dictionary :- Activity treatment function code		
 Organisation	0 ... 1	prsb03-dataelement-11728 link
The organisation the person completing the record works for.		
 Professional identifier	0 ... 1	prsb03-dataelement-11729 link
Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.NHS data dictionary : - Professional registration identifier		
 Date completed	0 ... 1	prsb03-dataelement-11730 link
The date and time the record was completed.Date and time.		
 Contact details	0 ... 1	prsb03-dataelement-11731 link
Contact details of the person completing the record.		
NHS data dictionary : - UK telephone number		
 Consent relating to child	0 ... 1	prsb03-dataelement-10422 link
Details of the person's consent relating to child		
 Date	0 ... 1	prsb03-dataelement-11732 link
The date when the person with responsibility for the child was identified.Date and time		
 Location	0 ... 1	prsb03-dataelement-11733 link
The location where the person with responsibility for the child was identified.		

 Coded value	0 ... 1	prsb03-dataelement-13674 link
	The coded value for locationNHS data dictionary : - Organisation data service	
 Free text	0 ... 1	prsb03-dataelement-13675 link
	Free text field to be used if no coded text available	
 Consent relating to child	0 ... 1	prsb03-dataelement-13576 link
	The person with parental responsibility or appointed guardian where a child lacks competency. Consideration of age and competency, applying Gillick competency or Fraser guidelines.Free text	
 Performing professional	0 ... 1	prsb03-dataelement-11734 link
	The professional who identified the person responsible for the child.	
 Name	0 ... 1	prsb03-dataelement-11735 link
	The name of the professional.Free text.	
 Role	0 ... 1	prsb03-dataelement-11736 link
	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etcFHIR value set :- SDSjobroletype	
 Grade	0 ... 1	prsb03-dataelement-11737 link
	The grade of the professional.Free text	
 Speciality	0 ... 1	prsb03-dataelement-11738 link
	The specialty of the professional e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code	
 Professional identifier	0 ... 1	prsb03-dataelement-11739 link
	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.NHS data dictionary : - Professional registration identifier	
 Organisation	0 ... 1	prsb03-dataelement-11740 link
	The name of the organisation the professional works for.	
 Contact details	0 ... 1	prsb03-dataelement-11741 link
	Contact details of the professionalNHS data dictionary - UK phone number	
 Person completing record	0 ... 1	prsb03-dataelement-11742 link
	Details of the person completing the record.	
 Name	0 ... 1	prsb03-dataelement-11743 link
	The name of the person completing the record.Free text.	
 Role	0 ... 1	prsb03-dataelement-11744 link
	The organisational role of the person completing record.FHIR value set :- SDSjobrole	
 Grade	0 ... 1	prsb03-dataelement-11745 link
	The grade of the person completing the record.Free text.	
 Specialty	0 ... 1	prsb03-dataelement-11746 link

	The main specialty of the person completing the record.NHS data dictionary :- Activity treatment function code	
└─ Organisation	0 ... 1	prsb03-dataelement-11747 link
	The organisation the person completing the record works for.	
└─ Professional identifier	0 ... 1	prsb03-dataelement-11748 link
	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier	
└─ Date completed	0 ... 1	prsb03-dataelement-11749 link
	The date and time the record was completed.Date and time.	
└─ Contact details	0 ... 1	prsb03-dataelement-11750 link
	Contact details of the person completing the record.	
	NHS data dictionary : - UK telephone number	
└─ Safeguarding	0 ... 1	prsb03-dataelement-271 link
	The safeguarding details of the person.	
└─ Safeguarding concerns	0 ... *	prsb03-dataelement-10821 link
	Details of safeguarding concerns	
└─ Safeguarding indicator	0 ... 1	prsb03-dataelement-13428 link
	Indicates whether or not the hospital considers that there are safeguarding issues associated with the patient.Flag: No =N: Yes = Y	
└─ Safeguarding concerns	0 ... 1	prsb03-dataelement-10171 link
	Identified safeguarding concerns.	
└─ Coded value	0 ... 1	prsb03-dataelement-13756 link
	The coded value for safeguarding concernsSNOMED CT : - 99900238100000108 Safeguarding issues simple reference set (foundation metadata concept)	
└─ Free text	0 ... 1	prsb03-dataelement-13757 link
	Free text field to be used if no code is availableFree text	
└─ Comment	0 ... 1	prsb03-dataelement-10175 link
	Further details on safeguarding concerns.Free text	
└─ Eligibility Criteria	0 ... *	prsb03-dataelement-10700 link
└─ Eligibility criteria	0 ... *	prsb03-dataelement-10701 link
	Records which specific eligibility criteria have been met in order to administer the vaccine.Free text	
└─ Referral details	0 ... 1	prsb03-dataelement-105 link
	The details of the referral.	
└─ Referral details record entry	0 ... *	prsb03-dataelement-10917 link

	This is the referral details record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
└─📁 Reason for referral	0 ... 1	prsb03-dataelement-10011 link
	The reason for the referral, e.g. diagnosis, treatment, transfer of care due to relocation, investigation, second opinion, management of the patient (e.g. palliative care), or carer's concerns.Free text	
└─🟡 Coded value	0 ... 1	prsb03-dataelement-13455 link
	The coded value for reason for referralSNOMED CT :- ^1127581000000103 Health issues simple reference set	
└─🟡 Free text	0 ... 1	prsb03-dataelement-13456 link
	Free text field to be used if no code is availableFree text	
└─🟡 Expectation of referral	0 ... *	prsb03-dataelement-10699 link
	A clear statement of the expectations of the person or professional making the referral in regards to the management of the patient e.g. advice only, diagnosis, treatment, etc. To include any specific patient expectation.Free text	
└─📁 Clinical urgency of referral	0 ... 1	prsb03-dataelement-10010 link
	The details of the clinical urgency of referral	
└─🟡 Reason for urgency of referral	0 ... 1	prsb03-dataelement-10976 link
	The reason for urgency of referral if not routine.Free text	
└─📁 Referral to	0 ... 1	prsb03-dataelement-10008 link
	Details of where the referral is to be sent.	
	If not an individual, this could be a service, e.g. GP surgery, department, specialty, subspecialty, educational institution, mental health etc.	
└─🟡 Name	0 ... 1	prsb03-dataelement-10977 link
	Name of person the referral is to be sent to.Free text	
└─🟡 Role	0 ... 1	prsb03-dataelement-10978 link
	Role of person where the referral is to be sent to.FHIR value set : - sdsjobrole	
└─🟡 Grade	0 ... 1	prsb03-dataelement-10979 link
	The grade of the person where the referral is sent to.Free text	
└─🟡 Team	0 ... 1	prsb03-dataelement-10982 link
	The team or department of the person where the referral is being sent toFree text.	
└─🟡 Specialty	0 ... 1	prsb03-dataelement-10983 link
	The specialty the referral is being sent to e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code	
└─📁 Service	0 ... 1	prsb03-dataelement-12412 link
	The service of where the referral is sent to.	
└─🟡 Coded value	0 ... 1	prsb03-dataelement-13509 link

	The coded value for serviceSNOMED CT: - 1127531000000102 Services simple reference set (foundation metadata concept)	
└  Free text	0 ... 1	prsb03-dataelement-13510 link
	Free text field to be used if no code is availableFree text	
└  Organisation	0 ... 1	prsb03-dataelement-10980 link
	The organisation of where the referral is to be sent.	
└  Coded value	0 ... 1	prsb03-dataelement-13511 link
	The coded value for organisationNHS data dictionary :- Organisation data service	
└  Free text	0 ... 1	prsb03-dataelement-13512 link
	Free text field to be used if no code is availableFree text	
└  Contact details	0 ... 1	prsb03-dataelement-10981 link
	The contact details of where the referral is to be sent.Free text	
└  Contacts with professionals	1 ... 1 Mandatory	prsb03-dataelement-169 link
	The details of the person's contact with a professional.	
└  Contacts with professionals record entry	1 ... * Mandatory	prsb03-dataelement-10718 link
	This is a contacts record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
└  Date of contact	1 ... 1 Mandatory	prsb03-dataelement-10069 link
	Date and time of the contact.Date and time.	
└  Location of contact	0 ... 1	prsb03-dataelement-10075 link
	The location where the contact took place.	
└  Coded value	0 ... 1	prsb03-dataelement-13513 link
	The coded value for locationNHS data dictionary : - Organisation service code	
└  Free text	0 ... 1	prsb03-dataelement-13514 link
	Free text field to be used if no code is availableFree text	
└  Reason for service	0 ... 1	prsb03-dataelement-13751 link
	The reason why the person has been offered the serviceFree text	
└  Consultation method	0 ... 1	prsb03-dataelement-10071 link
	Consultation method used e.g. face to face, telephoneNHS data dictionary - Consultation medium	
└  Service	0 ... 1	prsb03-dataelement-10074 link
	The service that was provided.SNOMED CT :- 1127531000000102 Services simple reference set (foundation metadata concept)	
└  Person accompanying patient	0 ... *	prsb03-dataelement-10079 link
	Identify, where clinically relevant, others accompanying the patient, e.g. parent, relative, friend. Includes: Name, Relationship, role (e.g. informal carer).NHS data dictionary : - Person full name	

 Organisation name	1 ... 1 Mandatory	prsb03-dataelement-10706 link
	The name, including the identifier, of the organisation providing the service.NHS data dictionary : - Organisation name	
 Organisation address	0 ... 1	prsb03-dataelement-10713 link
	The name of the organisation, including the identifier.NHS data dictionary : - Organisation address	
 Organisation contact details	0 ... *	prsb03-dataelement-10707 link
	The contact details of the organisation. For example a phone number, NHSmail address etc. Contact details are used to resolve queries about the record entry.Free text	
 Reason for non-provision of service	0 ... 1	prsb03-dataelement-10708 link
	The reason why the patient was not provided with the service e.g. declined, did not attend etc.Free text	
 Clinician name	1 ... 1 Mandatory	prsb03-dataelement-10709 link
	The name of the person providing the service.Free text	
 Role	0 ... 1	prsb03-dataelement-10710 link
	The role of the person providing the service.FHIR values set : - sdsjobrole	
 Chaperone	0 ... *	prsb03-dataelement-10712 link
	The name of any chaperone(s).Free text	
 Professional identifier	0 ... 1	prsb03-dataelement-10711 link
	Professional identifier of the person providing the service.NHS data dictionary : - professional identifier	
 Vaccinations	1 ... 1 Mandatory	prsb03-dataelement-10685 link
	Details of vaccinations.	
 Vaccinations record entry	1 ... * Mandatory	prsb03-dataelement-10686 link
	This is the vaccinations record entry.	
	There may be 0 to many record entries under a section.	
	Each record entry is made up of a number of elements or data items.	
 Date	0 ... 1	prsb03-dataelement-10695 link
	The date on which the vaccination was administered or the reported/partial date on which it was reported.Date and time	
 Vaccine product	1 ... 1 Mandatory	prsb03-dataelement-10687 link
	The vaccine product administered.	
 Coded value	0 ... 1	prsb03-dataelement-13237 link
	The coded value for vaccine product.dmd (SNOMED) Concept ID AMP (preferred) or VMP term for the vaccine product	

 Free text	0 ... 1	prsb03-dataelement-13238 link
Free text field to be used if no code is available	Free text	
 Manufacturer	0 ... 1	prsb03-dataelement-10698 link
Name of vaccine manufacturer.		
 Coded value	0 ... 1	prsb03-dataelement-13239 link
The coded value of the manufacturer.SNOMED CT: - DM+D or GS1		
 Free text	0 ... 1	prsb03-dataelement-13240 link
Free text field to be used if no code is available	Free text	
 Vaccine procedure	1 ... 1 Mandatory	prsb03-dataelement-10688 link
The procedure which was used to administer the vaccine.		
 Serialisation code	0 ... 1	prsb03-dataelement-10690 link
A code that separately identifies two identical vaccines (i.e. same product, same batch).		
 Coded value	0 ... 1	prsb03-dataelement-13235 link
The coded value for serialisation code.FMD code : - Derived from Falsified medicines directive		
 Free text	0 ... 1	prsb03-dataelement-13236 link
Free text field to be used if no code is available	Free text	
 Body site	0 ... 1	prsb03-dataelement-10691 link
Body site vaccine was administered.		
 Coded value	0 ... 1	prsb03-dataelement-13222 link
The coded value for body siteSNOMED CT : - 1127941000000100 Vaccine body site of administration simple reference set (foundation metadata concept)		
 Free text	0 ... 1	prsb03-dataelement-13223 link
Free text field to be used if no coded text available		
 Route	0 ... 1	prsb03-dataelement-10692 link
How the vaccine entered the body.		
 Coded value	0 ... 1	prsb03-dataelement-13224 link
The coded value for vaccination routeSNOMED CT: - ^999000051000001100 ePrescribing route of administration simple reference set (foundation metadata concept)		
 Free text	0 ... 1	prsb03-dataelement-13225 link
Free text field to be used if no coded text available		
 Indication	0 ... 1	prsb03-dataelement-10693 link
The clinical indication or reason for administering the vaccine.		
 Coded value	0 ... 1	prsb03-dataelement-13226 link
The coded value for Indication.SNOMED CT:- <404684003 Clinical finding (finding) OR <243796009 Situation with explicit context (situation)		
 Free text	0 ... 1	prsb03-dataelement-13227 link
Free text field to be used if no code is available	Free text	

 Dose amount	0 ... 1	Amount of vaccine administered.	prsb03-dataelement-10694 link
 Coded value	0 ... 1	Amount of vaccine administered.SNOMED CT : - dm+d	prsb03-dataelement-13228 link
 Free text	0 ... 1	Amount of vaccine administered.Free text	prsb03-dataelement-13229 link
 Dose sequence	0 ... 1	Nominal position in a series of vaccines.Numeric value	prsb03-dataelement-10824 link
 History	0 ... 1	History	prsb03-dataelement-226 link
 Relevant past medical, surgical and mental health history	0 ... 1	The record of the person's significant medical, surgical and mental health history. Including relevant previous diagnoses, problems and issues, procedures, investigations, specific anaesthesia issues, etc. (will include dental and obstetric history)	prsb03-dataelement-10130 link
		A list of the person's relevant past medical, surgical and mental health history recorded in free text or coded form or Information relating to past medical, surgical and mental health history may be provided by the referral document or during the consultation.	
 Coded value	0 ... 1	The coded value relevant past medical, surgical and mental health historySNOMED CT : - ^1127581000000103 Health issues simple reference set	prsb03-dataelement-13787 link
 Free text	0 ... 1	Free text field to be used if no code is availableFree text	prsb03-dataelement-13788 link
 Clinical Summary	0 ... 1	Clinical Summary	prsb03-dataelement-247 link
 Date	0 ... 1	The date the clinical summary was written.Date	prsb03-dataelement-13308 link
 Location	0 ... 1	The location the clinical summary was written.	prsb03-dataelement-13309 link
 Coded value	0 ... 1	The coded value for location.NHS data dictionary : - Organisation data service code	prsb03-dataelement-13310 link
 Free text	0 ... 1	Free text field to be used if no code is availableFree text	prsb03-dataelement-13311 link
 Clinical summary	0 ... 1	Summary of the encounter. Where possible, very brief. This may include interpretation of findings and results; differential diagnoses, opinion and specific action(s). Planned actions will be recorded under 'plan'.Free text	prsb03-dataelement-10147 link
 Performing professional	0 ... 1		prsb03-dataelement-13312 link

	The professional who wrote the clinical summary	
└  Name	0 ... 1	prsb03-dataelement-13313 link
	The name of the professional.Free text.	
└  Role	0 ... 1	prsb03-dataelement-13314 link
	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etcFHIR value set :- SDSjobrole	
└  Grade	0 ... 1	prsb03-dataelement-13315 link
	The grade of the professional.Free text	
└  Speciality	0 ... 1	prsb03-dataelement-13316 link
	The specialty of the professional e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code	
└  Professional identifier	0 ... 1	prsb03-dataelement-13317 link
	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier	
└  Organisation	0 ... 1	prsb03-dataelement-13318 link
	The name of the organisation the professional works for.	
└  Contact details	0 ... 1	prsb03-dataelement-13319 link
	Contact details of the professionalNHS data dictionary - UK phone number	
└  Person completing record	0 ... 1	prsb03-dataelement-13320 link
	A record of the details of the person that entered the clinical summary and the date on which it was entered.	
└  Name	0 ... 1	prsb03-dataelement-13321 link
	The name of the person completing the record.Free text.	
└  Role	0 ... 1	prsb03-dataelement-13322 link
	The organisational role of the person completing record.FHIR value set :- SDSjobrole	
└  Grade	0 ... 1	prsb03-dataelement-13323 link
	The grade of the person completing the record.Free text.	
└  Specialty	0 ... 1	prsb03-dataelement-13324 link
	The main specialty of the person completing the record.NHS data dictionary :- Activity treatment function code	
└  Organisation	0 ... 1	prsb03-dataelement-13325 link
	The organisation the person completing the record works for.	
└  Professional identifier	0 ... 1	prsb03-dataelement-13326 link
	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier	
└  Date completed	0 ... 1	prsb03-dataelement-13327 link
	The date and time the record was completed.Date and time.	

 Contact details	0 ... 1	prsb03-dataelement-13328 link
	Contact details of the person completing the record.	
	NHS data dictionary : - UK telephone number	
 Formulation	0 ... 1	prsb03-dataelement-10148 link
	An account, shared by a therapist and person, of the personal meaning and origins of a person's difficulties. This is viewed in the context of multiple factors including relationships, social circumstances and life events and will indicate the most helpful way forward.Free text	
 Treatments and interventions and changes made to treatments.	0 ... 1	prsb03-dataelement-10149 link
	The relevant treatments and interventions which the patient received during the inpatient stay. Include psychological therapies. All medications should be recorded under the medications section.Free text	
 Clinical narrative	0 ... 1	prsb03-dataelement-10150 link
	A description detailing a patient's reason for attendance, results from the diagnostic and treatment process.Free text	
 Signpost details	0 ... 1	prsb03-dataelement-13973 link
	Details of signpost	
 Signpost details record entry	0 ... *	prsb03-dataelement-13974 link
	This is the signpost details record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
 Date	0 ... 1	prsb03-dataelement-13975 link
	Date of signpost	
 Signpost to	0 ... 1	prsb03-dataelement-13976 link
	Details of where the signpost is to.	
 Name	If not an individual, this could be a service 0 ... 1	prsb03-dataelement-13977 link
	Name of person signposted toFree Text	
 Role	0 ... 1	prsb03-dataelement-13978 link
	Role of person been signposted to.Free Text	
 Grade	0 ... 1	prsb03-dataelement-13979 link
	The grade of the person been signposted to.Free text	
 Team	0 ... 1	prsb03-dataelement-13980 link
	The team or department of the person been signposted to.Free text	
 Specialty	0 ... 1	prsb03-dataelement-13981 link
	The specialty of where been signposted e.g. physiotherapy, oncology, mental health etc	
 Service	0 ... 1	prsb03-dataelement-13982 link

	The service of where been signposted to.	
└  Coded value	0 ... 1	prsb03-dataelement-13983 link
	The coded value for serviceSNOMED CT : - 1127531000000102 Services simple reference set (foundation metadata concept)	
└  Free text	0 ... 1	prsb03-dataelement-13984 link
	Free text field to be used if no code is availableFree text	
└  Organisation	0 ... 1	prsb03-dataelement-13985 link
	Name of organisation been signposted to. Free text	
└  Contact details	0 ... 1	prsb03-dataelement-13987 link
	The contact details of where been signposted toFree text	
└  Reason for signpost	0 ... 1	prsb03-dataelement-13988 link
	Reason for signposting	
└  Free text	0 ... 1	prsb03-dataelement-13990 link
	Free textFree text	
└  Clinical urgency for signpost	0 ... 1	prsb03-dataelement-13991 link
	The details of the clinical urgency of signpost Free text	
└  Allergies and adverse reactions	0 ... 1	prsb03-dataelement-282 link
	Allergies and adverse reactions	
└  Allergies and adverse reactions record entry	0 ... *	prsb03-dataelement-10657 link
	This is a allergies and adverse reactions record entry. There may be 1 to many record entries under a section.	
	Each record entry is made up of a number of elements or data items.	
└  Type of reaction	0 ... 1	prsb03-dataelement-10186 link
	The type of reaction experienced by the person (allergic, adverse, intolerance) FHIR value set :- Allergy, Intolerance	
└  Causative agent	1 ... 1 Mandatory	prsb03-dataelement-10182 link
	The agent such as food, drug or substances that has caused or may cause an allergy, intolerance or adverse reaction in this person Or "No known drug allergies or adverse reactions" Or "Information not available"	
└  Coded value	0 ... 1	prsb03-dataelement-13441 link
	The coded value for causative agentSNOMED CT : - <105590001 Substance OR <373873005 Pharmaceutical / biologic product OR <>716186003 No known allergy OR 196461000000101 Transfer-degraded drug allergy OR 196471000000108 Transfer-degraded non-drug allergy	
└  Free text	0 ... 1	prsb03-dataelement-13442 link
	Free text field to be used if no code is availableFree text	

 Reaction details cluster	0 ... *	prsb03-dataelement-10658 link
	Details of the reaction.	
 Date	0 ... 1	prsb03-dataelement-10190 link
	The date that the reaction was identified.Date and time	
 Description of reaction	0 ... 1	prsb03-dataelement-10183 link
	A description of the manifestation of the allergic or adverse reaction experienced by the person. For example, skin rash.	
 Coded value	0 ... 1	prsb03-dataelement-13556 link
	The coded value for description of reaction.SNOMED CT: - ^1127581000000103 Health issues simple reference set	
 Free text	0 ... 1	prsb03-dataelement-13557 link
	Free text field to be used if no code is availableFree text	
 Severity	0 ... 1	prsb03-dataelement-10184 link
	A description of the severity of the reaction.	
 Coded value	0 ... 1	prsb03-dataelement-13558 link
	The coded value for severityFHIR value set : - Severity	
 Free text	0 ... 1	prsb03-dataelement-13559 link
	Free text field to be used if no code is availableFree text	
 Certainty	0 ... 1	prsb03-dataelement-10185 link
	A description of the certainty that the stated causative agent caused the allergic or adverse reaction.	
 Coded value	0 ... 1	prsb03-dataelement-13560 link
	The coded value for certainty.FHIR value set : - Certainty	
 Free text	0 ... 1	prsb03-dataelement-13561 link
	Free text field to be used if no code is availableFree text	
 Comment	0 ... 1	prsb03-dataelement-10189 link
	Any additional comment or clarification about the adverse reaction.Free text	
 Evidence	0 ... 1	prsb03-dataelement-10187 link
	Results of investigations that confirmed the certainty of the diagnosis. Examples might include results of skin prick allergy testsFree text	
 Date first experienced	0 ... 1	prsb03-dataelement-10188 link
	When the reaction was first experienced i.e this may not be the first this has happened. May be a date or partial date (e.g. year) or text (e.g. during childhood)Date and time	
 Allergy end date	0 ... 1	prsb03-dataelement-14253 link
	The date the allergy was diagnosed as endedDate and time	
 Information and advice given	0 ... 1	prsb03-dataelement-315 link
	Information and advice given	

 Information and advice given	0 ... *	prsb03-dataelement-10215 link
<p>The oral or written information or advice given to the patient, carer, other authorised representative, care professional or other third party. May include advice about actions related to medicines or other ongoing care activities on an 'information prescription'. State here if there are concerns about the extent to which the patient and/or carer understand the information provided about diagnosis, prognosis and treatment.</p>		
Free text		
 Distribution list	0 ... 1	prsb03-dataelement-330 link
<p>Distribution list</p>		
 Distribution list record entry	0 ... *	prsb03-dataelement-10660 link
<p>This is a Distribution list record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.</p>		
 Name	0 ... 1	prsb03-dataelement-10230 link
<p>The name of the person the communication is to be sent to, this can be a person or professional.</p>		
Free text		
 Role	0 ... 1	prsb03-dataelement-10231 link
<p>If the communication is being sent to either a named individual, or to a non-named person with a specific role, then this is the role of the recipient.</p>		
<p>Role may be entered as the communication is being created, or sourced from the hospital system. This may be a role defined in the National Workforce data set (see the NHS Data Dictionary Job Role Code). FHIR value set : - SDSjobrole</p>		
 Grade	0 ... 1	prsb03-dataelement-10232 link
<p>The grade of the recipient, if known by the sending institution, otherwise omitted.</p>		
Free text		
 Organisation name	0 ... 1	prsb03-dataelement-10233 link
<p>The name of the organisation the recipient is representing or the organisation named as the receiving organisation.</p>		
<p>An identifier for the organisation will be sent alongside the name, but may not displayed on rendered document.</p>		
NHS data dictionary : - Organisation code		
 Team	0 ... 1	prsb03-dataelement-10234 link
<p>Team that the recipient belongs to in the context of receiving this message, or the team acting as the recipient.</p>		
Free text		
 Relationship	0 ... 1	prsb03-dataelement-13793 link
<p>The relationship of the receiver to the person for example, carer or parent.</p>		
FHIR value set : - Related person		
 Plan and requested actions	0 ... 1	prsb03-dataelement-535 link
<p>The details of planned investigations, procedures and treatment, and whether this plan has been agreed with the person or their legitimate representative.</p>		
 Plan and requested actions record entry	0 ... *	prsb03-dataelement-10661 link

This is a plan and requested actions record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.

 Actions for professionals	0 ... *	prsb03-dataelement-10436 link
---	----------------	-------------------------------

Including planned investigations, procedures and treatment for a person's identified conditions and priorities. For each action the following should be identified:outcome expectations, including the person's expectations. A record of the planned and requested actions. May be structured (table), with actions, names, dates, status, location, strategies.Free text

 Actions for person or their carer	0 ... *	prsb03-dataelement-10437 link
---	----------------	-------------------------------

For each action the following should be identified:outcome expectations, including person's expectations. A record of the planned and requested actions. May be structured (table), with actions, names, dates, status, location, strategies.Free text



prsb03-transaction-224 link

Version / effective date 2.1 - 2021-01-26 13:22:53



prsb03-transaction-225 link

Version / effective date 2.1 - 2021-01-26 13:22:53

Actor Sender (organization) Pharmacy
Receiver (organization) General practitioner

Associations Data Set (for transaction) PRSB Record structure and content 1(2.16.840.1.113883.3.1937.777.28.1.1 / 2018-10-31)

Contained concepts

Concept	Card/Conf	Id
 Person demographics	1 ... 1 Mandatory	prsb03-dataelement-10868 link
	The person's details and contact information.	
 Person name	1 ... 1 Mandatory	prsb03-dataelement-10869 link
	Details of the person's name	
 Person full name	1 ... 1 Mandatory	prsb03-dataelement-13801 link
	The full name of the person in text representation.NHS data dictionary :- Patient full name	
 Date of birth	1 ... 1 Mandatory	prsb03-dataelement-10871 link
	The date of birth of the person.NHS data dictionary:- Person birth date	
 Gender	0 ... 1	prsb03-dataelement-10872 link
	The person's stated gender.NHS data dictionary :- Person stated gender code	
 NHS number	0 ... 1	prsb03-dataelement-10879 link
	The unique identifier for a person within the NHS in England and Wales.NHS data dictionary:- NHS number	
 Other identifier	0 ... *	prsb03-dataelement-10880 link
	Country specific or local identifier, e.g. Community Health Index (CHI) in Scotland. NHS data dictionary: - Local patient identifier(extended), Health and care number (NI only), Community health index number (Scotland only)	

 Person's address	1 ... 1 Mandatory	prsb03-dataelement-10881 link
	Person's usual place of residence, and where relevant temporary and correspondence addresses.	
 Address line 1	1 ... 1 Mandatory	prsb03-dataelement-13082 link
	Person's first line of address. NHS data dictionary :- Address line 1	
 Address line 2	0 ... 1	prsb03-dataelement-13083 link
	Person's second line of address. NHS data dictionary :- Address line 2	
 Address line 3	0 ... 1	prsb03-dataelement-13084 link
	Person's third line of address. NHS data dictionary : - Address line 3	
 Address line 4	0 ... 1	prsb03-dataelement-13085 link
	Person's fourth line of address. NHS data dictionary : - Address line 4	
 Address line 5	0 ... 1	prsb03-dataelement-13086 link
	Person's fifth line of address.NHS data dictionary : - Address line 5	
 Postcode	0 ... 1	prsb03-dataelement-13087 link
	The person's postcode.NHS data dictionary :- Postcode of usual address	
 Person's contact details	0 ... *	prsb03-dataelement-13804 link
	Details of the person's contact information.	
 Person's telephone number details	0 ... *	prsb03-dataelement-10883 link
	The person's telephone number details	
 Person's telephone number	0 ... 1	prsb03-dataelement-13808 link
	The person's telephone numberNHS data dictionary : - UK telephone number	
 Person's telephone number type	0 ... 1	prsb03-dataelement-13805 link
	The contact type e.g. home, mobileFHIR value set: - Contact point use	
 Preference of telephone number	0 ... 1	prsb03-dataelement-13809 link
	The preferred order of use for the telephone numberPreference of use 1-5, 1 being the highest.	
 GP practice	1 ... 1 Mandatory	prsb03-dataelement-101 link
	Details of the person's GP practice.	
 GP practice record entry	1 ... * Mandatory	prsb03-dataelement-10643 link
	This is an GP practice record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items	
 GP practice identifier	1 ... 1 Mandatory	prsb03-dataelement-10001 link

	The identifier of the registered GP practice. NHS data dictionary : - General medical practice code (patient registration)	
📁 Legal information	0 ... 1	prsb03-dataelement-520 link
	The legal information relating to the person.	
└ Consent for treatment record	0 ... 1	prsb03-dataelement-10420 link
	Details of the person's consent for treatment.	
└ Date	0 ... 1	prsb03-dataelement-13457 link
	The date the consent was taken	
└ Location	0 ... 1	prsb03-dataelement-13459 link
	The location of where the consent was taken.	
└ Coded value	0 ... 1	prsb03-dataelement-13460 link
	The coded value for location.NHS data dictionary : - Organisation data service code	
└ Free text	0 ... 1	prsb03-dataelement-13461 link
	Free text field to be used if no code is availableFree text	
└ Consent for treatment record	0 ... 1	prsb03-dataelement-13574 link
	Whether consent has been obtained for the treatment. May include where record of consent is located or record of consent. A statement about the patient's consent for treatment.Free text	
└ Location of document	0 ... 1	prsb03-dataelement-13777 link
	The location of the consent for treatment record.Free text or URL	
└ Performing professional	0 ... 1	prsb03-dataelement-13462 link
	The professional who took the consent for treatment.	
└ Name	0 ... 1	prsb03-dataelement-13463 link
	The name of the professional.Free text.	
└ Role	0 ... 1	prsb03-dataelement-13464 link
	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etcFHIR value set :- SDSjobroletype	
└ Grade	0 ... 1	prsb03-dataelement-13465 link
	The grade of the professional.Free text	
└ Speciality	0 ... 1	prsb03-dataelement-13466 link
	The specialty of the professional e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code	
└ Professional identifier	0 ... 1	prsb03-dataelement-13467 link
	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.NHS data dictionary : - Professional registration identifier	
└ Organisation	0 ... 1	prsb03-dataelement-13468 link
	The name of the organisation the professional works for.	
└ Contact details	0 ... 1	prsb03-dataelement-13469 link

	Contact details of the professionalNHS data dictionary - UK phone number	
↳ Person completing record	0 ... 1	prsb03-dataelement-13470 link
↳ Name	Details of the person completing the record.	
0 ... 1	The name of the person completing the record.Free text.	prsb03-dataelement-13471 link
↳ Role	0 ... 1	prsb03-dataelement-13472 link
The organisational role of the person completing record.FHIR value set :- SDSjobrole		
↳ Grade	0 ... 1	prsb03-dataelement-13473 link
The grade of the person completing the record.Free text.		
↳ Specialty	0 ... 1	prsb03-dataelement-13474 link
The main specialty of the person completing the record.NHS data dictionary :- Activity treatment function code		
↳ Organisation	0 ... 1	prsb03-dataelement-13475 link
The organisation the person completing the record works for.		
↳ Professional identifier	0 ... 1	prsb03-dataelement-13476 link
Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier		
↳ Date completed	0 ... 1	prsb03-dataelement-13477 link
The date and time the record was completed.Date and time.		
↳ Contact details	0 ... 1	prsb03-dataelement-13478 link
Contact details of the person completing the record.		
NHS data dictionary : - UK telephone number		
↳ Consent for information sharing	0 ... 1	prsb03-dataelement-10421 link
Details of the person's consent for information sharing		
↳ Date	0 ... 1	prsb03-dataelement-11713 link
The date when the consent was givenDate and time		
↳ Location	0 ... 1	prsb03-dataelement-11714 link
The location where the consent was taken.		
↳ Coded value	0 ... 1	prsb03-dataelement-13451 link
The coded value for location.NHS data dictionary : - Organisation data service code		
↳ Free text	0 ... 1	prsb03-dataelement-13452 link
Free text field to be used if no code is availableFree text		
↳ Consent for information sharing	0 ... 1	prsb03-dataelement-13575 link
This is a record of consent for information sharing under the common law duty of confidentiality. Where consent has not been obtained or sought, the reason why should be provided. Include best		

	interests decision where person lacks capacity. This is a placeholder until the national guidance is published.	Free text
└  Reason for consent not given	0 ... 1	prsb03-dataelement-13778 link
	Reason not given for consent	Free text
└  Performing professional	0 ... 1	prsb03-dataelement-11715 link
	The professional who took the consent for information sharing	
└  Name	0 ... 1	prsb03-dataelement-11716 link
	The name of the professional.	Free text
└  Role	0 ... 1	prsb03-dataelement-11717 link
	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc	FHIR value set :- SDSjobrole
└  Grade	0 ... 1	prsb03-dataelement-11718 link
	The grade of the professional.	Free text
└  Speciality	0 ... 1	prsb03-dataelement-11719 link
	The specialty of the professional e.g. physiotherapy, oncology, mental health etc	NHS data dictionary - Activity treatment function code
└  Professional identifier	0 ... 1	prsb03-dataelement-11720 link
	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.	NHS data dictionary : - Professional registration identifier
└  Organisation	0 ... 1	prsb03-dataelement-11721 link
	The name of the organisation the professional works for.	
└  Contact details	0 ... 1	prsb03-dataelement-11722 link
	Contact details of the professional	NHS data dictionary - UK phone number
└  Person completing record	0 ... 1	prsb03-dataelement-11723 link
	Details of the person completing the record.	
└  Name	0 ... 1	prsb03-dataelement-11724 link
	The name of the person completing the record.	Free text
└  Role	0 ... 1	prsb03-dataelement-11725 link
	The organisational role of the person completing record.	FHIR value set :- SDSjobrole
└  Grade	0 ... 1	prsb03-dataelement-11726 link
	The grade of the person completing the record.	Free text
└  Specialty	0 ... 1	prsb03-dataelement-11727 link
	The main specialty of the person completing the record.	NHS data dictionary :- Activity treatment function code
└  Organisation	0 ... 1	prsb03-dataelement-11728 link
	The organisation the person completing the record works for.	
└  Professional identifier	0 ... 1	prsb03-dataelement-11729 link

	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier	
└  Date completed	0 ... 1	prsb03-dataelement-11730 link
	The date and time the record was completed.Date and time.	
└  Contact details	0 ... 1	prsb03-dataelement-11731 link
	Contact details of the person completing the record.	
	NHS data dictionary : - UK telephone number	
└  Consent relating to child	0 ... 1	prsb03-dataelement-10422 link
	Details of the person's consent relating to child	
└  Date	0 ... 1	prsb03-dataelement-11732 link
	The date when the person with responsibility for the child was identified.Date and time	
└  Location	0 ... 1	prsb03-dataelement-11733 link
	The location where the person with responsibility for the child was identified.	
└  Coded value	0 ... 1	prsb03-dataelement-13674 link
	The coded value for locationNHS data dictionary : - Organisation data service	
└  Free text	0 ... 1	prsb03-dataelement-13675 link
	Free text field to be used if no coded text available	
└  Consent relating to child	0 ... 1	prsb03-dataelement-13576 link
	The person with parental responsibility or appointed guardian where a child lacks competency. Consideration of age and competency, applying Gillick competency or Fraser guidelines.Free text	
└  Performing professional	0 ... 1	prsb03-dataelement-11734 link
	The professional who identified the person responsible for the child.	
└  Name	0 ... 1	prsb03-dataelement-11735 link
	The name of the professional.Free text.	
└  Role	0 ... 1	prsb03-dataelement-11736 link
	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etcFHIR value set :- SDSjobroletype	
└  Grade	0 ... 1	prsb03-dataelement-11737 link
	The grade of the professional.Free text	
└  Speciality	0 ... 1	prsb03-dataelement-11738 link
	The specialty of the professional e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code	
└  Professional identifier	0 ... 1	prsb03-dataelement-11739 link
	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.NHS data dictionary : - Professional registration identifier	
└  Organisation	0 ... 1	prsb03-dataelement-11740 link

 Contact details	The name of the organisation the professional works for. 0 ... 1	prsb03-dataelement-11741 link
 Person completing record	Contact details of the professionalNHS data dictionary - UK phone number 0 ... 1	prsb03-dataelement-11742 link
 Name	Details of the person completing the record. 0 ... 1	prsb03-dataelement-11743 link
 Role	The name of the person completing the record.Free text. 0 ... 1	prsb03-dataelement-11744 link
 Grade	The organisational role of the person completing record.FHIR value set :- SDSjobrole 0 ... 1	prsb03-dataelement-11745 link
 Specialty	The grade of the person completing the record.Free text. 0 ... 1	prsb03-dataelement-11746 link
 Organisation	The main specialty of the person completing the record.NHS data dictionary :- Activity treatment function code 0 ... 1	prsb03-dataelement-11747 link
 Professional identifier	The organisation the person completing the record works for. 0 ... 1	prsb03-dataelement-11748 link
 Date completed	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier 0 ... 1	prsb03-dataelement-11749 link
 Contact details	The date and time the record was completed.Date and time. 0 ... 1	prsb03-dataelement-11750 link
 Safeguarding	Contact details of the person completing the record. 0 ... 1	prsb03-dataelement-271 link
 Safeguarding concerns	NHS data dictionary : - UK telephone number 0 ... *	prsb03-dataelement-10821 link
 Safeguarding indicator	The safeguarding details of the person. 0 ... 1	prsb03-dataelement-13428 link
 Safeguarding concerns	Details of safeguarding concerns 0 ... 1	prsb03-dataelement-10171 link
 Coded value	Indicates whether or not the hospital considers that there are safeguarding issues associated with the patient.Flag: No =N: Yes = Y 0 ... 1	prsb03-dataelement-13756 link

	The coded value for safeguarding concernsSNOMED CT :- 99900238100000108 Safeguarding issues simple reference set (foundation metadata concept)	
└  Free text	0 ... 1	prsb03-dataelement-13757 link
	Free text field to be used if no code is availableFree text	
└  Comment	0 ... 1	prsb03-dataelement-10175 link
	Further details on safeguarding concerns.Free text	
└  Referral details	0 ... 1	prsb03-dataelement-105 link
	The details of the referral.	
└  Referral details record entry	0 ... *	prsb03-dataelement-10917 link
	This is the referral details record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
└  Reason for referral	0 ... 1	prsb03-dataelement-10011 link
	The reason for the referral, e.g. diagnosis, treatment, transfer of care due to relocation, investigation, second opinion, management of the patient (e.g. palliative care), or carer's concerns.Free text	
└  Coded value	0 ... 1	prsb03-dataelement-13455 link
	The coded value for reason for referralSNOMED CT :- ^112758100000103 Health issues simple reference set	
└  Free text	0 ... 1	prsb03-dataelement-13456 link
	Free text field to be used if no code is availableFree text	
└  Expectation of referral	0 ... *	prsb03-dataelement-10699 link
	A clear statement of the expectations of the person or professional making the referral in regards to the management of the patient e.g. advice only, diagnosis, treatment, etc. To include any specific patient expectation.Free text	
└  Clinical urgency of referral	0 ... 1	prsb03-dataelement-10010 link
	The details of the clinical urgency of referral	
└  Reason for urgency of referral	0 ... 1	prsb03-dataelement-10976 link
	The reason for urgency of referral if not routine.Free text	
└  Referral to	0 ... 1	prsb03-dataelement-10008 link
	Details of where the referral is to be sent.	
	If not an individual, this could be a service, e.g. GP surgery, department, specialty, subspecialty, educational institution, mental health etc.	
└  Name	0 ... 1	prsb03-dataelement-10977 link
	Name of person the referral is to be sent to.Free text	
└  Role	0 ... 1	prsb03-dataelement-10978 link
	Role of person where the referral is to be sent to.FHIR value set : - sdsjobrole	
└  Grade	0 ... 1	prsb03-dataelement-10979 link
	The grade of the person where the referral is sent to.Free text	

 Team	0 ... 1	prsb03-dataelement-10982 link
	The team or department of the person where the referral is being sent toFree text.	
 Specialty	0 ... 1	prsb03-dataelement-10983 link
	The specialty the referral is being sent to e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code	
 Service	0 ... 1	prsb03-dataelement-12412 link
	The service of where the referral is sent to.	
 Coded value	0 ... 1	prsb03-dataelement-13509 link
	The coded value for serviceSNOMED CT: - 1127531000000102 Services simple reference set (foundation metadata concept)	
 Free text	0 ... 1	prsb03-dataelement-13510 link
	Free text field to be used if no code is availableFree text	
 Organisation	0 ... 1	prsb03-dataelement-10980 link
	The organisation of where the referral is to be sent.	
 Coded value	0 ... 1	prsb03-dataelement-13511 link
	The coded value for organisationNHS data dictionary :- Organisation data service	
 Free text	0 ... 1	prsb03-dataelement-13512 link
	Free text field to be used if no code is availableFree text	
 Contact details	0 ... 1	prsb03-dataelement-10981 link
	The contact details of where the referral is to be sent.Free text.	
 Contacts with professionals	1 ... 1 Mandatory	prsb03-dataelement-169 link
	The details of the person's contact with a professional.	
 Contacts with professionals record entry	1 ... * Mandatory	prsb03-dataelement-10718 link
	This is a contacts record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
 Date of contact	1 ... 1 Mandatory	prsb03-dataelement-10069 link
	Date and time of the contact.Date and time.	
 Location of contact	0 ... 1	prsb03-dataelement-10075 link
	The location where the contact took place.	
 Coded value	0 ... 1	prsb03-dataelement-13513 link
	The coded value for locationNHS data dictionary : - Organisation service code	
 Free text	0 ... 1	prsb03-dataelement-13514 link
	Free text field to be used if no code is availableFree text	
 Reason for service	0 ... 1	prsb03-dataelement-13751 link
	The reason why the person has been offered the serviceFree text	

 Consultation method	0 ... 1	prsb03-dataelement-10071 link
	Consultation method used e.g. face to face, telephone	NHS data dictionary - Consultation medium
 Service	0 ... 1	prsb03-dataelement-10074 link
	The service that was provided.SNOMED CT :- 1127531000000102 Services simple reference set (foundation metadata concept)	
 Person accompanying patient	0 ... *	prsb03-dataelement-10079 link
	Identify, where clinically relevant, others accompanying the patient, e.g. parent, relative, friend. Includes: Name, Relationship, role (e.g. informal carer).NHS data dictionary : - Person full name	
 Organisation name	1 ... 1 Mandatory	prsb03-dataelement-10706 link
	The name, including the identifier, of the organisation providing the serviceNHS data dictionary : - Organisation name	
 Organisation address	0 ... 1	prsb03-dataelement-10713 link
	The name of the organisation, including the identifier.NHS data dictionary : - Organisation address	
 Organisation contact details	0 ... *	prsb03-dataelement-10707 link
	The contact details of the organisation. For example a phone number, NHSmail address etc. Contact details are used to resolve queries about the record entry.Free text	
 Reason for non-provision of service	0 ... 1	prsb03-dataelement-10708 link
	The reason why the patient was not provided with the service e.g. declined, did not attend etc.Free text	
 Clinician name	1 ... 1 Mandatory	prsb03-dataelement-10709 link
	The name of the person providing the service.Free text	
 Role	0 ... 1	prsb03-dataelement-10710 link
	The role of the person providing the service.FHIR values set : - sdsjobrole	
 Chaperone	0 ... *	prsb03-dataelement-10712 link
	The name of any chaperone(s).Free text	
 Person collecting the medicine	0 ... 1	prsb03-dataelement-13783 link
	Name, relationship, role (if formal role), contact details	
	Free text	
 Professional identifier	0 ... 1	prsb03-dataelement-10711 link
	Professional identifier of the person providing the service.NHS data dictionary : - professional identifier	
 Appliances	0 ... 1	prsb03-dataelement-13762 link
	Details of appliances	

 Appliance records entry	0 ... *	prsb03-dataelement-13763 link
	This is the appliance records entry.	
 Appliance name	1 ... 1 Mandatory	prsb03-dataelement-13764 link
	May be generic name or brand name (as appropriate).As per dm+d (AMP)	
 Product order number	0 ... 1	prsb03-dataelement-13765 link
	The product order number for the appliance.	
 Manufacturer	0 ... 1	prsb03-dataelement-13766 link
	Name of appliance manufacturerFree text	
 Batch number	0 ... 1	prsb03-dataelement-13767 link
	The batch number of the appliance.Free text	
 Size	0 ... 1	prsb03-dataelement-13768 link
	The size of the appliance.UCUM	
 Weight	0 ... 1	prsb03-dataelement-13769 link
	The weight of the appliance.UCUM	
 Colour	0 ... 1	prsb03-dataelement-13770 link
	The colour of the applianceFree text	
 Route	0 ... 1	prsb03-dataelement-13771 link
	Appliance administration description (IM, IV, etc.): may include method of administration, (e.g., by infusion). SNOMED CT: - ^999000051000001100 ePrescribing route of administration simple reference set (foundation metadata concept)	
 Coded Value	0 ... 1	prsb03-dataelement-14268 link
	Coded value for appliance route SNOMED CT: - ^999000051000001100 ePrescribing route of administration simple reference set (foundation metadata concept)	
 Free text	0 ... 1	prsb03-dataelement-14267 link
	Free text field to be used if no coded text available	
 Coded value	0 ... 1	prsb03-dataelement-13795 link
 Free text	0 ... 1	prsb03-dataelement-13794 link
	Free text field to be used if no code availableFree text	
 Site	0 ... 1	prsb03-dataelement-13772 link
	The anatomical site at which the appliance is to be used, including laterality.	
 Coded Value	0 ... 1	prsb03-dataelement-14269 link
	Coded value for site SNOMED CT: - <442083009 Anatomical or acquired body structure (body structure)	
 Free text	0 ... 1	prsb03-dataelement-14270 link
	Free text where no coded value is availableFree text	
 Coded value	0 ... 1	prsb03-dataelement-13797 link
	Coded value for site The following value set may be applicable, but would need validating for appliances: • Coded text – constraint: SiteOfMedicationAdministration. Any valid site for the	

	administration of a medication. Constraint binding: [SNOMED-CT]subset=SiteOfMedicationAdministration	
└  Free text	0 ... 1	prsb03-dataelement-13796 link
	Free text field to be used if no code is availableFree text	
└  Quantity	0 ... 1	prsb03-dataelement-13773 link
	The quantity of the appliance (including the units).UCUM	
└  Indication	0 ... 1	prsb03-dataelement-13774 link
	Reason for appliance being prescribed, where known.Free text	
└  Matters identified during the discussion	1 ... * Mandatory	prsb03-dataelement-13775 link
	Matters identified during the service about the patient's experience of using the appliance. To include e.g. patient using/not using the appliance as prescribed, patient reports negative feelings about the appliance etc. Also to include whether the information was provided by the patient or somebody else (e.g. a relative, carer etc) e.g. patient using/not using the appliance as prescribed, patient reports negative feelings about the appliance etc.Free text	
└  Date/time	1 ... 1 Mandatory	prsb03-dataelement-13802 link
└  History	0 ... 1	prsb03-dataelement-226 link
	History	
└  Relevant past medical, surgical and mental health history	0 ... 1	prsb03-dataelement-10130 link
	The record of the person's significant medical, surgical and mental health history. Including relevant previous diagnoses, problems and issues, procedures, investigations, specific anesthesia issues, etc. (will include dental and obstetric history)	
	A list of the person's relevant past medical, surgical and mental health history recorded in free text or coded form or Information relating to past medical, surgical and mental health history may be provided by the referral document or during the consultation.	
└  Coded value	0 ... 1	prsb03-dataelement-13787 link
	The coded value relevant past medical, surgical and mental health historySNOMED CT : - ^1127581000000103 Health issues simple reference set	
└  Free text	0 ... 1	prsb03-dataelement-13788 link
	Free text field to be used if no code is availableFree text	
└  Clinical Summary	0 ... 1	prsb03-dataelement-247 link
	Clinical Summary	
└  Date	0 ... 1	prsb03-dataelement-13308 link
	The date the clinical summary was written.Date	
└  Location	0 ... 1	prsb03-dataelement-13309 link
	The location the clinical summary was written.	
└  Coded value	0 ... 1	prsb03-dataelement-13310 link
	The coded value for location.NHS data dictionary : - Organisation data service code	
└  Free text	0 ... 1	prsb03-dataelement-13311 link
	Free text field to be used if no code is availableFree text	

 Clinical summary	0 ... 1	prsb03-dataelement-10147 link
	Summary of the encounter. Where possible, very brief. This may include interpretation of findings and results; differential diagnoses, opinion and specific action(s). Planned actions will be recorded under 'plan'.Free text	
 Performing professional	0 ... 1	prsb03-dataelement-13312 link
	The professional who wrote the clinical summary	
 Name	0 ... 1	prsb03-dataelement-13313 link
	The name of the professional.Free text.	
 Role	0 ... 1	prsb03-dataelement-13314 link
	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etcFHIR value set :- SDSjobroletype	
 Grade	0 ... 1	prsb03-dataelement-13315 link
	The grade of the professional.Free text	
 Speciality	0 ... 1	prsb03-dataelement-13316 link
	The specialty of the professional e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code	
 Professional identifier	0 ... 1	prsb03-dataelement-13317 link
	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier	
 Organisation	0 ... 1	prsb03-dataelement-13318 link
	The name of the organisation the professional works for.	
 Contact details	0 ... 1	prsb03-dataelement-13319 link
	Contact details of the professionalNHS data dictionary - UK phone number	
 Person completing record	0 ... 1	prsb03-dataelement-13320 link
	A record of the details of the person that entered the clinical summary and the date on which it was entered.	
 Name	0 ... 1	prsb03-dataelement-13321 link
	The name of the person completing the record.Free text.	
 Role	0 ... 1	prsb03-dataelement-13322 link
	The organisational role of the person completing record.FHIR value set :- SDSjobrole	
 Grade	0 ... 1	prsb03-dataelement-13323 link
	The grade of the person completing the record.Free text.	
 Specialty	0 ... 1	prsb03-dataelement-13324 link
	The main specialty of the person completing the record.NHS data dictionary :- Activity treatment function code	
 Organisation	0 ... 1	prsb03-dataelement-13325 link
	The organisation the person completing the record works for.	
 Professional identifier	0 ... 1	prsb03-dataelement-13326 link

	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier	
└  Date completed	0 ... 1	prsb03-dataelement-13327 link
	The date and time the record was completed.Date and time.	
└  Contact details	0 ... 1	prsb03-dataelement-13328 link
	Contact details of the person completing the record.	
	NHS data dictionary : - UK telephone number	
└  Formulation	0 ... 1	prsb03-dataelement-10148 link
	An account, shared by a therapist and person, of the personal meaning and origins of a person's difficulties. This is viewed in the context of multiple factors including relationships, social circumstances and life events and will indicate the most helpful way forward.Free text	
└  Treatments and interventions and changes made to treatments.	0 ... 1	prsb03-dataelement-10149 link
	The relevant treatments and interventions which the patient received during the inpatient stay. Include psychological therapies. All medications should be recorded under the medications section.Free text	
└  Clinical narrative	0 ... 1	prsb03-dataelement-10150 link
	A description detailing a patient's reason for attendance, results from the diagnostic and treatment process.Free text	
└  Signpost details	0 ... 1	prsb03-dataelement-13973 link
	Details of signpost	
└  Signpost details record entry	0 ... *	prsb03-dataelement-13974 link
	This is the signpost details record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
└  Date	0 ... 1	prsb03-dataelement-13975 link
	Date of signpost	
└  Signpost to	0 ... 1	prsb03-dataelement-13976 link
	Details of where the signpost is to.	
	If not an individual, this could be a service	
└  Name	0 ... 1	prsb03-dataelement-13977 link
	Name of person signposted toFree Text	
└  Role	0 ... 1	prsb03-dataelement-13978 link
	Role of person been signposted to.Free Text	
└  Grade	0 ... 1	prsb03-dataelement-13979 link
	The grade of the person been signposted to.Free text	

 Team	0 ... 1	prsb03-dataelement-13980 link
	The team or department of the person been signposted to.	Free text
 Specialty	0 ... 1	prsb03-dataelement-13981 link
	The specialty of where been signposted e.g. physiotherapy, oncology, mental health etc	
 Service	0 ... 1	prsb03-dataelement-13982 link
	The service of where been signposted to.	
 Coded value	0 ... 1	prsb03-dataelement-13983 link
	The coded value for serviceSNOMED CT : - 1127531000000102 Services simple reference set (foundation metadata concept)	
 Free text	0 ... 1	prsb03-dataelement-13984 link
	Free text field to be used if no code is available	Free text
 Organisation	0 ... 1	prsb03-dataelement-13985 link
	Name of organisation been signposted to.	Free text
 Contact details	0 ... 1	prsb03-dataelement-13987 link
	The contact details of where been signposted to	Free text
 Reason for signpost	0 ... 1	prsb03-dataelement-13988 link
	Reason for signposting	
 Free text	0 ... 1	prsb03-dataelement-13990 link
	Free text	Free text
 Clinical urgency for signpost	0 ... 1	prsb03-dataelement-13991 link
	The details of the clinical urgency of signpost	Free text
 Allergies and adverse reactions	0 ... 1	prsb03-dataelement-282 link
	Allergies and adverse reactions	
 Allergies and adverse reactions	0 ... *	prsb03-dataelement-10657 link
	record entry	
	This is a allergies and adverse reactions record entry. There may be 1 to many record entries under a section.	
 Each record entry is made up of a number of elements or data items.		
 Type of reaction	0 ... 1	prsb03-dataelement-10186 link
	The type of reaction experienced by the person (allergic, adverse, intolerance) FHIR value set :-	
	Allergy, Intolerance	
 Causative agent	1 ... 1 Mandatory	prsb03-dataelement-10182 link
	The agent such as food, drug or substances that has caused or may cause an allergy, intolerance or adverse reaction in this person Or "No known drug allergies or adverse reactions" Or "Information not available"	
 Coded value	0 ... 1	prsb03-dataelement-13441 link

	The coded value for causative agentSNOMED CT : - <105590001 Substance OR <373873005 Pharmaceutical / biologic product OR <<716186003 No known allergy OR 196461000000101 Transfer-degraded drug allergy OR 196471000000108 Transfer-degraded non-drug allergy)	
└─Free text	0 ... 1	prsb03-dataelement-13442 link
	Free text field to be used if no code is availableFree text	
└─Reaction details cluster	0 ... *	prsb03-dataelement-10658 link
	Details of the reaction.	
└─Date	0 ... 1	prsb03-dataelement-10190 link
	The date that the reaction was identified.Date and time	
└─Description of reaction	0 ... 1	prsb03-dataelement-10183 link
	A description of the manifestation of the allergic or adverse reaction experienced by the person. For example, skin rash.	
└─Coded value	0 ... 1	prsb03-dataelement-13556 link
	The coded value for description of reaction.SNOMED CT: - ^112758100000103 Health issues simple reference set	
└─Free text	0 ... 1	prsb03-dataelement-13557 link
	Free text field to be used if no code is availableFree text	
└─Severity	0 ... 1	prsb03-dataelement-10184 link
	A description of the severity of the reaction.	
└─Coded value	0 ... 1	prsb03-dataelement-13558 link
	The coded value for severityFHIR value set : - Severity	
└─Free text	0 ... 1	prsb03-dataelement-13559 link
	Free text field to be used if no code is availableFree text	
└─Certainty	0 ... 1	prsb03-dataelement-10185 link
	A description of the certainty that the stated causative agent caused the allergic or adverse reaction.	
└─Coded value	0 ... 1	prsb03-dataelement-13560 link
	The coded value for certainty.FHIR value set : - Certainty	
└─Free text	0 ... 1	prsb03-dataelement-13561 link
	Free text field to be used if no code is availableFree text	
└─Comment	0 ... 1	prsb03-dataelement-10189 link
	Any additional comment or clarification about the adverse reaction.Free text	
└─Evidence	0 ... 1	prsb03-dataelement-10187 link
	Results of investigations that confirmed the certainty of the diagnosis. Examples might include results of skin prick allergy testsFree text	
└─Date first experienced	0 ... 1	prsb03-dataelement-10188 link
	When the reaction was first experienced i.e this may not be the first this has happened. May be a date or partial date (e.g. year) or text (e.g. during childhood)Date and time	

 Allergy end date	0 ... 1	prsb03-dataelement-14253 link
	The date the allergy was diagnosed as endedDate and time	
 Medications and medical devices	0 ... 1	prsb03-dataelement-636 link
	Medications and medical devices	
 Medication item entry	0 ... *	prsb03-dataelement-10663 link
	All medications and devices that can be prescribed to be entered via this Medication item entry. Handles details of continuation / addition / amendment of admission medications.	
 Medication item cluster	0 ... *	prsb03-dataelement-10664 link
	Medication item cluster	
 Date	0 ... 1	prsb03-dataelement-10843 link
	The date on which the medication or medical device was prescribed.Date and time	
 Medication name	1 ... 1 Mandatory	prsb03-dataelement-10536 link
	May be generic name or brand name.	
 Coded value	0 ... 1	prsb03-dataelement-13622 link
	The coded value for medication namedm+d: any code from the VTM, VMP, AMP, VMPP and AMPP concept classes	
 Free text	0 ... 1	prsb03-dataelement-13623 link
	Free text field to be used if no code is availableFree text	
 Form	0 ... 1	prsb03-dataelement-10537 link
	The form of the medication e.g. capsule, drops, tablet, lotion etc.	
 Coded value	0 ... 1	prsb03-dataelement-13624 link
	The coded value for form.SNOMED CT: - 421967003 Drug dose form (qualifier value)	
 Free text	0 ... 1	prsb03-dataelement-13625 link
	Free text field to be used if no code is availableFree text	
 Quantity supplied	1 ... 1 Mandatory	prsb03-dataelement-10539 link
	The quantity of the medication (e.g. tablets, inhalers, etc.) provided to the person. This may be dispensed by the pharmacy or on the ward. Record in a structured format i.e. value and a unitFree text	
 Value	0 ... 1	prsb03-dataelement-14271 link
	The value of the quantity suppliedEnumerated value	
 Unit of measure	0 ... 1	prsb03-dataelement-14272 link
	Unit of measure of quantity suppliedUCUM code	
 Route	0 ... *	prsb03-dataelement-10538 link
	The route by which the medication is administered e.g. oral, IM, IV	
 Coded value	0 ... 1	prsb03-dataelement-13655 link

	The coded value for routeSNOMED CT: - 999000051000001100 ePrescribing route of administration simple reference set (foundation metadata concept)	
└  Free text	0 ... 1	prsb03-dataelement-13656 link
	Free text field to be used if no code is availableFree text	
└  Site	0 ... 1	prsb03-dataelement-10540 link
	The anatomical site at which the medication is to be administered.	
└  Coded value	0 ... 1	prsb03-dataelement-13657 link
	The coded value for site SNOMED CT: - <442083009 Anatomical or acquired body structure (body structure)	
└  Free text	0 ... 1	prsb03-dataelement-13658 link
	Free text field to be used when code is not availableFree text	
└  Supply type	0 ... 1	prsb03-dataelement-13754 link
	A description of the type of supply (e.g. emergency supply, over the counter medication, patient group direction etc)	
└  Batch number	0 ... 1	prsb03-dataelement-13789 link
	The batch number of the product.	
└  Coded value	0 ... 1	prsb03-dataelement-13790 link
	The coded value for the batch numberFMD code : - Derived from Falsified medicines directive	
└  Free text	0 ... 1	prsb03-dataelement-13791 link
	Free text field to be used if no code is availableFree text	
└  Dose directions description	0 ... 1	prsb03-dataelement-10544 link
	Describes the entire medication dosage and administration directions including dose quantity and medication frequency and optionally duration e.g. "1 tablet at night" or "2mg at 10pm".Free text	
└  Structured dose direction cluster	0 ... 1	prsb03-dataelement-11639 link
	A structural representation of the elements carried by the dose syntax in 'parsable dose strength / timing' i.e. dose strength, dose timing, dose duration and maximum dose.	
└  Structured dose amount	0 ... 1	prsb03-dataelement-10554 link
	A structural representation of dose amount, e.g. 20mg or 2 tablets. This element will generally only be used when persisting data within systems with 'parsable dose directions' being used to exchange the same information between systems.As per FHIR Dose Syntax Implementation Guidance (NHS Digital): https://simplifier.net/guide/DoseSyntaxImplementationGuidanceforFHIR4/Home	
└  Structured dose timing	0 ... 1	prsb03-dataelement-10555 link
	A slot containing a structural, computable representation of dose timing and maximum dose. This element will generally only be used when persisting data within systems with 'parsable dose directions' being used to exchange the same information between systems.As per FHIR Dose Syntax Implementation Guidance (NHS Digital): https://simplifier.net/guide/DoseSyntaxImplementationGuidanceforFHIR4/Home	

	Dose direction duration	0 ... 1	prsb03-dataelement-10548 link
		Recommendation of the time period for which the medication should be continued, including direction not to discontinue. As per FHIR Dose Syntax Implementation Guidance (NHS Digital): https://simplifier.net/guide/DoseSyntaxImplementationGuidanceforFHIRR4/Home	
	Additional instructions	0 ... *	prsb03-dataelement-10545 link
		Allows for: requirements for adherence support, e.g. compliance aids, prompts and packaging requirements, additional information about specific medicines e.g. where specific brand required, person requirements, e.g. unable to swallow tablets. FHIR value set : - Additional instruction	
	Matters identified during discussion	1 ... * Mandatory	prsb03-dataelement-13753 link
		Matters identified during the service about the patient's experience of using the medication. Coded text using the following descriptors: a. patient reports using the medicine as prescribed b. patient reports not using the medicine as prescribed c. patient has not started using the medicine d. prescriber has stopped new medicine e. patient is not using the medicine in line with the directions of the prescriber f. patient reports missing a dose in the past 7 days g. patient reports need for more information about the medicine h. patient reports side effects i. patient reports negative feelings about the medicine j. patient reports uncertainty on whether the medicine is working k. patient reports concern about remembering to take the medicine l. patient reports difficulty using the medicine due to its pharmaceutical form/formulation i. other - free text option	
	Course details cluster	0 ... 1	prsb03-dataelement-10561 link
		Details of the overall course of medication.	
	Indication	0 ... 1	prsb03-dataelement-10546 link
		Reason for medication being prescribed, where known. Free text	
	Information and advice given	0 ... 1	prsb03-dataelement-315 link
		Information and advice given	
	Information and advice given	0 ... *	prsb03-dataelement-10215 link
		The oral or written information or advice given to the patient, carer, other authorised representative, care professional or other third party. May include advice about actions related to medicines or other ongoing care activities on an 'information prescription'. State here if there are concerns about the extent to which the patient and/or carer understand the information provided about diagnosis, prognosis and treatment.	
		Free text	
	Distribution list	0 ... 1	prsb03-dataelement-330 link
		Distribution list	
	Distribution list record entry	0 ... *	prsb03-dataelement-10660 link
		This is a Distribution list record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
	Name	0 ... 1	prsb03-dataelement-10230 link
		The name of the person the communication is to be sent to, this can be a person or professional. Free text	
	Role	0 ... 1	prsb03-dataelement-10231 link

If the communication is being sent to either a named individual, or to a non-named person with a specific role, then this is the role of the recipient.

Role may be entered as the communication is being created, or sourced from the hospital system. This may be a role defined in the National Workforce data set (see the NHS Data Dictionary Job Role Code). FHIR value set : - SDSjobrole

 Grade	0 ... 1	prsb03-dataelement-10232 link
	The grade of the recipient, if known by the sending institution, otherwise omitted. Free text	
 Organisation name	0 ... 1	prsb03-dataelement-10233 link
	The name of the organisation the recipient is representing or the organisation named as the receiving organisation.	
	An identifier for the organisation will be sent alongside the name, but may not displayed on rendered document.	
	NHS data dictionary : - Organisation code	
 Team	0 ... 1	prsb03-dataelement-10234 link
	Team that the recipient belongs to in the context of receiving this message, or the team acting as the recipient. Free text	
 Relationship	0 ... 1	prsb03-dataelement-13793 link
	The relationship of the receiver to the person for example, carer or parent FHIR value set : - Related person	
 Plan and requested actions	0 ... 1	prsb03-dataelement-535 link
	The details of planned investigations, procedures and treatment, and whether this plan has been agreed with the person or their legitimate representative.	
 Plan and requested actions record entry	0 ... *	prsb03-dataelement-10661 link
	This is a plan and requested actions record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
 Actions for professionals	0 ... *	prsb03-dataelement-10436 link
	Including planned investigations, procedures and treatment for a person's identified conditions and priorities. For each action the following should be identified: outcome expectations, including the person's expectations. A record of the planned and requested actions. May be structured (table), with actions, names, dates, status, location, strategies. Free text	
 Actions for person or their carer	0 ... *	prsb03-dataelement-10437 link
	For each action the following should be identified: outcome expectations, including person's expectations. A record of the planned and requested actions. May be structured (table), with actions, names, dates, status, location, strategies. Free text	
 CPCS - Minor Illness		prsb03-transaction-226 link

Version / effective date 2.1 - 2021-01-26 13:24:56

 CPCS - Minor Illness (GP)	prsb03-transaction-227 link
---	-----------------------------

Version / effective date 2.1 - 2021-01-26 13:24:56

Actor Sender (organization) Pharmacy
Receiver (organization) General practitioner

Associations Data Set (for transaction) PRSB Record structure and content 1(2.16.840.1.113883.3.1937.777.28.1.1 / 2018-10-31)

Contained concepts

Concept	Card/Conf		
Person demographics	1 ... 1 Mandatory		prsb03-dataelement-10868 link
	The person's details and contact information.		
Person name	1 ... 1 Mandatory		prsb03-dataelement-10869 link
	Details of the person's name		
Person full name	1 ... 1 Mandatory		prsb03-dataelement-13801 link
	The full name of the person in text representation.NHS data dictionary :- Patient full name		
Date of birth	1 ... 1 Mandatory		prsb03-dataelement-10871 link
	The date of birth of the person.NHS data dictionary:- Person birth date		
Gender	0 ... 1		prsb03-dataelement-10872 link
	The person's stated gender.NHS data dictionary :- Person stated gender code		
NHS number	0 ... 1		prsb03-dataelement-10879 link
	The unique identifier for a person within the NHS in England and Wales.NHS data dictionary:- NHS number		
Other identifier	0 ... *		prsb03-dataelement-10880 link
	Country specific or local identifier, e.g. Community Health Index (CHI) in Scotland. NHS data dictionary: - Local patient identifier(extended), Health and care number (NI only), Community health index number (Scotland only)		
Person's address	1 ... 1 Mandatory		prsb03-dataelement-10881 link
	Person's usual place of residence, and where relevant temporary and correspondence addresses.		
Address line 1	1 ... 1 Mandatory		prsb03-dataelement-13082 link
	Person's first line of address. NHS data dictionary :- Address line 1		
Address line 2	0 ... 1		prsb03-dataelement-13083 link
	Person's second line of address. NHS data dictionary :- Address line 2		
Address line 3	0 ... 1		prsb03-dataelement-13084 link
	Person's third line of address. NHS data dictionary : - Address line 3		
Address line 4	0 ... 1		prsb03-dataelement-13085 link
	Person's fourth line of address. NHS data dictionary : - Address line 4		
Address line 5	0 ... 1		prsb03-dataelement-13086 link
	Person's fifth line of address.NHS data dictionary : - Address line 5		
Postcode	0 ... 1		prsb03-dataelement-13087 link

	The person's postcode.NHS data dictionary :- Postcode of usual address	
↳ Person's contact details	0 ... *	prsb03-dataelement-13804 link
	Details of the person's contact information.	
↳ Person's telephone number details	0 ... *	prsb03-dataelement-10883 link
	The person's telephone number details	
↳ Person's telephone number	0 ... 1	prsb03-dataelement-13808 link
	The person's telephone numberNHS data dictionary : - UK telephone number	
↳ Person's telephone number type	0 ... 1	prsb03-dataelement-13805 link
	The contact type e.g. home, mobileFHIR value set: - Contact point use	
↳ Preference of telephone number	0 ... 1	prsb03-dataelement-13809 link
	The preferred order of use for the telephone numberPreference of use 1-5, 1 being the highest.	
↳ GP practice	1 ... 1 Mandatory	prsb03-dataelement-101 link
	Details of the person's GP practice.	
↳ GP practice record entry	1 ... *	prsb03-dataelement-10643 link
	This is an GP practice record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items	
↳ GP practice identifier	1 ... 1 Mandatory	prsb03-dataelement-10001 link
	The identifier of the registered GP practice. NHS data dictionary : - General medical practice code (patient registration)	
↳ Legal information	0 ... 1	prsb03-dataelement-520 link
	The legal information relating to the person.	
↳ Consent for treatment record	0 ... 1	prsb03-dataelement-10420 link
	Details of the person's consent for treatment.	
↳ Date	0 ... 1	prsb03-dataelement-13457 link
	The date the consent was takenDate	
↳ Location	0 ... 1	prsb03-dataelement-13459 link
	The location of where the consent was taken.	
↳ Coded value	0 ... 1	prsb03-dataelement-13460 link
	The coded value for location.NHS data dictionary : - Organisation data service code	
↳ Free text	0 ... 1	prsb03-dataelement-13461 link
	Free text field to be used if no code is availableFree text	
↳ Consent for treatment record	0 ... 1	prsb03-dataelement-13574 link

	Whether consent has been obtained for the treatment. May include where record of consent is located or record of consent. A statement about the patient's consent for treatment.	Free text
└  Location of document	0 ... 1	prsb03-dataelement-13777 link
	The location of the consent for treatment record.	Free text or URL
└  Performing professional	0 ... 1	prsb03-dataelement-13462 link
	The professional who took the consent for treatment.	
└  Name	0 ... 1	prsb03-dataelement-13463 link
	The name of the professional.	Free text
└  Role	0 ... 1	prsb03-dataelement-13464 link
	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc	FHIR value set :- SDSjobroletype
└  Grade	0 ... 1	prsb03-dataelement-13465 link
	The grade of the professional.	Free text
└  Speciality	0 ... 1	prsb03-dataelement-13466 link
	The specialty of the professional e.g. physiotherapy, oncology, mental health etc	NHS data dictionary - Activity treatment function code
└  Professional identifier	0 ... 1	prsb03-dataelement-13467 link
	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.	NHS data dictionary : - Professional registration identifier
└  Organisation	0 ... 1	prsb03-dataelement-13468 link
	The name of the organisation the professional works for.	
└  Contact details	0 ... 1	prsb03-dataelement-13469 link
	Contact details of the professional	NHS data dictionary - UK phone number
└  Person completing record	0 ... 1	prsb03-dataelement-13470 link
	Details of the person completing the record.	
└  Name	0 ... 1	prsb03-dataelement-13471 link
	The name of the person completing the record.	Free text
└  Role	0 ... 1	prsb03-dataelement-13472 link
	The organisational role of the person completing record.	FHIR value set :- SDSjobrole
└  Grade	0 ... 1	prsb03-dataelement-13473 link
	The grade of the person completing the record.	Free text
└  Specialty	0 ... 1	prsb03-dataelement-13474 link
	The main specialty of the person completing the record.	NHS data dictionary :- Activity treatment function code
└  Organisation	0 ... 1	prsb03-dataelement-13475 link
	The organisation the person completing the record works for.	
└  Professional identifier	0 ... 1	prsb03-dataelement-13476 link

	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier	
└  Date completed	0 ... 1	prsb03-dataelement-13477 link
	The date and time the record was completed.Date and time.	
└  Contact details	0 ... 1	prsb03-dataelement-13478 link
	Contact details of the person completing the record.	
	NHS data dictionary : - UK telephone number	
└  Consent for information sharing	0 ... 1	prsb03-dataelement-10421 link
	Details of the person's consent for information sharing	
└  Date	0 ... 1	prsb03-dataelement-11713 link
	The date when the consent was givenDate and time	
└  Location	0 ... 1	prsb03-dataelement-11714 link
	The location where the consent was taken.	
└  Coded value	0 ... 1	prsb03-dataelement-13451 link
	The coded value for location.NHS data dictionary : - Organisation data service code	
└  Free text	0 ... 1	prsb03-dataelement-13452 link
	Free text field to be used if no code is availableFree text	
└  Consent for information sharing	0 ... 1	prsb03-dataelement-13575 link
	This is a record of consent for information sharing under the common law duty of confidentiality. Where consent has not been obtained or sought, the reason why should be provided. Include best interests decision where person lacks capacity. This is a placeholder until the national guidance is published.Free text	
└  Reason for consent not given	0 ... 1	prsb03-dataelement-13778 link
	Reason not given for consentFree text	
└  Performing professional	0 ... 1	prsb03-dataelement-11715 link
	The professional who took the consent for information sharing	
└  Name	0 ... 1	prsb03-dataelement-11716 link
	The name of the professional.Free text.	
└  Role	0 ... 1	prsb03-dataelement-11717 link
	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etcFHIR value set :- SDSjobroletype	
└  Grade	0 ... 1	prsb03-dataelement-11718 link
	The grade of the professional.Free text	
└  Speciality	0 ... 1	prsb03-dataelement-11719 link
	The specialty of the professional e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code	

 Professional identifier	0 ... 1	prsb03-dataelement-11720 link
		Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier
 Organisation	0 ... 1	prsb03-dataelement-11721 link
		The name of the organisation the professional works for.
 Contact details	0 ... 1	prsb03-dataelement-11722 link
		Contact details of the professionalNHS data dictionary - UK phone number
 Person completing record	0 ... 1	prsb03-dataelement-11723 link
		Details of the person completing the record.
 Name	0 ... 1	prsb03-dataelement-11724 link
		The name of the person completing the record.Free text.
 Role	0 ... 1	prsb03-dataelement-11725 link
		The organisational role of the person completing record.FHIR value set :- SDSjobrole
 Grade	0 ... 1	prsb03-dataelement-11726 link
		The grade of the person completing the record.Free text.
 Specialty	0 ... 1	prsb03-dataelement-11727 link
		The main specialty of the person completing the record.NHS data dictionary :- Activity treatment function code
 Organisation	0 ... 1	prsb03-dataelement-11728 link
		The organisation the person completing the record works for.
 Professional identifier	0 ... 1	prsb03-dataelement-11729 link
		Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier
 Date completed	0 ... 1	prsb03-dataelement-11730 link
		The date and time the record was completed.Date and time.
 Contact details	0 ... 1	prsb03-dataelement-11731 link
		Contact details of the person completing the record.
		NHS data dictionary : - UK telephone number
 Consent relating to child	0 ... 1	prsb03-dataelement-10422 link
		Details of the person's consent relating to child
 Date	0 ... 1	prsb03-dataelement-11732 link
		The date when the person with responsibility for the child was identified.Date and time
 Location	0 ... 1	prsb03-dataelement-11733 link
		The location where the person with responsibility for the child was identified.
 Coded value	0 ... 1	prsb03-dataelement-13674 link

	The coded value for locationNHS data dictionary : - Organisation data service	
└  Free text	0 ... 1	prsb03-dataelement-13675 link
	Free text field to be used if no coded text available	
└  Consent relating to child	0 ... 1	prsb03-dataelement-13576 link
	The person with parental responsibility or appointed guardian where a child lacks competency. Consideration of age and competency, applying Gillick competency or Fraser guidelines.Free text	
└  Performing professional	0 ... 1	prsb03-dataelement-11734 link
	The professional who identified the person responsible for the child.	
└  Name	0 ... 1	prsb03-dataelement-11735 link
	The name of the professional.Free text.	
└  Role	0 ... 1	prsb03-dataelement-11736 link
	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etcFHIR value set :- SDSjobroletype	
└  Grade	0 ... 1	prsb03-dataelement-11737 link
	The grade of the professional.Free text	
└  Speciality	0 ... 1	prsb03-dataelement-11738 link
	The specialty of the professional e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code	
└  Professional identifier	0 ... 1	prsb03-dataelement-11739 link
	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.NHS data dictionary : - Professional registration identifier	
└  Organisation	0 ... 1	prsb03-dataelement-11740 link
	The name of the organisation the professional works for.	
└  Contact details	0 ... 1	prsb03-dataelement-11741 link
	Contact details of the professionalNHS data dictionary - UK phone number	
└  Person completing record	0 ... 1	prsb03-dataelement-11742 link
	Details of the person completing the record.	
└  Name	0 ... 1	prsb03-dataelement-11743 link
	The name of the person completing the record.Free text.	
└  Role	0 ... 1	prsb03-dataelement-11744 link
	The organisational role of the person completing record.FHIR value set :- SDSjobrole	
└  Grade	0 ... 1	prsb03-dataelement-11745 link
	The grade of the person completing the record.Free text.	
└  Specialty	0 ... 1	prsb03-dataelement-11746 link
	The main specialty of the person completing the record.NHS data dictionary :- Activity treatment function code	
└  Organisation	0 ... 1	prsb03-dataelement-11747 link



	The organisation the person completing the record works for.	
└  Professional identifier	0 ... 1	prsb03-dataelement-11748 link
	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier	
└  Date completed	0 ... 1	prsb03-dataelement-11749 link
	The date and time the record was completed.Date and time.	
└  Contact details	0 ... 1	prsb03-dataelement-11750 link
	Contact details of the person completing the record.	
	NHS data dictionary : - UK telephone number	
📁 Safeguarding	0 ... 1	prsb03-dataelement-271 link
	The safeguarding details of the person.	
└  Safeguarding concerns	0 ... *	prsb03-dataelement-10821 link
	Details of safeguarding concerns	
└  Safeguarding indicator	0 ... 1	prsb03-dataelement-13428 link
	Indicates whether or not the hospital considers that there are safeguarding issues associated with the patient.Flag: No =N: Yes = Y	
└  Safeguarding concerns	0 ... 1	prsb03-dataelement-10171 link
	Identified safeguarding concerns.	
└  Coded value	0 ... 1	prsb03-dataelement-13756 link
	The coded value for safeguarding concernsSNOMED CT : - 99900238100000108 Safeguarding issues simple reference set (foundation metadata concept)	
└  Free text	0 ... 1	prsb03-dataelement-13757 link
	Free text field to be used if no code is availableFree text	
└  Comment	0 ... 1	prsb03-dataelement-10175 link
	Further details on safeguarding concerns.Free text	
📁 Referral details	0 ... 1	prsb03-dataelement-105 link
	The details of the referral.	
└  Referral details record entry	0 ... *	prsb03-dataelement-10917 link
	This is the referral details record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
└  Reason for referral	1 ... 1 Mandatory	prsb03-dataelement-10011 link
	The reason for the referral, e.g. diagnosis, treatment, transfer of care due to relocation, investigation, second opinion, management of the patient (e.g. palliative care), or carer's concerns.Free text	
└  Coded value	0 ... 1	prsb03-dataelement-13455 link
	The coded value for reason for referralSNOMED CT : - ^112758100000103 Health issues simple reference set	

 Free text	0 ... 1	Free text field to be used if no code is availableFree text	prsb03-dataelement-13456	link
 Expectation of referral	0 ... *	A clear statement of the expectations of the person or professional making the referral in regards to the management of the patient e.g. advice only, diagnosis, treatment, etc. To include any specific patient expectation.Free text	prsb03-dataelement-10699	link
 Clinical urgency of referral	0 ... 1	The details of the clinical urgency of referral	prsb03-dataelement-10010	link
 Reason for urgency of referral	0 ... 1	The reason for urgency of referral if not routine.Free text	prsb03-dataelement-10976	link
 Referral to	0 ... 1	Details of where the referral is to be sent.	prsb03-dataelement-10008	link
 Name	0 ... 1	If not an individual, this could be a service, e.g. GP surgery, department, specialty, subspecialty, educational institution, mental health etc.	prsb03-dataelement-10977	link
 Role	0 ... 1	Name of person the referral is to be sent to.Free text	prsb03-dataelement-10978	link
 Grade	0 ... 1	Role of person where the referral is to be sent to.FHIR value set : - sdsjobrole	prsb03-dataelement-10979	link
 Team	0 ... 1	The grade of the person where the referral is sent to.Free text	prsb03-dataelement-10982	link
 Specialty	0 ... 1	The team or department of the person where the referral is being sent toFree text.	prsb03-dataelement-10983	link
 Service	0 ... 1	The specialty the referral is being sent to e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code	prsb03-dataelement-12412	link
 Coded value	0 ... 1	The service of where the referral is sent to.	prsb03-dataelement-13509	link
 Free text	0 ... 1	The coded value for serviceSNOMED CT: - 1127531000000102 Services simple reference set (foundation metadata concept)	prsb03-dataelement-13510	link
 Organisation	0 ... 1	Free text field to be used if no code is availableFree text	prsb03-dataelement-10980	link
 Coded value	0 ... 1	The organisation of where the referral is to be sent.	prsb03-dataelement-13511	link

 Free text	0 ... 1	Free text field to be used if no code is availableFree text	prsb03-dataelement-13512 link
 Contact details	0 ... 1	The contact details of where the referral is to be sent.Free text.	prsb03-dataelement-10981 link
 Contacts with professionals	1 ... 1 Mandatory	The details of the person's contact with a professional.	prsb03-dataelement-169 link
 Contacts with professionals record entry	1 ... * Mandatory	This is a contacts record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	prsb03-dataelement-10718 link
 Date of contact	1 ... 1 Mandatory	Date and time of the contact.Date and time.	prsb03-dataelement-10069 link
 Location of contact	0 ... 1	The location where the contact took place.	prsb03-dataelement-10075 link
 Coded value	0 ... 1	The coded value for locationNHS data dictionary : - Organisation service code	prsb03-dataelement-13513 link
 Free text	0 ... 1	Free text field to be used if no code is availableFree text	prsb03-dataelement-13514 link
 Consultation method	0 ... 1	Consultation method used e.g. face to face, telephoneNHS data dictionary - Consultation medium	prsb03-dataelement-10071 link
 Service	0 ... 1	The service that was provided.SNOMED CT :- 1127531000000102 Services simple reference set (foundation metadata concept)	prsb03-dataelement-10074 link
 Person accompanying patient	0 ... *	Identify, where clinically relevant, others accompanying the patient, e.g. parent, relative, friend. Includes: Name, Relationship, role (e.g. informal carer).NHS data dictionary : - Person full name	prsb03-dataelement-10079 link
 Organisation name	1 ... 1 Mandatory	The name, including the identifier, of the organisation providing the serviceNHS data dictionary : - Organisation name	prsb03-dataelement-10706 link
 Organisation address	0 ... 1	The name of the organisation, including the identifier.NHS data dictionary : - Organisation address	prsb03-dataelement-10713 link
 Organisation contact details	0 ... *	The contact details of the organisation. For example a phone number, NHSmail address etc. Contact details are used to resolve queries about the record entry.Free text	prsb03-dataelement-10707 link

 Reason for non-provision of service	0 ... 1	prsb03-dataelement-10708 link
	The reason why the patient was not provided with the service e.g. declined, did not attend etc.Free text	
 Clinician name	1 ... 1 Mandatory	prsb03-dataelement-10709 link
	The name of the person providing the service.Free text	
 Role	0 ... 1	prsb03-dataelement-10710 link
	The role of the person providing the service.FHIR values set : - sdsjobrole	
 Chaperone	0 ... *	prsb03-dataelement-10712 link
	The name of any chaperone(s).Free text	
 Person collecting the medicine	0 ... 1	prsb03-dataelement-13783 link
	Name, relationship, role (if formal role), contact details	
	Free text	
 Professional identifier	0 ... 1	prsb03-dataelement-10711 link
	Professional identifier of the person providing the service.NHS data dictionary : - professional identifier	
 Presenting complaints or issues	0 ... 1	prsb03-dataelement-210 link
	Presenting complaints or issues	
 Presenting complaint or issue	0 ... *	prsb03-dataelement-13784 link
	The health problem or issue experienced by the patient resulting in their attendance. This may include disease state, medical condition, response and reactions to therapies. E.g., blackout, dizziness, chest pain, follow up from admission, falls, a specific procedure, investigation or treatment.	
 Coded value	0 ... 1	prsb03-dataelement-13785 link
	The coded value for presenting complaint or issueSNOMED CT : - ^1127581000000103 Health issues simple reference set	
 Free text	0 ... 1	prsb03-dataelement-13786 link
	Free text	
 History	0 ... 1	prsb03-dataelement-226 link
	History	
 Relevant past medical, surgical and mental health history	0 ... 1	prsb03-dataelement-10130 link
	The record of the person's significant medical, surgical and mental health history. Including relevant previous diagnoses, problems and issues, procedures, investigations, specific anesthesia issues, etc. (will include dental and obstetric history)	

	A list of the person's relevant past medical, surgical and mental health history recorded in free text or coded form or Information relating to past medical, surgical and mental health history may be provided by the referral document or during the consultation.	
└  Coded value	0 ... 1 The coded value relevant past medical, surgical and mental health historySNOMED CT : - ^1127581000000103 Health issues simple reference set	prsb03-dataelement-13787 link
└  Free text	0 ... 1 Free text field to be used if no code is availableFree text	prsb03-dataelement-13788 link
└  Clinical Summary	1 ... 1 Mandatory Clinical Summary	prsb03-dataelement-247 link
└  Clinical narrative	1 ... 1 Mandatory A description detailing a patient's reason for attendance, results from the diagnostic and treatment process.Free text	prsb03-dataelement-10150 link
└  Signpost details	0 ... 1 Details of signpost	prsb03-dataelement-13973 link
└  Signpost details record entry	0 ... * This is the signpost details record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	prsb03-dataelement-13974 link
└  Date	0 ... 1 Date of signpost	prsb03-dataelement-13975 link
└  Signpost to	0 ... 1 Details of where the signpost is to.	prsb03-dataelement-13976 link
	If not an individual, this could be a service	
└  Name	0 ... 1 Name of person signposted toFree Text	prsb03-dataelement-13977 link
└  Role	0 ... 1 Role of person been signposted to.Free Text	prsb03-dataelement-13978 link
└  Grade	0 ... 1 The grade of the person been signposted to.Free text	prsb03-dataelement-13979 link
└  Team	0 ... 1 The team or department of the person been signposted to.Free text	prsb03-dataelement-13980 link
└  Specialty	0 ... 1 The specialty of where been signposted e.g. physiotherapy, oncology, mental health etc	prsb03-dataelement-13981 link
└  Service	0 ... 1 The service of where been signposted to.	prsb03-dataelement-13982 link
└  Coded value	0 ... 1 The coded value for serviceSNOMED CT : - 1127531000000102 Services simple reference set (foundation metadata concept)	prsb03-dataelement-13983 link

 Free text	0 ... 1	Free text field to be used if no code is available	prsb03-dataelement-13984 link
 Organisation	0 ... 1	Name of organisation been signposted to.	prsb03-dataelement-13985 link
 Contact details	0 ... 1	The contact details of where been signposted to	prsb03-dataelement-13987 link
 Reason for signpost	0 ... 1	Reason for signposting	prsb03-dataelement-13988 link
 Free text	0 ... 1	Free text	prsb03-dataelement-13990 link
 Clinical urgency for signpost	0 ... 1	The details of the clinical urgency of signpost	prsb03-dataelement-13991 link
 Observations	0 ... 1	The record of essential physiological observations	prsb03-dataelement-12475 link
 Observations	0 ... *	The record of essential physiological observations e.g pulse, blood pressure, oxygen saturation/capnography, temperature, pain score, respiration rate, level of consciousness or new confusion. Use of National Early Warning Score (NEWS2) where appropriate.FHIR NEWS2 specification produced by NHS Digital and the associated observations. See implementation guidance for restriction of the use of NEWS2 by age.	prsb03-dataelement-12474 link
 Examination findings	0 ... *	Examination findings	prsb03-dataelement-557 link
 Examination findings record entry	0 ... *	This is a examination findings record entry. There may be 0 to many record entry/entries under a section. Each record entry is made up of a number of elements or data items.	prsb03-dataelement-10662 link
 Date	0 ... 1	The date the examination was performed.Date and time	prsb03-dataelement-10462 link
 Observations	0 ... 1	The record of essential physiological measurements, e.g., heart rate, blood pressure, temperature, pulse, height, weight, respiratory rate, oxygen saturation.	prsb03-dataelement-10464 link
 Height/length	0 ... 1	The person's height and length measurement	prsb03-dataelement-13761 link
 Coded value	0 ... 1	The coded value for height/lengthSNOMED CT: - 50373000 Body height measure (observable entity) OR 248334005 Length of body (observable entity)	prsb03-dataelement-13812 link
 Value	0 ... 1	The value of the observation.Numeric	prsb03-dataelement-13813 link
 Units of measure	0 ... 1		prsb03-dataelement-13817 link

	The units of measure for height/lengthUCUM code	
↳ Weight	0 ... 1	prsb03-dataelement-13814 link
↳ Coded value	The person's weight in kgs	prsb03-dataelement-13815 link
↳ Value	0 ... 1	prsb03-dataelement-13816 link
↳ Units of measure	The coded value of weightSNOMED CT : - 27113001 Body weight (observable entity)	prsb03-dataelement-13818 link
	The value of the person's weightNumeric	
↳ BMI	0 ... 1	prsb03-dataelement-13819 link
↳ Coded value	The person's BMI calculation	prsb03-dataelement-13820 link
↳ Value	0 ... 1	prsb03-dataelement-13821 link
↳ Units of measure	The coded value of BMISNOMED CT: - 60621009 Body mass index (observable entity)	prsb03-dataelement-13822 link
	The value of the person's BMINumeric	
↳ Blood pressure	0 ... 1	prsb03-dataelement-13823 link
↳ Systolic blood pressure	The person's blood pressure measurement	prsb03-dataelement-13824 link
↳ Coded value	0 ... 1	
↳ Value	Details of the person's systolic blood pressure	prsb03-dataelement-13825 link
↳ Units of measure	0 ... 1	
	The coded value for systolic blood pressureSNOMED CT : - <<271649006 Systolic blood pressure (observable entity)	
↳ Coded value	0 ... 1	prsb03-dataelement-13826 link
↳ Value	The value of the systolic blood pressure readingNumeric	prsb03-dataelement-13827 link
↳ Units of measure	0 ... 1	
	The units of measure for systolic blood pressureUCUM code	
↳ Site	0 ... 1	prsb03-dataelement-13829 link
↳ Coded value	The anatomical site at which the blood pressure is taken	prsb03-dataelement-13830 link
↳ Free text	0 ... 1	prsb03-dataelement-13831 link
	The coded value for site SNOMED CT: - <442083009 Anatomical or acquired body structure (body structure)	

	Free text field to be used when code is not availableFree text	
└─ Diastolic blood pressure	0 ... 1	prsb03-dataelement-13867 link
└─ Coded value	0 ... 1	prsb03-dataelement-13868 link
└─ Value	0 ... 1	prsb03-dataelement-13869 link
└─ Units of measure	0 ... 1	prsb03-dataelement-13870 link
	The units of measure for the diastolic blood pressureUCUM code	
└─ Site	0 ... 1	prsb03-dataelement-13871 link
	The anatomical site at where the blood pressure is taken	
└─ Coded value	0 ... 1	prsb03-dataelement-13872 link
	The coded value for site SNOMED CT: - <442083009 Anatomical or acquired body structure (body structure)	
└─ Free text	0 ... 1	prsb03-dataelement-13873 link
	Free text field to be used when code is not availableFree text	
└─ Heart rate	0 ... 1	prsb03-dataelement-13859 link
	The beat of the heart as felt through the walls of a peripheral artery measured in bpm	
└─ Coded value	0 ... 1	prsb03-dataelement-13970 link
	The coded value for heart rateSNOMED CT : - 364075005 Heart rate (observable entity)	
└─ Value	0 ... 1	prsb03-dataelement-13971 link
└─ Units of measure	0 ... 1	prsb03-dataelement-13972 link
	The numeric value of heart rateNumeric	
└─ Temperature	0 ... 1	prsb03-dataelement-14235 link
	The measurement of the person's temperature in Celsius (OC)	
└─ Coded value	0 ... 1	prsb03-dataelement-14236 link
	The coded value for tempreatureSNOMED CT : -<<386725007 Body temperature (observable entity)	
└─ Value	0 ... 1	prsb03-dataelement-14237 link
└─ Units of measure	0 ... 1	prsb03-dataelement-14238 link
	The value of the person tempreatureNumeric	
└─ Oxygen saturation	0 ... 1	prsb03-dataelement-14239 link
	The units of measure for the persons tempreatureUCUM code	

	The measurement of oxygen within the blood (expressed as a percentage of 100)	
└ Coded value	0 ... 1	prsb03-dataelement-14240 link
	The coded value for Oxygen saturationSNOMED CT: - 431314004 Peripheral oxygen saturation (observable entity)	
└ Value	0 ... 1	prsb03-dataelement-14241 link
	The value for the persons oxygen saturationNumeric	
└ Units of measure	0 ... 1	prsb03-dataelement-14242 link
	The units of measure for oxygen saturationUCUM code	
└ Pain score	0 ... 1	prsb03-dataelement-14243 link
	The pain score for the person	
└ Coded value	0 ... 1	prsb03-dataelement-14244 link
	The coded value for pain scoreSNOMED CT : - 225908003 Pain score (observable entity)	
└ Value	0 ... 1	prsb03-dataelement-14245 link
	The value for the pain scoreNumeric	
└ Units of measure	0 ... 1	prsb03-dataelement-14246 link
	The units of measure for pain scoreUCUM	
└ Level of consciousness	0 ... 1	prsb03-dataelement-14247 link
	Person's level of arousal and awareness	
└ Coded value	0 ... 1	prsb03-dataelement-14249 link
	Coded value for level of consciousness	
	SNOMED CT : - 1104441000000107 Alert Confusion Voice Pain Unresponsive scale score (observable entity)	
└ Value	0 ... 1	prsb03-dataelement-14251 link
	Value of the level of consciousnessNumeric	
└ Units of measure	0 ... 1	prsb03-dataelement-14252 link
	Unit of measure for level of consciousnessUCUM	
└ Respiratory rate	0 ... 1	prsb03-dataelement-14248 link
	Number of breaths you take per minute	
└ Coded value	0 ... 1	prsb03-dataelement-14254 link
	Coded value for respiratory rate SNOMED CT : - 86290005 Respiratory rate (observable entity)	
└ Value	0 ... 1	prsb03-dataelement-14255 link
	Value for respiratory rateNumeric	
└ Unit of measure	0 ... 1	prsb03-dataelement-14256 link

	Unit of measure of respiratory rate UCUM code	
↳ Air or Oxygen	0 ... 1	prsb03-dataelement-14257 link
	If the person requires Air or Oxygen	
↳ Coded value	0 ... 1	prsb03-dataelement-14258 link
	The coded value for Air or OxygenSNOMED CT: - 722742002 Breathing room air OR 371825009 Patient on oxygen OR 315041000 High concentration oxygen therapy (procedure) OR 9999016 High flow oxygen therapy (procedure)	
↳ Value	0 ... 1	prsb03-dataelement-14259 link
	The value for air or oxygenFree text	
↳ Units of measure	0 ... 1	prsb03-dataelement-14260 link
	The unit of measure for the air or oxygen valueUCUM	
↳ National early warning score (NEWS 2)	0 ... 1	prsb03-dataelement-13861 link
	The NEWS is based on a simple aggregate scoring system in which a score is allocated to physiological measurements, already recorded in routine practice, when patients present to, or are being monitored in hospital	
↳ Coded value total score	0 ... 1	prsb03-dataelement-13862 link
	The coded value for NEWS 2 total scoreSNOMED CT : - 1104051000000101 Royal College of Physicians National Early Warning Score 2 total score (observable entity)	
↳ Value for total score	0 ... 1	prsb03-dataelement-13863 link
	The actual NEWS 2 score.Numeric	
↳ Coded value subscore	0 ... 1	prsb03-dataelement-13864 link
	Coded value for the subscoreSNOMED CT : - 1104301000000104 Royal College of Physicians National Early Warning Score 2 - respiration rate score (observable entity) 1104351000000103 Royal College of Physicians National Early Warning Score 2 - pulse score (observable entity) 1104311000000102 Royal College of Physicians National Early Warning Score 2 - oxygen saturation scale 1 score (observable entity) 1104331000000105 Royal College of Physicians National Early Warning Score 2 - air or oxygen score (observable entity) 1104371000000107 Royal College of Physicians National Early Warning Score 2 - temperature score (observable entity) 1104341000000101 Royal College of Physicians National Early Warning Score 2 - systolic blood pressure score (observable entity) 1104361000000100 Royal College of Physicians National Early Warning Score 2 - consciousness score (observable entity)	
↳ Subscore	0 ... 1	prsb03-dataelement-13865 link
	Subscore from each NEWS2 observationNumeric	
↳ Allergies and adverse reactions	0 ... 1	prsb03-dataelement-282 link
	Allergies and adverse reactions	
↳ Allergies and adverse reactions record entry	0 ... *	prsb03-dataelement-10657 link

This is a allergies and adverse reactions record entry. There may be 1 to many record entries under a section.

Each record entry is made up of a number of elements or data items.

 Type of reaction	0 ... 1	prsb03-dataelement-10186 link
	The type of reaction experienced by the person (allergic, adverse, intolerance) FHIR value set :- Allergy, Intolerance	
 Causative agent	1 ... 1 Mandatory	prsb03-dataelement-10182 link
	The agent such as food, drug or substances that has caused or may cause an allergy, intolerance or adverse reaction in this person Or "No known drug allergies or adverse reactions" Or "Information not available"	
 Coded value	0 ... 1	prsb03-dataelement-13441 link
	The coded value for causative agent SNOMED CT : - <105590001 Substance OR <373873005 Pharmaceutical / biologic product OR <>716186003 No known allergy OR 196461000000101 Transfer-degraded drug allergy OR 196471000000108 Transfer-degraded non-drug allergy	
 Free text	0 ... 1	prsb03-dataelement-13442 link
	Free text field to be used if no code is availableFree text	
 Reaction details cluster	0 ... *	prsb03-dataelement-10658 link
	Details of the reaction.	
 Date	0 ... 1	prsb03-dataelement-10190 link
	The date that the reaction was identified.Date and time	
 Description of reaction	0 ... 1	prsb03-dataelement-10183 link
	A description of the manifestation of the allergic or adverse reaction experienced by the person. For example, skin rash.	
 Coded value	0 ... 1	prsb03-dataelement-13556 link
	The coded value for description of reaction.SNOMED CT: - ^112758100000103 Health issues simple reference set	
 Free text	0 ... 1	prsb03-dataelement-13557 link
	Free text field to be used if no code is availableFree text	
 Severity	0 ... 1	prsb03-dataelement-10184 link
	A description of the severity of the reaction.	
 Coded value	0 ... 1	prsb03-dataelement-13558 link
	The coded value for severity FHIR value set : - Severity	
 Free text	0 ... 1	prsb03-dataelement-13559 link
	Free text field to be used if no code is availableFree text	
 Certainty	0 ... 1	prsb03-dataelement-10185 link
	A description of the certainty that the stated causative agent caused the allergic or adverse reaction.	
 Coded value	0 ... 1	prsb03-dataelement-13560 link

	The coded value for certainty.FHIR value set : - Certainty	
└  Free text	0 ... 1	prsb03-dataelement-13561 link
	Free text field to be used if no code is availableFree text	
└  Comment	0 ... 1	prsb03-dataelement-10189 link
	Any additional comment or clarification about the adverse reaction.Free text	
└  Evidence	0 ... 1	prsb03-dataelement-10187 link
	Results of investigations that confirmed the certainty of the diagnosis. Examples might include results of skin prick allergy testsFree text	
└  Date first experienced	0 ... 1	prsb03-dataelement-10188 link
	When the reaction was first experienced i.e this may not be the first this has happened. May be a date or partial date (e.g. year) or text (e.g. during childhood)Date and time	
└  Allergy end date	0 ... 1	prsb03-dataelement-14253 link
	The date the allergy was diagnosed as endedDate and time	
└  Medications and medical devices	0 ... 1	prsb03-dataelement-636 link
	Medications and medical devices	
└  Medication item entry	0 ... *	prsb03-dataelement-10663 link
	All medications and devices that can be prescribed to be entered via this Medication item entry. Handles details of continuation / addition / amendment of admission medications.	
└  Medication item cluster	0 ... *	prsb03-dataelement-10664 link
	Medication item cluster	
└  Date	0 ... 1	prsb03-dataelement-10843 link
	The date on which the medication or medical device was prescribed.Date and time	
└  Medication name	1 ... 1 Mandatory	prsb03-dataelement-10536 link
	May be generic name or brand name.	
└  Coded value	0 ... 1	prsb03-dataelement-13622 link
	The coded value for medication namedm+d: any code from the VTM, VMP, AMP, VMPP and AMPP concept classes	
└  Free text	0 ... 1	prsb03-dataelement-13623 link
	Free text field to be used if no code is availableFree text	
└  Form	0 ... 1	prsb03-dataelement-10537 link
	The form of the medication e.g. capsule, drops, tablet, lotion etc.	
└  Coded value	0 ... 1	prsb03-dataelement-13624 link
	The coded value for form.SNOMED CT: - 421967003 Drug dose form (qualifier value)	
└  Free text	0 ... 1	prsb03-dataelement-13625 link
	Free text field to be used if no code is availableFree text	
└  Quantity supplied	1 ... 1 Mandatory	prsb03-dataelement-10539 link

	The quantity of the medication (e.g. tablets, inhalers, etc.) provided to the person. This may be dispensed by the pharmacy or on the ward. Record in a structured format i.e. value and a unitFree text	
└  Value	0 ... 1	prsb03-dataelement-14271 link
└  Unit of measure	The value of the quantity supplied Enumerated value 0 ... 1	prsb03-dataelement-14272 link
	Unit of measure of quantity suppliedUCUM code	
└  Route	0 ... *	prsb03-dataelement-10538 link
	The route by which the medication is administered e.g. oral, IM, IV	
└  Coded value	0 ... 1	prsb03-dataelement-13655 link
	The coded value for routeSNOMED CT: - 99900005100001100 ePrescribing route of administration simple reference set (foundation metadata concept)	
└  Free text	0 ... 1	prsb03-dataelement-13656 link
	Free text field to be used if no code is available Free text	
└  Site	0 ... 1	prsb03-dataelement-10540 link
	The anatomical site at which the medication is to be administered.	
└  Coded value	0 ... 1	prsb03-dataelement-13657 link
	The coded value for site SNOMED CT: - <442083009 Anatomical or acquired body structure (body structure)	
└  Free text	0 ... 1	prsb03-dataelement-13658 link
	Free text field to be used when code is not available Free text	
└  Supply type	0 ... 1	prsb03-dataelement-13754 link
	A description of the type of supply (e.g. emergency supply, over the counter medication, patient group direction etc)	
└  Batch number	0 ... 1	prsb03-dataelement-13789 link
	The batch number of the product.	
└  Coded value	0 ... 1	prsb03-dataelement-13790 link
	The coded value for the batch numberFMD code : - Derived from Falsified medicines directive	
└  Free text	0 ... 1	prsb03-dataelement-13791 link
	Free text field to be used if no code is available Free text	
└  Dose directions description	0 ... 1	prsb03-dataelement-10544 link
	Describes the entire medication dosage and administration directions including dose quantity and medication frequency and optionally duration e.g. "1 tablet at night" or "2mg at 10pm".Free text	
└  Structured dose direction cluster	0 ... 1	prsb03-dataelement-11639 link
	A structural representation of the elements carried by the dose syntax in 'parsable dose strength / timing' i.e. dose strength, dose timing, dose duration and maximum dose.	

 Structured dose amount	0 ... 1	prsb03-dataelement-10554 link
		A structural representation of dose amount, e.g. 20mg or 2 tablets. This element will generally only be used when persisting data within systems with 'parsable dose directions' being used to exchange the same information between systems. As per FHIR Dose Syntax Implementation Guidance (NHS Digital): https://simplifier.net/guide/DoseSyntaxImplementationGuidanceforFHIRR4/Home
 Structured dose timing	0 ... 1	prsb03-dataelement-10555 link
		A slot containing a structural, computable representation of dose timing and maximum dose. This element will generally only be used when persisting data within systems with 'parsable dose directions' being used to exchange the same information between systems. As per FHIR Dose Syntax Implementation Guidance (NHS Digital): https://simplifier.net/guide/DoseSyntaxImplementationGuidanceforFHIRR4/Home
 Dose direction duration	0 ... 1	prsb03-dataelement-10548 link
		Recommendation of the time period for which the medication should be continued, including direction not to discontinue. As per FHIR Dose Syntax Implementation Guidance (NHS Digital): https://simplifier.net/guide/DoseSyntaxImplementationGuidanceforFHIRR4/Home
 Additional instructions	0 ... *	prsb03-dataelement-10545 link
		Allows for: requirements for adherence support, e.g. compliance aids, prompts and packaging requirements, additional information about specific medicines e.g. where specific brand required, person requirements, e.g. unable to swallow tablets. FHIR value set : - Additional instruction
 Matters identified during discussion	1 ... * Mandatory	prsb03-dataelement-13753 link
		Matters identified during the service about the patient's experience of using the medication. Coded text using the following descriptors: a. patient reports using the medicine as prescribed b. patient reports not using the medicine as prescribed c. patient has not started using the medicine d. prescriber has stopped new medicine e. patient is not using the medicine in line with the directions of the prescriber f. patient reports missing a dose in the past 7 days g. patient reports need for more information about the medicine h. patient reports side effects i. patient reports negative feelings about the medicine j. patient reports uncertainty on whether the medicine is working k. patient reports concern about remembering to take the medicine l. patient reports difficulty using the medicine due to its pharmaceutical form/formulation i. other - free text option
 Course details cluster	0 ... 1	prsb03-dataelement-10561 link
		Details of the overall course of medication.
 Indication	0 ... 1	prsb03-dataelement-10546 link
		Reason for medication being prescribed, where known. Free text
 Information and advice given	0 ... 1	prsb03-dataelement-315 link
		Information and advice given
 Information and advice given	0 ... *	prsb03-dataelement-10215 link

	The oral or written information or advice given to the patient, carer, other authorised representative, care professional or other third party. May include advice about actions related to medicines or other ongoing care activities on an 'information prescription'. State here if there are concerns about the extent to which the patient and/or carer understand the information provided about diagnosis, prognosis and treatment.	
	Free text	
📁 Distribution list	0 ... 1	prsb03-dataelement-330 link
	Distribution list	
└📁 Distribution list record entry	0 ... 1	prsb03-dataelement-10660 link
	This is a Distribution list record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
↳ 📁 Name	0 ... 1	prsb03-dataelement-10230 link
	The name of the person the communication is to be sent to, this can be a person or professional. Free text	
↳ 📁 Role	0 ... 1	prsb03-dataelement-10231 link
	If the communication is being sent to either a named individual, or to a non-named person with a specific role, then this is the role of the recipient.	
	Role may be entered as the communication is being created, or sourced from the hospital system. This may be a role defined in the National Workforce data set (see the NHS Data Dictionary Job Role Code). FHIR value set : - SDSjobrole	
↳ 📁 Grade	0 ... 1	prsb03-dataelement-10232 link
	The grade of the recipient, if known by the sending institution, otherwise omitted. Free text	
↳ 📁 Organisation name	0 ... 1	prsb03-dataelement-10233 link
	The name of the organisation the recipient is representing or the organisation named as the receiving organisation.	
	An identifier for the organisation will be sent alongside the name, but may not displayed on rendered document.	
	NHS data dictionary : - Organisation code	
↳ 📁 Team	0 ... 1	prsb03-dataelement-10234 link
	Team that the recipient belongs to in the context of receiving this message, or the team acting as the recipient. Free text	
↳ 📁 Relationship	0 ... 1	prsb03-dataelement-13793 link
	The relationship of the receiver to the person for example, carer or parent. FHIR value set : - Related person	
📁 Plan and requested actions	0 ... 1	prsb03-dataelement-535 link
	The details of planned investigations, procedures and treatment, and whether this plan has been agreed with the person or their legitimate representative.	
└📁 Plan and requested actions record entry	0 ... *	prsb03-dataelement-10661 link
	This is a plan and requested actions record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	

 Actions for professionals	0 ... *	prsb03-dataelement-10436 link
Including planned investigations, procedures and treatment for a person's identified conditions and priorities. For each action the following should be identified: outcome expectations, including the person's expectations. A record of the planned and requested actions. May be structured (table), with actions, names, dates, status, location, strategies. Free text		
 Actions for person or their carer	0 ... *	prsb03-dataelement-10437 link
For each action the following should be identified: outcome expectations, including person's expectations. A record of the planned and requested actions. May be structured (table), with actions, names, dates, status, location, strategies. Free text		

  Smoking Cessation	prsb03-transaction-231 link
---	-----------------------------

Version / effective date 2.1 - 2021-02-08 11:02:21

  Smoking Cessation (GP)	prsb03-transaction-233 link
--	-----------------------------

Version / effective date 2.1 - 2021-02-08 11:02:21

Actor Sender (organization) Pharmacy
Receiver (organization) General practitioner

Associations Data Set (for transaction) PRSB Record structure and content 1(2.16.840.1.113883.3.1937.777.28.1.1 / 2018-10-31)

Contained concepts

Concept	Card/Conf	Id
 Person demographics	1 ... 1 Mandatory	prsb03-dataelement-10868 link
	The person's details and contact information.	
 Person name	1 ... 1 Mandatory	prsb03-dataelement-10869 link
	Details of the person's name	
 Person full name	1 ... 1 Mandatory	prsb03-dataelement-13801 link
	The full name of the person in text representation.NHS data dictionary :- Patient full name	
 Date of birth	1 ... 1 Mandatory	prsb03-dataelement-10871 link
	The date of birth of the person.NHS data dictionary:- Person birth date	
 Gender	0 ... 1	prsb03-dataelement-10872 link
	The person's stated gender.NHS data dictionary :- Person stated gender code	
 NHS number	0 ... 1	prsb03-dataelement-10879 link
	The unique identifier for a person within the NHS in England and Wales.NHS data dictionary:- NHS number	
 Other identifier	0 ... *	prsb03-dataelement-10880 link
	Country specific or local identifier, e.g. Community Health Index (CHI) in Scotland. NHS data dictionary: - Local patient identifier(extended), Health and care number (NI only), Community health index number (Scotland only)	
 Person's address	1 ... 1 Mandatory	prsb03-dataelement-10881 link
	Person's usual place of residence, and where relevant temporary and correspondence addresses.	

 Address line 1	1 ... 1 Mandatory	prsb03-dataelement-13082 link
	Person's first line of address. NHS data dictionary :- Address line 1	
 Address line 2	0 ... 1	prsb03-dataelement-13083 link
	Person's second line of address. NHS data dictionary :- Address line 2	
 Address line 3	0 ... 1	prsb03-dataelement-13084 link
	Person's third line of address. NHS data dictionary : - Address line 3	
 Address line 4	0 ... 1	prsb03-dataelement-13085 link
	Person's fourth line of address. NHS data dictionary : - Address line 4	
 Address line 5	0 ... 1	prsb03-dataelement-13086 link
	Person's fifth line of address.NHS data dictionary : - Address line 5	
 Postcode	0 ... 1	prsb03-dataelement-13087 link
	The person's postcode.NHS data dictionary :- Postcode of usual address	
 Person's contact details	0 ... *	prsb03-dataelement-13804 link
	Details of the person's contact information.	
 Person's telephone number details	0 ... *	prsb03-dataelement-10883 link
	The person's telephone number details	
 Person's telephone number	0 ... 1	prsb03-dataelement-13808 link
	The person's telephone numberNHS data dictionary : - UK telephone number	
 Person's telephone number type	0 ... 1	prsb03-dataelement-13805 link
	The contact type e.g. home, mobileFHIR value set: - Contact point use	
 Preference of telephone number	0 ... 1	prsb03-dataelement-13809 link
	The preferred order of use for the telephone numberPreference of use 1-5, 1 being the highest.	
 GP practice	1 ... 1 Mandatory	prsb03-dataelement-101 link
	Details of the person's GP practice.	
 GP practice record entry	1 ... *	prsb03-dataelement-10643 link
	This is an GP practice record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items	
 GP practice identifier	1 ... 1 Mandatory	prsb03-dataelement-10001 link
	The identifier of the registered GP practice. NHS data dictionary : - General medical practice code (patient registration)	
 Legal information	0 ... 1	prsb03-dataelement-520 link
	The legal information relating to the person.	
 Consent for treatment record	0 ... 1	prsb03-dataelement-10420 link
	Details of the person's consent for treatment.	

 Date	0 ... 1	prsb03-dataelement-13457 link
The date the consent was taken	Date	
 Location	0 ... 1	prsb03-dataelement-13459 link
The location of where the consent was taken.	Location	
 Coded value	0 ... 1	prsb03-dataelement-13460 link
The coded value for location.NHS data dictionary : - Organisation data service code	Coded value	
 Free text	0 ... 1	prsb03-dataelement-13461 link
Free text field to be used if no code is available	Free text	
 Consent for treatment record	0 ... 1	prsb03-dataelement-13574 link
Whether consent has been obtained for the treatment. May include where record of consent is located or record of consent. A statement about the patient's consent for treatment.	Consent for treatment record	
 Location of document	0 ... 1	prsb03-dataelement-13777 link
The location of the consent for treatment record.Free text or URL	Location of document	
 Performing professional	0 ... 1	prsb03-dataelement-13462 link
The professional who took the consent for treatment.	Performing professional	
 Name	0 ... 1	prsb03-dataelement-13463 link
The name of the professional.Free text.	Name	
 Role	0 ... 1	prsb03-dataelement-13464 link
The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etcFHIR value set :- SDSjobroletype	Role	
 Grade	0 ... 1	prsb03-dataelement-13465 link
The grade of the professional.Free text	Grade	
 Speciality	0 ... 1	prsb03-dataelement-13466 link
The specialty of the professional e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code	Speciality	
 Professional identifier	0 ... 1	prsb03-dataelement-13467 link
Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.NHS data dictionary : - Professional registration identifier	Professional identifier	
 Organisation	0 ... 1	prsb03-dataelement-13468 link
The name of the organisation the professional works for.	Organisation	
 Contact details	0 ... 1	prsb03-dataelement-13469 link
Contact details of the professionalNHS data dictionary - UK phone number	Contact details	
 Person completing record	0 ... 1	prsb03-dataelement-13470 link
Details of the person completing the record.	Person completing record	
 Name	0 ... 1	prsb03-dataelement-13471 link
The name of the person completing the record.Free text.	Name	
 Role	0 ... 1	prsb03-dataelement-13472 link

	The organisational role of the person completing record.FHIR value set :- SDSjobrole	
└  Grade	0 ... 1	prsb03-dataelement-13473 link
	The grade of the person completing the record.Free text.	
└  Specialty	0 ... 1	prsb03-dataelement-13474 link
	The main specialty of the person completing the record.NHS data dictionary :- Activity treatment function code	
└  Organisation	0 ... 1	prsb03-dataelement-13475 link
	The organisation the person completing the record works for.	
└  Professional identifier	0 ... 1	prsb03-dataelement-13476 link
	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier	
└  Date completed	0 ... 1	prsb03-dataelement-13477 link
	The date and time the record was completed.Date and time.	
└  Contact details	0 ... 1	prsb03-dataelement-13478 link
	Contact details of the person completing the record.	
	NHS data dictionary : - UK telephone number	
└  Consent for information sharing	0 ... 1	prsb03-dataelement-10421 link
	Details of the person's consent for information sharing	
└  Date	0 ... 1	prsb03-dataelement-11713 link
	The date when the consent was givenDate and time	
└  Location	0 ... 1	prsb03-dataelement-11714 link
	The location where the consent was taken.	
└  Coded value	0 ... 1	prsb03-dataelement-13451 link
	The coded value for location.NHS data dictionary : - Organisation data service code	
└  Free text	0 ... 1	prsb03-dataelement-13452 link
	Free text field to be used if no code is availableFree text	
└  Consent for information sharing	0 ... 1	prsb03-dataelement-13575 link
	This is a record of consent for information sharing under the common law duty of confidentiality. Where consent has not been obtained or sought, the reason why should be provided. Include best interests decision where person lacks capacity. This is a placeholder until the national guidance is published.Free text	
└  Reason for consent not given	0 ... 1	prsb03-dataelement-13778 link
	Reason not given for consentFree text	
└  Performing professional	0 ... 1	prsb03-dataelement-11715 link
	The professional who took the consent for information sharing	
└  Name	0 ... 1	prsb03-dataelement-11716 link
	The name of the professional.Free text.	
└  Role	0 ... 1	prsb03-dataelement-11717 link

	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc FHIR value set :- SDSjobrole type	
└  Grade	0 ... 1	prsb03-dataelement-11718 link
	The grade of the professional. Free text	
└  Speciality	0 ... 1	prsb03-dataelement-11719 link
	The specialty of the professional e.g. physiotherapy, oncology, mental health etc NHS data dictionary - Activity treatment function code	
└  Professional identifier	0 ... 1	prsb03-dataelement-11720 link
	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation. NHS data dictionary : - Professional registration identifier	
└  Organisation	0 ... 1	prsb03-dataelement-11721 link
	The name of the organisation the professional works for.	
└  Contact details	0 ... 1	prsb03-dataelement-11722 link
	Contact details of the professional NHS data dictionary - UK phone number	
└  Person completing record	0 ... 1	prsb03-dataelement-11723 link
	Details of the person completing the record.	
└  Name	0 ... 1	prsb03-dataelement-11724 link
	The name of the person completing the record. Free text.	
└  Role	0 ... 1	prsb03-dataelement-11725 link
	The organisational role of the person completing record. FHIR value set :- SDSjobrole	
└  Grade	0 ... 1	prsb03-dataelement-11726 link
	The grade of the person completing the record. Free text.	
└  Specialty	0 ... 1	prsb03-dataelement-11727 link
	The main specialty of the person completing the record. NHS data dictionary :- Activity treatment function code	
└  Organisation	0 ... 1	prsb03-dataelement-11728 link
	The organisation the person completing the record works for.	
└  Professional identifier	0 ... 1	prsb03-dataelement-11729 link
	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation. NHS data dictionary :- Professional registration identifier	
└  Date completed	0 ... 1	prsb03-dataelement-11730 link
	The date and time the record was completed. Date and time.	
└  Contact details	0 ... 1	prsb03-dataelement-11731 link
	Contact details of the person completing the record.	
	NHS data dictionary : - UK telephone number	
└  Consent relating to child	0 ... 1	prsb03-dataelement-10422 link
	Details of the person's consent relating to child	
└  Date	0 ... 1	prsb03-dataelement-11732 link

	The date when the person with responsibility for the child was identified.Date and time	
└─ Location	0 ... 1	prsb03-dataelement-11733 link
└─ Coded value	The location where the person with responsibility for the child was identified.	prsb03-dataelement-13674 link
└─ Free text	The coded value for locationNHS data dictionary : - Organisation data service 0 ... 1	prsb03-dataelement-13675 link
└─ Consent relating to child	Free text field to be used if no coded text available 0 ... 1	prsb03-dataelement-13576 link
└─ Performing professional	The person with parental responsibility or appointed guardian where a child lacks competency. Consideration of age and competency, applying Gillick competency or Fraser guidelines.Free text 0 ... 1	prsb03-dataelement-11734 link
└─ Name	The professional who identified the person responsible for the child. 0 ... 1	prsb03-dataelement-11735 link
└─ Role	The name of the professional.Free text. 0 ... 1	prsb03-dataelement-11736 link
└─ Grade	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etcFHIR value set :- SDSjobroletype 0 ... 1	prsb03-dataelement-11737 link
└─ Speciality	The grade of the professional.Free text 0 ... 1	prsb03-dataelement-11738 link
└─ Professional identifier	The specialty of the professional e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code 0 ... 1	prsb03-dataelement-11739 link
└─ Organisation	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.NHS data dictionary : - Professional registration identifier 0 ... 1	prsb03-dataelement-11740 link
└─ Contact details	The name of the organisation the professional works for. 0 ... 1	prsb03-dataelement-11741 link
└─ Person completing record	Contact details of the professionalNHS data dictionary - UK phone number 0 ... 1	prsb03-dataelement-11742 link
└─ Name	Details of the person completing the record. 0 ... 1	prsb03-dataelement-11743 link
└─ Role	The name of the person completing the record.Free text. 0 ... 1	prsb03-dataelement-11744 link
└─ Grade	The organisational role of the person completing record.FHIR value set :- SDSjobrole 0 ... 1	prsb03-dataelement-11745 link
└─ Specialty	The grade of the person completing the record.Free text. 0 ... 1	prsb03-dataelement-11746 link

	The main specialty of the person completing the record.NHS data dictionary :- Activity treatment function code	
└─ Organisation	0 ... 1	prsb03-dataelement-11747 link
	The organisation the person completing the record works for.	
└─ Professional identifier	0 ... 1	prsb03-dataelement-11748 link
	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier	
└─ Date completed	0 ... 1	prsb03-dataelement-11749 link
	The date and time the record was completed.Date and time.	
└─ Contact details	0 ... 1	prsb03-dataelement-11750 link
	Contact details of the person completing the record.	
	NHS data dictionary : - UK telephone number	
└─ Safeguarding	0 ... 1	prsb03-dataelement-271 link
	The safeguarding details of the person.	
└─ Safeguarding concerns	0 ... *	prsb03-dataelement-10821 link
	Details of safeguarding concerns	
└─ Safeguarding indicator	0 ... 1	prsb03-dataelement-13428 link
	Indicates whether or not the hospital considers that there are safeguarding issues associated with the patient.Flag: No =N: Yes = Y	
└─ Safeguarding concerns	0 ... 1	prsb03-dataelement-10171 link
	Identified safeguarding concerns.	
└─ Coded value	0 ... 1	prsb03-dataelement-13756 link
	The coded value for safeguarding concernsSNOMED CT : - 999002381000000108 Safeguarding issues simple reference set (foundation metadata concept)	
└─ Free text	0 ... 1	prsb03-dataelement-13757 link
	Free text field to be used if no code is availableFree text	
└─ Comment	0 ... 1	prsb03-dataelement-10175 link
	Further details on safeguarding concerns.Free text	
└─ Referral details	0 ... 1	prsb03-dataelement-105 link
	The details of the referral.	
└─ Referral details record entry	0 ... *	prsb03-dataelement-10917 link
	This is the referral details record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
└─ Reason for referral	1 ... 1 Mandatory	prsb03-dataelement-10011 link
	The reason for the referral, e.g. diagnosis, treatment, transfer of care due to relocation, investigation, second opinion, management of the patient (e.g. palliative care), or carer's concerns.Free text	
└─ Coded value	0 ... 1	prsb03-dataelement-13455 link
	The coded value for reason for referralSNOMED CT : - ^1127581000000103 Health issues simple reference set	

 Free text	0 ... 1	prsb03-dataelement-13456 link
	Free text field to be used if no code is availableFree text	
 Expectation of referral	0 ... *	prsb03-dataelement-10699 link
	A clear statement of the expectations of the person or professional making the referral in regards to the management of the patient e.g. advice only, diagnosis, treatment, etc. To include any specific patient expectation.Free text	
 Clinical urgency of referral	0 ... 1	prsb03-dataelement-10010 link
	The details of the clinical urgency of referral	
 Reason for urgency of referral	0 ... 1	prsb03-dataelement-10976 link
	The reason for urgency of referral if not routine.Free text	
 Referral to	0 ... 1	prsb03-dataelement-10008 link
	Details of where the referral is to be sent.	
	If not an individual, this could be a service, e.g. GP surgery, department, specialty, subspecialty, educational institution, mental health etc.	
 Name	0 ... 1	prsb03-dataelement-10977 link
	Name of person the referral is to be sent to.Free text	
 Role	0 ... 1	prsb03-dataelement-10978 link
	Role of person where the referral is to be sent to.FHIR value set : - sdsjobrole	
 Grade	0 ... 1	prsb03-dataelement-10979 link
	The grade of the person where the referral is sent to.Free text	
 Team	0 ... 1	prsb03-dataelement-10982 link
	The team or department of the person where the referral is being sent toFree text.	
 Specialty	0 ... 1	prsb03-dataelement-10983 link
	The specialty the referral is being sent to e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code	
 Service	0 ... 1	prsb03-dataelement-12412 link
	The service of where the referral is sent to.	
 Coded value	0 ... 1	prsb03-dataelement-13509 link
	The coded value for serviceSNOMED CT: - 1127531000000102 Services simple reference set (foundation metadata concept)	
 Free text	0 ... 1	prsb03-dataelement-13510 link
	Free text field to be used if no code is availableFree text	
 Organisation	0 ... 1	prsb03-dataelement-10980 link
	The organisation of where the referral is to be sent.	
 Coded value	0 ... 1	prsb03-dataelement-13511 link
	The coded value for organisationNHS data dictionary :- Organisation data service	
 Free text	0 ... 1	prsb03-dataelement-13512 link
	Free text field to be used if no code is availableFree text	

 Contact details	0 ... 1	prsb03-dataelement-10981 link
	The contact details of where the referral is to be sent.Free text.	
 Contacts with professionals	1 ... 1 Mandatory	prsb03-dataelement-169 link
	The details of the person's contact with a professional.	
 Contacts with professionals record entry	1 ... *	prsb03-dataelement-10718 link
	This is a contacts record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
 Date of contact	1 ... 1 Mandatory	prsb03-dataelement-10069 link
	Date and time of the contact.Date and time.	
 Location of contact	0 ... 1	prsb03-dataelement-10075 link
	The location where the contact took place.	
 Coded value	0 ... 1	prsb03-dataelement-13513 link
	The coded value for locationNHS data dictionary : - Organisation service code	
 Free text	0 ... 1	prsb03-dataelement-13514 link
	Free text field to be used if no code is availableFree text	
 Reason for service	0 ... 1	prsb03-dataelement-13751 link
	The reason why the person has been offered the serviceFree text	
 Consultation method	0 ... 1	prsb03-dataelement-10071 link
	Consultation method used e.g. face to face, telephoneNHS data dictionary - Consultation medium	
 Service	0 ... 1	prsb03-dataelement-10074 link
	The service that was provided.SNOMED CT :- 1127531000000102 Services simple reference set (foundation metadata concept)	
 Person accompanying patient	0 ... *	prsb03-dataelement-10079 link
	Identify, where clinically relevant, others accompanying the patient, e.g. parent, relative, friend. Includes: Name, Relationship, role (e.g. informal carer).NHS data dictionary : - Person full name	
 Organisation name	1 ... 1 Mandatory	prsb03-dataelement-10706 link
	The name, including the identifier, of the organisation providing the serviceNHS data dictionary : - Organisation name	
 Organisation address	0 ... 1	prsb03-dataelement-10713 link
	The name of the organisation, including the identifier.NHS data dictionary : - Organisation address	
 Organisation contact details	0 ... *	prsb03-dataelement-10707 link
	The contact details of the organisation. For example a phone number, NHSmail address etc. Contact details are used to resolve queries about the record entry.Free text	
 Reason for non-provision of service	0 ... 1	prsb03-dataelement-10708 link

	The reason why the patient was not provided with the service e.g. declined, did not attend etc.Free text	
└  Clinician name	1 ... 1 Mandatory	prsb03-dataelement-10709 link
	The name of the person providing the service.Free text	
└  Role	0 ... 1	prsb03-dataelement-10710 link
	The role of the person providing the service.FHIR values set : - sdsjobrole	
└  Chaperone	0 ... *	prsb03-dataelement-10712 link
	The name of any chaperone(s).Free text	
└  Professional identifier	0 ... 1	prsb03-dataelement-10711 link
	Professional identifier of the person providing the service.NHS data dictionary : - professional identifier	
📁 Presenting complaints or issues	0 ... 1	prsb03-dataelement-210 link
	Presenting complaints or issues	
└  Presenting complaint or issue	0 ... *	prsb03-dataelement-13784 link
	The health problem or issue experienced by the patient resulting in their attendance. This may include disease state, medical condition, response and reactions to therapies. E.g., blackout, dizziness, chest pain, follow up from admission, falls, a specific procedure, investigation or treatment.	
└  Coded value	0 ... 1	prsb03-dataelement-13785 link
	The coded value for presenting complaint or issueSNOMED CT : - ^1127581000000103 Health issues simple reference set	
└  Free text	0 ... 1	prsb03-dataelement-13786 link
	Free text	
📁 History	0 ... 1	prsb03-dataelement-226 link
	History	
└  Relevant past medical, surgical and mental health history	0 ... 1	prsb03-dataelement-10130 link
	The record of the person's significant medical, surgical and mental health history. Including relevant previous diagnoses, problems and issues, procedures, investigations, specific anesthesia issues, etc. (will include dental and obstetric history)	
	A list of the person's relevant past medical, surgical and mental health history recorded in free text or coded form or Information relating to past medical, surgical and mental health history may be provided by the referral document or during the consultation.	
└  Coded value	0 ... 1	prsb03-dataelement-13787 link
	The coded value relevant past medical, surgical and mental health historySNOMED CT : - ^1127581000000103 Health issues simple reference set	
└  Free text	0 ... 1	prsb03-dataelement-13788 link
	Free text field to be used if no code is availableFree text	
📁 Clinical Summary	1 ... 1 Mandatory	prsb03-dataelement-247 link
	Clinical Summary	
└  Clinical narrative	1 ... 1 Mandatory	prsb03-dataelement-10150 link

	A description detailing a patient's reason for attendance, results from the diagnostic and treatment process.Free text	
📁 Social context	0 ... 1	prsb03-dataelement-136 link
	The social setting in which the person lives, such as their household, occupational history, and lifestyle factors.	
└📁 Smoking status	0 ... 1	prsb03-dataelement-10040 link
	Details of the person's smoking status.	
└📁 Smoking status	0 ... 1	prsb03-dataelement-13283 link
	Record of any drug/substance use by the person.	
└🟡 Coded value	0 ... 1	prsb03-dataelement-13284 link
	The smoking status of the person.SNOMED CT:- ^999000891000000102 Smoking simple reference set (foundation metadata concept)	
└🟡 Free text	0 ... 1	prsb03-dataelement-13285 link
	Free text field to be used if no code is availableFree text	
└🟡 Smoking status - details	0 ... 1	prsb03-dataelement-13286 link
	Further details recorded about the smoking status of the personFree text	
└📁 Smoking record	0 ... 1	prsb03-dataelement-13995 link
	Details of the person's smoking record	
└🟡 Nicotine Replacement Therapy used	0 ... 1	prsb03-dataelement-14000 link
	A record of whether nicotine replacement therapy (NRT) is currently used or prescribed in this appointment NRT not currently used NRT currently used NRT prescribed at this appointment	
└🟡 Varenicline or other pharmacotherapy used	0 ... 1	prsb03-dataelement-14001 link
	Record of whether varenicline or other smoking cessation pharmacotherapy (other than nicotine replacement therapy) is currently used or prescribed in this appointment. Varenicline/other pharmacotherapy not used Varenicline/other pharmacotherapy currently used Varenicline/other pharmacotherapy prescribed in this appointment	
└🟡 e-cigarettes used	0 ... 1	prsb03-dataelement-14002 link
	Record of current use of e-cigarettes Coded - SNOMED CT: 722499006 Electronic cigarette user (finding)	
└🟡 Set quit date	0 ... 1	prsb03-dataelement-14007 link
	Date set to quit smokingDate	
└📁 Treatments and interventions and changes made to treatments.	0 ... 1	prsb03-dataelement-13992 link
	The treatments and interventions carried out. Where appropriate record the rationale for the decision to treat and the information sources reviewed e.g. end of life care plan etc. All medications should be recorded under the medications heading.	
└🟡 Coded value	0 ... 1	prsb03-dataelement-13993 link
	The coded value for treatment and interventions.SNOMED CT	
└🟡 Free text	0 ... 1	prsb03-dataelement-13994 link

	Free text field to be used if no code is availableFree text	
└─ Date stopped smoking	0 ... 1	prsb03-dataelement-13287 link
└─ Coded value	The date the person stopped smoking (if known)	prsb03-dataelement-13288 link
└─ Date	The coded value for date stopped smoking.SNOMED CT:- 160625004 Date ceased smoking (observable entity)	prsb03-dataelement-13289 link
└─ Investigation results	0 ... 1	prsb03-dataelement-257 link
└─ Investigation results record entry	Investigation results	prsb03-dataelement-10654 link
└─ Date	This is a investigation result record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
└─ Coded value	0 ... 1	prsb03-dataelement-10157 link
└─ Free text	The date and time when the investigation was performedDate and time	
└─ Investigation	1 ... 1 Mandatory	prsb03-dataelement-10160 link
└─ Coded value	The investigation performed.	prsb03-dataelement-13525 link
└─ Free text	The coded value for investigationSNOMED CT: - <71388002 Procedure (procedure)	prsb03-dataelement-13526 link
└─ Investigation result	0 ... 1	prsb03-dataelement-10161 link
└─ Coded value	Free text field to be used if no code is availableFree text	
└─ Free text	For each investigation, the result of the investigation. This can include a report which may have results for multiple tests.	
└─ Investigation Method	0 ... 1	prsb03-dataelement-13527 link
└─ Structured investigation result	Method used in carrying out investigationCoded entry - Point of care test, Laboratory test	prsb03-dataelement-12415 link
└─ Value	0 ... 1	prsb03-dataelement-12416 link
└─ Units of measure	A structured set of information for each investigation result.	
└─ Reference ranges	The value of the investigation result.Numeric	prsb03-dataelement-12417 link
└─ Reference ranges	The units of the investigation result.UCUM code	prsb03-dataelement-12418 link
	The reference range for the investigation result.Free text	

 Abnormal indicator	0 ... 1	Indicator if the investigation is abnormal. Abnormal or Normal	prsb03-dataelement-12419 link
Signpost details	0 ... 1	Details of signpost	prsb03-dataelement-13973 link
Signpost details record entry	0 ... *	This is the signpost details record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	prsb03-dataelement-13974 link
 Date	0 ... 1	Date of signpost	prsb03-dataelement-13975 link
Signpost to	0 ... 1	Details of where the signpost is to.	prsb03-dataelement-13976 link
 Name	0 ... 1	If not an individual, this could be a service	prsb03-dataelement-13977 link
 Role	0 ... 1	Name of person signposted toFree Text	prsb03-dataelement-13978 link
 Grade	0 ... 1	Role of person been signposted to.Free Text	prsb03-dataelement-13979 link
 Team	0 ... 1	The grade of the person been signposted to.Free text	prsb03-dataelement-13980 link
 Specialty	0 ... 1	The team or department of the person been signposted to.Free text	prsb03-dataelement-13981 link
Service	0 ... 1	The specialty of where been signposted e.g. physiotherapy, oncology, mental health etc	prsb03-dataelement-13982 link
 Coded value	0 ... 1	The service of where been signposted to.	prsb03-dataelement-13983 link
 Free text	0 ... 1	The coded value for serviceSNOMED CT : - 112753100000102 Services simple reference set (foundation metadata concept)	prsb03-dataelement-13984 link
Organisation	0 ... 1	Free text field to be used if no code is availableFree text	prsb03-dataelement-13985 link
Contact details	0 ... 1	Name of organisation been signposted to. Free text	prsb03-dataelement-13987 link
Reason for signpost	0 ... 1	The contact details of where been signposted toFree text	prsb03-dataelement-13988 link
 Free text	0 ... 1	Reason for signposting	prsb03-dataelement-13990 link
		Free textFree text	

 Clinical urgency for signpost	0 ... 1	prsb03-dataelement-13991 link
	The details of the clinical urgency of signpost Free text	
 Allergies and adverse reactions	0 ... 1	prsb03-dataelement-282 link
	Allergies and adverse reactions	
 Allergies and adverse reactions record entry	0 ... *	prsb03-dataelement-10657 link
	This is a allergies and adverse reactions record entry. There may be 1 to many record entries under a section.	
	Each record entry is made up of a number of elements or data items.	
 Type of reaction	0 ... 1	prsb03-dataelement-10186 link
	The type of reaction experienced by the person (allergic, adverse, intolerance) FHIR value set :- Allergy, Intolerance	
 Causative agent	1 ... 1 Mandatory	prsb03-dataelement-10182 link
	The agent such as food, drug or substances that has caused or may cause an allergy, intolerance or adverse reaction in this person Or "No known drug allergies or adverse reactions" Or "Information not available"	
 Coded value	0 ... 1	prsb03-dataelement-13441 link
	The coded value for causative agent SNOMED CT : - <105590001 Substance OR <373873005 Pharmaceutical / biologic product OR <>716186003 No known allergy OR 196461000000101 Transfer-degraded drug allergy OR 196471000000108 Transfer-degraded non-drug allergy)	
 Free text	0 ... 1	prsb03-dataelement-13442 link
	Free text field to be used if no code is available Free text	
 Reaction details cluster	0 ... *	prsb03-dataelement-10658 link
	Details of the reaction.	
 Date	0 ... 1	prsb03-dataelement-10190 link
	The date that the reaction was identified. Date and time	
 Description of reaction	0 ... 1	prsb03-dataelement-10183 link
	A description of the manifestation of the allergic or adverse reaction experienced by the person. For example, skin rash.	
 Coded value	0 ... 1	prsb03-dataelement-13556 link
	The coded value for description of reaction. SNOMED CT: - ^1127581000000103 Health issues simple reference set	
 Free text	0 ... 1	prsb03-dataelement-13557 link
	Free text field to be used if no code is available Free text	
 Severity	0 ... 1	prsb03-dataelement-10184 link
	A description of the severity of the reaction.	
 Coded value	0 ... 1	prsb03-dataelement-13558 link
	The coded value for severity FHIR value set : - Severity	
 Free text	0 ... 1	prsb03-dataelement-13559 link
	Free text field to be used if no code is available Free text	

Certainty	0 ... 1	prsb03-dataelement-10185 link
	A description of the certainty that the stated causative agent caused the allergic or adverse reaction.	
Coded value	0 ... 1	prsb03-dataelement-13560 link
	The coded value for certainty.FHIR value set : - Certainty	
Free text	0 ... 1	prsb03-dataelement-13561 link
	Free text field to be used if no code is availableFree text	
Comment	0 ... 1	prsb03-dataelement-10189 link
	Any additional comment or clarification about the adverse reaction.Free text	
Evidence	0 ... 1	prsb03-dataelement-10187 link
	Results of investigations that confirmed the certainty of the diagnosis. Examples might include results of skin prick allergy testsFree text	
Date first experienced	0 ... 1	prsb03-dataelement-10188 link
	When the reaction was first experienced i.e this may not be the first this has happened. May be a date or partial date (e.g. year) or text (e.g. during childhood)Date and time	
Allergy end date	0 ... 1	prsb03-dataelement-14253 link
	The date the allergy was diagnosed as endedDate and time	
Medications and medical devices	0 ... 1	prsb03-dataelement-636 link
	Medications and medical devices	
Medication item entry	0 ... *	prsb03-dataelement-10663 link
	All medications and devices that can be prescribed to be entered via this Medication item entry. Handles details of continuation / addition / amendment of admission medications.	
Medication item cluster	0 ... *	prsb03-dataelement-10664 link
	Medication item cluster	
Date	0 ... 1	prsb03-dataelement-10843 link
	The date on which the medication or medical device was prescribed.Date and time	
Medication name	1 ... 1 Mandatory	prsb03-dataelement-10536 link
	May be generic name or brand name.	
Coded value	0 ... 1	prsb03-dataelement-13622 link
	The coded value for medication namedm+d: any code from the VTM, VMP, AMP, VMPP and AMPP concept classes	
Free text	0 ... 1	prsb03-dataelement-13623 link
	Free text field to be used if no code is availableFree text	
Form	0 ... 1	prsb03-dataelement-10537 link
	The form of the medication e.g. capsule, drops, tablet, lotion etc.	
Coded value	0 ... 1	prsb03-dataelement-13624 link
	The coded value for form.SNOMED CT: - 421967003 Drug dose form (qualifier value)	
Free text	0 ... 1	prsb03-dataelement-13625 link
	Free text field to be used if no code is availableFree text	
Quantity supplied	1 ... 1 Mandatory	prsb03-dataelement-10539 link

	The quantity of the medication (e.g. tablets, inhalers, etc.) provided to the person. This may be dispensed by the pharmacy or on the ward. Record in a structured format i.e. value and a unitFree text	
└  Value	0 ... 1	prsb03-dataelement-14271 link
└  Unit of measure	The value of the quantity supplied Enumerated value 0 ... 1	prsb03-dataelement-14272 link
└  Route	Unit of measure of quantity supplied UCUM code 0 ... *	prsb03-dataelement-10538 link
└  Coded value	The route by which the medication is administered e.g. oral, IM, IV 0 ... 1	prsb03-dataelement-13655 link
	The coded value for routeSNOMED CT: - 999000051000001100 ePrescribing route of administration simple reference set (foundation metadata concept)	
└  Free text	0 ... 1	prsb03-dataelement-13656 link
	Free text field to be used if no code is available Free text 0 ... 1	prsb03-dataelement-10540 link
└  Site	The anatomical site at which the medication is to be administered.	
└  Coded value	0 ... 1	prsb03-dataelement-13657 link
	The coded value for site SNOMED CT: - <442083009 Anatomical or acquired body structure (body structure)	
└  Free text	0 ... 1	prsb03-dataelement-13658 link
	Free text field to be used when code is not available Free text 0 ... 1	prsb03-dataelement-13754 link
	A description of the type of supply (e.g. emergency supply, over the counter medication, patient group direction etc)	
└  Supply type	0 ... 1	prsb03-dataelement-13789 link
	The batch number of the product.	
└  Coded value	0 ... 1	prsb03-dataelement-13790 link
	The coded value for the batch numberFMD code : - Derived from Falsified medicines directive	
└  Free text	0 ... 1	prsb03-dataelement-13791 link
	Free text field to be used if no code is available Free text 0 ... 1	prsb03-dataelement-10544 link
└  Dose directions description	Describes the entire medication dosage and administration directions including dose quantity and medication frequency and optionally duration e.g. "1 tablet at night" or "2mg at 10pm".Free text	
└  Structured dose direction cluster	0 ... 1	prsb03-dataelement-11639 link
└  Structured dose amount	A structural representation of the elements carried by the dose syntax in 'parsable dose strength / timing' i.e. dose strength, dose timing, dose duration and maximum dose. 0 ... 1	prsb03-dataelement-10554 link
	A structural representation of dose amount, e.g. 20mg or 2 tablets. This element will generally only be used when persisting data within systems with 'parsable dose directions' being used to exchange the same information between systems.As per FHIR Dose Syntax	

	Implementation Guidance (NHS Digital): https://simplifier.net/guide/DoseSyntaxImplementationGuidanceforFHIRR4/Home	
└  Structured dose timing	0 ... 1	prsb03-dataelement-10555 link
	A slot containing a structural, computable representation of dose timing and maximum dose. This element will generally only be used when persisting data within systems with 'parsable dose directions' being used to exchange the same information between systems. As per FHIR Dose Syntax Implementation Guidance (NHS Digital): https://simplifier.net/guide/DoseSyntaxImplementationGuidanceforFHIRR4/Home	
└  Dose direction duration	0 ... 1	prsb03-dataelement-10548 link
	Recommendation of the time period for which the medication should be continued, including direction not to discontinue. As per FHIR Dose Syntax Implementation Guidance (NHS Digital): https://simplifier.net/guide/DoseSyntaxImplementationGuidanceforFHIRR4/Home	
└  Additional instructions	0 ... *	prsb03-dataelement-10545 link
	Allows for: requirements for adherence support, e.g. compliance aids, prompts and packaging requirements, additional information about specific medicines e.g. where specific brand required, person requirements, e.g. unable to swallow tablets. FHIR value set : - Additional instruction	
└  Matters identified during discussion	1 ... * Mandatory	prsb03-dataelement-13753 link
	Matters identified during the service about the patient's experience of using the medication. Coded text using the following descriptors: a. patient reports using the medicine as prescribed b. patient reports not using the medicine as prescribed c. patient has not started using the medicine d. prescriber has stopped new medicine e. patient is not using the medicine in line with the directions of the prescriber f. patient reports missing a dose in the past 7 days g. patient reports need for more information about the medicine h. patient reports side effects i. patient reports negative feelings about the medicine j. patient reports uncertainty on whether the medicine is working k. patient reports concern about remembering to take the medicine l. patient reports difficulty using the medicine due to its pharmaceutical form/formulation i. other - free text option	
└  Course details cluster	0 ... 1	prsb03-dataelement-10561 link
	Details of the overall course of medication.	
└  Indication	0 ... 1	prsb03-dataelement-10546 link
	Reason for medication being prescribed, where known. Free text	
└  Information and advice given	0 ... 1	prsb03-dataelement-315 link
	Information and advice given	
└  Information and advice given	0 ... *	prsb03-dataelement-10215 link
	The oral or written information or advice given to the patient, carer, other authorised representative, care professional or other third party. May include advice about actions related to medicines or other ongoing care activities on an 'information prescription'. State here if there are concerns about the extent to which the patient and/or carer understand the information provided about diagnosis, prognosis and treatment.	
	Free text	
└  Distribution list	0 ... 1	prsb03-dataelement-330 link
	Distribution list	

 Distribution list record entry	0 ... 1	prsb03-dataelement-10660 link
	This is a Distribution list record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
 Name	0 ... 1	prsb03-dataelement-10230 link
	The name of the person the communication is to be sent to, this can be a person or professional.Free text	
 Role	0 ... 1	prsb03-dataelement-10231 link
	If the communication is being sent to either a named individual, or to a non-named person with a specific role, then this is the role of the recipient.	
	Role may be entered as the communication is being created, or sourced from the hospital system. This may be a role defined in the National Workforce data set (see the NHS Data Dictionary Job Role Code).FHIR value set : - SDSjobrole	
 Grade	0 ... 1	prsb03-dataelement-10232 link
	The grade of the recipient, if known by the sending institution, otherwise omitted.Free text	
 Organisation name	0 ... 1	prsb03-dataelement-10233 link
	The name of the organisation the recipient is representing or the organisation named as the receiving organisation.	
	An identifier for the organisation will be sent alongside the name, but may not displayed on rendered document.	
	NHS data dictionary : - Organisation code	
 Team	0 ... 1	prsb03-dataelement-10234 link
	Team that the recipient belongs to in the context of receiving this message, or the team acting as the recipient.Free text	
 Relationship	0 ... 1	prsb03-dataelement-13793 link
	The relationship of the receiver to the person for example, carer or parentFHIR value set : - Related person	
 Plan and requested actions	0 ... 1	prsb03-dataelement-535 link
	The details of planned investigations, procedures and treatment, and whether this plan has been agreed with the person or their legitimate representative.	
 Plan and requested actions record entry	0 ... *	prsb03-dataelement-10661 link
	This is a plan and requested actions record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
 Actions for professionals	0 ... *	prsb03-dataelement-10436 link
	Including planned investigations, procedures and treatment for a person's identified conditions and priorities. For each action the following should be identified:outcome expectations, including the person's expectations. A record of the planned and requested actions. May be structured (table), with actions, names, dates, status, location, strategies.Free text	
 Actions for person or their carer	0 ... *	prsb03-dataelement-10437 link
	For each action the following should be identified:outcome expectations, including person's expectations. A record of the planned and requested actions. May be structured (table), with actions, names, dates, status, location, strategies.Free text	



prsb03-transaction-234 link

Version / effective date 2.1 - 2021-02-08 11:30:24

prsb03-transaction-236 link

Version / effective date 2.1 - 2021-02-08 11:30:24

Actor Sender (organization) Pharmacy
Receiver (organization) General practitioner

Associations Data Set (for transaction) PRSB Record structure and content 1(2.16.840.1.113883.3.1937.777.28.1.1 / 2018-10-31)

Contained concepts

Concept	Card/Conf	Id
Person demographics	1 ... 1 Mandatory The person's details and contact information.	prsb03-dataelement-10868 link
Person name	1 ... 1 Mandatory Details of the person's name	prsb03-dataelement-10869 link
Person full name	1 ... 1 Mandatory The full name of the person in text representation.NHS data dictionary :- Patient full name	prsb03-dataelement-13801 link
Date of birth	1 ... 1 Mandatory The date of birth of the person.NHS data dictionary:- Person birth date	prsb03-dataelement-10871 link
Gender	0 ... 1 The person's stated gender.NHS data dictionary :- Person stated gender code	prsb03-dataelement-10872 link
Ethnicity	0 ... 1 The ethnicity of the person as specified by the person.NHS data dictionary :- Ethnic category	prsb03-dataelement-10874 link
NHS number	0 ... 1 The unique identifier for a person within the NHS in England and Wales.NHS data dictionary:- NHS number	prsb03-dataelement-10879 link
Other identifier	0 ... * Country specific or local identifier, e.g. Community Health Index (CHI) in Scotland. NHS data dictionary: - Local patient identifier(extended), Health and care number (NI only), Community health index number (Scotland only)	prsb03-dataelement-10880 link
Person's address	1 ... 1 Mandatory Person's usual place of residence, and where relevant temporary and correspondence addresses.	prsb03-dataelement-10881 link
Address line 1	1 ... 1 Mandatory Person's first line of address. NHS data dictionary :- Address line 1	prsb03-dataelement-13082 link
Address line 2	0 ... 1 Person's second line of address. NHS data dictionary :- Address line 2	prsb03-dataelement-13083 link
Address line 3	0 ... 1	prsb03-dataelement-13084 link

	Person's third line of address. NHS data dictionary : - Address line 3	
└─🟡 Address line 4	0 ... 1	prsb03-dataelement-13085 link
	Person's fourth line of address. NHS data dictionary : - Address line 4	
└─🟡 Address line 5	0 ... 1	prsb03-dataelement-13086 link
	Person's fifth line of address.NHS data dictionary : - Address line 5	
└─🟡 Postcode	0 ... 1	prsb03-dataelement-13087 link
	The person's postcode.NHS data dictionary :- Postcode of usual address	
└─📁 Person's contact details	0 ... *	prsb03-dataelement-13804 link
	Details of the person's contact information.	
└─📁 Person's telephone number details	0 ... *	prsb03-dataelement-10883 link
	The person's telephone number details	
└─🟡 Person's telephone number	0 ... 1	prsb03-dataelement-13808 link
	The person's telephone numberNHS data dictionary : - UK telephone number	
└─🟡 Person's telephone number type	0 ... 1	prsb03-dataelement-13805 link
	The contact type e.g. home, mobileFHIR value set: - Contact point use	
└─🟡 Preference of telephone number	0 ... 1	prsb03-dataelement-13809 link
	The preferred order of use for the telephone numberPreference of use 1-5, 1 being the highest.	
📁 GP practice	1 ... 1 Mandatory	prsb03-dataelement-101 link
	Details of the person's GP practice.	
└─📁 GP practice record entry	1 ... *	prsb03-dataelement-10643 link
	This is an GP practice record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items	
└─🟡 GP practice identifier	1 ... 1 Mandatory	prsb03-dataelement-10001 link
	The identifier of the registered GP practice. NHS data dictionary : - General medical practice code (patient registration)	
📁 Legal information	0 ... 1	prsb03-dataelement-520 link
	The legal information relating to the person.	
└─📁 Consent for treatment record	0 ... 1	prsb03-dataelement-10420 link
	Details of the person's consent for treatment.	
└─🟡 Date	0 ... 1	prsb03-dataelement-13457 link
	The date the consent was takenDate	
└─📁 Location	0 ... 1	prsb03-dataelement-13459 link
	The location of where the consent was taken.	

 Coded value	0 ... 1	prsb03-dataelement-13460 link
	The coded value for location.NHS data dictionary : - Organisation data service code	
 Free text	0 ... 1	prsb03-dataelement-13461 link
	Free text field to be used if no code is availableFree text	
 Consent for treatment record	0 ... 1	prsb03-dataelement-13574 link
	Whether consent has been obtained for the treatment. May include where record of consent is located or record of consent. A statement about the patient's consent for treatment.Free text	
 Location of document	0 ... 1	prsb03-dataelement-13777 link
	The location of the consent for treatment record.Free text or URL	
 Performing professional	0 ... 1	prsb03-dataelement-13462 link
	The professional who took the consent for treatment.	
 Name	0 ... 1	prsb03-dataelement-13463 link
	The name of the professional.Free text	
 Role	0 ... 1	prsb03-dataelement-13464 link
	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etcFHIR value set :- SDSjobroletype	
 Grade	0 ... 1	prsb03-dataelement-13465 link
	The grade of the professional.Free text	
 Speciality	0 ... 1	prsb03-dataelement-13466 link
	The specialty of the professional e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code	
 Professional identifier	0 ... 1	prsb03-dataelement-13467 link
	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.NHS data dictionary : - Professional registration identifier	
 Organisation	0 ... 1	prsb03-dataelement-13468 link
	The name of the organisation the professional works for.	
 Contact details	0 ... 1	prsb03-dataelement-13469 link
	Contact details of the professionalNHS data dictionary - UK phone number	
 Person completing record	0 ... 1	prsb03-dataelement-13470 link
	Details of the person completing the record.	
 Name	0 ... 1	prsb03-dataelement-13471 link
	The name of the person completing the record.Free text	
 Role	0 ... 1	prsb03-dataelement-13472 link
	The organisational role of the person completing record.FHIR value set :- SDSjobrole	
 Grade	0 ... 1	prsb03-dataelement-13473 link

	The grade of the person completing the record.Free text.	
└  Specialty	0 ... 1	prsb03-dataelement-13474 link
	The main specialty of the person completing the record.NHS data dictionary :- Activity treatment function code	
└  Organisation	0 ... 1	prsb03-dataelement-13475 link
	The organisation the person completing the record works for.	
└  Professional identifier	0 ... 1	prsb03-dataelement-13476 link
	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier	
└  Date completed	0 ... 1	prsb03-dataelement-13477 link
	The date and time the record was completed.Date and time.	
└  Contact details	0 ... 1	prsb03-dataelement-13478 link
	Contact details of the person completing the record.	
	NHS data dictionary : - UK telephone number	
└  Consent for information sharing	0 ... 1	prsb03-dataelement-10421 link
	Details of the person's consent for information sharing	
└  Date	0 ... 1	prsb03-dataelement-11713 link
	The date when the consent was givenDate and time	
└  Location	0 ... 1	prsb03-dataelement-11714 link
	The location where the consent was taken.	
└  Coded value	0 ... 1	prsb03-dataelement-13451 link
	The coded value for location.NHS data dictionary : - Organisation data service code	
└  Free text	0 ... 1	prsb03-dataelement-13452 link
	Free text field to be used if no code is availableFree text	
└  Consent for information sharing	0 ... 1	prsb03-dataelement-13575 link
	This is a record of consent for information sharing under the common law duty of confidentiality. Where consent has not been obtained or sought, the reason why should be provided. Include best interests decision where person lacks capacity. This is a placeholder until the national guidance is published.Free text	
└  Reason for consent not given	0 ... 1	prsb03-dataelement-13778 link
	Reason not given for consentFree text	
└  Performing professional	0 ... 1	prsb03-dataelement-11715 link
	The professional who took the consent for information sharing	
└  Name	0 ... 1	prsb03-dataelement-11716 link
	The name of the professional.Free text.	

 Role	0 ... 1	prsb03-dataelement-11717 link
	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc FHIR value set :- SDSjobroletype	
 Grade	0 ... 1	prsb03-dataelement-11718 link
	The grade of the professional. Free text	
 Speciality	0 ... 1	prsb03-dataelement-11719 link
	The specialty of the professional e.g. physiotherapy, oncology, mental health etc NHS data dictionary - Activity treatment function code	
 Professional identifier	0 ... 1	prsb03-dataelement-11720 link
	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation. NHS data dictionary : - Professional registration identifier	
 Organisation	0 ... 1	prsb03-dataelement-11721 link
	The name of the organisation the professional works for.	
 Contact details	0 ... 1	prsb03-dataelement-11722 link
	Contact details of the professional NHS data dictionary - UK phone number	
 Person completing record	0 ... 1	prsb03-dataelement-11723 link
	Details of the person completing the record.	
 Name	0 ... 1	prsb03-dataelement-11724 link
	The name of the person completing the record. Free text.	
 Role	0 ... 1	prsb03-dataelement-11725 link
	The organisational role of the person completing record. FHIR value set :- SDSjobrole	
 Grade	0 ... 1	prsb03-dataelement-11726 link
	The grade of the person completing the record. Free text.	
 Specialty	0 ... 1	prsb03-dataelement-11727 link
	The main specialty of the person completing the record. NHS data dictionary : - Activity treatment function code	
 Organisation	0 ... 1	prsb03-dataelement-11728 link
	The organisation the person completing the record works for.	
 Professional identifier	0 ... 1	prsb03-dataelement-11729 link
	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation. NHS data dictionary : - Professional registration identifier	
 Date completed	0 ... 1	prsb03-dataelement-11730 link
	The date and time the record was completed. Date and time.	
 Contact details	0 ... 1	prsb03-dataelement-11731 link
	Contact details of the person completing the record.	
	NHS data dictionary : - UK telephone number	

 Consent relating to child	0 ... 1	prsb03-dataelement-10422 link
 Date	0 ... 1	prsb03-dataelement-11732 link
The date when the person with responsibility for the child was identified.Date and time		
 Location	0 ... 1	prsb03-dataelement-11733 link
The location where the person with responsibility for the child was identified.		
 Coded value	0 ... 1	prsb03-dataelement-13674 link
The coded value for locationNHS data dictionary : - Organisation data service		
 Free text	0 ... 1	prsb03-dataelement-13675 link
Free text field to be used if no coded text available		
 Consent relating to child	0 ... 1	prsb03-dataelement-13576 link
The person with parental responsibility or appointed guardian where a child lacks competency. Consideration of age and competency, applying Gillick competency or Fraser guidelines.Free text		
 Performing professional	0 ... 1	prsb03-dataelement-11734 link
The professional who identified the person responsible for the child.		
 Name	0 ... 1	prsb03-dataelement-11735 link
The name of the professional.Free text.		
 Role	0 ... 1	prsb03-dataelement-11736 link
The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etcFHIR value set :- SDSjobroletype		
 Grade	0 ... 1	prsb03-dataelement-11737 link
The grade of the professional.Free text		
 Speciality	0 ... 1	prsb03-dataelement-11738 link
The specialty of the professional e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code		
 Professional identifier	0 ... 1	prsb03-dataelement-11739 link
Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.NHS data dictionary : - Professional registration identifier		
 Organisation	0 ... 1	prsb03-dataelement-11740 link
The name of the organisation the professional works for.		
 Contact details	0 ... 1	prsb03-dataelement-11741 link
Contact details of the professionalNHS data dictionary - UK phone number		
 Person completing record	0 ... 1	prsb03-dataelement-11742 link
Details of the person completing the record.		
 Name	0 ... 1	prsb03-dataelement-11743 link
The name of the person completing the record.Free text.		

 Role	0 ... 1	prsb03-dataelement-11744 link
	The organisational role of the person completing record.FHIR value set :- SDSjobrole	
 Grade	0 ... 1	prsb03-dataelement-11745 link
	The grade of the person completing the record.Free text.	
 Specialty	0 ... 1	prsb03-dataelement-11746 link
	The main specialty of the person completing the record.NHS data dictionary :- Activity treatment function code	
 Organisation	0 ... 1	prsb03-dataelement-11747 link
	The organisation the person completing the record works for.	
 Professional identifier	0 ... 1	prsb03-dataelement-11748 link
	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier	
 Date completed	0 ... 1	prsb03-dataelement-11749 link
	The date and time the record was completed.Date and time.	
 Contact details	0 ... 1	prsb03-dataelement-11750 link
	Contact details of the person completing the record.	
	NHS data dictionary : - UK telephone number	
 Safeguarding	0 ... 1	prsb03-dataelement-271 link
	The safeguarding details of the person.	
 Safeguarding concerns	0 ... *	prsb03-dataelement-10821 link
	Details of safeguarding concerns	
 Safeguarding indicator	0 ... 1	prsb03-dataelement-13428 link
	Indicates whether or not the hospital considers that there are safeguarding issues associated with the patient.Flag: No =N: Yes = Y	
 Safeguarding concerns	0 ... 1	prsb03-dataelement-10171 link
	Identified safeguarding concerns.	
 Coded value	0 ... 1	prsb03-dataelement-13756 link
	The coded value for safeguarding concernsSNOMED CT : - 99900238100000108 Safeguarding issues simple reference set (foundation metadata concept)	
 Free text	0 ... 1	prsb03-dataelement-13757 link
	Free text field to be used if no code is availableFree text	
 Comment	0 ... 1	prsb03-dataelement-10175 link
	Further details on safeguarding concerns.Free text	
 Referral details	0 ... 1	prsb03-dataelement-105 link
	The details of the referral.	
 Referral details record entry	0 ... *	prsb03-dataelement-10917 link

	This is the referral details record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
└─📁 Reason for referral	1 ... 1 Mandatory	prsb03-dataelement-10011 link
	The reason for the referral, e.g. diagnosis, treatment, transfer of care due to relocation, investigation, second opinion, management of the patient (e.g. palliative care), or carer's concerns.Free text	
└─🟡 Coded value	0 ... 1	prsb03-dataelement-13455 link
	The coded value for reason for referralsNOMED CT :- ^1127581000000103 Health issues simple reference set	
└─🟡 Free text	0 ... 1	prsb03-dataelement-13456 link
	Free text field to be used if no code is availableFree text	
└─🟡 Expectation of referral	0 ... *	prsb03-dataelement-10699 link
	A clear statement of the expectations of the person or professional making the referral in regards to the management of the patient e.g. advice only, diagnosis, treatment, etc. To include any specific patient expectation.Free text	
└─📁 Clinical urgency of referral	0 ... 1	prsb03-dataelement-10010 link
	The details of the clinical urgency of referral	
└─🟡 Reason for urgency of referral	0 ... 1	prsb03-dataelement-10976 link
	The reason for urgency of referral if not routine.Free text	
└─📁 Referral to	0 ... 1	prsb03-dataelement-10008 link
	Details of where the referral is to be sent.	
	If not an individual, this could be a service, e.g. GP surgery, department, specialty, subspecialty, educational institution, mental health etc.	
└─🟡 Name	0 ... 1	prsb03-dataelement-10977 link
	Name of person the referral is to be sent to.Free text	
└─🟡 Role	0 ... 1	prsb03-dataelement-10978 link
	Role of person where the referral is to be sent to.FHIR value set : - sdsjobrole	
└─🟡 Grade	0 ... 1	prsb03-dataelement-10979 link
	The grade of the person where the referral is sent to.Free text	
└─🟡 Team	0 ... 1	prsb03-dataelement-10982 link
	The team or department of the person where the referral is being sent toFree text.	
└─🟡 Specialty	0 ... 1	prsb03-dataelement-10983 link
	The specialty the referral is being sent to e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code	
└─📁 Service	0 ... 1	prsb03-dataelement-12412 link
	The service of where the referral is sent to.	
└─🟡 Coded value	0 ... 1	prsb03-dataelement-13509 link

	The coded value for serviceSNOMED CT: - 1127531000000102 Services simple reference set (foundation metadata concept)	
└  Free text	0 ... 1	prsb03-dataelement-13510 link
	Free text field to be used if no code is availableFree text	
└  Organisation	0 ... 1	prsb03-dataelement-10980 link
	The organisation of where the referral is to be sent.	
└  Coded value	0 ... 1	prsb03-dataelement-13511 link
	The coded value for organisationNHS data dictionary :- Organisation data service	
└  Free text	0 ... 1	prsb03-dataelement-13512 link
	Free text field to be used if no code is availableFree text	
└  Contact details	0 ... 1	prsb03-dataelement-10981 link
	The contact details of where the referral is to be sent.Free text.	
└  Contacts with professionals	1 ... 1 Mandatory	prsb03-dataelement-169 link
	The details of the person's contact with a professional.	
└  Contacts with professionals record entry	1 ... *	prsb03-dataelement-10718 link
	This is a contacts record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
└  Date of contact	1 ... 1 Mandatory	prsb03-dataelement-10069 link
	Date and time of the contact.Date and time.	
└  Location of contact	0 ... 1	prsb03-dataelement-10075 link
	The location where the contact took place.	
└  Coded value	0 ... 1	prsb03-dataelement-13513 link
	The coded value for locationNHS data dictionary : - Organisation service code	
└  Free text	0 ... 1	prsb03-dataelement-13514 link
	Free text field to be used if no code is availableFree text	
└  Reason for service	0 ... 1	prsb03-dataelement-13751 link
	The reason why the person has been offered the serviceFree text	
└  Consultation method	0 ... 1	prsb03-dataelement-10071 link
	Consultation method used e.g. face to face, telephoneNHS data dictionary - Consultation medium	
└  Service	0 ... 1	prsb03-dataelement-10074 link
	The service that was provided.SNOMED CT :- 1127531000000102 Services simple reference set (foundation metadata concept)	
└  Person accompanying patient	0 ... *	prsb03-dataelement-10079 link
	Identify, where clinically relevant, others accompanying the patient, e.g. parent, relative, friend. Includes: Name, Relationship, role (e.g. informal carer).NHS data dictionary : - Person full name	

 Organisation name	1 ... 1 Mandatory	prsb03-dataelement-10706 link
	The name, including the identifier, of the organisation providing the serviceNHS data dictionary : - Organisation name	
 Organisation address	0 ... 1	prsb03-dataelement-10713 link
	The name of the organisation, including the identifier.NHS data dictionary : - Organisation address	
 Organisation contact details	0 ... *	prsb03-dataelement-10707 link
	The contact details of the organisation. For example a phone number, NHSmail address etc. Contact details are used to resolve queries about the record entry.Free text	
 Reason for non-provision of service	0 ... 1	prsb03-dataelement-10708 link
	The reason why the patient was not provided with the service e.g. declined, did not attend etc.Free text	
 Clinician name	1 ... 1 Mandatory	prsb03-dataelement-10709 link
	The name of the person providing the service.Free text	
 Role	0 ... 1	prsb03-dataelement-10710 link
	The role of the person providing the service.FHIR values set : - sdsjobrole	
 Chaperone	0 ... *	prsb03-dataelement-10712 link
	The name of any chaperone(s).Free text	
 Professional identifier	0 ... 1	prsb03-dataelement-10711 link
	Professional identifier of the person providing the service.NHS data dictionary : - professional identifier	
 Appliances	0 ... 1	prsb03-dataelement-13762 link
	Details of appliances	
 Appliance records entry	0 ... *	prsb03-dataelement-13763 link
	This is the appliance records entry.	
 Appliance name	1 ... 1 Mandatory	prsb03-dataelement-13764 link
	May be generic name or brand name (as appropriate).As per dm+d (AMP)	
 Product order number	0 ... 1	prsb03-dataelement-13765 link
	The product order number for the appliance.	
 Manufacturer	0 ... 1	prsb03-dataelement-13766 link
	Name of appliance manufacturerFree text	
 Quantity	0 ... 1	prsb03-dataelement-13773 link
	The quantity of the appliance (including the units).UCUM	
 Indication	0 ... 1	prsb03-dataelement-13774 link
	Reason for appliance being prescribed, where known.Free text	

 Matters identified during the discussion	1 ... * Mandatory	Matters identified during the service about the patient's experience of using the appliance. To include e.g, patient using/not using the appliance as prescribed, patient reports negative feelings about the appliance etc. Also to include whether the information was provided by the patient or somebody else (e.g. a relative, carer etc) e.g. patient using/not using the appliance as prescribed, patient reports negative feelings about the appliance etc. Free text	prsb03-dataelement-13775 link
 Date/time	1 ... 1 Mandatory		prsb03-dataelement-13802 link
 Presenting complaints or issues	0 ... 1	Presenting complaints or issues	prsb03-dataelement-210 link
 Presenting complaint or issue	0 ... *	The health problem or issue experienced by the patient resulting in their attendance. This may include disease state, medical condition, response and reactions to therapies. E.g., blackout, dizziness, chest pain, follow up from admission, falls, a specific procedure, investigation or treatment.	prsb03-dataelement-13784 link
 Coded value	0 ... 1		prsb03-dataelement-13785 link
		The coded value for presenting complaint or issueSNOMED CT : - ^1127581000000103 Health issues simple reference set	
 Free text	0 ... 1	Free text	prsb03-dataelement-13786 link
 History	0 ... 1	History	prsb03-dataelement-226 link
 Relevant past medical, surgical and mental health history	0 ... 1		prsb03-dataelement-10130 link
		The record of the person's significant medical, surgical and mental health history. Including relevant previous diagnoses, problems and issues, procedures, investigations, specific anaesthesia issues, etc. (will include dental and obstetric history)	
		A list of the person's relevant past medical, surgical and mental health history recorded in free text or coded form or Information relating to past medical, surgical and mental health history may be provided by the referral document or during the consultation.	
 Coded value	0 ... 1		prsb03-dataelement-13787 link
		The coded value relevant past medical, surgical and mental health historySNOMED CT : - ^1127581000000103 Health issues simple reference set	
 Free text	0 ... 1	Free text field to be used if no code is availableFree text	prsb03-dataelement-13788 link
 Clinical Summary	0 ... 1	Clinical Summary	prsb03-dataelement-247 link
 Clinical narrative	0 ... 1	A description detailing a patient's reason for attendance, results from the diagnostic and treatment process.Free text	prsb03-dataelement-10150 link

 Social context	0 ... 1	prsb03-dataelement-136 link
	The social setting in which the person lives, such as their household, occupational history, and lifestyle factors.	
 Smoking status	0 ... 1	prsb03-dataelement-10040 link
	Details of the person's smoking status.	
 Smoking status	0 ... 1	prsb03-dataelement-13283 link
	Record of any drug/substance use by the person.	
 Coded value	0 ... 1	prsb03-dataelement-13284 link
	The smoking status of the person.SNOMED CT:- ^999000891000000102 Smoking simple reference set (foundation metadata concept)	
 Free text	0 ... 1	prsb03-dataelement-13285 link
	Free text field to be used if no code is availableFree text	
 Smoking status - details	0 ... 1	prsb03-dataelement-13286 link
	Further details recorded about the smoking status of the personFree text	
 Family history	0 ... 1	prsb03-dataelement-251 link
	Family history	
 Family history record entry	0 ... *	prsb03-dataelement-10653 link
	This is a family history record entry. There may be 0 to many record entry/entries under a section. Each record entry is made up of a number of elements or data items.	
 Family history	0 ... 1	prsb03-dataelement-10151 link
	The record of relevant illness in family relations deemed to be significant to the care or health of the person, including mental illness and suicide, genetic information etc.	
 Coded value	0 ... 1	prsb03-dataelement-13678 link
	The coded value for family historySNOMED CT:- <404684003 Clinical finding (finding) OR <243796009 Situation with explicit context (situation)	
 Free text	0 ... 1	prsb03-dataelement-13679 link
	Free text field to be used if no coded text available	
 Signpost details	0 ... 1	prsb03-dataelement-13973 link
	Details of signpost	
 Signpost details record entry	0 ... *	prsb03-dataelement-13974 link
	This is the signpost details record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
 Date	0 ... 1	prsb03-dataelement-13975 link
	Date of signpost	
 Signpost to	0 ... 1	prsb03-dataelement-13976 link
	Details of where the signpost is to.	
If not an individual, this could be a service		

 Name	0 ... 1	prsb03-dataelement-13977 link
	Name of person signposted toFree Text	
 Role	0 ... 1	prsb03-dataelement-13978 link
	Role of person been signposted to.Free Text	
 Grade	0 ... 1	prsb03-dataelement-13979 link
	The grade of the person been signposted to.Free text	
 Team	0 ... 1	prsb03-dataelement-13980 link
	The team or department of the person been signposted to.Free text	
 Specialty	0 ... 1	prsb03-dataelement-13981 link
	The specialty of where been signposted e.g. physiotherapy, oncology, mental health etc	
 Service	0 ... 1	prsb03-dataelement-13982 link
	The service of where been signposted to.	
 Coded value	0 ... 1	prsb03-dataelement-13983 link
	The coded value for serviceSNOMED CT : - 1127531000000102 Services simple reference set (foundation metadata concept)	
 Free text	0 ... 1	prsb03-dataelement-13984 link
	Free text field to be used if no code is availableFree text	
 Organisation	0 ... 1	prsb03-dataelement-13985 link
	Name of organisation been signposted to. Free text	
 Contact details	0 ... 1	prsb03-dataelement-13987 link
	The contact details of where been signposted toFree text	
 Reason for signpost	0 ... 1	prsb03-dataelement-13988 link
	Reason for signposting	
 Free text	0 ... 1	prsb03-dataelement-13990 link
	Free textFree text	
 Clinical urgency for signpost	0 ... 1	prsb03-dataelement-13991 link
	The details of the clinical urgency of signpost Free text	
 Examination findings	0 ... 1	prsb03-dataelement-557 link
	Examination findings	
 Examination findings record entry	0 ... *	prsb03-dataelement-10662 link
	This is a examination findings record entry. There may be 0 to many record entry/entries under a section. Each record entry is made up of a number of elements or data items.	
 Date	0 ... 1	prsb03-dataelement-10462 link
	The date the examination was performed.Date and time	
 Observations	0 ... 1	prsb03-dataelement-10464 link
	The record of essential physiological measurements, e.g., heart rate, blood pressure, temperature, pulse, height, weight, respiratory rate, oxygen saturation.	

 Blood pressure	0 ... 1	prsb03-dataelement-13823 link
	The person's blood pressure measurement	
 Systolic blood pressure	0 ... 1	prsb03-dataelement-13824 link
	Details of the person's systolic blood pressure	
 Coded value	0 ... 1	prsb03-dataelement-13825 link
	The coded value for systolic blood pressure SNOMED CT : - <>271649006 Systolic blood pressure (observable entity)	
 Value	0 ... 1	prsb03-dataelement-13826 link
	The value of the systolic blood pressure reading Numeric	
 Units of measure	0 ... 1	prsb03-dataelement-13827 link
	The units of measure for systolic blood pressure UCUM code	
 Site	0 ... 1	prsb03-dataelement-13829 link
	The anatomical site at which the blood pressure is taken	
 Coded value	0 ... 1	prsb03-dataelement-13830 link
	The coded value for site SNOMED CT: - <442083009 Anatomical or acquired body structure (body structure)	
 Free text	0 ... 1	prsb03-dataelement-13831 link
	Free text field to be used when code is not available Free text	
 Diastolic blood pressure	0 ... 1	prsb03-dataelement-13867 link
 Coded value	0 ... 1	prsb03-dataelement-13868 link
	The coded value for diastolic blood pressure SNOMED CT : - <>271650006 Diastolic blood pressure (observable entity)	
 Value	0 ... 1	prsb03-dataelement-13869 link
	The value of the diastolic blood pressure reading Numeric	
 Units of measure	0 ... 1	prsb03-dataelement-13870 link
	The units of measure for the diastolic blood pressure UCUM code	
 Site	0 ... 1	prsb03-dataelement-13871 link
	The anatomical site at where the blood pressure is taken	
 Coded value	0 ... 1	prsb03-dataelement-13872 link
	The coded value for site SNOMED CT: - <442083009 Anatomical or acquired body structure (body structure)	
 Free text	0 ... 1	prsb03-dataelement-13873 link
	Free text field to be used when code is not available Free text	
 Heart rate	0 ... 1	prsb03-dataelement-13859 link

	The beat of the heart as felt through the walls of a peripheral artery measured in bpm	
└ Coded value	0 ... 1	prsb03-dataelement-13970 link
└ Value	The coded value for heart rateSNOMED CT : - 364075005 Heart rate (observable entity) 0 ... 1	prsb03-dataelement-13971 link
└ Units of measure	The numeric value of heart rateNumeric 0 ... 1	prsb03-dataelement-13972 link
	The units of measure for heart rateUCUM code	
Information and advice given	0 ... 1	prsb03-dataelement-315 link
	Information and advice given	
└ Information and advice given	0 ... *	prsb03-dataelement-10215 link
	The oral or written information or advice given to the patient, carer, other authorised representative, care professional or other third party. May include advice about actions related to medicines or other ongoing care activities on an 'information prescription'. State here if there are concerns about the extent to which the patient and/or carer understand the information provided about diagnosis, prognosis and treatment.	
	Free text	
Distribution list	0 ... 1	prsb03-dataelement-330 link
	Distribution list	
└ Distribution list record entry	0 ... 1	prsb03-dataelement-10660 link
	This is a Distribution list record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
└ Name	0 ... 1	prsb03-dataelement-10230 link
	The name of the person the communication is to be sent to, this can be a person or professional. Free text	
└ Role	0 ... 1	prsb03-dataelement-10231 link
	If the communication is being sent to either a named individual, or to a non-named person with a specific role, then this is the role of the recipient.	
	Role may be entered as the communication is being created, or sourced from the hospital system. This may be a role defined in the National Workforce data set (see the NHS Data Dictionary Job Role Code). FHIR value set : - SDSjobrole	
└ Grade	0 ... 1	prsb03-dataelement-10232 link
	The grade of the recipient, if known by the sending institution, otherwise omitted. Free text	
└ Organisation name	0 ... 1	prsb03-dataelement-10233 link
	The name of the organisation the recipient is representing or the organisation named as the receiving organisation.	
	An identifier for the organisation will be sent alongside the name, but may not displayed on rendered document.	
	NHS data dictionary : - Organisation code	

 Team	0 ... 1	prsb03-dataelement-10234 link
	Team that the recipient belongs to in the context of receiving this message, or the team acting as the recipient.Free text	
 Relationship	0 ... 1	prsb03-dataelement-13793 link
	The relationship of the receiver to the person for example, carer or parent.FHIR value set :-- Related person	
 Plan and requested actions	0 ... 1	prsb03-dataelement-535 link
	The details of planned investigations, procedures and treatment, and whether this plan has been agreed with the person or their legitimate representative.	
 Plan and requested actions record entry	0 ... *	prsb03-dataelement-10661 link
	This is a plan and requested actions record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
 Actions for professionals	0 ... *	prsb03-dataelement-10436 link
	Including planned investigations, procedures and treatment for a person's identified conditions and priorities. For each action the following should be identified:outcome expectations, including the person's expectations. A record of the planned and requested actions. May be structured (table), with actions, names, dates, status, location, strategies.Free text	
 Actions for person or their carer	0 ... *	prsb03-dataelement-10437 link
	For each action the following should be identified:outcome expectations, including person's expectations. A record of the planned and requested actions. May be structured (table), with actions, names, dates, status, location, strategies.Free text	

 Cardiovascular Disease	prsb03-transaction-237 link
--	-----------------------------

Version / effective date 2.1 - 2021-02-08 13:33:56

 Cardiovascular Disease (GP)	prsb03-transaction-239 link
---	-----------------------------

Version / effective date 2.1 - 2021-02-08 13:33:56

Actor Sender (organization) Pharmacy
Receiver (organization) General practitioner

Associations Data Set (for transaction) PRSB Record structure and content 1(2.16.840.1.113883.3.1937.777.28.1.1 / 2018-10-31)

Contained concepts

Concept	Card/Conf	Id
 Person demographics	1 ... 1 Mandatory	prsb03-dataelement-10868 link
	The person's details and contact information.	
 Person name	1 ... 1 Mandatory	prsb03-dataelement-10869 link
	Details of the person's name	
 Person full name	1 ... 1 Mandatory	prsb03-dataelement-13801 link

	The full name of the person in text representation.NHS data dictionary :- Patient full name	
└  Date of birth	1 ... 1 Mandatory	prsb03-dataelement-10871 link
	The date of birth of the person.NHS data dictionary:- Person birth date	
└  Gender	0 ... 1	prsb03-dataelement-10872 link
	The person's stated gender.NHS data dictionary :- Person stated gender code	
└  Ethnicity	0 ... 1	prsb03-dataelement-10874 link
	The ethnicity of the person as specified by the person.NHS data dictionary :- Ethnic category	
└  NHS number	0 ... 1	prsb03-dataelement-10879 link
	The unique identifier for a person within the NHS in England and Wales.NHS data dictionary:- NHS number	
└  Other identifier	0 ... *	prsb03-dataelement-10880 link
	Country specific or local identifier, e.g. Community Health Index (CHI) in Scotland. NHS data dictionary: - Local patient identifier(extended), Health and care number (NI only), Community health index number (Scotland only)	
└  Person's address	1 ... 1 Mandatory	prsb03-dataelement-10881 link
	Person's usual place of residence, and where relevant temporary and correspondence addresses.	
└  Address line 1	1 ... 1 Mandatory	prsb03-dataelement-13082 link
	Person's first line of address. NHS data dictionary :- Address line 1	
└  Address line 2	0 ... 1	prsb03-dataelement-13083 link
	Person's second line of address. NHS data dictionary :- Address line 2	
└  Address line 3	0 ... 1	prsb03-dataelement-13084 link
	Person's third line of address. NHS data dictionary : - Address line 3	
└  Address line 4	0 ... 1	prsb03-dataelement-13085 link
	Person's fourth line of address. NHS data dictionary : - Address line 4	
└  Address line 5	0 ... 1	prsb03-dataelement-13086 link
	Person's fifth line of address.NHS data dictionary : - Address line 5	
└  Postcode	0 ... 1	prsb03-dataelement-13087 link
	The person's postcode.NHS data dictionary :- Postcode of usual address	
└  Person's contact details	0 ... *	prsb03-dataelement-13804 link
	Details of the person's contact information.	
└  Person's telephone number details	0 ... *	prsb03-dataelement-10883 link
	The person's telephone number details	
└  Person's telephone number	0 ... 1	prsb03-dataelement-13808 link
	The person's telephone numberNHS data dictionary : - UK telephone number	
└  Person's telephone number type	0 ... 1	prsb03-dataelement-13805 link
	The contact type e.g. home, mobileFHIR value set: - Contact point use	

 Preference of telephone number	0 ... 1	prsb03-dataelement-13809 link
	The preferred order of use for the telephone numberPreference of use 1-5, 1 being the highest.	
 GP practice	1 ... 1 Mandatory	prsb03-dataelement-101 link
	Details of the person's GP practice.	
 GP practice record entry	1 ... *	prsb03-dataelement-10643 link
	This is an GP practice record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items	
 GP practice identifier	1 ... 1 Mandatory	prsb03-dataelement-10001 link
	The identifier of the registered GP practice. NHS data dictionary : - General medical practice code (patient registration)	
 Legal information	0 ... 1	prsb03-dataelement-520 link
	The legal information relating to the person.	
 Consent for treatment record	0 ... 1	prsb03-dataelement-10420 link
	Details of the person's consent for treatment.	
 Date	0 ... 1	prsb03-dataelement-13457 link
	The date the consent was takenDate	
 Location	0 ... 1	prsb03-dataelement-13459 link
	The location of where the consent was taken.	
 Coded value	0 ... 1	prsb03-dataelement-13460 link
	The coded value for location.NHS data dictionary : - Organisation data service code	
 Free text	0 ... 1	prsb03-dataelement-13461 link
	Free text field to be used if no code is availableFree text	
 Consent for treatment record	0 ... 1	prsb03-dataelement-13574 link
	Whether consent has been obtained for the treatment. May include where record of consent is located or record of consent. A statement about the patient's consent for treatment.Free text	
 Location of document	0 ... 1	prsb03-dataelement-13777 link
	The location of the consent for treatment record.Free text or URL	
 Performing professional	0 ... 1	prsb03-dataelement-13462 link
	The professional who took the consent for treatment.	
 Name	0 ... 1	prsb03-dataelement-13463 link
	The name of the professional.Free text.	
 Role	0 ... 1	prsb03-dataelement-13464 link
	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etcFHIR value set :- SDSjobroletype	
 Grade	0 ... 1	prsb03-dataelement-13465 link
	The grade of the professional.Free text	
 Speciality	0 ... 1	prsb03-dataelement-13466 link

	The specialty of the professional e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code	
└ Professional identifier	0 ... 1	prsb03-dataelement-13467 link
	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier	
└ Organisation	0 ... 1	prsb03-dataelement-13468 link
	The name of the organisation the professional works for.	
└ Contact details	0 ... 1	prsb03-dataelement-13469 link
	Contact details of the professionalNHS data dictionary - UK phone number	
└ Person completing record	0 ... 1	prsb03-dataelement-13470 link
	Details of the person completing the record.	
└ Name	0 ... 1	prsb03-dataelement-13471 link
	The name of the person completing the record.Free text.	
└ Role	0 ... 1	prsb03-dataelement-13472 link
	The organisational role of the person completing record.FHIR value set :- SDSjobrole	
└ Grade	0 ... 1	prsb03-dataelement-13473 link
	The grade of the person completing the record.Free text.	
└ Specialty	0 ... 1	prsb03-dataelement-13474 link
	The main specialty of the person completing the record.NHS data dictionary :- Activity treatment function code	
└ Organisation	0 ... 1	prsb03-dataelement-13475 link
	The organisation the person completing the record works for.	
└ Professional identifier	0 ... 1	prsb03-dataelement-13476 link
	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier	
└ Date completed	0 ... 1	prsb03-dataelement-13477 link
	The date and time the record was completed.Date and time.	
└ Contact details	0 ... 1	prsb03-dataelement-13478 link
	Contact details of the person completing the record.	
	NHS data dictionary :- UK telephone number	
└ Consent for information sharing	0 ... 1	prsb03-dataelement-10421 link
	Details of the person's consent for information sharing	
└ Date	0 ... 1	prsb03-dataelement-11713 link
	The date when the consent was givenDate and time	
└ Location	0 ... 1	prsb03-dataelement-11714 link

	The location where the consent was taken.	
└  Coded value	0 ... 1	prsb03-dataelement-13451 link
└  Free text	The coded value for location.NHS data dictionary : - Organisation data service code 0 ... 1	prsb03-dataelement-13452 link
└  Consent for information sharing	Free text field to be used if no code is available 0 ... 1	prsb03-dataelement-13575 link
└  Reason for consent not given	This is a record of consent for information sharing under the common law duty of confidentiality. Where consent has not been obtained or sought, the reason why should be provided. Include best interests decision where person lacks capacity. This is a placeholder until the national guidance is published. 0 ... 1	prsb03-dataelement-13778 link
└  Performing professional	Reason not given for consent 0 ... 1	prsb03-dataelement-11715 link
└  Name	The professional who took the consent for information sharing 0 ... 1	prsb03-dataelement-11716 link
└  Role	The name of the professional.Free text. 0 ... 1	prsb03-dataelement-11717 link
└  Grade	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etcFHIR value set :- SDSjobroletype 0 ... 1	prsb03-dataelement-11718 link
└  Speciality	The grade of the professional.Free text 0 ... 1	prsb03-dataelement-11719 link
└  Professional identifier	The specialty of the professional e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code 0 ... 1	prsb03-dataelement-11720 link
└  Organisation	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.NHS data dictionary : - Professional registration identifier 0 ... 1	prsb03-dataelement-11721 link
└  Contact details	The name of the organisation the professional works for. 0 ... 1	prsb03-dataelement-11722 link
└  Person completing record	Contact details of the professionalNHS data dictionary - UK phone number 0 ... 1	prsb03-dataelement-11723 link
└  Name	Details of the person completing the record. 0 ... 1	prsb03-dataelement-11724 link
└  Role	The name of the person completing the record.Free text. 0 ... 1	prsb03-dataelement-11725 link
	The organisational role of the person completing record.FHIR value set :- SDSjobrole	

 Grade	0 ... 1	prsb03-dataelement-11726 link
	The grade of the person completing the record.Free text.	
 Specialty	0 ... 1	prsb03-dataelement-11727 link
	The main specialty of the person completing the record.NHS data dictionary :- Activity treatment function code	
 Organisation	0 ... 1	prsb03-dataelement-11728 link
	The organisation the person completing the record works for.	
 Professional identifier	0 ... 1	prsb03-dataelement-11729 link
	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier	
 Date completed	0 ... 1	prsb03-dataelement-11730 link
	The date and time the record was completed.Date and time.	
 Contact details	0 ... 1	prsb03-dataelement-11731 link
	Contact details of the person completing the record.	
	NHS data dictionary : - UK telephone number	
 Consent relating to child	0 ... 1	prsb03-dataelement-10422 link
	Details of the person's consent relating to child	
 Date	0 ... 1	prsb03-dataelement-11732 link
	The date when the person with responsibility for the child was identified.Date and time	
 Location	0 ... 1	prsb03-dataelement-11733 link
	The location where the person with responsibility for the child was identified.	
 Coded value	0 ... 1	prsb03-dataelement-13674 link
	The coded value for locationNHS data dictionary : - Organisation data service	
 Free text	0 ... 1	prsb03-dataelement-13675 link
	Free text field to be used if no coded text available	
 Consent relating to child	0 ... 1	prsb03-dataelement-13576 link
	The person with parental responsibility or appointed guardian where a child lacks competency. Consideration of age and competency, applying Gillick competency or Fraser guidelines.Free text	
 Performing professional	0 ... 1	prsb03-dataelement-11734 link
	The professional who identified the person responsible for the child.	
 Name	0 ... 1	prsb03-dataelement-11735 link
	The name of the professional.Free text.	
 Role	0 ... 1	prsb03-dataelement-11736 link
	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etcFHIR value set :- SDSjobroletype	
 Grade	0 ... 1	prsb03-dataelement-11737 link

	The grade of the professional.Free text	
└  Speciality	0 ... 1	prsb03-dataelement-11738 link
	The specialty of the professional e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code	
└  Professional identifier	0 ... 1	prsb03-dataelement-11739 link
	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.NHS data dictionary : - Professional registration identifier	
└  Organisation	0 ... 1	prsb03-dataelement-11740 link
	The name of the organisation the professional works for.	
└  Contact details	0 ... 1	prsb03-dataelement-11741 link
	Contact details of the professionalNHS data dictionary - UK phone number	
└  Person completing record	0 ... 1	prsb03-dataelement-11742 link
	Details of the person completing the record.	
└  Name	0 ... 1	prsb03-dataelement-11743 link
	The name of the person completing the record.Free text.	
└  Role	0 ... 1	prsb03-dataelement-11744 link
	The organisational role of the person completing record.FHIR value set :- SDSjobrole	
└  Grade	0 ... 1	prsb03-dataelement-11745 link
	The grade of the person completing the record.Free text.	
└  Specialty	0 ... 1	prsb03-dataelement-11746 link
	The main specialty of the person completing the record.NHS data dictionary :- Activity treatment function code	
└  Organisation	0 ... 1	prsb03-dataelement-11747 link
	The organisation the person completing the record works for.	
└  Professional identifier	0 ... 1	prsb03-dataelement-11748 link
	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier	
└  Date completed	0 ... 1	prsb03-dataelement-11749 link
	The date and time the record was completed.Date and time.	
└  Contact details	0 ... 1	prsb03-dataelement-11750 link
	Contact details of the person completing the record.	
	NHS data dictionary : - UK telephone number	
└  Safeguarding	0 ... 1	prsb03-dataelement-271 link
	The safeguarding details of the person.	
└  Safeguarding concerns	0 ... *	prsb03-dataelement-10821 link

	Details of safeguarding concerns	
↳  Safeguarding indicator	0 ... 1	prsb03-dataelement-13428 link
↳  Safeguarding concerns	Indicates whether or not the hospital considers that there are safeguarding issues associated with the patient.Flag: No =N: Yes = Y	prsb03-dataelement-10171 link
↳  Coded value	0 ... 1	prsb03-dataelement-13756 link
	The coded value for safeguarding concernsSNOMED CT : - 999002381000000108 Safeguarding issues simple reference set (foundation metadata concept)	
↳  Free text	0 ... 1	prsb03-dataelement-13757 link
	Free text field to be used if no code is availableFree text	
↳  Comment	0 ... 1	prsb03-dataelement-10175 link
	Further details on safeguarding concerns.Free text	
↳  Referral details	0 ... 1	prsb03-dataelement-105 link
	The details of the referral.	
↳  Referral details record entry	0 ... *	prsb03-dataelement-10917 link
	This is the referral details record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
↳  Reason for referral	1 ... 1 Mandatory	prsb03-dataelement-10011 link
	The reason for the referral, e.g. diagnosis, treatment, transfer of care due to relocation, investigation, second opinion, management of the patient (e.g. palliative care), or carer's concerns.Free text	
↳  Coded value	0 ... 1	prsb03-dataelement-13455 link
	The coded value for reason for referralSNOMED CT : - ^1127581000000103 Health issues simple reference set	
↳  Free text	0 ... 1	prsb03-dataelement-13456 link
	Free text field to be used if no code is availableFree text	
↳  Expectation of referral	0 ... *	prsb03-dataelement-10699 link
	A clear statement of the expectations of the person or professional making the referral in regards to the management of the patient e.g. advice only, diagnosis, treatment, etc. To include any specific patient expectation.Free text	
↳  Clinical urgency of referral	0 ... 1	prsb03-dataelement-10010 link
	The details of the clinical urgency of referral	
↳  Reason for urgency of referral	0 ... 1	prsb03-dataelement-10976 link
	The reason for urgency of referral if not routine.Free text	
↳  Referral to	0 ... 1	prsb03-dataelement-10008 link
	Details of where the referral is to be sent.	

	If not an individual, this could be a service, e.g. GP surgery, department, specialty, subspecialty, educational institution, mental health etc.	
└  Name	0 ... 1 Name of person the referral is to be sent to.Free text	prsb03-dataelement-10977 link
└  Role	0 ... 1 Role of person where the referral is to be sent to.FHIR value set : - sdsjobrole	prsb03-dataelement-10978 link
└  Grade	0 ... 1 The grade of the person where the referral is sent to.Free text	prsb03-dataelement-10979 link
└  Team	0 ... 1 The team or department of the person where the referral is being sent toFree text.	prsb03-dataelement-10982 link
└  Specialty	0 ... 1 The specialty the referral is being sent to e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code	prsb03-dataelement-10983 link
└  Service	0 ... 1 The service of where the referral is sent to.	prsb03-dataelement-12412 link
└  Coded value	0 ... 1 The coded value for serviceSNOMED CT: - 1127531000000102 Services simple reference set (foundation metadata concept)	prsb03-dataelement-13509 link
└  Free text	0 ... 1 Free text field to be used if no code is availableFree text	prsb03-dataelement-13510 link
└  Organisation	0 ... 1 The organisation of where the referral is to be sent.	prsb03-dataelement-10980 link
└  Coded value	0 ... 1 The coded value for organisationNHS data dictionary :- Organisation data service	prsb03-dataelement-13511 link
└  Free text	0 ... 1 Free text field to be used if no code is availableFree text	prsb03-dataelement-13512 link
└  Contact details	0 ... 1 The contact details of where the referral is to be sent.Free text.	prsb03-dataelement-10981 link
└  Contacts with professionals	1 ... 1 Mandatory The details of the person's contact with a professional.	prsb03-dataelement-169 link
└  Contacts with professionals record entry	1 ... * This is a contacts record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	prsb03-dataelement-10718 link
└  Date of contact	1 ... 1 Mandatory Date and time of the contact.Date and time.	prsb03-dataelement-10069 link
└  Location of contact	0 ... 1 The location where the contact took place.	prsb03-dataelement-10075 link

 Coded value	0 ... 1	prsb03-dataelement-13513 link
	The coded value for locationNHS data dictionary : - Organisation service code	
 Free text	0 ... 1	prsb03-dataelement-13514 link
	Free text field to be used if no code is availableFree text	
 Reason for service	0 ... 1	prsb03-dataelement-13751 link
	The reason why the person has been offered the serviceFree text	
 Consultation method	0 ... 1	prsb03-dataelement-10071 link
	Consultation method used e.g. face to face, telephoneNHS data dictionary - Consultation medium	
 Service	0 ... 1	prsb03-dataelement-10074 link
	The service that was provided.SNOMED CT :- 1127531000000102 Services simple reference set (foundation metadata concept)	
 Person accompanying patient	0 ... *	prsb03-dataelement-10079 link
	Identify, where clinically relevant, others accompanying the patient, e.g. parent, relative, friend. Includes: Name, Relationship, role (e.g. informal carer).NHS data dictionary : - Person full name	
 Organisation name	1 ... 1 Mandatory	prsb03-dataelement-10706 link
	The name, including the identifier, of the organisation providing the serviceNHS data dictionary : - Organisation name	
 Organisation address	0 ... 1	prsb03-dataelement-10713 link
	The name of the organisation, including the identifier.NHS data dictionary : - Organisation address	
 Organisation contact details	0 ... *	prsb03-dataelement-10707 link
	The contact details of the organisation. For example a phone number, NHSmail address etc. Contact details are used to resolve queries about the record entry.Free text	
 Reason for non-provision of service	0 ... 1	prsb03-dataelement-10708 link
	The reason why the patient was not provided with the service e.g. declined, did not attend etc.Free text	
 Clinician name	1 ... 1 Mandatory	prsb03-dataelement-10709 link
	The name of the person providing the service.Free text	
 Role	0 ... 1	prsb03-dataelement-10710 link
	The role of the person providing the service.FHIR values set : - sdsjobrole	
 Chaperone	0 ... *	prsb03-dataelement-10712 link
	The name of any chaperone(s).Free text	
 Professional identifier	0 ... 1	prsb03-dataelement-10711 link
	Professional identifier of the person providing the service.NHS data dictionary : - professional identifier	
 History	0 ... 1	prsb03-dataelement-226 link

	History	
└─📁 Relevant past medical, surgical and mental health history	0 ... 1	prsb03-dataelement-10130 link
	The record of the person's significant medical, surgical and mental health history. Including relevant previous diagnoses, problems and issues, procedures, investigations, specific anesthesia issues, etc. (will include dental and obstetric history)	
	A list of the person's relevant past medical, surgical and mental health history recorded in free text or coded form or Information relating to past medical, surgical and mental health history may be provided by the referral document or during the consultation.	
└─🟡 Coded value	0 ... 1	prsb03-dataelement-13787 link
	The coded value relevant past medical, surgical and mental health history SNOMED CT : - ^1127581000000103 Health issues simple reference set	
└─🟡 Free text	0 ... 1	prsb03-dataelement-13788 link
	Free text field to be used if no code is availableFree text	
📁 Clinical Summary	1 ... 1 Mandatory	prsb03-dataelement-247 link
	Clinical Summary	
└─🟡 Clinical narrative	1 ... 1 Mandatory	prsb03-dataelement-10150 link
	A description detailing a patient's reason for attendance, results from the diagnostic and treatment process.Free text	
📁 Social context	0 ... 1	prsb03-dataelement-136 link
	The social setting in which the person lives, such as their household, occupational history, and lifestyle factors.	
└─📁 Smoking status	0 ... 1	prsb03-dataelement-10040 link
	Details of the person's smoking status.	
└─📁 Smoking status	0 ... 1	prsb03-dataelement-13283 link
	Record of any drug/substance use by the person.	
└─🟡 Coded value	0 ... 1	prsb03-dataelement-13284 link
	The smoking status of the person.SNOMED CT:- ^99900089100000102 Smoking simple reference set (foundation metadata concept)	
└─🟡 Free text	0 ... 1	prsb03-dataelement-13285 link
	Free text field to be used if no code is availableFree text	
└─🟡 Smoking status - details	0 ... 1	prsb03-dataelement-13286 link
	Further details recorded about the smoking status of the personFree text	
📁 Smoking record	1 ... 1	prsb03-dataelement-12489 link
	Details of the person's smoking record	
└─🟡 Overall smoking status	1 ... 1 Mandatory	prsb03-dataelement-12490 link
	Statement about current smoking behaviour for smoking cigarettes (manufactured or roll up). Defined by current smoking status and ever smoking status.	

	Coded text: Current Smoker Former Smoker Never Smoked ^999000891000000102 Smoking simple reference set (foundation metadata concept)	
└  Date of quitting	0 ... 1	prsb03-dataelement-12491 link
	Date when the individual stopped smoking (if a former smoker).Date and time	
└  Alcohol record	0 ... 1	prsb03-dataelement-12498 link
	Details of a person's alcohol record	
└  Audit questionnaire	0 ... 1	prsb03-dataelement-12499 link
	Alcohol use disorder identification test (AUDIT) questionnaire SNOMED-CT coded. Please note the codes in this section are still under review by NHS Digital and may change (24-05-2018). Any changes will be reflected (and highlighted) in GMS contract changes 2018/19 guidance and audit requirements (NHS Employers). www.nhsemployers.org/gms201819 Assessment using Alcohol Use Disorders Identification Test Consumption [SNOMED-CT::1084571000000109] Alcohol use disorder identification test consumption questionnaire [SNOMED-CT::335811000000106] Alcohol consumption screening test declined [SNOMED-CT::428073005] Alcohol assessment declined [SNOMED-CT::361731000000101]	
└  Date	1 ... 1 Mandatory	prsb03-dataelement-12524 link
	Date of person's AUDIT questionnaire.	
	Date and time	
└  AUDIT-C cluster	0 ... 1	prsb03-dataelement-12500 link
	AUDIT-C questions: Frequency of consumption, Typical consumption, Binge drinking.	
└  Frequency of consumption	1 ... 1 Mandatory	prsb03-dataelement-12501 link
	How often did you have a drink containing alcohol in the past year? 0: Never [No drinking of alcohol in the past year.] 1: Monthly or Less [Drinking alcohol monthly or less frequently during the past year.] 2: 2 to 4 Times a Month [Drinking alcohol two to four times a month during the past year.] 3: 2 to 3 Times a Week [Drinking alcohol two to three times a week during the past year.] 4: 4 or More Times a Week [Drinking alcohol four or more times a week during the past year.]	
└  Typical consumption cluster	1 ... 1 Mandatory	prsb03-dataelement-12502 link
	Details of the person's typical consumption	
└  Absolute value	1 ... 1 Mandatory	prsb03-dataelement-12503 link
	How many drinks did you have on a typical day when you were drinking in the past year?	
	Integer (0 to n)	
└  Categorical value	1 ... 1 Mandatory	prsb03-dataelement-12504 link
	How many drinks did you have on a typical day when you were drinking in the past year? This item is generated from Typical consumption (absolute value).	
	0: 0 to 2 [Zero to two drinks of alcohol on a typical day in the past year.] 1: 3 or 4 [Three or four drinks of alcohol on a typical day in the past year.] 2: 5 or 6 [Five or six drinks of alcohol on a typical day in the past year.] 3: 7 to 9 [Seven, eight or nine drinks of alcohol on a typical day in the past year.] 4: 10 or More [Ten or more drinks of alcohol on a typical day in the past year.]	

 Binge drinking	1 ... 1 Mandatory	prsb03-dataelement-12505 link
How often did you have six or more drinks on one occasion in the past year?		
0:Never [Never, in the past year.] 1: Less than Monthly [Less than monthly, during the past year.] 2: Monthly [Monthly, during the past year.] 3: Weekly [Weekly, during the past year.] 4: Daily or Almost Daily [Daily, or almost daily, during the past year.]		
 AUDIT-C total score	1 ... 1 Mandatory	prsb03-dataelement-12525 link
<i>AUDIT-C total score calculated from the 3 questions only: Frequency of consumption, Typical consumption (categorical value), Binge drinking. SNOMED-CT coded with associated value calculated from the first 3 questions only. Please note the codes in this section are still under review by NHS Digital and may change (24-05-2018). Any changes will be reflected (and highlighted) in GMS contract changes 2018/19 guidance and audit requirements (NHS Employers). www.nhsemployers.org/gms201819 [SNOMED-CT::1084581000000106] (Alcohol Use Disorders Identification Test - Consumption score) And add a value to a field associated with the code to record the score. The score are as follows: Current non-drinker (AUDIT-C score = 0) Low risk of alcohol misuse (AUDIT-C score 1-4) High risk of alcohol misuse (AUDIT-C score >=5)</i>		
 if AUDIT-C score >=5	0 ... *	prsb03-dataelement-12507 link
Populate this section if the AUDIT-C score is >=5.		
 Inability to stop	0 ... 1	prsb03-dataelement-12511 link
How often during the last year have you found that you were not able to stop drinking once you had started?		
0: Never [Never, in the past year.] 1: Less than Monthly [Less than monthly, during the past year.] 2: Monthly [Monthly, during the past year.] 3: Weekly [Weekly, during the past year.] 4: Daily or Almost Daily [Daily, or almost daily, during the past year.]		
 Failed expectations	0 ... *	prsb03-dataelement-12512 link
How often during the last year have you failed to do what was normally expected of you because of drinking?		
 Morning drinking	0 ... 1	prsb03-dataelement-12513 link
How often during the last year have you needed a first drink in the morning to get yourself going after a heavy drinking session?		
0: Never [Never, in the past year.] 1: Less than Monthly [Less than monthly, during the past year.] 2: Monthly [Monthly, during the past year.] 3: Weekly [Weekly, during the past year.] 4: Daily or Almost Daily [Daily, or almost daily, during the past year.]		
 Guilt/ remorse	0 ... 1	prsb03-dataelement-12514 link
How often during the last year have you had a feeling of guilt or remorse after drinking?		
0: Never [Never, in the past year.] 1: Less than Monthly [Less than monthly, during the past year.] 2: Monthly [Monthly, during the past year.] 3: Weekly [Weekly, during the past year.] 4: Daily or Almost Daily [Daily, or almost daily, during the past year.]		
 Loss of memory	0 ... 1	prsb03-dataelement-12515 link

	How often during the last year have you been unable to remember what happened the night before because of your drinking?	
└  Injuries	0: Never [Never, in the past year.] 1: Less than Monthly [Less than monthly, during the past year.] 2: Monthly [Monthly, during the past year.] 3: Weekly [Weekly, during the past year.] 4: Daily or Almost Daily [Daily, or almost daily, during the past year.]	prsb03-dataelement-12516 link
└  External concern	Have you or someone else been injured because of your drinking? 0: No [No occurrence.] 2: Yes, but not in the last year. [Yes, this has occurred, but not in the last year.] 4: Yes, during the last year. [Yes this has occurred during the last year.]	prsb03-dataelement-12517 link
└  AUDIT total score	Has a relative, friend, doctor, or other health care worker been concerned about your drinking or suggested you cut down? 0 ... 1	prsb03-dataelement-12518 link
	AUDIT total score calculated from the 10 AUDIT questions. SNOMED-CT coded with associated value calculated from the 10 AUDIT questions. Please note the codes in this section are still under review by NHS Digital and may change (24-05-2018). Any changes will be reflected (and highlighted) in GMS contract changes 2018/19 guidance and audit requirements (NHS Employers). www.nhsemployers.org/gms201819 Alcohol use disorders identification test score [SNOMED-CT::443280005] And add a value to a field associated with the code to record the score. The score are as follows: • 0–7 indicates sensible or lower risk drinking • 8–15 indicates increasing risk drinking • 16–19 indicates higher risk drinking • 20 and over indicates possible alcohol dependence	
📁 Family history	0 ... 1	prsb03-dataelement-251 link
└  Family history record entry	Family history 0 ... *	prsb03-dataelement-10653 link
└  Family history	This is a family history record entry. There may be 0 to many record entry/entries under a section. Each record entry is made up of a number of elements or data items. 0 ... 1	prsb03-dataelement-10151 link
└  Coded value	The record of relevant illness in family relations deemed to be significant to the care or health of the person, including mental illness and suicide, genetic information etc. 0 ... 1	prsb03-dataelement-13678 link
└  Free text	The coded value for family history SNOMED CT:- <404684003 Clinical finding (finding) OR <243796009 Situation with explicit context (situation) 0 ... 1	prsb03-dataelement-13679 link
📁 Investigation results	0 ... 1	prsb03-dataelement-257 link
└  Investigation results record entry	Investigation results 0 ... *	prsb03-dataelement-10654 link
	This is a investigation result record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	

 Date	0 ... 1	prsb03-dataelement-10157 link
	The date and time when the investigation was performed	Date and time
 Investigation	1 ... 1 Mandatory	prsb03-dataelement-10160 link
	The investigation performed.	
 Coded value	0 ... 1	prsb03-dataelement-13525 link
	The coded value for investigation	SNOMED CT: - <71388002 Procedure (procedure)
 Free text	0 ... 1	prsb03-dataelement-13526 link
	Free text field to be used if no code is available	Free text
 Investigation result	0 ... 1	prsb03-dataelement-10161 link
	For each investigation, the result of the investigation. This can include a report which may have results for multiple tests.	
 Coded value	0 ... 1	prsb03-dataelement-13527 link
	The coded value for investigation results	SNOMED CT: - <404684003 Clinical finding (finding) OR <243796009 Situation with explicit context (situation)
 Free text	0 ... 1	prsb03-dataelement-13528 link
	Free text field to be used if no code is available	Free text
 Investigation Method	0 ... 1	prsb03-dataelement-14094 link
	Method used in carrying out investigation	Coded entry - Point of care test, Laboratory test
 Structured investigation result	0 ... 1	prsb03-dataelement-12415 link
	A structured set of information for each investigation result.	
 Value	0 ... 1	prsb03-dataelement-12416 link
	The value of the investigation result.	Numeric
 Units of measure	0 ... 1	prsb03-dataelement-12417 link
	The units of the investigation result.	UCUM code
 Reference ranges	0 ... 1	prsb03-dataelement-12418 link
	The reference range for the investigation result.	Free text
 Abnormal indicator	0 ... 1	prsb03-dataelement-12419 link
	Indicator if the investigation is abnormal.	Abnormal or Normal
 Signpost details	0 ... 1	prsb03-dataelement-13973 link
	Details of signpost	
 Signpost details record entry	0 ... *	prsb03-dataelement-13974 link
	This is the signpost details record entry. There may be 0 to many record entries under a section.	
	Each record entry is made up of a number of elements or data items.	
 Date	0 ... 1	prsb03-dataelement-13975 link
	Date of signpost	
 Signpost to	0 ... 1	prsb03-dataelement-13976 link

	Details of where the signpost is to.	
└  Name	If not an individual, this could be a service 0 ... 1	prsb03-dataelement-13977 link
└  Role	Name of person signposted toFree Text 0 ... 1	prsb03-dataelement-13978 link
└  Grade	Role of person been signposted to.Free Text 0 ... 1	prsb03-dataelement-13979 link
└  Team	The grade of the person been signposted to.Free text 0 ... 1	prsb03-dataelement-13980 link
└  Specialty	The team or department of the person been signposted to.Free text 0 ... 1	prsb03-dataelement-13981 link
└  Service	The specialty of where been signposted e.g. physiotherapy, oncology, mental health etc 0 ... 1	prsb03-dataelement-13982 link
└  Coded value	The service of where been signposted to. 0 ... 1	prsb03-dataelement-13983 link
└  Free text	The coded value for serviceSNOMED CT : - 1127531000000102 Services simple reference set (foundation metadata concept) 0 ... 1	prsb03-dataelement-13984 link
└  Organisation	Free text field to be used if no code is availableFree text 0 ... 1	prsb03-dataelement-13985 link
└  Contact details	Name of organisation been signposted to. Free text 0 ... 1	prsb03-dataelement-13987 link
└  Reason for signpost	The contact details of where been signposted toFree text 0 ... 1	prsb03-dataelement-13988 link
└  Free text	Reason for signposting 0 ... 1	prsb03-dataelement-13990 link
└  Clinical urgency for signpost	Free textFree text 0 ... 1	prsb03-dataelement-13991 link
└  Examination findings	The details of the clinical urgency of signpost Free text 0 ... 1	prsb03-dataelement-557 link
└  Examination findings record entry	Examination findings 0 ... *	prsb03-dataelement-10662 link
└  Date	This is a examination findings record entry. There may be 0 to many record entry/entries under a section. Each record entry is made up of a number of elements or data items. 0 ... 1	prsb03-dataelement-10462 link

	The date the examination was performed.Date and time	
↳ Observations	0 ... 1	prsb03-dataelement-10464 link
	The record of essential physiological measurements, e.g., heart rate, blood pressure, temperature, pulse, height, weight, respiratory rate, oxygen saturation.	
↳ Height/length	0 ... 1	prsb03-dataelement-13761 link
	The person's height and length measurement	
↳ Coded value	0 ... 1	prsb03-dataelement-13812 link
	The coded value for height/lengthSNOMED CT: - 50373000 Body height measure (observable entity) OR 248334005 Length of body (observable entity)	
↳ Value	0 ... 1	prsb03-dataelement-13813 link
	The value of the observation.Numeric	
↳ Units of measure	0 ... 1	prsb03-dataelement-13817 link
	The units of measure for height/lengthUCUM code	
↳ Weight	0 ... 1	prsb03-dataelement-13814 link
	The person's weight in kgs	
↳ Coded value	0 ... 1	prsb03-dataelement-13815 link
	The coded value of weightSNOMED CT : - 27113001 Body weight (observable entity)	
↳ Value	0 ... 1	prsb03-dataelement-13816 link
	The value of the person's weightNumeric	
↳ Units of measure	0 ... 1	prsb03-dataelement-13818 link
	The units of measure for weightUCUM code	
↳ BMI	0 ... 1	prsb03-dataelement-13819 link
	The person's BMI calculation	
↳ Coded value	0 ... 1	prsb03-dataelement-13820 link
	The coded value of BMISNOMED CT: - 60621009 Body mass index (observable entity)	
↳ Value	0 ... 1	prsb03-dataelement-13821 link
	The value of the person's BMINumeric	
↳ Units of measure	0 ... 1	prsb03-dataelement-13822 link
	The units of measure for BMIUCUM code	
↳ Blood pressure	0 ... 1	prsb03-dataelement-13823 link
	The person's blood pressure measurement	
↳ Systolic blood pressure	0 ... 1	prsb03-dataelement-13824 link
	Details of the person's systolic blood pressure	
↳ Coded value	0 ... 1	prsb03-dataelement-13825 link
	The coded value for systolic blood pressureSNOMED CT : - <<271649006 Systolic blood pressure (observable entity)	

 Value	0 ... 1	prsb03-dataelement-13826 link
	The value of the systolic blood pressure readingNumeric	
 Units of measure	0 ... 1	prsb03-dataelement-13827 link
	The units of measure for systolic blood pressureUCUM code	
 Site	0 ... 1	prsb03-dataelement-13829 link
	The anatomical site at which the blood pressure is taken	
 Coded value	0 ... 1	prsb03-dataelement-13830 link
	The coded value for site SNOMED CT: - <442083009 Anatomical or acquired body structure (body structure)	
 Free text	0 ... 1	prsb03-dataelement-13831 link
	Free text field to be used when code is not availableFree text	
 Diastolic blood pressure	0 ... 1	prsb03-dataelement-13867 link
 Coded value	0 ... 1	prsb03-dataelement-13868 link
	The coded value for diastolic blood pressure.SNOMED CT :- <<271650006 Diastolic blood pressure (observable entity)	
 Value	0 ... 1	prsb03-dataelement-13869 link
	The value of the diastolic blood pressure readingNumeric	
 Units of measure	0 ... 1	prsb03-dataelement-13870 link
	The units of measure for the diastolic blood pressureUCUM code	
 Site	0 ... 1	prsb03-dataelement-13871 link
	The anatomical site at where the blood pressure is taken	
 Coded value	0 ... 1	prsb03-dataelement-13872 link
	The coded value for site SNOMED CT: - <442083009 Anatomical or acquired body structure (body structure)	
 Free text	0 ... 1	prsb03-dataelement-13873 link
	Free text field to be used when code is not availableFree text	
 Heart rate	0 ... 1	prsb03-dataelement-13859 link
 Coded value	0 ... 1	prsb03-dataelement-13970 link
	The beat of the heart as felt through the walls of a peripheral artery measured in bpm	
 Value	0 ... 1	prsb03-dataelement-13971 link
	The numeric value of heart rateNumeric	
 Units of measure	0 ... 1	prsb03-dataelement-13972 link
	The units of measure for heart rateUCUM code	

 Assessments	0 ... 1	prsb03-dataelement-262 link
	Details of the person's assessments	
 Assessments record entry	0 ... *	prsb03-dataelement-11664 link
	This is the assessments record entry. There may be 0 to many record entry/entries under a section. Each record entry is made up of a number of elements or data items.	
 Assessment scale	0 ... 1	prsb03-dataelement-12962 link
	Assessment scale used, e.g. New York Heart Failure, Activities of Daily Living (ADL)Free Text. Content could include scale name, date and time of assessment and values recorded, including overall score. Format of assessment would be determined locally and may be tabular.	
 Date	0 ... 1	prsb03-dataelement-10763 link
	The date the assessment was done.Date and time.	
 Assessment type	0 ... 1	prsb03-dataelement-10822 link
	The type of the assessment e.g. social care needs assessment.Free text	
 Structured assessment	0 ... 1	prsb03-dataelement-10754 link
	The summary of the assessmentFree text	
 Structured assessment name	0 ... 1	prsb03-dataelement-10655 link
	Details of the structured assessment.	
 Structured assessment name	0 ... 1	prsb03-dataelement-11751 link
	Structured assessment name e.g. New York Heart Failure, Glasgow Coma scale, Activities of Daily Living (ADL) etc.SNOMED CT	
 Assessment score	0 ... 1	prsb03-dataelement-10162 link
	The structured assessment score.Free text.	
 Assessment value	0 ... 1	prsb03-dataelement-10163 link
	The structured assessment value.Numeric	
 Global score	0 ... 1	prsb03-dataelement-10166 link
	The total global score from the assessment.Free text	
 Subscale score	0 ... 1	prsb03-dataelement-10169 link
	The subscale score of the structured assessment.Free text.	
 Subscale value	0 ... *	prsb03-dataelement-10170 link
	The subscale value of the structured assessment.Numeric	
 Allergies and adverse reactions	0 ... 1	prsb03-dataelement-282 link
	Allergies and adverse reactions	
 Allergies and adverse reactions record entry	0 ... *	prsb03-dataelement-10657 link

This is a allergies and adverse reactions record entry. There may be 1 to many record entries under a section.

Each record entry is made up of a number of elements or data items.

 Type of reaction	0 ... 1	prsb03-dataelement-10186 link
	The type of reaction experienced by the person (allergic, adverse, intolerance)FHIR value set :- Allergy, Intolerance	
 Causative agent	1 ... 1 Mandatory	prsb03-dataelement-10182 link
	The agent such as food, drug or substances that has caused or may cause an allergy, intolerance or adverse reaction in this person Or "No known drug allergies or adverse reactions" Or "Information not available"	
 Coded value	0 ... 1	prsb03-dataelement-13441 link
	The coded value for causative agentSNOMED CT : - <105590001 Substance OR <373873005 Pharmaceutical / biologic product OR <<716186003 No known allergy OR 196461000000101 Transfer-degraded drug allergy OR 196471000000108 Transfer-degraded non-drug allergy)	
 Free text	0 ... 1	prsb03-dataelement-13442 link
	Free text field to be used if no code is availableFree text	
 Reaction details cluster	0 ... *	prsb03-dataelement-10658 link
	Details of the reaction.	
 Date	0 ... 1	prsb03-dataelement-10190 link
	The date that the reaction was identified.Date and time	
 Description of reaction	0 ... 1	prsb03-dataelement-10183 link
	A description of the manifestation of the allergic or adverse reaction experienced by the person. For example, skin rash.	
 Coded value	0 ... 1	prsb03-dataelement-13556 link
	The coded value for description of reaction.SNOMED CT: - ^1127581000000103 Health issues simple reference set	
 Free text	0 ... 1	prsb03-dataelement-13557 link
	Free text field to be used if no code is availableFree text	
 Severity	0 ... 1	prsb03-dataelement-10184 link
	A description of the severity of the reaction.	
 Coded value	0 ... 1	prsb03-dataelement-13558 link
	The coded value for severityFHIR value set : - Severity	
 Free text	0 ... 1	prsb03-dataelement-13559 link
	Free text field to be used if no code is availableFree text	
 Certainty	0 ... 1	prsb03-dataelement-10185 link
	A description of the certainty that the stated causative agent caused the allergic or adverse reaction.	
 Coded value	0 ... 1	prsb03-dataelement-13560 link

	The coded value for certainty.FHIR value set : - Certainty	
└  Free text	0 ... 1	prsb03-dataelement-13561 link
	Free text field to be used if no code is availableFree text	
└  Comment	0 ... 1	prsb03-dataelement-10189 link
	Any additional comment or clarification about the adverse reaction.Free text	
└  Evidence	0 ... 1	prsb03-dataelement-10187 link
	Results of investigations that confirmed the certainty of the diagnosis. Examples might include results of skin prick allergy testsFree text	
└  Date first experienced	0 ... 1	prsb03-dataelement-10188 link
	When the reaction was first experienced i.e this may not be the first this has happened. May be a date or partial date (e.g. year) or text (e.g. during childhood)Date and time	
└  Allergy end date	0 ... 1	prsb03-dataelement-14253 link
	The date the allergy was diagnosed as endedDate and time	
📁 Information and advice given	0 ... 1	prsb03-dataelement-315 link
	Information and advice given	
└  Information and advice given	0 ... *	prsb03-dataelement-10215 link
	The oral or written information or advice given to the patient, carer, other authorised representative, care professional or other third party. May include advice about actions related to medicines or other ongoing care activities on an 'information prescription'. State here if there are concerns about the extent to which the patient and/or carer understand the information provided about diagnosis, prognosis and treatment.	
	Free text	
📁 Distribution list	0 ... 1	prsb03-dataelement-330 link
	Distribution list	
└  Distribution list record entry	0 ... 1	prsb03-dataelement-10660 link
	This is a Distribution list record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
└  Name	0 ... 1	prsb03-dataelement-10230 link
	The name of the person the communication is to be sent to, this can be a person or professional.Free text	
└  Role	0 ... 1	prsb03-dataelement-10231 link
	If the communication is being sent to either a named individual, or to a non-named person with a specific role, then this is the role of the recipient.	
	Role may be entered as the communication is being created, or sourced from the hospital system. This may be a role defined in the National Workforce data set (see the NHS Data Dictionary Job Role Code).FHIR value set : - SDSjobrole	
└  Grade	0 ... 1	prsb03-dataelement-10232 link
	The grade of the recipient, if known by the sending institution, otherwise omitted.Free text	

 Organisation name	0 ... 1	prsb03-dataelement-10233 link
The name of the organisation the recipient is representing or the organisation named as the receiving organisation.		
An identifier for the organisation will be sent alongside the name, but may not displayed on rendered document.		
NHS data dictionary : - Organisation code		
 Team		
0 ... 1		prsb03-dataelement-10234 link
Team that the recipient belongs to in the context of receiving this message, or the team acting as the recipient.Free text		
 Relationship	0 ... 1	prsb03-dataelement-13793 link
The relationship of the receiver to the person for example, carer or parentFHIR value set : - Related person		
 Plan and requested actions	0 ... 1	prsb03-dataelement-535 link
The details of planned investigations, procedures and treatment, and whether this plan has been agreed with the person or their legitimate representative.		
 Plan and requested actions record entry	0 ... *	prsb03-dataelement-10661 link
This is a plan and requested actions record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.		
 Actions for professionals	0 ... *	prsb03-dataelement-10436 link
Including planned investigations, procedures and treatment for a person's identified conditions and priorities. For each action the following should be identified:outcome expectations, including the person's expectations. A record of the planned and requested actions. May be structured (table), with actions, names, dates, status, location, strategies.Free text		
 Actions for person or their carer	0 ... *	prsb03-dataelement-10437 link
For each action the following should be identified:outcome expectations, including person's expectations. A record of the planned and requested actions. May be structured (table), with actions, names, dates, status, location, strategies.Free text		



Contraception

prsb03-transaction-240 link

Version / effective date 2.1 - 2021-02-08 14:03:54

Contraception (GP)

prsb03-transaction-242 link

Version / effective date 2.1 - 2021-02-08 14:03:54

Actor Sender (organization) Pharmacy
 Receiver (organization) General practitioner

Associations Data Set (for transaction) PRSB Record structure and content 1(2.16.840.1.113883.3.1937.777.28.1.1 / 2018-10-31)

Contained concepts

Concept	Card/Conf	Id

 Person demographics	1 ... 1 Mandatory	prsb03-dataelement-10868 link
	The person's details and contact information.	
 Person name	1 ... 1 Mandatory	prsb03-dataelement-10869 link
	Details of the person's name	
 Person full name	1 ... 1 Mandatory	prsb03-dataelement-13801 link
	The full name of the person in text representation.NHS data dictionary :- Patient full name	
 Date of birth	1 ... 1 Mandatory	prsb03-dataelement-10871 link
	The date of birth of the person.NHS data dictionary:- Person birth date	
 Gender	0 ... 1	prsb03-dataelement-10872 link
	The person's stated gender.NHS data dictionary :- Person stated gender code	
 NHS number	0 ... 1	prsb03-dataelement-10879 link
	The unique identifier for a person within the NHS in England and Wales.NHS data dictionary:- NHS number	
 Other identifier	0 ... *	prsb03-dataelement-10880 link
	Country specific or local identifier, e.g. Community Health Index (CHI) in Scotland. NHS data dictionary: - Local patient identifier(extended), Health and care number (NI only), Community health index number (Scotland only)	
 Person's address	1 ... 1 Mandatory	prsb03-dataelement-10881 link
	Person's usual place of residence, and where relevant temporary and correspondence addresses.	
 Address line 1	1 ... 1 Mandatory	prsb03-dataelement-13082 link
	Person's first line of address. NHS data dictionary :- Address line 1	
 Address line 2	0 ... 1	prsb03-dataelement-13083 link
	Person's second line of address. NHS data dictionary :- Address line 2	
 Address line 3	0 ... 1	prsb03-dataelement-13084 link
	Person's third line of address. NHS data dictionary : - Address line 3	
 Address line 4	0 ... 1	prsb03-dataelement-13085 link
	Person's fourth line of address. NHS data dictionary : - Address line 4	
 Address line 5	0 ... 1	prsb03-dataelement-13086 link
	Person's fifth line of address.NHS data dictionary : - Address line 5	
 Postcode	0 ... 1	prsb03-dataelement-13087 link
	The person's postcode.NHS data dictionary :- Postcode of usual address	
 Person's contact details	0 ... *	prsb03-dataelement-13804 link
	Details of the person's contact information.	
 Person's telephone number details	0 ... *	prsb03-dataelement-10883 link
	The person's telephone number details	

 Person's telephone number	0 ... 1	prsb03-dataelement-13808 link
	The person's telephone numberNHS data dictionary : - UK telephone number	
 Person's telephone number type	0 ... 1	prsb03-dataelement-13805 link
	The contact type e.g. home, mobileFHIR value set: - Contact point use	
 Preference of telephone number	0 ... 1	prsb03-dataelement-13809 link
	The preferred order of use for the telephone numberPreference of use 1-5, 1 being the highest.	
 GP practice	1 ... 1 Mandatory	prsb03-dataelement-101 link
	Details of the person's GP practice.	
 GP practice record entry	1 ... *	prsb03-dataelement-10643 link
	This is an GP practice record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items	
 GP practice identifier	1 ... 1 Mandatory	prsb03-dataelement-10001 link
	The identifier of the registered GP practice. NHS data dictionary : - General medical practice code (patient registration)	
 Legal information	0 ... 1	prsb03-dataelement-520 link
	The legal information relating to the person.	
 Consent for treatment record	0 ... 1	prsb03-dataelement-10420 link
	Details of the person's consent for treatment.	
 Date	0 ... 1	prsb03-dataelement-13457 link
	The date the consent was takenDate	
 Location	0 ... 1	prsb03-dataelement-13459 link
	The location of where the consent was taken.	
 Coded value	0 ... 1	prsb03-dataelement-13460 link
	The coded value for location.NHS data dictionary : - Organisation data service code	
 Free text	0 ... 1	prsb03-dataelement-13461 link
	Free text field to be used if no code is availableFree text	
 Consent for treatment record	0 ... 1	prsb03-dataelement-13574 link
	Whether consent has been obtained for the treatment. May include where record of consent is located or record of consent. A statement about the patient's consent for treatment.Free text	
 Location of document	0 ... 1	prsb03-dataelement-13777 link
	The location of the consent for treatment record.Free text or URL	
 Performing professional	0 ... 1	prsb03-dataelement-13462 link
	The professional who took the consent for treatment.	
 Name	0 ... 1	prsb03-dataelement-13463 link

	The name of the professional.Free text.	
└  Role	0 ... 1	prsb03-dataelement-13464 link
	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc.FHIR value set :- SDSjobroletype	
└  Grade	0 ... 1	prsb03-dataelement-13465 link
	The grade of the professional.Free text	
└  Speciality	0 ... 1	prsb03-dataelement-13466 link
	The specialty of the professional e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code	
└  Professional identifier	0 ... 1	prsb03-dataelement-13467 link
	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier	
└  Organisation	0 ... 1	prsb03-dataelement-13468 link
	The name of the organisation the professional works for.	
└  Contact details	0 ... 1	prsb03-dataelement-13469 link
	Contact details of the professionalNHS data dictionary - UK phone number	
└  Person completing record	0 ... 1	prsb03-dataelement-13470 link
	Details of the person completing the record.	
└  Name	0 ... 1	prsb03-dataelement-13471 link
	The name of the person completing the record.Free text.	
└  Role	0 ... 1	prsb03-dataelement-13472 link
	The organisational role of the person completing record.FHIR value set :- SDSjobrole	
└  Grade	0 ... 1	prsb03-dataelement-13473 link
	The grade of the person completing the record.Free text.	
└  Specialty	0 ... 1	prsb03-dataelement-13474 link
	The main specialty of the person completing the record.NHS data dictionary :- Activity treatment function code	
└  Organisation	0 ... 1	prsb03-dataelement-13475 link
	The organisation the person completing the record works for.	
└  Professional identifier	0 ... 1	prsb03-dataelement-13476 link
	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier	
└  Date completed	0 ... 1	prsb03-dataelement-13477 link
	The date and time the record was completed.Date and time.	
└  Contact details	0 ... 1	prsb03-dataelement-13478 link

	Contact details of the person completing the record.	
	NHS data dictionary : - UK telephone number	
└ Consent for information sharing	0 ... 1	prsb03-dataelement-10421 link
└ Date	Details of the person's consent for information sharing	
0 ... 1		prsb03-dataelement-11713 link
The date when the consent was given	Date and time	
└ Location	0 ... 1	prsb03-dataelement-11714 link
The location where the consent was taken.		
└ Coded value	0 ... 1	prsb03-dataelement-13451 link
The coded value for location.NHS data dictionary : - Organisation data service code		
└ Free text	0 ... 1	prsb03-dataelement-13452 link
Free text field to be used if no code is available	Free text	
└ Consent for information sharing	0 ... 1	prsb03-dataelement-13575 link
This is a record of consent for information sharing under the common law duty of confidentiality. Where consent has not been obtained or sought, the reason why should be provided. Include best interests decision where person lacks capacity. This is a placeholder until the national guidance is published.	Free text	
└ Reason for consent not given	0 ... 1	prsb03-dataelement-13778 link
Reason not given for consent	Free text	
└ Performing professional	0 ... 1	prsb03-dataelement-11715 link
The professional who took the consent for information sharing		
└ Name	0 ... 1	prsb03-dataelement-11716 link
The name of the professional	Free text	
└ Role	0 ... 1	prsb03-dataelement-11717 link
The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc	FHIR value set :- SDSjobroletype	
└ Grade	0 ... 1	prsb03-dataelement-11718 link
The grade of the professional	Free text	
└ Speciality	0 ... 1	prsb03-dataelement-11719 link
The specialty of the professional e.g. physiotherapy, oncology, mental health etc	NHS data dictionary - Activity treatment function code	
└ Professional identifier	0 ... 1	prsb03-dataelement-11720 link
Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.NHS data dictionary : - Professional registration identifier		
└ Organisation	0 ... 1	prsb03-dataelement-11721 link
The name of the organisation the professional works for.		

 Contact details	0 ... 1	prsb03-dataelement-11722 link
	Contact details of the professionalNHS data dictionary - UK phone number	
 Person completing record	0 ... 1	prsb03-dataelement-11723 link
	Details of the person completing the record.	
 Name	0 ... 1	prsb03-dataelement-11724 link
	The name of the person completing the record.Free text.	
 Role	0 ... 1	prsb03-dataelement-11725 link
	The organisational role of the person completing record.FHIR value set :- SDSjobrole	
 Grade	0 ... 1	prsb03-dataelement-11726 link
	The grade of the person completing the record.Free text.	
 Specialty	0 ... 1	prsb03-dataelement-11727 link
	The main specialty of the person completing the record.NHS data dictionary :- Activity treatment function code	
 Organisation	0 ... 1	prsb03-dataelement-11728 link
	The organisation the person completing the record works for.	
 Professional identifier	0 ... 1	prsb03-dataelement-11729 link
	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier	
 Date completed	0 ... 1	prsb03-dataelement-11730 link
	The date and time the record was completed.Date and time.	
 Contact details	0 ... 1	prsb03-dataelement-11731 link
	Contact details of the person completing the record.	
	NHS data dictionary : - UK telephone number	
 Consent relating to child	0 ... 1	prsb03-dataelement-10422 link
	Details of the person's consent relating to child	
 Date	0 ... 1	prsb03-dataelement-11732 link
	The date when the person with responsibility for the child was identified.Date and time	
 Location	0 ... 1	prsb03-dataelement-11733 link
	The location where the person with responsibility for the child was identified.	
 Coded value	0 ... 1	prsb03-dataelement-13674 link
	The coded value for locationNHS data dictionary : - Organisation data service	
 Free text	0 ... 1	prsb03-dataelement-13675 link
	Free text field to be used if no coded text available	
 Consent relating to child	0 ... 1	prsb03-dataelement-13576 link

	The person with parental responsibility or appointed guardian where a child lacks competency. Consideration of age and competency, applying Gillick competency or Fraser guidelines.Free text	
└─ Performing professional	0 ... 1	prsb03-dataelement-11734 link
└─ Name	The professional who identified the person responsible for the child.	prsb03-dataelement-11735 link
└─ Role	The name of the professional.Free text.	prsb03-dataelement-11736 link
└─ Grade	0 ... 1	prsb03-dataelement-11737 link
└─ Speciality	The grade of the professional.Free text	prsb03-dataelement-11738 link
└─ Professional identifier	0 ... 1	prsb03-dataelement-11739 link
	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.NHS data dictionary : - Professional registration identifier	
└─ Organisation	0 ... 1	prsb03-dataelement-11740 link
└─ Contact details	The name of the organisation the professional works for.	prsb03-dataelement-11741 link
	Contact details of the professionalNHS data dictionary - UK phone number	
└─ Person completing record	0 ... 1	prsb03-dataelement-11742 link
	Details of the person completing the record.	
└─ Name	0 ... 1	prsb03-dataelement-11743 link
└─ Role	The name of the person completing the record.Free text.	prsb03-dataelement-11744 link
└─ Grade	0 ... 1	prsb03-dataelement-11745 link
└─ Specialty	The organisational role of the person completing record.FHIR value set :- SDSjobrole	
	The grade of the person completing the record.Free text.	
	0 ... 1	prsb03-dataelement-11746 link
	The main specialty of the person completing the record.NHS data dictionary :- Activity treatment function code	
└─ Organisation	0 ... 1	prsb03-dataelement-11747 link
	The organisation the person completing the record works for.	
└─ Professional identifier	0 ... 1	prsb03-dataelement-11748 link
	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier	

 Date completed	0 ... 1	prsb03-dataelement-11749 link
	The date and time the record was completed.Date and time.	
 Contact details	0 ... 1	prsb03-dataelement-11750 link
	Contact details of the person completing the record.	
	NHS data dictionary : - UK telephone number	
 Safeguarding	0 ... 1	prsb03-dataelement-271 link
	The safeguarding details of the person.	
 Safeguarding concerns	0 ... *	prsb03-dataelement-10821 link
	Details of safeguarding concerns	
 Safeguarding indicator	0 ... 1	prsb03-dataelement-13428 link
	Indicates whether or not the hospital considers that there are safeguarding issues associated with the patient.Flag: No =N: Yes = Y	
 Safeguarding concerns	0 ... 1	prsb03-dataelement-10171 link
	Identified safeguarding concerns.	
 Coded value	0 ... 1	prsb03-dataelement-13756 link
	The coded value for safeguarding concernsSNOMED CT : - 99900238100000108 Safeguarding issues simple reference set (foundation metadata concept)	
 Free text	0 ... 1	prsb03-dataelement-13757 link
	Free text field to be used if no code is availableFree text	
 Comment	0 ... 1	prsb03-dataelement-10175 link
	Further details on safeguarding concerns.Free text	
 Referral details	0 ... 1	prsb03-dataelement-105 link
	The details of the referral.	
 Referral details record entry	0 ... *	prsb03-dataelement-10917 link
	This is the referral details record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
 Reason for referral	1 ... 1 Mandatory	prsb03-dataelement-10011 link
	The reason for the referral, e.g. diagnosis, treatment, transfer of care due to relocation, investigation, second opinion, management of the patient (e.g. palliative care), or carer's concerns.Free text	
 Coded value	0 ... 1	prsb03-dataelement-13455 link
	The coded value for reason for referralSNOMED CT : - ^112758100000103 Health issues simple reference set	
 Free text	0 ... 1	prsb03-dataelement-13456 link
	Free text field to be used if no code is availableFree text	
 Expectation of referral	0 ... *	prsb03-dataelement-10699 link

	A clear statement of the expectations of the person or professional making the referral in regards to the management of the patient e.g. advice only, diagnosis, treatment, etc. To include any specific patient expectation.Free text	
└ Clinical urgency of referral	0 ... 1	prsb03-dataelement-10010 link
└ Reason for urgency of referral	The details of the clinical urgency of referral 0 ... 1	prsb03-dataelement-10976 link
	The reason for urgency of referral if not routine.Free text	
└ Referral to	0 ... 1	prsb03-dataelement-10008 link
	Details of where the referral is to be sent.	
	If not an individual, this could be a service, e.g. GP surgery, department, specialty, subspecialty, educational institution, mental health etc.	
└ Name	0 ... 1	prsb03-dataelement-10977 link
	Name of person the referral is to be sent to.Free text	
└ Role	0 ... 1	prsb03-dataelement-10978 link
	Role of person where the referral is to be sent to.FHIR value set : - sdsjobrole	
└ Grade	0 ... 1	prsb03-dataelement-10979 link
	The grade of the person where the referral is sent to.Free text	
└ Team	0 ... 1	prsb03-dataelement-10982 link
	The team or department of the person where the referral is being sent toFree text.	
└ Specialty	0 ... 1	prsb03-dataelement-10983 link
	The specialty the referral is being sent to e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code	
└ Service	0 ... 1	prsb03-dataelement-12412 link
	The service of where the referral is sent to.	
└ Coded value	0 ... 1	prsb03-dataelement-13509 link
	The coded value for serviceSNOMED CT: - 1127531000000102 Services simple reference set (foundation metadata concept)	
└ Free text	0 ... 1	prsb03-dataelement-13510 link
	Free text field to be used if no code is availableFree text	
└ Organisation	0 ... 1	prsb03-dataelement-10980 link
	The organisation of where the referral is to be sent.	
└ Coded value	0 ... 1	prsb03-dataelement-13511 link
	The coded value for organisationNHS data dictionary :- Organisation data service	
└ Free text	0 ... 1	prsb03-dataelement-13512 link
	Free text field to be used if no code is availableFree text	
└ Contact details	0 ... 1	prsb03-dataelement-10981 link

	The contact details of where the referral is to be sent. Free text.	
Contacts with professionals	1 ... 1 Mandatory	prsb03-dataelement-169 link
Contacts with professionals record entry	The details of the person's contact with a professional. 1 ... *	prsb03-dataelement-10718 link
Date of contact	This is a contacts record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items. 1 ... 1 Mandatory	prsb03-dataelement-10069 link
Location of contact	Date and time of the contact. Date and time. 0 ... 1	prsb03-dataelement-10075 link
Coded value	The location where the contact took place. 0 ... 1	prsb03-dataelement-13513 link
Free text	The coded value for locationNHS data dictionary : - Organisation service code 0 ... 1	prsb03-dataelement-13514 link
Reason for service	Free text field to be used if no code is availableFree text 0 ... 1	prsb03-dataelement-13751 link
Consultation method	The reason why the person has been offered the serviceFree text 0 ... 1	prsb03-dataelement-10071 link
Service	Consultation method used e.g. face to face, telephoneNHS data dictionary - Consultation medium 0 ... 1	prsb03-dataelement-10074 link
Person accompanying patient	The service that was provided.SNOMED CT : 1127531000000102 Services simple reference set (foundation metadata concept) 0 ... *	prsb03-dataelement-10079 link
Organisation name	Identify, where clinically relevant, others accompanying the patient, e.g. parent, relative, friend. Includes: Name, Relationship, role (e.g. informal carer).NHS data dictionary : - Person full name 1 ... 1 Mandatory	prsb03-dataelement-10706 link
Organisation address	The name, including the identifier, of the organisation providing the serviceNHS data dictionary : - Organisation name 0 ... 1	prsb03-dataelement-10713 link
Organisation contact details	The name of the organisation, including the identifier.NHS data dictionary : - Organisation address 0 ... *	prsb03-dataelement-10707 link
Reason for non-provision of service	The contact details of the organisation. For example a phone number, NHSmail address etc. Contact details are used to resolve queries about the record entry.Free text 0 ... 1	prsb03-dataelement-10708 link

	The reason why the patient was not provided with the service e.g. declined, did not attend etc.Free text	
└  Clinician name	1 ... 1 Mandatory	prsb03-dataelement-10709 link
└  Role	0 ... 1	prsb03-dataelement-10710 link
└  Chaperone	0 ... *	prsb03-dataelement-10712 link
└  Professional identifier	0 ... 1	prsb03-dataelement-10711 link
	Professional identifier of the person providing the service.NHS data dictionary : - professional identifier	
📁 History	0 ... 1	prsb03-dataelement-226 link
	History	
└  Relevant past medical, surgical and mental health history	0 ... 1	prsb03-dataelement-10130 link
	The record of the person's significant medical, surgical and mental health history. Including relevant previous diagnoses, problems and issues, procedures, investigations, specific anesthesia issues, etc. (will include dental and obstetric history)	
	A list of the person's relevant past medical, surgical and mental health history recorded in free text or coded form or Information relating to past medical, surgical and mental health history may be provided by the referral document or during the consultation.	
└  Coded value	0 ... 1	prsb03-dataelement-13787 link
	The coded value relevant past medical, surgical and mental health historySNOMED CT : - ^1127581000000103 Health issues simple reference set	
└  Free text	0 ... 1	prsb03-dataelement-13788 link
	Free text field to be used if no code is availableFree text	
📁 Clinical Summary	1 ... 1 Mandatory	prsb03-dataelement-247 link
	Clinical Summary	
└  Clinical narrative	1 ... 1 Mandatory	prsb03-dataelement-10150 link
	A description detailing a patient's reason for attendance, results from the diagnostic and treatment process.Free text	
📁 Social context	0 ... 1	prsb03-dataelement-136 link
	The social setting in which the person lives, such as their household, occupational history, and lifestyle factors.	
└  Smoking status	0 ... 1	prsb03-dataelement-10040 link
	Details of the person's smoking status.	
└  Smoking status	0 ... 1	prsb03-dataelement-13283 link
	Record of any drug/substance use by the person.	
└  Coded value	0 ... 1	prsb03-dataelement-13284 link


	The smoking status of the person.SNOMED CT:- ^999000891000000102 Smoking simple reference set (foundation metadata concept)	
└  Free text	0 ... 1	prsb03-dataelement-13285 link
	Free text field to be used if no code is availableFree text	
└  Smoking status - details	0 ... 1	prsb03-dataelement-13286 link
	Further details recorded about the smoking status of the personFree text	
└  Signpost details	0 ... 1	prsb03-dataelement-13973 link
	Details of signpost	
└  Signpost details record entry	0 ... *	prsb03-dataelement-13974 link
	This is the signpost details record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
└  Date	0 ... 1	prsb03-dataelement-13975 link
	Date of signpost	
└  Signpost to	0 ... 1	prsb03-dataelement-13976 link
	Details of where the signpost is to.	
	If not an individual, this could be a service	
└  Name	0 ... 1	prsb03-dataelement-13977 link
	Name of person signposted toFree Text	
└  Role	0 ... 1	prsb03-dataelement-13978 link
	Role of person been signposted to.Free Text	
└  Grade	0 ... 1	prsb03-dataelement-13979 link
	The grade of the person been signposted to.Free text	
└  Team	0 ... 1	prsb03-dataelement-13980 link
	The team or department of the person been signposted to.Free text	
└  Specialty	0 ... 1	prsb03-dataelement-13981 link
	The specialty of where been signposted e.g. physiotherapy, oncology, mental health etc	
└  Service	0 ... 1	prsb03-dataelement-13982 link
	The service of where been signposted to.	
└  Coded value	0 ... 1	prsb03-dataelement-13983 link
	The coded value for serviceSNOMED CT : - 1127531000000102 Services simple reference set (foundation metadata concept)	
└  Free text	0 ... 1	prsb03-dataelement-13984 link
	Free text field to be used if no code is availableFree text	
└  Organisation	0 ... 1	prsb03-dataelement-13985 link
	Name of organisation been signposted to. Free text	
└  Contact details	0 ... 1	prsb03-dataelement-13987 link

	The contact details of where been signposted to	Free text	
└ Reason for signpost	0 ... 1	Reason for signposting	prsb03-dataelement-13988 link
└ Free text	0 ... 1	Free text	prsb03-dataelement-13990 link
└ Clinical urgency for signpost	0 ... 1	The details of the clinical urgency of signpost	Free text prsb03-dataelement-13991 link
└ Examination findings	0 ... 1	Examination findings	prsb03-dataelement-557 link
└ Examination findings record entry	0 ... *	This is a examination findings record entry. There may be 0 to many record entry/entries under a section. Each record entry is made up of a number of elements or data items.	
└ Date	0 ... 1	The date the examination was performed.	Date and time prsb03-dataelement-10462 link
└ Observations	0 ... 1	The record of essential physiological measurements, e.g., heart rate, blood pressure, temperature, pulse, height, weight, respiratory rate, oxygen saturation.	prsb03-dataelement-10464 link
└ Height/length	0 ... 1	The person's height and length measurement	prsb03-dataelement-13761 link
└ Coded value	0 ... 1	The coded value for height/lengthSNOMED CT: - 50373000 [Body height measure (observable entity)] OR 248334005 [Length of body (observable entity)]	prsb03-dataelement-13812 link
└ Value	0 ... 1	The value of the observation.Numeric	prsb03-dataelement-13813 link
└ Units of measure	0 ... 1	The units of measure for height/lengthUCUM code	prsb03-dataelement-13817 link
└ Weight	0 ... 1	The person's weight in kgs	prsb03-dataelement-13814 link
└ Coded value	0 ... 1	The coded value of weightSNOMED CT : - 27113001 [Body weight (observable entity)]	prsb03-dataelement-13815 link
└ Value	0 ... 1	The value of the person's weightNumeric	prsb03-dataelement-13816 link
└ Units of measure	0 ... 1	The units of measure for weightUCUM code	prsb03-dataelement-13818 link
└ BMI	0 ... 1	The person's BMI calculation	prsb03-dataelement-13819 link

 Coded value	0 ... 1	prsb03-dataelement-13820 link
	The coded value of BMISNOMED CT: - 60621009 Body mass index (observable entity)	
 Value	0 ... 1	prsb03-dataelement-13821 link
	The value of the person's BMINumeric	
 Units of measure	0 ... 1	prsb03-dataelement-13822 link
	The units of measure for BMIUCUM code	
 Blood pressure	0 ... 1	prsb03-dataelement-13823 link
	The person's blood pressure measurement	
 Systolic blood pressure	0 ... 1	prsb03-dataelement-13824 link
	Details of the person's systolic blood pressure	
 Coded value	0 ... 1	prsb03-dataelement-13825 link
	The coded value for systolic blood pressureSNOMED CT : - <>271649006 Systolic blood pressure (observable entity)	
 Value	0 ... 1	prsb03-dataelement-13826 link
	The value of the systolic blood pressure readingNumeric	
 Units of measure	0 ... 1	prsb03-dataelement-13827 link
	The units of measure for systolic blood pressureUCUM code	
 Site	0 ... 1	prsb03-dataelement-13829 link
	The anatomical site at which the blood pressure is taken	
 Coded value	0 ... 1	prsb03-dataelement-13830 link
	The coded value for site SNOMED CT: - <442083009 Anatomical or acquired body structure (body structure)	
 Free text	0 ... 1	prsb03-dataelement-13831 link
	Free text field to be used when code is not availableFree text	
 Diastolic blood pressure	0 ... 1	prsb03-dataelement-13867 link
 Coded value	0 ... 1	prsb03-dataelement-13868 link
	The coded value for diastolic blood pressure.SNOMED CT : - <>271650006 Diastolic blood pressure (observable entity)	
 Value	0 ... 1	prsb03-dataelement-13869 link
	The value of the diastolic blood pressure readingNumeric	
 Units of measure	0 ... 1	prsb03-dataelement-13870 link
	The units of measure for the diastolic blood pressureUCUM code	
 Site	0 ... 1	prsb03-dataelement-13871 link

	The anatomical site at where the blood pressure is taken	
└ Coded value	0 ... 1	prsb03-dataelement-13872 link
	The coded value for site SNOMED CT: - <442083009 Anatomical or acquired body structure (body structure)	
└ Free text	0 ... 1	prsb03-dataelement-13873 link
	Free text field to be used when code is not available	Free text
Assessments	0 ... 1	prsb03-dataelement-262 link
	Details of the person's assessments	
└ Assessments record entry	0 ... *	prsb03-dataelement-11664 link
	This is the assessments record entry. There may be 0 to many record entry/entries under a section. Each record entry is made up of a number of elements or data items.	
└ Assessment scale	0 ... 1	prsb03-dataelement-12962 link
	Assessment scale used, e.g. New York Heart Failure, Activities of Daily Living (ADL)Free Text. Content could include scale name, date and time of assessment and values recorded, including overall score. Format of assessment would be determined locally and may be tabular.	
└ Date	0 ... 1	prsb03-dataelement-10763 link
	The date the assessment was done.Date and time.	
└ Assessment type	0 ... 1	prsb03-dataelement-10822 link
	The type of the assessment e.g. social care needs assessment.Free text	
└ Assessment summary	0 ... 1	prsb03-dataelement-10754 link
	The summary of the assessmentFree text	
└ Structured assessment	0 ... 1	prsb03-dataelement-10655 link
	Details of the structured assessment.	
└ Structured assessment name	0 ... 1	prsb03-dataelement-11751 link
	Structured assessment name e.g. New York Heart Failure, Glasgow Coma scale, Activities of Daily Living (ADL) etc.SNOMED CT	
└ Assessment score	0 ... 1	prsb03-dataelement-10162 link
	The structured assessment score.Free text.	
└ Assessment value	0 ... 1	prsb03-dataelement-10163 link
	The structured assessment value.Numeric	
└ Global score	0 ... 1	prsb03-dataelement-10166 link
	The total global score from the assessment.Free text	
└ Subscale score	0 ... 1	prsb03-dataelement-10169 link
	The subscale score of the structured assessment.Free text.	

 Subscale value	0 ... *	The subscale value of the structured assessment.Numeric	prsb03-dataelement-10170 link
 Allergies and adverse reactions	0 ... 1	Allergies and adverse reactions	prsb03-dataelement-282 link
 Allergies and adverse reactions record entry	0 ... *	This is a allergies and adverse reactions record entry. There may be 1 to many record entries under a section.	prsb03-dataelement-10657 link
 Each record entry is made up of a number of elements or data items.			
 Type of reaction	0 ... 1	The type of reaction experienced by the person (allergic, adverse, intolerance) FHIR value set :- Allergy, Intolerance	prsb03-dataelement-10186 link
 Causative agent	1 ... 1 Mandatory	The agent such as food, drug or substances that has caused or may cause an allergy, intolerance or adverse reaction in this person Or "No known drug allergies or adverse reactions" Or "Information not available"	prsb03-dataelement-10182 link
 Coded value	0 ... 1	The coded value for causative agent SNOMED CT : - <105590001 Substance OR <373873005 Pharmaceutical / biologic product OR <<716186003 No known allergy OR 196461000000101 Transfer-degraded drug allergy OR 196471000000108 Transfer-degraded non-drug allergy	prsb03-dataelement-13441 link
 Free text	0 ... 1	Free text field to be used if no code is available	prsb03-dataelement-13442 link
 Reaction details cluster	0 ... *	Details of the reaction.	prsb03-dataelement-10658 link
 Date	0 ... 1	The date that the reaction was identified. Date and time	prsb03-dataelement-10190 link
 Description of reaction	0 ... 1	A description of the manifestation of the allergic or adverse reaction experienced by the person. For example, skin rash.	prsb03-dataelement-10183 link
 Coded value	0 ... 1	The coded value for description of reaction. SNOMED CT: - ^112758100000103 Health issues simple reference set	prsb03-dataelement-13556 link
 Free text	0 ... 1	Free text field to be used if no code is available	prsb03-dataelement-13557 link
 Severity	0 ... 1	A description of the severity of the reaction.	prsb03-dataelement-10184 link
 Coded value	0 ... 1	The coded value for severity FHIR value set : - Severity	prsb03-dataelement-13558 link

 Free text	0 ... 1	prsb03-dataelement-13559 link
Free text field to be used if no code is available	Free text	
 Certainty	0 ... 1	prsb03-dataelement-10185 link
A description of the certainty that the stated causative agent caused the allergic or adverse reaction.		
 Coded value	0 ... 1	prsb03-dataelement-13560 link
The coded value for certainty.FHIR value set : - Certainty		
 Free text	0 ... 1	prsb03-dataelement-13561 link
Free text field to be used if no code is available	Free text	
 Comment	0 ... 1	prsb03-dataelement-10189 link
Any additional comment or clarification about the adverse reaction.	Free text	
 Evidence	0 ... 1	prsb03-dataelement-10187 link
Results of investigations that confirmed the certainty of the diagnosis. Examples might include results of skin prick allergy tests	Free text	
 Date first experienced	0 ... 1	prsb03-dataelement-10188 link
When the reaction was first experienced i.e this may not be the first this has happened. May be a date or partial date (e.g. year) or text (e.g. during childhood)	Date and time	
 Allergy end date	0 ... 1	prsb03-dataelement-14253 link
The date the allergy was diagnosed as ended	Date and time	
 Medications and medical devices	0 ... 1	prsb03-dataelement-636 link
Medications and medical devices		
 Medication item entry	0 ... *	prsb03-dataelement-10663 link
All medications and devices that can be prescribed to be entered via this Medication item entry. Handles details of continuation / addition / amendment of admission medications.		
 Medication item cluster	0 ... *	prsb03-dataelement-10664 link
Medication item cluster		
 Date	0 ... 1	prsb03-dataelement-10843 link
The date on which the medication or medical device was prescribed.	Date and time	
 Medication name	1 ... 1 Mandatory	prsb03-dataelement-10536 link
May be generic name or brand name.		
 Coded value	0 ... 1	prsb03-dataelement-13622 link
The coded value for medication namedm+d: any code from the VTM, VMP, AMP, VMPP and AMPP concept classes		
 Free text	0 ... 1	prsb03-dataelement-13623 link
Free text field to be used if no code is available	Free text	
 Form	0 ... 1	prsb03-dataelement-10537 link
The form of the medication e.g. capsule, drops, tablet, lotion etc.		

 Coded value	0 ... 1	prsb03-dataelement-13624 link
 Free text	0 ... 1	prsb03-dataelement-13625 link
 Quantity supplied	1 ... 1 Mandatory	prsb03-dataelement-10539 link
	The quantity of the medication (e.g. tablets, inhalers, etc.) provided to the person. This may be dispensed by the pharmacy or on the ward. Record in a structured format i.e. value and a unitFree text	
 Value	0 ... 1	prsb03-dataelement-14271 link
	The value of the quantity suppliedEnumerated value	
 Unit of measure	0 ... 1	prsb03-dataelement-14272 link
	Unit of measure of quantity suppliedUCUM code	
 Route	0 ... *	prsb03-dataelement-10538 link
	The route by which the medication is administered e.g. oral, IM, IV	
 Coded value	0 ... 1	prsb03-dataelement-13655 link
	The coded value for routeSNOMED CT: - 999000051000001100 ePrescribing route of administration simple reference set (foundation metadata concept)	
 Free text	0 ... 1	prsb03-dataelement-13656 link
	Free text field to be used if no code is availableFree text	
 Site	0 ... 1	prsb03-dataelement-10540 link
	The anatomical site at which the medication is to be administered.	
 Coded value	0 ... 1	prsb03-dataelement-13657 link
	The coded value for site SNOMED CT: - <442083009 Anatomical or acquired body structure (body structure)	
 Free text	0 ... 1	prsb03-dataelement-13658 link
	Free text field to be used when code is not availableFree text	
 Supply type	0 ... 1	prsb03-dataelement-13754 link
	A description of the type of supply (e.g. emergency supply, over the counter medication, patient group direction etc)	
 Batch number	0 ... 1	prsb03-dataelement-13789 link
	The batch number of the product.	
 Coded value	0 ... 1	prsb03-dataelement-13790 link
	The coded value for the batch numberFMD code : - Derived from Falsified medicines directive	
 Free text	0 ... 1	prsb03-dataelement-13791 link
	Free text field to be used if no code is availableFree text	
 Dose directions description	0 ... 1	prsb03-dataelement-10544 link

	Describes the entire medication dosage and administration directions including dose quantity and medication frequency and optionally duration e.g. "1 tablet at night" or "2mg at 10pm".Free text	
└─📁 Structured dose direction cluster	0 ... 1	prsb03-dataelement-11639 link
└─🟡 Structured dose amount	A structural representation of the elements carried by the dose syntax in 'parsable dose strength / timing' i.e. dose strength, dose timing, dose duration and maximum dose.	prsb03-dataelement-10554 link
└─🟡 Structured dose timing	A structural representation of dose amount, e.g. 20mg or 2 tablets. This element will generally only be used when persisting data within systems with 'parsable dose directions' being used to exchange the same information between systems.As per FHIR Dose Syntax Implementation Guidance (NHS Digital): https://simplifier.net/guide/DoseSyntaxImplementationGuidanceforFHIRR4/Home	prsb03-dataelement-10555 link
└─🟡 Dose direction duration	A slot containing a structural, computable representation of dose timing and maximum dose. This element will generally only be used when persisting data within systems with 'parsable dose directions' being used to exchange the same information between systems.As per FHIR Dose Syntax Implementation Guidance (NHS Digital): https://simplifier.net/guide/DoseSyntaxImplementationGuidanceforFHIRR4/Home	prsb03-dataelement-10548 link
└─🟡 Additional instructions	0 ... *	prsb03-dataelement-10545 link
└─🟡 Matters identified during discussion	Allows for: requirements for adherence support, e.g. compliance aids, prompts and packaging requirements, additional information about specific medicines e.g. where specific brand required, person requirements, e.g. unable to swallow tablets.FHIR value set : - Additional instruction 1 ... * Mandatory	prsb03-dataelement-13753 link
└─📁 Course details cluster	Matters identified during the service about the patient's experience of using the medication. Coded text using the following descriptors: a. patient reports using the medicine as prescribed b. patient reports not using the medicine as prescribed c. patient has not started using the medicine d. prescriber has stopped new medicine e. patient is not using the medicine in line with the directions of the prescriber f. patient reports missing a dose in the past 7 days g. patient reports need for more information about the medicine h. patient reports side effects i. patient reports negative feelings about the medicine j. patient reports uncertainty on whether the medicine is working k. patient reports concern about remembering to take the medicine l. patient reports difficulty using the medicine due to its pharmaceutical form/formulation i. other - free text option	prsb03-dataelement-10561 link
└─🟡 Indication	0 ... 1	prsb03-dataelement-10546 link
	Reason for medication being prescribed, where known.Free text	

 Information and advice given	0 ... 1	prsb03-dataelement-315 link
Information and advice given		
 Information and advice given	0 ... *	prsb03-dataelement-10215 link
The oral or written information or advice given to the patient, carer, other authorised representative, care professional or other third party. May include advice about actions related to medicines or other ongoing care activities on an 'information prescription'. State here if there are concerns about the extent to which the patient and/or carer understand the information provided about diagnosis, prognosis and treatment.		
Free text		
 Distribution list	0 ... 1	prsb03-dataelement-330 link
Distribution list		
 Distribution list record entry	0 ... 1	prsb03-dataelement-10660 link
This is a Distribution list record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.		
 Name	0 ... 1	prsb03-dataelement-10230 link
The name of the person the communication is to be sent to, this can be a person or professional.	Free text	
 Role	0 ... 1	prsb03-dataelement-10231 link
If the communication is being sent to either a named individual, or to a non-named person with a specific role, then this is the role of the recipient.		
Role may be entered as the communication is being created, or sourced from the hospital system. This may be a role defined in the National Workforce data set (see the NHS Data Dictionary Job Role Code). FHIR value set : - SDSjobrole		
 Grade	0 ... 1	prsb03-dataelement-10232 link
The grade of the recipient, if known by the sending institution, otherwise omitted.	Free text	
 Organisation name	0 ... 1	prsb03-dataelement-10233 link
The name of the organisation the recipient is representing or the organisation named as the receiving organisation.		
An identifier for the organisation will be sent alongside the name, but may not displayed on rendered document.		
NHS data dictionary : - Organisation code		
 Team	0 ... 1	prsb03-dataelement-10234 link
Team that the recipient belongs to in the context of receiving this message, or the team acting as the recipient.	Free text	
 Relationship	0 ... 1	prsb03-dataelement-13793 link
The relationship of the receiver to the person for example, carer or parent.	FHIR value set : - Related person	
 Plan and requested actions	0 ... 1	prsb03-dataelement-535 link
The details of planned investigations, procedures and treatment, and whether this plan has been agreed with the person or their legitimate representative.		

 Plan and requested actions record entry	0 ... *	prsb03-dataelement-10661 link
This is a plan and requested actions record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.		
 Actions for professionals	0 ... *	prsb03-dataelement-10436 link
Including planned investigations, procedures and treatment for a person's identified conditions and priorities. For each action the following should be identified:outcome expectations, including the person's expectations. A record of the planned and requested actions. May be structured (table), with actions, names, dates, status, location, strategies.Free text		
 Actions for person or their carer	0 ... *	prsb03-dataelement-10437 link
For each action the following should be identified:outcome expectations, including person's expectations. A record of the planned and requested actions. May be structured (table), with actions, names, dates, status, location, strategies.Free text		

 Sore Throat Testing

prsb03-transaction-243 link

Version / effective date 2.1 - 2021-02-08 14:19:12 Sore Throat Testing (GP)

prsb03-transaction-245 link

Version / effective date 2.1 - 2021-02-08 14:19:12

Actor Sender (organization) Pharmacy
 Receiver (organization) General practitioner

Associations Data Set (for transaction) PRSB Record structure and content 1(2.16.840.1.113883.3.1937.777.28.1.1 / 2018-10-31)

Contained concepts

Concept	Card/Conf	Id
 Person demographics	1 ... 1 Mandatory	prsb03-dataelement-10868 link
	The person's details and contact information.	
 Person name	1 ... 1 Mandatory	prsb03-dataelement-10869 link
	Details of the person's name	
 Person full name	1 ... 1 Mandatory	prsb03-dataelement-13801 link
	The full name of the person in text representation.NHS data dictionary :- Patient full name	
 Date of birth	1 ... 1 Mandatory	prsb03-dataelement-10871 link
	The date of birth of the person.NHS data dictionary:- Person birth date	
 Gender	0 ... 1	prsb03-dataelement-10872 link
	The person's stated gender.NHS data dictionary :- Person stated gender code	
 NHS number	0 ... 1	prsb03-dataelement-10879 link
	The unique identifier for a person within the NHS in England and Wales.NHS data dictionary:- NHS number	
 Other identifier	0 ... *	prsb03-dataelement-10880 link

		Country specific or local identifier, e.g. Community Health Index (CHI) in Scotland. NHS data dictionary: - Local patient identifier(extended), Health and care number (NI only), Community health index number (Scotland only)	
└  Person's address	1 ... 1 Mandatory		prsb03-dataelement-10881 link
		Person's usual place of residence, and where relevant temporary and correspondence addresses.	
└  Address line 1	1 ... 1 Mandatory		prsb03-dataelement-13082 link
		Person's first line of address. NHS data dictionary :- Address line 1	
└  Address line 2	0 ... 1		prsb03-dataelement-13083 link
		Person's second line of address. NHS data dictionary :- Address line 2	
└  Address line 3	0 ... 1		prsb03-dataelement-13084 link
		Person's third line of address. NHS data dictionary : - Address line 3	
└  Address line 4	0 ... 1		prsb03-dataelement-13085 link
		Person's fourth line of address. NHS data dictionary : - Address line 4	
└  Address line 5	0 ... 1		prsb03-dataelement-13086 link
		Person's fifth line of address.NHS data dictionary : - Address line 5	
└  Postcode	0 ... 1		prsb03-dataelement-13087 link
		The person's postcode.NHS data dictionary :- Postcode of usual address	
└  Person's contact details	0 ... *		prsb03-dataelement-13804 link
		Details of the person's contact information.	
└  Person's telephone number details	0 ... *		prsb03-dataelement-10883 link
		The person's telephone number details	
└  Person's telephone number	0 ... 1		prsb03-dataelement-13808 link
		The person's telephone numberNHS data dictionary : - UK telephone number	
└  Person's telephone number type	0 ... 1		prsb03-dataelement-13805 link
		The contact type e.g. home, mobileFHIR value set: - Contact point use	
└  Preference of telephone number	0 ... 1		prsb03-dataelement-13809 link
		The preferred order of use for the telephone numberPreference of use 1-5, 1 being the highest.	
└  GP practice	1 ... 1 Mandatory		prsb03-dataelement-101 link
		Details of the person's GP practice.	
└  GP practice record entry	1 ... *		prsb03-dataelement-10643 link
		This is an GP practice record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items	
└  GP practice identifier	1 ... 1 Mandatory		prsb03-dataelement-10001 link
		The identifier of the registered GP practice. NHS data dictionary : - General medical practice code (patient registration)	

 Legal information	0 ... 1	prsb03-dataelement-520 link
	The legal information relating to the person.	
 Consent for treatment record	0 ... 1	prsb03-dataelement-10420 link
	Details of the person's consent for treatment.	
 Date	0 ... 1	prsb03-dataelement-13457 link
	The date the consent was taken	
 Location	0 ... 1	prsb03-dataelement-13459 link
	The location of where the consent was taken.	
 Coded value	0 ... 1	prsb03-dataelement-13460 link
	The coded value for location.NHS data dictionary : - Organisation data service code	
 Free text	0 ... 1	prsb03-dataelement-13461 link
	Free text field to be used if no code is available	
 Consent for treatment record	0 ... 1	prsb03-dataelement-13574 link
	Whether consent has been obtained for the treatment. May include where record of consent is located or record of consent. A statement about the patient's consent for treatment.	
 Location of document	0 ... 1	prsb03-dataelement-13777 link
	The location of the consent for treatment record.Free text or URL	
 Performing professional	0 ... 1	prsb03-dataelement-13462 link
	The professional who took the consent for treatment.	
 Name	0 ... 1	prsb03-dataelement-13463 link
	The name of the professional.Free text.	
 Role	0 ... 1	prsb03-dataelement-13464 link
	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etcFHIR value set :- SDSjobroletype	
 Grade	0 ... 1	prsb03-dataelement-13465 link
	The grade of the professional.Free text	
 Speciality	0 ... 1	prsb03-dataelement-13466 link
	The specialty of the professional e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code	
 Professional identifier	0 ... 1	prsb03-dataelement-13467 link
	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.NHS data dictionary : - Professional registration identifier	
 Organisation	0 ... 1	prsb03-dataelement-13468 link
	The name of the organisation the professional works for.	
 Contact details	0 ... 1	prsb03-dataelement-13469 link
	Contact details of the professionalNHS data dictionary - UK phone number	
 Person completing record	0 ... 1	prsb03-dataelement-13470 link

		Details of the person completing the record.	
└  Name	0 ... 1	The name of the person completing the record.Free text.	prsb03-dataelement-13471 link
└  Role	0 ... 1	The organisational role of the person completing record.FHIR value set :- SDSjobrole	prsb03-dataelement-13472 link
└  Grade	0 ... 1	The grade of the person completing the record.Free text.	prsb03-dataelement-13473 link
└  Specialty	0 ... 1	The main specialty of the person completing the record.NHS data dictionary :- Activity treatment function code	prsb03-dataelement-13474 link
└  Organisation	0 ... 1	The organisation the person completing the record works for.	prsb03-dataelement-13475 link
└  Professional identifier	0 ... 1	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier	prsb03-dataelement-13476 link
└  Date completed	0 ... 1	The date and time the record was completed.Date and time.	prsb03-dataelement-13477 link
└  Contact details	0 ... 1	Contact details of the person completing the record.	prsb03-dataelement-13478 link
		NHS data dictionary : - UK telephone number	
└  Consent for information sharing	0 ... 1	Details of the person's consent for information sharing	prsb03-dataelement-10421 link
└  Date	0 ... 1	The date when the consent was givenDate and time	prsb03-dataelement-11713 link
└  Location	0 ... 1	The location where the consent was taken.	prsb03-dataelement-11714 link
└  Coded value	0 ... 1	The coded value for location.NHS data dictionary : - Organisation data service code	prsb03-dataelement-13451 link
└  Free text	0 ... 1	Free text field to be used if no code is availableFree text	prsb03-dataelement-13452 link
└  Consent for information sharing	0 ... 1	This is a record of consent for information sharing under the common law duty of confidentiality. Where consent has not been obtained or sought, the reason why should be provided. Include best interests decision where person lacks capacity. This is a placeholder until the national guidance is published.Free text	prsb03-dataelement-13575 link
└  Reason for consent not given	0 ... 1	Reason not given for consentFree text	prsb03-dataelement-13778 link
└  Performing professional	0 ... 1		prsb03-dataelement-11715 link

	The professional who took the consent for information sharing	
└  Name	0 ... 1	prsb03-dataelement-11716 link
	The name of the professional.Free text.	
└  Role	0 ... 1	prsb03-dataelement-11717 link
	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc.FHIR value set :- SDSjobroletype	
└  Grade	0 ... 1	prsb03-dataelement-11718 link
	The grade of the professional.Free text	
└  Speciality	0 ... 1	prsb03-dataelement-11719 link
	The specialty of the professional e.g. physiotherapy, oncology, mental health etc.NHS data dictionary - Activity treatment function code	
└  Professional identifier	0 ... 1	prsb03-dataelement-11720 link
	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier	
└  Organisation	0 ... 1	prsb03-dataelement-11721 link
	The name of the organisation the professional works for.	
└  Contact details	0 ... 1	prsb03-dataelement-11722 link
	Contact details of the professionalNHS data dictionary - UK phone number	
└  Person completing record	0 ... 1	prsb03-dataelement-11723 link
	Details of the person completing the record.	
└  Name	0 ... 1	prsb03-dataelement-11724 link
	The name of the person completing the record.Free text.	
└  Role	0 ... 1	prsb03-dataelement-11725 link
	The organisational role of the person completing record.FHIR value set :- SDSjobrole	
└  Grade	0 ... 1	prsb03-dataelement-11726 link
	The grade of the person completing the record.Free text.	
└  Specialty	0 ... 1	prsb03-dataelement-11727 link
	The main specialty of the person completing the record.NHS data dictionary :- Activity treatment function code	
└  Organisation	0 ... 1	prsb03-dataelement-11728 link
	The organisation the person completing the record works for.	
└  Professional identifier	0 ... 1	prsb03-dataelement-11729 link
	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier	
└  Date completed	0 ... 1	prsb03-dataelement-11730 link
	The date and time the record was completed.Date and time.	
└  Contact details	0 ... 1	prsb03-dataelement-11731 link

	Contact details of the person completing the record.	
	NHS data dictionary : - UK telephone number	
└ Consent relating to child	0 ... 1	prsb03-dataelement-10422 link
	Details of the person's consent relating to child	
└ Date	0 ... 1	prsb03-dataelement-11732 link
	The date when the person with responsibility for the child was identified.Date and time	
└ Location	0 ... 1	prsb03-dataelement-11733 link
	The location where the person with responsibility for the child was identified.	
└ Coded value	0 ... 1	prsb03-dataelement-13674 link
	The coded value for locationNHS data dictionary : - Organisation data service	
└ Free text	0 ... 1	prsb03-dataelement-13675 link
	Free text field to be used if no coded text available	
└ Consent relating to child	0 ... 1	prsb03-dataelement-13576 link
	The person with parental responsibility or appointed guardian where a child lacks competency. Consideration of age and competency, applying Gillick competency or Fraser guidelines.Free text	
└ Performing professional	0 ... 1	prsb03-dataelement-11734 link
	The professional who identified the person responsible for the child.	
└ Name	0 ... 1	prsb03-dataelement-11735 link
	The name of the professional.Free text.	
└ Role	0 ... 1	prsb03-dataelement-11736 link
	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etcFHIR value set :- SDSjobroletype	
└ Grade	0 ... 1	prsb03-dataelement-11737 link
	The grade of the professional.Free text	
└ Speciality	0 ... 1	prsb03-dataelement-11738 link
	The specialty of the professional e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code	
└ Professional identifier	0 ... 1	prsb03-dataelement-11739 link
	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.NHS data dictionary : - Professional registration identifier	
└ Organisation	0 ... 1	prsb03-dataelement-11740 link
	The name of the organisation the professional works for.	
└ Contact details	0 ... 1	prsb03-dataelement-11741 link
	Contact details of the professionalNHS data dictionary - UK phone number	
└ Person completing record	0 ... 1	prsb03-dataelement-11742 link
	Details of the person completing the record.	
└ Name	0 ... 1	prsb03-dataelement-11743 link

	The name of the person completing the record.Free text.	
└  Role	0 ... 1	prsb03-dataelement-11744 link
	The organisational role of the person completing record.FHIR value set :- SDSjobrole	
└  Grade	0 ... 1	prsb03-dataelement-11745 link
	The grade of the person completing the record.Free text.	
└  Specialty	0 ... 1	prsb03-dataelement-11746 link
	The main specialty of the person completing the record.NHS data dictionary :- Activity treatment function code	
└  Organisation	0 ... 1	prsb03-dataelement-11747 link
	The organisation the person completing the record works for.	
└  Professional identifier	0 ... 1	prsb03-dataelement-11748 link
	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier	
└  Date completed	0 ... 1	prsb03-dataelement-11749 link
	The date and time the record was completed.Date and time.	
└  Contact details	0 ... 1	prsb03-dataelement-11750 link
	Contact details of the person completing the record.	
	NHS data dictionary : - UK telephone number	
└  Safeguarding	0 ... 1	prsb03-dataelement-271 link
	The safeguarding details of the person.	
└  Safeguarding concerns	0 ... *	prsb03-dataelement-10821 link
	Details of safeguarding concerns	
└  Safeguarding indicator	0 ... 1	prsb03-dataelement-13428 link
	Indicates whether or not the hospital considers that there are safeguarding issues associated with the patient.Flag: No =N: Yes = Y	
└  Safeguarding concerns	0 ... 1	prsb03-dataelement-10171 link
	Identified safeguarding concerns.	
└  Coded value	0 ... 1	prsb03-dataelement-13756 link
	The coded value for safeguarding concernsSNOMED CT : - 999002381000000108 Safeguarding issues simple reference set (foundation metadata concept)	
└  Free text	0 ... 1	prsb03-dataelement-13757 link
	Free text field to be used if no code is availableFree text	
└  Comment	0 ... 1	prsb03-dataelement-10175 link
	Further details on safeguarding concerns.Free text	
└  Referral details	0 ... 1	prsb03-dataelement-105 link
	The details of the referral.	
└  Referral details record entry	0 ... *	prsb03-dataelement-10917 link

This is the referral details record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.

 Reason for referral	1 ... 1 Mandatory	prsb03-dataelement-10011 link
	The reason for the referral, e.g. diagnosis, treatment, transfer of care due to relocation, investigation, second opinion, management of the patient (e.g. palliative care), or carer's concerns.Free text	
 Coded value	0 ... 1	prsb03-dataelement-13455 link
	The coded value for reason for referralSNOMED CT :- ^1127581000000103 Health issues simple reference set	
 Free text	0 ... 1	prsb03-dataelement-13456 link
	Free text field to be used if no code is availableFree text	
 Expectation of referral	0 ... *	prsb03-dataelement-10699 link
	A clear statement of the expectations of the person or professional making the referral in regards to the management of the patient e.g. advice only, diagnosis, treatment, etc. To include any specific patient expectation.Free text	
 Clinical urgency of referral	0 ... 1	prsb03-dataelement-10010 link
	The details of the clinical urgency of referral	
 Reason for urgency of referral	0 ... 1	prsb03-dataelement-10976 link
	The reason for urgency of referral if not routine.Free text	
 Referral to	0 ... 1	prsb03-dataelement-10008 link
	Details of where the referral is to be sent.	
	If not an individual, this could be a service, e.g. GP surgery, department, specialty, subspecialty, educational institution, mental health etc.	
 Name	0 ... 1	prsb03-dataelement-10977 link
	Name of person the referral is to be sent to.Free text	
 Role	0 ... 1	prsb03-dataelement-10978 link
	Role of person where the referral is to be sent to.FHIR value set : - sdsjobrole	
 Grade	0 ... 1	prsb03-dataelement-10979 link
	The grade of the person where the referral is sent to.Free text	
 Team	0 ... 1	prsb03-dataelement-10982 link
	The team or department of the person where the referral is being sent toFree text.	
 Specialty	0 ... 1	prsb03-dataelement-10983 link
	The specialty the referral is being sent to e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code	
 Service	0 ... 1	prsb03-dataelement-12412 link
	The service of where the referral is sent to.	
 Coded value	0 ... 1	prsb03-dataelement-13509 link
	The coded value for serviceSNOMED CT: - 1127531000000102 Services simple reference set (foundation metadata concept)	
 Free text	0 ... 1	prsb03-dataelement-13510 link

		Free text field to be used if no code is availableFree text	
└ Organisation	0 ... 1	The organisation of where the referral is to be sent.	prsb03-dataelement-10980 link
└ Coded value	0 ... 1	The coded value for organisationNHS data dictionary :- Organisation data service	prsb03-dataelement-13511 link
└ Free text	0 ... 1	Free text field to be used if no code is availableFree text	prsb03-dataelement-13512 link
└ Contact details	0 ... 1	The contact details of where the referral is to be sent.Free text.	prsb03-dataelement-10981 link
Contacts with professionals	1 ... 1 Mandatory	The details of the person's contact with a professional.	prsb03-dataelement-169 link
└ Contacts with professionals record entry	1 ... *	This is a contacts record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	prsb03-dataelement-10718 link
└ Date of contact	1 ... 1 Mandatory	Date and time of the contact.Date and time.	prsb03-dataelement-10069 link
└ Location of contact	0 ... 1	The location where the contact took place.	prsb03-dataelement-10075 link
└ Coded value	0 ... 1	The coded value for locationNHS data dictionary : - Organisation service code	prsb03-dataelement-13513 link
└ Free text	0 ... 1	Free text field to be used if no code is availableFree text	prsb03-dataelement-13514 link
└ Reason for service	0 ... 1	The reason why the person has been offered the serviceFree text	prsb03-dataelement-13751 link
└ Consultation method	0 ... 1	Consultation method used e.g. face to face, telephoneNHS data dictionary - Consultation medium	prsb03-dataelement-10071 link
└ Service	0 ... 1	The service that was provided.SNOMED CT :- 1127531000000102 Services simple reference set (foundation metadata concept)	prsb03-dataelement-10074 link
└ Person accompanying patient	0 ... *	Identify, where clinically relevant, others accompanying the patient, e.g. parent, relative, friend. Includes: Name, Relationship, role (e.g. informal carer).NHS data dictionary : - Person full name	prsb03-dataelement-10079 link
└ Organisation name	1 ... 1 Mandatory	The name, including the identifier, of the organisation providing the serviceNHS data dictionary : - Organisation name	prsb03-dataelement-10706 link

 Organisation address	0 ... 1	prsb03-dataelement-10713 link
	The name of the organisation, including the identifier.NHS data dictionary : - Organisation address	
 Organisation contact details	0 ... *	prsb03-dataelement-10707 link
	The contact details of the organisation. For example a phone number, NHSmail address etc. Contact details are used to resolve queries about the record entry.Free text	
 Reason for non-provision of service	0 ... 1	prsb03-dataelement-10708 link
	The reason why the patient was not provided with the service e.g. declined, did not attend etc.Free text	
 Clinician name	1 ... 1 Mandatory	prsb03-dataelement-10709 link
	The name of the person providing the service.Free text	
 Role	0 ... 1	prsb03-dataelement-10710 link
	The role of the person providing the service.FHIR values set : - sdsjobrole	
 Chaperone	0 ... *	prsb03-dataelement-10712 link
	The name of any chaperone(s).Free text	
 Professional identifier	0 ... 1	prsb03-dataelement-10711 link
	Professional identifier of the person providing the service.NHS data dictionary : - professional identifier	
 Presenting complaints or issues	0 ... 1	prsb03-dataelement-210 link
	Presenting complaints or issues	
 Presenting complaint or issue	0 ... *	prsb03-dataelement-13784 link
	The health problem or issue experienced by the patient resulting in their attendance. This may include disease state, medical condition, response and reactions to therapies. E.g., blackout, dizziness, chest pain, follow up from admission, falls, a specific procedure, investigation or treatment.	
 Coded value	0 ... 1	prsb03-dataelement-13785 link
	The coded value for presenting complaint or issueSNOMED CT : - ^1127581000000103 Health issues simple reference set	
 Free text	0 ... 1	prsb03-dataelement-13786 link
	Free text	
 History	0 ... 1	prsb03-dataelement-226 link
	History	
 Relevant past medical, surgical and mental health history	0 ... 1	prsb03-dataelement-10130 link
	The record of the person's significant medical, surgical and mental health history. Including relevant previous diagnoses, problems and issues, procedures, investigations, specific anesthesia issues, etc. (will include dental and obstetric history)	
	A list of the person's relevant past medical, surgical and mental health history recorded in	

	free text or coded form or Information relating to past medical, surgical and mental health history may be provided by the referral document or during the consultation.	
└  Coded value	0 ... 1	prsb03-dataelement-13787 link
	The coded value relevant past medical, surgical and mental health historySNOMED CT : - ^1127581000000103 Health issues simple reference set	
└  Free text	0 ... 1	prsb03-dataelement-13788 link
	Free text field to be used if no code is availableFree text	
└  Clinical Summary	0 ... 1	prsb03-dataelement-247 link
	Clinical Summary	
└  Clinical narrative	0 ... 1	prsb03-dataelement-10150 link
	A description detailing a patient's reason for attendance, results from the diagnostic and treatment process.Free text	
└  Investigation results	0 ... 1	prsb03-dataelement-257 link
	Investigation results	
└  Investigation results record entry	0 ... *	prsb03-dataelement-10654 link
	This is a investigation result record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
└  Date	0 ... 1	prsb03-dataelement-10157 link
	The date and time when the investigation was performedDate and time	
└  Investigation	1 ... 1 Mandatory	prsb03-dataelement-10160 link
	The investigation performed.	
└  Coded value	0 ... 1	prsb03-dataelement-13525 link
	The coded value for investigationSNOMED CT: - <71388002 Procedure (procedure)	
└  Free text	0 ... 1	prsb03-dataelement-13526 link
	Free text field to be used if no code is availableFree text	
└  Investigation result	0 ... 1	prsb03-dataelement-10161 link
	For each investigation, the result of the investigation. This can include a report which may have results for multiple tests.	
└  Coded value	0 ... 1	prsb03-dataelement-13527 link
	The coded value for investigation resultsSNOMED CT:- <404684003 Clinical finding (finding) OR <243796009 Situation with explicit context (situation)	
└  Free text	0 ... 1	prsb03-dataelement-13528 link
	Free text field to be used if no code is availableFree text	
└  Investigation Method	0 ... 1	prsb03-dataelement-14094 link
	Method used in carrying out investigationCoded entry - Point of care test, Laboratory test	
└  Structured investigation result	0 ... 1	prsb03-dataelement-12415 link
	A structured set of information for each investigation result.	
└  Value	0 ... 1	prsb03-dataelement-12416 link
	The value of the investigation result.Numeric	

 Contact details	0 ... 1	prsb03-dataelement-13987 link
	The contact details of where been signposted toFree text	
 Reason for signpost	0 ... 1	prsb03-dataelement-13988 link
	Reason for signposting	
 Free text	0 ... 1	prsb03-dataelement-13990 link
	Free textFree text	
 Clinical urgency for signpost	0 ... 1	prsb03-dataelement-13991 link
	The details of the clinical urgency of signpost Free text	
 Examination findings	0 ... *	prsb03-dataelement-557 link
	Examination findings	
 Examination findings record entry	0 ... *	prsb03-dataelement-10662 link
	This is a examination findings record entry. There may be 0 to many record entry/entries under a section. Each record entry is made up of a number of elements or data items.	
 Date	0 ... 1	prsb03-dataelement-10462 link
	The date the examination was performed.Date and time	
 Observations	0 ... 1	prsb03-dataelement-10464 link
	The record of essential physiological measurements, e.g., heart rate, blood pressure, temperature, pulse, height, weight, respiratory rate, oxygen saturation.	
 Observations record entry	0 ... *	prsb03-dataelement-13866 link
	This is an observations record entry. There may be 0 to many record entry/entries under a section. Each record entry is made up of a number of elements or data items.	
 Coded value	0 ... 1	prsb03-dataelement-13447 link
	The coded value for observationsSNOMED CT: - <363787002 Observable entity (observable entity)	
 Value	0 ... 1	prsb03-dataelement-13832 link
	The measured value of the observationsEnumerated value e.g. numeric, natural numbers, mild, moderate	
 Units of measure	0 ... 1	prsb03-dataelement-13833 link
	The units of measure for the observation.UCUM code	
 Site	0 ... 1	prsb03-dataelement-13848 link
	The anatomical site at which the observation is takenSNOMED CT: - 442083009 Anatomical or acquired body structure (body structure)	
 Interpretation	0 ... 1	prsb03-dataelement-13843 link
	The assessment made based on the result of the observation e.g high, lowFHIR value set: - Interpretation	
 Free text	0 ... 1	prsb03-dataelement-13448 link
	Free text field to be used if no code is availableFree text	
 Height/length	0 ... 1	prsb03-dataelement-13761 link
	The person's height and length measurement	
 Coded value	0 ... 1	prsb03-dataelement-13812 link

	The coded value for height/lengthSNOMED CT: - 50373000 Body height measure (observable entity) OR 248334005 Length of body (observable entity)	
└  Value	0 ... 1	prsb03-dataelement-13813 link
	The value of the observation.Numeric	
└  Units of measure	0 ... 1	prsb03-dataelement-13817 link
	The units of measure for height/lengthUCUM code	
└  Weight	0 ... 1	prsb03-dataelement-13814 link
	The person's weight in kgs	
└  Coded value	0 ... 1	prsb03-dataelement-13815 link
	The coded value of weightSNOMED CT : - 27113001 Body weight (observable entity)	
└  Value	0 ... 1	prsb03-dataelement-13816 link
	The value of the person's weightNumeric	
└  Units of measure	0 ... 1	prsb03-dataelement-13818 link
	The units of measure for weightUCUM code	
└  BMI	0 ... 1	prsb03-dataelement-13819 link
	The person's BMI calculation	
└  Coded value	0 ... 1	prsb03-dataelement-13820 link
	The coded value of BMISNOMED CT: - 60621009 Body mass index (observable entity)	
└  Value	0 ... 1	prsb03-dataelement-13821 link
	The value of the person's BMINumeric	
└  Units of measure	0 ... 1	prsb03-dataelement-13822 link
	The units of measure for BMIUCUM code	
└  Blood pressure	0 ... 1	prsb03-dataelement-13823 link
	The person's blood pressure measurement	
└  Systolic blood pressure	0 ... 1	prsb03-dataelement-13824 link
	Details of the person's systolic blood pressure	
└  Coded value	0 ... 1	prsb03-dataelement-13825 link
	The coded value for systolic blood pressureSNOMED CT : - <>271649006 Systolic blood pressure (observable entity)	
└  Value	0 ... 1	prsb03-dataelement-13826 link
	The value of the systolic blood pressure readingNumeric	
└  Units of measure	0 ... 1	prsb03-dataelement-13827 link
	The units of measure for systolic blood pressureUCUM code	
└  Site	0 ... 1	prsb03-dataelement-13829 link
	The anatomical site at which the blood pressure is taken	
└  Coded value	0 ... 1	prsb03-dataelement-13830 link

	The coded value for site SNOMED CT: - <442083009 Anatomical or acquired body structure (body structure)	
└─📁 Free text	0 ... 1	prsb03-dataelement-13831 link
	Free text field to be used when code is not availableFree text	
└─📁 Diastolic blood pressure	0 ... 1	prsb03-dataelement-13867 link
└─📁 Coded value	0 ... 1	prsb03-dataelement-13868 link
	The coded value for diastolic blood pressure.SNOMED CT :- <<271650006 Diastolic blood pressure (observable entity)	
└─📁 Value	0 ... 1	prsb03-dataelement-13869 link
	The value of the diastolic blood pressure readingNumeric	
└─📁 Units of measure	0 ... 1	prsb03-dataelement-13870 link
	The units of measure for the diastolic blood pressureUCUM code	
└─📁 Site	0 ... 1	prsb03-dataelement-13871 link
	The anatomical site at where the blood pressure is taken	
└─📁 Coded value	0 ... 1	prsb03-dataelement-13872 link
	The coded value for site SNOMED CT: - <442083009 Anatomical or acquired body structure (body structure)	
└─📁 Free text	0 ... 1	prsb03-dataelement-13873 link
	Free text field to be used when code is not availableFree text	
└─📁 Heart rate	0 ... 1	prsb03-dataelement-13859 link
	The beat of the heart as felt through the walls of a peripheral artery measured in bpm	
└─📁 Coded value	0 ... 1	prsb03-dataelement-13970 link
	The coded value for heart rateSNOMED CT : - 364075005 Heart rate (observable entity)	
└─📁 Value	0 ... 1	prsb03-dataelement-13971 link
	The numeric value of heart rateNumeric	
└─📁 Units of measure	0 ... 1	prsb03-dataelement-13972 link
	The units of measure for heart rateUCUM code	
└─📁 Temperature	0 ... 1	prsb03-dataelement-14235 link
	The measurement of the person's temperature in Celsius (OC)	
└─📁 Coded value	0 ... 1	prsb03-dataelement-14236 link
	The coded value for tempreatureSNOMED CT : -<<386725007 Body temperature (observable entity)	
└─📁 Value	0 ... 1	prsb03-dataelement-14237 link
	The value of the person tempreatureNumeric	
└─📁 Units of measure	0 ... 1	prsb03-dataelement-14238 link
	The units of measure for the persons tempreatureUCUM code	

Oxygen saturation	0 ... 1	prsb03-dataelement-14239 link
	The measurement of oxygen within the blood (expressed as a percentage of 100)	
Coded value	0 ... 1	prsb03-dataelement-14240 link
	The coded value for Oxygen saturationSNOMED CT: - 431314004 Peripheral oxygen saturation (observable entity)	
Value	0 ... 1	prsb03-dataelement-14241 link
	The value for the persons oxygen saturationNumeric	
Units of measure	0 ... 1	prsb03-dataelement-14242 link
	The units of measure for oxygen saturationUCUM code	
Pain score	0 ... 1	prsb03-dataelement-14243 link
	The pain score for the person	
Coded value	0 ... 1	prsb03-dataelement-14244 link
	The coded value for pain scoreSNOMED CT : - 225908003 Pain score (observable entity)	
Value	0 ... 1	prsb03-dataelement-14245 link
	The value for the pain scoreNumeric	
Units of measure	0 ... 1	prsb03-dataelement-14246 link
	The units of measure for pain scoreUCUM	
Level of consciousness	0 ... 1	prsb03-dataelement-14247 link
	Person's level of arousal and awareness	
Coded value	0 ... 1	prsb03-dataelement-14249 link
	Coded value for level of consciousness	
	SNOMED CT : - 1104441000000107 Alert Confusion Voice Pain Unresponsive scale score (observable entity)	
Value	0 ... 1	prsb03-dataelement-14251 link
	Value of the level of consciousnessNumeric	
Units of measure	0 ... 1	prsb03-dataelement-14252 link
	Unit of measure for level of consciousnessUCUM	
Respiratory rate	0 ... 1	prsb03-dataelement-14248 link
	Number of breaths you take per minute	
Coded value	0 ... 1	prsb03-dataelement-14254 link
	Coded value for respiratory rate SNOMED CT : - 86290005 Respiratory rate (observable entity)	
Value	0 ... 1	prsb03-dataelement-14255 link
	Value for respiratory rateNumeric	
Unit of measure	0 ... 1	prsb03-dataelement-14256 link
	Unit of measure of respiratory rate UCUM code	

 National early warning score (NEWS 2)	0 ... 1	prsb03-dataelement-13861 link
	The NEWS is based on a simple aggregate scoring system in which a score is allocated to physiological measurements, already recorded in routine practice, when patients present to, or are being monitored in hospital	
 Coded value total score	0 ... 1	prsb03-dataelement-13862 link
	The coded value for NEWS 2 total scoreSNOMED CT : - 1104051000000101 Royal College of Physicians National Early Warning Score 2 total score (observable entity)	
 Value for total score	0 ... 1	prsb03-dataelement-13863 link
	The actual NEWS 2 score.Numeric	
 Coded value subscore	0 ... 1	prsb03-dataelement-13864 link
	Coded value for the subscoreSNOMED CT : - 1104301000000104 Royal College of Physicians National Early Warning Score 2 - respiration rate score (observable entity) 1104351000000103 Royal College of Physicians National Early Warning Score 2 - pulse score (observable entity) 1104311000000102 Royal College of Physicians National Early Warning Score 2 - oxygen saturation scale 1 score (observable entity) 1104331000000105 Royal College of Physicians National Early Warning Score 2 - air or oxygen score (observable entity) 1104371000000107 Royal College of Physicians National Early Warning Score 2 - temperature score (observable entity) 1104341000000101 Royal College of Physicians National Early Warning Score 2 - systolic blood pressure score (observable entity) 1104361000000100 Royal College of Physicians National Early Warning Score 2 - consciousness score (observable entity)	
 Subscore	0 ... 1	prsb03-dataelement-13865 link
	Subscore from each NEWS2 observationNumeric	
 Assessments	0 ... 1	prsb03-dataelement-262 link
	Details of the person's assessments	
 Assessments record entry	0 ... *	prsb03-dataelement-11664 link
	This is the assessments record entry. There may be 0 to many record entry/entries under a section. Each record entry is made up of a number of elements or data items.	
 Assessment scale	0 ... 1	prsb03-dataelement-12962 link
	Assessment scale used, e.g. New York Heart Failure, Activities of Daily Living (ADL)Free Text. Content could include scale name, date and time of assessment and values recorded, including overall score. Format of assessment would be determined locally and may be tabular.	
 Date	0 ... 1	prsb03-dataelement-10763 link
	The date the assessment was done.Date and time.	
 Assessment type	0 ... 1	prsb03-dataelement-10822 link
	The type of the assessment e.g. social care needs assessment.Free text	
 Assessment summary	0 ... 1	prsb03-dataelement-10754 link
	The summary of the assessmentFree text	
 Structured assessment	0 ... 1	prsb03-dataelement-10655 link
	Details of the structured assessment.	

 Structured assessment name	0 ... 1	prsb03-dataelement-11751 link
	Structured assessment name e.g. New York Heart Failure, Glasgow Coma scale, Activities of Daily Living (ADL) etc.SNOMED CT	
 Assessment score	0 ... 1	prsb03-dataelement-10162 link
	The structured assessment score.Free text.	
 Assessment value	0 ... 1	prsb03-dataelement-10163 link
	The structured assessment value.Numeric	
 Global score	0 ... 1	prsb03-dataelement-10166 link
	The total global score from the assessment.Free text	
 Subscale score	0 ... 1	prsb03-dataelement-10169 link
	The subscale score of the structured assessment.Free text.	
 Subscale value	0 ... *	prsb03-dataelement-10170 link
	The subscale value of the structured assessment.Numeric	
 Allergies and adverse reactions	0 ... 1	prsb03-dataelement-282 link
	Allergies and adverse reactions	
 Allergies and adverse reactions record entry	0 ... *	prsb03-dataelement-10657 link
	This is a allergies and adverse reactions record entry. There may be 1 to many record entries under a section.	
 Type of reaction	0 ... 1	prsb03-dataelement-10186 link
	Each record entry is made up of a number of elements or data items.	
	The type of reaction experienced by the person (allergic, adverse, intolerance)FHIR value set :- Allergy, Intolerance	
 Causative agent	1 ... 1 Mandatory	prsb03-dataelement-10182 link
	The agent such as food, drug or substances that has caused or may cause an allergy, intolerance or adverse reaction in this person Or “No known drug allergies or adverse reactions” Or “Information not available”	
 Coded value	0 ... 1	prsb03-dataelement-13441 link
	The coded value for causative agentSNOMED CT : - <105590001 Substance OR <373873005 Pharmaceutical / biologic product OR <<716186003 No known allergy OR 196461000000101 Transfer-degraded drug allergy OR 196471000000108 Transfer-degraded non-drug allergy)	
 Free text	0 ... 1	prsb03-dataelement-13442 link
	Free text field to be used if no code is availableFree text	
 Reaction details cluster	0 ... *	prsb03-dataelement-10658 link
	Details of the reaction.	
 Date	0 ... 1	prsb03-dataelement-10190 link
	The date that the reaction was identified.Date and time	

 Description of reaction	0 ... 1	prsb03-dataelement-10183 link
	A description of the manifestation of the allergic or adverse reaction experienced by the person. For example, skin rash.	
 Coded value	0 ... 1	prsb03-dataelement-13556 link
	The coded value for description of reaction.SNOMED CT: - ^1127581000000103 Health issues simple reference set	
 Free text	0 ... 1	prsb03-dataelement-13557 link
	Free text field to be used if no code is availableFree text	
 Severity	0 ... 1	prsb03-dataelement-10184 link
	A description of the severity of the reaction.	
 Coded value	0 ... 1	prsb03-dataelement-13558 link
	The coded value for severityFHIR value set : - Severity	
 Free text	0 ... 1	prsb03-dataelement-13559 link
	Free text field to be used if no code is availableFree text	
 Certainty	0 ... 1	prsb03-dataelement-10185 link
	A description of the certainty that the stated causative agent caused the allergic or adverse reaction.	
 Coded value	0 ... 1	prsb03-dataelement-13560 link
	The coded value for certainty.FHIR value set : - Certainty	
 Free text	0 ... 1	prsb03-dataelement-13561 link
	Free text field to be used if no code is availableFree text	
 Comment	0 ... 1	prsb03-dataelement-10189 link
	Any additional comment or clarification about the adverse reaction.Free text	
 Evidence	0 ... 1	prsb03-dataelement-10187 link
	Results of investigations that confirmed the certainty of the diagnosis. Examples might include results of skin prick allergy testsFree text	
 Date first experienced	0 ... 1	prsb03-dataelement-10188 link
	When the reaction was first experienced i.e this may not be the first this has happened. May be a date or partial date (e.g. year) or text (e.g. during childhood)Date and time	
 Allergy end date	0 ... 1	prsb03-dataelement-14253 link
	The date the allergy was diagnosed as endedDate and time	
 Medications and medical devices	0 ... 1	prsb03-dataelement-636 link
	Medications and medical devices	
 Medication item entry	0 ... *	prsb03-dataelement-10663 link
	All medications and devices that can be prescribed to be entered via this Medication item entry. Handles details of continuation / addition / amendment of admission medications.	
 Medication item cluster	0 ... *	prsb03-dataelement-10664 link
	Medication item cluster	
 Date	0 ... 1	prsb03-dataelement-10843 link
	The date on which the medication or medical device was prescribed.Date and time	

 Medication name	1 ... 1 Mandatory	prsb03-dataelement-10536 link
	May be generic name or brand name.	
 Coded value	0 ... 1	prsb03-dataelement-13622 link
	The coded value for medication namedm+d: any code from the VTM, VMP, AMP, VMPP and AMPP concept classes	
 Free text	0 ... 1	prsb03-dataelement-13623 link
	Free text field to be used if no code is availableFree text	
 Form	0 ... 1	prsb03-dataelement-10537 link
	The form of the medication e.g. capsule, drops, tablet, lotion etc.	
 Coded value	0 ... 1	prsb03-dataelement-13624 link
	The coded value for form.SNOMED CT: - 421967003 Drug dose form (qualifier value)	
 Free text	0 ... 1	prsb03-dataelement-13625 link
	Free text field to be used if no code is availableFree text	
 Quantity supplied	1 ... 1 Mandatory	prsb03-dataelement-10539 link
	The quantity of the medication (e.g. tablets, inhalers, etc.) provided to the person. This may be dispensed by the pharmacy or on the ward. Record in a structured format i.e. value and a unitFree text	
 Value	0 ... 1	prsb03-dataelement-14271 link
	The value of the quantity suppliedEnumerated value	
 Unit of measure	0 ... 1	prsb03-dataelement-14272 link
	Unit of measure of quantity suppliedUCUM code	
 Route	0 ... *	prsb03-dataelement-10538 link
	The route by which the medication is administered e.g. oral, IM, IV	
 Coded value	0 ... 1	prsb03-dataelement-13655 link
	The coded value for routeSNOMED CT: - 999000051000001100 ePrescribing route of administration simple reference set (foundation metadata concept)	
 Free text	0 ... 1	prsb03-dataelement-13656 link
	Free text field to be used if no code is availableFree text	
 Site	0 ... 1	prsb03-dataelement-10540 link
	The anatomical site at which the medication is to be administered.	
 Coded value	0 ... 1	prsb03-dataelement-13657 link
	The coded value for site SNOMED CT: - <442083009 Anatomical or acquired body structure (body structure)	
 Free text	0 ... 1	prsb03-dataelement-13658 link
	Free text field to be used when code is not availableFree text	
 Supply type	0 ... 1	prsb03-dataelement-13754 link
	A description of the type of supply (e.g. emergency supply, over the counter medication, patient group direction etc)	
 Batch number	0 ... 1	prsb03-dataelement-13789 link
	The batch number of the product.	

 Coded value	0 ... 1	prsb03-dataelement-13790 link
 Free text	0 ... 1	prsb03-dataelement-13791 link
	Free text field to be used if no code is available	Free text
 Dose directions description	0 ... 1	prsb03-dataelement-10544 link
	Describes the entire medication dosage and administration directions including dose quantity and medication frequency and optionally duration e.g. "1 tablet at night" or "2mg at 10pm".Free text	
 Structured dose direction cluster	0 ... 1	prsb03-dataelement-11639 link
	A structural representation of the elements carried by the dose syntax in 'parsable dose strength / timing' i.e. dose strength, dose timing, dose duration and maximum dose.	
 Structured dose amount	0 ... 1	prsb03-dataelement-10554 link
	A structural representation of dose amount, e.g. 20mg or 2 tablets. This element will generally only be used when persisting data within systems with 'parsable dose directions' being used to exchange the same information between systems.As per FHIR Dose Syntax Implementation Guidance (NHS Digital): https://simplifier.net/guide/DoseSyntaxImplementationGuidanceforFHIRR4/Home	
 Structured dose timing	0 ... 1	prsb03-dataelement-10555 link
	A slot containing a structural, computable representation of dose timing and maximum dose. This element will generally only be used when persisting data within systems with 'parsable dose directions' being used to exchange the same information between systems.As per FHIR Dose Syntax Implementation Guidance (NHS Digital): https://simplifier.net/guide/DoseSyntaxImplementationGuidanceforFHIRR4/Home	
 Dose direction duration	0 ... 1	prsb03-dataelement-10548 link
	Recommendation of the time period for which the medication should be continued, including direction not to discontinue.As per FHIR Dose Syntax Implementation Guidance (NHS Digital): https://simplifier.net/guide/DoseSyntaxImplementationGuidanceforFHIRR4/Home	
 Additional instructions	0 ... *	prsb03-dataelement-10545 link
	Allows for: requirements for adherence support, e.g. compliance aids, prompts and packaging requirements, additional information about specific medicines e.g. where specific brand required, person requirements, e.g. unable to swallow tablets.FHIR value set : - Additional instruction	
 Matters identified during discussion	1 ... * Mandatory	prsb03-dataelement-13753 link
	Matters identified during the service about the patient's experience of using the medication. Coded text using the following descriptors: a. patient reports using the medicine as prescribed b. patient reports not using the medicine as prescribed c. patient has not started using the medicine d. prescriber has stopped new medicine e. patient is not using the medicine in line with the directions of the prescriber f. patient reports missing a dose in the past 7 days g. patient reports need for more information about the medicine h. patient reports side effects i. patient reports negative feelings about the medicine j. patient reports uncertainty on whether the medicine is working k. patient reports concern about remembering to take the medicine l. patient reports difficulty using the medicine due to its pharmaceutical form/formulation i. other - free text option	

 Course details cluster	0 ... 1	prsb03-dataelement-10561 link
	Details of the overall course of medication.	
 Indication	0 ... 1	prsb03-dataelement-10546 link
	Reason for medication being prescribed, where known.Free text	
 Information and advice given	0 ... 1	prsb03-dataelement-315 link
	Information and advice given	
 Information and advice given	0 ... *	prsb03-dataelement-10215 link
	The oral or written information or advice given to the patient, carer, other authorised representative, care professional or other third party. May include advice about actions related to medicines or other ongoing care activities on an 'information prescription'. State here if there are concerns about the extent to which the patient and/or carer understand the information provided about diagnosis, prognosis and treatment.	
	Free text	
 Distribution list	0 ... 1	prsb03-dataelement-330 link
	Distribution list	
 Distribution list record entry	0 ... 1	prsb03-dataelement-10660 link
	This is a Distribution list record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
 Name	0 ... 1	prsb03-dataelement-10230 link
	The name of the person the communication is to be sent to, this can be a person or professional.Free text	
 Role	0 ... 1	prsb03-dataelement-10231 link
	If the communication is being sent to either a named individual, or to a non-named person with a specific role, then this is the role of the recipient.	
	Role may be entered as the communication is being created, or sourced from the hospital system. This may be a role defined in the National Workforce data set (see the NHS Data Dictionary Job Role Code).FHIR value set : - SDSjobrole	
 Grade	0 ... 1	prsb03-dataelement-10232 link
	The grade of the recipient, if known by the sending institution, otherwise omitted.Free text	
 Organisation name	0 ... 1	prsb03-dataelement-10233 link
	The name of the organisation the recipient is representing or the organisation named as the receiving organisation.	
	An identifier for the organisation will be sent alongside the name, but may not displayed on rendered document.	
	NHS data dictionary : - Organisation code	
 Team	0 ... 1	prsb03-dataelement-10234 link
	Team that the recipient belongs to in the context of receiving this message, or the team acting as the recipient.Free text	
 Relationship	0 ... 1	prsb03-dataelement-13793 link

	The relationship of the receiver to the person for example, carer or parentFHIR value set :- Related person	
Plan and requested actions	0 ... 1	prsb03-dataelement-535 link
	The details of planned investigations, procedures and treatment, and whether this plan has been agreed with the person or their legitimate representative.	
Plan and requested actions record entry	0 ... *	prsb03-dataelement-10661 link
	This is a plan and requested actions record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
Actions for professionals	0 ... *	prsb03-dataelement-10436 link
	Including planned investigations, procedures and treatment for a person's identified conditions and priorities. For each action the following should be identified:outcome expectations, including the person's expectations. A record of the planned and requested actions. May be structured (table), with actions, names, dates, status, location, strategies.Free text	
Actions for person or their carer	0 ... *	prsb03-dataelement-10437 link
	For each action the following should be identified:outcome expectations, including person's expectations. A record of the planned and requested actions. May be structured (table), with actions, names, dates, status, location, strategies.Free text	



Palliative Care

prsb03-transaction-246 link

Version / effective date 2.1 - 2021-02-08 14:29:16

Palliative Care (GP)

prsb03-transaction-248 link

Version / effective date 2.1 - 2021-02-08 14:29:16

Actor Sender (organization) Pharmacy
 Receiver (organization) General practitioner

Associations Data Set (for transaction) PRSB Record structure and content 1(2.16.840.1.113883.3.1937.777.28.1.1 / 2018-10-31)

Contained concepts

Concept	Card/Conf	Id
Person demographics	1 ... 1 Mandatory	prsb03-dataelement-10868 link
	The person's details and contact information.	
Person name	1 ... 1 Mandatory	prsb03-dataelement-10869 link
	Details of the person's name	
Person full name	1 ... 1 Mandatory	prsb03-dataelement-13801 link
	The full name of the person in text representation.NHS data dictionary :- Patient full name	
Date of birth	1 ... 1 Mandatory	prsb03-dataelement-10871 link
	The date of birth of the person.NHS data dictionary:- Person birth date	
Gender	0 ... 1	prsb03-dataelement-10872 link

	The person's stated gender.NHS data dictionary :- Person stated gender code	
└  NHS number	0 ... 1	prsb03-dataelement-10879 link
	The unique identifier for a person within the NHS in England and Wales.NHS data dictionary:- NHS number	
└  Other identifier	0 ... *	prsb03-dataelement-10880 link
	Country specific or local identifier, e.g. Community Health Index (CHI) in Scotland. NHS data dictionary: - Local patient identifier(extended), Health and care number (NI only), Community health index number (Scotland only)	
└  Person's address	1 ... 1 Mandatory	prsb03-dataelement-10881 link
	Person's usual place of residence, and where relevant temporary and correspondence addresses.	
└  Address line 1	1 ... 1 Mandatory	prsb03-dataelement-13082 link
	Person's first line of address. NHS data dictionary :- Address line 1	
└  Address line 2	0 ... 1	prsb03-dataelement-13083 link
	Person's second line of address. NHS data dictionary :- Address line 2	
└  Address line 3	0 ... 1	prsb03-dataelement-13084 link
	Person's third line of address. NHS data dictionary : - Address line 3	
└  Address line 4	0 ... 1	prsb03-dataelement-13085 link
	Person's fourth line of address. NHS data dictionary : - Address line 4	
└  Address line 5	0 ... 1	prsb03-dataelement-13086 link
	Person's fifth line of address.NHS data dictionary : - Address line 5	
└  Postcode	0 ... 1	prsb03-dataelement-13087 link
	The person's postcode.NHS data dictionary :- Postcode of usual address	
└  Person's contact details	0 ... *	prsb03-dataelement-13804 link
	Details of the person's contact information.	
└  Person's telephone number details	0 ... *	prsb03-dataelement-10883 link
	The person's telephone number details	
└  Person's telephone number	0 ... 1	prsb03-dataelement-13808 link
	The person's telephone numberNHS data dictionary : - UK telephone number	
└  Person's telephone number type	0 ... 1	prsb03-dataelement-13805 link
	The contact type e.g. home, mobileFHIR value set: - Contact point use	
└  Preference of telephone number	0 ... 1	prsb03-dataelement-13809 link
	The preferred order of use for the telephone numberPreference of use 1-5, 1 being the highest.	
└  GP practice	1 ... 1 Mandatory	prsb03-dataelement-101 link

	Details of the person's GP practice.	
└─📁 GP practice record entry	1 ... *	prsb03-dataelement-10643 link
	This is an GP practice record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items	
└─🟡 GP practice identifier	1 ... 1 Mandatory	prsb03-dataelement-10001 link
	The identifier of the registered GP practice. NHS data dictionary : - General medical practice code (patient registration)	
└─📁 Legal information	0 ... 1	prsb03-dataelement-520 link
	The legal information relating to the person.	
└─📁 Consent for treatment record	0 ... 1	prsb03-dataelement-10420 link
	Details of the person's consent for treatment.	
└─🟡 Date	0 ... 1	prsb03-dataelement-13457 link
	The date the consent was taken	
└─📁 Location	0 ... 1	prsb03-dataelement-13459 link
	The location of where the consent was taken.	
└─🟡 Coded value	0 ... 1	prsb03-dataelement-13460 link
	The coded value for location.NHS data dictionary : - Organisation data service code	
└─🟡 Free text	0 ... 1	prsb03-dataelement-13461 link
	Free text field to be used if no code is available	
└─🟡 Consent for treatment record	0 ... 1	prsb03-dataelement-13574 link
	Whether consent has been obtained for the treatment. May include where record of consent is located or record of consent. A statement about the patient's consent for treatment	
└─🟡 Location of document	0 ... 1	prsb03-dataelement-13777 link
	The location of the consent for treatment record	
└─📁 Performing professional	0 ... 1	prsb03-dataelement-13462 link
	The professional who took the consent for treatment.	
└─🟡 Name	0 ... 1	prsb03-dataelement-13463 link
	The name of the professional	
└─🟡 Role	0 ... 1	prsb03-dataelement-13464 link
	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etcFHIR value set :- SDSjobroletype	
└─🟡 Grade	0 ... 1	prsb03-dataelement-13465 link
	The grade of the professional	
└─🟡 Speciality	0 ... 1	prsb03-dataelement-13466 link
	The specialty of the professional e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code	
└─🟡 Professional identifier	0 ... 1	prsb03-dataelement-13467 link

	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.NHS data dictionary : - Professional registration identifier	
└ Organisation	0 ... 1	prsb03-dataelement-13468 link
	The name of the organisation the professional works for.	
└ Contact details	0 ... 1	prsb03-dataelement-13469 link
	Contact details of the professionalNHS data dictionary - UK phone number	
└ Person completing record	0 ... 1	prsb03-dataelement-13470 link
	Details of the person completing the record.	
└ Name	0 ... 1	prsb03-dataelement-13471 link
	The name of the person completing the record.Free text.	
└ Role	0 ... 1	prsb03-dataelement-13472 link
	The organisational role of the person completing record.FHIR value set :- SDSjobrole	
└ Grade	0 ... 1	prsb03-dataelement-13473 link
	The grade of the person completing the record.Free text.	
└ Specialty	0 ... 1	prsb03-dataelement-13474 link
	The main specialty of the person completing the record.NHS data dictionary :- Activity treatment function code	
└ Organisation	0 ... 1	prsb03-dataelement-13475 link
	The organisation the person completing the record works for.	
└ Professional identifier	0 ... 1	prsb03-dataelement-13476 link
	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier	
└ Date completed	0 ... 1	prsb03-dataelement-13477 link
	The date and time the record was completed.Date and time.	
└ Contact details	0 ... 1	prsb03-dataelement-13478 link
	Contact details of the person completing the record.	
	NHS data dictionary : - UK telephone number	
└ Consent for information sharing	0 ... 1	prsb03-dataelement-10421 link
	Details of the person's consent for information sharing	
└ Date	0 ... 1	prsb03-dataelement-11713 link
	The date when the consent was givenDate and time	
└ Location	0 ... 1	prsb03-dataelement-11714 link
	The location where the consent was taken.	
└ Coded value	0 ... 1	prsb03-dataelement-13451 link
	The coded value for location.NHS data dictionary : - Organisation data service code	

 Free text	0 ... 1	prsb03-dataelement-13452 link
	Free text field to be used if no code is availableFree text	
 Consent for information sharing	0 ... 1	prsb03-dataelement-13575 link
	This is a record of consent for information sharing under the common law duty of confidentiality. Where consent has not been obtained or sought, the reason why should be provided. Include best interests decision where person lacks capacity. This is a placeholder until the national guidance is published.Free text	
 Reason for consent not given	0 ... 1	prsb03-dataelement-13778 link
	Reason not given for consentFree text	
 Performing professional	0 ... 1	prsb03-dataelement-11715 link
	The professional who took the consent for information sharing	
 Name	0 ... 1	prsb03-dataelement-11716 link
	The name of the professional.Free text.	
 Role	0 ... 1	prsb03-dataelement-11717 link
	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etcFHIR value set :- SDSjobroletype	
 Grade	0 ... 1	prsb03-dataelement-11718 link
	The grade of the professional.Free text	
 Speciality	0 ... 1	prsb03-dataelement-11719 link
	The specialty of the professional e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code	
 Professional identifier	0 ... 1	prsb03-dataelement-11720 link
	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.NHS data dictionary : - Professional registration identifier	
 Organisation	0 ... 1	prsb03-dataelement-11721 link
	The name of the organisation the professional works for.	
 Contact details	0 ... 1	prsb03-dataelement-11722 link
	Contact details of the professionalNHS data dictionary - UK phone number	
 Person completing record	0 ... 1	prsb03-dataelement-11723 link
	Details of the person completing the record.	
 Name	0 ... 1	prsb03-dataelement-11724 link
	The name of the person completing the record.Free text.	
 Role	0 ... 1	prsb03-dataelement-11725 link
	The organisational role of the person completing record.FHIR value set :- SDSjobrole	
 Grade	0 ... 1	prsb03-dataelement-11726 link
	The grade of the person completing the record.Free text.	

 Specialty	0 ... 1	prsb03-dataelement-11727 link
	The main specialty of the person completing the record.NHS data dictionary :- Activity treatment function code	
 Organisation	0 ... 1	prsb03-dataelement-11728 link
	The organisation the person completing the record works for.	
 Professional identifier	0 ... 1	prsb03-dataelement-11729 link
	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier	
 Date completed	0 ... 1	prsb03-dataelement-11730 link
	The date and time the record was completed.Date and time.	
 Contact details	0 ... 1	prsb03-dataelement-11731 link
	Contact details of the person completing the record.	
	NHS data dictionary : - UK telephone number	
 Consent relating to child	0 ... 1	prsb03-dataelement-10422 link
	Details of the person's consent relating to child	
 Date	0 ... 1	prsb03-dataelement-11732 link
	The date when the person with responsibility for the child was identified.Date and time	
 Location	0 ... 1	prsb03-dataelement-11733 link
	The location where the person with responsibility for the child was identified.	
 Coded value	0 ... 1	prsb03-dataelement-13674 link
	The coded value for locationNHS data dictionary : - Organisation data service	
 Free text	0 ... 1	prsb03-dataelement-13675 link
	Free text field to be used if no coded text available	
 Consent relating to child	0 ... 1	prsb03-dataelement-13576 link
	The person with parental responsibility or appointed guardian where a child lacks competency. Consideration of age and competency, applying Gillick competency or Fraser guidelines.Free text	
 Performing professional	0 ... 1	prsb03-dataelement-11734 link
	The professional who identified the person responsible for the child.	
 Name	0 ... 1	prsb03-dataelement-11735 link
	The name of the professional.Free text.	
 Role	0 ... 1	prsb03-dataelement-11736 link
	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etcFHIR value set :- SDSjobroletype	
 Grade	0 ... 1	prsb03-dataelement-11737 link
	The grade of the professional.Free text	
 Speciality	0 ... 1	prsb03-dataelement-11738 link

	The specialty of the professional e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code	
└ Professional identifier	0 ... 1	prsb03-dataelement-11739 link
	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier	
└ Organisation	0 ... 1	prsb03-dataelement-11740 link
	The name of the organisation the professional works for.	
└ Contact details	0 ... 1	prsb03-dataelement-11741 link
	Contact details of the professionalNHS data dictionary - UK phone number	
└ Person completing record	0 ... 1	prsb03-dataelement-11742 link
	Details of the person completing the record.	
└ Name	0 ... 1	prsb03-dataelement-11743 link
	The name of the person completing the record.Free text.	
└ Role	0 ... 1	prsb03-dataelement-11744 link
	The organisational role of the person completing record.FHIR value set :- SDSjobrole	
└ Grade	0 ... 1	prsb03-dataelement-11745 link
	The grade of the person completing the record.Free text.	
└ Specialty	0 ... 1	prsb03-dataelement-11746 link
	The main specialty of the person completing the record.NHS data dictionary :- Activity treatment function code	
└ Organisation	0 ... 1	prsb03-dataelement-11747 link
	The organisation the person completing the record works for.	
└ Professional identifier	0 ... 1	prsb03-dataelement-11748 link
	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier	
└ Date completed	0 ... 1	prsb03-dataelement-11749 link
	The date and time the record was completed.Date and time.	
└ Contact details	0 ... 1	prsb03-dataelement-11750 link
	Contact details of the person completing the record.	
	NHS data dictionary : - UK telephone number	
└ Safeguarding	0 ... 1	prsb03-dataelement-271 link
	The safeguarding details of the person.	
└ Safeguarding concerns	0 ... *	prsb03-dataelement-10821 link
	Details of safeguarding concerns	
└ Safeguarding indicator	0 ... 1	prsb03-dataelement-13428 link

	Indicates whether or not the hospital considers that there are safeguarding issues associated with the patient.Flag: No =N: Yes = Y	
↳ Safeguarding concerns	0 ... 1	prsb03-dataelement-10171 link
	Identified safeguarding concerns.	
↳ Coded value	0 ... 1	prsb03-dataelement-13756 link
	The coded value for safeguarding concernsSNOMED CT :- 999002381000000108 Safeguarding issues simple reference set (foundation metadata concept)	
↳ Free text	0 ... 1	prsb03-dataelement-13757 link
	Free text field to be used if no code is availableFree text	
↳ Comment	0 ... 1	prsb03-dataelement-10175 link
	Further details on safeguarding concerns.Free text	
↳ Referral details	0 ... 1	prsb03-dataelement-105 link
	The details of the referral.	
↳ Referral details record entry	0 ... *	prsb03-dataelement-10917 link
	This is the referral details record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
↳ Reason for referral	1 ... 1 Mandatory	prsb03-dataelement-10011 link
	The reason for the referral, e.g. diagnosis, treatment, transfer of care due to relocation, investigation, second opinion, management of the patient (e.g. palliative care), or carer's concerns.Free text	
↳ Coded value	0 ... 1	prsb03-dataelement-13455 link
	The coded value for reason for referralsNOMED CT :- ^1127581000000103 Health issues simple reference set	
↳ Free text	0 ... 1	prsb03-dataelement-13456 link
	Free text field to be used if no code is availableFree text	
↳ Expectation of referral	0 ... *	prsb03-dataelement-10699 link
	A clear statement of the expectations of the person or professional making the referral in regards to the management of the patient e.g. advice only, diagnosis, treatment, etc. To include any specific patient expectation.Free text	
↳ Clinical urgency of referral	0 ... 1	prsb03-dataelement-10010 link
	The details of the clinical urgency of referral	
↳ Reason for urgency of referral	0 ... 1	prsb03-dataelement-10976 link
	The reason for urgency of referral if not routine.Free text	
↳ Referral to	0 ... 1	prsb03-dataelement-10008 link
	Details of where the referral is to be sent.	
	If not an individual, this could be a service, e.g. GP surgery, department, specialty, subspecialty, educational institution, mental health etc.	
↳ Name	0 ... 1	prsb03-dataelement-10977 link

	Name of person the referral is to be sent to.Free text	
└  Role	0 ... 1	prsb03-dataelement-10978 link
	Role of person where the referral is to be sent to.FHIR value set : - sdsjobrole	
└  Grade	0 ... 1	prsb03-dataelement-10979 link
	The grade of the person where the referral is sent to.Free text	
└  Team	0 ... 1	prsb03-dataelement-10982 link
	The team or department of the person where the referral is being sent toFree text.	
└  Specialty	0 ... 1	prsb03-dataelement-10983 link
	The specialty the referral is being sent to e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code	
└  Service	0 ... 1	prsb03-dataelement-12412 link
	The service of where the referral is sent to.	
└  Coded value	0 ... 1	prsb03-dataelement-13509 link
	The coded value for serviceSNOMED CT: - 1127531000000102 Services simple reference set (foundation metadata concept)	
└  Free text	0 ... 1	prsb03-dataelement-13510 link
	Free text field to be used if no code is availableFree text	
└  Organisation	0 ... 1	prsb03-dataelement-10980 link
	The organisation of where the referral is to be sent.	
└  Coded value	0 ... 1	prsb03-dataelement-13511 link
	The coded value for organisationNHS data dictionary :- Organisation data service	
└  Free text	0 ... 1	prsb03-dataelement-13512 link
	Free text field to be used if no code is availableFree text	
└  Contact details	0 ... 1	prsb03-dataelement-10981 link
	The contact details of where the referral is to be sent.Free text.	
└  Contacts with professionals	1 ... 1 Mandatory	prsb03-dataelement-169 link
	The details of the person's contact with a professional.	
└  Contacts with professionals record entry	1 ... *	prsb03-dataelement-10718 link
	This is a contacts record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
└  Date of contact	1 ... 1 Mandatory	prsb03-dataelement-10069 link
	Date and time of the contact.Date and time.	
└  Location of contact	0 ... 1	prsb03-dataelement-10075 link
	The location where the contact took place.	
└  Coded value	0 ... 1	prsb03-dataelement-13513 link
	The coded value for locationNHS data dictionary : - Organisation service code	

 Free text	0 ... 1	Free text field to be used if no code is available	prsb03-dataelement-13514 link
 Reason for service	0 ... 1	The reason why the person has been offered the service	prsb03-dataelement-13751 link
 Consultation method	0 ... 1	Consultation method used e.g. face to face, telephone	NHS data dictionary - Consultation medium
 Service	0 ... 1	The service that was provided.SNOMED CT :- 1127531000000102 Services simple reference set (foundation metadata concept)	prsb03-dataelement-10074 link
 Person accompanying patient	0 ... *	Identify, where clinically relevant, others accompanying the patient, e.g. parent, relative, friend. Includes: Name, Relationship, role (e.g. informal carer)	NHS data dictionary : - Person full name
 Organisation name	1 ... 1 Mandatory	The name, including the identifier, of the organisation providing the service	NHS data dictionary : - Organisation name
 Organisation address	0 ... 1	The name of the organisation, including the identifier	NHS data dictionary : - Organisation address
 Organisation contact details	0 ... *	The contact details of the organisation. For example a phone number, NHSmail address etc. Contact details are used to resolve queries about the record entry.	Free text
 Reason for non-provision of service	0 ... 1	The reason why the patient was not provided with the service e.g. declined, did not attend etc.	Free text
 Clinician name	1 ... 1 Mandatory	The name of the person providing the service	Free text
 Role	0 ... 1	The role of the person providing the service	FHIR values set : - sdsjobrole
 Chaperone	0 ... *	The name of any chaperone(s)	Free text
 Person collecting the medicine	0 ... 1	Name, relationship, role (if formal role), contact details	Free text

 Professional identifier	0 ... 1	prsb03-dataelement-10711 link
	Professional identifier of the person providing the service.NHS data dictionary : - professional identifier	
 Presenting complaints or issues	0 ... 1	prsb03-dataelement-210 link
	Presenting complaints or issues	
 Presenting complaint or issue	0 ... *	prsb03-dataelement-13784 link
	The health problem or issue experienced by the patient resulting in their attendance. This may include disease state, medical condition, response and reactions to therapies. E.g., blackout, dizziness, chest pain, follow up from admission, falls, a specific procedure, investigation or treatment.	
 Coded value	0 ... 1	prsb03-dataelement-13785 link
	The coded value for presenting complaint or issueSNOMED CT : - ^1127581000000103 Health issues simple reference set	
 Free text	0 ... 1	prsb03-dataelement-13786 link
	Free text	
 History	0 ... 1	prsb03-dataelement-226 link
	History	
 Relevant past medical, surgical and mental health history	0 ... 1	prsb03-dataelement-10130 link
	The record of the person's significant medical, surgical and mental health history. Including relevant previous diagnoses, problems and issues, procedures, investigations, specific anaesthesia issues, etc. (will include dental and obstetric history)	
	A list of the person's relevant past medical, surgical and mental health history recorded in free text or coded form or Information relating to past medical, surgical and mental health history may be provided by the referral document or during the consultation.	
 Coded value	0 ... 1	prsb03-dataelement-13787 link
	The coded value relevant past medical, surgical and mental health historySNOMED CT : - ^1127581000000103 Health issues simple reference set	
 Free text	0 ... 1	prsb03-dataelement-13788 link
	Free text field to be used if no code is availableFree text	
 Clinical Summary	0 ... 1	prsb03-dataelement-247 link
	Clinical Summary	
 Clinical narrative	0 ... 1	prsb03-dataelement-10150 link
	A description detailing a patient's reason for attendance, results from the diagnostic and treatment process.Free text	
 Signpost details	0 ... 1	prsb03-dataelement-13973 link
	Details of signpost	
 Signpost details record entry	0 ... *	prsb03-dataelement-13974 link

	This is the signpost details record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
└  Date	0 ... 1 Date of signpost	prsb03-dataelement-13975 link
└  Signpost to	0 ... 1 Details of where the signpost is to.	prsb03-dataelement-13976 link
	If not an individual, this could be a service	
└  Name	0 ... 1 Name of person signposted toFree Text	prsb03-dataelement-13977 link
└  Role	0 ... 1 Role of person been signposted to.Free Text	prsb03-dataelement-13978 link
└  Grade	0 ... 1 The grade of the person been signposted to.Free text	prsb03-dataelement-13979 link
└  Team	0 ... 1 The team or department of the person been signposted to.Free text	prsb03-dataelement-13980 link
└  Specialty	0 ... 1 The specialty of where been signposted e.g. physiotherapy, oncology, mental health etc	prsb03-dataelement-13981 link
└  Service	0 ... 1 The service of where been signposted to.	prsb03-dataelement-13982 link
└  Coded value	0 ... 1 The coded value for serviceSNOMED CT : - 1127531000000102 Services simple reference set (foundation metadata concept)	prsb03-dataelement-13983 link
└  Free text	0 ... 1 Free text field to be used if no code is availableFree text	prsb03-dataelement-13984 link
└  Organisation	0 ... 1 Name of organisation been signposted to. Free text	prsb03-dataelement-13985 link
└  Contact details	0 ... 1 The contact details of where been signposted toFree text	prsb03-dataelement-13987 link
└  Reason for signpost	0 ... 1 Reason for signposting	prsb03-dataelement-13988 link
└  Free text	0 ... 1 Free textFree text	prsb03-dataelement-13990 link
└  Clinical urgency for signpost	0 ... 1 The details of the clinical urgency of signpost Free text	prsb03-dataelement-13991 link
└  Allergies and adverse reactions	0 ... 1	prsb03-dataelement-282 link

	Allergies and adverse reactions	
└─📁 Allergies and adverse reactions	0 ... *	prsb03-dataelement-10657 link
record entry		
	This is a allergies and adverse reactions record entry. There may be 1 to many record entries under a section.	
	Each record entry is made up of a number of elements or data items.	
└─🟡 Type of reaction	0 ... 1	prsb03-dataelement-10186 link
	The type of reaction experienced by the person (allergic, adverse, intolerance) FHIR value set :- Allergy, Intolerance	
└─📁 Causative agent	1 ... 1 Mandatory	prsb03-dataelement-10182 link
	The agent such as food, drug or substances that has caused or may cause an allergy, intolerance or adverse reaction in this person Or "No known drug allergies or adverse reactions" Or "Information not available"	
└─🟡 Coded value	0 ... 1	prsb03-dataelement-13441 link
	The coded value for causative agent SNOMED CT : - <105590001 Substance OR <373873005 Pharmaceutical / biologic product OR <>716186003 No known allergy OR 196461000000101 Transfer-degraded drug allergy OR 19647100000108 Transfer-degraded non-drug allergy	
└─🟡 Free text	0 ... 1	prsb03-dataelement-13442 link
	Free text field to be used if no code is availableFree text	
└─📁 Reaction details cluster	0 ... *	prsb03-dataelement-10658 link
	Details of the reaction.	
└─🟡 Date	0 ... 1	prsb03-dataelement-10190 link
	The date that the reaction was identified.Date and time	
└─📁 Description of reaction	0 ... 1	prsb03-dataelement-10183 link
	A description of the manifestation of the allergic or adverse reaction experienced by the person. For example, skin rash.	
└─🟡 Coded value	0 ... 1	prsb03-dataelement-13556 link
	The coded value for description of reaction. SNOMED CT: - ^112758100000103 Health issues simple reference set	
└─🟡 Free text	0 ... 1	prsb03-dataelement-13557 link
	Free text field to be used if no code is availableFree text	
└─📁 Severity	0 ... 1	prsb03-dataelement-10184 link
	A description of the severity of the reaction.	
└─🟡 Coded value	0 ... 1	prsb03-dataelement-13558 link
	The coded value for severity FHIR value set : - Severity	
└─🟡 Free text	0 ... 1	prsb03-dataelement-13559 link
	Free text field to be used if no code is availableFree text	
└─📁 Certainty	0 ... 1	prsb03-dataelement-10185 link

	A description of the certainty that the stated causative agent caused the allergic or adverse reaction.	
└  Coded value	0 ... 1	prsb03-dataelement-13560 link
└  Free text	The coded value for certainty.FHIR value set : - Certainty 0 ... 1	prsb03-dataelement-13561 link
└  Comment	Free text field to be used if no code is availableFree text 0 ... 1	prsb03-dataelement-10189 link
└  Evidence	Any additional comment or clarification about the adverse reaction.Free text 0 ... 1	prsb03-dataelement-10187 link
└  Date first experienced	Results of investigations that confirmed the certainty of the diagnosis. Examples might include results of skin prick allergy testsFree text 0 ... 1	prsb03-dataelement-10188 link
└  Allergy end date	When the reaction was first experienced i.e this may not be the first this has happened. May be a date or partial date (e.g. year) or text (e.g. during childhood)Date and time 0 ... 1	prsb03-dataelement-14253 link
└  Medications and medical devices	The date the allergy was diagnosed as endedDate and time 0 ... 1	prsb03-dataelement-636 link
└  Medication item entry	Medications and medical devices 0 ... *	prsb03-dataelement-10663 link
└  Medication item cluster	All medications and devices that can be prescribed to be entered via this Medication item entry. Handles details of continuation / addition / amendment of admission medications. 0 ... *	prsb03-dataelement-10664 link
└  Date	Medication item cluster 0 ... 1	prsb03-dataelement-10843 link
└  Medication name	The date on which the medication or medical device was prescribed.Date and time 1 ... 1 Mandatory	prsb03-dataelement-10536 link
└  Coded value	May be generic name or brand name. 0 ... 1	prsb03-dataelement-13622 link
└  Free text	The coded value for medication namedm+d: any code from the VTM, VMP, AMP, VMPP and AMPP concept classes 0 ... 1	prsb03-dataelement-13623 link
└  Form	Free text field to be used if no code is availableFree text 0 ... 1	prsb03-dataelement-10537 link
└  Coded value	The form of the medication e.g. capsule, drops, tablet, lotion etc. 0 ... 1	prsb03-dataelement-13624 link
└  Free text	The coded value for form.SNOMED CT: - 421967003 Drug dose form (qualifier value) 0 ... 1	prsb03-dataelement-13625 link

	Free text field to be used if no code is availableFree text	
↳ Quantity supplied	1 ... 1 Mandatory	prsb03-dataelement-10539 link
	The quantity of the medication (e.g. tablets, inhalers, etc.) provided to the person. This may be dispensed by the pharmacy or on the ward. Record in a structured format i.e. value and a unitFree text	
↳ Value	0 ... 1	prsb03-dataelement-14271 link
	The value of the quantity suppliedEnumerated value	
↳ Unit of measure	0 ... 1	prsb03-dataelement-14272 link
	Unit of measure of quantity suppliedUCUM code	
↳ Route	0 ... *	prsb03-dataelement-10538 link
	The route by which the medication is administered e.g. oral, IM, IV	
↳ Coded value	0 ... 1	prsb03-dataelement-13655 link
	The coded value for routeSNOMED CT: - 999000051000001100 ePrescribing route of administration simple reference set (foundation metadata concept)	
↳ Free text	0 ... 1	prsb03-dataelement-13656 link
	Free text field to be used if no code is availableFree text	
↳ Site	0 ... 1	prsb03-dataelement-10540 link
	The anatomical site at which the medication is to be administered.	
↳ Coded value	0 ... 1	prsb03-dataelement-13657 link
	The coded value for site SNOMED CT: - <442083009 Anatomical or acquired body structure (body structure)	
↳ Free text	0 ... 1	prsb03-dataelement-13658 link
	Free text field to be used when code is not availableFree text	
↳ Supply type	0 ... 1	prsb03-dataelement-13754 link
	A description of the type of supply (e.g. emergency supply, over the counter medication, patient group direction etc)	
↳ Batch number	0 ... 1	prsb03-dataelement-13789 link
	The batch number of the product.	
↳ Coded value	0 ... 1	prsb03-dataelement-13790 link
	The coded value for the batch numberFMD code : - Derived from Falsified medicines directive	
↳ Free text	0 ... 1	prsb03-dataelement-13791 link
	Free text field to be used if no code is availableFree text	
↳ Dose directions description	0 ... 1	prsb03-dataelement-10544 link
	Describes the entire medication dosage and administration directions including dose quantity and medication frequency and optionally duration e.g. "1 tablet at night" or "2mg at 10pm".Free text	
↳ Structured dose	0 ... 1	prsb03-dataelement-11639 link

direction cluster	A structural representation of the elements carried by the dose syntax in 'parsable dose strength / timing' i.e. dose strength, dose timing, dose duration and maximum dose.	
└  Structured dose amount 0 ... 1	A structural representation of dose amount, e.g. 20mg or 2 tablets. This element will generally only be used when persisting data within systems with 'parsable dose directions' being used to exchange the same information between systems. As per FHIR Dose Syntax Implementation Guidance (NHS Digital): https://simplifier.net/guide/DoseSyntaxImplementationGuidanceforFHIRR4/Home	prsb03-dataelement-10554 link
└  Structured dose timing 0 ... 1	A slot containing a structural, computable representation of dose timing and maximum dose. This element will generally only be used when persisting data within systems with 'parsable dose directions' being used to exchange the same information between systems. As per FHIR Dose Syntax Implementation Guidance (NHS Digital): https://simplifier.net/guide/DoseSyntaxImplementationGuidanceforFHIRR4/Home	prsb03-dataelement-10555 link
└  Dose direction duration 0 ... 1	Recommendation of the time period for which the medication should be continued, including direction not to discontinue. As per FHIR Dose Syntax Implementation Guidance (NHS Digital): https://simplifier.net/guide/DoseSyntaxImplementationGuidanceforFHIRR4/Home	prsb03-dataelement-10548 link
└  Additional instructions 0 ... *	Allows for: requirements for adherence support, e.g. compliance aids, prompts and packaging requirements, additional information about specific medicines e.g. where specific brand required, person requirements, e.g. unable to swallow tablets. FHIR value set : - Additional instruction	prsb03-dataelement-10545 link
└  Matters identified during discussion 1 ... * Mandatory	Matters identified during the service about the patient's experience of using the medication. Coded text using the following descriptors: a. patient reports using the medicine as prescribed b. patient reports not using the medicine as prescribed c. patient has not started using the medicine d. prescriber has stopped new medicine e. patient is not using the medicine in line with the directions of the prescriber f. patient reports missing a dose in the past 7 days g. patient reports need for more information about the medicine h. patient reports side effects i. patient reports negative feelings about the medicine j. patient reports uncertainty on whether the medicine is working k. patient reports concern about remembering to take the medicine l. patient reports difficulty using the medicine due to its pharmaceutical form/formulation i. other - free text option	prsb03-dataelement-13753 link
└  Course details cluster 0 ... 1	Details of the overall course of medication.	prsb03-dataelement-10561 link
└  Indication 0 ... 1	Reason for medication being prescribed, where known. Free text	prsb03-dataelement-10546 link
└  Anticipatory medicines/ equipment 0 ... *		prsb03-dataelement-14023 link

	Medicines or equipment available that may be required in specific situations and their location. A statement regarding the availability or location of the anticipatory medicines/equipment.Free text	
Information and advice given	0 ... 1	prsb03-dataelement-315 link
	Information and advice given	
Information and advice given	0 ... *	prsb03-dataelement-10215 link
	The oral or written information or advice given to the patient, carer, other authorised representative, care professional or other third party. May include advice about actions related to medicines or other ongoing care activities on an 'information prescription'. State here if there are concerns about the extent to which the patient and/or carer understand the information provided about diagnosis, prognosis and treatment.	
	Free text	
Distribution list	0 ... 1	prsb03-dataelement-330 link
	Distribution list	
Distribution list record entry	0 ... 1	prsb03-dataelement-10660 link
	This is a Distribution list record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
Name	0 ... 1	prsb03-dataelement-10230 link
	The name of the person the communication is to be sent to, this can be a person or professional.Free text	
Role	0 ... 1	prsb03-dataelement-10231 link
	If the communication is being sent to either a named individual, or to a non-named person with a specific role, then this is the role of the recipient.	
	Role may be entered as the communication is being created, or sourced from the hospital system. This may be a role defined in the National Workforce data set (see the NHS Data Dictionary Job Role Code).FHIR value set : - SDSjobrole	
Grade	0 ... 1	prsb03-dataelement-10232 link
	The grade of the recipient, if known by the sending institution, otherwise omitted.Free text	
Organisation name	0 ... 1	prsb03-dataelement-10233 link
	The name of the organisation the recipient is representing or the organisation named as the receiving organisation.	
	An identifier for the organisation will be sent alongside the name, but may not displayed on rendered document.	
	NHS data dictionary : - Organisation code	
Team	0 ... 1	prsb03-dataelement-10234 link
	Team that the recipient belongs to in the context of receiving this message, or the team acting as the recipient.Free text	
Relationship	0 ... 1	prsb03-dataelement-13793 link
	The relationship of the receiver to the person for example, carer or parentFHIR value set : - Related person	
Plan and requested actions	0 ... 1	prsb03-dataelement-535 link

	The details of planned investigations, procedures and treatment, and whether this plan has been agreed with the person or their legitimate representative.	
└ Plan and requested actions record entry	0 ... *	prsb03-dataelement-10661 link
	This is a plan and requested actions record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
└ Actions for professionals	0 ... *	prsb03-dataelement-10436 link
	Including planned investigations, procedures and treatment for a person's identified conditions and priorities. For each action the following should be identified: outcome expectations, including the person's expectations. A record of the planned and requested actions. May be structured (table), with actions, names, dates, status, location, strategies. Free text	
└ Actions for person or their carer	0 ... *	prsb03-dataelement-10437 link
	For each action the following should be identified: outcome expectations, including person's expectations. A record of the planned and requested actions. May be structured (table), with actions, names, dates, status, location, strategies. Free text	



Hepatitis C

prsb03-transaction-249 link

Version / effective date 2.1 - 2021-02-11 10:39:07

Hepatitis C (GP)

prsb03-transaction-251 link

Version / effective date 2.1 - 2021-02-11 10:39:07

Actor Sender (organization) Pharmacy
 Receiver (organization) General practitioner

Associations Data Set (for transaction) PRSB Record structure and content 1(2.16.840.1.113883.3.1937.777.28.1.1 / 2018-10-31)

Contained concepts

Concept	Card/Conf	Id
└ Person demographics	1 ... 1 Mandatory	prsb03-dataelement-10868 link
	The person's details and contact information.	
└ Person name	1 ... 1 Mandatory	prsb03-dataelement-10869 link
	Details of the person's name	
└ Person full name	1 ... 1 Mandatory	prsb03-dataelement-13801 link
	The full name of the person in text representation. NHS data dictionary :- Patient full name	
└ Date of birth	1 ... 1 Mandatory	prsb03-dataelement-10871 link
	The date of birth of the person. NHS data dictionary:- Person birth date	
└ Gender	0 ... 1	prsb03-dataelement-10872 link
	The person's stated gender. NHS data dictionary :- Person stated gender code	
└ Ethnicity	0 ... 1	prsb03-dataelement-10874 link
	The ethnicity of the person as specified by the person. NHS data dictionary :- Ethnic category	

 NHS number	0 ... 1	prsb03-dataelement-10879 link
	The unique identifier for a person within the NHS in England and Wales.NHS data dictionary:- NHS number	
 Other identifier	0 ... *	prsb03-dataelement-10880 link
	Country specific or local identifier, e.g. Community Health Index (CHI) in Scotland. NHS data dictionary: - Local patient identifier(extended), Health and care number (NI only), Community health index number (Scotland only)	
 Person's address	1 ... 1 Mandatory	prsb03-dataelement-10881 link
	Person's usual place of residence, and where relevant temporary and correspondence addresses.	
 Address line 1	1 ... 1 Mandatory	prsb03-dataelement-13082 link
	Person's first line of address. NHS data dictionary :- Address line 1	
 Address line 2	0 ... 1	prsb03-dataelement-13083 link
	Person's second line of address. NHS data dictionary :- Address line 2	
 Address line 3	0 ... 1	prsb03-dataelement-13084 link
	Person's third line of address. NHS data dictionary : - Address line 3	
 Address line 4	0 ... 1	prsb03-dataelement-13085 link
	Person's fourth line of address. NHS data dictionary : - Address line 4	
 Address line 5	0 ... 1	prsb03-dataelement-13086 link
	Person's fifth line of address.NHS data dictionary : - Address line 5	
 Postcode	0 ... 1	prsb03-dataelement-13087 link
	The person's postcode.NHS data dictionary :- Postcode of usual address	
 Person's contact details	0 ... *	prsb03-dataelement-13804 link
	Details of the person's contact information.	
 Person's telephone number details	0 ... *	prsb03-dataelement-10883 link
	The person's telephone number details	
 Person's telephone number	0 ... 1	prsb03-dataelement-13808 link
	The person's telephone numberNHS data dictionary : - UK telephone number	
 Person's telephone number type	0 ... 1	prsb03-dataelement-13805 link
	The contact type e.g. home, mobileFHIR value set: - Contact point use	
 Preference of telephone number	0 ... 1	prsb03-dataelement-13809 link
	The preferred order of use for the telephone numberPreference of use 1-5, 1 being the highest.	
 Place of birth	0 ... 1	prsb03-dataelement-10884 link

	The country of birth of the person.NHS data dictionary :- Country code (birth)	
↳ GP practice	1 ... 1 Mandatory	prsb03-dataelement-101 link
	Details of the person's GP practice.	
↳ GP practice record entry	1 ... *	prsb03-dataelement-10643 link
	This is an GP practice record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items	
↳ GP practice identifier	1 ... 1 Mandatory	prsb03-dataelement-10001 link
	The identifier of the registered GP practice. NHS data dictionary : - General medical practice code (patient registration)	
↳ Legal information	0 ... 1	prsb03-dataelement-520 link
	The legal information relating to the person.	
↳ Consent for treatment record	0 ... 1	prsb03-dataelement-10420 link
	Details of the person's consent for treatment.	
↳ Date	0 ... 1	prsb03-dataelement-13457 link
	The date the consent was takenDate	
↳ Location	0 ... 1	prsb03-dataelement-13459 link
	The location of where the consent was taken.	
↳ Coded value	0 ... 1	prsb03-dataelement-13460 link
	The coded value for location.NHS data dictionary : - Organisation data service code	
↳ Free text	0 ... 1	prsb03-dataelement-13461 link
	Free text field to be used if no code is availableFree text	
↳ Consent for treatment record	0 ... 1	prsb03-dataelement-13574 link
	Whether consent has been obtained for the treatment. May include where record of consent is located or record of consent. A statement about the patient's consent for treatment.Free text	
↳ Location of document	0 ... 1	prsb03-dataelement-13777 link
	The location of the consent for treatment record.Free text or URL	
↳ Performing professional	0 ... 1	prsb03-dataelement-13462 link
	The professional who took the consent for treatment.	
↳ Name	0 ... 1	prsb03-dataelement-13463 link
	The name of the professional.Free text.	
↳ Role	0 ... 1	prsb03-dataelement-13464 link
	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etcFHIR value set :- SDSjobroletype	
↳ Grade	0 ... 1	prsb03-dataelement-13465 link
	The grade of the professional.Free text	
↳ Speciality	0 ... 1	prsb03-dataelement-13466 link
	The specialty of the professional e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code	

 Professional identifier	0 ... 1	prsb03-dataelement-13467 link
		Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.NHS data dictionary : - Professional registration identifier
 Organisation	0 ... 1	prsb03-dataelement-13468 link
		The name of the organisation the professional works for.
 Contact details	0 ... 1	prsb03-dataelement-13469 link
		Contact details of the professionalNHS data dictionary - UK phone number
 Person completing record	0 ... 1	prsb03-dataelement-13470 link
		Details of the person completing the record.
 Name	0 ... 1	prsb03-dataelement-13471 link
		The name of the person completing the record.Free text.
 Role	0 ... 1	prsb03-dataelement-13472 link
		The organisational role of the person completing record.FHIR value set :- SDSjobrole
 Grade	0 ... 1	prsb03-dataelement-13473 link
		The grade of the person completing the record.Free text.
 Specialty	0 ... 1	prsb03-dataelement-13474 link
		The main specialty of the person completing the record.NHS data dictionary :- Activity treatment function code
 Organisation	0 ... 1	prsb03-dataelement-13475 link
		The organisation the person completing the record works for.
 Professional identifier	0 ... 1	prsb03-dataelement-13476 link
		Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.NHS data dictionary : - Professional registration identifier
 Date completed	0 ... 1	prsb03-dataelement-13477 link
		The date and time the record was completed.Date and time.
 Contact details	0 ... 1	prsb03-dataelement-13478 link
		Contact details of the person completing the record.
		NHS data dictionary : - UK telephone number
 Consent for information sharing	0 ... 1	prsb03-dataelement-10421 link
		Details of the person's consent for information sharing
 Date	0 ... 1	prsb03-dataelement-11713 link
		The date when the consent was givenDate and time
 Location	0 ... 1	prsb03-dataelement-11714 link
		The location where the consent was taken.

 Coded value	0 ... 1	prsb03-dataelement-13451 link
 Free text	0 ... 1	prsb03-dataelement-13452 link
 Consent for information sharing	0 ... 1	prsb03-dataelement-13575 link
	This is a record of consent for information sharing under the common law duty of confidentiality. Where consent has not been obtained or sought, the reason why should be provided. Include best interests decision where person lacks capacity. This is a placeholder until the national guidance is published.	Free text
 Reason for consent not given	0 ... 1	prsb03-dataelement-13778 link
	Reason not given for consent	Free text
 Performing professional	0 ... 1	prsb03-dataelement-11715 link
	The professional who took the consent for information sharing	
 Name	0 ... 1	prsb03-dataelement-11716 link
	The name of the professional.	Free text
 Role	0 ... 1	prsb03-dataelement-11717 link
	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etc	FHIR value set :- SDSjobrole
 Grade	0 ... 1	prsb03-dataelement-11718 link
	The grade of the professional.	Free text
 Speciality	0 ... 1	prsb03-dataelement-11719 link
	The specialty of the professional e.g. physiotherapy, oncology, mental health etc	NHS data dictionary - Activity treatment function code
 Professional identifier	0 ... 1	prsb03-dataelement-11720 link
	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.	NHS data dictionary : - Professional registration identifier
 Organisation	0 ... 1	prsb03-dataelement-11721 link
	The name of the organisation the professional works for.	
 Contact details	0 ... 1	prsb03-dataelement-11722 link
	Contact details of the professional	NHS data dictionary - UK phone number
 Person completing record	0 ... 1	prsb03-dataelement-11723 link
	Details of the person completing the record.	
 Name	0 ... 1	prsb03-dataelement-11724 link
	The name of the person completing the record.	Free text
 Role	0 ... 1	prsb03-dataelement-11725 link
	The organisational role of the person completing record.	FHIR value set :- SDSjobrole

 Grade	0 ... 1	prsb03-dataelement-11726 link
	The grade of the person completing the record.Free text.	
 Specialty	0 ... 1	prsb03-dataelement-11727 link
	The main specialty of the person completing the record.NHS data dictionary :- Activity treatment function code	
 Organisation	0 ... 1	prsb03-dataelement-11728 link
	The organisation the person completing the record works for.	
 Professional identifier	0 ... 1	prsb03-dataelement-11729 link
	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier	
 Date completed	0 ... 1	prsb03-dataelement-11730 link
	The date and time the record was completed.Date and time.	
 Contact details	0 ... 1	prsb03-dataelement-11731 link
	Contact details of the person completing the record.	
	NHS data dictionary : - UK telephone number	
 Consent relating to child	0 ... 1	prsb03-dataelement-10422 link
	Details of the person's consent relating to child	
 Date	0 ... 1	prsb03-dataelement-11732 link
	The date when the person with responsibility for the child was identified.Date and time	
 Location	0 ... 1	prsb03-dataelement-11733 link
	The location where the person with responsibility for the child was identified.	
 Coded value	0 ... 1	prsb03-dataelement-13674 link
	The coded value for locationNHS data dictionary : - Organisation data service	
 Free text	0 ... 1	prsb03-dataelement-13675 link
	Free text field to be used if no coded text available	
 Consent relating to child	0 ... 1	prsb03-dataelement-13576 link
	The person with parental responsibility or appointed guardian where a child lacks competency. Consideration of age and competency, applying Gillick competency or Fraser guidelines.Free text	
 Performing professional	0 ... 1	prsb03-dataelement-11734 link
	The professional who identified the person responsible for the child.	
 Name	0 ... 1	prsb03-dataelement-11735 link
	The name of the professional.Free text.	
 Role	0 ... 1	prsb03-dataelement-11736 link
	The role the professional has in relation to the person e.g. GP, physiotherapist, community nurse, social worker etcFHIR value set :- SDSjobroletype	
 Grade	0 ... 1	prsb03-dataelement-11737 link


	The grade of the professional.Free text	
└  Speciality	0 ... 1	prsb03-dataelement-11738 link
	The specialty of the professional e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code	
└  Professional identifier	0 ... 1	prsb03-dataelement-11739 link
	Professional identifier for the professional e.g. GMC number, HCPC number etc or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier	
└  Organisation	0 ... 1	prsb03-dataelement-11740 link
	The name of the organisation the professional works for.	
└  Contact details	0 ... 1	prsb03-dataelement-11741 link
	Contact details of the professionalNHS data dictionary - UK phone number	
└  Person completing record	0 ... 1	prsb03-dataelement-11742 link
	Details of the person completing the record.	
└  Name	0 ... 1	prsb03-dataelement-11743 link
	The name of the person completing the record.Free text.	
└  Role	0 ... 1	prsb03-dataelement-11744 link
	The organisational role of the person completing record.FHIR value set :- SDSjobrole	
└  Grade	0 ... 1	prsb03-dataelement-11745 link
	The grade of the person completing the record.Free text.	
└  Specialty	0 ... 1	prsb03-dataelement-11746 link
	The main specialty of the person completing the record.NHS data dictionary :- Activity treatment function code	
└  Organisation	0 ... 1	prsb03-dataelement-11747 link
	The organisation the person completing the record works for.	
└  Professional identifier	0 ... 1	prsb03-dataelement-11748 link
	Professional identifier for the person completing the record e.g. GMC number, HCPC number etc, or the personal identifier used by the local organisation.NHS data dictionary :- Professional registration identifier	
└  Date completed	0 ... 1	prsb03-dataelement-11749 link
	The date and time the record was completed.Date and time.	
└  Contact details	0 ... 1	prsb03-dataelement-11750 link
	Contact details of the person completing the record.	
	NHS data dictionary :- UK telephone number	
└  Safeguarding	0 ... 1	prsb03-dataelement-271 link
	The safeguarding details of the person.	
└  Safeguarding concerns	0 ... *	prsb03-dataelement-10821 link

	Details of safeguarding concerns	
└─🟡 Safeguarding indicator	0 ... 1	prsb03-dataelement-13428 link
	Indicates whether or not the hospital considers that there are safeguarding issues associated with the patient.Flag: No =N; Yes = Y	
└─📁 Safeguarding concerns	0 ... 1	prsb03-dataelement-10171 link
	Identified safeguarding concerns.	
└─🟡 Coded value	0 ... 1	prsb03-dataelement-13756 link
	The coded value for safeguarding concernsSNOMED CT :- 999002381000000108 Safeguarding issues simple reference set (foundation metadata concept)	
└─🟡 Free text	0 ... 1	prsb03-dataelement-13757 link
	Free text field to be used if no code is availableFree text	
└─🟡 Comment	0 ... 1	prsb03-dataelement-10175 link
	Further details on safeguarding concerns.Free text	
📁 Referral details	0 ... 1	prsb03-dataelement-105 link
	The details of the referral.	
└─📁 Referral details record entry	0 ... *	prsb03-dataelement-10917 link
	This is the referral details record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
└─📁 Reason for referral	1 ... 1 Mandatory	prsb03-dataelement-10011 link
	The reason for the referral, e.g. diagnosis, treatment, transfer of care due to relocation, investigation, second opinion, management of the patient (e.g. palliative care), or carer's concerns.Free text	
└─🟡 Coded value	0 ... 1	prsb03-dataelement-13455 link
	The coded value for reason for referralSNOMED CT :- ^1127581000000103 Health issues simple reference set	
└─🟡 Free text	0 ... 1	prsb03-dataelement-13456 link
	Free text field to be used if no code is availableFree text	
└─🟡 Expectation of referral	0 ... *	prsb03-dataelement-10699 link
	A clear statement of the expectations of the person or professional making the referral in regards to the management of the patient e.g. advice only, diagnosis, treatment, etc. To include any specific patient expectation.Free text	
└─📁 Clinical urgency of referral	0 ... 1	prsb03-dataelement-10010 link
	The details of the clinical urgency of referral	
└─🟡 Reason for urgency of referral	0 ... 1	prsb03-dataelement-10976 link
	The reason for urgency of referral if not routine.Free text	
└─📁 Referral to	0 ... 1	prsb03-dataelement-10008 link
	Details of where the referral is to be sent.	

If not an individual, this could be a service, e.g. GP surgery, department, specialty, subspecialty, educational institution, mental health etc.		
 Name	0 ... 1	prsb03-dataelement-10977 link
Name of person the referral is to be sent to.Free text		
 Role	0 ... 1	prsb03-dataelement-10978 link
Role of person where the referral is to be sent to.FHIR value set : - sdsjobrole		
 Grade	0 ... 1	prsb03-dataelement-10979 link
The grade of the person where the referral is sent to.Free text		
 Team	0 ... 1	prsb03-dataelement-10982 link
The team or department of the person where the referral is being sent toFree text.		
 Specialty	0 ... 1	prsb03-dataelement-10983 link
The specialty the referral is being sent to e.g. physiotherapy, oncology, mental health etcNHS data dictionary - Activity treatment function code		
 Service	0 ... 1	prsb03-dataelement-12412 link
The service of where the referral is sent to.		
 Coded value	0 ... 1	prsb03-dataelement-13509 link
The coded value for serviceSNOMED CT: - 1127531000000102 Services simple reference set (foundation metadata concept)		
 Free text	0 ... 1	prsb03-dataelement-13510 link
Free text field to be used if no code is availableFree text		
 Organisation	0 ... 1	prsb03-dataelement-10980 link
The organisation of where the referral is to be sent.		
 Coded value	0 ... 1	prsb03-dataelement-13511 link
The coded value for organisationNHS data dictionary :- Organisation data service		
 Free text	0 ... 1	prsb03-dataelement-13512 link
Free text field to be used if no code is availableFree text		
 Contact details	0 ... 1	prsb03-dataelement-10981 link
The contact details of where the referral is to be sent.Free text.		
 Contacts with professionals	1 ... 1 Mandatory	prsb03-dataelement-169 link
The details of the person's contact with a professional.		
 Contacts with professionals record entry	1 ... *	prsb03-dataelement-10718 link
This is a contacts record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.		
 Date of contact	1 ... 1 Mandatory	prsb03-dataelement-10069 link
Date and time of the contact.Date and time.		
 Location of contact	0 ... 1	prsb03-dataelement-10075 link

 Coded value	The location where the contact took place. 0 ... 1	prsb03-dataelement-13513 link
 Free text	The coded value for locationNHS data dictionary : - Organisation service code 0 ... 1	prsb03-dataelement-13514 link
 Reason for service	Free text field to be used if no code is availableFree text 0 ... 1	prsb03-dataelement-13751 link
 Consultation method	The reason why the person has been offered the serviceFree text 0 ... 1	prsb03-dataelement-10071 link
 Service	Consultation method used e.g. face to face, telephoneNHS data dictionary - Consultation medium 0 ... 1	prsb03-dataelement-10074 link
 Person accompanying patient	The service that was provided.SNOMED CT :- 1127531000000102 Services simple reference set (foundation metadata concept) 0 ... *	prsb03-dataelement-10079 link
 Organisation name	Identify, where clinically relevant, others accompanying the patient, e.g. parent, relative, friend. Includes: Name, Relationship, role (e.g. informal carer).NHS data dictionary : - Person full name 1 ... 1 Mandatory	prsb03-dataelement-10706 link
 Organisation address	The name, including the identifier, of the organisation providing the serviceNHS data dictionary : - Organisation name 0 ... 1	prsb03-dataelement-10713 link
 Organisation contact details	The name of the organisation, including the identifier.NHS data dictionary : - Organisation address 0 ... *	prsb03-dataelement-10707 link
 Reason for non-provision of service	The contact details of the organisation. For example a phone number, NHSmail address etc. Contact details are used to resolve queries about the record entry.Free text 0 ... 1	prsb03-dataelement-10708 link
 Clinician name	The reason why the patient was not provided with the service e.g. declined, did not attend etc.Free text 1 ... 1 Mandatory	prsb03-dataelement-10709 link
 Role	The name of the person providing the service.Free text 0 ... 1	prsb03-dataelement-10710 link
 Chaperone	The role of the person providing the service.FHIR values set : - sdsjobrole 0 ... *	prsb03-dataelement-10712 link
 Professional identifier	The name of any chaperone(s).Free text 0 ... 1	prsb03-dataelement-10711 link

	Professional identifier of the person providing the service.NHS data dictionary : - professional identifier	
History	0 ... 1	prsb03-dataelement-226 link
	History	
└ Relevant past medical, surgical and mental health history	0 ... 1	prsb03-dataelement-10130 link
	The record of the person's significant medical, surgical and mental health history. Including relevant previous diagnoses, problems and issues, procedures, investigations, specific anaesthesia issues, etc. (will include dental and obstetric history)	
	A list of the person's relevant past medical, surgical and mental health history recorded in free text or coded form or information relating to past medical, surgical and mental health history may be provided by the referral document or during the consultation.	
└ Coded value	0 ... 1	prsb03-dataelement-13787 link
	The coded value relevant past medical, surgical and mental health history SNOMED CT : - ^1127581000000103 Health issues simple reference set	
└ Free text	0 ... 1	prsb03-dataelement-13788 link
	Free text field to be used if no code is availableFree text	
Clinical Summary	0 ... 1	prsb03-dataelement-247 link
	Clinical Summary	
└ Clinical narrative	0 ... 1	prsb03-dataelement-10150 link
	A description detailing a patient's reason for attendance, results from the diagnostic and treatment process.Free text	
Investigation results	0 ... 1	prsb03-dataelement-257 link
	Investigation results	
└ Investigation results record entry	0 ... *	prsb03-dataelement-10654 link
	This is an investigation result record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
└ Date	0 ... 1	prsb03-dataelement-10157 link
	The date and time when the investigation was performedDate and time	
└ Investigation	1 ... 1 Mandatory	prsb03-dataelement-10160 link
	The investigation performed.	
└ Coded value	0 ... 1	prsb03-dataelement-13525 link
	The coded value for investigation SNOMED CT: - <71388002 Procedure (procedure)	
└ Free text	0 ... 1	prsb03-dataelement-13526 link
	Free text field to be used if no code is availableFree text	
└ Investigation result	0 ... 1	prsb03-dataelement-10161 link
	For each investigation, the result of the investigation. This can include a report which may have results for multiple tests.	

 Coded value	0 ... 1	prsb03-dataelement-13527 link
	The coded value for investigation resultsSNOMED CT:- <404684003 Clinical finding (finding) OR <243796009 Situation with explicit context (situation)	
 Free text	0 ... 1	prsb03-dataelement-13528 link
	Free text field to be used if no code is availableFree text	
 Investigation Method	0 ... 1	prsb03-dataelement-14094 link
	Method used in carrying out investigationCoded entry - Point of care test, Laboratory test	
 Structured investigation result	0 ... 1	prsb03-dataelement-12415 link
	A structured set of information for each investigation result.	
 Value	0 ... 1	prsb03-dataelement-12416 link
	The value of the investigation result.Numeric	
 Units of measure	0 ... 1	prsb03-dataelement-12417 link
	The units of the investigation result.UCUM code	
 Reference ranges	0 ... 1	prsb03-dataelement-12418 link
	The reference range for the investigation result.Free text	
 Abnormal indicator	0 ... 1	prsb03-dataelement-12419 link
	Indicator if the investigation is abnormal.Abnormal or Normal	
 Signpost details	0 ... 1	prsb03-dataelement-13973 link
	Details of signpost	
 Signpost details record entry	0 ... *	prsb03-dataelement-13974 link
	This is the signpost details record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
 Date	0 ... 1	prsb03-dataelement-13975 link
	Date of signpost	
 Signpost to	0 ... 1	prsb03-dataelement-13976 link
	Details of where the signpost is to.	
 Name	0 ... 1	prsb03-dataelement-13977 link
	If not an individual, this could be a service	
 Role	0 ... 1	prsb03-dataelement-13978 link
	Name of person signposted toFree Text	
 Grade	0 ... 1	prsb03-dataelement-13979 link
	Role of person been signposted to.Free Text	
	The grade of the person been signposted to.Free text	

 Team	0 ... 1	prsb03-dataelement-13980 link
	The team or department of the person been signposted to.Free text	
 Specialty	0 ... 1	prsb03-dataelement-13981 link
	The specialty of where been signposted e.g. physiotherapy, oncology, mental health etc	
 Service	0 ... 1	prsb03-dataelement-13982 link
	The service of where been signposted to.	
 Coded value	0 ... 1	prsb03-dataelement-13983 link
	The coded value for serviceSNOMED CT : - 1127531000000102 Services simple reference set (foundation metadata concept)	
 Free text	0 ... 1	prsb03-dataelement-13984 link
	Free text field to be used if no code is availableFree text	
 Organisation	0 ... 1	prsb03-dataelement-13985 link
	Name of organisation been signposted to. Free text	
 Contact details	0 ... 1	prsb03-dataelement-13987 link
	The contact details of where been signposted toFree text	
 Reason for signpost	0 ... 1	prsb03-dataelement-13988 link
	Reason for signposting	
 Free text	0 ... 1	prsb03-dataelement-13990 link
	Free textFree text	
 Clinical urgency for signpost	0 ... 1	prsb03-dataelement-13991 link
	The details of the clinical urgency of signpost Free text	
 Information and advice given	0 ... 1	prsb03-dataelement-315 link
	Information and advice given	
 Information and advice given	0 ... *	prsb03-dataelement-10215 link
	The oral or written information or advice given to the patient, carer, other authorised representative, care professional or other third party. May include advice about actions related to medicines or other ongoing care activities on an 'information prescription'. State here if there are concerns about the extent to which the patient and/or carer understand the information provided about diagnosis, prognosis and treatment.	
	Free text	
 Distribution list	0 ... 1	prsb03-dataelement-330 link
	Distribution list	
 Distribution list record entry	0 ... 1	prsb03-dataelement-10660 link
	This is a Distribution list record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.	
 Name	0 ... 1	prsb03-dataelement-10230 link
	The name of the person the communication is to be sent to, this can be a person or professional.Free text	

 Role	0 ... 1	prsb03-dataelement-10231 link
If the communication is being sent to either a named individual, or to a non-named person with a specific role, then this is the role of the recipient.		
 Grade	0 ... 1	prsb03-dataelement-10232 link
The grade of the recipient, if known by the sending institution, otherwise omitted. Free text		
 Organisation name	0 ... 1	prsb03-dataelement-10233 link
The name of the organisation the recipient is representing or the organisation named as the receiving organisation.		
An identifier for the organisation will be sent alongside the name, but may not displayed on rendered document.		
NHS data dictionary : - Organisation code		
 Team	0 ... 1	prsb03-dataelement-10234 link
Team that the recipient belongs to in the context of receiving this message, or the team acting as the recipient. Free text		
 Relationship	0 ... 1	prsb03-dataelement-13793 link
The relationship of the receiver to the person for example, carer or parent FHIR value set : - Related person		
 Plan and requested actions	0 ... 1	prsb03-dataelement-535 link
The details of planned investigations, procedures and treatment, and whether this plan has been agreed with the person or their legitimate representative.		
 Plan and requested actions record entry	0 ... *	prsb03-dataelement-10661 link
This is a plan and requested actions record entry. There may be 0 to many record entries under a section. Each record entry is made up of a number of elements or data items.		
 Actions for professionals	0 ... *	prsb03-dataelement-10436 link
Including planned investigations, procedures and treatment for a person's identified conditions and priorities. For each action the following should be identified: outcome expectations, including the person's expectations. A record of the planned and requested actions. May be structured (table), with actions, names, dates, status, location, strategies. Free text		
 Actions for person or their carer	0 ... *	prsb03-dataelement-10437 link
For each action the following should be identified: outcome expectations, including person's expectations. A record of the planned and requested actions. May be structured (table), with actions, names, dates, status, location, strategies. Free text		

4 Identifiers

4.1 Identifiers

As for now used for rendering purposes only.

4.1.1 LOINC 2.16.840.1.113883.6.1

Language	Display Name	Description
en-GB	LOINC	LOINC

4.1.2 Snomed-CT 2.16.840.1.113883.6.96

Language	Display Name	Description
en-GB	Snomed-CT	Snomed-CT

4.2 List of Template Identifiers used in this project

Id	Display Name	Effective date	Type

4.3 List of Value Set Identifiers used in this project

Id	Display Name	Effective date

5 Publication for scenario

 This is a scenario publication: Transfers of care

The publication is based on the following explicitly selected and/or dependent artefacts:

- Data Set 2.16.840.1.113883.3.1937.777.28.1.1 (PRSB Record structure and content)
- Scenario 2.16.840.1.113883.3.1937.777.28.3.32 (Community Pharmacy Standard)
- Transaction 2.16.840.1.113883.3.1937.777.28.4.213 (Single Community Pharmacy Standard)
- Transaction 2.16.840.1.113883.3.1937.777.28.4.214 (Pharmacy Record)
- Transaction 2.16.840.1.113883.3.1937.777.28.4.215 (Medication Review)
- Transaction 2.16.840.1.113883.3.1937.777.28.4.216 (Medication Review (GP))
- Transaction 2.16.840.1.113883.3.1937.777.28.4.218 (New Medicine Service)
- Transaction 2.16.840.1.113883.3.1937.777.28.4.219 (New Medicine Service (GP))
- Transaction 2.16.840.1.113883.3.1937.777.28.4.220 (Appliance Use Review)
- Transaction 2.16.840.1.113883.3.1937.777.28.4.221 (Appliance Use Review (GP))
- Transaction 2.16.840.1.113883.3.1937.777.28.4.222 (Vaccination Administration)
- Transaction 2.16.840.1.113883.3.1937.777.28.4.223 (Vaccination Administration (GP))
- Transaction 2.16.840.1.113883.3.1937.777.28.4.224 (CPCS - Emergency Supply)
- Transaction 2.16.840.1.113883.3.1937.777.28.4.225 (CPCS - Emergency Supply (GP))
- Transaction 2.16.840.1.113883.3.1937.777.28.4.226 (CPCS - Minor Illness)
- Transaction 2.16.840.1.113883.3.1937.777.28.4.227 (CPCS - Minor Illness (GP))
- Transaction 2.16.840.1.113883.3.1937.777.28.4.231 (Smoking Cessation)
- Transaction 2.16.840.1.113883.3.1937.777.28.4.233 (Smoking Cessation (GP))
- Transaction 2.16.840.1.113883.3.1937.777.28.4.234 (Hypertension Case Finding)
- Transaction 2.16.840.1.113883.3.1937.777.28.4.236 (Hypertension Case Finding (GP))
- Transaction 2.16.840.1.113883.3.1937.777.28.4.237 (Cardiovascular Disease)
- Transaction 2.16.840.1.113883.3.1937.777.28.4.239 (Cardiovascular Disease (GP))
- Transaction 2.16.840.1.113883.3.1937.777.28.4.240 (Contraception)
- Transaction 2.16.840.1.113883.3.1937.777.28.4.242 (Contraception (GP))
- Transaction 2.16.840.1.113883.3.1937.777.28.4.243 (Sore Throat Testing)
- Transaction 2.16.840.1.113883.3.1937.777.28.4.245 (Sore Throat Testing (GP))
- Transaction 2.16.840.1.113883.3.1937.777.28.4.246 (Palliative Care)
- Transaction 2.16.840.1.113883.3.1937.777.28.4.248 (Palliative Care (GP))
- Transaction 2.16.840.1.113883.3.1937.777.28.4.249 (Hepatitis C)
- Transaction 2.16.840.1.113883.3.1937.777.28.4.251 (Hepatitis C (GP))