



Sandbox Medizin Uni Leipzig

Zusammenstellung der DECOR-Informationen

Implementierungsleitfaden

Version vom 2018-08-21 09:50:10

PDF-Auszug vom 2018-08-21 11:49:58

Lizenzen

Dieses Programm ist freie Software: Sie können es unter den Bedingungen der GNU General Public License, wie von der Free Software Foundation, Version 3 der Lizenz oder (nach Ihrer Option) jeder späteren veröffentlichten Version, weiterverbreiten und/oder modifizieren.

Dieses Programm wird in der Hoffnung, dass es nützlich sein wird, aber OHNE JEDE GEWÄHRLEISTUNG, bereitgestellt; sogar ohne die implizite Gewährleistung der MARKTFÄHIGKEIT oder EIGNUNG FÜR EINEN BESTIMMTEN ZWECK.

Siehe <http://www.gnu.org/licenses/gpl.html>

Der Inhalt dieser Spezifikation unterliegt möglicherweise anderen Urheber- und Markenrechten sowie Lizenzbestimmungen die hier nicht näher spezifiziert sind.

Disclaimer

Der Inhalt dieser Publikation wurde sorgfältig bearbeitet und überprüft. Allerdings garantiert Medizin Uni Leipzig weder die Richtigkeit, Vollständigkeit oder Qualität der bereitgestellten Informationen, noch dass sie auf dem neuesten Stand sind. Haftungsansprüche gegen Medizin Uni Leipzig in Bezug auf Schäden materieller oder ideeller Art, die durch die Nutzung oder Nichtnutzung der dargebotenen Informationen oder durch fehlerhafte und unvollständige Informationen verursacht wurden, sind grundsätzlich ausgeschlossen, sofern kein nachweislich vorsätzliches oder grob fahrlässiges Verschulden von Medizin Uni Leipzig vorliegt.

Table of Contents

1 Projektinformation	11
1.1 Projekt	11
1.1.1 Weitere Projekt-Informationen	11
1.1.2 Versionsinformationen	11
2 Datensätze (generisch)	12
2.1 Dataset Sandbox Medizin Uni Leipzig 2018-04-12 11:21:28	12
2.1.1 Eigenschaften	17
3 Szenarios	61
3.1 ASIC 2018-05-09 09:15:36	61
3.2 Adipositas-T Kumulativbefund 2018-04-17 11:05:18	64
4 Identifikatoren	76
4.1 Identifikatoren	76
4.1.1 ISO 3166 Part 1 Country Codes 1.0.3166.1	76
4.1.2 Administrative Gender 2.16.840.1.113883.5.1	76
4.1.3 MaritalStatus 2.16.840.1.113883.5.2	76
4.1.4 Act Code 2.16.840.1.113883.5.4	76
4.1.5 ActClass 2.16.840.1.113883.5.6	77
4.1.6 Act Priority 2.16.840.1.113883.5.7	77
4.1.7 ActStatus 2.16.840.1.113883.5.14	77
4.1.8 Confidentiality 2.16.840.1.113883.5.25	77
4.1.9 Ethnicity 2.16.840.1.113883.5.50	77
4.1.10 Language Ability Mode 2.16.840.1.113883.5.60	78
4.1.11 Language Ability Proficiency 2.16.840.1.113883.5.61	78
4.1.12 Observation Interpretation 2.16.840.1.113883.5.83	78
4.1.13 Observation Method 2.16.840.1.113883.5.84	78
4.1.14 Orderable Drug Form 2.16.840.1.113883.5.85	78
4.1.15 Participation Function 2.16.840.1.113883.5.88	79
4.1.16 ParticipationType 2.16.840.1.113883.5.90	79
4.1.17 Race 2.16.840.1.113883.5.104	79
4.1.18 Role Class 2.16.840.1.113883.5.110	79
4.1.19 Role Code 2.16.840.1.113883.5.111	79
4.1.20 Route Of Administration 2.16.840.1.113883.5.112	80
4.1.21 SpecimenType 2.16.840.1.113883.5.129	80
4.1.22 TargetAwareness 2.16.840.1.113883.5.137	80
4.1.23 Act Mood 2.16.840.1.113883.5.1001	80

4.1.24 Act Relationship Type 2.16.840.1.113883.5.1002	80
4.1.25 Act Site 2.16.840.1.113883.5.1052	81
4.1.26 Entity Code 2.16.840.1.113883.5.1060	81
4.1.27 Participation Mode 2.16.840.1.113883.5.1064	81
4.1.28 ProcedureMethod 2.16.840.1.113883.5.1065	81
4.1.29 Role Status 2.16.840.1.113883.5.1068	81
4.1.30 ReligiousAffiliation 2.16.840.1.113883.5.1076	82
4.1.31 Logical Observation Identifier Names and Codes 2.16.840.1.113883.6.1	82
4.1.32 SNOMED Clinical Terms 2.16.840.1.113883.6.96	82
4.1.33 Tags for the Identification of Languages 2.16.840.1.113883.6.121	82
4.2 Liste der Template Identifier in diesem Projekt	82
4.3 Liste von Value Set Identifiern in diesem Projekt	86
5 Terminologien	90
5.1 Value sets.....	90
5.1.1 ActEncounterCode 2.16.840.1.113883.1.11.13955 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)	90
5.1.2 ActPriority 2.16.840.1.113883.1.11.16866 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)	91
5.1.3 ActStatus 2.16.840.1.113883.1.11.15933 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)	92
5.1.4 ActStatus 2.16.840.1.113883.1.11.15933 - 2011-07-26 (DEFN=UV=VO=1099-20110726) ref (aus Repository: ad2bbr-)	93
5.1.5 ActSubstanceAdministrationCode 2.16.840.1.113883.1.11.19708 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)	94
5.1.6 AdministrableDrugForm 2.16.840.1.113883.1.11.14570 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)	95
5.1.7 AdministrativeGender 2.16.840.1.113883.1.11.1 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)	96
5.1.8 Administrative Gender (HL7 V3) 2.16.840.1.113883.1.11.1 - 2013-01-31 ref (aus Repository: ccda-).....	97
5.1.9 AdministrativeGender 2.16.840.1.113883.1.11.1 - 2011-07-26 (DEFN=UV=VO=1099-20110726) ref (aus Repository: ad2bbr-)	97
5.1.10 Blutbild 2.16.840.1.113883.3.1937.99.61.45.11.1 - 2018-04-13 15:31:43 (Blutbild)	98
5.1.11 DocumentSectionType 2.16.840.1.113883.1.11.10871 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)	99
5.1.12 DocumentSectionType 2.16.840.1.113883.1.11.10871 - 2011-07-26 (DEFN=UV=VO=1099-20110726) ref (aus Repository: ad2bbr-)	99
5.1.13 EntityCode 2.16.840.1.113883.1.11.16040 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)	100

5.1.14 Ethnicity 2.16.840.1.113883.1.11.15836 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)	122
5.1.15 HL7 BasicConfidentialityKind 2.16.840.1.113883.1.11.16926 - 2014-06-09 ref (aus Repository: ccda-)	125
5.1.16 Harnstoff 2.16.840.1.113883.3.1937.99.61.45.11.3 - 2018-04-16 12:19:04	126
5.1.17 HumanLanguage 2.16.840.1.113883.1.11.11526 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)	126
5.1.18 Kreatinin 2.16.840.1.113883.3.1937.99.61.45.11.4 - 2018-04-16 12:38:45	127
5.1.19 KreatininFinding 2.16.840.1.113883.3.1937.99.61.45.11.7 - 2018-04-20 09:18:56	127
5.1.20 Krebs 2.16.840.1.113883.3.1937.99.61.45.11.8 - 2018-04-20 12:22:45	128
5.1.21 LanguageAbilityMode 2.16.840.1.113883.1.11.12249 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)	128
5.1.22 LanguageAbilityProficiency 2.16.840.1.113883.1.11.12199 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)	129
5.1.23 MaritalStatus 2.16.840.1.113883.1.11.12212 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)	130
5.1.24 MaterialEntityClassType 2.16.840.1.113883.1.11.16041 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)	131
5.1.25 Moegliche Messwerte 2.16.840.1.113883.3.1937.99.61.45.11.6 - 2018-04-20 08:43:17	152
5.1.26 Mögliche Patientendaten 2.16.840.1.113883.3.1937.99.61.45.11.13 - 2018-04-24 09:45:09	154
5.1.27 Mögliche weitere Angaben 2.16.840.1.113883.3.1937.99.61.45.11.14 - 2018-04-24 09:50:05	155
5.1.28 Niere 2.16.840.1.113883.3.1937.99.61.45.11.5 - 2018-04-16 12:41:47	156
5.1.29 LeberPankreas 2.16.840.1.113883.3.1937.99.61.45.11.2 - 2018-04-13 15:47:23 (1)	156
5.1.30 NiereLeberPankreas 2.16.840.1.113883.3.1937.99.61.45.11.2 - 2018-04-13 15:39:56 (2)	157
5.1.31 ObservationInterpretation 2.16.840.1.113883.1.11.78 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)	158
5.1.32 ObservationMethod 2.16.840.1.113883.1.11.14079 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)	161
5.1.33 ObservationType 2.16.840.1.113883.1.11.16226 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)	175
5.1.34 ObservationType 2.16.840.1.113883.1.11.16226 - 2011-07-26 (DEFN=UV=VO=1099-20110726) ref (aus Repository: ad2bbr-)	193
5.1.35 ParticipationFunction 2.16.840.1.113883.1.11.10267 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)	208
5.1.36 ParticipationFunction 2.16.840.1.113883.1.11.10267 - 2011-07-26 (DEFN=UV=VO=1099-20110726) ref (aus Repository: ad2bbr-)	211

5.1.37 ParticipationMode 2.16.840.1.113883.1.11.16543 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)	214
5.1.38 ParticipationType 2.16.840.1.113883.1.11.10901 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)	215
5.1.39 PersonalRelationshipRoleType 2.16.840.1.113883.1.11.19563 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)	219
5.1.40 ROIOverlayShape 2.16.840.1.113883.1.11.16117 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)	226
5.1.41 Race 2.16.840.1.113883.1.11.14914 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)	227
5.1.42 ReligiousAffiliation 2.16.840.1.113883.1.11.19185 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)	251
5.1.43 RoleClassMutualRelationship 2.16.840.1.113883.1.11.19316 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)	256
5.1.44 RoleStatus 2.16.840.1.113883.1.11.15999 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)	258
5.1.45 RouteOfAdministration 2.16.840.1.113883.1.11.14581 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)	259
5.1.46 TargetAwareness 2.16.840.1.113883.1.11.10310 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)	283
5.1.47 Geschlecht 2.16.840.1.113883.3.1937.99.61.45.11.11 - 2018-04-23 15:48:01	284
5.1.48 test2 2.16.840.1.113883.3.1937.99.61.45.11.10 - 2018-04-23 10:22:06	284
5.1.49 x_ActClassDocumentEntryAct 2.16.840.1.113883.1.11.19599 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)	284
5.1.50 x_ActClassDocumentEntryOrganizer 2.16.840.1.113883.1.11.19598 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)	285
5.1.51 x_ActClassDocumentEntryOrganizer 2.16.840.1.113883.1.11.19598 - 2011-07-26 (DEFN=UV=VO=1099-20110726) ref (aus Repository: ad2bbr-)	286
5.1.52 x_ActMoodDocumentObservation 2.16.840.1.113883.1.11.18943 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)	286
5.1.53 x_ActMoodDocumentObservation 2.16.840.1.113883.1.11.18943 - 2011-07-26 (DEFN=UV=VO=1099-20110726) ref (aus Repository: ad2bbr-)	287
5.1.54 x_ActRelationshipEntry 2.16.840.1.113883.1.11.19446 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)	288
5.1.55 x_ActRelationshipEntryRelationship 2.16.840.1.113883.1.11.19447 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)	289
5.1.56 x_ActRelationshipExternalReference 2.16.840.1.113883.1.11.19000 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)	290
5.1.57 x_DocumentActMood 2.16.840.1.113883.1.11.19458 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)	291

5.1.58 x_DocumentEncounterMood 2.16.840.1.113883.1.11.19459 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)	291
5.1.59 x_DocumentProcedureMood 2.16.840.1.113883.1.11.19460 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)	292
5.1.60 x_DocumentSubject 2.16.840.1.113883.1.11.19368 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)	293
5.1.61 x_DocumentSubstanceMood 2.16.840.1.113883.1.11.19461 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)	294
6 Templates	295
6.1 Transaktionsrepräsentierende Templates	295
6.1.1 Anwendungsfall ASIC 2.16.840.1.113883.3.1937.99.61.45.10.44 - 2018-05-08 15:20:09	295
6.1.2 Dok1 Adipositas Studie 2.16.840.1.113883.3.1937.99.61.45.10.20 - 2018-04-24 11:01:24	305
6.1.3 Dok3 Adipositas Studie 2.16.840.1.113883.3.1937.99.61.45.10.27 - 2018-04-27 15:17:54	312
6.1.4 Dok2 Adipositas Studie 2.16.840.1.113883.3.1937.99.61.45.10.24 - 2018-04-26 16:56:54	320
6.1.5 Dok4 Adipositas Studie 2.16.840.1.113883.3.1937.99.61.45.10.40 - 2018-05-03 10:09:46	327
6.2 Templates	335
6.2.1 ASIC Ausschlusskriterien 2.16.840.1.113883.3.1937.99.61.45.10.52 - 2018-05-08 16:46:12	335
6.2.2 ASIC Beatmungsparameter 2.16.840.1.113883.3.1937.99.61.45.10.47 - 2018-05-08 16:22:26	337
6.2.3 ASIC Blutgasanalyse 2.16.840.1.113883.3.1937.99.61.45.10.48 - 2018-05-08 16:26:14	340
6.2.4 ASIC ECMO 2.16.840.1.113883.3.1937.99.61.45.10.56 - 2018-05-08 16:51:37	342
6.2.5 ASIC Einschlusskriterien 2.16.840.1.113883.3.1937.99.61.45.10.51 - 2018-05-08 16:44:43	344
6.2.6 ASIC Horowitz Quotient 2.16.840.1.113883.3.1937.99.61.45.10.60 - 2018-05-08 17:01:39	346
6.2.7 ASIC Lungenoedem 2.16.840.1.113883.3.1937.99.61.45.10.54 - 2018-05-08 16:48:01	348
6.2.8 ASIC Medikamente 2.16.840.1.113883.3.1937.99.61.45.10.57 - 2018-05-08 16:52:14	350
6.2.9 ASIC Messwerte 2.16.840.1.113883.3.1937.99.61.45.10.46 - 2018-05-08 16:20:53	351
6.2.10 ASIC Outcome Parameter 2.16.840.1.113883.3.1937.99.61.45.10.59 - 2018-05-08 16:54:13	354
6.2.11 ASIC Patienten- Bewegungsdaten 2.16.840.1.113883.3.1937.99.61.45.10.58 - 2018-05-08 16:53:26	356

6.2.12 ASIC Patient-Stammdaten 2.16.840.1.113883.3.1937.99.61.45.10.45 - 2018-05-08 15:51:27	358
6.2.13 ASIC Sauerstoffsättigung 2.16.840.1.113883.3.1937.99.61.45.10.49 - 2018-05-08 16:26:57	360
6.2.14 ASIC adjunktiv supportive Maßnahmen 2.16.840.1.113883.3.1937.99.61.45.10.61 - 2018-05-14 14:32:33	363
6.2.15 ASIC radiologische Befunde 2.16.840.1.113883.3.1937.99.61.45.10.53 - 2018-05-08 16:47:17	365
6.2.16 ASIC weitere Vitaldaten 2.16.840.1.113883.3.1937.99.61.45.10.50 - 2018-05-08 16:29:04	366
6.2.17 CDA Act 2.16.840.1.113883.10.12.301 - 2005-09-07 ref ad1bbr-.....	369
6.2.18 CDA AssignedEntity 2.16.840.1.113883.10.12.153 - 2005-09-07 ref ad1bbr-	374
6.2.19 CDA Author (Body) 2.16.840.1.113883.10.12.318 - 2005-09-07 ref ad1bbr-	377
6.2.20 CDA Autor 2.16.840.1.113883.3.1937.99.61.45.10.19 - 2018-04-24 10:54:42	381
6.2.21 CDA Clinical Statement 2.16.840.1.113883.10.12.300 - 2005-09-07 ref ad1bbr-.....	383
6.2.22 CDA Device 2.16.840.1.113883.10.12.315 - 2005-09-07 ref ad1bbr-.....	417
6.2.23 CDA Encounter 2.16.840.1.113883.10.12.302 - 2005-09-07 ref ad1bbr-.....	420
6.2.24 CDA ExternalAct 2.16.840.1.113883.10.12.325 - 2005-09-07 ref ad1bbr-	425
6.2.25 CDA ExternalDocument 2.16.840.1.113883.10.12.328 - 2005-09-07 ref ad1bbr-	428
6.2.26 CDA ExternalObservation 2.16.840.1.113883.10.12.326 - 2005-09-07 ref ad1bbr-	431
6.2.27 CDA ExternalProcedure 2.16.840.1.113883.10.12.327 - 2005-09-07 ref ad1bbr-	434
6.2.28 CDA LabeledDrug 2.16.840.1.113883.10.12.310 - 2005-09-07 ref ad1bbr-.....	437
6.2.29 CDA ManufacturedProduct 2.16.840.1.113883.10.12.312 - 2005-09-07 ref ad1bbr-....	439
6.2.30 CDA Material 2.16.840.1.113883.10.12.311 - 2005-09-07 ref ad1bbr-	443
6.2.31 CDA NonXMLBody 2.16.840.1.113883.10.12.203 - 2005-09-07 ref ad1bbr-	445
6.2.32 CDA Observation 2.16.840.1.113883.10.12.303 - 2005-09-07 ref ad1bbr-	446
6.2.33 CDA ObservationMedia 2.16.840.1.113883.10.12.304 - 2005-09-07 ref ad1bbr-	454
6.2.34 CDA Organization 2.16.840.1.113883.10.12.151 - 2005-09-07 ref ad1bbr-.....	459
6.2.35 CDA Organizer 2.16.840.1.113883.10.12.305 - 2005-09-07 ref ad1bbr-.....	463
6.2.36 CDA Participant (Body) 2.16.840.1.113883.10.12.321 - 2005-09-07 ref ad1bbr-	468
6.2.37 CDA Performer (Body) 2.16.840.1.113883.10.12.323 - 2005-09-07 ref ad1bbr-	473
6.2.38 CDA Person 2.16.840.1.113883.10.12.152 - 2005-09-07 ref ad1bbr-.....	476
6.2.39 CDA PlayingEntity 2.16.840.1.113883.10.12.313 - 2005-09-07 ref ad1bbr-.....	479
6.2.40 CDA Precondition 2.16.840.1.113883.10.12.329 - 2005-09-07 ref ad1bbr-.....	482
6.2.41 CDA Proband 2.16.840.1.113883.3.1937.99.61.45.10.18 - 2018-04-24 10:48:32	485
6.2.42 CDA Procedure 2.16.840.1.113883.10.12.306 - 2005-09-07 ref ad1bbr-.....	487
6.2.43 CDA Reference 2.16.840.1.113883.10.12.324 - 2005-09-07 ref ad1bbr-.....	493
6.2.44 CDA RegionOfInterest 2.16.840.1.113883.10.12.307 - 2005-09-07 ref ad1bbr-	498
6.2.45 CDA RelatedEntity 2.16.840.1.113883.10.12.316 - 2005-09-07 ref ad1bbr-	503

6.2.46 CDA Section 2.16.840.1.113883.10.12.201 - 2005-09-07 ref ad1bbr-	506
6.2.47 CDA Specimen 2.16.840.1.113883.10.12.322 - 2005-09-07 ref ad1bbr-	509
6.2.48 CDA StructuredBody 2.16.840.1.113883.10.12.202 - 2005-09-07 ref ad1bbr-.....	513
6.2.49 CDA Subject (Body) 2.16.840.1.113883.10.12.320 - 2005-09-07 ref ad1bbr-.....	514
6.2.50 CDA SubstanceAdministration 2.16.840.1.113883.10.12.308 - 2005-09-07 ref ad1bbr-.....	517
6.2.51 CDA Supply 2.16.840.1.113883.10.12.309 - 2005-09-07 ref ad1bbr-	524
6.2.52 CDA author 2.16.840.1.113883.10.12.102 - 2005-09-07 ref ad1bbr-	530
6.2.53 CDA component 2.16.840.1.113883.10.12.112 - 2005-09-07 ref ad1bbr-.....	533
6.2.54 CDA custodian 2.16.840.1.113883.10.12.104 - 2005-09-07 ref ad1bbr-	535
6.2.55 CDA effectiveTime 1.2.276.0.76.10.90006 - 2012-12-12 ref hl7de-	537
6.2.56 CDA Informant (Body) 2.16.840.1.113883.10.12.319 - 2005-09-07 ref ad1bbr-	538
6.2.57 CDA recordTarget 2.16.840.1.113883.10.12.101 - 2005-09-07 ref ad1bbr-	541
6.2.58 CDA setId and versionNumber 2.16.840.1.113883.3.1937.99.61.45.10.34 - 2018-05-02 15:09:22	546
6.2.59 Dok3 kleines Blutbild 2.16.840.1.113883.3.1937.99.61.45.10.35 - 2018-05-02 17:49:52	548
6.2.60 Dok3 Sepsis 2.16.840.1.113883.3.1937.99.61.45.10.36 - 2018-05-02 17:51:35	551
6.2.61 Dok3 Sonstiges 2.16.840.1.113883.3.1937.99.61.45.10.37 - 2018-05-02 17:52:41	553
6.2.62 Dok3 kleines Blutbild ? 2.16.840.1.113883.3.1937.99.61.45.10.39 - 2018-05-02 17:58:11	556
6.2.63 Dok3 unbekannt 2.16.840.1.113883.3.1937.99.61.45.10.38 - 2018-05-02 17:54:39 ...	569
6.2.64 Dok4 Messwert Organizer 2.16.840.1.113883.3.1937.99.61.45.10.43 - 2018-05-03 10:33:35	571
6.2.65 Messwert: ALAT 2.16.840.1.113883.3.1937.99.61.45.10.31 - 2018-04-27 16:46:48	573
6.2.66 Messwert: ASAT 2.16.840.1.113883.3.1937.99.61.45.10.30 - 2018-04-27 16:45:25	575
6.2.67 Messwert: Alkalische Phosphatase 2.16.840.1.113883.3.1937.99.61.45.10.32 - 2018-04-27 16:48:37	577
6.2.68 Dok2 Messwerte 2.16.840.1.113883.3.1937.99.61.45.10.25 - 2018-04-27 09:10:14 ...	579
6.2.69 Messwert: Gamma Glutamyl 2.16.840.1.113883.3.1937.99.61.45.10.33 - 2018-04-27 16:49:56	582
6.2.70 Messwert: Harnstoff 2.16.840.1.113883.3.1937.99.61.45.10.8 - 2018-04-18 10:57:21	584
6.2.71 Messwert: Kreatinin 2.16.840.1.113883.3.1937.99.61.45.10.9 - 2018-04-18 10:58:12	586
6.2.72 Dok1 Messwerte 2.16.840.1.113883.3.1937.99.61.45.10.23 - 2018-04-25 12:17:45 ...	589
6.2.73 Dok3 Messwerte 2.16.840.1.113883.3.1937.99.61.45.10.28 - 2018-04-27 15:51:01 ...	591
6.2.74 Dok4 Messwerte 2.16.840.1.113883.3.1937.99.61.45.10.41 - 2018-05-03 10:24:23 ...	595
6.2.75 Template Messwerte: Adipositas 2.16.840.1.113883.3.1937.99.61.45.10.7 - 2018-04-18 10:54:22	597

6.2.76 Dok2 Messwertauswahl 2.16.840.1.113883.3.1937.99.61.45.10.26 - 2018-04-27 10:31:39	599
6.2.77 Dok4 Messwerte 2.16.840.1.113883.3.1937.99.61.45.10.42 - 2018-05-03 10:26:27 ...	601
6.2.78 Dok1 Moegliche Messwerte 2.16.840.1.113883.3.1937.99.61.45.10.22 - 2018-04-25 11:33:07	603
6.2.79 Dok3 Niere 2.16.840.1.113883.3.1937.99.61.45.10.11 - 2018-04-18 11:15:51	610
6.2.80 CDA Organization Elements 1.2.276.0.76.10.90011 - 2011-12-19 ref hl7de-	613
6.2.81 Template Messwertkategorie 2.16.840.1.113883.3.1937.99.61.45.10.10 - 2018-04-18 11:13:00	614
6.2.82 Dok3 Pankreas Leber 2.16.840.1.113883.3.1937.99.61.45.10.29 - 2018-04-27 16:29:41	615
7 Probleme/Fragen	619
7.1 Zugewiesene Probleme	619
7.2 Noch nicht zugewiesene Probleme	619
7.3 Behandelte Probleme.....	619



1 Projektinformation

1.1 Projekt

Keine Beschreibung in Deutsch (de-DE) verfügbar

en-US :

1.1.1 Weitere Projekt-Informationen


Eigenschaften	
Prefix: smul- Standardsprache: de-DE	  Experimental/Test?
Publikationsort	Projekt-Übersicht
http://pub.art-decor.org/smul/	Projekt Index
Disclaimer	
<p>Der Inhalt dieser Publikation wurde sorgfältig bearbeitet und überprüft. Allerdings garantiert Medizin Uni Leipzig weder die Richtigkeit, Vollständigkeit oder Qualität der bereitgestellten Informationen, noch dass sie auf dem neuesten Stand sind. Haftungsansprüche gegen Medizin Uni Leipzig in Bezug auf Schäden materieller oder ideeller Art, die durch die Nutzung oder Nichtnutzung der dargebotenen Informationen oder durch fehlerhafte und unvollständige Informationen verursacht wurden, sind grundsätzlich ausgeschlossen, sofern kein nachweislich vorsätzliches oder grob fahrlässiges Verschulden von Medizin Uni Leipzig vorliegt.</p>	
Liste der Autoren	
<ul style="list-style-type: none"> ▪ Administrator ▪ Dr. Kai Heitmann ▪ Maarten Ligtoet ▪ Andreas Duerschmid ▪ Thomas Wendt ▪ Kais Tahar 	

1.1.2 Versionsinformationen

Datum	Von	Beschreibung
2018-08-21 09:50:10	Andreas Duerschmid	Alle 5 Dokumente in der Veröffentlichung enthalten.
2018-08-14 11:14:46	Dr. Kai Heitmann	Official Release Test-Release
2018-05-15 10:00:18	Andreas Duerschmid	There have been no changes to issues since the last intermediate version or release.

2 Datensätze (generisch)

2.1 Dataset Sandbox Medizin Uni Leipzig 2018-04-12 11:21:28

Name	Id
 Dataset Sandbox Medizin Uni Leipzig	
Version / Eingangsdatum	Verfalldatum
Beschreibung	
Alles ausklappen Alles einklappen Zeige Spalte...	
Name	Details [-]
  Proband	smul-dataelement-1
Id	smul-dataelement-1 (2018-04-12 11:21:28)
Terminologie-Assoziation	Dieses Konzept wird repräsentiert durch Code "705114005" (LOINC Code System (qualifier value)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)
 Geschlecht	smul-dataelement-74
Id	smul-dataelement-74 (2018-04-20 11:06:03)
Value Domain	Kode
Auswahlliste	<div style="border: 1px solid gray; padding: 5px;"> <p style="text-align: center;">Konzeptliste</p> <hr/> <p>Value Set erforderlich <i>Geschlecht</i> (Version DYNAMIC)</p> </div>
 Blutgruppe	smul-dataelement-75
Id	smul-dataelement-75 (2018-04-23 15:49:43)
Value Domain	Kode
 pflegerische Organisationseinheit	smul-dataelement-13
Id	smul-dataelement-13 (2018-04-16 11:12:33)
Value Domain	String
Eigenschaft	<div style="border: 1px solid gray; padding: 5px;"> <p style="text-align: center;">fixed</p> <p>Adipositas-T</p> </div>
 Benutzt von	0 transactions, 0 templates, inherited once
 Patientennummer	

smul-dataelement-11

Id	smul-dataelement-11 (2018-04-16 10:58:18)
Terminologie-Assoziation	Dieses Konzept wird repräsentiert durch Code "184107009" (Patient hospital number (observable entity)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)
Value Domain	Identifizier
Benutzt von	0 transactions, 0 templates, inherited once

Geburtsdatum

smul-dataelement-10

Id	smul-dataelement-10 (2018-04-16 10:57:15)
Beschreibung	MDS, empfohlen/wichtig
Beziehung	Spezialisierung chdachpharm-dataelement-26 - 2016-06-08 14:03:02
Terminologie-Assoziation	Dieses Konzept wird repräsentiert durch Code "184099003" (Date of birth (observable entity)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)
Value Domain	Datum
Eigenschaft	Zeitangabenpräzision Tag, Monat und Jahr
Benutzt von	0 transactions, 0 templates, inherited once

Nachname

smul-dataelement-9

Id	smul-dataelement-9 (2018-04-16 10:54:14)
Terminologie-Assoziation	Dieses Konzept wird repräsentiert durch Code "184096005" (Patient surname (observable entity)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)
Value Domain	String
Benutzt von	0 transactions, 0 templates, inherited once

Vorname

smul-dataelement-8

Id	smul-dataelement-8 (2018-04-16 10:52:12)
Beschreibung	MDS, obligatorisch
Beziehung	Spezialisierung chdachpharm-dataelement-24 - 2016-06-08 14:02:20
Terminologie-Assoziation	Dieses Konzept wird repräsentiert durch Code "184095009" (Patient forename (observable entity)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)

Value Domain String


 Benutzt von 0 transactions, 0 templates, inherited once

 Adipositas Studie

smul-dataelement-85

Id smul-dataelement-85 (2018-05-08 10:20:01)

 Benutzt von 4 transactions, 0 templates, inherited 0 times


 Dokumenten-Titel

smul-dataelement-82

Id smul-dataelement-82 (2018-05-02 13:35:17)

Value Domain String


 Benutzt von 4 transactions, 4 templates, inherited 0 times

 Organisationsname

smul-dataelement-83

Id smul-dataelement-83 (2018-05-02 13:36:39)

Value Domain String

 Benutzt von 4 transactions, one template, inherited 0 times

 Datum

smul-dataelement-7

Id smul-dataelement-7 (2018-04-16 10:46:56)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "399651003" (Date of report (observable entity)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)

Value Domain Datum

Eigenschaft

Zeitangabenpräzision

mindestens Tag, Monat und Jahr

 Benutzt von 4 transactions, one template, inherited 0 times

 Proband

smul-dataelement-76

Id smul-dataelement-76 (2018-05-02 10:46:49)

 Benutzt von

4 transactions, 2 templates, inherited 0 times

 Vorname

smul-dataelement-77

Id smul-dataelement-77 (2018-05-02 10:48:56)

Konzept erbt von  smul-dataelement-8 (2018-04-16 10:52:12)

Beschreibung MDS, obligatorisch

Beziehung Spezialisierung chdachpharm-dataelement-24 - 2016-06-08 14:02:20

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "184095009" (Patient forename (observable entity)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms

Value Domain String

 Benutzt von

4 transactions, one template, inherited 0 times

 Nachname

smul-dataelement-78

Id smul-dataelement-78 (2018-05-02 10:51:53)


Konzept erbt von  smul-dataelement-9 (2018-04-16 10:54:14)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "184096005" (Patient surname (observable entity)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms

Value Domain String

 Benutzt von

4 transactions, one template, inherited 0 times

 Geburtsdatum

smul-dataelement-79

Id smul-dataelement-79 (2018-05-02 10:54:10)

Konzept erbt von  smul-dataelement-10 (2018-04-16 10:57:15)

Beschreibung MDS, empfohlen/wichtig

Beziehung Spezialisierung chdachpharm-dataelement-26 - 2016-06-08 14:03:02


Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "184099003" (Date of birth (observable entity)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms

Value Domain Datum

Eigenschaft **Zeitangabenpräzision**

Tag, Monat und Jahr

 Benutzt von 4 transactions, 2 templates, inherited 0 times

 Patientennummer smul-dataelement-80


Id smul-dataelement-80 (2018-05-02 10:54:30)

Konzept erbt von  *smul-dataelement-11* (2018-04-16 10:58:18)


Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "184107009" (Patient hospital number (observable entity)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)

Value Domain Identifier

 Benutzt von 4 transactions, one template, inherited 0 times

 pflegerische Organisationseinheit smul-dataelement-81

Id smul-dataelement-81 (2018-05-02 10:54:51)

Konzept erbt von  *smul-dataelement-13* (2018-04-16 11:12:33)


Value Domain String

Eigenschaft

fixed

 Adipositas-T

 Benutzt von 4 transactions, 0 templates, inherited 0 times

 Geschlecht smul-dataelement-84

Id smul-dataelement-84 (2018-05-07 14:55:06)

Value Domain Kode

Auswahlliste

Konzeptliste			
Konzept	Synonyme	Beschreibung	Zugeordnete Referenzen
weiblich			
männlich			
undifferenziert			

 Benutzt von 4 transactions, one template, inherited 0 times

 Biologisches Geschlecht

smul-dataelement-184

Id	smul-dataelement-184 (2018-07-04 12:58:22)
Konzept erbt von	<i>mide-dataelement-109</i> (2018-06-15 12:26:15)
Beschreibung	Geschlecht des Patienten bei der Geburt. Codesystem angelehnt an DICOM-Standard, abzüglich der bei Angabe des Administrativen Geschlechts redundanten Angaben für beide Varianten der Transsexualität, die bei Hermaphroditen außerdem uneindeutig sind.

2.1.1 Eigenschaften

Verwendung Parameter bspw. für die Einstellung der Beatmungsparameter
Umgang mit fehlenden Werten -

Quelle **Dokumentierendes System** : bspw. UKA Medico

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "76689-9" (Sex assigned at birth) aus dem Codesystem 2.16.840.1.113883.6.1 Logical Observation Identifier Names and Codes)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "263495000" (Gender (observable entity)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)


Value Domain Kode

Auswahlliste

Konzeptliste			
Konzept	Synonyme	Beschreibung	Zugeordnete Referenzen
Männlich			
Weiblich			
Unbekanntes Geschlecht			
Männlicher Pseudohermaphrodit			
Weiblicher Pseudohermaphrodit			
Hermaphrodit			
Zweideutiges Geschlecht			
Anderes geschlecht			
Ungewisses Geschlecht			

 Benutzer

smul-dataelement-12

Id	smul-dataelement-12 (2018-04-16 11:11:58)
Terminologie-Assoziation	Dieses Konzept wird repräsentiert durch Code "408588000" (Service user's alias (observable entity)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)
Value Domain	String
 Benutzt von	4 transactions, 0 templates, inherited 0 times

 Start der Auswertung

smul-dataelement-6

Id smul-dataelement-6 (2018-04-13 14:53:59)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "442371002" (Start time of procedure (observable entity)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)

Value Domain Datum

Eigenschaft

Zeitangabenpräzision

mindestens Tag, Monat und Jahr

 Benutzt von 4 transactions, 0 templates, inherited 0 times

 Ende der Auswertung

smul-dataelement-71

Id smul-dataelement-71 (2018-04-17 16:39:25)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "442137000" (Completion time of procedure (observable entity)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)

Value Domain Datum

Eigenschaft

Zeitangabenpräzision

mindestens Tag, Monat und Jahr

 Benutzt von 4 transactions, 0 templates, inherited 0 times


 Report

smul-dataelement-3

Id smul-dataelement-3 (2018-04-12 16:00:43)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "229059009" (Reports (qualifier value)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)

Value Domain Identifier

 Benutzt von 4 transactions, 0 templates, inherited 0 times

 Auftragsnummer


smul-dataelement-14


Id smul-dataelement-14 (2018-04-16 11:13:55)


Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "359535008" (Brief (qualifier value)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)


Value Domain Identifier



 Benutzt von 4 transactions, one template, inherited 0 times


 Datum und Zeitpunkt der Messung smul-dataelement-15



Id	smul-dataelement-15 (2018-04-16 11:14:28)
Terminologie-Assoziation	Dieses Konzept wird repräsentiert durch Code "439272007" (Date of procedure (observable entity)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)
Value Domain	Datum/Zeit
Eigenschaft	<div style="border: 1px solid gray; padding: 5px; margin-bottom: 5px;"> <p style="text-align: center; background-color: #e0e0e0; margin: 0;">Zeitangabenpräzision</p> <p style="margin: 0;">mindestens Tag, Monat und Jahr</p> </div>
 Benutzt von	4 transactions, 4 templates, inherited 0 times


 Nummer der Messung smul-dataelement-16


Id	smul-dataelement-16 (2018-04-16 11:15:26)
Terminologie-Assoziation	Dieses Konzept wird repräsentiert durch Code "447754009" (Number of procedure attempts (observable entity)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)
Value Domain	Count
 Benutzt von	4 transactions, one template, inherited 0 times

  Aufgenommene Werte smul-dataelement-4

Id	smul-dataelement-4 (2018-04-12 16:00:59)
 Benutzt von	4 transactions, 5 templates, inherited 0 times

  Leber/Pankreas smul-dataelement-20

Id	smul-dataelement-20 (2018-04-16 15:30:53)
 Benutzt von	4 transactions, 2 templates, inherited 0 times

 ASAT (GOT) smul-dataelement-21

Id	smul-dataelement-21 (2018-04-16 15:32:46)
Terminologie-Assoziation	Dieses Konzept wird repräsentiert durch Code "26091008" (Aspartate aminotransferase (substance)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)

Value Domain Quantität

Eigenschaft

min inkl.	Einheit
0.17	0.6 ukat/L

 Benutzt von

4 transactions, 4 templates, inherited 0 times

 ALAT (GPT)

smul-dataelement-23

Id smul-dataelement-23 (2018-04-17 14:17:54)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "56935002" (Alanine aminotransferase (substance)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms

Value Domain Quantität

Eigenschaft

min inkl.	Einheit
0.17	0.58 ukat/L

 Benutzt von

4 transactions, 4 templates, inherited 0 times

 Alkalische Phosphatase

smul-dataelement-24

Id smul-dataelement-24 (2018-04-17 14:19:28)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "57056007" (Alkaline phosphatase (substance)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms

Value Domain Quantität

Eigenschaft

min inkl.	Einheit
0.58	1.74 ukat/L

 Benutzt von

4 transactions, one template, inherited 0 times

 Gamma Glutamyl

smul-dataelement-25

Id smul-dataelement-25 (2018-04-17 14:22:47)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "60153001" (gamma-Glutamyltransferase (substance)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms

Value Domain Quantität

Eigenschaft

min inkl.	Einheit
-----------	---------

0.1 0.7 ukat/L

 Benutzt
von

4 transactions, 2 templates, inherited 0 times

 Kleines Blutbild

smul-dataelement-19

Id smul-dataelement-19 (2018-04-16 15:30:45)

 Benutzt von

4 transactions, one template, inherited 0 times

 Hämoglobin

smul-dataelement-26

Id smul-dataelement-26 (2018-04-17 14:26:59)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "38082009" (Hämoglobin (substance)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)

Value Domain Quantität

Eigenschaft

min inkl.	Einheit
7.5	9.9 mmol/L

 Benutzt
von

4 transactions, one template, inherited 0 times

 Hämatokrit

smul-dataelement-27

Id smul-dataelement-27 (2018-04-17 14:28:02)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "20570-8" (Hematocrit [Volume Fraction] of Blood) aus dem Codesystem 2.16.840.1.113883.6.1 Logical Observation Identifier Names and Codes)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "365616005" (Finding of hematocrit (finding)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)

Value Domain Quantität

Eigenschaft

min inkl.	Einheit
0.36	0.48 L/L

 Benutzt
von

4 transactions, one template, inherited 0 times

 Leukozyten

smul-dataelement-28

Id smul-dataelement-28 (2018-04-17 14:28:38)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "52501007" (Leukocyte (cell)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)

Value Domain Quantität

Eigenschaft

min inkl.	Einheit	
3.5	9.8	10*9/L

 Benutzt von 4 transactions, one template, inherited 0 times

Thrombozyten

smul-dataelement-29

Id smul-dataelement-29 (2018-04-17 14:29:15)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "16378004" (Platelet (body structure)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)

Value Domain Quantität

Eigenschaft

min inkl.	Einheit	
140	360	10*9/L

 Benutzt von 4 transactions, one template, inherited 0 times

Erythrozyten

smul-dataelement-30

Id smul-dataelement-30 (2018-04-17 14:30:15)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "41898006" (Erythrocyte (cell)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)

Value Domain Quantität

Eigenschaft

min inkl.	Einheit	
4.1	5.1	10*12/L


 Benutzt von 4 transactions, one template, inherited 0 times


Niere


smul-dataelement-5

Id smul-dataelement-5 (2018-04-12 16:01:13)


 Benutzt von 4 transactions, one template, inherited 0 times


 Kreatinin smul-dataelement-18


Id	smul-dataelement-18 (2018-04-16 11:18:40)						
Terminologie-Assoziation	Dieses Konzept wird repräsentiert durch Code "15373003" (Creatinine (substance)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms						
Value Domain	Quantität						
Eigenschaft	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;">min inkl.</th> <th style="width: 30%;">Einheit</th> <th style="width: 40%;"></th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">45</td> <td style="text-align: center;">84</td> <td style="text-align: center;">umol/L</td> </tr> </tbody> </table>	min inkl.	Einheit		45	84	umol/L
min inkl.	Einheit						
45	84	umol/L					
 Benutzt von	4 transactions, 2 templates, inherited 0 times						


 KreatininC smul-dataelement-73


Id	smul-dataelement-73 (2018-04-20 09:13:14)		
Terminologie-Assoziation	Dieses Konzept wird repräsentiert durch Code "365756002" (Finding of creatinine level (finding)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms		
Value Domain	Kode		
Auswahlliste	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: center;">Konzeptliste</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">Value Set erforderlichlich <i>KreatininFinding</i> (Version DYNAMIC)</td> </tr> </tbody> </table>	Konzeptliste	Value Set erforderlichlich <i>KreatininFinding</i> (Version DYNAMIC)
Konzeptliste			
Value Set erforderlichlich <i>KreatininFinding</i> (Version DYNAMIC)			

 Harnstoff smul-dataelement-17

Id	smul-dataelement-17 (2018-04-16 11:16:38)				
Terminologie-Assoziation	Dieses Konzept wird repräsentiert durch Code "387092000" (Urea (substance)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms				
Value Domain	Quantität				
Eigenschaft	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;">Einheit</th> <th style="width: 70%;"></th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">8.3</td> <td style="text-align: center;">mmol/L</td> </tr> </tbody> </table>	Einheit		8.3	mmol/L
Einheit					
8.3	mmol/L				
 Benutzt von	4 transactions, 2 templates, inherited 0 times				

 Sepsis smul-dataelement-31

Id	smul-dataelement-31 (2018-04-17 14:30:58)
 Benutzt von	4 transactions, one template, inherited 0 times

 C-reaktives Protein smul-dataelement-32

Id smul-dataelement-32 (2018-04-17 14:31:22)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "61425002" (C reactive protein (substance)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)



Value Domain Quantität

Eigenschaft


Einheit


5 mg/L

 Benutzt von 4 transactions, one template, inherited 0 times

  Sonstiges smul-dataelement-33

Id smul-dataelement-33 (2018-04-17 14:32:50)

 Benutzt von 4 transactions, one template, inherited 0 times

 Thyreotropin smul-dataelement-34

Id smul-dataelement-34 (2018-04-17 14:33:23)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "65428006" (Thyroid stimulating hormone (substance)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)


Value Domain Quantität



Eigenschaft

min inkl.

Einheit


0.4 3.77 mU/L

 Benutzt von 4 transactions, one template, inherited 0 times

  Unbekannt smul-dataelement-35

Id smul-dataelement-35 (2018-04-17 14:34:05)

 Benutzt von 4 transactions, one template, inherited 0 times

 Thyreoglobulin smul-dataelement-36

Id smul-dataelement-36 (2018-04-17 14:34:44)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "23959001" (Thyroglobulin (substance)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms

Value Domain Quantität

Eigenschaft

Einheit

33 U/mL

 Benutzt von 4 transactions, one template, inherited 0 times

Antikörper gegen Thyreoglobulin

smul-dataelement-37

Id smul-dataelement-37 (2018-04-17 14:36:45)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "121128008" (Anti-thyroglobulin antibody (substance)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms

Value Domain Quantität

Eigenschaft

Einheit


34 U/mL

 Benutzt von 4 transactions, one template, inherited 0 times

Kleines Blutbild ?

smul-dataelement-38

Id smul-dataelement-38 (2018-04-17 14:38:31)

 Benutzt von 4 transactions, one template, inherited 0 times

Verteilungsbreite

smul-dataelement-39

Id smul-dataelement-39 (2018-04-17 14:40:14)

Value Domain Quantität

Eigenschaft

Einheit

fL

 Benutzt von 4 transactions, one template, inherited 0 times

GFR nach CKD-EPI


smul-dataelement-40

Id smul-dataelement-40 (2018-04-17 14:41:12)

Value Domain Quantität

Eigenschaft

min inkl.	Einheit
90	mL/min/1

 Benutzt von 4 transactions, one template, inherited 0 times

Cortisol (LC-MS/MS)

smul-dataelement-41


Id smul-dataelement-41 (2018-04-17 14:43:21)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "396458002" (Hydrocortisone (substance)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms

Value Domain Quantität

Eigenschaft

Einheit
nmol/L

 Benutzt von 4 transactions, one template, inherited 0 times

C-Peptid

smul-dataelement-42

Id smul-dataelement-42 (2018-04-17 14:49:31)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "39973008" (C peptide (substance)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms

Value Domain Quantität

Eigenschaft

min inkl.	Einheit
0.26	1.39 nmol/L

 Benutzt von 4 transactions, one template, inherited 0 times

Estradiol (LC-MS/MS)

smul-dataelement-43

Id smul-dataelement-43 (2018-04-17 14:50:11)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "126172005" (Estradiol (substance)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms

Value Domain Quantität

Eigenschaft

Einheit

1459 pmol/L

 Benutzt von

4 transactions, one template, inherited 0 times

 Follitropin

smul-dataelement-44

Id smul-dataelement-44 (2018-04-17 14:58:28)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "25217009" (Pituitary follicle stimulating hormone (substance)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)

Value Domain Quantität

Eigenschaft

Einheit

U/L

 Benutzt von

4 transactions, one template, inherited 0 times

 Freies Trijodthyronin

smul-dataelement-45

Id smul-dataelement-45 (2018-04-17 14:59:17)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "259356007" (Free triiodothyronine (substance)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)

Value Domain Quantität

Eigenschaft

min inkl. **Einheit**

3.1 6.79 pmol/L

 Benutzt von

4 transactions, one template, inherited 0 times

 Freies Thyroxin

smul-dataelement-46

Id smul-dataelement-46 (2018-04-17 15:00:52)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "86211008" (Free thyroxin (substance)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)


Value Domain Quantität

Eigenschaft

min inkl. **Einheit**

12.8 20.4 pmol/L

 Benutzt von 4 transactions, one template, inherited 0 times

 Hämoglobin A1c, IFCC Vollblut smul-dataelement-47


Id smul-dataelement-47 (2018-04-17 15:01:54)


Value Domain Quantität

Eigenschaft

Einheit

42 mmol/mol

 Benutzt von 4 transactions, one template, inherited 0 times

 Hämoglobin A1c, NSGP/DCCT Voll smul-dataelement-48

Id smul-dataelement-48 (2018-04-17 15:04:14)


Value Domain Quantität

Eigenschaft

Einheit

6 %

 Benutzt von 4 transactions, one template, inherited 0 times

 Insulin smul-dataelement-49

Id smul-dataelement-49 (2018-04-17 15:05:16)


Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "67866001" (Insulin (substance)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)


Value Domain Quantität

Eigenschaft

min inkl. **Einheit**

20 144 pmol/L

 Benutzt von 4 transactions, one template, inherited 0 times

 Cholesterol smul-dataelement-50

Id smul-dataelement-50 (2018-04-17 15:05:30)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "84698008" (Cholesterol (substance)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)

Value Domain Quantität

Eigenschaft

Einheit

mmol/L



Benutzt von

4 transactions, one template, inherited 0 times

LDL-Cholesterol

smul-dataelement-51

Id smul-dataelement-51 (2018-04-17 15:08:17)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "102739008" (LDL cholesterol (substance)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)

Value Domain Quantität

Eigenschaft

Einheit

4.2 mmol/L



Benutzt von

4 transactions, one template, inherited 0 times

Glukose im Plasma

smul-dataelement-52

Id smul-dataelement-52 (2018-04-17 15:09:14)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "67079006" (Glucose (substance)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)

Value Domain Quantität

Eigenschaft

min inkl.

Einheit

4.11 5.6 mmol/L



Benutzt von

4 transactions, one template, inherited 0 times

HDL-Cholesterol

smul-dataelement-53

Id smul-dataelement-53 (2018-04-17 15:13:11)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "102737005" (HDL cholesterol (substance)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)

Value Domain Quantität

Eigenschaft

min inkl. Einheit

1.03 mmol/L

 Benutzt von

4 transactions, one template, inherited 0 times

 Hämoglobin g/dl

smul-dataelement-54

Id smul-dataelement-54 (2018-04-17 15:15:59)

Value Domain Quantität

Eigenschaft

min inkl. Einheit

12.1 15.9 g/dl

 Benutzt von

4 transactions, one template, inherited 0 times

 Lutropin

smul-dataelement-55

Id smul-dataelement-55 (2018-04-17 15:17:51)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "64182005" (Pituitary luteinizing hormone (substance)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)

Value Domain Quantität

Eigenschaft

Einheit

U/L

 Benutzt von

4 transactions, one template, inherited 0 times

 Kalium

smul-dataelement-56

Id smul-dataelement-56 (2018-04-17 15:18:58)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "88480006" (Potassium (substance)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)

Value Domain Quantität


Eigenschaft

min inkl. Einheit

3.75 5.1 mmol/L

 Benutzt von

4 transactions, one template, inherited 0 times

 Mittleres korpuskuläres Hämoglobin g/dl smul-dataelement-57


Id smul-dataelement-57 (2018-04-17 15:19:37)

Value Domain Quantität

Eigenschaft


min inkl.	Einheit
32.2	35.4 g/dl

 Benutzt von 4 transactions, one template, inherited 0 times

 smul-dataelement-61

Id smul-dataelement-61 (2018-04-17 15:25:26)

Value Domain Count

 Mittleres korpuskuläres Hämoglobin mmol/l smul-dataelement-58

Id smul-dataelement-58 (2018-04-17 15:21:39)


Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "54706004" (Mean corpuscular hemoglobin determination (procedure)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)

Value Domain Quantität

Eigenschaft

min inkl.	Einheit
20	22 mmol/L

 Benutzt von 4 transactions, one template, inherited 0 times


 Mittleres korpuskuläres Hämoglobin pg smul-dataelement-59


Id smul-dataelement-59 (2018-04-17 15:22:05)

Value Domain Quantität

Eigenschaft

min inkl.	Einheit
27.4	32.2 pg

 Benutzt von 4 transactions, one template, inherited 0 times

 Mittleres korpuskuläres Hämoglobin fmol


smul-dataelement-60

Id smul-dataelement-60 (2018-04-17 15:22:17)

Value Domain Quantität

Eigenschaft

min inkl.	Einheit
1.7	2 fmol

 Benutzt von 4 transactions, one template, inherited 0 times

 Mittleres korpuskuläres Erythrozytenvolumen

smul-dataelement-62


Id smul-dataelement-62 (2018-04-17 15:25:54)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "104133003" (Erythrocyte mean corpuscular volume determination (procedure)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)

Value Domain Quantität

Eigenschaft

min inkl.	Einheit
80	96 fL

 Benutzt von 4 transactions, one template, inherited 0 times

 Mittleres Thrombozytenvolumen

smul-dataelement-63


Id smul-dataelement-63 (2018-04-17 15:27:06)


Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "75672003" (Platelet mean volume determination (procedure)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)

Value Domain Quantität

Eigenschaft

min inkl.	Einheit
9.4	12.9 fL

 Benutzt von 4 transactions, one template, inherited 0 times

 Natrium

smul-dataelement-64

Id smul-dataelement-64 (2018-04-17 15:28:12)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "39972003" (Sodium (substance)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)

Value Domain Quantität

Eigenschaft

min inkl.	Einheit
135	145 mmol/L

 Benutzt von 4 transactions, one template, inherited 0 times

 Verteilungsbreite %


smul-dataelement-65

Id smul-dataelement-65 (2018-04-17 15:29:57)

Value Domain Quantität

Eigenschaft

Einheit
15 %

 Benutzt von 4 transactions, one template, inherited 0 times

 Triglyceride

smul-dataelement-66


Id smul-dataelement-66 (2018-04-17 15:30:52)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "85600001" (Triacylglycerol (substance)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms

Value Domain Quantität

Eigenschaft

Einheit
1.7 mmol/L

 Benutzt von 4 transactions, one template, inherited 0 times

 Progesteron

smul-dataelement-67


Id smul-dataelement-67 (2018-04-17 15:32:09)


Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "16683002" (Progesterone (substance)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms

Value Domain Quantität

Eigenschaft

Einheit
60.8 nmol/L

 Benutzt von 4 transactions, one template, inherited 0 times

 Proinsulin smul-dataelement-68


Id smul-dataelement-68 (2018-04-17 15:34:41)


Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "79212006" (Proinsulin (substance)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)

Value Domain Quantität

Eigenschaft

min inkl.	Einheit
0.4	7.6 pmol/L

 Benutzt von 4 transactions, one template, inherited 0 times

 Prolaktin smul-dataelement-69

Id smul-dataelement-69 (2018-04-17 15:35:30)


Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "70454002" (Prolactin (substance)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)

Value Domain Quantität

Eigenschaft

min inkl.	Einheit
102	496 mU/L

 Benutzt von 4 transactions, one template, inherited 0 times

 Testosteron smul-dataelement-70


Id smul-dataelement-70 (2018-04-17 15:36:14)


Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "43688007" (Testosterone (substance)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)

Value Domain Quantität

Eigenschaft



min inkl.	Einheit
0.38	2.15 nmol/L

 Benutzt von 4 transactions, one template, inherited 0 times

  Anwendungsfall ASIC smul-dataelement-86


Id smul-dataelement-86 (2018-05-08 10:23:39)

 Benutzt von one transaction, 0 templates, inherited 0 times

  Einschluss-Kriterien smul-dataelement-126

Id smul-dataelement-126 (2018-05-08 10:40:49)

 Benutzt von one transaction, 0 templates, inherited 0 times

 Maschinelle Beatmung über 24 Std. smul-dataelement-128



Id smul-dataelement-128 (2018-05-08 10:41:47)

Value Domain Kode

Auswahlliste


Konzeptliste			
Konzept	Synonyme	Beschreibung	Zugeordnete Referenzen
Ja			
Nein			

 Benutzt von one transaction, 0 templates, inherited 0 times

  Ausschluss-Kriterien smul-dataelement-127

Id smul-dataelement-127 (2018-05-08 10:41:18)

 Benutzt von one transaction, 0 templates, inherited 0 times

 Lebensjahre unter 18 Jahre smul-dataelement-129


Id smul-dataelement-129 (2018-05-08 10:43:17)

Value Domain Datum

Eigenschaft

Zeitangabenpräzision
mindestens Tag, Monat und Jahr

 Benutzt von one transaction, 0 templates, inherited 0 times

 Moribunde Patienten (innerhalb 48 Std. nach Aufnahme)

smul-dataelement-130

Id smul-dataelement-130 (2018-05-08 10:43:39)

Value Domain Kode

Auswahlliste

Konzeptliste			
Konzept	Synonyme	Beschreibung	Zugeordnete Referenzen
Ja			
Nein			

 Benutzt von one transaction, 0 templates, inherited 0 times

 Schwangerschaft

smul-dataelement-131

Id smul-dataelement-131 (2018-05-08 10:44:12)

Value Domain Kode

Auswahlliste

Konzeptliste			
Konzept	Synonyme	Beschreibung	Zugeordnete Referenzen
Ja			
Nein			

 Benutzt von one transaction, 0 templates, inherited 0 times

  Radiologische Befunde

smul-dataelement-132

Id smul-dataelement-132 (2018-05-08 10:44:33)

 Benutzt von one transaction, 0 templates, inherited 0 times

 Ärztlicher Befund

smul-dataelement-133

Id smul-dataelement-133 (2018-05-08 10:44:54)

Value Domain Count

 Benutzt von one transaction, 0 templates, inherited 0 times




smul-dataelement-134

Id smul-dataelement-134 (2018-05-08 10:45:15)


Value Domain Count

 Benutzt von one transaction, 0 templates, inherited 0 times

 **Lungenödem** smul-dataelement-135

Id smul-dataelement-135 (2018-05-08 10:45:36)


 Benutzt von one transaction, 0 templates, inherited 0 times

 **Erweiterte Diagnostik** smul-dataelement-136

Id smul-dataelement-136 (2018-05-08 10:46:03)

Value Domain Count


 Benutzt von one transaction, 0 templates, inherited 0 times

 **Hyperhydratation** smul-dataelement-137

Id smul-dataelement-137 (2018-05-08 10:46:21)


Value Domain Count

 Benutzt von one transaction, 0 templates, inherited 0 times

 **Beatmungsparameter** smul-dataelement-138

Id smul-dataelement-138 (2018-05-08 10:46:35)

 Benutzt von one transaction, 0 templates, inherited 0 times

 **Horowitz-Quotient** smul-dataelement-139

Id smul-dataelement-139 (2018-05-08 10:46:51)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "50984-4" (Horowitz index in Arterial blood) aus dem Codesystem 2.16.840.1.113883.6.1 Logical Observation Identifier Names and Codes)


Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "313558004" (Oxygenation index measurement (procedure)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)

Value Domain Quantität

Eigenschaft

Einheit

mm[Hg]

 Benutzt von one transaction, 0 templates, inherited 0 times



AF

smul-dataelement-140

Id smul-dataelement-140 (2018-05-08 10:47:04)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "9278-3" (Breath rate special circumstances) aus dem Codesystem 2.16.840.1.113883.6.1 Logical Observation Identifier Names and Codes)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "86290005" (Respiratory rate (observable entity)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)

Value Domain Quantität

Eigenschaft

Einheit

/min



Benutzt von

one transaction, 0 templates, inherited 0 times



I:E

smul-dataelement-141

Id smul-dataelement-141 (2018-05-08 10:47:14)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "19974-5" (Inspiration/Expiration setting Ventilator) aus dem Codesystem 2.16.840.1.113883.6.1 Logical Observation Identifier Names and Codes)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "281402007" (Normal i:e ratio (qualifier value)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)

Value Domain Count



Benutzt von

one transaction, 0 templates, inherited 0 times



Vt (Druck)

smul-dataelement-142

Id smul-dataelement-142 (2018-05-08 10:47:54)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "76222-9" (Tidal volume Ventilator --on ventilator) aus dem Codesystem 2.16.840.1.113883.6.1 Logical Observation Identifier Names and Codes)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "250874002" (Ventilator delivered tidal volume (observable entity)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)

Value Domain Quantität

Eigenschaft

Einheit

mL

 Benutzt von one transaction, 0 templates, inherited 0 times

Vt (Volumen)

smul-dataelement-143

Id smul-dataelement-143 (2018-05-08 10:48:47)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "20112-9" (Tidal volume setting Ventilator) aus dem Codesystem 2.16.840.1.113883.6.1 Logical Observation Identifier Names and Codes)

Value Domain Quantität

Eigenschaft

Einheit

mL

 Benutzt von one transaction, 0 templates, inherited 0 times

FiO2

smul-dataelement-144

Id smul-dataelement-144 (2018-05-08 10:48:59)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "19994-3" (Oxygen/Inspired gas setting [Volume Fraction] Ventilator) aus dem Codesystem 2.16.840.1.113883.6.1 Logical Observation Identifier Names and Codes)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "250774007" (Inspired oxygen concentration (observable entity)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)

Value Domain Quantität

Eigenschaft

Einheit

%

 Benutzt von one transaction, 0 templates, inherited 0 times

FeO2

smul-dataelement-145

Id smul-dataelement-145 (2018-05-08 10:49:07)

Value Domain Quantität

Eigenschaft

Einheit

%

 Benutzt von one transaction, 0 templates, inherited 0 times



Pplat

smul-dataelement-146

Id smul-dataelement-146 (2018-05-08 10:49:14)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "76259-1" (Pressure.plateau Respiratory system airway --on ventilator) aus dem Codesystem 2.16.840.1.113883.6.1 Logical Observation Identifier Names and Codes)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "27913002" (Maximum inspiratory pressure (observable entity)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)

Value Domain Quantität

Eigenschaft

Einheit

mbar



Benutzt von

one transaction, 0 templates, inherited 0 times



Compliance

smul-dataelement-147

Id smul-dataelement-147 (2018-05-08 10:49:22)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "60827-3" (Dynamic lung compliance) aus dem Codesystem 2.16.840.1.113883.6.1 Logical Observation Identifier Names and Codes)

Value Domain Quantität

Eigenschaft

Einheit

mL/mbar



Benutzt von

one transaction, 0 templates, inherited 0 times



PEEP

smul-dataelement-148

Id smul-dataelement-148 (2018-05-08 10:49:33)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "20077-4" (Positive end expiratory pressure setting Ventilator) aus dem Codesystem 2.16.840.1.113883.6.1 Logical Observation Identifier Names and Codes)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "250854009" (Positive end expiratory pressure (observable entity)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)


Value Domain Quantität

Eigenschaft

Einheit

mbar

 Benutzt von one transaction, 0 templates, inherited 0 times

 deltaP smul-dataelement-149

Id smul-dataelement-149 (2018-05-08 10:49:40)


Value Domain Quantität

Eigenschaft

Einheit

mbar

 Benutzt von one transaction, 0 templates, inherited 0 times

 etCO2 smul-dataelement-150

Id smul-dataelement-150 (2018-05-08 10:49:51)


Value Domain Quantität

Eigenschaft

Einheit

%

 Benutzt von one transaction, 0 templates, inherited 0 times

 24Std-Bilanz smul-dataelement-151

Id smul-dataelement-151 (2018-05-08 10:49:58)

Terminologie-Assoziati
Dieses Konzept wird repräsentiert durch Code "9097-7" (Fluid balance 24 hour) aus dem Codesystem 2.16.840.1.113883.6.1 Logical Observation Identifier Names and Codes)


Terminologie-Assoziati
Dieses Konzept wird repräsentiert durch Code "251839006" (Fluid balance finding (finding)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)



Value Domain Quantität

Eigenschaft

Einheit

mL

 Benutzt von one transaction, 0 templates, inherited 0 times

  Blutgasanalyse smul-dataelement-152

Id smul-dataelement-152 (2018-05-08 10:50:21)

 Benutzt von one transaction, 0 templates, inherited 0 times

 paO2

smul-dataelement-153

Id smul-dataelement-153 (2018-05-08 10:50:49)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "2703-7" (Oxygen [Partial pressure] in Arterial blood) aus dem Codesystem 2.16.840.1.113883.6.1 Logical Observation Identifier Names and Codes)


Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "25579001" (Oxygen measurement, partial pressure, arterial (procedure)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)

Value Domain Quantität

Eigenschaft

Einheit

mm[Hg]

 Benutzt von one transaction, 0 templates, inherited 0 times

 paCO2

smul-dataelement-154

Id smul-dataelement-154 (2018-05-08 10:51:20)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "2019-8" (Carbon dioxide [Partial pressure] in Arterial blood) aus dem Codesystem 2.16.840.1.113883.6.1 Logical Observation Identifier Names and Codes)


Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "167028004" (Measurement of arterial partial pressure of carbon dioxide (procedure)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)

Value Domain Quantität

Eigenschaft

Einheit

mm[Hg]

 Benutzt von one transaction, 0 templates, inherited 0 times

 pH


smul-dataelement-155

Id smul-dataelement-155 (2018-05-08 10:51:31)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "2744-1" (pH of Arterial blood) aus dem Codesystem 2.16.840.1.113883.6.1 Logical Observation Identifier Names and Codes)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "60170009" (Analysis of arterial blood gases and pH (procedure)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)

Value Domain Quantität

 Benutzt von one transaction, 0 templates, inherited 0 times



SaO2

smul-dataelement-156

Id smul-dataelement-156 (2018-05-08 10:51:41)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "28642-7" (Oxygen saturation in Arterial cord blood) aus dem Codesystem 2.16.840.1.113883.6.1 Logical Observation Identifier Names and Codes)

Value Domain Quantität

Eigenschaft

Einheit

%

 Benutzt von one transaction, 0 templates, inherited 0 times



Laktat

smul-dataelement-157

Id smul-dataelement-157 (2018-05-08 10:51:56)


Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "30242-2" (Lactate [Mass/volume] in Arterial blood) aus dem Codesystem 2.16.840.1.113883.6.1 Logical Observation Identifier Names and Codes)

Value Domain Quantität

Eigenschaft

Einheit

mg/dL

 Benutzt von one transaction, 0 templates, inherited 0 times



Bicarbonat

smul-dataelement-158

Id smul-dataelement-158 (2018-05-08 10:52:04)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "1960-4" (Bicarbonate [Moles/volume] in Arterial blood) aus dem Codesystem 2.16.840.1.113883.6.1 Logical Observation Identifier Names and Codes)

Value Domain Quantität

Eigenschaft

Einheit

mmol/L

 Benutzt von

one transaction, 0 templates, inherited 0 times

 **Sauerstoffsättigung**

smul-dataelement-159

Id smul-dataelement-159 (2018-05-08 10:52:20)

 Benutzt von

one transaction, 0 templates, inherited 0 times

 **SpO2**

smul-dataelement-160

Id smul-dataelement-160 (2018-05-08 10:52:35)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "113080007" (Oxygen saturation measurement, arterial (procedure)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms

Value Domain Quantität

Eigenschaft

Einheit

%

 Benutzt von

one transaction, 0 templates, inherited 0 times

 **Signalqualität**

smul-dataelement-161

Id smul-dataelement-161 (2018-05-08 10:52:50)

Value Domain Count

 Benutzt von

one transaction, 0 templates, inherited 0 times

 **HF**

smul-dataelement-162

Id smul-dataelement-162 (2018-05-08 10:53:01)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "8889-8" (Heart rate by Pulse oximetry) aus dem Codesystem 2.16.840.1.113883.6.1 Logical Observation Identifier Names and Codes

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "364075005" (Heart rate (observable entity)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms

Value Domain Quantität

Eigenschaft

Einheit

/min



Benutzt von

one transaction, 0 templates, inherited 0 times



Weitere Vitaldaten

smul-dataelement-163

Id

smul-dataelement-163 (2018-05-08 10:53:46)



Benutzt von

one transaction, 0 templates, inherited 0 times



SAP

smul-dataelement-164

Id

smul-dataelement-164 (2018-05-08 10:54:10)

Terminologie-Assoziation

Dieses Konzept wird repräsentiert durch Code "8480-6" (Systolic blood pressure) aus dem Codesystem 2.16.840.1.113883.6.1 Logical Observation Identifier Names and Codes)

Value Domain

Quantität

Eigenschaft

Einheit

mm[Hg]



Benutzt von

one transaction, 0 templates, inherited 0 times



MAP

smul-dataelement-165

Id

smul-dataelement-165 (2018-05-08 10:54:19)

Terminologie-Assoziation

Dieses Konzept wird repräsentiert durch Code "8478-0" (Mean blood pressure) aus dem Codesystem 2.16.840.1.113883.6.1 Logical Observation Identifier Names and Codes)

Value Domain

Quantität

Eigenschaft

Einheit

mm[Hg]



Benutzt von

one transaction, 0 templates, inherited 0 times



DAP

smul-dataelement-166

Id

smul-dataelement-166 (2018-05-08 10:54:25)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "8462-4" (Diastolic blood pressure) aus dem Codesystem 2.16.840.1.113883.6.1 Logical Observation Identifier Names and Codes

Value Domain Quantität

Eigenschaft

Einheit

mm[Hg]



Benutzt von

one transaction, 0 templates, inherited 0 times



ZVD

smul-dataelement-167

Id smul-dataelement-167 (2018-05-08 10:54:34)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "60985-9" (Central venous pressure (CVP)) aus dem Codesystem 2.16.840.1.113883.6.1 Logical Observation Identifier Names and Codes

Value Domain Quantität

Eigenschaft

Einheit

mm[Hg]



Benutzt von

one transaction, 0 templates, inherited 0 times



SPAP

smul-dataelement-168

Id smul-dataelement-168 (2018-05-08 10:54:42)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "8440-0" (Pulmonary artery Systolic blood pressure) aus dem Codesystem 2.16.840.1.113883.6.1 Logical Observation Identifier Names and Codes

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "250769004" (Pulmonary artery diastolic pressure (observable entity)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms

Value Domain Quantität

Eigenschaft

Einheit

mm[Hg]



Benutzt von

one transaction, 0 templates, inherited 0 times



MPAP

smul-dataelement-169

Id smul-dataelement-169 (2018-05-08 10:54:48)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "8414-5" (Pulmonary artery Mean blood pressure) aus dem Codesystem *2.16.840.1.113883.6.1 Logical Observation Identifier Names and Codes*)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "250770003" (Pulmonary artery mean pressure (observable entity)) aus dem Codesystem *2.16.840.1.113883.6.96 SNOMED Clinical Terms*)

Value Domain Quantität

Eigenschaft

Einheit

mm[Hg]

 Benutzt von one transaction, 0 templates, inherited 0 times



DPAP

smul-dataelement-170

Id smul-dataelement-170 (2018-05-08 10:54:54)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "8385-7" (Pulmonary artery Diastolic blood pressure) aus dem Codesystem *2.16.840.1.113883.6.1 Logical Observation Identifier Names and Codes*)


Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "250769004" (Pulmonary artery diastolic pressure (observable entity)) aus dem Codesystem *2.16.840.1.113883.6.96 SNOMED Clinical Terms*)

Value Domain Quantität

Eigenschaft

Einheit

mm[Hg]

 Benutzt von one transaction, 0 templates, inherited 0 times



PCWP

smul-dataelement-171

Id smul-dataelement-171 (2018-05-08 10:55:02)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "75994-4" (Pulmonary artery wedge pressure) aus dem Codesystem *2.16.840.1.113883.6.1 Logical Observation Identifier Names and Codes*)


Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "118433006" (Pulmonary artery wedge pressure (observable entity)) aus dem Codesystem *2.16.840.1.113883.6.96 SNOMED Clinical Terms*)


Value Domain Quantität


Eigenschaft


Einheit


mm[Hg]


 Benutzt von one transaction, 0 templates, inherited 0 times


 EVLWI smul-dataelement-172


Id	smul-dataelement-172 (2018-05-08 10:55:10)
Terminologie-Assoziation	Dieses Konzept wird repräsentiert durch Code "113257007" (Cardiovascular structure (body structure)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)
Value Domain	Quantität
Eigenschaft	<div style="border: 1px solid #ccc; padding: 5px;"> <p>Einheit</p> <p>mL/kg</p> </div>
 Benutzt von	one transaction, 0 templates, inherited 0 times


 GEDI smul-dataelement-173


Id	smul-dataelement-173 (2018-05-08 10:55:18)
Terminologie-Assoziation	Dieses Konzept wird repräsentiert durch Code "113257007" (Cardiovascular structure (body structure)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)
Value Domain	Quantität
 Benutzt von	one transaction, 0 templates, inherited 0 times

 HZV smul-dataelement-174



Id	smul-dataelement-174 (2018-05-08 10:55:40)
Terminologie-Assoziation	Dieses Konzept wird repräsentiert durch Code "8741-1" (Left ventricular Cardiac output) aus dem Codesystem 2.16.840.1.113883.6.1 Logical Observation Identifier Names and Codes)
Terminologie-Assoziation	Dieses Konzept wird repräsentiert durch Code "82799009" (Cardiac output (observable entity)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)
Value Domain	Quantität
Eigenschaft	<div style="border: 1px solid #ccc; padding: 5px;"> <p>Einheit</p> <p>L/min</p> </div>
 Benutzt von	one transaction, 0 templates, inherited 0 times


 SV (Bolus) smul-dataelement-175


Id	smul-dataelement-175 (2018-05-08 10:55:50)
Terminologie-Assoziation	Dieses Konzept wird repräsentiert durch Code "20562-5" (Left ventricular Stroke volume) aus dem Codesystem 2.16.840.1.113883.6.1 Logical Observation Identifier Names and Codes
Terminologie-Assoziation	Dieses Konzept wird repräsentiert durch Code "90096001" (Stroke volume (observable entity)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms
Value Domain	Quantität
Eigenschaft	<div style="border: 1px solid #ccc; padding: 5px;"> <div style="background-color: #f0f0f0; padding: 2px; display: inline-block;">Einheit</div> mL </div>
 Benutzt von	one transaction, 0 templates, inherited 0 times


 SV (kontinuierlich) smul-dataelement-176



Id	smul-dataelement-176 (2018-05-08 10:56:02)
Value Domain	Quantität
Eigenschaft	<div style="border: 1px solid #ccc; padding: 5px;"> <div style="background-color: #f0f0f0; padding: 2px; display: inline-block;">Einheit</div> mL </div>
 Benutzt von	one transaction, 0 templates, inherited 0 times


  adjunktiv / supportive Maßnahmen smul-dataelement-177


Id	smul-dataelement-177 (2018-05-08 10:56:21)
 Benutzt von	one transaction, 0 templates, inherited 0 times


 Lagerungstherapie smul-dataelement-178


Id	smul-dataelement-178 (2018-05-08 10:56:49)
Value Domain	Count
 Benutzt von	one transaction, 0 templates, inherited 0 times


  ECMO smul-dataelement-179


Id	smul-dataelement-179 (2018-05-08 10:57:05)
 Benutzt von	one transaction, 0 templates, inherited 0 times


 Extrakorporaler Blutfluss smul-dataelement-180



Id smul-dataelement-180 (2018-05-08 10:57:18)
 Value Domain Count
 Benutzt von one transaction, 0 templates, inherited 0 times


 Extrakorporaler Gasfluss smul-dataelement-181


Id smul-dataelement-181 (2018-05-08 10:57:38)
 Value Domain Count
 Benutzt von one transaction, 0 templates, inherited 0 times

 Gaszusammensetzung smul-dataelement-182

Id smul-dataelement-182 (2018-05-08 10:57:56)
 Value Domain Count
 Benutzt von one transaction, 0 templates, inherited 0 times

  Medikamente smul-dataelement-117

Id smul-dataelement-117 (2018-05-08 10:37:24)
 Benutzt von one transaction, 0 templates, inherited 0 times

 Inhalatives NO smul-dataelement-118


Id smul-dataelement-118 (2018-05-08 10:37:38)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "76111-4" (Nitric oxide [VFr/PPres] Gas delivery system) aus dem Codesystem 2.16.840.1.113883.6.1 Logical Observation Identifier Names and Codes)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "6710000" (Nitric oxide (substance)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)

Value Domain Quantität

Eigenschaft
Einheit
 ppm

 Benutzt von one transaction, 0 templates, inherited 0 times

Inhalatives Iloprost

smul-dataelement-119

Id smul-dataelement-119 (2018-05-08 10:37:50)


Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "395740002" (Iloprost (substance)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)

Value Domain Quantität

Eigenschaft

Einheit

ug

 Benutzt von one transaction, 0 templates, inherited 0 times

Dobutamin kontinuierlich

smul-dataelement-120

Id smul-dataelement-120 (2018-05-08 10:38:07)


Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "387145002" (Dobutamine (substance)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)

Value Domain Quantität

Eigenschaft

Einheit

ug/kg {body`wt}/min

 Benutzt von one transaction, 0 templates, inherited 0 times

Epinephrin kontinuierlich

smul-dataelement-121

Id smul-dataelement-121 (2018-05-08 10:38:25)


Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "387362001" (Epinephrine preparation (substance)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)

Value Domain Quantität

Eigenschaft

Einheit

ug/kg {body`wt}/min

 Benutzt von one transaction, 0 templates, inherited 0 times

 Norepinephrin kontinuierlich

smul-dataelement-122

Id smul-dataelement-122 (2018-05-08 10:38:39)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "45555007" (Norepinephrine (substance)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms

Value Domain Quantität


Eigenschaft


Einheit

ug/kg {body`wt}/min

 Benutzt von

one transaction, 0 templates, inherited 0 times

 Vasopressin kontinuierlich

smul-dataelement-123

Id smul-dataelement-123 (2018-05-08 10:39:14)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "386358000" (Medication administration: intravenous (procedure)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms

Value Domain Quantität


Eigenschaft


Einheit

ug/kg {body`wt}/min

 Benutzt von

one transaction, 0 templates, inherited 0 times

 Milrinon kontinuierlich

smul-dataelement-124

Id smul-dataelement-124 (2018-05-08 10:39:29)

Value Domain Quantität

Eigenschaft


Einheit

ug/kg {body`wt}/min

 Benutzt von

one transaction, 0 templates, inherited 0 times

 Levosimendan kontinuierlich

smul-dataelement-125

Id smul-dataelement-125 (2018-05-08 10:39:55)

Value Domain Quantität

Eigenschaft

Einheit

ug/kg {body`wt}/min

 Benutzt von

one transaction, 0 templates, inherited 0 times

 Patienten-Bewegungsdaten

smul-dataelement-112

Id smul-dataelement-112 (2018-05-08 10:36:10)

 Benutzt von

one transaction, 0 templates, inherited 0 times

 Aufnahmezeitpunkt ICU

smul-dataelement-113

Id smul-dataelement-113 (2018-05-08 10:36:32)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "399423000" (Date of admission (observable entity)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms

Value Domain Datum/Zeit

 Benutzt von

one transaction, 0 templates, inherited 0 times

 Entlassungszeitpunkt ICU

smul-dataelement-114

Id smul-dataelement-114 (2018-05-08 10:36:49)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "183667003" (Discharged from inpatient care (finding)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms

Value Domain Datum/Zeit

 Benutzt von

one transaction, 0 templates, inherited 0 times

 Liegedauer ICU

smul-dataelement-115

Id smul-dataelement-115 (2018-05-08 10:37:01)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "183797002" (Duration of inpatient stay (observable entity)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms


Value Domain Dauer

Eigenschaft

Einheit

d


 Benutzt von one transaction, 0 templates, inherited 0 times

 ICD-10 smul-dataelement-116

Id smul-dataelement-116 (2018-05-08 10:37:10)



Value Domain Count

 Benutzt von one transaction, 0 templates, inherited 0 times

 Patientenaufenthaltsort smul-dataelement-96


Id smul-dataelement-96 (2018-05-08 10:28:23)

 Benutzt von one transaction, 0 templates, inherited 0 times

  Patienten-Stammdaten smul-dataelement-87

Id smul-dataelement-87 (2018-05-08 10:24:22)

 Benutzt von one transaction, 0 templates, inherited 0 times

 Geburtsdatum smul-dataelement-88


Id smul-dataelement-88 (2018-05-08 10:26:34)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "63900-5" (Current age or age at death [CA Teachers]) aus dem Codesystem 2.16.840.1.113883.6.1 Logical Observation Identifier Names and Codes)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "71395006" (Age factor (function)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)

Value Domain Datum/Zeit

 Benutzt von one transaction, 0 templates, inherited 0 times

 Geschlecht smul-dataelement-89

Id smul-dataelement-89 (2018-05-08 10:26:58)


Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "46098-0" (Sex) aus dem Codesystem 2.16.840.1.113883.6.1 Logical Observation Identifier Names and Codes)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "263495000" (Gender (observable entity)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)

Value Domain Kode

Auswahlliste

Konzeptliste			
Konzept	Synonyme	Beschreibung	Zugeordnete Referenzen
männlich			
weiblich			

 Benutzt von one transaction, 0 templates, inherited 0 times

Körpergewicht

smul-dataelement-90

Id smul-dataelement-90 (2018-05-08 10:27:09)


Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "29463-7" (Body weight) aus dem Codesystem 2.16.840.1.113883.6.1 Logical Observation Identifier Names and Codes)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "27113001" (Body weight (observable entity)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)

Value Domain Quantität

Eigenschaft

Einheit
kg

 Benutzt von one transaction, 0 templates, inherited 0 times

Körpergröße

smul-dataelement-91

Id smul-dataelement-91 (2018-05-08 10:27:24)


Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "8302-2" (Body height) aus dem Codesystem 2.16.840.1.113883.6.1 Logical Observation Identifier Names and Codes)

Terminologie-Assoziation Dieses Konzept wird repräsentiert durch Code "50373000" (Body height measure (observable entity)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)

Value Domain Quantität


Eigenschaft

Einheit
cm

 Benutzt von one transaction, 0 templates, inherited 0 times


BMI

smul-dataelement-92

Id	smul-dataelement-92 (2018-05-08 10:27:34)
Terminologie-Assoziation	Dieses Konzept wird repräsentiert durch Code "59574-4" (Body mass index (BMI) [Percentile]) aus dem Codesystem 2.16.840.1.113883.6.1 Logical Observation Identifier Names and Codes)
Terminologie-Assoziation	Dieses Konzept wird repräsentiert durch Code "60621009" (Body mass index (observable entity)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)
Value Domain	Quantität
Eigenschaft	<div style="border: 1px solid #ccc; padding: 5px;"> <p>Einheit</p> <p>kg/m2</p> </div>
 Benutzt von	one transaction, 0 templates, inherited 0 times


 Standard-Körpergewicht ARDS-network

smul-dataelement-93

Id	smul-dataelement-93 (2018-05-08 10:27:42)
Terminologie-Assoziation	Dieses Konzept wird repräsentiert durch Code "50064-5" (Ideal body weight) aus dem Codesystem 2.16.840.1.113883.6.1 Logical Observation Identifier Names and Codes)
Terminologie-Assoziation	Dieses Konzept wird repräsentiert durch Code "170804003" (Ideal body weight (observable entity)) aus dem Codesystem 2.16.840.1.113883.6.96 SNOMED Clinical Terms)
Value Domain	Quantität
Eigenschaft	<div style="border: 1px solid #ccc; padding: 5px;"> <p>Einheit</p> <p>kg</p> </div>
 Benutzt von	one transaction, 0 templates, inherited 0 times


 Patienten-ID


smul-dataelement-94

Id	smul-dataelement-94 (2018-05-08 10:27:59)
Value Domain	Identifizier
 Benutzt von	one transaction, 0 templates, inherited 0 times

 Patientename

smul-dataelement-95



Id	smul-dataelement-95 (2018-05-08 10:28:14)
Value Domain	String
 Benutzt von	one transaction, 0 templates, inherited 0 times

 Fallnummer smul-dataelement-183

Id smul-dataelement-183 (2018-05-08 15:14:36)


Value Domain Identifier

 Benutzt von one transaction, 0 templates, inherited 0 times

  Outcome parameter smul-dataelement-97

Id smul-dataelement-97 (2018-05-08 10:28:52)


 Benutzt von one transaction, 0 templates, inherited 0 times

 ARDS Diagnosis (§21 Datensatz) smul-dataelement-98

Id smul-dataelement-98 (2018-05-08 10:29:36)

Value Domain Count


 Benutzt von one transaction, 0 templates, inherited 0 times

 Organversagen: SOFA Score ohne GCS smul-dataelement-99

Id smul-dataelement-99 (2018-05-08 10:30:08)

Value Domain Count


 Benutzt von one transaction, 0 templates, inherited 0 times

 Dialyse (dialyse-freie Tage) smul-dataelement-100

Id smul-dataelement-100 (2018-05-08 10:30:28)

Value Domain Count


 Benutzt von one transaction, 0 templates, inherited 0 times

 Beatmungs-freie Tage smul-dataelement-101

Id smul-dataelement-101 (2018-05-08 10:30:36)

Value Domain Count


 Benutzt von one transaction, 0 templates, inherited 0 times

 Vasopressor-freie tage smul-dataelement-102

Id smul-dataelement-102 (2018-05-08 10:31:28)

Value Domain Count


 Benutzt von one transaction, 0 templates, inherited 0 times

 Lungenprotektive Beatmung smul-dataelement-103

Id smul-dataelement-103 (2018-05-08 10:31:51)

Value Domain Count


 Benutzt von one transaction, 0 templates, inherited 0 times

 ICU Sterblichkeit smul-dataelement-104

Id smul-dataelement-104 (2018-05-08 10:34:01)

Value Domain Count


 Benutzt von one transaction, 0 templates, inherited 0 times

 KH Sterblichkeit smul-dataelement-105

Id smul-dataelement-105 (2018-05-08 10:34:16)

Value Domain Count


 Benutzt von one transaction, 0 templates, inherited 0 times


 KH Aufenthaltsdauer smul-dataelement-106


Id smul-dataelement-106 (2018-05-08 10:34:27)


Value Domain Count


 Benutzt von one transaction, 0 templates, inherited 0 times


 ICU Aufenthaltsdauer smul-dataelement-107


Id	smul-dataelement-107 (2018-05-08 10:34:40)
Value Domain	Count
 Benutzt von	one transaction, 0 templates, inherited 0 times


 Wiederaufnahmen ICU smul-dataelement-108


Id	smul-dataelement-108 (2018-05-08 10:34:51)
Value Domain	Count
 Benutzt von	one transaction, 0 templates, inherited 0 times


 Wiederaufnahmen ICU smul-dataelement-109


Id	smul-dataelement-109 (2018-05-08 10:35:01)
Value Domain	Count
 Benutzt von	one transaction, 0 templates, inherited 0 times

 Wiederaufnahmen KH smul-dataelement-110



Id	smul-dataelement-110 (2018-05-08 10:35:16)
Value Domain	Count
 Benutzt von	one transaction, 0 templates, inherited 0 times

 Wiedereingliederungszeit nach Krankheit smul-dataelement-111

Id	smul-dataelement-111 (2018-05-08 10:35:29)
Value Domain	Count
 Benutzt von	one transaction, 0 templates, inherited 0 times

 CodeValueConceptForAssociation smul-dataelement-22

Id	smul-dataelement-22 (2018-04-17 13:51:48)
Value Domain	Kode

  Report smul-dataelement-2

Id	smul-dataelement-2 (2018-04-12 15:59:33)
----	--

3 Szenarios

3.1 ASIC 2018-05-09 09:15:36

ASIC



 ASIC

smul-scenario-2


Version / Eingangsdatum 2018-05-09 09:15:36

Beschreibung ASIC

  ASIC

smul-transaction-14 [link](#)

Version / Eingangsdatum 2018-05-09 09:15:36



  ASIC

smul-transaction-15 [link](#)







Version / Eingangsdatum 2018-05-09 09:15:36

Label ASIC

Actor Sender (Organisation)
 UK Leipzig

Assoziierungen Datensätze (für Transaktion) Dataset Sandbox Medizin Uni Leipzig (2.16.840.1.113883.3.1937.99.61.45.1.1 / DYNAMIC)
 Template Anwendungsfall ASIC (2.16.840.1.113883.3.1937.99.61.45.10.44 / DYNAMIC)
 XML Überblick Anwendungsfall ASIC (2.16.840.1.113883.3.1937.99.61.45.10.44 / DYNAMIC)

Zugrunde liegende Konzepte

Konzept	Kard/Konf	Id
 Anwendungsfall ASIC	0 ... 1 Required	smul-dataelement-86 link
└  Einschluss-Kriterien	0 ... 1 Required	smul-dataelement-126 link
└  Maschinelle Beatmung über 24 Std.	0 ... 1 Required	smul-dataelement-128 link
└  Ausschluss-Kriterien	0 ... 1 Required	smul-dataelement-127 link
└  Lebensjahre unter 18 Jahre	0 ... 1 Required	smul-dataelement-129 link
└  Moribunde Patienten (innerhalb 48 Std. nach Aufnahme)	0 ... 1 Required	smul-dataelement-130 link

└─● Schwangerschaft	0 ... 1 Required	smul-dataelement-131 link
└─▣ Radiologische Befunde	0 ... 1 Required	smul-dataelement-132 link
└─● Ärztlicher Befund	0 ... 1 Required	smul-dataelement-133 link
└─●	0 ... 1 Required	smul-dataelement-134 link
└─▣ Lungenödem	0 ... 1 Required	smul-dataelement-135 link
└─● Erweiterte Diagnostik	0 ... 1 Required	smul-dataelement-136 link
└─● Hyperhydratation	0 ... 1 Required	smul-dataelement-137 link
└─▣ Beatmungsparameter	0 ... 1 Required	smul-dataelement-138 link
└─● Horowitz-Quotient	0 ... 1 Required	smul-dataelement-139 link
└─● AF	0 ... 1 Required	smul-dataelement-140 link
└─● I:E	0 ... 1 Required	smul-dataelement-141 link
└─● Vt (Druck)	0 ... 1 Required	smul-dataelement-142 link
└─● Vt (Volumen)	0 ... 1 Required	smul-dataelement-143 link
└─● FiO2	0 ... 1 Required	smul-dataelement-144 link
└─● FeO2	0 ... 1 Required	smul-dataelement-145 link
└─● Pplat	0 ... 1 Required	smul-dataelement-146 link
└─● Compliance	0 ... 1 Required	smul-dataelement-147 link
└─● PEEP	0 ... 1 Required	smul-dataelement-148 link
└─● deltaP	0 ... 1 Required	smul-dataelement-149 link
└─● etCO2	0 ... 1 Required	smul-dataelement-150 link
└─● 24Std-Bilanz	0 ... 1 Required	smul-dataelement-151 link
└─▣ Blutgasanalyse	0 ... 1 Required	smul-dataelement-152 link
└─● paO2	0 ... 1 Required	smul-dataelement-153 link
└─● paCO2	0 ... 1 Required	smul-dataelement-154 link
└─● pH	0 ... 1 Required	smul-dataelement-155 link
└─● SaO2	0 ... 1 Required	smul-dataelement-156 link
└─● Laktat	0 ... 1 Required	smul-dataelement-157 link
└─● Bicarbonat	0 ... 1 Required	smul-dataelement-158 link
└─▣ Sauerstoffsättigung	0 ... 1 Required	smul-dataelement-159 link
└─● SpO2	0 ... 1 Required	smul-dataelement-160 link
└─● Signalqualität	0 ... 1 Required	smul-dataelement-161 link
└─● HF	0 ... 1 Required	smul-dataelement-162 link
└─▣ Weitere Vitaldaten	0 ... 1 Required	smul-dataelement-163 link
└─● SAP	0 ... 1 Required	smul-dataelement-164 link
└─● MAP	0 ... 1 Required	smul-dataelement-165 link

└─● DAP	0 ... 1 Required	smul-dataelement-166 link
└─● ZVD	0 ... 1 Required	smul-dataelement-167 link
└─● SPAP	0 ... 1 Required	smul-dataelement-168 link
└─● MPAP	0 ... 1 Required	smul-dataelement-169 link
└─● DPAP	0 ... 1 Required	smul-dataelement-170 link
└─● PCWP	0 ... 1 Required	smul-dataelement-171 link
└─● EVLWI	0 ... 1 Required	smul-dataelement-172 link
└─● GEDI	0 ... 1 Required	smul-dataelement-173 link
└─● HZV	0 ... 1 Required	smul-dataelement-174 link
└─● SV (Bolus)	0 ... 1 Required	smul-dataelement-175 link
└─● SV (kontinuierlich)	0 ... 1 Required	smul-dataelement-176 link
└─📁 adjunktiv / supportive Maßnahmen	0 ... 1 Required	smul-dataelement-177 link
└─● Lagerungstherapie	0 ... 1 Required	smul-dataelement-178 link
└─📁 ECMO	0 ... 1 Required	smul-dataelement-179 link
└─● Extrakorporaler Blutfluss	0 ... 1 Required	smul-dataelement-180 link
└─● Extrakorporaler Gasfluss	0 ... 1 Required	smul-dataelement-181 link
└─● Gaszusammensetzung	0 ... 1 Required	smul-dataelement-182 link
└─📁 Medikamente	0 ... 1 Required	smul-dataelement-117 link
└─● Inhalatives NO	0 ... 1 Required	smul-dataelement-118 link
└─● Inhalatives Iloprost	0 ... 1 Required	smul-dataelement-119 link
└─● Dobutamin kontinuierlich	0 ... 1 Required	smul-dataelement-120 link
└─● Epinephrin kontinuierlich	0 ... 1 Required	smul-dataelement-121 link
└─● Norepinephrin kontinuierlich	0 ... 1 Required	smul-dataelement-122 link
└─● Vasopressin kontinuierlich	0 ... 1 Required	smul-dataelement-123 link
└─● Milrinon kontinuierlich	0 ... 1 Required	smul-dataelement-124 link
└─● Levosimendan kontinuierlich	0 ... 1 Required	smul-dataelement-125 link
└─📁 Patienten-Bewegungsdaten	0 ... 1 Required	smul-dataelement-112 link
└─● Aufnahmezeitpunkt ICU	0 ... 1 Required	smul-dataelement-113 link
└─● Entlassungszeitpunkt ICU	0 ... 1 Required	smul-dataelement-114 link
└─● Liegedauer ICU	0 ... 1 Required	smul-dataelement-115 link
└─● ICD-10	0 ... 1 Required	smul-dataelement-116 link
└─● Patientenaufenthaltsort	0 ... 1 Required	smul-dataelement-96 link
└─📁 Patienten-Stammdaten	0 ... 1 Required	smul-dataelement-87 link
└─● Geburtsdatum	0 ... 1 Required	smul-dataelement-88 link
└─● Geschlecht	0 ... 1 Required	smul-dataelement-89 link

🟡 Körpergewicht	0 ... 1 Required	smul-dataelement-90 link
🟡 Körpergröße	0 ... 1 Required	smul-dataelement-91 link
🟡 BMI	0 ... 1 Required	smul-dataelement-92 link
🟡 Standard-Körpergewicht ARDS-network	0 ... 1 Required	smul-dataelement-93 link
🟡 Patienten-ID	0 ... 1 Required	smul-dataelement-94 link
🟡 Patientenname	0 ... 1 Required	smul-dataelement-95 link
🟡 Fallnummer	0 ... 1 Required	smul-dataelement-183 link
📁 Outcome parameter	0 ... 1 Required	smul-dataelement-97 link
🟡 ARDS Diagnosis (§21 Datensatz)	0 ... 1 Required	smul-dataelement-98 link
🟡 Organversagen: SOFA Score ohne GCS	0 ... 1 Required	smul-dataelement-99 link
🟡 Dialyse (dialyse-freie Tage)	0 ... 1 Required	smul-dataelement-100 link
🟡 Beatmungs-freie Tage	0 ... 1 Required	smul-dataelement-101 link
🟡 Vasopressor-freie tage	0 ... 1 Required	smul-dataelement-102 link
🟡 Lungenprotektive Beatmung	0 ... 1 Required	smul-dataelement-103 link
🟡 ICU Sterblichkeit	0 ... 1 Required	smul-dataelement-104 link
🟡 KH Sterblichkeit	0 ... 1 Required	smul-dataelement-105 link
🟡 KH Aufenthaltsdauer	0 ... 1 Required	smul-dataelement-106 link
🟡 ICU Aufenthaltsdauer	0 ... 1 Required	smul-dataelement-107 link
🟡 Wiederaufnahmen ICU	0 ... 1 Required	smul-dataelement-108 link
🟡 Wiederaufnahmen ICU	0 ... 1 Required	smul-dataelement-109 link
🟡 Wiederaufnahmen KH	0 ... 1 Required	smul-dataelement-110 link
🟡 Wiedereingliederungszeit nach Krankheit	0 ... 1 Required	smul-dataelement-111 link

3.2 🟡 Adipositas-T Kumulativbefund 2018-04-17 11:05:18

Adipositas-T Kumulativbefund

□

🟡 Adipositas-T Kumulativbefund

smul-scenario-1


Version / Eingangsdatum 2018-04-17 11:05:18

Beschreibung Adipositas-T Kumulativbefund

🟡 ➡ Kumulativbefund

smul-transaction-1 link

Version / Eingangsdatum 2018-04-17 11:05:18



  Kumulativbefund

[smul-transaction-2 link](#)

















Version / Eingangsdatum 2018-04-17 11:05:18

Label AdipositasKumulativbefund






















Actor Sender (Organisation)
 UK Leipzig



Assoziierungen Datensätze (für Transaktion) Dataset Sandbox Medizin Uni Leipzig(2.16.840.1.113883.3.1937.99.61.45.1.1 / 2018-04-12 11:21:28)
 Template Dok1 Adipositas Studie (2.16.840.1.113883.3.1937.99.61.45.10.20 / DYNAMIC)
 XML Überblick Dok1 Adipositas Studie (2.16.840.1.113883.3.1937.99.61.45.10.20 / DYNAMIC)

Zugrunde liegende Konzepte


Konzept	Kard/Konf	Id
 Adipositas Studie	0 ... 1 Required	smul-dataelement-85 link
 Dokumenten-Titel	0 ... 1 Required	smul-dataelement-82 link
 Organisationsname	0 ... 1 Required	smul-dataelement-83 link
 Datum	0 ... 1 Required	smul-dataelement-7 link
 Proband	0 ... 1 Required	smul-dataelement-76 link
 Vorname	0 ... 1 Required	smul-dataelement-77 link
	MDS, obligatorisch	
 Nachname	0 ... 1 Required	smul-dataelement-78 link
 Geburtsdatum	0 ... 1 Required	smul-dataelement-79 link
	MDS, empfohlen/wichtig	
 Patientenummer	0 ... 1 Required	smul-dataelement-80 link
 pflegerische Organisationseinheit	0 ... 1 Required	smul-dataelement-81 link
 Geschlecht	0 ... 1 Required	smul-dataelement-84 link
 Benutzer	0 ... 1 Required	smul-dataelement-12 link
 Start der Auswertung	0 ... 1 Required	smul-dataelement-6 link
 Ende der Auswertung	0 ... 1 Required	smul-dataelement-71 link
 Report	0 ... 1 Required	smul-dataelement-3 link
 Auftragsnummer	0 ... 1 Required	smul-dataelement-14 link

📁 Datum und Zeitpunkt der Messung	0 ... 1 Required	smul-dataelement-15 link
📁 Nummer der Messung	0 ... 1 Required	smul-dataelement-16 link
📁 Aufgenommene Werte	0 ... 1 Required	smul-dataelement-4 link
📁 Leber/Pankreas	0 ... 1 Required	smul-dataelement-20 link
📁 ASAT (GOT)	0 ... 1 Required	smul-dataelement-21 link
📁 ALAT (GPT)	0 ... 1 Required	smul-dataelement-23 link
📁 Alkalische Phosphatase	0 ... 1 Required	smul-dataelement-24 link
📁 Gamma Glutamyl	0 ... 1 Required	smul-dataelement-25 link
📁 Kleines Blutbild	0 ... 1 Required	smul-dataelement-19 link
📁 Hämoglobin	0 ... 1 Required	smul-dataelement-26 link
📁 Hämatokrit	0 ... 1 Required	smul-dataelement-27 link
📁 Leukozyten	0 ... 1 Required	smul-dataelement-28 link
📁 Thrombozyten	0 ... 1 Required	smul-dataelement-29 link
📁 Erythrozyten	0 ... 1 Required	smul-dataelement-30 link
📁 Niere	0 ... 1 Required	smul-dataelement-5 link
📁 Kreatinin	0 ... 1 Required	smul-dataelement-18 link
📁 Harnstoff	0 ... 1 Required	smul-dataelement-17 link
📁 Sepsis	0 ... 1 Required	smul-dataelement-31 link
📁 C-reaktives Protein	0 ... 1 Required	smul-dataelement-32 link
📁 Sonstiges	0 ... 1 Required	smul-dataelement-33 link
📁 Thyreotropin	0 ... 1 Required	smul-dataelement-34 link
📁 Unbekannt	0 ... 1 Required	smul-dataelement-35 link
📁 Thyreoglobulin	0 ... 1 Required	smul-dataelement-36 link
📁 Antikörper gegen Thyreoglobulin	0 ... 1 Required	smul-dataelement-37 link
📁 Kleines Blutbild ?	0 ... 1 Required	smul-dataelement-38 link
📁 Verteilungsbreite	0 ... 1 Required	smul-dataelement-39 link
📁 GFR nach CKD-EPI	0 ... 1 Required	smul-dataelement-40 link
📁 Cortisol (LC-MS/MS)	0 ... 1 Required	smul-dataelement-41 link
📁 C-Peptid	0 ... 1 Required	smul-dataelement-42 link
📁 Estradiol (LC-MS/MS)	0 ... 1 Required	smul-dataelement-43 link
📁 Follitropin	0 ... 1 Required	smul-dataelement-44 link
📁 Freies Trijodthyronin	0 ... 1 Required	smul-dataelement-45 link
📁 Freies Thyroxin	0 ... 1 Required	smul-dataelement-46 link
📁 Hämoglobin A1c, IFCC Vollblut	0 ... 1 Required	smul-dataelement-47 link
📁 Hämoglobin A1c, NSGP/DCCT Voll	0 ... 1 Required	smul-dataelement-48 link

 Insulin	0 ... 1 Required	smul-dataelement-49 link
 Cholesterol	0 ... 1 Required	smul-dataelement-50 link
 LDL-Cholesterol	0 ... 1 Required	smul-dataelement-51 link
 Glukose im Plasma	0 ... 1 Required	smul-dataelement-52 link
 HDL-Cholesterol	0 ... 1 Required	smul-dataelement-53 link
 Hämoglobin g/dl	0 ... 1 Required	smul-dataelement-54 link
 Lutropin	0 ... 1 Required	smul-dataelement-55 link
 Kalium	0 ... 1 Required	smul-dataelement-56 link
 Mittleres korpuskuläres Hämoglobin g/dl	0 ... 1 Required	smul-dataelement-57 link
 Mittleres korpuskuläres Hämoglobin mmol/l	0 ... 1 Required	smul-dataelement-58 link
 Mittleres korpuskuläres Hämoglobin pg	0 ... 1 Required	smul-dataelement-59 link
 Mittleres korpuskuläres Hämoglobin fmol	0 ... 1 Required	smul-dataelement-60 link
 Mittleres korpuskuläres Erythrozytenvolumen	0 ... 1 Required	smul-dataelement-62 link
 Mittleres Thrombozytenvolumen	0 ... 1 Required	smul-dataelement-63 link
 Natrium	0 ... 1 Required	smul-dataelement-64 link
 Verteilungsbreite %	0 ... 1 Required	smul-dataelement-65 link
 Triglyceride	0 ... 1 Required	smul-dataelement-66 link
 Progesteron	0 ... 1 Required	smul-dataelement-67 link
 Proinsulin	0 ... 1 Required	smul-dataelement-68 link
 Prolaktin	0 ... 1 Required	smul-dataelement-69 link
 Testosteron	0 ... 1 Required	smul-dataelement-70 link

  Kumulativbefund3 [smul-transaction-9 link](#)

Version / Eingangsdatum 2018-05-07 10:23:32



  Kumulativbefund3 [smul-transaction-10 link](#)

Version / Eingangsdatum 2018-05-07 10:23:32

Label AdipositasKumulativbefund3




























Actor Sender (Organisation)
 UK Leipzig

Assoziierungen Datensätze (für Transaktion) Dataset Sandbox Medizin Uni Leipzig(2.16.840.1.113883.3.1937.99.61.45.1.1 / 2018-04-12 11:21:28)

Template Dok3 Adipositas Studie (2.16.840.1.113883.3.1937.99.61.45.10.27 / DYNAMIC)

XML Überblick Dok3 Adipositas Studie (2.16.840.1.113883.3.1937.99.61.45.10.27 / DYNAMIC)

Zugrunde liegende Konzepte


Konzept	Kard/Konf	Id
 Adipositas Studie	0 ... 1 Required	smul-dataelement-85 link
 Dokumenten-Titel	0 ... 1 Required	smul-dataelement-82 link
 Organisationsname	0 ... 1 Required	smul-dataelement-83 link
 Datum	0 ... 1 Required	smul-dataelement-7 link
 Proband	0 ... 1 Required	smul-dataelement-76 link
 Vorname	0 ... 1 Required	smul-dataelement-77 link
	MDS, obligatorisch	
 Nachname	0 ... 1 Required	smul-dataelement-78 link
 Geburtsdatum	0 ... 1 Required	smul-dataelement-79 link
	MDS, empfohlen/wichtig	
 Patientenummer	0 ... 1 Required	smul-dataelement-80 link
 pflegerische Organisationseinheit	0 ... 1 Required	smul-dataelement-81 link
 Geschlecht	0 ... 1 Required	smul-dataelement-84 link
 Benutzer	0 ... 1 Required	smul-dataelement-12 link
 Start der Auswertung	0 ... 1 Required	smul-dataelement-6 link
 Ende der Auswertung	0 ... 1 Required	smul-dataelement-71 link
 Report	0 ... 1 Required	smul-dataelement-3 link
 Auftragsnummer	0 ... 1 Required	smul-dataelement-14 link
 Datum und Zeitpunkt der Messung	0 ... 1 Required	smul-dataelement-15 link
 Nummer der Messung	0 ... 1 Required	smul-dataelement-16 link
 Aufgenommene Werte	0 ... 1 Required	smul-dataelement-4 link
 Leber/Pankreas	0 ... 1 Required	smul-dataelement-20 link
 ASAT (GOT)	0 ... 1 Required	smul-dataelement-21 link
 ALAT (GPT)	0 ... 1 Required	smul-dataelement-23 link
 Alkalische Phosphatase	0 ... 1 Required	smul-dataelement-24 link
 Gamma Glutamyl	0 ... 1 Required	smul-dataelement-25 link
 Kleines Blutbild	0 ... 1 Required	smul-dataelement-19 link
 Hämoglobin	0 ... 1 Required	smul-dataelement-26 link
 Hämatokrit	0 ... 1 Required	smul-dataelement-27 link

Leukozyten	0 ... 1 Required	smul-dataelement-28 link
Thrombozyten	0 ... 1 Required	smul-dataelement-29 link
Erythrozyten	0 ... 1 Required	smul-dataelement-30 link
Niere	0 ... 1 Required	smul-dataelement-5 link
Kreatinin	0 ... 1 Required	smul-dataelement-18 link
Harnstoff	0 ... 1 Required	smul-dataelement-17 link
Sepsis	0 ... 1 Required	smul-dataelement-31 link
C-reaktives Protein	0 ... 1 Required	smul-dataelement-32 link
Sonstiges	0 ... 1 Required	smul-dataelement-33 link
Thyreotropin	0 ... 1 Required	smul-dataelement-34 link
Unbekannt	0 ... 1 Required	smul-dataelement-35 link
Thyreoglobulin	0 ... 1 Required	smul-dataelement-36 link
Antikörper gegen Thyreoglobulin	0 ... 1 Required	smul-dataelement-37 link
Kleines Blutbild ?	0 ... 1 Required	smul-dataelement-38 link
Verteilungsbreite	0 ... 1 Required	smul-dataelement-39 link
GFR nach CKD-EPI	0 ... 1 Required	smul-dataelement-40 link
Cortisol (LC-MS/MS)	0 ... 1 Required	smul-dataelement-41 link
C-Peptid	0 ... 1 Required	smul-dataelement-42 link
Estradiol (LC-MS/MS)	0 ... 1 Required	smul-dataelement-43 link
Follitropin	0 ... 1 Required	smul-dataelement-44 link
Freies Trijodthyronin	0 ... 1 Required	smul-dataelement-45 link
Freies Thyroxin	0 ... 1 Required	smul-dataelement-46 link
Hämoglobin A1c, IFCC Vollblut	0 ... 1 Required	smul-dataelement-47 link
Hämoglobin A1c, NSGP/DCCT Voll	0 ... 1 Required	smul-dataelement-48 link
Insulin	0 ... 1 Required	smul-dataelement-49 link
Cholesterol	0 ... 1 Required	smul-dataelement-50 link
LDL-Cholesterol	0 ... 1 Required	smul-dataelement-51 link
Glukose im Plasma	0 ... 1 Required	smul-dataelement-52 link
HDL-Cholesterol	0 ... 1 Required	smul-dataelement-53 link
Hämoglobin g/dl	0 ... 1 Required	smul-dataelement-54 link
Lutropin	0 ... 1 Required	smul-dataelement-55 link
Kalium	0 ... 1 Required	smul-dataelement-56 link
Mittleres korpuskuläres Hämoglobin g/dl	0 ... 1 Required	smul-dataelement-57 link
Mittleres korpuskuläres Hämoglobin mmol/l	0 ... 1 Required	smul-dataelement-58 link
Mittleres korpuskuläres Hämoglobin pg	0 ... 1 Required	smul-dataelement-59 link

⌞ ● Mittleres korpuskuläres Hämoglobin fmol	0 ... 1 Required	smul-dataelement-60 link
⌞ ● Mittleres korpuskuläres Erythrozytenvolumen	0 ... 1 Required	smul-dataelement-62 link
⌞ ● Mittleres Thrombozytenvolumen	0 ... 1 Required	smul-dataelement-63 link
⌞ ● Natrium	0 ... 1 Required	smul-dataelement-64 link
⌞ ● Verteilungsbreite %	0 ... 1 Required	smul-dataelement-65 link
⌞ ● Triglyceride	0 ... 1 Required	smul-dataelement-66 link
⌞ ● Progesteron	0 ... 1 Required	smul-dataelement-67 link
⌞ ● Proinsulin	0 ... 1 Required	smul-dataelement-68 link
⌞ ● Prolaktin	0 ... 1 Required	smul-dataelement-69 link
⌞ ● Testosteron	0 ... 1 Required	smul-dataelement-70 link

● ➡ Kumulativbefund2 [smul-transaction-6 link](#)

Version / Eingangsdatum 2018-05-07 10:19:35



● ↻ Kumulativbefund2 [smul-transaction-7 link](#)

Version / Eingangsdatum 2018-05-07 10:19:35



































Label AdipositasKumulativbefund_2



































Actor Sender (Organisation)
 🇺🇸 UK Leipzig

Assoziierungen Datensätze (für Transaktion) Dataset Sandbox Medizin Uni Leipzig(2.16.840.1.113883.3.1937.99.61.45.1.1 / 2018-04-12 11:21:28)
 Template Dok2 Adipositas Studie (2.16.840.1.113883.3.1937.99.61.45.10.24 / DYNAMIC)
 XML Überblick Dok2 Adipositas Studie (2.16.840.1.113883.3.1937.99.61.45.10.24 / DYNAMIC)

Zugrunde liegende Konzepte

Konzept	Kard/Konf	Id
📁 Adipositas Studie	0 ... 1 Required	smul-dataelement-85 link
⌞ ● Dokumenten-Titel	0 ... 1 Required	smul-dataelement-82 link
⌞ ● Organisationsname	0 ... 1 Required	smul-dataelement-83 link
⌞ ● Datum	0 ... 1 Required	smul-dataelement-7 link


└─  Proband	0 ... 1 Required	smul-dataelement-76 link
└─  Vorname	0 ... 1 Required	smul-dataelement-77 link
	MDS, obligatorisch	
└─  Nachname	0 ... 1 Required	smul-dataelement-78 link
└─  Geburtsdatum	0 ... 1 Required	smul-dataelement-79 link
	MDS, empfohlen/wichtig	
└─  Patientenummer	0 ... 1 Required	smul-dataelement-80 link
└─  pflegerische Organisationseinheit	0 ... 1 Required	smul-dataelement-81 link
└─  Geschlecht	0 ... 1 Required	smul-dataelement-84 link
└─  Benutzer	0 ... 1 Required	smul-dataelement-12 link
└─  Start der Auswertung	0 ... 1 Required	smul-dataelement-6 link
└─  Ende der Auswertung	0 ... 1 Required	smul-dataelement-71 link
└─  Report	0 ... 1 Required	smul-dataelement-3 link
└─  Auftragsnummer	0 ... 1 Required	smul-dataelement-14 link
└─  Datum und Zeitpunkt der Messung	0 ... 1 Required	smul-dataelement-15 link
└─  Nummer der Messung	0 ... 1 Required	smul-dataelement-16 link
└─  Aufgenommene Werte	0 ... 1 Required	smul-dataelement-4 link
└─  Leber/Pankreas	0 ... 1 Required	smul-dataelement-20 link
└─  ASAT (GOT)	0 ... 1 Required	smul-dataelement-21 link
└─  ALAT (GPT)	0 ... 1 Required	smul-dataelement-23 link
└─  Alkalische Phosphatase	0 ... 1 Required	smul-dataelement-24 link
└─  Gamma Glutanyl	0 ... 1 Required	smul-dataelement-25 link
└─  Kleines Blutbild	0 ... 1 Required	smul-dataelement-19 link
└─  Hämoglobin	0 ... 1 Required	smul-dataelement-26 link
└─  Hämatokrit	0 ... 1 Required	smul-dataelement-27 link
└─  Leukozyten	0 ... 1 Required	smul-dataelement-28 link
└─  Thrombozyten	0 ... 1 Required	smul-dataelement-29 link
└─  Erythrozyten	0 ... 1 Required	smul-dataelement-30 link
└─  Niere	0 ... 1 Required	smul-dataelement-5 link
└─  Kreatinin	0 ... 1 Required	smul-dataelement-18 link
└─  Harnstoff	0 ... 1 Required	smul-dataelement-17 link
└─  Sepsis	0 ... 1 Required	smul-dataelement-31 link
└─  C-reaktives Protein	0 ... 1 Required	smul-dataelement-32 link
└─  Sonstiges	0 ... 1 Required	smul-dataelement-33 link
└─  Thyreotropin	0 ... 1 Required	smul-dataelement-34 link
└─  Unbekannt	0 ... 1 Required	smul-dataelement-35 link

 Thyreoglobulin	0 ... 1 Required	smul-dataelement-36 link
 Antikörper gegen Thyreoglobulin	0 ... 1 Required	smul-dataelement-37 link
 Kleines Blutbild ?	0 ... 1 Required	smul-dataelement-38 link
 Verteilungsbreite	0 ... 1 Required	smul-dataelement-39 link
 GFR nach CKD-EPI	0 ... 1 Required	smul-dataelement-40 link
 Cortisol (LC-MS/MS)	0 ... 1 Required	smul-dataelement-41 link
 C-Peptid	0 ... 1 Required	smul-dataelement-42 link
 Estradiol (LC-MS/MS)	0 ... 1 Required	smul-dataelement-43 link
 Follitropin	0 ... 1 Required	smul-dataelement-44 link
 Freies Trijodthyronin	0 ... 1 Required	smul-dataelement-45 link
 Freies Thyroxin	0 ... 1 Required	smul-dataelement-46 link
 Hämoglobin A1c, IFCC Vollblut	0 ... 1 Required	smul-dataelement-47 link
 Hämoglobin A1c, NSGP/DCCT Voll	0 ... 1 Required	smul-dataelement-48 link
 Insulin	0 ... 1 Required	smul-dataelement-49 link
 Cholesterol	0 ... 1 Required	smul-dataelement-50 link
 LDL-Cholesterol	0 ... 1 Required	smul-dataelement-51 link
 Glukose im Plasma	0 ... 1 Required	smul-dataelement-52 link
 HDL-Cholesterol	0 ... 1 Required	smul-dataelement-53 link
 Hämoglobin g/dl	0 ... 1 Required	smul-dataelement-54 link
 Lutropin	0 ... 1 Required	smul-dataelement-55 link
 Kalium	0 ... 1 Required	smul-dataelement-56 link
 Mittleres korpuskuläres Hämoglobin g/dl	0 ... 1 Required	smul-dataelement-57 link
 Mittleres korpuskuläres Hämoglobin mmol/l	0 ... 1 Required	smul-dataelement-58 link
 Mittleres korpuskuläres Hämoglobin pg	0 ... 1 Required	smul-dataelement-59 link
 Mittleres korpuskuläres Hämoglobin fmol	0 ... 1 Required	smul-dataelement-60 link
 Mittleres korpuskuläres Erythrozytenvolumen	0 ... 1 Required	smul-dataelement-62 link
 Mittleres Thrombozytenvolumen	0 ... 1 Required	smul-dataelement-63 link
 Natrium	0 ... 1 Required	smul-dataelement-64 link
 Verteilungsbreite %	0 ... 1 Required	smul-dataelement-65 link
 Triglyceride	0 ... 1 Required	smul-dataelement-66 link
 Progesteron	0 ... 1 Required	smul-dataelement-67 link
 Proinsulin	0 ... 1 Required	smul-dataelement-68 link
 Prolaktin	0 ... 1 Required	smul-dataelement-69 link
 Testosteron	0 ... 1 Required	smul-dataelement-70 link

  Kumulativbefund4

smul-transaction-12 [link](#)

Version / Eingangsdatum 2018-05-07 10:25:18



Kumulativbefund4

smul-transaction-13 [link](#)

Version / Eingangsdatum 2018-05-07 10:25:18

Label AdipositasKumulativbefund4

Actor Sender (Organisation)
 UK Leipzig

Assoziierungen Datensätze (für Transaktion) Dataset Sandbox Medizin Uni Leipzig(2.16.840.1.113883.3.1937.99.61.45.1.1 / 2018-04-12 11:21:28)
























Template Dok4 Adipositas Studie (2.16.840.1.113883.3.1937.99.61.45.10.40 / DYNAMIC)

XML Überblick Dok4 Adipositas Studie (2.16.840.1.113883.3.1937.99.61.45.10.40 / DYNAMIC)

Zugrunde liegende Konzepte

Konzept	Kard/Konf	Id
Adipositas Studie	0 ... 1 Required	smul-dataelement-85 link
Dokumenten-Titel	0 ... 1 Required	smul-dataelement-82 link
Organisationsname	0 ... 1 Required	smul-dataelement-83 link
Datum	0 ... 1 Required	smul-dataelement-7 link
Proband	0 ... 1 Required	smul-dataelement-76 link
Vorname	0 ... 1 Required	smul-dataelement-77 link
	MDS, obligatorisch	
Nachname	0 ... 1 Required	smul-dataelement-78 link
Geburtsdatum	0 ... 1 Required	smul-dataelement-79 link
	MDS, empfohlen/wichtig	
Patientenummer	0 ... 1 Required	smul-dataelement-80 link
pflegerische Organisationseinheit	0 ... 1 Required	smul-dataelement-81 link
Geschlecht	0 ... 1 Required	smul-dataelement-84 link
Benutzer	0 ... 1 Required	smul-dataelement-12 link
Start der Auswertung	0 ... 1 Required	smul-dataelement-6 link
Ende der Auswertung	0 ... 1 Required	smul-dataelement-71 link

Report	0 ... 1 Required	smul-dataelement-3 link
Auftragsnummer	0 ... 1 Required	smul-dataelement-14 link
Datum und Zeitpunkt der Messung	0 ... 1 Required	smul-dataelement-15 link
Nummer der Messung	0 ... 1 Required	smul-dataelement-16 link
Aufgenommene Werte	0 ... 1 Required	smul-dataelement-4 link
Leber/Pankreas	0 ... 1 Required	smul-dataelement-20 link
ASAT (GOT)	0 ... 1 Required	smul-dataelement-21 link
ALAT (GPT)	0 ... 1 Required	smul-dataelement-23 link
Alkalische Phosphatase	0 ... 1 Required	smul-dataelement-24 link
Gamma Glutamyl	0 ... 1 Required	smul-dataelement-25 link
Kleines Blutbild	0 ... 1 Required	smul-dataelement-19 link
Hämoglobin	0 ... 1 Required	smul-dataelement-26 link
Hämatokrit	0 ... 1 Required	smul-dataelement-27 link
Leukozyten	0 ... 1 Required	smul-dataelement-28 link
Thrombozyten	0 ... 1 Required	smul-dataelement-29 link
Erythrozyten	0 ... 1 Required	smul-dataelement-30 link
Niere	0 ... 1 Required	smul-dataelement-5 link
Kreatinin	0 ... 1 Required	smul-dataelement-18 link
Harnstoff	0 ... 1 Required	smul-dataelement-17 link
Sepsis	0 ... 1 Required	smul-dataelement-31 link
C-reaktives Protein	0 ... 1 Required	smul-dataelement-32 link
Sonstiges	0 ... 1 Required	smul-dataelement-33 link
Thyreotropin	0 ... 1 Required	smul-dataelement-34 link
Unbekannt	0 ... 1 Required	smul-dataelement-35 link
Thyreoglobulin	0 ... 1 Required	smul-dataelement-36 link
Antikörper gegen Thyreoglobulin	0 ... 1 Required	smul-dataelement-37 link
Kleines Blutbild ?	0 ... 1 Required	smul-dataelement-38 link
Verteilungsbreite	0 ... 1 Required	smul-dataelement-39 link
GFR nach CKD-EPI	0 ... 1 Required	smul-dataelement-40 link
Cortisol (LC-MS/MS)	0 ... 1 Required	smul-dataelement-41 link
C-Peptid	0 ... 1 Required	smul-dataelement-42 link
Estradiol (LC-MS/MS)	0 ... 1 Required	smul-dataelement-43 link
Follitropin	0 ... 1 Required	smul-dataelement-44 link
Freies Trijodthyronin	0 ... 1 Required	smul-dataelement-45 link
Freies Thyroxin	0 ... 1 Required	smul-dataelement-46 link

 Hämoglobin A1c, IFCC Vollblut	0 ... 1 Required	smul-dataelement-47 link
 Hämoglobin A1c, NSGP/DCCT Voll	0 ... 1 Required	smul-dataelement-48 link
 Insulin	0 ... 1 Required	smul-dataelement-49 link
 Cholesterol	0 ... 1 Required	smul-dataelement-50 link
 LDL-Cholesterol	0 ... 1 Required	smul-dataelement-51 link
 Glukose im Plasma	0 ... 1 Required	smul-dataelement-52 link
 HDL-Cholesterol	0 ... 1 Required	smul-dataelement-53 link
 Hämoglobin g/dl	0 ... 1 Required	smul-dataelement-54 link
 Lutropin	0 ... 1 Required	smul-dataelement-55 link
 Kalium	0 ... 1 Required	smul-dataelement-56 link
 Mittleres korpuskuläres Hämoglobin g/dl	0 ... 1 Required	smul-dataelement-57 link
 Mittleres korpuskuläres Hämoglobin mmol/l	0 ... 1 Required	smul-dataelement-58 link
 Mittleres korpuskuläres Hämoglobin pg	0 ... 1 Required	smul-dataelement-59 link
 Mittleres korpuskuläres Hämoglobin fmol	0 ... 1 Required	smul-dataelement-60 link
 Mittleres korpuskuläres Erythrozytenvolumen	0 ... 1 Required	smul-dataelement-62 link
 Mittleres Thrombozytenvolumen	0 ... 1 Required	smul-dataelement-63 link
 Natrium	0 ... 1 Required	smul-dataelement-64 link
 Verteilungsbreite %	0 ... 1 Required	smul-dataelement-65 link
 Triglyceride	0 ... 1 Required	smul-dataelement-66 link
 Progesteron	0 ... 1 Required	smul-dataelement-67 link
 Proinsulin	0 ... 1 Required	smul-dataelement-68 link
 Prolaktin	0 ... 1 Required	smul-dataelement-69 link
 Testosteron	0 ... 1 Required	smul-dataelement-70 link

4 Identifikatoren

4.1 Identifikatoren

Wird zurzeit nur zu Anzeigezwecken genutzt.

4.1.1 ISO 3166 Part 1 Country Codes 1.0.3166.1

Sprache	Anzeigename	Beschreibung
de-DE	ISO 3166 Part 1 Country Codes	ISO 3166 Part 1 Country Codes

4.1.2 Administrative Gender 2.16.840.1.113883.5.1

Sprache	Anzeigename	Beschreibung
de-DE	Administrative Gender	Administrative Gender

4.1.3 MaritalStatus 2.16.840.1.113883.5.2

Sprache	Anzeigename	Beschreibung
de-DE	MaritalStatus	MaritalStatus

4.1.4 Act Code 2.16.840.1.113883.5.4

Sprache	Anzeigename	Beschreibung
de-DE	Act Code	Act Code

4.1.5 ActClass 2.16.840.1.113883.5.6

Sprache	Anzeigename	Beschreibung
de-DE	ActClass	ActClass

4.1.6 Act Priority 2.16.840.1.113883.5.7

Sprache	Anzeigename	Beschreibung
de-DE	Act Priority	Act Priority

4.1.7 ActStatus 2.16.840.1.113883.5.14

Sprache	Anzeigename	Beschreibung
de-DE	ActStatus	ActStatus

4.1.8 Confidentiality 2.16.840.1.113883.5.25

Sprache	Anzeigename	Beschreibung
de-DE	Confidentiality	Confidentiality

4.1.9 Ethnicity 2.16.840.1.113883.5.50

Sprache	Anzeigename	Beschreibung
de-DE	Ethnicity	Ethnicity

4.1.10 Language Ability Mode 2.16.840.1.113883.5.60

Sprache	Anzeigename	Beschreibung
de-DE	Language Ability Mode	Language Ability Mode

4.1.11 Language Ability Proficiency 2.16.840.1.113883.5.61

Sprache	Anzeigename	Beschreibung
de-DE	Language Ability Proficiency	Language Ability Proficiency

4.1.12 Observation Interpretation 2.16.840.1.113883.5.83

Sprache	Anzeigename	Beschreibung
de-DE	Observation Interpretation	Observation Interpretation

4.1.13 Observation Method 2.16.840.1.113883.5.84

Sprache	Anzeigename	Beschreibung
de-DE	Observation Method	Observation Method

4.1.14 Orderable Drug Form 2.16.840.1.113883.5.85

Sprache	Anzeigename	Beschreibung
de-DE	Orderable Drug Form	Orderable Drug Form

4.1.15 Participation Function 2.16.840.1.113883.5.88

Sprache	Anzeigename	Beschreibung
de-DE	Participation Function	Participation Function

4.1.16 ParticipationType 2.16.840.1.113883.5.90

Sprache	Anzeigename	Beschreibung
de-DE	ParticipationType	ParticipationType

4.1.17 Race 2.16.840.1.113883.5.104

Sprache	Anzeigename	Beschreibung
de-DE	Race	Race

4.1.18 Role Class 2.16.840.1.113883.5.110

Sprache	Anzeigename	Beschreibung
de-DE	Role Class	Role Class

4.1.19 Role Code 2.16.840.1.113883.5.111

Sprache	Anzeigename	Beschreibung
de-DE	Role Code	Role Code

4.1.20 Route Of Administration 2.16.840.1.113883.5.112

Sprache	Anzeigename	Beschreibung
de-DE	Route Of Administration	Route Of Administration

4.1.21 SpecimenType 2.16.840.1.113883.5.129

Sprache	Anzeigename	Beschreibung
de-DE	SpecimenType	SpecimenType

4.1.22 TargetAwareness 2.16.840.1.113883.5.137

Sprache	Anzeigename	Beschreibung
de-DE	TargetAwareness	TargetAwareness

4.1.23 Act Mood 2.16.840.1.113883.5.1001

Sprache	Anzeigename	Beschreibung
de-DE	Act Mood	Act Mood

4.1.24 Act Relationship Type 2.16.840.1.113883.5.1002

Sprache	Anzeigename	Beschreibung
de-DE	Act Relationship Type	Act Relationship Type

4.1.25 Act Site 2.16.840.1.113883.5.1052

Sprache	Anzeigename	Beschreibung
de-DE	Act Site	Act Site

4.1.26 Entity Code 2.16.840.1.113883.5.1060

Sprache	Anzeigename	Beschreibung
de-DE	Entity Code	Entity Code

4.1.27 Participation Mode 2.16.840.1.113883.5.1064

Sprache	Anzeigename	Beschreibung
de-DE	Participation Mode	Participation Mode

4.1.28 ProcedureMethod 2.16.840.1.113883.5.1065

Sprache	Anzeigename	Beschreibung
de-DE	ProcedureMethod	ProcedureMethod

4.1.29 Role Status 2.16.840.1.113883.5.1068

Sprache	Anzeigename	Beschreibung
de-DE	Role Status	Role Status

4.1.30 ReligiousAffiliation 2.16.840.1.113883.5.1076

Sprache	Anzeigename	Beschreibung
de-DE	ReligiousAffiliation	ReligiousAffiliation

4.1.31 Logical Observation Identifier Names and Codes 2.16.840.1.113883.6.1

Sprache	Anzeigename	Beschreibung
de-DE	Logical Observation Identifier Names and Codes	Logical Observation Identifier Names and Codes

4.1.32 SNOMED Clinical Terms 2.16.840.1.113883.6.96

Sprache	Anzeigename	Beschreibung
de-DE	SNOMED Clinical Terms	SNOMED Clinical Terms

4.1.33 Tags for the Identification of Languages 2.16.840.1.113883.6.121

Sprache	Anzeigename	Beschreibung
de-DE	Tags for the Identification of Languages	Tags for the Identification of Languages

4.2 Liste der Template Identifier in diesem Projekt

Id	Anzeigename	Name	Eingangsdatum	Typ
	CDA effectiveTime	CDAeffectiveTime		
	CDA Organization Elements	OrganizationElements		
	CDA custodian	CDAcustodian		
	CDA Organization	CDAOrganization		

	CDA Clinical Statement	CDAClinicalStatement	
1.2.276.0.76.10.90006	CDA effectiveTime	CDAeffectiveTime	2012-12-12
1.2.276.0.76.10.90011	CDA Organization Elements	OrganizationElements	2011-12-19
2.16.840.1.113883.3.1937.99.61.45.10.1	CDA Person test	CDAPersonTest	2018-04-16 10:01:52
2.16.840.1.113883.3.1937.99.61.45.10.2	CDA Person t	CDAPersonT	2018-04-16 10:04:39
2.16.840.1.113883.3.1937.99.61.45.10.3	CDA author t	CDAauthort	2018-04-16 10:24:11
2.16.840.1.113883.3.1937.99.61.45.10.4	CDA ClinicalDocument T	CDAClinicalDocumentT	2018-04-16 10:35:28
2.16.840.1.113883.3.1937.99.61.45.10.5	CDA Section t	CDASectionT	2018-04-16 11:44:27
2.16.840.1.113883.3.1937.99.61.45.10.6	CDA Observation t	CDAObservationT	2018-04-16 12:13:51
2.16.840.1.113883.3.1937.99.61.45.10.7	Template Messwerte: Adipositas	MesswerteAdipositas	2018-04-18 10:54:22
2.16.840.1.113883.3.1937.99.61.45.10.8	Messwert: Harnstoff	MesswertHarnstoff	2018-04-18 10:57:21
2.16.840.1.113883.3.1937.99.61.45.10.9	Messwert: Kreatinin	MesswertKreatinin	2018-04-18 10:58:12
2.16.840.1.113883.3.1937.99.61.45.10.10	Template Messwertkategorie	TemplateMesswertkategorie	2018-04-18 11:13:00
2.16.840.1.113883.3.1937.99.61.45.10.11	Dok3 Niere	Niere	2018-04-18 11:15:51
2.16.840.1.113883.3.1937.99.61.45.10.12	Leber Pankreas	LeberPankreas	2018-04-18 11:16:36
2.16.840.1.113883.3.1937.99.61.45.10.13	Messwert: Leber Pankreas	MesswertLeberPankreas	2018-05-04 12:34:12
2.16.840.1.113883.3.1937.99.61.45.10.13	Messwert: Leber Pankreas	MesswertLeberPankreas	2018-04-19 09:50:58
2.16.840.1.113883.3.1937.99.61.45.10.14	test1	test1	2018-04-23 12:06:34
2.16.840.1.113883.3.1937.99.61.45.10.15	Messwerte: Pankreas Leber	MesswertePankreasLeber	2018-05-04 12:18:51
2.16.840.1.113883.3.1937.99.61.45.10.15	Messwerte: Pankreas Leber	MesswertePankreasLeber	2018-04-23 12:40:01
2.16.840.1.113883.3.1937.99.61.45.10.16	Adipositas Studie	AdipositasStudie	2018-04-24 10:33:11
2.16.840.1.113883.3.1937.99.61.45.10.17	CDA Adipositas Studie	CDA_AdipositasStudie	2018-04-24 10:41:37
2.16.840.1.113883.3.1937.99.61.45.10.18	CDA Proband	CDAProband	2018-04-24 10:48:32
2.16.840.1.113883.3.1937.99.61.45.10.19	CDA Autor	CDAAutor	2018-04-24 10:54:42
2.16.840.1.113883.3.1937.99.61.45.10.20	Dok1 Adipositas Studie	CDAAdipositasStudie	2018-04-24 11:01:24
2.16.840.1.113883.3.1937.99.61.45.10.21	Niere (Werte aus Gesamt-ValueSet)	Niere2	2018-05-14 10:33:41
2.16.840.1.113883.3.1937.99.61.45.10.21	Niere (Werte aus Gesamt-ValueSet)	Niere2	2018-04-24 11:15:23
2.16.840.1.113883.3.1937.99.61.45.10.22	Dok1 Moegliche Messwerte	MoeglicheMesswerte	2018-04-25 11:33:07

2.16.840.1.113883.3.1937.99.61.45.10.23	Dok1 Messwerte	Messwerte	2018-04-25 12:17:45
2.16.840.1.113883.3.1937.99.61.45.10.24	Dok2 Adipositas Studie	CDAAdipositasStudie2	2018-04-26 16:56:54
2.16.840.1.113883.3.1937.99.61.45.10.25	Dok2 Messwerte	MesswertAuswahl	2018-04-27 09:10:14
2.16.840.1.113883.3.1937.99.61.45.10.26	Dok2 Messwertauswahl	MesswerteAuswahl	2018-04-27 10:31:39
2.16.840.1.113883.3.1937.99.61.45.10.27	Dok3 Adipositas Studie	CDAAdipositasStudie3	2018-04-27 15:17:54
2.16.840.1.113883.3.1937.99.61.45.10.28	Dok3 Messwerte	Messwerte3	2018-04-27 15:51:01
2.16.840.1.113883.3.1937.99.61.45.10.29	Dok3 Pankreas Leber	pankreasleber	2018-04-27 16:29:41
2.16.840.1.113883.3.1937.99.61.45.10.30	Messwert: ASAT	MesswertASAT	2018-04-27 16:45:25
2.16.840.1.113883.3.1937.99.61.45.10.31	Messwert: ALAT	MesswertALAT	2018-04-27 16:46:48
2.16.840.1.113883.3.1937.99.61.45.10.32	Messwert: Alkalische Phosphatase	MesswertAlkalischePhosphatase	2018-04-27 16:48:37
2.16.840.1.113883.3.1937.99.61.45.10.33	Messwert: Gamma Glutamyl	MesswertGammaGlutamyl	2018-04-27 16:49:56
2.16.840.1.113883.3.1937.99.61.45.10.34	CDA setId and versionNumber	CDAsetIdversionNumber	2018-05-02 15:09:22
2.16.840.1.113883.3.1937.99.61.45.10.35	Dok3 kleines Blutbild	Dok3KleinesBlutbild	2018-05-02 17:49:52
2.16.840.1.113883.3.1937.99.61.45.10.36	Dok3 Sepsis	Dok3Sepsis	2018-05-02 17:51:35
2.16.840.1.113883.3.1937.99.61.45.10.37	Dok3 Sonstiges	Dok3Sonstiges	2018-05-02 17:52:41
2.16.840.1.113883.3.1937.99.61.45.10.38	Dok3 unbekannt	Dok3unbekannt	2018-05-02 17:54:39
2.16.840.1.113883.3.1937.99.61.45.10.39	Dok3 kleines Blutbild ?	Dok3kleinesBlutbild2	2018-05-02 17:58:11
2.16.840.1.113883.3.1937.99.61.45.10.40	Dok4 Adipositas Studie	AdipositasStudie4	2018-05-03 10:09:46
2.16.840.1.113883.3.1937.99.61.45.10.41	Dok4 Messwerte	Messwerte4	2018-05-03 10:24:23
2.16.840.1.113883.3.1937.99.61.45.10.42	Dok4 Messwerte	MesswerteAuswahl4	2018-05-03 10:26:27
2.16.840.1.113883.3.1937.99.61.45.10.43	Dok4 Messwert Organizer	Dok4MesswertOrganizer	2018-05-03 10:33:35
2.16.840.1.113883.3.1937.99.61.45.10.44	Anwendungsfall ASIC	ASIC	2018-05-08 15:20:09
2.16.840.1.113883.3.1937.99.61.45.10.45	ASIC Patient-Stammdaten	ASICPatientenDaten	2018-05-08 15:51:27
2.16.840.1.113883.3.1937.99.61.45.10.46	ASIC Messwerte	ASICMesswerte	2018-05-08 16:20:53
2.16.840.1.113883.3.1937.99.61.45.10.47	ASIC Beatmungsparameter	ASICBeatmungsparameter	2018-05-08 16:22:26
2.16.840.1.113883.3.1937.99.61.45.10.48	ASIC Blutgasanalyse	ASICBlutgasanalyse	2018-05-08 16:26:14
2.16.840.1.113883.3.1937.99.61.45.10.49	ASIC Sauerstoffsättigung	ASICSauerstoffsattigung	2018-05-08 16:26:57
2.16.840.1.113883.3.1937.99.61.45.10.50	ASIC weitere Vitaldaten	ASICweitereVitaldaten	2018-05-08 16:29:04

2.16.840.1.113883.3.1937.99.61.45.10.51	ASIC Einschlusskriterien	ASICEinschlusskriterien	2018-05-08 16:44:43
2.16.840.1.113883.3.1937.99.61.45.10.52	ASIC Ausschlusskriterien	ASICAusschlusskriterien	2018-05-08 16:46:12
2.16.840.1.113883.3.1937.99.61.45.10.53	ASIC radiologische Befunde	ASICradiologischeBefunde	2018-05-08 16:47:17
2.16.840.1.113883.3.1937.99.61.45.10.54	ASIC Lungenoedem	ASICLungenoedem	2018-05-08 16:48:01
2.16.840.1.113883.3.1937.99.61.45.10.55	ASIC adjunktiv/supportive Maßnahmen	ASICadjunktivSupportiveMassnahmen	2018-05-08 16:49:19
2.16.840.1.113883.3.1937.99.61.45.10.56	ASIC ECMO	ASICECMO	2018-05-08 16:51:37
2.16.840.1.113883.3.1937.99.61.45.10.57	ASIC Medikamente	ASICMedikamente	2018-05-08 16:52:14
2.16.840.1.113883.3.1937.99.61.45.10.58	ASIC Patienten-Bewegungsdaten	ASICPatientenBewegungsdaten	2018-05-08 16:53:26
2.16.840.1.113883.3.1937.99.61.45.10.59	ASIC Outcome Parameter	ASICOutcomeParameter	2018-05-08 16:54:13
2.16.840.1.113883.3.1937.99.61.45.10.60	ASIC Horowitz Quotient	ASICHorowitzQuotient	2018-05-08 17:01:39
2.16.840.1.113883.3.1937.99.61.45.10.61	ASIC adjunktiv supportive Maßnahmen	ASICadjunktivSupportiveMassnahmen	2018-05-14 14:32:33
2.16.840.1.113883.10.12.101	CDA recordTarget	CDArecordTarget	2005-09-07
2.16.840.1.113883.10.12.102	CDA author	CDAauthor	2005-09-07
2.16.840.1.113883.10.12.104	CDA custodian	CDAcustodian	2005-09-07
2.16.840.1.113883.10.12.112	CDA component	CDAcomponent	2005-09-07
2.16.840.1.113883.10.12.151	CDA Organization	CDAOrganization	2005-09-07
2.16.840.1.113883.10.12.152	CDA Person	CDAPerson	2005-09-07
2.16.840.1.113883.10.12.153	CDA AssignedEntity	CDAAssignedEntity	2005-09-07
2.16.840.1.113883.10.12.201	CDA Section	CDASection	2005-09-07
2.16.840.1.113883.10.12.202	CDA StructuredBody	CDAStructuredBody	2005-09-07
2.16.840.1.113883.10.12.203	CDA NonXMLBody	CDANonXMLBody	2005-09-07
2.16.840.1.113883.10.12.300	CDA Clinical Statement	CDAClinicalStatement	2005-09-07
2.16.840.1.113883.10.12.301	CDA Act	CDAAct	2005-09-07
2.16.840.1.113883.10.12.302	CDA Encounter	CDAEncounter	2005-09-07
2.16.840.1.113883.10.12.303	CDA Observation	CDAObservation	2005-09-07
2.16.840.1.113883.10.12.304	CDA ObservationMedia	CDAObservationMedia	2005-09-07
2.16.840.1.113883.10.12.305	CDA Organizer	CDAOrganizer	2005-09-07
2.16.840.1.113883.10.12.306	CDA Procedure	CDAProcedure	2005-09-07

2.16.840.1.113883.10.12.307	CDA RegionOfInterest	CDARegionOfInterest	2005-09-07
2.16.840.1.113883.10.12.308	CDA SubstanceAdministration	CDASubstanceAdministration	2005-09-07
2.16.840.1.113883.10.12.309	CDA Supply	CDASupply	2005-09-07
2.16.840.1.113883.10.12.310	CDA LabeledDrug	CDALabeledDrug	2005-09-07
2.16.840.1.113883.10.12.311	CDA Material	CDAMaterial	2005-09-07
2.16.840.1.113883.10.12.312	CDA ManufacturedProduct	CDAManufacturedProduct	2005-09-07
2.16.840.1.113883.10.12.313	CDA PlayingEntity	CDAPlayingEntity	2005-09-07
2.16.840.1.113883.10.12.315	CDA Device	CDADevice	2005-09-07
2.16.840.1.113883.10.12.316	CDA RelatedEntity	CDARelatedEntity	2005-09-07
2.16.840.1.113883.10.12.318	CDA Author (Body)	CDAAuthorBody	2005-09-07
2.16.840.1.113883.10.12.319	CDA Informant (Body)	CDAINformantBody	2005-09-07
2.16.840.1.113883.10.12.320	CDA Subject (Body)	CDASubjectBody	2005-09-07
2.16.840.1.113883.10.12.321	CDA Participant (Body)	CDAParticipantBody	2005-09-07
2.16.840.1.113883.10.12.322	CDA Specimen	CDASpecimen	2005-09-07
2.16.840.1.113883.10.12.323	CDA Performer (Body)	CDAPerformerBody	2005-09-07
2.16.840.1.113883.10.12.324	CDA Reference	CDAReference	2005-09-07
2.16.840.1.113883.10.12.325	CDA ExternalAct	CDAEExternalAct	2005-09-07
2.16.840.1.113883.10.12.326	CDA ExternalObservation	CDAEExternalObservation	2005-09-07
2.16.840.1.113883.10.12.327	CDA ExternalProcedure	CDAEExternalProcedure	2005-09-07
2.16.840.1.113883.10.12.328	CDA ExternalDocument	CDAEExternalDocument	2005-09-07
2.16.840.1.113883.10.12.329	CDA Precondition	CDAPrecondition	2005-09-07

4.3 Liste von Value Set Identifiern in diesem Projekt

Id	Anzeigename	Name	Eingangsdatum
2.16.840.1.113883.1.11.1	AdministrativeGender	AdministrativeGender	2011-07-26
2.16.840.1.113883.1.11.1	Administrative Gender (HL7 V3)	AdministrativeGender	2013-01-31

2.16.840.1.113883.1.11.1	AdministrativeGender	AdministrativeGender	2014-03-26
2.16.840.1.113883.1.11.78	ObservationInterpretation	ObservationInterpretation	2014-03-26
2.16.840.1.113883.1.11.10267	ParticipationFunction	ParticipationFunction	2011-07-26
2.16.840.1.113883.1.11.10267	ParticipationFunction	ParticipationFunction	2014-03-26
2.16.840.1.113883.1.11.10310	TargetAwareness	TargetAwareness	2014-03-26
2.16.840.1.113883.1.11.10871	DocumentSectionType	DocumentSectionType	2011-07-26
2.16.840.1.113883.1.11.10871	DocumentSectionType	DocumentSectionType	2014-03-26
2.16.840.1.113883.1.11.10901	ParticipationType	ParticipationType	2014-03-26
2.16.840.1.113883.1.11.11526	HumanLanguage	HumanLanguage	2014-03-26
2.16.840.1.113883.1.11.12199	LanguageAbilityProficiency	LanguageAbilityProficiency	2014-03-26
2.16.840.1.113883.1.11.12212	MaritalStatus	MaritalStatus	2014-03-26
2.16.840.1.113883.1.11.12249	LanguageAbilityMode	LanguageAbilityMode	2014-03-26
2.16.840.1.113883.1.11.13955	ActEncounterCode	ActEncounterCode	2014-03-26
2.16.840.1.113883.1.11.14079	ObservationMethod	ObservationMethod	2014-03-26
2.16.840.1.113883.1.11.14570	AdministrableDrugForm	AdministrableDrugForm	2014-03-26
2.16.840.1.113883.1.11.14581	RouteOfAdministration	RouteOfAdministration	2014-03-26
2.16.840.1.113883.1.11.14914	Race	Race	2014-03-26
2.16.840.1.113883.1.11.15836	Ethnicity	Ethnicity	2014-03-26
2.16.840.1.113883.1.11.15933	ActStatus	ActStatus	2011-07-26
2.16.840.1.113883.1.11.15933	ActStatus	ActStatus	2012-03-31
2.16.840.1.113883.1.11.15933	ActStatus	ActStatus	2014-03-26
2.16.840.1.113883.1.11.15999	RoleStatus	RoleStatus	2014-03-26
2.16.840.1.113883.1.11.16040	EntityCode	EntityCode	2014-03-26
2.16.840.1.113883.1.11.16041	MaterialEntityClassType	MaterialEntityClassType	2014-03-26
2.16.840.1.113883.1.11.16117	ROIOverlayShape	ROIOverlayShape	2014-03-26
2.16.840.1.113883.1.11.16226	ObservationType	ObservationType	2011-07-26
2.16.840.1.113883.1.11.16226	ObservationType	ObservationType	2014-03-26
2.16.840.1.113883.1.11.16543	ParticipationMode	ParticipationMode	2014-03-26




2.16.840.1.113883.1.11.16866	ActPriority	ActPriority	2014-03-26
2.16.840.1.113883.1.11.16926	HL7 BasicConfidentialityKind	HL7BasicConfidentialityKind	2014-06-09
2.16.840.1.113883.1.11.18943	x_ActMoodDocumentObservation	x_ActMoodDocumentObservation	2011-07-26
2.16.840.1.113883.1.11.18943	x_ActMoodDocumentObservation	x_ActMoodDocumentObservation	2014-03-26
2.16.840.1.113883.1.11.19000	x_ActRelationshipExternalReference	x_ActRelationshipExternalReference	2014-03-26
2.16.840.1.113883.1.11.19185	ReligiousAffiliation	ReligiousAffiliation	2014-03-26
2.16.840.1.113883.1.11.19316	RoleClassMutualRelationship	RoleClassMutualRelationship	2014-03-26
2.16.840.1.113883.1.11.19368	x_DocumentSubject	x_DocumentSubject	2014-03-26
2.16.840.1.113883.1.11.19446	x_ActRelationshipEntry	x_ActRelationshipEntry	2014-03-26
2.16.840.1.113883.1.11.19447	x_ActRelationshipEntryRelationship	x_ActRelationshipEntryRelationship	2014-03-26
2.16.840.1.113883.1.11.19458	x_DocumentActMood	x_DocumentActMood	2014-03-26
2.16.840.1.113883.1.11.19459	x_DocumentEncounterMood	x_DocumentEncounterMood	2014-03-26
2.16.840.1.113883.1.11.19460	x_DocumentProcedureMood	x_DocumentProcedureMood	2014-03-26
2.16.840.1.113883.1.11.19461	x_DocumentSubstanceMood	x_DocumentSubstanceMood	2014-03-26
2.16.840.1.113883.1.11.19563	PersonalRelationshipRoleType	PersonalRelationshipRoleType	2014-03-26
2.16.840.1.113883.1.11.19598	x_ActClassDocumentEntryOrganizer	x_ActClassDocumentEntryOrganizer	2011-07-26
2.16.840.1.113883.1.11.19598	x_ActClassDocumentEntryOrganizer	x_ActClassDocumentEntryOrganizer	2014-03-26
2.16.840.1.113883.1.11.19599	x_ActClassDocumentEntryAct	x_ActClassDocumentEntryAct	2014-03-26
2.16.840.1.113883.1.11.19708	ActSubstanceAdministrationCode	ActSubstanceAdministrationCode	2014-03-26
2.16.840.1.113883.3.1937.99.61.45.11.1	Blutbild	Blutbild	2018-04-13 15:31:43
2.16.840.1.113883.3.1937.99.61.45.11.2	NiereLeberPankreas	NiereLeberPankreas	2018-04-13 15:39:56
2.16.840.1.113883.3.1937.99.61.45.11.2	LeberPankreas	NiereLeberPankreas	2018-04-13 15:47:23
2.16.840.1.113883.3.1937.99.61.45.11.3	Harnstoff	Harnstoff	2018-04-16 12:19:04
2.16.840.1.113883.3.1937.99.61.45.11.4	Kreatinin	Kreatinin	2018-04-16 12:38:45
2.16.840.1.113883.3.1937.99.61.45.11.5	Niere	Niere	2018-04-16 12:41:47
2.16.840.1.113883.3.1937.99.61.45.11.6	Moegliche Messwerte	MöglicheMesswerte	2018-04-20 08:43:17
2.16.840.1.113883.3.1937.99.61.45.11.7	KreatininFinding	KreatininFinding	2018-04-20 09:18:56
2.16.840.1.113883.3.1937.99.61.45.11.8	Krebs	Krebs	2018-04-20 12:22:45

2.16.840.1.113883.3.1937.99.61.45.11.9	test2	test1	2018-04-23 09:56:31
2.16.840.1.113883.3.1937.99.61.45.11.10	test2	test2	2018-04-23 10:22:06
2.16.840.1.113883.3.1937.99.61.45.11.11	Geschlecht	geschlecht	2018-04-23 15:48:01
2.16.840.1.113883.3.1937.99.61.45.11.12	Unbekannt	thyreoglobulin	2018-05-14 12:39:30
2.16.840.1.113883.3.1937.99.61.45.11.13	Mögliche Patientendaten	MöglichePatientendaten	2018-04-24 09:45:09
2.16.840.1.113883.3.1937.99.61.45.11.14	Mögliche weitere Angaben	MöglicheWeitereAngaben	2018-04-24 09:50:05

5 Terminologien

5.1 Value sets

5.1.1 ActEncounterCode 2.16.840.1.113883.1.11.13955 - 2014-03-26 (DEFN=UV=VO=1360-20160323) (aus Repository: ad2bbr-)

Id	2.16.840.1.113883.1.11.13955  ad2bbr-	Gültigkeit	2014-03-26
Status	 Definitiv	Versions-Label	DEFN=UV=VO=1360-20160323
Name	ActEncounterCode	Anzeigename	ActEncounterCode
Beschreibung	 History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26 description: Domain provides codes that qualify the ActEncounterClass (ENC)		
Quell-Codesystem	2.16.840.1.113883.5.4 - Act Code		




Alles ausklappen | Alles einklappen

Level/ Typ	Code	Anzeigename	Codesystem
1-L	AMB	ambulatory	Act Code
1-L	EMER	emergency	Act Code
1-L	FLD	field	Act Code
1-L	HH	home health	Act Code
1-S	IMP	inpatient encounter	Act Code
2-L	ACUTE	inpatient acute	Act Code
2-L	NONAC	inpatient non-acute	Act Code
1-L	PRENC	pre-admission	Act Code

1-L	SS	short stay	Act Code
1-L	VR	virtual	Act Code

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.2 ActPriority 2.16.840.1.113883.1.11.16866 - 2014-03-26 (DEFN=UV=VO=1360-20160323) (aus Repository: ad2bbr-)



Id	2.16.840.1.113883.1.11.16866  ad2bbr-	Gültigkeit	2014-03-26
Status	 Definitiv	Versions-Label	DEFN=UV=VO=1360-20160323
Name	ActPriority	Anzeigename	ActPriority
Beschreibung	 History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26 description: A code or set of codes (e.g., for routine, emergency,) specifying the urgency under which the Act happened, can happen, is happening, is intended to happen, or is requested/demanded to happen. <i>Discussion:</i> This attribute is used in orders to indicate the ordered priority, and in event documentation it indicates the actual priority used to perform the act. In definition mood it indicates the available priorities.		
Quell-Codesystem	2.16.840.1.113883.5.7 - Act Priority		

Level/ Typ	Code	Anzeigename	Codesystem
0-L	A	ASAP	Act Priority
0-L	CR	callback results	Act Priority
0-L	EL	elective	Act Priority
0-L	EM	emergency	Act Priority
0-L	P	preop	Act Priority
0-L	PRN	as needed	Act Priority

0-L	R	routine	Act Priority
0-L	RR	rush reporting	Act Priority
0-L	S	stat	Act Priority
0-L	T	timing critical	Act Priority
0-L	UD	use as directed	Act Priority
0-L	UR	urgent	Act Priority
0-S	CS	callback for scheduling	Act Priority
1-L	CSP	callback placer for scheduling	Act Priority
1-L	CSR	contact recipient for scheduling	Act Priority
0-L	EL	elective	Act Priority
0-L	EM	emergency	Act Priority
0-L	R	routine	Act Priority
0-L	UR	urgent	Act Priority

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.


5.1.3 ActStatus 2.16.840.1.113883.1.11.15933 - 2014-03-26 (DEFN=UV=VO=1360-20160323) (aus Repository: ad2bbr-)

Id	2.16.840.1.113883.1.11.15933  ad2bbr-	Gültigkeit	2014-03-26 Andere Versionen mit dieser Id:
Status	 Definitiv	Versions-Label	DEFN=UV=VO=1360-20160323
Name	ActStatus	Anzeigename	ActStatus
Beschreibung	 History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26 description:		

		Contains the names (codes) for each of the states in the state-machine of the RIM Act class.		
Quell-Codesystem		2.16.840.1.113883.5.14 - ActStatus		
Alles ausklappen		Alles einklappen		
Level/ Typ	Code	Anzeigename	Codesystem	
0-S	normal	normal	ActStatus	
1-L	aborted	aborted	ActStatus	
1-L	active	active	ActStatus	
1-L	cancelled	cancelled	ActStatus	
1-L	completed	completed	ActStatus	
1-L	held	held	ActStatus	
1-L	new	new	ActStatus	
1-L	suspended	suspended	ActStatus	
0-L	nullified	nullified	ActStatus	
0-L	obsolete	obsolete	ActStatus	

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.4 ActStatus 2.16.840.1.113883.1.11.15933 - 2011-07-26 (DEFN=UV=VO=1099-20110726) (aus Repository: ad2bbr-)

Id	2.16.840.1.113883.1.11.15933  ad2bbr-	Gültigkeit	2011-07-26 Andere Versionen mit dieser Id:
Status	 Definitiv	Versions-Label	DEFN=UV=VO=1099-20110726
Name	ActStatus	Anzeigename	ActStatus
Beschreibung	 description:		

		Contains the names (codes) for each of the states in the state-machine of the RIM Act class.		
Quell-Codesystem		2.16.840.1.113883.5.14 - <i>ActStatus</i>		
Alles ausklappen		Alles einklappen		
Level/ Typ	Code	Anzeigename	Codesystem	
0-S	normal	normal	ActStatus	
1-L	aborted	aborted	ActStatus	
1-L	active	active	ActStatus	
1-L	cancelled	cancelled	ActStatus	
1-L	completed	completed	ActStatus	
1-L	held	held	ActStatus	
1-L	new	new	ActStatus	
1-L	suspended	suspended	ActStatus	
0-L	nullified	nullified	ActStatus	
0-L	obsolete	obsolete	ActStatus	

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.5 ActSubstanceAdministrationCode 2.16.840.1.113883.1.11.19708 - 2014-03-26 (DEFN=UV=VO=1360-20160323)

 (aus Repository: ad2bbr-)

Id	2.16.840.1.113883.1.11.19708  ad2bbr-	Gültigkeit	2014-03-26
Status	 Definitiv	Versions-Label	DEFN=UV=VO=1360-20160323
Name	ActSubstanceAdministrationCode	Anzeigename	ActSubstanceAdministrationCode
Beschreibung			

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

Describes the type of substance administration being performed.

Quell-Codesystem



2.16.840.1.113883.5.4 - Act Code

Alles ausklappen | Alles einklappen

Level/ Typ	Code	Anzeigename	Codesystem
0-A	_ActSubstanceAdministrationCode	ActSubstanceAdministrationCode	Act Code
1-L	DRUG	Drug therapy	Act Code
1-L	FD	food	Act Code
1-S	IMMUNIZ	Immunization	Act Code

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.6 AdministrableDrugForm 2.16.840.1.113883.1.11.14570 - 2014-03-26 (DEFN=UV=VO=1360-20160323) (aus Repository: ad2bbr-)

Id	2.16.840.1.113883.1.11.14570  ad2bbr-	Gültigkeit	2014-03-26
Status	 Definitiv	Versions-Label	DEFN=UV=VO=1360-20160323
Name	AdministrableDrugForm	Anzeigename	AdministrableDrugForm



History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

Indicates the form in which the drug product should be administered.




Beschreibung

This element only needs to be specified when (a) the form in which the drug is measured for dispensing differs from the form in which the drug is administered; and (b) the form in which the quantity of the administered drug being administered is not expressed as a discrete measured mass or volume. *Usage:*

Quell-Codesystem		2.16.840.1.113883.5.85 - Orderable Drug Form		
Alles ausklappen		Alles einklappen		
Level/ Typ	Code	Anzeigename	Codesystem	
0-L	APPFUL	Applicatorful	Orderable Drug Form	
0-L	PUFF	Puff	Orderable Drug Form	
0-L	SCOOP	Scoops	Orderable Drug Form	
0-L	SPRY	Sprays	Orderable Drug Form	
0-S	DROP	Drops	Orderable Drug Form	
1-L	NDROP	Nasal Drops	Orderable Drug Form	
1-L	OPDROP	Ophthalmic Drops	Orderable Drug Form	
1-L	ORDROP	Oral Drops	Orderable Drug Form	
1-L	OTDROP	Otic Drops	Orderable Drug Form	

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.7 AdministrativeGender 2.16.840.1.113883.1.11.1 - 2014-03-26 (DEFN=UV=VO=1360-20160323) (aus Repository: ad2bbr-)

Id	2.16.840.1.113883.1.11.1  ad2bbr-	Gültigkeit	2014-03-26 Andere Versionen mit dieser Id:
Status	 Definitiv	Versions-Label	DEFN=UV=VO=1360-20160323
Name	AdministrativeGender	Anzeigename	AdministrativeGender
Beschreibung	 History description 2014-03-26: Lock all vau sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26 description: The gender of a person used for adminstrative purposes (as opposed to clinical gender)		

Quell-Codesystem	2.16.840.1.113883.5.1 - <i>Administrative Gender</i>		
Level/ Typ	Code	Anzeigename	Codesystem
0-L	F	Female	Administrative Gender
0-L	M	Male	Administrative Gender
0-L	UN	Undifferentiated	Administrative Gender

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.



5.1.8 Administrative Gender (HL7 V3) 2.16.840.1.113883.1.11.1 - 2013-01-31 (aus Repository: ccda-)

Id	2.16.840.1.113883.1.11.1 ccda-	Gültigkeit	2013-01-31 Andere Versionen mit dieser Id:
Status	Definitiv	Versions-Label	
Name	AdministrativeGender	Anzeigename	Administrative Gender (HL7 V3)
Quell-Codesystem	2.16.840.1.113883.5.1 - <i>Administrative Gender</i>		
Level/ Typ	Code	Anzeigename	Codesystem
0-L	F	Female	Administrative Gender
0-L	M	Male	Administrative Gender
0-L	UN	Undifferentiated	Administrative Gender

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.9 AdministrativeGender 2.16.840.1.113883.1.11.1 - 2011-07-26 (DEFN=UV=VO=1099-20110726) (aus Repository: ad2bbr-)



Id	2.16.840.1.113883.1.11.1 ad2bbr-	Gültigkeit	2011-07-26 Andere Versionen mit dieser Id:
-----------	-----------------------------------	-------------------	---

Status	 Definitiv	Versions-Label	DEFN=UV=VO=1099-20110726
Name	AdministrativeGender	Anzeigename	AdministrativeGender
Beschreibung	 description: The gender of a person used for administrative purposes (as opposed to clinical gender)		
Quell-Codesystem	2.16.840.1.113883.5.1 - <i>Administrative Gender</i>		

Level/ Typ	Code	Anzeigename	Codesystem
0-L	F	Female	Administrative Gender
0-L	M	Male	Administrative Gender
0-L	UN	Undifferentiated	Administrative Gender

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.




5.1.10 Blutbild 2.16.840.1.113883.3.1937.99.61.45.11.1 - 2018-04-13 15:31:43 (Blutbild)

Id	2.16.840.1.113883.3.1937.99.61.45.11.1	Gültigkeit	2018-04-13 15:31:43
Status	 Entwurf	Versions-Label	Blutbild
Name	Blutbild	Anzeigename	Blutbild
Copyright	 This artefact includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these artefacts must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/getsnomed-ct or info@snomed.org .		
Quell-Codesystem	2.16.840.1.113883.6.96 - <i>SNOMED Clinical Terms</i>		

Level/ Typ	Code	Anzeigename	Codesystem
0-L	26604007	Complete blood count (procedure)	SNOMED Clinical Terms




Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.11 DocumentSectionType 2.16.840.1.113883.1.11.10871 - 2014-03-26 (DEFN=UV=VO=1360-20160323) (aus Repository: ad2bbr-)

Id	2.16.840.1.113883.1.11.10871  ad2bbr-	Gültigkeit	2014-03-26 Andere Versionen mit dieser Id:
Status	 Definitiv	Versions-Label	DEFN=UV=VO=1360-20160323
Name	DocumentSectionType	Anzeigename	DocumentSectionType
Beschreibung	 History description 2014-03-26: Lock all vau sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26 description: The type of document section. Possible values: review of systems, medical history, family history, microscopic findings, etc.		
Quell-Codesystem	2.16.840.1.113883.6.1 - <i>Logical Observation Identifier Names and Codes</i>		
Level/ Typ	Code	Anzeigename	Codesystem
0-L	57025-9	Data Criteria section	Logical Observation Identifier Names and Codes
0-L	57026-7	Population Criteria section	Logical Observation Identifier Names and Codes
0-L	57027-5	Measure Observations section	Logical Observation Identifier Names and Codes

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.




5.1.12 DocumentSectionType 2.16.840.1.113883.1.11.10871 - 2011-07-26 (DEFN=UV=VO=1099-20110726) (aus Repository: ad2bbr-)

Id	2.16.840.1.113883.1.11.10871  ad2bbr-	Gültigkeit	2011-07-26 Andere Versionen mit dieser Id:
Status	 Definitiv	Versions-Label	DEFN=UV=VO=1099-20110726
Name	DocumentSectionType	Anzeigename	DocumentSectionType
Beschreibung	 description: The type of document section. Possible values: review of systems, medical history, family history, microscopic findings, etc.		

Quell-Codesystem		2.16.840.1.113883.6.1 - Logical Observation Identifier Names and Codes	
Level/ Typ	Code	Anzeigename	Codesystem
0-L	57025-9	Data Criteria section	Logical Observation Identifier Names and Codes
0-L	57026-7	Population Criteria section	Logical Observation Identifier Names and Codes
0-L	57027-5	Measure Observations section	Logical Observation Identifier Names and Codes

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.13 EntityCode 2.16.840.1.113883.1.11.16040 - 2014-03-26 (DEFN=UV=VO=1360-20160323) (aus Repository: ad2bbr-)

Id	2.16.840.1.113883.1.11.16040  ad2bbr-	Gültigkeit	2014-03-26
Status	 Definitiv	Versions-Label	DEFN=UV=VO=1360-20160323
Name	EntityCode	Anzeigename	EntityCode
Beschreibung	 History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26 description: A value representing the specific kind of Entity the instance represents. <i>Examples:</i> A medical building, a Doberman Pinscher, a blood collection tube, a tissue biopsy. <i>Rationale:</i> For each Entity, the value for this attribute is drawn from one of several coding systems depending on the Entity classCode, such as living subjects (animal and plant taxonomies), chemical substance (e.g., IUPAC code), organizations, insurance company, government agency, hospital, park, lake, syringe, etc. It is possible that Entity.code may be so fine grained that it represents a single instance. An example is the CDC vaccine manufacturer code, modeled as a concept vocabulary, when in fact each concept refers to a single instance.		

Ein gültiger Code aus der Codesystem:

Codesystem Name	Codesystem Id	Codesystem Version
ISO 3166 Part 1 Country Codes	1.0.3166.1	

Or one of the following:

3 Quell-Codesysteme	2.16.840.1.113883.5.1060 - Entity Code
	2.16.840.1.113883.5.129 - SpecimenType
	1.0.3166.1 - ISO 3166 Part 1 Country Codes

Alles ausklappen		Alles einklappen	
Level/ Typ	Code	Anzeigename	Codesystem
1-A	_ContainerEntityType	ContainerEntityType	Entity Code
2-S	PKG	Package	Entity Code
3-A	_NonRigidContainerEntityType	NonRigidContainerEntityType	Entity Code
4-L	BAG	Bag	Entity Code
4-L	PACKT	Packet	Entity Code
4-L	PCH	Pouch	Entity Code
4-L	SACH	Sachet	Entity Code
3-A	_RigidContainerEntityType	RigidContainerEntityType	Entity Code
4-A	_IndividualPackageEntityType	IndividualPackageEntityType	Entity Code
5-L	AMP	Ampule	Entity Code
5-L	MINIM	Minim	Entity Code
5-L	NEBAMP	Nebuamp	Entity Code
5-L	OVUL	Ovule	Entity Code
4-A	_MultiUseContainerEntityType	MultiUseContainerEntityType	Entity Code
5-S	BOT	Bottle	Entity Code
6-L	BOTA	Amber Bottle	Entity Code
6-L	BOTD	Dropper Bottle	Entity Code
6-L	BOTG	Glass Bottle	Entity Code

6-S	BOTP	Plastic Bottle	Entity Code
7-L	BOTPLY	Polyethylene Bottle	Entity Code
5-L	BOX	Box	Entity Code
5-L	CAN	Can	Entity Code
5-L	CART	Cartridge	Entity Code
5-L	CNSTR	Canister	Entity Code
5-L	JAR	Jar	Entity Code
5-L	JUG	Jug	Entity Code
5-L	TIN	Tin	Entity Code
5-L	TUB	Tub	Entity Code
5-L	TUBE	Tube	Entity Code
5-L	VIAL	Vial	Entity Code
4-S	BLSTRPK	Blister Pack	Entity Code
5-L	CARD	Card	Entity Code
3-S	COMPPKG	Compliance Package	Entity Code
4-S	BLSTRPK	Blister Pack	Entity Code
5-L	CARD	Card	Entity Code
4-L	DIALPK	Dial Pack	Entity Code
4-L	DISK	Disk	Entity Code
4-L	DOSET	Dosette	Entity Code
4-L	STRIP	Strip	Entity Code
3-S	KIT	Kit	Entity Code

4-L	SYSTEM	System	Entity Code
1-A	_MedicalDevice	MedicalDevice	Entity Code
2-A	_AccessMedicalDevice	AccessMedicalDevice	Entity Code
3-S	LINE	Line	Entity Code
4-L	IALINE	Intra-arterial Line	Entity Code
4-L	IVLINE	Intravenous Line	Entity Code
2-A	_AdministrationMedicalDevice	AdministrationMedicalDevice	Entity Code
3-A	_InjectionMedicalDevice	InjectionMedicalDevice	Entity Code
4-L	AINJ	AutoInjector	Entity Code
4-L	PEN	Pen	Entity Code
4-L	SYR	Syringe	Entity Code
3-L	APLCTR	Applicator	Entity Code
3-S	INH	Inhaler	Entity Code
4-L	DSKS	Diskus	Entity Code
4-L	DSKUNH	Diskhaler	Entity Code
4-L	TRBINH	Turbuhaler	Entity Code
3-L	PMP	Pump	Entity Code
1-A	_SpecimenAdditiveEntity	SpecimenAdditiveEntity	Entity Code
2-L	ACDA	ACD Solution A	Entity Code
2-L	ACDB	ACD Solution B	Entity Code
2-L	ACET	Acetic Acid	Entity Code
2-L	AMIES	Amies transport medium	Entity Code

2-L	BACTM	Bacterial Transport medium	Entity Code
2-L	BF10	Buffered 10% formalin	Entity Code
2-L	BOR	Boric Acid	Entity Code
2-L	BOUIN	Bouin's solution	Entity Code
2-L	BSKM	Buffered skim milk	Entity Code
2-L	C32	3.2% Citrate	Entity Code
2-L	C38	3.8% Citrate	Entity Code
2-L	CARS	Carson's Modified 10% formalin	Entity Code
2-L	CARY	Cary Blair Medium	Entity Code
2-L	CHLTM	Chlamydia transport medium	Entity Code
2-L	CTAD	CTAD	Entity Code
2-L	EDTK15	Potassium/K EDTA 15%	Entity Code
2-L	EDTK75	Potassium/K EDTA 7.5%	Entity Code
2-L	EDTN	Sodium/Na EDTA	Entity Code
2-L	ENT	Enteric bacteria transport medium	Entity Code
2-L	F10	10% Formalin	Entity Code
2-L	FDP	Thrombin NIH; soybean trypsin inhibitor	Entity Code
2-L	FL10	Sodium Fluoride, 10mg	Entity Code
2-L	FL100	Sodium Fluoride, 100mg	Entity Code
2-L	HCL6	6N HCL	Entity Code
2-L	HEPA	Ammonium heparin	Entity Code
2-L	HEPL	Lithium/Li Heparin	Entity Code

2-L	HEPN	Sodium/Na Heparin	Entity Code
2-L	HNO3	Nitric Acid	Entity Code
2-L	JKM	Jones Kendrick Medium	Entity Code
2-L	KARN	Karnovsky's fixative	Entity Code
2-L	KOX	Potassium Oxalate	Entity Code
2-L	LIA	Lithium iodoacetate	Entity Code
2-L	M4	M4	Entity Code
2-L	M4RT	M4-RT	Entity Code
2-L	M5	M5	Entity Code
2-L	MICHTM	Michel's transport medium	Entity Code
2-L	MMDTM	MMD transport medium	Entity Code
2-L	NAF	Sodium Fluoride	Entity Code
2-L	NONE	None	Entity Code
2-L	PAGE	Page's Saline	Entity Code
2-L	PHENOL	Phenol	Entity Code
2-L	PVA	Polyvinylalcohol	Entity Code
2-L	RLM	Reagan Lowe Medium	Entity Code
2-L	SILICA	Siliceous earth	Entity Code
2-L	SPS	Sodium polyanethol sulfonate 0.35% in 0.85% sodium chloride	Entity Code
2-L	SST	Serum Separator Tube	Entity Code
2-L	STUTM	Stuart transport medium	Entity Code
2-L	THROM	Thrombin	Entity Code

2-L	THYMOL	Thymol	Entity Code
2-L	THYO	Thyoglycolate broth	Entity Code
2-L	TOLU	Toluene	Entity Code
2-L	URETM	Ureaplasma transport medium	Entity Code
2-L	VIRTM	Viral Transport medium	Entity Code
2-L	WEST	Buffered Citrate	Entity Code
1-L	BLDPRD	Blood Product	Entity Code
1-L	VCCNE	Vaccine	Entity Code
1-L	ACDA	ACD Solution A	Entity Code
1-L	ACDB	ACD Solution B	Entity Code
1-L	ACET	Acetic Acid	Entity Code
1-L	AMIES	Amies transport medium	Entity Code
1-L	BACTM	Bacterial Transport medium	Entity Code
1-L	BF10	Buffered 10% formalin	Entity Code
1-L	BOR	Boric Acid	Entity Code
1-L	BOUIN	Bouin's solution	Entity Code
1-L	BSKM	Buffered skim milk	Entity Code
1-L	C32	3.2% Citrate	Entity Code
1-L	C38	3.8% Citrate	Entity Code
1-L	CARS	Carson's Modified 10% formalin	Entity Code
1-L	CARY	Cary Blair Medium	Entity Code
1-L	CHLTM	Chlamydia transport medium	Entity Code

1-L	CTAD	CTAD	Entity Code
1-L	EDTK15	Potassium/K EDTA 15%	Entity Code
1-L	EDTK75	Potassium/K EDTA 7.5%	Entity Code
1-L	EDTN	Sodium/Na EDTA	Entity Code
1-L	ENT	Enteric bacteria transport medium	Entity Code
1-L	F10	10% Formalin	Entity Code
1-L	FDP	Thrombin NIH; soybean trypsin inhibitor	Entity Code
1-L	FL10	Sodium Fluoride, 10mg	Entity Code
1-L	FL100	Sodium Fluoride, 100mg	Entity Code
1-L	HCL6	6N HCL	Entity Code
1-L	HEPA	Ammonium heparin	Entity Code
1-L	HEPL	Lithium/Li Heparin	Entity Code
1-L	HEPN	Sodium/Na Heparin	Entity Code
1-L	HNO3	Nitric Acid	Entity Code
1-L	JKM	Jones Kendrick Medium	Entity Code
1-L	KARN	Karnovsky's fixative	Entity Code
1-L	KOX	Potassium Oxalate	Entity Code
1-L	LIA	Lithium iodoacetate	Entity Code
1-L	M4	M4	Entity Code
1-L	M4RT	M4-RT	Entity Code
1-L	M5	M5	Entity Code
1-L	MICHTM	Michel's transport medium	Entity Code

1-L	MMDTM	MMD transport medium	Entity Code
1-L	NAF	Sodium Fluoride	Entity Code
1-L	NONE	None	Entity Code
1-L	PAGE	Page's Saline	Entity Code
1-L	PHENOL	Phenol	Entity Code
1-L	PVA	Polyvinylalcohol	Entity Code
1-L	RLM	Reagan Lowe Medium	Entity Code
1-L	SILICA	Siliceous earth	Entity Code
1-L	SPS	Sodium polyanethol sulfonate 0.35% in 0.85% sodium chloride	Entity Code
1-L	SST	Serum Separator Tube	Entity Code
1-L	STUTM	Stuart transport medium	Entity Code
1-L	THROM	Thrombin	Entity Code
1-L	THYMOL	Thymol	Entity Code
1-L	THYO	Thyoglycolate broth	Entity Code
1-L	TOLU	Toluene	Entity Code
1-L	URETM	Ureaplasma transport medium	Entity Code
1-L	VIRTM	Viral Transport medium	Entity Code
1-L	WEST	Buffered Citrate	Entity Code
1-S	PKG	Package	Entity Code
2-A	_NonRigidContainerEntityType	NonRigidContainerEntityType	Entity Code
3-L	BAG	Bag	Entity Code
3-L	PACKT	Packet	Entity Code

3-L	PCH	Pouch	Entity Code
3-L	SACH	Sachet	Entity Code
2-A	_RigidContainerEntityType	RigidContainerEntityType	Entity Code
3-A	_IndividualPackageEntityType	IndividualPackageEntityType	Entity Code
4-L	AMP	Ampule	Entity Code
4-L	MINIM	Minim	Entity Code
4-L	NEBAMP	Nebuamp	Entity Code
4-L	OVUL	Ovule	Entity Code
3-A	_MultiUseContainerEntityType	MultiUseContainerEntityType	Entity Code
4-S	BOT	Bottle	Entity Code
5-L	BOTA	Amber Bottle	Entity Code
5-L	BOTD	Dropper Bottle	Entity Code
5-L	BOTG	Glass Bottle	Entity Code
5-S	BOTP	Plastic Bottle	Entity Code
6-L	BOTPLY	Polyethylene Bottle	Entity Code
4-L	BOX	Box	Entity Code
4-L	CAN	Can	Entity Code
4-L	CART	Cartridge	Entity Code
4-L	CNSTR	Canister	Entity Code
4-L	JAR	Jar	Entity Code
4-L	JUG	Jug	Entity Code
4-L	TIN	Tin	Entity Code

4-L	TUB	Tub	Entity Code
4-L	TUBE	Tube	Entity Code
4-L	VIAL	Vial	Entity Code
3-S	BLSTRPK	Blister Pack	Entity Code
4-L	CARD	Card	Entity Code
2-S	COMPPKG	Compliance Package	Entity Code
3-S	BLSTRPK	Blister Pack	Entity Code
4-L	CARD	Card	Entity Code
3-L	DIALPK	Dial Pack	Entity Code
3-L	DISK	Disk	Entity Code
3-L	DOSET	Dosette	Entity Code
3-L	STRIP	Strip	Entity Code
2-S	KIT	Kit	Entity Code
3-L	SYSTEM	System	Entity Code
1-A	_AccessMedicalDevice	AccessMedicalDevice	Entity Code
2-S	LINE	Line	Entity Code
3-L	IALINE	Intra-arterial Line	Entity Code
3-L	IVLINE	Intravenous Line	Entity Code
1-A	_AdministrationMedicalDevice	AdministrationMedicalDevice	Entity Code
2-A	_InjectionMedicalDevice	InjectionMedicalDevice	Entity Code
3-L	AINJ	AutoInjector	Entity Code
3-L	PEN	Pen	Entity Code

3-L	SYR	Syringe	Entity Code
2-L	APLCTR	Applicator	Entity Code
2-S	INH	Inhaler	Entity Code
3-L	DSKS	Diskus	Entity Code
3-L	DSKUNH	Diskhaler	Entity Code
3-L	TRBINH	Turbuhaler	Entity Code
2-L	PMP	Pump	Entity Code
1-L	ABS	Abcess	SpecimenType
1-L	AMN	Amniotic fluid	SpecimenType
1-L	ASP	Aspirate	SpecimenType
1-L	BBL	Blood bag	SpecimenType
1-L	BDY	Whole body	SpecimenType
1-L	BIFL	Bile fluid	SpecimenType
1-L	BLD	Whole blood	SpecimenType
1-L	BLDA	Blood arterial	SpecimenType
1-L	BLDC	Blood capillary	SpecimenType
1-L	BLDCO	Blood - cord	SpecimenType
1-L	BLDV	Blood venous	SpecimenType
1-L	BON	Bone	SpecimenType
1-L	BPH	Basophils	SpecimenType
1-L	BPU	Blood product unit	SpecimenType
1-L	BRN	Burn	SpecimenType

1-L	BRO	Bronchial	SpecimenType
1-L	BRTH	Exhaled gas (=breath) Breath (use EXG)	SpecimenType
1-L	EXG	Exhaled gas (=breath) Breath (use EXG)	SpecimenType
1-L	CALC	Calculus (=Stone) Stone (use CALC)	SpecimenType
1-L	STON	Calculus (=Stone) Stone (use CALC)	SpecimenType
1-L	CDM	Cardiac muscle	SpecimenType
1-L	CNJT	Conjunctiva	SpecimenType
1-L	CNL	Cannula	SpecimenType
1-L	COL	Colostrum	SpecimenType
1-L	CRN	Cornea	SpecimenType
1-L	CSF	Cerebral spinal fluid	SpecimenType
1-L	CTP	Catheter tip	SpecimenType
1-L	CUR	Curettage	SpecimenType
1-L	CVM	Cervical mucus	SpecimenType
1-L	CVX	Cervix	SpecimenType
1-L	CYST	Cyst	SpecimenType
1-L	DIAF	Dialysis fluid	SpecimenType
1-L	DOSE	Dose med or substance	SpecimenType
1-L	DRN	Drain	SpecimenType
1-L	DUFL	Duodenal fluid	SpecimenType
1-L	EAR	Ear	SpecimenType
1-L	EARW	Ear wax (cerumen)	SpecimenType

1-L	ELT	Electrode	SpecimenType
1-L	ENDC	Endocardium	SpecimenType
1-L	ENDM	Endometrium	SpecimenType
1-L	EOS	Eosinophils	SpecimenType
1-L	EYE	Eye	SpecimenType
1-L	FIB	Fibroblasts	SpecimenType
1-L	FIST	Fistula	SpecimenType
1-L	FLT	Filter	SpecimenType
1-L	FLU	Body fluid, unsp	SpecimenType
1-L	FOOD	Food sample	SpecimenType
1-L	GAS	Gas	SpecimenType
1-L	GAST	Gastric fluid/contents	SpecimenType
1-L	GEN	Genital	SpecimenType
1-L	GENC	Genital cervix	SpecimenType
1-L	GENF	Genital fluid	SpecimenType
1-L	GENL	Genital lochia	SpecimenType
1-L	GENV	Genital vaginal	SpecimenType
1-L	HAR	Hair	SpecimenType
1-L	IHG	Inhaled Gas	SpecimenType
1-L	ISLT	Isolate	SpecimenType
1-L	IT	Intubation tube	SpecimenType
1-L	LAM	Lamella	SpecimenType

1-L	LIQ	Liquid NOS	SpecimenType
1-L	LN	Line	SpecimenType
1-L	LNA	Line arterial	SpecimenType
1-L	LNV	Line venous	SpecimenType
1-L	LYM	Lymphocytes	SpecimenType
1-L	MAC	Macrophages	SpecimenType
1-L	MAR	Marrow (bone)	SpecimenType
1-L	MBLD	Menstrual blood	SpecimenType
1-L	MEC	Meconium	SpecimenType
1-L	MILK	Breast milk	SpecimenType
1-L	MLK	Milk	SpecimenType
1-L	NAIL	Nail	SpecimenType
1-L	NOS	Nose (nasal passage)	SpecimenType
1-L	PAFL	Pancreatic fluid	SpecimenType
1-L	PAT	Patient	SpecimenType
1-L	PLAS	Plasma	SpecimenType
1-L	PLB	Plasma bag	SpecimenType
1-L	PLC	Placenta	SpecimenType
1-L	PLR	Pleural fluid (thoracentesis fld)	SpecimenType
1-L	PMN	Polymorphonuclear neutrophils	SpecimenType
1-L	PPP	Platelet poor plasma	SpecimenType
1-L	PRP	Platelet rich plasma	SpecimenType

1-L	PRT	Peritoneal fluid /ascites	SpecimenType
1-L	PUS	Pus	SpecimenType
1-L	RBC	Erythrocytes	SpecimenType
1-L	SAL	Saliva	SpecimenType
1-L	SER	Serum	SpecimenType
1-L	SKM	Skeletal muscle	SpecimenType
1-L	SKN	Skin	SpecimenType
1-L	SMN	Seminal fluid	SpecimenType
1-L	SMPLS	Seminal plasma	SpecimenType
1-L	SNV	Synovial fluid (Joint fluid)	SpecimenType
1-L	SPRM	Spermatozoa	SpecimenType
1-L	SPT	Sputum	SpecimenType
1-L	SPTC	Sputum - coughed	SpecimenType
1-L	SPTT	Sputum - tracheal aspirate	SpecimenType
1-L	STL	Stool = Fecal	SpecimenType
1-L	SWT	Sweat	SpecimenType
1-L	TEAR	Tears	SpecimenType
1-L	THRB	Thrombocyte (platelet)	SpecimenType
1-L	THRT	Throat	SpecimenType
1-L	TISG	Tissue gall bladder	SpecimenType
1-L	TISPL	Tissue placenta	SpecimenType
1-L	TISS	Tissue, unspecified	SpecimenType

1-L	TISU	Tissue ulcer	SpecimenType
1-L	TLGI	Tissue large intestine	SpecimenType
1-L	TLNG	Tissue lung	SpecimenType
1-L	TSMI	Tissue small intestine Tissue ulcer	SpecimenType
1-L	TUB	Tube, unspecified	SpecimenType
1-L	ULC	Ulcer	SpecimenType
1-L	UMB	Umbilical blood	SpecimenType
1-L	UMED	Unknown medicine	SpecimenType
1-L	UR	Urine	SpecimenType
1-L	URC	Urine clean catch	SpecimenType
1-L	URNS	Urine sediment	SpecimenType
1-L	URT	Urine catheter	SpecimenType
1-L	URTH	Urethra	SpecimenType
1-L	USUB	Unknown substance	SpecimenType
1-L	VOM	Vomitus	SpecimenType
1-L	WAT	Water	SpecimenType
1-L	WBC	Leukocytes	SpecimenType
1-L	WICK	Wick	SpecimenType
1-L	WND	Wound	SpecimenType
1-L	WNDA	Wound abscess	SpecimenType
1-L	WNDD	Wound drainage	SpecimenType
1-L	WNDE	Wound exudate	SpecimenType

0-L	VCCNE	Vaccine	Entity Code
1-L	ACDA	ACD Solution A	Entity Code
1-L	ACDB	ACD Solution B	Entity Code
1-L	ACET	Acetic Acid	Entity Code
1-L	AMIES	Amies transport medium	Entity Code
1-L	BACTM	Bacterial Transport medium	Entity Code
1-L	BF10	Buffered 10% formalin	Entity Code
1-L	BOR	Boric Acid	Entity Code
1-L	BOUIN	Bouin's solution	Entity Code
1-L	BSKM	Buffered skim milk	Entity Code
1-L	C32	3.2% Citrate	Entity Code
1-L	C38	3.8% Citrate	Entity Code
1-L	CARS	Carson's Modified 10% formalin	Entity Code
1-L	CARY	Cary Blair Medium	Entity Code
1-L	CHLTM	Chlamydia transport medium	Entity Code
1-L	CTAD	CTAD	Entity Code
1-L	EDTK15	Potassium/K EDTA 15%	Entity Code
1-L	EDTK75	Potassium/K EDTA 7.5%	Entity Code
1-L	EDTN	Sodium/Na EDTA	Entity Code
1-L	ENT	Enteric bacteria transport medium	Entity Code
1-L	F10	10% Formalin	Entity Code
1-L	FDP	Thrombin NIH; soybean trypsin inhibitor	Entity Code

1-L	FL10	Sodium Fluoride, 10mg	Entity Code
1-L	FL100	Sodium Fluoride, 100mg	Entity Code
1-L	HCL6	6N HCL	Entity Code
1-L	HEPA	Ammonium heparin	Entity Code
1-L	HEPL	Lithium/Li Heparin	Entity Code
1-L	HEPN	Sodium/Na Heparin	Entity Code
1-L	HNO3	Nitric Acid	Entity Code
1-L	JKM	Jones Kendrick Medium	Entity Code
1-L	KARN	Karnovsky's fixative	Entity Code
1-L	KOX	Potassium Oxalate	Entity Code
1-L	LIA	Lithium iodoacetate	Entity Code
1-L	M4	M4	Entity Code
1-L	M4RT	M4-RT	Entity Code
1-L	M5	M5	Entity Code
1-L	MICHTM	Michel's transport medium	Entity Code
1-L	MMDTM	MMD transport medium	Entity Code
1-L	NAF	Sodium Fluoride	Entity Code
1-L	NONE	None	Entity Code
1-L	PAGE	Page's Saline	Entity Code
1-L	PHENOL	Phenol	Entity Code
1-L	PVA	Polyvinylalcohol	Entity Code
1-L	RLM	Reagan Lowe Medium	Entity Code

1-L	SILICA	Siliceous earth	Entity Code
1-L	SPS	Sodium polyanethol sulfonate 0.35% in 0.85% sodium chloride	Entity Code
1-L	SST	Serum Separator Tube	Entity Code
1-L	STUTM	Stuart transport medium	Entity Code
1-L	THROM	Thrombin	Entity Code
1-L	THYMOL	Thymol	Entity Code
1-L	THYO	Thyoglycolate broth	Entity Code
1-L	TOLU	Toluene	Entity Code
1-L	URETM	Ureaplasma transport medium	Entity Code
1-L	VIRTM	Viral Transport medium	Entity Code
1-L	WEST	Buffered Citrate	Entity Code
1-S	PKG	Package	Entity Code
2-A	_NonRigidContainerEntityType	NonRigidContainerEntityType	Entity Code
3-L	BAG	Bag	Entity Code
3-L	PACKT	Packet	Entity Code
3-L	PCH	Pouch	Entity Code
3-L	SACH	Sachet	Entity Code
2-A	_RigidContainerEntityType	RigidContainerEntityType	Entity Code
3-A	_IndividualPackageEntityType	IndividualPackageEntityType	Entity Code
4-L	AMP	Ampule	Entity Code
4-L	MINIM	Minim	Entity Code
4-L	NEBAMP	Nebuamp	Entity Code




4-L	OVUL	Ovule	Entity Code
3-A	_MultiUseContainerEntityType	MultiUseContainerEntityType	Entity Code
4-S	BOT	Bottle	Entity Code
5-L	BOTA	Amber Bottle	Entity Code
5-L	BOTD	Dropper Bottle	Entity Code
5-L	BOTG	Glass Bottle	Entity Code
5-S	BOTP	Plastic Bottle	Entity Code
6-L	BOTPLY	Polyethylene Bottle	Entity Code
4-L	BOX	Box	Entity Code
4-L	CAN	Can	Entity Code
4-L	CART	Cartridge	Entity Code
4-L	CNSTR	Canister	Entity Code
4-L	JAR	Jar	Entity Code
4-L	JUG	Jug	Entity Code
4-L	TIN	Tin	Entity Code
4-L	TUB	Tub	Entity Code
4-L	TUBE	Tube	Entity Code
4-L	VIAL	Vial	Entity Code
3-S	BLSTRPK	Blister Pack	Entity Code
4-L	CARD	Card	Entity Code
2-S	COMPPKG	Compliance Package	Entity Code
3-S	BLSTRPK	Blister Pack	Entity Code

4-L	CARD	Card	Entity Code
3-L	DIALPK	Dial Pack	Entity Code
3-L	DISK	Disk	Entity Code
3-L	DOSET	Dosette	Entity Code
3-L	STRIP	Strip	Entity Code
2-S	KIT	Kit	Entity Code
3-L	SYSTEM	System	Entity Code
1-A	_AccessMedicalDevice	AccessMedicalDevice	Entity Code
2-S	LINE	Line	Entity Code
3-L	IALINE	Intra-arterial Line	Entity Code
3-L	IVLINE	Intravenous Line	Entity Code
1-A	_AdministrationMedicalDevice	AdministrationMedicalDevice	Entity Code
2-A	_InjectionMedicalDevice	InjectionMedicalDevice	Entity Code
3-L	AINJ	AutoInjector	Entity Code
3-L	PEN	Pen	Entity Code
3-L	SYR	Syringe	Entity Code
2-L	APLCTR	Applicator	Entity Code
2-S	INH	Inhaler	Entity Code
3-L	DSKS	Diskus	Entity Code
3-L	DSKUNH	Diskhaler	Entity Code
3-L	TRBINH	Turbuhaler	Entity Code
2-L	PMP	Pump	Entity Code

0-L	VCCNE	Vaccine	Entity Code
1-L	BED	Bed Location	Entity Code
1-L	BLDG	Building Location	Entity Code
1-L	FLOOR	Floor Location	Entity Code
1-L	ROOM	Room Location	Entity Code
1-L	WING	Wing Location	Entity Code
0-A	_OrganizationEntityType	OrganizationEntityType	Entity Code
1-L	HHOLD	household	Entity Code
1-L	NAT	NationEntityType	Entity Code
1-L	RELIG	religious institution	Entity Code
0-L	PRAC	PractitionerGroup	Entity Code
0-L	VCCNE	Vaccine	Entity Code
0-L	BLDPRD	Blood Product	Entity Code
0-L	VCCNE	Vaccine	Entity Code

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.14 Ethnicity 2.16.840.1.113883.1.11.15836 - 2014-03-26 (DEFN=UV=VO=1360-20160323) (aus Repository: ad2bbr-)

Id	2.16.840.1.113883.1.11.15836  ad2bbr-	Gültigkeit	2014-03-26
Status	 Definitiv	Versions-Label	DEFN=UV=VO=1360-20160323
Name	Ethnicity	Anzeigename	Ethnicity
Beschreibung	 History description 2014-03-26: Lock all vauce sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26 description:		

In the United States, federal standards for classifying data on ethnicity determine the categories used by federal agencies and exert a strong influence on categorization by state and local agencies and private sector organizations. The federal standards do not conceptually define ethnicity, and they recognize the absence of an anthropological or scientific basis for ethnicity classification. Instead, the federal standards acknowledge that ethnicity is a social-political construct in which an individual's own identification with a particular ethnicity is preferred to observer identification. The standards specify two minimum ethnicity categories: Hispanic or Latino, and Not Hispanic or Latino. The standards define a Hispanic or Latino as a person of "Mexican, Puerto Rican, Cuban, South or Central America, or other Spanish culture or origin, regardless of race." The standards stipulate that ethnicity data need not be limited to the two minimum categories, but any expansion must be collapsible to those categories. In addition, the standards stipulate that an individual can be Hispanic or Latino or can be Not Hispanic or Latino, but cannot be both.

Quell-Codesystem

2.16.840.1.113883.5.50 - *Ethnicity*

Level/ Typ	Code	Anzeigename	Codesystem
0-L	2186-5	Not Hispanic or Latino	Ethnicity
0-S	2135-2	Hispanic or Latino	Ethnicity
1-S	2137-8	Spaniard	Ethnicity
2-L	2138-6	Andalusian	Ethnicity
2-L	2139-4	Asturian	Ethnicity
2-L	2140-2	Castillian	Ethnicity
2-L	2141-0	Catalonian	Ethnicity
2-L	2142-8	Belearic Islander	Ethnicity
2-L	2143-6	Gallego	Ethnicity
2-L	2144-4	Valencian	Ethnicity
2-L	2145-1	Canarian	Ethnicity
2-L	2146-9	Spanish Basque	Ethnicity
1-S	2148-5	Mexican	Ethnicity

2-L	2149-3	Mexican American	Ethnicity
2-L	2150-1	Mexicano	Ethnicity
2-L	2151-9	Chicano	Ethnicity
2-L	2152-7	La Raza	Ethnicity
2-L	2153-5	Mexican American Indian	Ethnicity
1-S	2155-0	Central American	Ethnicity
2-L	2156-8	Costa Rican	Ethnicity
2-L	2157-6	Guatemalan	Ethnicity
2-L	2158-4	Honduran	Ethnicity
2-L	2159-2	Nicaraguan	Ethnicity
2-L	2160-0	Panamanian	Ethnicity
2-L	2161-8	Salvadoran	Ethnicity
2-L	2162-6	Central American Indian	Ethnicity
2-L	2163-4	Canal Zone	Ethnicity
1-S	2165-9	South American	Ethnicity
2-L	2166-7	Argentinean	Ethnicity
2-L	2167-5	Bolivian	Ethnicity
2-L	2168-3	Chilean	Ethnicity
2-L	2169-1	Colombian	Ethnicity
2-L	2170-9	Ecuadorian	Ethnicity
2-L	2171-7	Paraguayan	Ethnicity
2-L	2172-5	Peruvian	Ethnicity

2-L	2173-3	Uruguayan	Ethnicity
2-L	2174-1	Venezuelan	Ethnicity
2-L	2175-8	South American Indian	Ethnicity
2-L	2176-6	Criollo	Ethnicity
1-L	2178-2	Latin American	Ethnicity
1-L	2180-8	Puerto Rican	Ethnicity
1-L	2182-4	Cuban	Ethnicity
1-L	2184-0	Dominican	Ethnicity

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.



5.1.15 ○ HL7 BasicConfidentialityKind 2.16.840.1.113883.1.11.16926 - 2014-06-09 ref (aus Repository: ccda-)

Id	2.16.840.1.113883.1.11.16926 ref ccda-	Gültigkeit	2014-06-09
Status	● Definitiv	Versions-Label	
Name	HL7BasicConfidentialityKind	Anzeigename	HL7 BasicConfidentialityKind
Quell-Codesystem	2.16.840.1.113883.5.25 - Confidentiality		

Level/ Typ	Code	Anzeigename	Codesystem
0-L	N	normal	Confidentiality
0-L	R	restricted	Confidentiality
0-L	V	very restricted	Confidentiality




Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.16  Harnstoff 2.16.840.1.113883.3.1937.99.61.45.11.3 - 2018-04-16 12:19:04

Id	2.16.840.1.113883.3.1937.99.61.45.11.3	Gültigkeit	2018-04-16 12:19:04
Status	 Entwurf	Versions-Label	
Name	Harnstoff	Anzeigename	Harnstoff
Copyright	 This artefact includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these artefacts must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/getsnomed-ct or info@snomed.org .		
Quell-Codesystem	2.16.840.1.113883.6.96 - <i>SNOMED Clinical Terms</i>		
Level/ Typ	Code	Anzeigename	Codesystem
0-L	387092000	Urea (substance)	SNOMED Clinical Terms

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.



5.1.17  HumanLanguage 2.16.840.1.113883.1.11.11526 - 2014-03-26 (DEFN=UV=VO=1360-20160323)  (aus Repository: ad2bbr-)

Id	2.16.840.1.113883.1.11.11526  ad2bbr-	Gültigkeit	2014-03-26
Status	 Definitiv	Versions-Label	DEFN=UV=VO=1360-20160323
Name	HumanLanguage	Anzeigename	HumanLanguage
Beschreibung	 History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26 description: Codes for the representation of the names of human languages.		

Ein gültiger Code aus der Codesystem:



Codesystem Name	Codesystem Id	Codesystem Version
<i>Tags for the Identification of Languages</i>	2.16.840.1.113883.6.121	

5.1.18  **Kreatinin 2.16.840.1.113883.3.1937.99.61.45.11.4 - 2018-04-16 12:38:45**

Id	2.16.840.1.113883.3.1937.99.61.45.11.4		Gültigkeit	2018-04-16 12:38:45
Status	 Entwurf		Versions-Label	
Name	Kreatinin		Anzeigename	Kreatinin
Copyright	 This artefact includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these artefacts must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/getsnomed-ct or info@snomed.org .			
Quell-Codesystem	2.16.840.1.113883.6.96 - <i>SNOMED Clinical Terms</i>			
Level/ Typ	Code	Anzeigename	Codesystem	
0-L	15373003	Creatinine (substance)	SNOMED Clinical Terms	



Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.19  **KreatininFinding 2.16.840.1.113883.3.1937.99.61.45.11.7 - 2018-04-20 09:18:56**

Id	2.16.840.1.113883.3.1937.99.61.45.11.7		Gültigkeit	2018-04-20 09:18:56
Status	 Entwurf		Versions-Label	
Name	KreatininFinding		Anzeigename	KreatininFinding
Copyright	 This artefact includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these artefacts must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/getsnomed-ct or info@snomed.org .			
Quell-Codesystem	2.16.840.1.113883.6.96 - <i>SNOMED Clinical Terms</i>			
Level/ Typ	Code	Anzeigename	Codesystem	
0-L	365756002	Finding of creatinine level (finding)	SNOMED Clinical Terms	
0-L	275792000	Creatinine in sample (finding)	SNOMED Clinical Terms	

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.20  Krebs 2.16.840.1.113883.3.1937.99.61.45.11.8 - 2018-04-20 12:22:45

Id	2.16.840.1.113883.3.1937.99.61.45.11.8	Gültigkeit	2018-04-20 12:22:45
Status	 Entwurf	Versions-Label	
Name	Krebs	Anzeigename	Krebs
Copyright	 This artefact includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these artefacts must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/getsnomed-ct or info@snomed.org .		
Quell-Codesystem	2.16.840.1.113883.6.96 - <i>SNOMED Clinical Terms</i>		
Level/ Typ	Code	Anzeigename	Codesystem
0-L	93880001	Primary malignant neoplasm of lung (disorder)	SNOMED Clinical Terms
0-L	93870000	Malignant neoplasm of liver (disorder)	SNOMED Clinical Terms

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.




5.1.21  LanguageAbilityMode 2.16.840.1.113883.1.11.12249 - 2014-03-26 (DEFN=UV=VO=1360-20160323)  (aus Repository: ad2bbr-)

Id	2.16.840.1.113883.1.11.12249  ad2bbr-	Gültigkeit	2014-03-26
Status	 Definitiv	Versions-Label	DEFN=UV=VO=1360-20160323
Name	LanguageAbilityMode	Anzeigename	LanguageAbilityMode
Beschreibung	 History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26 description: A value representing the method of expression of the language. <i>Example:</i> Expressed spoken, expressed written, expressed signed, received spoken, received written, received signed.		
Quell-Codesystem	2.16.840.1.113883.5.60 - <i>Language Ability Mode</i>		
Level/ Typ	Code	Anzeigename	Codesystem

0-L	ESGN	Expressed signed	Language Ability Mode
0-L	ESP	Expressed spoken	Language Ability Mode
0-L	EWR	Expressed written	Language Ability Mode
0-L	RSGN	Received signed	Language Ability Mode
0-L	RSP	Received spoken	Language Ability Mode
0-L	RWR	Received written	Language Ability Mode

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.22 LanguageAbilityProficiency 2.16.840.1.113883.1.11.12199 - 2014-03-26 (DEFN=UV=VO=1360-20160323) (aus Repository: ad2bbr-)

Id	2.16.840.1.113883.1.11.12199  ad2bbr-	Gültigkeit	2014-03-26
Status	 Definitiv	Versions-Label	DEFN=UV=VO=1360-20160323
Name	LanguageAbilityProficiency	Anzeigename	LanguageAbilityProficiency
Beschreibung	 History description 2014-03-26: Lock all vau sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26 description: A value representing the level of proficiency in a language. <i>Example:</i> Excellent, good, fair, poor.		
Quell-Codesystem	2.16.840.1.113883.5.61 - <i>Language Ability Proficiency</i>		

Level/ Typ	Code	Anzeigename	Codesystem
0-L	E	Excellent	Language Ability Proficiency
0-L	F	Fair	Language Ability Proficiency
0-L	G	Good	Language Ability Proficiency

0-L	P	Poor	Language Ability Proficiency
-----	---	------	------------------------------

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.23 MaritalStatus 2.16.840.1.113883.1.11.12212 - 2014-03-26 (DEFN=UV=VO=1360-20160323) (aus Repository: ad2bbr-)




Id	2.16.840.1.113883.1.11.12212  ad2bbr-	Gültigkeit	2014-03-26
Status	 Definitiv	Versions-Label	DEFN=UV=VO=1360-20160323
Name	MaritalStatus	Anzeigename	MaritalStatus
Beschreibung	 History description 2014-03-26: Lock all vauue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26 description: The domestic partnership status of a person. <i>Example:</i> Married, separated, divorced, widowed, common-law marriage.		
Quell-Codesystem	2.16.840.1.113883.5.2 - <i>MaritalStatus</i>		

Level/ Typ	Code	Anzeigename	Codesystem
0-L	A	Annulled	MaritalStatus
0-L	D	Divorced	MaritalStatus
0-L	I	Interlocutory	MaritalStatus
0-L	L	Legally Separated	MaritalStatus
0-L	M	Married	MaritalStatus
0-L	P	Polygamous	MaritalStatus
0-L	S	Never Married	MaritalStatus
0-L	T	Domestic partner	MaritalStatus

0-L	W	Widowed	MaritalStatus
-----	---	---------	---------------

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.24 MaterialEntityType 2.16.840.1.113883.1.11.16041 - 2014-03-26 (DEFN=UV=VO=1360-20160323) (aus Repository: ad2bbr-)

Id	2.16.840.1.113883.1.11.16041  ad2bbr-	Gültigkeit	2014-03-26
Status	 Definitiv	Versions-Label	DEFN=UV=VO=1360-20160323
Name	MaterialEntityType	Anzeigename	MaterialEntityType
Beschreibung	 History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26 description: Types of Material for EntityClass "MAT"		
2 Quell-Codesysteme	2.16.840.1.113883.5.1060 - <i>Entity Code</i> 2.16.840.1.113883.5.129 - <i>SpecimenType</i>		

Alles ausklappen Alles einklappen

Level/ Typ	Code	Anzeigename	Codesystem
1-A	_ContainerEntityType	ContainerEntityType	Entity Code
2-S	PKG	Package	Entity Code
3-A	_NonRigidContainerEntityType	NonRigidContainerEntityType	Entity Code
4-L	BAG	Bag	Entity Code
4-L	PACKT	Packet	Entity Code
4-L	PCH	Pouch	Entity Code
4-L	SACH	Sachet	Entity Code
3-A	_RigidContainerEntityType	RigidContainerEntityType	Entity Code

4-A	_IndividualPackageEntityType	IndividualPackageEntityType	Entity Code
5-L	AMP	Ampule	Entity Code
5-L	MINIM	Minim	Entity Code
5-L	NEBAMP	Nebuamp	Entity Code
5-L	OVUL	Ovule	Entity Code
4-A	_MultiUseContainerEntityType	MultiUseContainerEntityType	Entity Code
5-S	BOT	Bottle	Entity Code
6-L	BOTA	Amber Bottle	Entity Code
6-L	BOTD	Dropper Bottle	Entity Code
6-L	BOTG	Glass Bottle	Entity Code
6-S	BOTP	Plastic Bottle	Entity Code
7-L	BOTPLY	Polyethylene Bottle	Entity Code
5-L	BOX	Box	Entity Code
5-L	CAN	Can	Entity Code
5-L	CART	Cartridge	Entity Code
5-L	CNSTR	Canister	Entity Code
5-L	JAR	Jar	Entity Code
5-L	JUG	Jug	Entity Code
5-L	TIN	Tin	Entity Code
5-L	TUB	Tub	Entity Code
5-L	TUBE	Tube	Entity Code
5-L	VIAL	Vial	Entity Code

4-S	BLSTRPK	Blister Pack	Entity Code
5-L	CARD	Card	Entity Code
3-S	COMPPKG	Compliance Package	Entity Code
4-S	BLSTRPK	Blister Pack	Entity Code
5-L	CARD	Card	Entity Code
4-L	DIALPK	Dial Pack	Entity Code
4-L	DISK	Disk	Entity Code
4-L	DOSET	Dosette	Entity Code
4-L	STRIP	Strip	Entity Code
3-S	KIT	Kit	Entity Code
4-L	SYSTEM	System	Entity Code
1-A	_MedicalDevice	MedicalDevice	Entity Code
2-A	_AccessMedicalDevice	AccessMedicalDevice	Entity Code
3-S	LINE	Line	Entity Code
4-L	IALINE	Intra-arterial Line	Entity Code
4-L	IVLINE	Intravenous Line	Entity Code
2-A	_AdministrationMedicalDevice	AdministrationMedicalDevice	Entity Code
3-A	_InjectionMedicalDevice	InjectionMedicalDevice	Entity Code
4-L	AINJ	AutoInjector	Entity Code
4-L	PEN	Pen	Entity Code
4-L	SYR	Syringe	Entity Code
3-L	APLCTR	Applicator	Entity Code

3-S	INH	Inhaler	Entity Code
4-L	DSKS	Diskus	Entity Code
4-L	DSKUNH	Diskhaler	Entity Code
4-L	TRBINH	Turbuhaler	Entity Code
3-L	PMP	Pump	Entity Code
1-A	_SpecimenAdditiveEntity	SpecimenAdditiveEntity	Entity Code
2-L	ACDA	ACD Solution A	Entity Code
2-L	ACDB	ACD Solution B	Entity Code
2-L	ACET	Acetic Acid	Entity Code
2-L	AMIES	Amies transport medium	Entity Code
2-L	BACTM	Bacterial Transport medium	Entity Code
2-L	BF10	Buffered 10% formalin	Entity Code
2-L	BOR	Boric Acid	Entity Code
2-L	BOUIN	Bouin's solution	Entity Code
2-L	BSKM	Buffered skim milk	Entity Code
2-L	C32	3.2% Citrate	Entity Code
2-L	C38	3.8% Citrate	Entity Code
2-L	CARS	Carson's Modified 10% formalin	Entity Code
2-L	CARY	Cary Blair Medium	Entity Code
2-L	CHLTM	Chlamydia transport medium	Entity Code
2-L	CTAD	CTAD	Entity Code
2-L	EDTK15	Potassium/K EDTA 15%	Entity Code

2-L	EDTK75	Potassium/K EDTA 7.5%	Entity Code
2-L	EDTN	Sodium/Na EDTA	Entity Code
2-L	ENT	Enteric bacteria transport medium	Entity Code
2-L	F10	10% Formalin	Entity Code
2-L	FDP	Thrombin NIH; soybean trypsin inhibitor	Entity Code
2-L	FL10	Sodium Fluoride, 10mg	Entity Code
2-L	FL100	Sodium Fluoride, 100mg	Entity Code
2-L	HCL6	6N HCL	Entity Code
2-L	HEPA	Ammonium heparin	Entity Code
2-L	HEPL	Lithium/Li Heparin	Entity Code
2-L	HEPN	Sodium/Na Heparin	Entity Code
2-L	HNO3	Nitric Acid	Entity Code
2-L	JKM	Jones Kendrick Medium	Entity Code
2-L	KARN	Karnovsky's fixative	Entity Code
2-L	KOX	Potassium Oxalate	Entity Code
2-L	LIA	Lithium iodoacetate	Entity Code
2-L	M4	M4	Entity Code
2-L	M4RT	M4-RT	Entity Code
2-L	M5	M5	Entity Code
2-L	MICHTM	Michel's transport medium	Entity Code
2-L	MMDTM	MMD transport medium	Entity Code
2-L	NAF	Sodium Fluoride	Entity Code

2-L	NONE	None	Entity Code
2-L	PAGE	Page's Saline	Entity Code
2-L	PHENOL	Phenol	Entity Code
2-L	PVA	Polyvinylalcohol	Entity Code
2-L	RLM	Reagan Lowe Medium	Entity Code
2-L	SILICA	Siliceous earth	Entity Code
2-L	SPS	Sodium polyanethol sulfonate 0.35% in 0.85% sodium chloride	Entity Code
2-L	SST	Serum Separator Tube	Entity Code
2-L	STUTM	Stuart transport medium	Entity Code
2-L	THROM	Thrombin	Entity Code
2-L	THYMOL	Thymol	Entity Code
2-L	THYO	Thyoglycolate broth	Entity Code
2-L	TOLU	Toluene	Entity Code
2-L	URETM	Ureaplasma transport medium	Entity Code
2-L	VIRTM	Viral Transport medium	Entity Code
2-L	WEST	Buffered Citrate	Entity Code
1-L	BLDPRD	Blood Product	Entity Code
1-L	VCCNE	Vaccine	Entity Code
1-L	ACDA	ACD Solution A	Entity Code
1-L	ACDB	ACD Solution B	Entity Code
1-L	ACET	Acetic Acid	Entity Code
1-L	AMIES	Amies transport medium	Entity Code

1-L	BACTM	Bacterial Transport medium	Entity Code
1-L	BF10	Buffered 10% formalin	Entity Code
1-L	BOR	Boric Acid	Entity Code
1-L	BOUIN	Bouin's solution	Entity Code
1-L	BSKM	Buffered skim milk	Entity Code
1-L	C32	3.2% Citrate	Entity Code
1-L	C38	3.8% Citrate	Entity Code
1-L	CARS	Carson's Modified 10% formalin	Entity Code
1-L	CARY	Cary Blair Medium	Entity Code
1-L	CHLTM	Chlamydia transport medium	Entity Code
1-L	CTAD	CTAD	Entity Code
1-L	EDTK15	Potassium/K EDTA 15%	Entity Code
1-L	EDTK75	Potassium/K EDTA 7.5%	Entity Code
1-L	EDTN	Sodium/Na EDTA	Entity Code
1-L	ENT	Enteric bacteria transport medium	Entity Code
1-L	F10	10% Formalin	Entity Code
1-L	FDP	Thrombin NIH; soybean trypsin inhibitor	Entity Code
1-L	FL10	Sodium Fluoride, 10mg	Entity Code
1-L	FL100	Sodium Fluoride, 100mg	Entity Code
1-L	HCL6	6N HCL	Entity Code
1-L	HEPA	Ammonium heparin	Entity Code
1-L	HEPL	Lithium/Li Heparin	Entity Code

1-L	HEPN	Sodium/Na Heparin	Entity Code
1-L	HNO3	Nitric Acid	Entity Code
1-L	JKM	Jones Kendrick Medium	Entity Code
1-L	KARN	Karnovsky's fixative	Entity Code
1-L	KOX	Potassium Oxalate	Entity Code
1-L	LIA	Lithium iodoacetate	Entity Code
1-L	M4	M4	Entity Code
1-L	M4RT	M4-RT	Entity Code
1-L	M5	M5	Entity Code
1-L	MICHTM	Michel's transport medium	Entity Code
1-L	MMDTM	MMD transport medium	Entity Code
1-L	NAF	Sodium Fluoride	Entity Code
1-L	NONE	None	Entity Code
1-L	PAGE	Page's Saline	Entity Code
1-L	PHENOL	Phenol	Entity Code
1-L	PVA	Polyvinylalcohol	Entity Code
1-L	RLM	Reagan Lowe Medium	Entity Code
1-L	SILICA	Siliceous earth	Entity Code
1-L	SPS	Sodium polyanethol sulfonate 0.35% in 0.85% sodium chloride	Entity Code
1-L	SST	Serum Separator Tube	Entity Code
1-L	STUTM	Stuart transport medium	Entity Code
1-L	THROM	Thrombin	Entity Code

1-L	THYMOL	Thymol	Entity Code
1-L	THYO	Thyoglycolate broth	Entity Code
1-L	TOLU	Toluene	Entity Code
1-L	URETM	Ureaplasma transport medium	Entity Code
1-L	VIRTM	Viral Transport medium	Entity Code
1-L	WEST	Buffered Citrate	Entity Code
1-S	PKG	Package	Entity Code
2-A	_NonRigidContainerEntityType	NonRigidContainerEntityType	Entity Code
3-L	BAG	Bag	Entity Code
3-L	PACKT	Packet	Entity Code
3-L	PCH	Pouch	Entity Code
3-L	SACH	Sachet	Entity Code
2-A	_RigidContainerEntityType	RigidContainerEntityType	Entity Code
3-A	_IndividualPackageEntityType	IndividualPackageEntityType	Entity Code
4-L	AMP	Ampule	Entity Code
4-L	MINIM	Minim	Entity Code
4-L	NEBAMP	Nebuamp	Entity Code
4-L	OVUL	Ovule	Entity Code
3-A	_MultiUseContainerEntityType	MultiUseContainerEntityType	Entity Code
4-S	BOT	Bottle	Entity Code
5-L	BOTA	Amber Bottle	Entity Code
5-L	BOTD	Dropper Bottle	Entity Code

5-L	BOTG	Glass Bottle	Entity Code
5-S	BOTP	Plastic Bottle	Entity Code
6-L	BOTPLY	Polyethylene Bottle	Entity Code
4-L	BOX	Box	Entity Code
4-L	CAN	Can	Entity Code
4-L	CART	Cartridge	Entity Code
4-L	CNSTR	Canister	Entity Code
4-L	JAR	Jar	Entity Code
4-L	JUG	Jug	Entity Code
4-L	TIN	Tin	Entity Code
4-L	TUB	Tub	Entity Code
4-L	TUBE	Tube	Entity Code
4-L	VIAL	Vial	Entity Code
3-S	BLSTRPK	Blister Pack	Entity Code
4-L	CARD	Card	Entity Code
2-S	COMPPKG	Compliance Package	Entity Code
3-S	BLSTRPK	Blister Pack	Entity Code
4-L	CARD	Card	Entity Code
3-L	DIALPK	Dial Pack	Entity Code
3-L	DISK	Disk	Entity Code
3-L	DOSET	Dosette	Entity Code
3-L	STRIP	Strip	Entity Code

2-S	KIT	Kit	Entity Code
3-L	SYSTEM	System	Entity Code
1-A	_AccessMedicalDevice	AccessMedicalDevice	Entity Code
2-S	LINE	Line	Entity Code
3-L	IALINE	Intra-arterial Line	Entity Code
3-L	IVLINE	Intravenous Line	Entity Code
1-A	_AdministrationMedicalDevice	AdministrationMedicalDevice	Entity Code
2-A	_InjectionMedicalDevice	InjectionMedicalDevice	Entity Code
3-L	AINJ	AutoInjector	Entity Code
3-L	PEN	Pen	Entity Code
3-L	SYR	Syringe	Entity Code
2-L	APLCTR	Applicator	Entity Code
2-S	INH	Inhaler	Entity Code
3-L	DSKS	Diskus	Entity Code
3-L	DSKUNH	Diskhaler	Entity Code
3-L	TRBINH	Turbuhaler	Entity Code
2-L	PMP	Pump	Entity Code
1-L	ABS	Abcess	SpecimenType
1-L	AMN	Amniotic fluid	SpecimenType
1-L	ASP	Aspirate	SpecimenType
1-L	BBL	Blood bag	SpecimenType
1-L	BDY	Whole body	SpecimenType

1-L	BIFL	Bile fluid	SpecimenType
1-L	BLD	Whole blood	SpecimenType
1-L	BLDA	Blood arterial	SpecimenType
1-L	BLDC	Blood capillary	SpecimenType
1-L	BLDCO	Blood - cord	SpecimenType
1-L	BLDV	Blood venous	SpecimenType
1-L	BON	Bone	SpecimenType
1-L	BPH	Basophils	SpecimenType
1-L	BPU	Blood product unit	SpecimenType
1-L	BRN	Burn	SpecimenType
1-L	BRO	Bronchial	SpecimenType
1-L	BRTH	Exhaled gas (=breath) Breath (use EXG)	SpecimenType
1-L	EXG	Exhaled gas (=breath) Breath (use EXG)	SpecimenType
1-L	CALC	Calculus (=Stone) Stone (use CALC)	SpecimenType
1-L	STON	Calculus (=Stone) Stone (use CALC)	SpecimenType
1-L	CDM	Cardiac muscle	SpecimenType
1-L	CNJT	Conjunctiva	SpecimenType
1-L	CNL	Cannula	SpecimenType
1-L	COL	Colostrum	SpecimenType
1-L	CRN	Cornea	SpecimenType
1-L	CSF	Cerebral spinal fluid	SpecimenType
1-L	CTP	Catheter tip	SpecimenType

1-L	CUR	Curettage	SpecimenType
1-L	CVM	Cervical mucus	SpecimenType
1-L	CVX	Cervix	SpecimenType
1-L	CYST	Cyst	SpecimenType
1-L	DIAF	Dialysis fluid	SpecimenType
1-L	DOSE	Dose med or substance	SpecimenType
1-L	DRN	Drain	SpecimenType
1-L	DUFL	Duodenal fluid	SpecimenType
1-L	EAR	Ear	SpecimenType
1-L	EARW	Ear wax (cerumen)	SpecimenType
1-L	ELT	Electrode	SpecimenType
1-L	ENDC	Endocardium	SpecimenType
1-L	ENDM	Endometrium	SpecimenType
1-L	EOS	Eosinophils	SpecimenType
1-L	EYE	Eye	SpecimenType
1-L	FIB	Fibroblasts	SpecimenType
1-L	FIST	Fistula	SpecimenType
1-L	FLT	Filter	SpecimenType
1-L	FLU	Body fluid, unsp	SpecimenType
1-L	FOOD	Food sample	SpecimenType
1-L	GAS	Gas	SpecimenType
1-L	GAST	Gastric fluid/contents	SpecimenType

1-L	GEN	Genital	SpecimenType
1-L	GENC	Genital cervix	SpecimenType
1-L	GENF	Genital fluid	SpecimenType
1-L	GENL	Genital lochia	SpecimenType
1-L	GENV	Genital vaginal	SpecimenType
1-L	HAR	Hair	SpecimenType
1-L	IHG	Inhaled Gas	SpecimenType
1-L	ISLT	Isolate	SpecimenType
1-L	IT	Intubation tube	SpecimenType
1-L	LAM	Lamella	SpecimenType
1-L	LIQ	Liquid NOS	SpecimenType
1-L	LN	Line	SpecimenType
1-L	LNA	Line arterial	SpecimenType
1-L	LNV	Line venous	SpecimenType
1-L	LYM	Lymphocytes	SpecimenType
1-L	MAC	Macrophages	SpecimenType
1-L	MAR	Marrow (bone)	SpecimenType
1-L	MBLD	Menstrual blood	SpecimenType
1-L	MEC	Meconium	SpecimenType
1-L	MILK	Breast milk	SpecimenType
1-L	MLK	Milk	SpecimenType
1-L	NAIL	Nail	SpecimenType

1-L	NOS	Nose (nasal passage)	SpecimenType
1-L	PAFL	Pancreatic fluid	SpecimenType
1-L	PAT	Patient	SpecimenType
1-L	PLAS	Plasma	SpecimenType
1-L	PLB	Plasma bag	SpecimenType
1-L	PLC	Placenta	SpecimenType
1-L	PLR	Pleural fluid (thoracentesis fld)	SpecimenType
1-L	PMN	Polymorphonuclear neutrophils	SpecimenType
1-L	PPP	Platelet poor plasma	SpecimenType
1-L	PRP	Platelet rich plasma	SpecimenType
1-L	PRT	Peritoneal fluid /ascites	SpecimenType
1-L	PUS	Pus	SpecimenType
1-L	RBC	Erythrocytes	SpecimenType
1-L	SAL	Saliva	SpecimenType
1-L	SER	Serum	SpecimenType
1-L	SKM	Skeletal muscle	SpecimenType
1-L	SKN	Skin	SpecimenType
1-L	SMN	Seminal fluid	SpecimenType
1-L	SMPLS	Seminal plasma	SpecimenType
1-L	SNV	Synovial fluid (Joint fluid)	SpecimenType
1-L	SPRM	Spermatozoa	SpecimenType
1-L	SPT	Sputum	SpecimenType

1-L	SPTC	Sputum - coughed	SpecimenType
1-L	SPTT	Sputum - tracheal aspirate	SpecimenType
1-L	STL	Stool = Fecal	SpecimenType
1-L	SWT	Sweat	SpecimenType
1-L	TEAR	Tears	SpecimenType
1-L	THRB	Thrombocyte (platelet)	SpecimenType
1-L	THRT	Throat	SpecimenType
1-L	TISG	Tissue gall bladder	SpecimenType
1-L	TISPL	Tissue placenta	SpecimenType
1-L	TISS	Tissue, unspecified	SpecimenType
1-L	TISU	Tissue ulcer	SpecimenType
1-L	TLGI	Tissue large intestine	SpecimenType
1-L	TLNG	Tissue lung	SpecimenType
1-L	TSMI	Tissue small intestine Tissue ulcer	SpecimenType
1-L	TUB	Tube, unspecified	SpecimenType
1-L	ULC	Ulcer	SpecimenType
1-L	UMB	Umbilical blood	SpecimenType
1-L	UMED	Unknown medicine	SpecimenType
1-L	UR	Urine	SpecimenType
1-L	URC	Urine clean catch	SpecimenType
1-L	URNS	Urine sediment	SpecimenType
1-L	URT	Urine catheter	SpecimenType

1-L	URTH	Urethra	SpecimenType
1-L	USUB	Unknown substance	SpecimenType
1-L	VOM	Vomitus	SpecimenType
1-L	WAT	Water	SpecimenType
1-L	WBC	Leukocytes	SpecimenType
1-L	WICK	Wick	SpecimenType
1-L	WND	Wound	SpecimenType
1-L	WNDA	Wound abscess	SpecimenType
1-L	WNDD	Wound drainage	SpecimenType
1-L	WNDE	Wound exudate	SpecimenType
0-L	VCCNE	Vaccine	Entity Code
1-L	ACDA	ACD Solution A	Entity Code
1-L	ACDB	ACD Solution B	Entity Code
1-L	ACET	Acetic Acid	Entity Code
1-L	AMIES	Amies transport medium	Entity Code
1-L	BACTM	Bacterial Transport medium	Entity Code
1-L	BF10	Buffered 10% formalin	Entity Code
1-L	BOR	Boric Acid	Entity Code
1-L	BOUIN	Bouin's solution	Entity Code
1-L	BSKM	Buffered skim milk	Entity Code
1-L	C32	3.2% Citrate	Entity Code
1-L	C38	3.8% Citrate	Entity Code

1-L	CARS	Carson's Modified 10% formalin	Entity Code
1-L	CARY	Cary Blair Medium	Entity Code
1-L	CHLTM	Chlamydia transport medium	Entity Code
1-L	CTAD	CTAD	Entity Code
1-L	EDTK15	Potassium/K EDTA 15%	Entity Code
1-L	EDTK75	Potassium/K EDTA 7.5%	Entity Code
1-L	EDTN	Sodium/Na EDTA	Entity Code
1-L	ENT	Enteric bacteria transport medium	Entity Code
1-L	F10	10% Formalin	Entity Code
1-L	FDP	Thrombin NIH; soybean trypsin inhibitor	Entity Code
1-L	FL10	Sodium Fluoride, 10mg	Entity Code
1-L	FL100	Sodium Fluoride, 100mg	Entity Code
1-L	HCL6	6N HCL	Entity Code
1-L	HEPA	Ammonium heparin	Entity Code
1-L	HEPL	Lithium/Li Heparin	Entity Code
1-L	HEPN	Sodium/Na Heparin	Entity Code
1-L	HNO3	Nitric Acid	Entity Code
1-L	JKM	Jones Kendrick Medium	Entity Code
1-L	KARN	Karnovsky's fixative	Entity Code
1-L	KOX	Potassium Oxalate	Entity Code
1-L	LIA	Lithium iodoacetate	Entity Code
1-L	M4	M4	Entity Code

1-L	M4RT	M4-RT	Entity Code
1-L	M5	M5	Entity Code
1-L	MICHTM	Michel's transport medium	Entity Code
1-L	MMDTM	MMD transport medium	Entity Code
1-L	NAF	Sodium Fluoride	Entity Code
1-L	NONE	None	Entity Code
1-L	PAGE	Page's Saline	Entity Code
1-L	PHENOL	Phenol	Entity Code
1-L	PVA	Polyvinylalcohol	Entity Code
1-L	RLM	Reagan Lowe Medium	Entity Code
1-L	SILICA	Siliceous earth	Entity Code
1-L	SPS	Sodium polyanethol sulfonate 0.35% in 0.85% sodium chloride	Entity Code
1-L	SST	Serum Separator Tube	Entity Code
1-L	STUTM	Stuart transport medium	Entity Code
1-L	THROM	Thrombin	Entity Code
1-L	THYMOL	Thymol	Entity Code
1-L	THYO	Thyoglycolate broth	Entity Code
1-L	TOLU	Toluene	Entity Code
1-L	URETM	Ureaplasma transport medium	Entity Code
1-L	VIRTM	Viral Transport medium	Entity Code
1-L	WEST	Buffered Citrate	Entity Code
1-S	PKG	Package	Entity Code



2-A	_NonRigidContainerEntityType	NonRigidContainerEntityType	Entity Code
3-L	BAG	Bag	Entity Code
3-L	PACKT	Packet	Entity Code
3-L	PCH	Pouch	Entity Code
3-L	SACH	Sachet	Entity Code
2-A	_RigidContainerEntityType	RigidContainerEntityType	Entity Code
3-A	_IndividualPackageEntityType	IndividualPackageEntityType	Entity Code
4-L	AMP	Ampule	Entity Code
4-L	MINIM	Minim	Entity Code
4-L	NEBAMP	Nebuamp	Entity Code
4-L	OVUL	Ovule	Entity Code
3-A	_MultiUseContainerEntityType	MultiUseContainerEntityType	Entity Code
4-S	BOT	Bottle	Entity Code
5-L	BOTA	Amber Bottle	Entity Code
5-L	BOTD	Dropper Bottle	Entity Code
5-L	BOTG	Glass Bottle	Entity Code
5-S	BOTP	Plastic Bottle	Entity Code
6-L	BOTPLY	Polyethylene Bottle	Entity Code
4-L	BOX	Box	Entity Code
4-L	CAN	Can	Entity Code
4-L	CART	Cartridge	Entity Code
4-L	CNSTR	Canister	Entity Code

4-L	JAR	Jar	Entity Code
4-L	JUG	Jug	Entity Code
4-L	TIN	Tin	Entity Code
4-L	TUB	Tub	Entity Code
4-L	TUBE	Tube	Entity Code
4-L	VIAL	Vial	Entity Code
3-S	BLSTRPK	Blister Pack	Entity Code
4-L	CARD	Card	Entity Code
2-S	COMPPKG	Compliance Package	Entity Code
3-S	BLSTRPK	Blister Pack	Entity Code
4-L	CARD	Card	Entity Code
3-L	DIALPK	Dial Pack	Entity Code
3-L	DISK	Disk	Entity Code
3-L	DOSET	Dosette	Entity Code
3-L	STRIP	Strip	Entity Code
2-S	KIT	Kit	Entity Code
3-L	SYSTEM	System	Entity Code
1-A	_AccessMedicalDevice	AccessMedicalDevice	Entity Code
2-S	LINE	Line	Entity Code
3-L	IALINE	Intra-arterial Line	Entity Code
3-L	IVLINE	Intravenous Line	Entity Code
1-A	_AdministrationMedicalDevice	AdministrationMedicalDevice	Entity Code

2-A	_InjectionMedicalDevice	InjectionMedicalDevice	Entity Code
3-L	AINJ	AutoInjector	Entity Code
3-L	PEN	Pen	Entity Code
3-L	SYR	Syringe	Entity Code
2-L	APLCTR	Applicator	Entity Code
2-S	INH	Inhaler	Entity Code
3-L	DSKS	Diskus	Entity Code
3-L	DSKUNH	Diskhaler	Entity Code
3-L	TRBINH	Turbuhaler	Entity Code
2-L	PMP	Pump	Entity Code
0-L	VCCNE	Vaccine	Entity Code

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.25 Mögliche Messwerte 2.16.840.1.113883.3.1937.99.61.45.11.6 - 2018-04-20 08:43:17



Id	2.16.840.1.113883.3.1937.99.61.45.11.6	Gültigkeit	2018-04-20 08:43:17
Status	 Entwurf	Versions-Label	
Name	MöglicheMesswerte	Anzeigename	Mögliche Messwerte
Copyright	 This artefact includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these artefacts must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/getsnomed-ct or info@snomed.org .		
Quell-Codesystem	2.16.840.1.113883.6.96 - <i>SNOMED Clinical Terms</i>		
Level/ Typ	Code	Anzeigename	Codesystem
0-L	38082009	Hemoglobin (substance)	SNOMED Clinical Terms

0-L	67866001	Insulin (substance)	SNOMED Clinical Terms
0-L	84698008	Cholesterol (substance)	SNOMED Clinical Terms
0-L	102739008	LDL cholesterol (substance)	SNOMED Clinical Terms
0-L	67079006	Glucose (substance)	SNOMED Clinical Terms
0-L	102737005	HDL cholesterol (substance)	SNOMED Clinical Terms
0-L	64182005	Pituitary luteinizing hormone (substance)	SNOMED Clinical Terms
0-L	88480006	Potassium (substance)	SNOMED Clinical Terms
0-L	54706004	Mean corpuscular hemoglobin determination (procedure)	SNOMED Clinical Terms
0-L	104133003	Erythrocyte mean corpuscular volume determination (procedure)	SNOMED Clinical Terms
0-L	75672003	Platelet mean volume determination (procedure)	SNOMED Clinical Terms
0-L	39972003	Sodium (substance)	SNOMED Clinical Terms
0-L	85600001	Triacylglycerol (substance)	SNOMED Clinical Terms
0-L	16683002	Progesterone (substance)	SNOMED Clinical Terms
0-L	79212006	Proinsulin (substance)	SNOMED Clinical Terms
0-L	70454002	Prolactin (substance)	SNOMED Clinical Terms
0-L	43688007	Testosterone (substance)	SNOMED Clinical Terms
0-L	365616005	Finding of hematocrit (finding)	SNOMED Clinical Terms
0-L	52501007	Leukocyte (cell)	SNOMED Clinical Terms
0-L	16378004	Platelet (body structure)	SNOMED Clinical Terms
0-L	41898006	Erythrocyte (cell)	SNOMED Clinical Terms
0-L	26091008	Aspartate aminotransferase (substance)	SNOMED Clinical Terms
0-L	56935002	Alanine aminotransferase (substance)	SNOMED Clinical Terms

0-L	57056007	Alkaline phosphatase (substance)	SNOMED Clinical Terms
0-L	60153001	gamma-Glutamyltransferase (substance)	SNOMED Clinical Terms
0-L	15373003	Creatinine (substance)	SNOMED Clinical Terms
0-L	387092000	Urea (substance)	SNOMED Clinical Terms
0-L	61425002	C reactive protein (substance)	SNOMED Clinical Terms
0-L	65428006	Thyroid stimulating hormone (substance)	SNOMED Clinical Terms
0-L	23959001	Thyroglobulin (substance)	SNOMED Clinical Terms
0-L	121128008	Anti-thyroglobulin antibody (substance)	SNOMED Clinical Terms
0-L	39973008	C peptide (substance)	SNOMED Clinical Terms
0-L	126172005	Estradiol (substance)	SNOMED Clinical Terms
0-L	396458002	Hydrocortisone (substance)	SNOMED Clinical Terms
0-L	25217009	Pituitary follicle stimulating hormone (substance)	SNOMED Clinical Terms
0-L	259356007	Free triiodothyronine (substance)	SNOMED Clinical Terms
0-L	86211008	Free thyroxin (substance)	SNOMED Clinical Terms

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.26 Mögliche Patientendaten 2.16.840.1.113883.3.1937.99.61.45.11.13 - 2018-04-24 09:45:09

Id	2.16.840.1.113883.3.1937.99.61.45.11.13	Gültigkeit	2018-04-24 09:45:09
Status	 Entwurf	Versions-Label	
Name	MöglichePatientendaten	Anzeigename	Mögliche Patientendaten
Copyright	 This artefact includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these artefacts must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/getsnomed-ct or info@snomed.org .		

Quell-Codesystem			
2.16.840.1.113883.6.96 - SNOMED Clinical Terms			
Level/ Typ	Code	Anzeigename	Codesystem
0-L	184107009	Patient hospital number (observable entity)	SNOMED Clinical Terms
0-L	184099003	Date of birth (observable entity)	SNOMED Clinical Terms
0-L	184096005	Patient surname (observable entity)	SNOMED Clinical Terms
0-L	184095009	Patient forename (observable entity)	SNOMED Clinical Terms

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.



5.1.27 Mögliche weitere Angaben 2.16.840.1.113883.3.1937.99.61.45.11.14 - 2018-04-24 09:50:05

Id	2.16.840.1.113883.3.1937.99.61.45.11.14	Gültigkeit	2018-04-24 09:50:05
Status	 Entwurf	Versions-Label	
Name	MöglicheWeitereAngaben	Anzeigename	Mögliche weitere Angaben
Copyright	 This artefact includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these artefacts must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/getsnomed-ct or info@snomed.org .		
Quell-Codesystem			
2.16.840.1.113883.6.96 - SNOMED Clinical Terms			
Level/ Typ	Code	Anzeigename	Codesystem
0-L	399651003	Date of report (observable entity)	SNOMED Clinical Terms
0-L	408588000	Service user's alias (observable entity)	SNOMED Clinical Terms
0-L	442371002	Start time of procedure (observable entity)	SNOMED Clinical Terms
0-L	442137000	Completion time of procedure (observable entity)	SNOMED Clinical Terms
0-L	359535008	Brief (qualifier value)	SNOMED Clinical Terms
0-L	439272007	Date of procedure (observable entity)	SNOMED Clinical Terms

0-L	447754009	Number of procedure attempts (observable entity)	SNOMED Clinical Terms
-----	-----------	--	-----------------------

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.28 Niere 2.16.840.1.113883.3.1937.99.61.45.11.5 - 2018-04-16 12:41:47

Id	2.16.840.1.113883.3.1937.99.61.45.11.5	Gültigkeit	2018-04-16 12:41:47
Status	 Entwurf	Versions-Label	
Name	Niere	Anzeigename	Niere
Copyright	 This artefact includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these artefacts must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/getsnomed-ct or info@snomed.org .		
Quell-Codesystem	2.16.840.1.113883.6.96 - <i>SNOMED Clinical Terms</i>		

Level/ Typ	Code	Anzeigename	Codesystem
0-L	181414000	Entire kidney (body structure)	SNOMED Clinical Terms

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.



5.1.29 LeberPankreas 2.16.840.1.113883.3.1937.99.61.45.11.2 - 2018-04-13 15:47:23 (1)

Id	2.16.840.1.113883.3.1937.99.61.45.11.2	Gültigkeit	2018-04-13 15:47:23 Andere Versionen mit dieser Id: <ul style="list-style-type: none"> NiereLeberPankreas2 - vom 2018-04-13 15:39:56
Status	 Entwurf	Versions-Label	1
Name	NiereLeberPankreas	Anzeigename	LeberPankreas
Copyright	 This artefact includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these artefacts must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/getsnomed-ct or info@snomed.org .		

Quell-Codesystem		2.16.840.1.113883.6.96 - SNOMED Clinical Terms	
Level/ Typ	Code	Anzeigename	Codesystem
0-L	26091008	Aspartate aminotransferase (substance)	SNOMED Clinical Terms
0-L	56935002	Alanine aminotransferase (substance)	SNOMED Clinical Terms
0-L	60153001	gamma-Glutamyltransferase (substance)	SNOMED Clinical Terms




Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.30 NiereLeberPankreas 2.16.840.1.113883.3.1937.99.61.45.11.2 - 2018-04-13 15:39:56 (2)

Id	2.16.840.1.113883.3.1937.99.61.45.11.2	Gültigkeit	2018-04-13 15:39:56 Andere Versionen mit dieser Id: ▪ LeberPankreas1 - vom 2018-04-13 15:47:23
Status	 Entwurf	Versions-Label	2
Name	NiereLeberPankreas	Anzeigename	NiereLeberPankreas
Copyright	 This artefact includes content from SNOMED Clinical Terms® (SNOMED CT®) which is copyright of the International Health Terminology Standards Development Organisation (IHTSDO). Implementers of these artefacts must have the appropriate SNOMED CT Affiliate license - for more information contact http://www.snomed.org/snomed-ct/getsnomed-ct or info@snomed.org .		
Quell-Codesystem		2.16.840.1.113883.6.96 - SNOMED Clinical Terms	
Level/ Typ	Code	Anzeigename	Codesystem
0-L	387092000	Urea (substance)	SNOMED Clinical Terms
0-L	26091008	Aspartate aminotransferase (substance)	SNOMED Clinical Terms
0-L	56935002	Alanine aminotransferase (substance)	SNOMED Clinical Terms
0-L	60153001	gamma-Glutamyltransferase (substance)	SNOMED Clinical Terms
0-L	15373003	Creatinine (substance)	SNOMED Clinical Terms

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.31 ObservationInterpretation 2.16.840.1.113883.1.11.78 - 2014-03-26 (DEFN=UV=VO=1360-20160323) (aus Repository: ad2bbr-)

Id	2.16.840.1.113883.1.11.78  ad2bbr-	Gültigkeit	2014-03-26
Status	 Definitiv	Versions-Label	DEFN=UV=VO=1360-20160323
Name	ObservationInterpretation	Anzeigename	ObservationInterpretation
Beschreibung	 History description 2014-03-26: Lock all vauue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26 description: One or more codes specifying a rough qualitative interpretation of the observation, such as "normal", "abnormal", "below normal", "change up", "resistant", "susceptible", etc. <i>Discussion:</i> These interpretation codes are sometimes called "abnormal flags", however, the judgment of normalcy is just one of the common rough interpretations, and is often not relevant. For example, the susceptibility interpretations are not about "normalcy", and for any observation of a pathologic condition, it does not make sense to state the normalcy, since pathologic conditions are never considered "normal."		
Quell-Codesystem	2.16.840.1.113883.5.83 - <i>Observation Interpretation</i>		

Level/ Typ	Code	Anzeigename	Codesystem
0-A	_GeneticObservationInterpretation	GeneticObservationInterpretation	Observation Interpretation
1-L	CAR	Carrier	Observation Interpretation
1-L	Carrier	Carrier	Observation Interpretation
0-A	_ObservationInterpretationChange	ObservationInterpretationChange	Observation Interpretation
1-L	B	Better	Observation Interpretation
1-L	D	Significant change down	Observation Interpretation
1-L	U	Significant change up	Observation Interpretation




1-L	W	Worse	Observation Interpretation
0-A	_ObservationInterpretationExceptions	ObservationInterpretationExceptions	Observation Interpretation
1-L	<	Off scale low	Observation Interpretation
1-L	>	Off scale high	Observation Interpretation
1-L	AC	Anti-complementary substances present	Observation Interpretation
1-L	IE	Insufficient evidence	Observation Interpretation
1-L	QCF	Quality control failure	Observation Interpretation
1-L	TOX	Cytotoxic substance present	Observation Interpretation
0-A	_ObservationInterpretationNormality	ObservationInterpretationNormality	Observation Interpretation
1-S	A	Abnormal	Observation Interpretation
2-S	AA	Critical abnormal	Observation Interpretation
3-L	HH	Critical high	Observation Interpretation
3-L	LL	Critical low	Observation Interpretation
2-S	H	High	Observation Interpretation
3-S	H>	Significantly high	Observation Interpretation
4-L	HH	Critical high	Observation Interpretation
3-S	HU	Significantly high	Observation Interpretation
4-L	HH	Critical high	Observation Interpretation
2-S	L	Low	Observation Interpretation
3-S	L<	Significantly low	Observation Interpretation
4-L	LL	Critical low	Observation Interpretation
3-S	LU	Significantly low	Observation Interpretation

4-L	LL	Critical low	Observation Interpretation
1-L	N	Normal	Observation Interpretation
0-A	_ObservationInterpretationSusceptibility	ObservationInterpretationSusceptibility	Observation Interpretation
1-L	IE	Insufficient evidence	Observation Interpretation
1-L	I	Intermediate	Observation Interpretation
1-L	MS	moderately susceptible	Observation Interpretation
1-L	NS	Non-susceptible	Observation Interpretation
1-S	R	Resistant	Observation Interpretation
2-L	SYN-R	Synergy - resistant	Observation Interpretation
1-S	S	Susceptible	Observation Interpretation
2-L	SDD	Susceptible-dose dependent	Observation Interpretation
2-L	SYN-S	Synergy - susceptible	Observation Interpretation
1-L	VS	very susceptible	Observation Interpretation
0-S	EX	outside threshold	Observation Interpretation
1-L	HX	above high threshold	Observation Interpretation
1-L	LX	below low threshold	Observation Interpretation
0-A	ObservationInterpretationDetection	ObservationInterpretationDetection	Observation Interpretation
1-S	IND	Indeterminate	Observation Interpretation
2-L	E	Equivocal	Observation Interpretation
1-S	NEG	Negative	Observation Interpretation
2-L	ND	Not detected	Observation Interpretation
1-S	POS	Positive	Observation Interpretation

2-L	DET	Detected	Observation Interpretation
0-A	ObservationInterpretationExpectation	ObservationInterpretationExpectation	Observation Interpretation
1-L	EXP	Expected	Observation Interpretation
1-L	UNE	Unexpected	Observation Interpretation
0-A	ReactivityObservationInterpretation	ReactivityObservationInterpretation	Observation Interpretation
1-L	NR	Non-reactive	Observation Interpretation
1-S	RR	Reactive	Observation Interpretation
2-L	WR	Weakly reactive	Observation Interpretation

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.32 ObservationMethod 2.16.840.1.113883.1.11.14079 - 2014-03-26 (DEFN=UV=VO=1360-20160323) (aus Repository: ad2bbr-)

Id	2.16.840.1.113883.1.11.14079  ad2bbr-	Gültigkeit	2014-03-26
Status	 Definitiv	Versions-Label	DEFN=UV=VO=1360-20160323
Name	ObservationMethod	Anzeigename	ObservationMethod
Beschreibung	<p> History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26</p> <p>description:</p> <p>A code that provides additional detail about the means or technique used to ascertain the observation.</p> <p><i>Examples:</i> Blood pressure measurement method: arterial puncture vs. sphygmomanometer (Riva-Rocci), sitting vs. supine position, etc.</p> <p><i>Constraints:</i> In all observations the method is already partially specified by the Act.code. In this case, the methodCode NEED NOT be used at all. The methodCode MAY still be used to identify this method more clearly in addition to what is implied from the Act.code. However, an information consumer system or process SHOULD NOT depend on this methodCode information for method detail that is implied by the Act.code.</p> <p>If the methodCode is used to express method detail that is also implied by the Act.code, the methodCode MUST NOT be in conflict with the implied method of the Act.code.</p>		

Quell-Codesystem		2.16.840.1.113883.5.84 - Observation Method	
Alles ausklappen		Alles einklappen	
Level/ Typ	Code	Anzeigename	Codesystem
0-L	0001	Complement fixation	Observation Method
0-L	0002	Computed axial tomography	Observation Method
0-L	0003	HLAR agar test	Observation Method
0-L	0004	Macroscopic observation	Observation Method
0-L	0005	Magnetic resonance	Observation Method
0-L	0006	Morphometry	Observation Method
0-L	0007	Positron emission tomography	Observation Method
0-L	0008	SAMHSA confirmation	Observation Method
0-L	0009	SAMHSA screening	Observation Method
0-L	0010	Serum Neutralization	Observation Method
0-L	0011	Titration	Observation Method
0-L	0012	Ultrasound	Observation Method
0-L	0013	X-ray crystallography	Observation Method
0-L	0014	Agglutination	Observation Method
0-L	0015	Buffered acidified plate agglutination	Observation Method
0-L	0016	Card agglutination	Observation Method
0-L	0017	Hemagglutination	Observation Method
0-L	0018	Hemagglutination inhibition	Observation Method
0-L	0019	Latex agglutination	Observation Method

0-L	0020	Plate agglutination	Observation Method
0-L	0021	Rapid agglutination	Observation Method
0-L	0022	RBC agglutination	Observation Method
0-L	0023	Rivanol agglutination	Observation Method
0-L	0024	Tube agglutination	Observation Method
0-L	0025	Bioassay	Observation Method
0-L	0026	Animal Inoculation	Observation Method
0-L	0027	Cytotoxicity	Observation Method
0-L	0028	Embryo infective dose 50	Observation Method
0-L	0029	Embryo lethal dose 50	Observation Method
0-L	0030	Mouse intercerebral inoculation	Observation Method
0-L	0031	Bioassay, qualitative	Observation Method
0-L	0032	Bioassay, quantitative	Observation Method
0-L	0033	Chemical method	Observation Method
0-L	0034	Differential light absorption chemical test	Observation Method
0-L	0035	Dipstick	Observation Method
0-L	0036	Dipstick colorimetric laboratory test	Observation Method
0-L	0037	Test strip	Observation Method
0-L	0038	Chromatography	Observation Method
0-L	0039	Affinity chromatography	Observation Method
0-L	0040	Gas liquid chromatography	Observation Method
0-L	0041	High performance liquid chromatography	Observation Method

0-L	0042	Liquid Chromatography	Observation Method
0-L	0043	Protein A affinity chromatography	Observation Method
0-L	0044	Coagulation	Observation Method
0-L	0045	Tilt tube coagulation time	Observation Method
0-L	0046	Tilt tube reptilase induced coagulation	Observation Method
0-L	0047	Automated count	Observation Method
0-L	0048	Manual cell count	Observation Method
0-L	0049	Platelet count, Rees-Ecker	Observation Method
0-L	0050	Aerobic Culture	Observation Method
0-L	0051	Anaerobic Culture	Observation Method
0-L	0052	Chicken embryo culture	Observation Method
0-L	0053	Delayed secondary enrichment	Observation Method
0-L	0054	Microaerophilic Culture	Observation Method
0-L	0055	Quantitative microbial culture, cup	Observation Method
0-L	0056	Quantitative microbial culture, droplet	Observation Method
0-L	0057	Quantitative microbial culture, filter paper	Observation Method
0-L	0058	Quantitative microbial culture, pad culture	Observation Method
0-L	0059	Quantitative microbial culture, pour plate	Observation Method
0-L	0060	Quantitative microbial culture, surface streak	Observation Method
0-L	0061	Somatic Cell culture	Observation Method
0-L	0062	Agar diffusion	Observation Method
0-L	0063	Agar Gel Immunodiffusion	Observation Method

0-L	0064	Electrophoresis	Observation Method
0-L	0065	Agaorse gel electrophoresis	Observation Method
0-L	0066	Electrophoresis, citrate agar	Observation Method
0-L	0067	Immunolectrophoresis	Observation Method
0-L	0068	Polyacrylamide gel electrophoresis	Observation Method
0-L	0069	Starch gel electrophoresis	Observation Method
0-L	0070	ELISA	Observation Method
0-L	0071	ELISA, antigen capture	Observation Method
0-L	0072	ELISA, avidin biotin peroxidase complex	Observation Method
0-L	0073	Kinetic ELISA	Observation Method
0-L	0074	ELISA, peroxidase-antiperoxidase	Observation Method
0-L	0075	API 20 Strep	Observation Method
0-L	0076	API 20A	Observation Method
0-L	0077	API 20C AUX	Observation Method
0-L	0078	API 20E	Observation Method
0-L	0079	API 20NE	Observation Method
0-L	0080	API 50 CH	Observation Method
0-L	0081	API An-IDENT	Observation Method
0-L	0082	API Coryne	Observation Method
0-L	0083	API Rapid 20E	Observation Method
0-L	0084	API Staph	Observation Method
0-L	0085	API ZYM	Observation Method

0-L	0086	Bacterial identification	Observation Method
0-L	0087	mini VIDAS	Observation Method
0-L	0088	Phage susceptibility typing	Observation Method
0-L	0089	Quad-FERM+	Observation Method
0-L	0090	RAPIDEC Staph	Observation Method
0-L	0091	Staphaurex	Observation Method
0-L	0092	VIDAS	Observation Method
0-L	0093	Vitek	Observation Method
0-L	0094	VITEK 2	Observation Method
0-L	0095	Immune stain	Observation Method
0-L	0096	Immunofluorescent antibody, direct	Observation Method
0-L	0097	Immunofluorescent antibody, indirect	Observation Method
0-L	0098	Immunoperoxidase, Avidin-Biotin Complex	Observation Method
0-L	0099	Immunoperoxidase, Peroxidase anti-peroxidase complex	Observation Method
0-L	0100	Immunoperoxidase, Protein A-peroxidase complex	Observation Method
0-L	0101	Immunoassay	Observation Method
0-L	0102	Immunoassay, qualitative, multiple step	Observation Method
0-L	0103	Immunoassay, qualitative, single step	Observation Method
0-L	0104	Radioimmunoassay	Observation Method
0-L	0105	Immunoassay, semi-quantitative, multiple step	Observation Method
0-L	0106	Immunoassay, semi-quantitative, single step	Observation Method
0-L	0107	Microscopy	Observation Method

0-L	0108	Darkfield microscopy	Observation Method
0-L	0109	Electron microscopy	Observation Method
0-L	0110	Electron microscopy tomography	Observation Method
0-L	0111	Electron microscopy, negative stain	Observation Method
0-L	0112	Electron microscopy, thick section	Observation Method
0-L	0113	Electron microscopy, thin section	Observation Method
0-L	0114	Microscopy, Light	Observation Method
0-L	0115	Polarizing light microscopy	Observation Method
0-L	0116	Scanning electron microscopy	Observation Method
0-L	0117	Transmission electron microscopy	Observation Method
0-L	0118	Transparent tape direct examination	Observation Method
0-L	0119	3 Self-Sustaining Sequence Replication	Observation Method
0-L	0120	Branched Chain DNA	Observation Method
0-L	0121	Hybridization Protection Assay	Observation Method
0-L	0122	Immune blot	Observation Method
0-L	0123	In-situ hybridization	Observation Method
0-L	0124	Ligase Chain Reaction	Observation Method
0-L	0125	Ligation Activated Transcription	Observation Method
0-L	0126	Nucleic Acid Probe	Observation Method
0-L	0128	Nucleic acid probe with amplification	Observation Method
0-L	0129	Nucleic acid probe with target amplification	Observation Method
0-L	0130	Nucleic acid reverse transcription	Observation Method

0-L	0131	Nucleic Acid Sequence Based Analysis	Observation Method
0-L	0132	Polymerase chain reaction	Observation Method
0-L	0133	Q-Beta Replicase or probe amplification category method	Observation Method
0-L	0134	Restriction Fragment Length Polymorphism	Observation Method
0-L	0135	Southern Blot	Observation Method
0-L	0136	Strand Displacement Amplification	Observation Method
0-L	0137	Transcription Mediated Amplification	Observation Method
0-L	0138	Western Blot	Observation Method
0-L	0139	Flocculation	Observation Method
0-L	0140	Immune precipitation	Observation Method
0-L	0141	Milk ring test	Observation Method
0-L	0142	Precipitin	Observation Method
0-L	0143	Acid fast stain	Observation Method
0-L	0144	Acid fast stain, fluorochrome	Observation Method
0-L	0145	Acid fast stain, Kinyoun's cold carbolfuchsin	Observation Method
0-L	0146	Acid fast stain, Ziehl-Neelsen	Observation Method
0-L	0147	Acid phosphatase stain	Observation Method
0-L	0148	Acridine orange stain	Observation Method
0-L	0149	Active brilliant orange KH stain	Observation Method
0-L	0150	Alazarin red S stain	Observation Method
0-L	0151	Alcian blue stain	Observation Method
0-L	0152	Alcian blue with Periodic acid Schiff stain	Observation Method

0-L	0153	Argentaffin stain	Observation Method
0-L	0154	Argentaffin silver stain	Observation Method
0-L	0155	Azure-eosin stain	Observation Method
0-L	0156	Basic Fuschin stain	Observation Method
0-L	0157	Bennhold stain	Observation Method
0-L	0158	Bennhold's Congo red stain	Observation Method
0-L	0159	Bielschowsky stain	Observation Method
0-L	0160	Bielschowsky's silver stain	Observation Method
0-L	0161	Bleach stain	Observation Method
0-L	0162	Bodian stain	Observation Method
0-L	0163	Brown-Brenn stain	Observation Method
0-L	0164	Butyrate-esterase stain	Observation Method
0-L	0165	Calcofluor white fluorescent stain	Observation Method
0-L	0166	Carbol-fuchsin stain	Observation Method
0-L	0167	Carmine stain	Observation Method
0-L	0168	Churukian-Schenk stain	Observation Method
0-L	0169	Congo red stain	Observation Method
0-L	0170	Cresyl echt violet stain	Observation Method
0-L	0171	Crystal violet stain	Observation Method
0-L	0172	De Galantha stain	Observation Method
0-L	0173	Dieterle silver impregnation stain	Observation Method
0-L	0174	Fite-Farco stain	Observation Method

0-L	0175	Fontana-Masson silver stain	Observation Method
0-L	0176	Fouchet stain	Observation Method
0-L	0177	Gomori stain	Observation Method
0-L	0178	Gomori methenamine silver stain	Observation Method
0-L	0179	Gomori-Wheatly trichrome stain	Observation Method
0-L	0180	Gridley stain	Observation Method
0-L	0181	Grimelius silver stain	Observation Method
0-L	0182	Grocott stain	Observation Method
0-L	0183	Grocott methenamine silver stain	Observation Method
0-L	0184	Hale's colloidal ferric oxide stain	Observation Method
0-L	0185	Hale's colloidal iron stain	Observation Method
0-L	0186	Hansel stain	Observation Method
0-L	0187	Harris regressive hematoxylin and eosin stain	Observation Method
0-L	0188	Hematoxylin and eosin stain	Observation Method
0-L	0189	Highman stain	Observation Method
0-L	0190	Holzer stain	Observation Method
0-L	0191	Iron hematoxylin stain	Observation Method
0-L	0192	Jones stain	Observation Method
0-L	0193	Jones methenamine silver stain	Observation Method
0-L	0194	Kossa stain	Observation Method
0-L	0195	Lawson-Van Gieson stain	Observation Method
0-L	0196	Loeffler methylene blue stain	Observation Method

0-L	0197	Luxol fast blue with cresyl violet stain	Observation Method
0-L	0198	Luxol fast blue with Periodic acid-Schiff stain	Observation Method
0-L	0199	MacNeal's tetrachrome blood stain	Observation Method
0-L	0200	Mallory-Heidenhain stain	Observation Method
0-L	0201	Masson trichrome stain	Observation Method
0-L	0202	Mayer mucicarmine stain	Observation Method
0-L	0203	Mayers progressive hematoxylin and eosin stain	Observation Method
0-L	0204	May-Grunwald Giemsa stain	Observation Method
0-L	0205	Methyl green stain	Observation Method
0-L	0206	Methyl green pyronin stain	Observation Method
0-L	0207	Modified Gomori-Wheatly trichrome stain	Observation Method
0-L	0208	Modified Masson trichrome stain	Observation Method
0-L	0209	Modified trichrome stain	Observation Method
0-L	0210	Movat pentachrome stain	Observation Method
0-L	0211	Mucicarmine stain	Observation Method
0-L	0212	Neutral red stain	Observation Method
0-L	0213	Night blue stain	Observation Method
0-L	0214	Non-specific esterase stain	Observation Method
0-L	0215	Oil red-O stain	Observation Method
0-L	0216	Orcein stain	Observation Method
0-L	0217	Perls' stain	Observation Method
0-L	0218	Phosphotungstic acid-hematoxylin stain	Observation Method

0-L	0219	Potassium ferrocyanide stain	Observation Method
0-L	0220	Prussian blue stain	Observation Method
0-L	0221	Putchler modified Bennhold stain	Observation Method
0-L	0222	Quinacrine fluorescent stain	Observation Method
0-L	0223	Reticulin stain	Observation Method
0-L	0224	Rhodamine stain	Observation Method
0-L	0225	Safranin stain	Observation Method
0-L	0226	Schmorl stain	Observation Method
0-L	0227	Seiver-Munger stain	Observation Method
0-L	0228	Silver stain	Observation Method
0-L	0229	Specific esterase stain	Observation Method
0-L	0230	Steiner silver stain	Observation Method
0-L	0231	Sudan III stain	Observation Method
0-L	0232	Sudan IVI stain	Observation Method
0-L	0233	Sulfated alcian blue stain	Observation Method
0-L	0234	Supravital stain	Observation Method
0-L	0235	Thioflavine-S stain	Observation Method
0-L	0236	Three micron Giemsa stain	Observation Method
0-L	0237	Vassar-Culling stain	Observation Method
0-L	0238	Vital Stain	Observation Method
0-L	0239	von Kossa stain	Observation Method
0-L	0240	Antibiotic sensitivity, disk	Observation Method


0-L	0241	BACTEC susceptibility test	Observation Method
0-L	0242	Disk dilution	Observation Method
0-L	0243	Minimum bactericidal concentration test, macrodilution	Observation Method
0-L	0244	Minimum bactericidal concentration test, microdilution	Observation Method
0-L	0245	Minimum Inhibitory Concentration, macrodilution	Observation Method
0-L	0246	Minimum Inhibitory Concentration, microdilution	Observation Method
0-L	0247	Turbidometric	Observation Method
0-L	0248	Refractometric	Observation Method
0-L	0249	Thin layer chromatography (TLC)	Observation Method
0-L	0250	EMIT	Observation Method
0-L	0251	Flow cytometry (FC)	Observation Method
0-L	0252	Radial immunodiffusion (RID)	Observation Method
0-L	0253	Fluorescence polarization immunoassay (FPIA)	Observation Method
0-L	0254	Immunofixation electrophoresis (IFE)	Observation Method
0-L	0255	Equilibrium dialysis	Observation Method
0-L	0256	Kleihauer-Betke acid elution	Observation Method
0-L	0257	Anti-complement immunofluorescence (ACIF)	Observation Method
0-L	0258	GC/MS	Observation Method
0-L	0259	Nephelometry	Observation Method
0-L	0260	IgE immunoassay antibody	Observation Method
0-L	0261	Lymphocyte Microcytotoxicity Assay	Observation Method
0-L	0262	Spectrophotometry	Observation Method

0-L	0263	Atomic absorption spectrophotometry (AAS)	Observation Method
0-L	0264	Ion selective electrode (ISE)	Observation Method
0-L	0265	Gas chromatography (GC)	Observation Method
0-L	0266	Isoelectric focusing (IEF)	Observation Method
0-L	0267	Immunochemiluminescence	Observation Method
0-L	0268	Microparticle enzyme immunoassay (MEIA)	Observation Method
0-L	0269	ICP/MS	Observation Method
0-L	0270	Immunoradiometric assay (IRMA)	Observation Method
0-L	0271	Photo optical clot detection	Observation Method
1-S	ALGM	algorithm	Observation Method
2-L	BYCL	bayesian calculation	Observation Method
1-L	GINT	global introspection	Observation Method
0-S	ALGM	algorithm	Observation Method
0-L	BYCL	bayesian calculation	Observation Method
0-L	GINT	global introspection	Observation Method
0-S	0272	Minimum Inhibitory Concentration	Observation Method
1-L	0245	Minimum Inhibitory Concentration, macrodilution	Observation Method
1-L	0246	Minimum Inhibitory Concentration, microdilution	Observation Method
0-L	0275a	Minimum Lethal Concentration (MLC)	Observation Method
0-S	0280	Susceptibility Testing	Observation Method
1-L	0240	Antibiotic sensitivity, disk	Observation Method
1-L	0241	BACTEC susceptibility test	Observation Method

1-L	0242	Disk dilution	Observation Method
1-S	0272	Minimum Inhibitory Concentration	Observation Method
1-L	0273	Viral Genotype Susceptibility	Observation Method
1-L	0274	Viral Phenotype Susceptibility	Observation Method
1-L	0275	Gradient Strip	Observation Method
1-L	0275a	Minimum Lethal Concentration (MLC)	Observation Method
1-L	0276	Slow Mycobacteria Susceptibility	Observation Method
1-L	0277	Serum bactericidal titer	Observation Method
1-L	0278	Agar screen	Observation Method
1-L	0279	Disk induction	Observation Method
0-A	_VerificationMethod	VerificationMethod	Observation Method
1-L	VDOC	document verification	Observation Method
1-L	VREG	registry verification	Observation Method
1-L	VTOKEN	electronic token verification	Observation Method
1-L	VVOICE	voice-based verification	Observation Method
0-A	_GeneticObservationMethod	GeneticObservationMethod	Observation Method
1-L	PCR	PCR	Observation Method

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.



5.1.33 ObservationType 2.16.840.1.113883.1.11.16226 - 2014-03-26 (DEFN=UV=VO=1360-20160323) (aus Repository: ad2bbr-)

Id 2.16.840.1.113883.1.11.16226  ad2bbr-

Gültigkeit

2014-03-26

Andere Versionen mit dieser Id:

Status	 Definitiv	Versions-Label	DEFN=UV=VO=1360-20160323
Name	ObservationType	Anzeigename	ObservationType
Beschreibung	 History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26 description: Identifies the kinds of observations that can be performed		

Ein gültiger Code aus der Codesystem:

Codesystem Name	Codesystem Id	Codesystem Version
<i>Logical Observation Identifier Names and Codes</i>	2.16.840.1.113883.6.1	

Or one of the following:

2 Quell-Codesysteme	2.16.840.1.113883.5.4 - <i>Act Code</i>
	2.16.840.1.113883.6.1 - <i>Logical Observation Identifier Names and Codes</i>

Level/ Typ	Code	Anzeigename	Codesystem
1-A	_ActSpecObsCode	ActSpecObsCode	Act Code
2-L	ARTBLD	ActSpecObsArtBldCode	Act Code
2-S	DILUTION	ActSpecObsDilutionCode	Act Code
3-L	AUTO-HIGH	Auto-High Dilution	Act Code
3-L	AUTO-LOW	Auto-Low Dilution	Act Code
3-L	PRE	Pre-Dilution	Act Code
3-L	RERUN	Rerun Dilution	Act Code
2-L	EVNFCTS	ActSpecObsEvtftctsCode	Act Code
2-S	INTFR	ActSpecObsInterferenceCode	Act Code

3-L	FIBRIN	Fibrin	Act Code
3-L	HEMOLYSIS	Hemolysis	Act Code
3-L	ICTERUS	Icterus	Act Code
3-L	LIPEMIA	Lipemia	Act Code
2-S	VOLUME	ActSpecObsVolumeCode	Act Code
3-L	AVAILABLE	Available Volume	Act Code
3-L	CONSUMPTION	Consumption Volume	Act Code
3-L	CURRENT	Current Volume	Act Code
3-L	INITIAL	Initial Volume	Act Code
1-A	_AnnotationType	AnnotationType	Act Code
2-S	_ActPatientAnnotationType	ActPatientAnnotationType	Act Code
3-L	ANNDI	diagnostic image note	Act Code
3-L	ANNGEN	general note	Act Code
3-L	ANNIMM	immunization note	Act Code
3-L	ANNLAB	laboratory note	Act Code
3-L	ANNMED	medication note	Act Code
1-A	_GeneticObservationType	GeneticObservationType	Act Code
2-L	GENE	gene	Act Code
1-S	_ImmunizationObservationType	ImmunizationObservationType	Act Code
2-L	OBSANTC	antigen count	Act Code
2-L	OBSANTV	antigen validity	Act Code
1-A	_IndividualCaseSafetyReportType	Individual Case Safety Report Type	Act Code

2-L	PAT_ADV_EVNT	patient adverse event	Act Code
2-L	VAC_PROBLEM	vaccine product problem	Act Code
1-A	_LOINCObservationActContextAgeType	LOINCObservationActContextAgeType	Act Code
2-L	21611-9	age patient qn est	Act Code
2-L	21612-7	age patient qn reported	Act Code
2-L	29553-5	age patient qn calc	Act Code
2-L	30525-0	age patient qn definition	Act Code
2-L	30972-4	age at onset of adverse event	Act Code
1-A	_MedicationObservationType	MedicationObservationType	Act Code
2-L	REP_HALF_LIFE	representative half-life	Act Code
2-L	SPLCOATING	coating	Act Code
2-L	SPLCOLOR	color	Act Code
2-L	SPLIMAGE	image	Act Code
2-L	SPLIMPRINT	imprint	Act Code
2-L	SPLSCORING	scoring	Act Code
2-L	SPLSHAPE	shape	Act Code
2-L	SPLSIZE	size	Act Code
2-L	SPLSYMBOL	symbol	Act Code
1-A	_ObservationIssueTriggerCodedObservationType	ObservationIssueTriggerCodedObservationType	Act Code
2-A	_CaseTransmissionMode	case transmission mode	Act Code
3-L	AIRTRNS	airborne transmission	Act Code
3-L	ANANTRNS	animal to animal transmission	Act Code

3-L	ANHUMTRNS	animal to human transmission	Act Code
3-L	BDYFLDTRNS	body fluid contact transmission	Act Code
3-L	BLDTRNS	blood borne transmission	Act Code
3-L	DERMTRNS	transdermal transmission	Act Code
3-L	ENVTRNS	environmental exposure transmission	Act Code
3-L	FECTRNS	fecal-oral transmission	Act Code
3-L	FOMTRNS	fomite transmission	Act Code
3-L	FOODTRNS	food-borne transmission	Act Code
3-L	HUMHUMTRNS	human to human transmission	Act Code
3-L	INDTRNS	indeterminate disease transmission mode	Act Code
3-L	LACTTRNS	lactation transmission	Act Code
3-L	NOSTRNS	nosocomial transmission	Act Code
3-L	PARTRNS	parenteral transmission	Act Code
3-L	PLACTRNS	transplacental transmission	Act Code
3-L	SEXTRNS	sexual transmission	Act Code
3-L	TRNSFTRNS	transfusion transmission	Act Code
3-L	VECTRNS	vector-borne transmission	Act Code
3-L	WATTRNS	water-borne transmission	Act Code
1-S	_ObservationQualityMeasureAttribute	ObservationQualityMeasureAttribute	Act Code
2-L	AGGREGATE	aggregate measure observation	Act Code
2-L	COPY	copyright	Act Code
2-L	CRS	clinical recommendation statement	Act Code

2-L	DEF	definition	Act Code
2-L	DISC	disclaimer	Act Code
2-L	FINALDT	finalized date/time	Act Code
2-L	GUIDE	guidance	Act Code
2-L	IDUR	improvement notation	Act Code
2-L	ITMCNT	items counted	Act Code
2-L	KEY	keyword	Act Code
2-L	MEDT	measurement end date	Act Code
2-L	MSD	measurement start date	Act Code
2-L	MSRADJ	risk adjustment	Act Code
2-L	MSRAGG	rate aggregation	Act Code
2-L	MSRIMPROV	health quality measure improvement notation	Act Code
2-L	MSRJUR	jurisdiction	Act Code
2-L	MSRRPTR	reporter type	Act Code
2-L	MSRRPTTIME	timeframe for reporting	Act Code
2-L	MSRSCORE	measure scoring	Act Code
2-L	MSRSET	health quality measure care setting	Act Code
2-L	MSRTOPIC	health quality measure topic type	Act Code
2-L	MSRTP	measurement period	Act Code
2-L	MSRTYPE	measure type	Act Code
2-L	RAT	rationale	Act Code
2-L	REF	reference	Act Code

2-L	SDE	supplemental data elements	Act Code
2-L	STRAT	stratification	Act Code
2-L	TRANF	transmission format	Act Code
2-L	USE	notice of use	Act Code
1-A	_ObservationSequenceType	ObservationSequenceType	Act Code
2-L	TIME_ABSOLUTE	absolute time sequence	Act Code
2-L	TIME_RELATIVE	relative time sequence	Act Code
1-A	_ObservationSeriesType	ObservationSeriesType	Act Code
2-A	_ECGObservationSeriesType	ECGObservationSeriesType	Act Code
3-L	REPRESENTATIVE_BEAT	ECG representative beat waveforms	Act Code
3-L	RHYTHM	ECG rhythm waveforms	Act Code
1-S	_PatientImmunizationRelatedObservationType	PatientImmunizationRelatedObservationType	Act Code
2-L	CLSSRM	classroom	Act Code
2-L	GRADE	grade	Act Code
2-L	SCHL	school	Act Code
2-L	SCHLDIV	school division	Act Code
2-L	TEACHER	teacher	Act Code
1-A	_PopulationInclusionObservationType	PopulationInclusionObservationType	Act Code
2-L	DENEX	denominator exclusions	Act Code
2-L	DENEXCEP	denominator exceptions	Act Code
2-L	DENOM	denominator	Act Code
2-S	IPOP	initial population	Act Code

3-L	IPPOP	initial patient population	Act Code
2-L	MSRPOPL	measure population	Act Code
2-L	MSRPOPLEX	measure population exclusions	Act Code
2-L	NUMER	numerator	Act Code
2-L	NUMEX	numerator exclusions	Act Code
1-A	_PreferenceObservationType	_PreferenceObservationType	Act Code
2-L	PREFSTRENGTH	preference strength	Act Code
1-L	ADVERSE_REACTION	Adverse Reaction	Act Code
1-L	ASSERTION	Assertion	Act Code
1-L	CASESER	case seriousness criteria	Act Code
1-L	CDIO	case disease imported observation	Act Code
1-L	CRIT	criticality	Act Code
1-L	CTMO	case transmission mode observation	Act Code
1-S	DX	ObservationDiagnosisTypes	Act Code
2-L	ADMDX	admitting diagnosis	Act Code
2-L	DISDX	discharge diagnosis	Act Code
2-L	INTDX	intermediate diagnosis	Act Code
2-L	NOI	nature of injury	Act Code
1-L	GISTIER	GIS tier	Act Code
1-L	HHOBS	household situation observation	Act Code
1-S	ISSUE	detected issue	Act Code
2-A	_ActAdministrativeDetectedIssueCode	ActAdministrativeDetectedIssueCode	Act Code

3-A	_ActAdministrativeAuthorizationDetectedIssueCode	ActAdministrativeAuthorizationDetectedIssueCode	Act Code
4-L	NAT	Insufficient authorization	Act Code
4-L	SUPPRESSED	record suppressed	Act Code
4-S	VALIDAT	validation issue	Act Code
5-L	KEY204	Unknown key identifier	Act Code
5-L	KEY205	Duplicate key identifier	Act Code
5-S	COMPLY	Compliance Alert	Act Code
6-S	DUPTHPY	Duplicate Therapy Alert	Act Code
7-L	DUPTHPCLS	duplicate therapeutic class alert	Act Code
7-L	DUPTHPGEN	duplicate generic alert	Act Code
6-L	ABUSE	commonly abused/misused alert	Act Code
6-L	FRAUD	potential fraud	Act Code
6-L	PLYDOC	Poly-orderer Alert	Act Code
6-L	PLYPHRM	Poly-supplier Alert Poly-pharmacy Alert	Act Code
5-S	DOSE	Dosage problem	Act Code
6-L	DOSECOND	dosage-condition alert	Act Code
6-S	DOSEDUR	Dose-Duration Alert	Act Code
7-S	DOSEDURH	Dose-Duration High Alert	Act Code
8-L	DOSEDURHIND	Dose-Duration High for Indication Alert	Act Code
7-S	DOSEDURL	Dose-Duration Low Alert	Act Code
8-L	DOSEDURLIND	Dose-Duration Low for Indication Alert	Act Code
6-S	DOSEH	High Dose Alert	Act Code

7-L	DOSEHINDA	High Dose for Age Alert	Act Code
7-L	DOSEHIND	High Dose for Indication Alert	Act Code
7-L	DOSEHINDSA	High Dose for Height/Surface Area Alert	Act Code
7-L	DOSEHINDW	High Dose for Weight Alert	Act Code
6-S	DOSEIVL	Dose-Interval Alert	Act Code
7-L	DOSEIVLIND	Dose-Interval for Indication Alert	Act Code
6-S	DOSEL	Low Dose Alert	Act Code
7-L	DOSELINDA	Low Dose for Age Alert	Act Code
7-L	DOSELIND	Low Dose for Indication Alert	Act Code
7-L	DOSELINDSA	Low Dose for Height/Surface Area Alert	Act Code
7-L	DOSELINDW	Low Dose for Weight Alert	Act Code
6-L	MDOSE	maximum dosage reached	Act Code
5-S	OBSA	Observation Alert	Act Code
6-S	AGE	Age Alert	Act Code
7-L	ADALRT	adult alert	Act Code
7-L	DOSEHINDA	High Dose for Age Alert	Act Code
7-L	DOSELINDA	Low Dose for Age Alert	Act Code
7-L	GEALRT	geriatric alert	Act Code
7-L	PEALRT	pediatric alert	Act Code
6-S	COND	Condition Alert	Act Code
7-L	HGHT	HGHT	Act Code
7-L	LACT	Lactation Alert	Act Code

7-L	PREG	Pregnancy Alert	Act Code
7-L	WGHT	WGHT	Act Code
6-L	CREACT	common reaction alert	Act Code
6-L	GEN	Genetic Alert	Act Code
6-L	GEND	Gender Alert	Act Code
6-L	LAB	Lab Alert	Act Code
6-S	REACT	Reaction Alert	Act Code
7-L	ALGY	Allergy Alert	Act Code
7-L	INT	Intolerance Alert	Act Code
6-S	RREACT	Related Reaction Alert	Act Code
7-L	RALG	Related Allergy Alert	Act Code
7-L	RAR	Related Prior Reaction Alert	Act Code
7-L	RINT	Related Intolerance Alert	Act Code
5-L	BUS	business constraint violation	Act Code
5-S	CODE_INVALID	code is not valid	Act Code
6-L	CODE_DEPREC	code has been deprecated	Act Code
5-L	FORMAT	invalid format	Act Code
5-L	ILLEGAL	illegal	Act Code
5-S	LEN_RANGE	length out of range	Act Code
6-L	LEN_LONG	length is too long	Act Code
6-L	LEN_SHORT	length is too short	Act Code
5-L	MISSCOND	conditional element missing	Act Code

5-L	MISSMAND	mandatory element missing	Act Code
5-L	NODUPS	duplicate values are not permitted	Act Code
5-L	NOPERSIST	element will not be persisted	Act Code
5-S	REP_RANGE	repetitions out of range	Act Code
6-L	MAXOCCURS	repetitions above maximum	Act Code
6-L	MINOCCURS	repetitions below minimum	Act Code
3-A	_ActAdministrativeRuleDetectedIssueCode	ActAdministrativeRuleDetectedIssueCode	Act Code
4-L	KEY204	Unknown key identifier	Act Code
4-L	KEY205	Duplicate key identifier	Act Code
4-L	KEY206	non-matching identification	Act Code
4-L	OBSOLETE	obsolete record returned	Act Code
2-A	_ActSuppliedItemDetectedIssueCode	ActSuppliedItemDetectedIssueCode	Act Code
3-A	_AdministrationDetectedIssueCode	AdministrationDetectedIssueCode	Act Code
4-A	_AppropriatenessDetectedIssueCode	AppropriatenessDetectedIssueCode	Act Code
5-A	_InteractionDetectedIssueCode	InteractionDetectedIssueCode	Act Code
6-L	FOOD	Food Interaction Alert	Act Code
6-S	TPROD	Therapeutic Product Alert	Act Code
7-L	DRG	Drug Interaction Alert	Act Code
7-L	NHP	Natural Health Product Alert	Act Code
7-L	NONRX	Non-Prescription Interaction Alert	Act Code
5-S	OBSA	Observation Alert	Act Code
6-S	AGE	Age Alert	Act Code

7-L	ADALRT	adult alert	Act Code
7-L	DOSEHINDA	High Dose for Age Alert	Act Code
7-L	DOSELINDA	Low Dose for Age Alert	Act Code
7-L	GEALRT	geriatric alert	Act Code
7-L	PEALRT	pediatric alert	Act Code
6-S	COND	Condition Alert	Act Code
7-L	HGHT	HGHT	Act Code
7-L	LACT	Lactation Alert	Act Code
7-L	PREG	Pregnancy Alert	Act Code
7-L	WGHT	WGHT	Act Code
6-L	CREACT	common reaction alert	Act Code
6-L	GEN	Genetic Alert	Act Code
6-L	GEND	Gender Alert	Act Code
6-L	LAB	Lab Alert	Act Code
6-S	REACT	Reaction Alert	Act Code
7-L	ALGY	Allergy Alert	Act Code
7-L	INT	Intolerance Alert	Act Code
6-S	RREACT	Related Reaction Alert	Act Code
7-L	RALG	Related Allergy Alert	Act Code
7-L	RAR	Related Prior Reaction Alert	Act Code
7-L	RINT	Related Intolerance Alert	Act Code
5-L	PREVINEF	previously ineffective	Act Code

4-S	COMPLY	Compliance Alert	Act Code
5-S	DUPTHPY	Duplicate Therapy Alert	Act Code
6-L	DUPTHPCLS	duplicate therapeutic class alert	Act Code
6-L	DUPTHPGEN	duplicate generic alert	Act Code
5-L	ABUSE	commonly abused/misused alert	Act Code
5-L	FRAUD	potential fraud	Act Code
5-L	PLYDOC	Poly-orderer Alert	Act Code
5-L	PLYPHRM	Poly-supplier Alert Poly-pharmacy Alert	Act Code
4-L	DACT	drug action detected issue	Act Code
4-S	DOSE	Dosage problem	Act Code
5-L	DOSECOND	dosage-condition alert	Act Code
5-S	DOSEDUR	Dose-Duration Alert	Act Code
6-S	DOSEDURH	Dose-Duration High Alert	Act Code
7-L	DOSEDURHIND	Dose-Duration High for Indication Alert	Act Code
6-S	DOSEDURL	Dose-Duration Low Alert	Act Code
7-L	DOSEDURLIND	Dose-Duration Low for Indication Alert	Act Code
5-S	DOSEH	High Dose Alert	Act Code
6-L	DOSEHINDA	High Dose for Age Alert	Act Code
6-L	DOSEHIND	High Dose for Indication Alert	Act Code
6-L	DOSEHINDSA	High Dose for Height/Surface Area Alert	Act Code
6-L	DOSEHINDW	High Dose for Weight Alert	Act Code
5-S	DOSEIVL	Dose-Interval Alert	Act Code

6-L	DOSEIVLIND	Dose-Interval for Indication Alert	Act Code
5-S	DOSEL	Low Dose Alert	Act Code
6-L	DOSELINDA	Low Dose for Age Alert	Act Code
6-L	DOSELIND	Low Dose for Indication Alert	Act Code
6-L	DOSELINDSA	Low Dose for Height/Surface Area Alert	Act Code
6-L	DOSELINDW	Low Dose for Weight Alert	Act Code
5-L	MDOSE	maximum dosage reached	Act Code
4-S	DUPTHPY	Duplicate Therapy Alert	Act Code
5-L	DUPTHPCLS	duplicate therapeutic class alert	Act Code
5-L	DUPTHPGEN	duplicate generic alert	Act Code
4-S	TIME	timing detected issue	Act Code
5-L	ALRTENDLATE	end too late alert	Act Code
5-L	ALRTSTRTLATE	start too late alert	Act Code
3-A	_SupplyDetectedIssueCode	SupplyDetectedIssueCode	Act Code
4-L	ALLDONE	already performed	Act Code
4-S	FULFIL	fulfillment alert	Act Code
5-L	NOTACTN	no longer actionable	Act Code
5-S	NOTEQUIV	not equivalent alert	Act Code
6-L	NOTEQUIVGEN	not generically equivalent alert	Act Code
6-L	NOTEQUIVTHER	not therapeutically equivalent alert	Act Code
5-S	TIMING	event timing incorrect alert	Act Code
6-L	INTERVAL	outside requested time	Act Code

6-L	MINFREQ	too soon within frequency based on the usage	Act Code
4-L	HELD	held/suspended alert	Act Code
4-L	TOOLATE	Refill Too Late Alert	Act Code
4-L	TOOSOON	Refill Too Soon Alert	Act Code
3-L	HISTORIC	record recorded as historical	Act Code
3-S	PATPREF	violates stated preferences	Act Code
4-L	PATPREFALT	violates stated preferences, alternate available	Act Code
1-L	KSUBJ	knowledge subject	Act Code
1-L	KSUBT	knowledge subtopic	Act Code
1-S	OINT	intolerance	Act Code
2-S	ALG	Allergy	Act Code
3-L	DALG	Drug Allergy	Act Code
3-L	EALG	Environmental Allergy	Act Code
3-L	FALG	Food Allergy	Act Code
2-S	DINT	Drug Intolerance	Act Code
3-L	DALG	Drug Allergy	Act Code
3-L	DNAINT	Drug Non-Allergy Intolerance	Act Code
2-S	EINT	Environmental Intolerance	Act Code
3-L	EALG	Environmental Allergy	Act Code
3-L	ENAINT	Environmental Non-Allergy Intolerance	Act Code
2-S	FINT	Food Intolerance	Act Code
3-L	FALG	Food Allergy	Act Code




3-L	FNAINT	Food Non-Allergy Intolerance	Act Code
2-S	NAINT	Non-Allergy Intolerance	Act Code
3-L	DNAINT	Drug Non-Allergy Intolerance	Act Code
3-L	ENAIINT	Environmental Non-Allergy Intolerance	Act Code
3-L	FNAINT	Food Non-Allergy Intolerance	Act Code
1-L	SEV	Severity Observation	Act Code
1-L	ADMDX	admitting diagnosis	Act Code
1-L	DISDX	discharge diagnosis	Act Code
1-L	INTDX	intermediate diagnosis	Act Code
1-L	NOI	nature of injury	Act Code
1-A	_ECGObservationSeriesType	ECGObservationSeriesType	Act Code
2-L	REPRESENTATIVE_BEAT	ECG representative beat waveforms	Act Code
2-L	RHYTHM	ECG rhythm waveforms	Act Code
1-L	TIME_ABSOLUTE	absolute time sequence	Act Code
1-L	TIME_RELATIVE	relative time sequence	Act Code
1-S	_ActPatientAnnotationType	ActPatientAnnotationType	Act Code
2-L	ANNDI	diagnostic image note	Act Code
2-L	ANNGEN	general note	Act Code
2-L	ANNIMM	immunization note	Act Code
2-L	ANNLAB	laboratory note	Act Code
2-L	ANNMED	medication note	Act Code
0-S	OINT	intolerance	Act Code

1-S	ALG	Allergy	Act Code
1-S	DINT	Drug Intolerance	Act Code
1-S	EINT	Environmental Intolerance	Act Code
1-S	FINT	Food Intolerance	Act Code
1-S	NAINT	Non-Allergy Intolerance	Act Code
0-A	_ObservationIssueTriggerCodedObservationType	ObservationIssueTriggerCodedObservationType	Act Code
1-A	_CaseTransmissionMode	case transmission mode	Act Code
0-L	REP_HALF_LIFE	representative half-life	Act Code
0-L	SPLCOATING	coating	Act Code
0-L	SPLCOLOR	color	Act Code
0-L	SPLIMAGE	image	Act Code
0-L	SPLIMPRINT	imprint	Act Code
0-L	SPLSCORING	scoring	Act Code
0-L	SPLSHAPE	shape	Act Code
0-L	SPLSIZE	size	Act Code
0-L	SPLSYMBOL	symbol	Act Code
0-L	21611-9	age patient qn est	Act Code
0-L	21612-7	age patient qn reported	Act Code
0-L	29553-5	age patient qn calc	Act Code
0-L	30525-0	age patient qn definition	Act Code
0-L	30972-4	age at onset of adverse event	Act Code
0-A	_GeneticObservationType	GeneticObservationType	Act Code

1-L	GENE	gene	Act Code
-----	------	------	----------

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.34 ObservationType 2.16.840.1.113883.1.11.16226 - 2011-07-26 (DEFN=UV=VO=1099-20110726) (aus Repository: ad2bbr-)

Id	2.16.840.1.113883.1.11.16226  ad2bbr-	Gültigkeit	2011-07-26 Andere Versionen mit dieser Id:
Status	 Definitiv	Versions-Label	DEFN=UV=VO=1099-20110726
Name	ObservationType	Anzeigename	ObservationType
Beschreibung	 description: Identifies the kinds of observations that can be performed		
2 Quell-Codesysteme	2.16.840.1.113883.5.4 - Act Code 2.16.840.1.113883.6.1 - Logical Observation Identifier Names and Codes		

[Alles ausklappen](#) [Alles einklappen](#)

Level/ Typ	Code	Anzeigename	Codesystem
1-A	_ActSpecObsCode	ActSpecObsCode	Act Code
2-L	ARTBLD	ActSpecObsArtBldCode	Act Code
2-S	DILUTION	ActSpecObsDilutionCode	Act Code
3-L	AUTO-HIGH	Auto-High Dilution	Act Code
3-L	AUTO-LOW	Auto-Low Dilution	Act Code
3-L	PRE	Pre-Dilution	Act Code
3-L	RERUN	Rerun Dilution	Act Code
2-L	EVNFCTS	ActSpecObsEvntfctsCode	Act Code
2-S	INTFR	ActSpecObsInterferenceCode	Act Code

3-L	FIBRIN	Fibrin	Act Code
3-L	HEMOLYSIS	Hemolysis	Act Code
3-L	ICTERUS	Icterus	Act Code
3-L	LIPEMIA	Lipemia	Act Code
2-S	VOLUME	ActSpecObsVolumeCode	Act Code
3-L	AVAILABLE	Available Volume	Act Code
3-L	CONSUMPTION	Consumption Volume	Act Code
3-L	CURRENT	Current Volume	Act Code
3-L	INITIAL	Initial Volume	Act Code
1-A	_AnnotationType	AnnotationType	Act Code
2-S	_ActPatientAnnotationType	ActPatientAnnotationType	Act Code
3-L	ANNDI	diagnostic image note	Act Code
3-L	ANNGEN	general note	Act Code
3-L	ANNIMM	immunization note	Act Code
3-L	ANNLAB	laboratory note	Act Code
3-L	ANNMED	medication note	Act Code
1-A	_GeneticObservationType	GeneticObservationType	Act Code
2-L	GENE	gene	Act Code
1-S	_ImmunizationObservationType	ImmunizationObservationType	Act Code
2-L	OBSANTC	antigen count	Act Code
2-L	OBSANTV	antigen validity	Act Code
1-A	_IndividualCaseSafetyReportType	Individual Case Safety Report Type	Act Code

2-L	PAT_ADV_EVNT	patient adverse event	Act Code
2-L	VAC_PROBLEM	vaccine product problem	Act Code
1-A	_LOINCObservationActContextAgeType	LOINCObservationActContextAgeType	Act Code
2-L	21611-9	age patient qn est	Act Code
2-L	21612-7	age patient qn reported	Act Code
2-L	29553-5	age patient qn calc	Act Code
2-L	30525-0	age patient qn definition	Act Code
2-L	30972-4	age at onset of adverse event	Act Code
1-A	_MedicationObservationType	MedicationObservationType	Act Code
2-L	REP_HALF_LIFE	representative half-life	Act Code
2-L	SPLCOATING	coating	Act Code
2-L	SPLCOLOR	color	Act Code
2-L	SPLIMAGE	image	Act Code
2-L	SPLIMPRINT	imprint	Act Code
2-L	SPLSCORING	scoring	Act Code
2-L	SPLSHAPE	shape	Act Code
2-L	SPLSIZE	size	Act Code
2-L	SPLSYMBOL	symbol	Act Code
1-A	_ObservationIssueTriggerCodedObservationType	ObservationIssueTriggerCodedObservationType	Act Code
2-A	_CaseTransmissionMode	case transmission mode	Act Code
3-L	AIRTRNS	airborne transmission	Act Code
3-L	ANANTRNS	animal to animal transmission	Act Code

3-L	ANHUMTRNS	animal to human transmission	Act Code
3-L	BDYFLDTRNS	body fluid contact transmission	Act Code
3-L	BLDTRNS	blood borne transmission	Act Code
3-L	DERMTRNS	transdermal transmission	Act Code
3-L	ENVTRNS	environmental exposure transmission	Act Code
3-L	FECTRNS	fecal-oral transmission	Act Code
3-L	FOMTRNS	fomite transmission	Act Code
3-L	FOODTRNS	food-borne transmission	Act Code
3-L	HUMHUMTRNS	human to human transmission	Act Code
3-L	INDTRNS	indeterminate disease transmission mode	Act Code
3-L	LACTTRNS	lactation transmission	Act Code
3-L	NOSTRNS	nosocomial transmission	Act Code
3-L	PARTRNS	parenteral transmission	Act Code
3-L	PLACTRNS	transplacental transmission	Act Code
3-L	SEXTRNS	sexual transmission	Act Code
3-L	TRNSFTRNS	transfusion transmission	Act Code
3-L	VECTRNS	vector-borne transmission	Act Code
3-L	WATTRNS	water-borne transmission	Act Code
1-S	_ObservationQualityMeasureAttribute	ObservationQualityMeasureAttribute	Act Code
2-L	COPY	copyright	Act Code
2-L	DISC	disclaimer	Act Code
2-L	KEY	keyword	Act Code

2-L	MSRADJ	health quality measure risk adjustment	Act Code
2-L	MSRAGG	health quality measure data aggregation	Act Code
2-L	MSRIMPROV	health quality measure improvement notation	Act Code
2-L	MSRSCORE	health quality measure scoring	Act Code
2-L	MSRSET	health quality measure care setting	Act Code
2-L	MSRTOPIC	health quality measure topic type	Act Code
2-L	MSRTYPE	health quality measure type	Act Code
2-L	RAT	rationale	Act Code
2-L	REF	reference	Act Code
2-L	USE	notice of use	Act Code
1-A	_ObservationSequenceType	ObservationSequenceType	Act Code
2-L	TIME_ABSOLUTE	absolute time sequence	Act Code
2-L	TIME_RELATIVE	relative time sequence	Act Code
1-A	_ObservationSeriesType	ObservationSeriesType	Act Code
2-A	_ECGObservationSeriesType	ECGObservationSeriesType	Act Code
3-L	REPRESENTATIVE_BEAT	ECG representative beat waveforms	Act Code
3-L	RHYTHM	ECG rhythm waveforms	Act Code
1-S	_PatientImmunizationRelatedObservationType	PatientImmunizationRelatedObservationType	Act Code
2-L	CLSSRM	classroom	Act Code
2-L	GRADE	grade	Act Code
2-L	SCHL	school	Act Code
2-L	SCHLDIV	school division	Act Code

2-L	TEACHER	teacher	Act Code
1-L	ADVERSE_REACTION	Adverse Reaction	Act Code
1-L	ASSERTION	Assertion	Act Code
1-L	CASESER	case seriousness criteria	Act Code
1-S	DX	ObservationDiagnosisTypes	Act Code
2-L	ADMDX	admitting diagnosis	Act Code
2-L	DISDX	discharge diagnosis	Act Code
2-L	INTDX	intermediate diagnosis	Act Code
2-L	NOI	nature of injury	Act Code
1-L	GISTIER	GIS tier	Act Code
1-L	HHOBS	household situation observation	Act Code
1-S	ISSUE	detected issue	Act Code
2-A	_ActAdministrativeDetectedIssueCode	ActAdministrativeDetectedIssueCode	Act Code
3-A	_ActAdministrativeAuthorizationDetectedIssueCode	ActAdministrativeAuthorizationDetectedIssueCode	Act Code
4-L	NAT	Insufficient authorization	Act Code
4-L	SUPPRESSED	record suppressed	Act Code
4-S	VALIDAT	validation issue	Act Code
5-L	KEY204	Unknown key identifier	Act Code
5-L	KEY205	Duplicate key identifier	Act Code
5-S	COMPLY	Compliance Alert	Act Code
6-S	DUPTHPY	Duplicate Therapy Alert	Act Code
7-L	DUPTHPCLS	duplicate therapeutic alass alert	Act Code

7-L	DUPTHPGEN	duplicate generic alert	Act Code
6-L	ABUSE	commonly abused/misused alert	Act Code
6-L	FRAUD	potential fraud	Act Code
6-L	PLYDOC	Poly-orderer Alert	Act Code
6-L	PLYPHRM	Poly-supplier Alert Poly-pharmacy Alert	Act Code
5-S	DOSE	Dosage problem	Act Code
6-L	DOSECOND	dosage-condition alert	Act Code
6-S	DOSEDUR	Dose-Duration Alert	Act Code
7-S	DOSEDURH	Dose-Duration High Alert	Act Code
8-L	DOSEDURHIND	Dose-Duration High for Indication Alert	Act Code
7-S	DOSEDURL	Dose-Duration Low Alert	Act Code
8-L	DOSEDURLIND	Dose-Duration Low for Indication Alert	Act Code
6-S	DOSEH	High Dose Alert	Act Code
7-L	DOSEHINDA	High Dose for Age Alert	Act Code
7-L	DOSEHIND	High Dose for Indication Alert	Act Code
7-L	DOSEHINDSA	High Dose for Height/Surface Area Alert	Act Code
7-L	DOSEHINDW	High Dose for Weight Alert	Act Code
6-S	DOSEIVL	Dose-Interval Alert	Act Code
7-L	DOSEIVLIND	Dose-Interval for Indication Alert	Act Code
6-S	DOSEL	Low Dose Alert	Act Code

7-L	DOSELINDA	Low Dose for Age Alert	Act Code
7-L	DOSELIND	Low Dose for Indication Alert	Act Code
7-L	DOSELINDSA	Low Dose for Height/Surface Area Alert	Act Code
7-L	DOSELINDW	Low Dose for Weight Alert	Act Code
6-L	MDOSE	maximum dosage reached	Act Code
5-S	OBSA	Observation Alert	Act Code
6-S	AGE	Age Alert	Act Code
7-L	DOSEHINDA	High Dose for Age Alert	Act Code
7-L	DOSELINDA	Low Dose for Age Alert	Act Code
6-S	COND	Condition Alert	Act Code
7-L	HGHT	HGHT	Act Code
7-L	LACT	Lactation Alert	Act Code
7-L	PREG	Pregnancy Alert	Act Code
7-L	WGHT	WGHT	Act Code
6-L	CREACT	common reaction alert	Act Code
6-L	GEN	Genetic Alert	Act Code
6-L	GEND	Gender Alert	Act Code
6-L	LAB	Lab Alert	Act Code
6-S	REACT	Reaction Alert	Act Code
7-L	ALGY	Allergy Alert	Act Code
7-L	INT	Intolerance Alert	Act Code

6-S	RREACT	Related Reaction Alert	Act Code
7-L	RALG	Related Allergy Alert	Act Code
7-L	RAR	Related Prior Reaction Alert	Act Code
7-L	RINT	Related Intolerance Alert	Act Code
5-L	BUS	business constraint violation	Act Code
5-S	CODE_INVALID	code is not valid	Act Code
6-L	CODE_DEPRECATED	code has been deprecated	Act Code
5-L	FORMAT	invalid format	Act Code
5-L	ILLEGAL	illegal	Act Code
5-S	LEN_RANGE	length out of range	Act Code
6-L	LEN_LONG	length is too long	Act Code
6-L	LEN_SHORT	length is too short	Act Code
5-L	MISSCOND	conditional element missing	Act Code
5-L	MISSMAND	mandatory element missing	Act Code
5-L	NODUPS	duplicate values are not permitted	Act Code
5-L	NOPERSIST	element will not be persisted	Act Code
5-S	REP_RANGE	repetitions out of range	Act Code
6-L	MAXOCCURS	repetitions above maximum	Act Code
6-L	MINOCCURS	repetitions below minimum	Act Code
3-A	_ActAdministrativeRuleDetectedIssueCode	ActAdministrativeRuleDetectedIssueCode	Act Code
4-L	KEY204	Unknown key identifier	Act Code
4-L	KEY205	Duplicate key identifier	Act Code

4-L	KEY206	non-matching identification	Act Code
4-L	OBSOLETE	obsolete record returned	Act Code
2-A	_ActSuppliedItemDetectedIssueCode	ActSuppliedItemDetectedIssueCode	Act Code
3-A	_AdministrationDetectedIssueCode	AdministrationDetectedIssueCode	Act Code
4-A	_AppropriatenessDetectedIssueCode	AppropriatenessDetectedIssueCode	Act Code
5-A	_InteractionDetectedIssueCode	InteractionDetectedIssueCode	Act Code
6-L	FOOD	Food Interaction Alert	Act Code
6-S	TPROD	Therapeutic Product Alert	Act Code
7-L	DRG	Drug Interaction Alert	Act Code
7-L	NHP	Natural Health Product Alert	Act Code
7-L	NONRX	Non-Prescription Interaction Alert	Act Code
5-S	OBSA	Observation Alert	Act Code
6-S	AGE	Age Alert	Act Code
7-L	DOSEHINDA	High Dose for Age Alert	Act Code
7-L	DOSELINDA	Low Dose for Age Alert	Act Code
6-S	COND	Condition Alert	Act Code
7-L	HGHT	HGHT	Act Code
7-L	LACT	Lactation Alert	Act Code
7-L	PREG	Pregnancy Alert	Act Code
7-L	WGHT	WGHT	Act Code
6-L	CREACT	common reaction alert	Act Code
6-L	GEN	Genetic Alert	Act Code

6-L	GEND	Gender Alert	Act Code
6-L	LAB	Lab Alert	Act Code
6-S	REACT	Reaction Alert	Act Code
7-L	ALGY	Allergy Alert	Act Code
7-L	INT	Intolerance Alert	Act Code
6-S	RREACT	Related Reaction Alert	Act Code
7-L	RALG	Related Allergy Alert	Act Code
7-L	RAR	Related Prior Reaction Alert	Act Code
7-L	RINT	Related Intolerance Alert	Act Code
5-L	PREVINEF	previously ineffective	Act Code
4-S	COMPLY	Compliance Alert	Act Code
5-S	DUPHPY	Duplicate Therapy Alert	Act Code
6-L	DUPHPCLS	duplicate therapeutic class alert	Act Code
6-L	DUPHPGEN	duplicate generic alert	Act Code
5-L	ABUSE	commonly abused/misused alert	Act Code
5-L	FRAUD	potential fraud	Act Code
5-L	PLYDOC	Poly-orderer Alert	Act Code
5-L	PLYPHRM	Poly-supplier Alert Poly-pharmacy Alert	Act Code
4-L	DACT	drug action detected issue	Act Code
4-S	DOSE	Dosage problem	Act Code
5-L	DOSECOND	dosage-condition alert	Act Code
5-S	DOSEDUR	Dose-Duration Alert	Act Code

6-S	DOSEDURH	Dose-Duration High Alert	Act Code
7-L	DOSEDURHIND	Dose-Duration High for Indication Alert	Act Code
6-S	DOSEDURL	Dose-Duration Low Alert	Act Code
7-L	DOSEDURLIND	Dose-Duration Low for Indication Alert	Act Code
5-S	DOSEH	High Dose Alert	Act Code
6-L	DOSEHINDA	High Dose for Age Alert	Act Code
6-L	DOSEHIND	High Dose for Indication Alert	Act Code
6-L	DOSEHINDSA	High Dose for Height/Surface Area Alert	Act Code
6-L	DOSEHINDW	High Dose for Weight Alert	Act Code
5-S	DOSEIVL	Dose-Interval Alert	Act Code
6-L	DOSEIVLIND	Dose-Interval for Indication Alert	Act Code
5-S	DOSEL	Low Dose Alert	Act Code
6-L	DOSELINDA	Low Dose for Age Alert	Act Code
6-L	DOSELIND	Low Dose for Indication Alert	Act Code
6-L	DOSELINDSA	Low Dose for Height/Surface Area Alert	Act Code
6-L	DOSELINDW	Low Dose for Weight Alert	Act Code
5-L	MDOSE	maximum dosage reached	Act Code
4-S	DUPTHPY	Duplicate Therapy Alert	Act Code
5-L	DUPTHPCLS	duplicate therapeutic class alert	Act Code
5-L	DUPTHPGEN	duplicate generic alert	Act Code
4-S	TIME	timing detected issue	Act Code

5-L	ALRTENDLATE	end too late alert	Act Code
5-L	ALRTSTRTLATE	start too late alert	Act Code
3-A	_SupplyDetectedIssueCode	SupplyDetectedIssueCode	Act Code
4-L	ALLDONE	already performed	Act Code
4-S	FULFIL	fulfillment alert	Act Code
5-L	NOTACTN	no longer actionable	Act Code
5-S	NOTEQUIV	not equivalent alert	Act Code
6-L	NOTEQUIVGEN	not generically equivalent alert	Act Code
6-L	NOTEQUIVOTHER	not therapeutically equivalent alert	Act Code
5-S	TIMING	event timing incorrect alert	Act Code
6-L	INTERVAL	outside requested time	Act Code
6-L	MINFREQ	too soon within frequency based on the usage	Act Code
4-L	HELD	held/suspended alert	Act Code
4-L	TOOLATE	Refill Too Late Alert	Act Code
4-L	TOOSOON	Refill Too Soon Alert	Act Code
3-L	HISTORIC	record recorded as historical	Act Code
3-S	PATPREF	violates stated preferences	Act Code
4-L	PATPREFALT	violates stated preferences, alternate available	Act Code
1-L	KSUBJ	knowledge subject	Act Code
1-L	KSUBT	knowledge subtopic	Act Code
1-S	OINT	intolerance	Act Code

2-S	ALG	Allergy	Act Code
3-L	DALG	Drug Allergy	Act Code
3-L	EALG	Environmental Allergy	Act Code
3-L	FALG	Food Allergy	Act Code
2-S	DINT	Drug Intolerance	Act Code
3-L	DALG	Drug Allergy	Act Code
3-L	DNAINT	Drug Non-Allergy Intolerance	Act Code
2-S	EINT	Environmental Intolerance	Act Code
3-L	EALG	Environmental Allergy	Act Code
3-L	ENAIINT	Environmental Non-Allergy Intolerance	Act Code
2-S	FINT	Food Intolerance	Act Code
3-L	FALG	Food Allergy	Act Code
3-L	FNAINT	Food Non-Allergy Intolerance	Act Code
2-S	NAINT	Non-Allergy Intolerance	Act Code
3-L	DNAINT	Drug Non-Allergy Intolerance	Act Code
3-L	ENAIINT	Environmental Non-Allergy Intolerance	Act Code
3-L	FNAINT	Food Non-Allergy Intolerance	Act Code
1-L	SEV	Severity Observation	Act Code
1-L	ADMDX	admitting diagnosis	Act Code
1-L	DISDX	discharge diagnosis	Act Code
1-L	INTDX	intermediate diagnosis	Act Code
1-L	NOI	nature of injury	Act Code



0-L	57024-2	Health Quality Measure Document	Logical Observation Identifier Names and Codes
0-L	57025-9	Data Criteria section	Logical Observation Identifier Names and Codes
0-L	57026-7	Population Criteria section	Logical Observation Identifier Names and Codes
0-L	57027-5	Measure Observations section	Logical Observation Identifier Names and Codes
1-A	_ECGObservationSeriesType	ECGObservationSeriesType	Act Code
2-L	REPRESENTATIVE_BEAT	ECG representative beat waveforms	Act Code
2-L	RHYTHM	ECG rhythm waveforms	Act Code
1-L	TIME_ABSOLUTE	absolute time sequence	Act Code
1-L	TIME_RELATIVE	relative time sequence	Act Code
1-S	_ActPatientAnnotationType	ActPatientAnnotationType	Act Code
2-L	ANNDI	diagnostic image note	Act Code
2-L	ANNGEN	general note	Act Code
2-L	ANNIMM	immunization note	Act Code
2-L	ANNLAB	laboratory note	Act Code
2-L	ANNMED	medication note	Act Code
0-S	OINT	intolerance	Act Code
1-S	ALG	Allergy	Act Code
1-S	DINT	Drug Intolerance	Act Code
1-S	EINT	Environmental Intolerance	Act Code
1-S	FINT	Food Intolerance	Act Code
1-S	NAINT	Non-Allergy Intolerance	Act Code
0-A	_ObservationIssueTriggerCodedObservationType	ObservationIssueTriggerCodedObservationType	Act Code

1-A	_CaseTransmissionMode	case transmission mode	Act Code
0-L	REP_HALF_LIFE	representative half-life	Act Code
0-L	SPLCOATING	coating	Act Code
0-L	SPLCOLOR	color	Act Code
0-L	SPLIMAGE	image	Act Code
0-L	SPLIMPRINT	imprint	Act Code
0-L	SPLSCORING	scoring	Act Code
0-L	SPLSHAPE	shape	Act Code
0-L	SPLSIZE	size	Act Code
0-L	SPLSYMBOL	symbol	Act Code
0-L	21611-9	age patient qn est	Act Code
0-L	21612-7	age patient qn reported	Act Code
0-L	29553-5	age patient qn calc	Act Code
0-L	30525-0	age patient qn definition	Act Code
0-L	30972-4	age at onset of adverse event	Act Code
0-A	_GeneticObservationType	GeneticObservationType	Act Code
1-L	GENE	gene	Act Code

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.35 ParticipationFunction 2.16.840.1.113883.1.11.10267 - 2014-03-26 (DEFN=UV=VO=1360-20160323) (aus Repository: ad2bbr-)

Id	2.16.840.1.113883.1.11.10267  ad2bbr-	Gültigkeit	2014-03-26 Andere Versionen mit dieser Id:
-----------	--	-------------------	---

Status	 Definitiv	Versions-Label	DEFN=UV=VO=1360-20160323
Name	ParticipationFunction	Anzeigename	ParticipationFunction
Beschreibung	 History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26 description: This code is used to specify the exact function an actor had in a service in all necessary detail. This domain may include local extensions (CWE).		
Quell-Codesystem	2.16.840.1.113883.5.88 - Participation Function		

Alles ausklappen Alles einklappen




Level/ Typ	Code	Anzeigename	Codesystem
0-A	_AuthorizedParticipationFunction	AuthorizedParticipationFunction	Participation Function
1-A	_AuthorizedReceiverParticipationFunction	AuthorizedReceiverParticipationFunction	Participation Function
2-L	AUCG	caregiver information receiver	Participation Function
2-L	AULR	legitimate relationship information receiver	Participation Function
2-L	AUTM	care team information receiver	Participation Function
2-L	AUWA	work area information receiver	Participation Function
1-A	_ConsenterParticipationFunction	ConsenterParticipationFunction	Participation Function
2-L	GRDCON	legal guardian consent author	Participation Function
2-L	POACON	healthcare power of attorney consent author	Participation Function
2-L	PRCON	personal representative consent author	Participation Function
2-L	PROMSK	authorized provider masking author	Participation Function
2-L	SUBCON	subject of consent author	Participation Function
1-A	_OverrideParticipationFunction	OverrideParticipationFunction	Participation Function
2-L	AUCOV	consent override	Participation Function

2-L	AUEMROV	emergency override	Participation Function
0-A	_CoverageParticipationFunction	CoverageParticipationFunction	Participation Function
1-A	_PayorParticipationFunction	PayorParticipationFunction	Participation Function
2-L	CLMADJ	claims adjudication	Participation Function
2-L	ENROLL	enrollment broker	Participation Function
2-L	FFSMGT	ffs management	Participation Function
2-L	MCMGT	managed care management	Participation Function
2-L	PROVMGT	provider management	Participation Function
2-L	UMGT	utilization management	Participation Function
1-A	_SponsorParticipationFunction	SponsorParticipationFunction	Participation Function
2-L	FULINRD	fully insured	Participation Function
2-L	SELFINRD	self insured	Participation Function
1-A	_UnderwriterParticipationFunction	UnderwriterParticipationFunction	Participation Function
2-L	PAYORCNTR	payor contracting	Participation Function
2-L	REINS	reinsures	Participation Function
2-L	RETROCES	retrocessionaires	Participation Function
2-L	SUBCTRT	subcontracting risk	Participation Function
2-L	UNDERWRTNG	underwriting	Participation Function
0-L	ADMPHYS	admitting physician	Participation Function
0-L	ANEST	anesthesist	Participation Function
0-L	ANRS	anesthesia nurse	Participation Function
0-L	ASSEMBLER	assembly software	Participation Function

0-L	ATTPHYS	attending physician	Participation Function
0-L	COMPOSER	composer software	Participation Function
0-L	DISPHYS	discharging physician	Participation Function
0-L	FASST	first assistant surgeon	Participation Function
0-L	MDWF	midwife	Participation Function
0-L	NASST	nurse assistant	Participation Function
0-L	PCP	primary care physician	Participation Function
0-L	PRISURG	primary surgeon	Participation Function
0-L	REVIEWER	reviewer	Participation Function
0-L	RNDPHYS	rounding physician	Participation Function
0-L	SASST	second assistant surgeon	Participation Function
0-L	SNRS	scrub nurse	Participation Function
0-L	TASST	third assistant	Participation Function

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.36 ParticipationFunction 2.16.840.1.113883.1.11.10267 - 2011-07-26 (DEFN=UV=VO=1099-20110726) (aus Repository: ad2bbr-)

Id	2.16.840.1.113883.1.11.10267  ad2bbr-	Gültigkeit	2011-07-26 Andere Versionen mit dieser Id:
Status	 Definitiv	Versions-Label	DEFN=UV=VO=1099-20110726
Name	ParticipationFunction	Anzeigename	ParticipationFunction
Beschreibung	 description: This code is used to specify the exact function an actor had in a service in all necessary detail. This domain may include local extensions (CWE).		




Quell-Codesystem		2.16.840.1.113883.5.88 - Participation Function	
Alles ausklappen		Alles einklappen	
Level/ Typ	Code	Anzeigename	Codesystem
0-A	_AuthorizedParticipationFunction	AuthorizedParticipationFunction	Participation Function
1-A	_AuthorizedReceiverParticipationFunction	AuthorizedReceiverParticipationFunction	Participation Function
2-L	AUCG	caregiver information receiver	Participation Function
2-L	AULR	legitimate relationship information receiver	Participation Function
2-L	AUTM	care team information receiver	Participation Function
2-L	AUWA	work area information receiver	Participation Function
1-A	_ConsenterParticipationFunction	ConsenterParticipationFunction	Participation Function
2-L	GRDCON	legal guardian consent author	Participation Function
2-L	POACON	healthcare power of attorney consent author	Participation Function
2-L	PRCON	personal representative consent author	Participation Function
2-L	PROMSK	authorized provider masking author	Participation Function
2-L	SUBCON	subject of consent author	Participation Function
1-A	_OverrideParticipationFunction	OverrideParticipationFunction	Participation Function
2-L	AUCOV	consent override	Participation Function
2-L	AUEMROV	emergency override	Participation Function
0-A	_CoverageParticipationFunction	CoverageParticipationFunction	Participation Function
1-A	_PayorParticipationFunction	PayorParticipationFunction	Participation Function
2-L	CLMADJ	claims adjudication	Participation Function
2-L	ENROLL	enrollment broker	Participation Function



2-L	FFSMGT	ffs management	Participation Function
2-L	MCMGT	managed care management	Participation Function
2-L	PROVMGT	provider management	Participation Function
2-L	UMGT	utilization management	Participation Function
1-A	_SponsorParticipationFunction	SponsorParticipationFunction	Participation Function
2-L	FULINRD	fully insured	Participation Function
2-L	SELFINRD	self insured	Participation Function
1-A	_UnderwriterParticipationFunction	UnderwriterParticipationFunction	Participation Function
2-L	PAYORCNTR	payor contracting	Participation Function
2-L	REINS	reinsures	Participation Function
2-L	RETROCES	retrocessionaires	Participation Function
2-L	SUBCTRTR	subcontracting risk	Participation Function
2-L	UNDERWRTNG	underwriting	Participation Function
0-L	ADMPHYS	admitting physician	Participation Function
0-L	ANEST	anesthetist	Participation Function
0-L	ANRS	anesthesia nurse	Participation Function
0-L	ATTPHYS	attending physician	Participation Function
0-L	DISPHYS	discharging physician	Participation Function
0-L	FASST	first assistant surgeon	Participation Function
0-L	MDWF	midwife	Participation Function
0-L	NASST	nurse assistant	Participation Function
0-L	PCP	primary care physician	Participation Function

0-L	PRISURG	primary surgeon	Participation Function
0-L	RNDPHYS	rounding physician	Participation Function
0-L	SASST	second assistant surgeon	Participation Function
0-L	SNRS	scrub nurse	Participation Function
0-L	TASST	third assistant	Participation Function

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.37 ParticipationMode 2.16.840.1.113883.1.11.16543 - 2014-03-26 (DEFN=UV=VO=1360-20160323) (aus Repository: ad2bbr-)

Id	2.16.840.1.113883.1.11.16543  ad2bbr-	Gültigkeit	2014-03-26
Status	 Definitiv	Versions-Label	DEFN=UV=VO=1360-20160323
Name	ParticipationMode	Anzeigename	ParticipationMode
Beschreibung	 History description 2014-03-26: Lock all vauue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26 description: Identifies the primary means by which an Entity participates in an Act.		
Quell-Codesystem	2.16.840.1.113883.5.1064 - <i>Participation Mode</i>		




Alles ausklappen  Alles einklappen 

Level/ Typ	Code	Anzeigename	Codesystem
0-L	PHYSICAL	physical presence	Participation Mode
0-L	REMOTE	remote presence	Participation Mode
0-S	VERBAL	verbal	Participation Mode
1-L	DICTATE	dictated	Participation Mode
1-L	FACE	face-to-face	Participation Mode

1-L	PHONE	telephone	Participation Mode
1-L	VIDEOCONF	videoconferencing	Participation Mode
0-S	WRITTEN	written	Participation Mode
1-L	FAXWRIT	telefax	Participation Mode
1-L	HANDWRIT	handwritten	Participation Mode
1-L	MAILWRIT	mail	Participation Mode
1-S	ONLINEWRIT	online written	Participation Mode
2-L	EMAILWRIT	email	Participation Mode
1-L	TYPEWRIT	typewritten	Participation Mode
0-L	ELECTRONIC	electronic data	Participation Mode
0-L	PHYSICAL	physical presence	Participation Mode
0-S	VERBAL	verbal	Participation Mode

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.38 ParticipationType 2.16.840.1.113883.1.11.10901 - 2014-03-26 (DEFN=UV=VO=1360-20160323) (aus Repository: ad2bbr-)

Id	2.16.840.1.113883.1.11.10901  ad2bbr-	Gültigkeit	2014-03-26
Status	 Definitiv	Versions-Label	DEFN=UV=VO=1360-20160323
Name	ParticipationType	Anzeigename	ParticipationType
Beschreibung	 History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26 description: A code specifying the meaning and purpose of every Participation instance. Each of its values implies specific constraints on the Roles undertaking the participation.		

Quell-Codesystem		2.16.840.1.113883.5.90 - ParticipationType	
Alles ausklappen		Alles einklappen	
Level/ Typ	Code	Anzeigename	Codesystem
0-S	PART	Participation	ParticipationType
1-A	_ParticipationAncillary	ParticipationAncillary	ParticipationType
2-L	ADM	admitter	ParticipationType
2-L	ATND	attender	ParticipationType
2-L	CALLBCK	callback contact	ParticipationType
2-L	CON	consultant	ParticipationType
2-L	DIS	discharger	ParticipationType
2-L	ESC	escort	ParticipationType
2-L	REF	referrer	ParticipationType
1-A	_ParticipationInformationGenerator	ParticipationInformationGenerator	ParticipationType
2-L	AUT	author (originator)	ParticipationType
2-L	INF	informant	ParticipationType
2-S	TRANS	Transcriber	ParticipationType
3-L	ENT	data entry person	ParticipationType
2-L	WIT	witness	ParticipationType
1-L	CST	custodian	ParticipationType
1-S	DIR	direct target	ParticipationType
2-L	ALY	analyte	ParticipationType
2-L	BBY	baby	ParticipationType




2-L	CAT	catalyst	ParticipationType
2-S	CSM	consumable	ParticipationType
2-S	DEV	device	ParticipationType
3-L	NRD	non-reuseable device	ParticipationType
3-L	RDV	reusable device	ParticipationType
2-L	DON	donor	ParticipationType
2-L	EXPAGNT	ExposureAgent	ParticipationType
2-S	EXPART	ExposureParticipation	ParticipationType
3-L	EXPTRGT	ExposureTarget	ParticipationType
3-L	EXSRC	ExposureSource	ParticipationType
2-L	PRD	product	ParticipationType
2-S	SBJ	subject	ParticipationType
3-L	SPC	specimen	ParticipationType
1-S	IND	indirect target	ParticipationType
2-L	BEN	beneficiary	ParticipationType
2-L	CAGNT	causative agent	ParticipationType
2-L	COV	coverage target	ParticipationType
2-L	GUAR	guarantor party	ParticipationType
2-L	HLD	holder	ParticipationType
2-L	RCT	record target	ParticipationType
2-L	RCV	receiver	ParticipationType
1-S	IRCP	information recipient	ParticipationType

2-L	NOT	urgent notification contact	ParticipationType
2-L	PRCP	primary information recipient	ParticipationType
2-L	REFB	Referred By	ParticipationType
2-L	REFT	Referred to	ParticipationType
2-L	TRC	tracker	ParticipationType
1-S	LOC	location	ParticipationType
2-L	DST	destination	ParticipationType
2-L	ELOC	entry location	ParticipationType
2-L	ORG	origin	ParticipationType
2-L	RML	remote	ParticipationType
2-L	VIA	via	ParticipationType
1-S	PRF	performer	ParticipationType
2-L	DIST	distributor	ParticipationType
2-L	PPRF	primary performer	ParticipationType
2-L	SPRF	secondary performer	ParticipationType
1-L	RESP	responsible party	ParticipationType
1-S	VRF	verifier	ParticipationType
2-L	AUTHEN	authenticator	ParticipationType
2-L	LA	legal authenticator	ParticipationType

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.39  PersonalRelationshipRoleType 2.16.840.1.113883.1.11.19563 - 2014-03-26 (DEFN=UV=VO=1360-20160323)

ref (aus Repository: ad2bbr-)

Id	2.16.840.1.113883.1.11.19563  ad2bbr-	Gültigkeit	2014-03-26
Status	 Definitiv	Versions-Label	DEFN=UV=VO=1360-20160323
Name	PersonalRelationshipRoleType	Anzeigename	PersonalRelationshipRoleType
Beschreibung	 History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26 description: Types of personal relationships between two living subjects. <i>Example:</i> Parent, sibling, unrelated friend, neighbor		
Quell-Codesystem	2.16.840.1.113883.5.111 - Role Code		

Level/ Typ	Code	Anzeigename	Codesystem
1-S	FAMMEMB	family member	Role Code
2-S	CHILD	child	Role Code
3-S	CHLDADOPT	adopted child	Role Code
4-L	DAUADOPT	adopted daughter	Role Code
4-L	SONADOPT	adopted son	Role Code
3-S	CHLDFOST	foster child	Role Code
4-L	DAUFOST	foster daughter	Role Code
4-L	SONFOST	foster son	Role Code
3-S	DAUC	daughter	Role Code
4-L	DAUADOPT	adopted daughter	Role Code

4-L	DAUFOST	foster daughter	Role Code
4-L	DAU	natural daughter	Role Code
4-L	STPDAU	stepdaughter	Role Code
3-S	NCHILD	natural child	Role Code
4-L	DAU	natural daughter	Role Code
4-L	SON	natural son	Role Code
3-S	SONC	son	Role Code
4-L	SONADOPT	adopted son	Role Code
4-L	SONFOST	foster son	Role Code
4-L	SON	natural son	Role Code
4-L	STPSON	stepson	Role Code
3-S	STPCHLD	step child	Role Code
4-L	STPDAU	stepdaughter	Role Code
4-L	STPSON	stepson	Role Code
2-S	EXT	extended family member	Role Code
3-S	AUNT	aunt	Role Code
4-L	MAUNT	maternal aunt	Role Code
4-L	PAUNT	paternal aunt	Role Code
3-S	COUSN	cousin	Role Code
4-L	MCOUSN	maternal cousin	Role Code
4-L	PCOUSN	paternal cousin	Role Code
3-S	GGRPRN	great grandparent	Role Code

4-S	GGRFTH	great grandfather	Role Code
5-L	MGGRFTH	maternal great-grandfather	Role Code
5-L	PGGRFTH	paternal great-grandfather	Role Code
4-S	GGRMTH	great grandmother	Role Code
5-L	MGGRMTH	maternal great-grandmother	Role Code
5-L	PGGRMTH	paternal great-grandmother	Role Code
4-S	MGGRPRN	maternal great-grandparent	Role Code
5-L	MGGRFTH	maternal great-grandfather	Role Code
5-L	MGGRMTH	maternal great-grandmother	Role Code
4-S	PGGRPRN	paternal great-grandparent	Role Code
5-L	PGGRFTH	paternal great-grandfather	Role Code
5-L	PGGRMTH	paternal great-grandmother	Role Code
3-S	GRNDCHILD	grandchild	Role Code
4-L	GRNDDAU	granddaughter	Role Code
4-L	GRNDSO	grandson	Role Code
3-S	GRPRN	grandparent	Role Code
4-S	GRFTH	grandfather	Role Code
5-L	MGRFTH	maternal grandfather	Role Code
5-L	PGRFTH	paternal grandfather	Role Code
4-S	GRMTH	grandmother	Role Code
5-L	MGRMTH	maternal grandmother	Role Code
5-L	PGRMTH	paternal grandmother	Role Code

4-S	MGRPRN	maternal grandparent	Role Code
5-L	MGRFTH	maternal grandfather	Role Code
5-L	MGRMTH	maternal grandmother	Role Code
4-S	PGRPRN	paternal grandparent	Role Code
5-L	PGRFTH	paternal grandfather	Role Code
5-L	PGRMTH	paternal grandmother	Role Code
3-S	INLAW	inlaw	Role Code
4-S	CHLDINLAW	child-in-law	Role Code
5-L	DAUINLAW	daughter in-law	Role Code
5-L	SONINLAW	son in-law	Role Code
4-S	PRNINLAW	parent in-law	Role Code
5-L	FTHINLAW	father-in-law	Role Code
5-L	MTHINLAW	mother-in-law	Role Code
4-S	SIBINLAW	sibling in-law	Role Code
5-L	BROINLAW	brother-in-law	Role Code
5-L	SISINLAW	sister-in-law	Role Code
3-S	NIENEPH	niece/nephew	Role Code
4-L	NEPHEW	nephew	Role Code
4-L	NIECE	niece	Role Code
3-S	UNCLE	uncle	Role Code
4-L	MUNCLE	maternal uncle	Role Code
4-L	PUNCLE	paternal uncle	Role Code

2-S	PRN	parent	Role Code
3-S	ADOPTP	adoptive parent	Role Code
4-L	ADOPTF	adoptive father	Role Code
4-L	ADOPTM	adoptive mother	Role Code
3-S	FTH	father	Role Code
4-L	ADOPTF	adoptive father	Role Code
4-L	FTHFOST	foster father	Role Code
4-S	NFTH	natural father	Role Code
5-L	NFTHF	natural father of fetus	Role Code
4-L	STPFTH	stepfather	Role Code
3-S	MTH	mother	Role Code
4-L	ADOPTM	adoptive mother	Role Code
4-L	GESTM	gestational mother	Role Code
4-L	MTHFOST	foster mother	Role Code
4-S	NMTH	natural mother	Role Code
5-L	NMTHF	natural mother of fetus	Role Code
4-L	STPMTH	stepmother	Role Code
3-S	NPRN	natural parent	Role Code
4-S	NFTH	natural father	Role Code
5-L	NFTHF	natural father of fetus	Role Code
4-S	NMTH	natural mother	Role Code
5-L	NMTHF	natural mother of fetus	Role Code

3-S	PRNFOST	foster parent	Role Code
4-L	FTHFOST	foster father	Role Code
4-L	MTHFOST	foster mother	Role Code
3-S	STPPRN	step parent	Role Code
4-L	STPFTH	stepfather	Role Code
4-L	STPMTH	stepmother	Role Code
2-S	SIB	sibling	Role Code
3-S	BRO	brother	Role Code
4-L	HBRO	half-brother	Role Code
4-S	NBRO	natural brother	Role Code
5-S	TWINBRO	twin brother	Role Code
6-L	FTWINBRO	fraternal twin brother	Role Code
6-L	ITWINBRO	identical twin brother	Role Code
4-L	STPBRO	stepbrother	Role Code
3-S	HSIB	half-sibling	Role Code
4-L	HBRO	half-brother	Role Code
4-L	HSIS	half-sister	Role Code
3-S	NSIB	natural sibling	Role Code
4-S	NBRO	natural brother	Role Code
5-S	TWINBRO	twin brother	Role Code
6-L	FTWINBRO	fraternal twin brother	Role Code
6-L	ITWINBRO	identical twin brother	Role Code

4-S	NSIS	natural sister	Role Code
5-S	TWINSIS	twin sister	Role Code
6-L	FTWINSIS	fraternal twin sister	Role Code
6-L	ITWINSIS	identical twin sister	Role Code
4-S	TWIN	twin	Role Code
5-S	TWINBRO	twin brother	Role Code
6-L	FTWINBRO	fraternal twin brother	Role Code
6-L	ITWINBRO	identical twin brother	Role Code
5-S	TWINSIS	twin sister	Role Code
6-L	FTWINSIS	fraternal twin sister	Role Code
6-L	ITWINSIS	identical twin sister	Role Code
5-S	FTWIN	fraternal twin	Role Code
6-L	FTWINBRO	fraternal twin brother	Role Code
6-L	FTWINSIS	fraternal twin sister	Role Code
5-S	ITWIN	identical twin	Role Code
6-L	ITWINBRO	identical twin brother	Role Code
6-L	ITWINSIS	identical twin sister	Role Code
3-S	SIS	sister	Role Code
4-L	HSIS	half-sister	Role Code
4-S	NSIS	natural sister	Role Code
5-S	TWINSIS	twin sister	Role Code
6-L	FTWINSIS	fraternal twin sister	Role Code

6-L	ITWINSIS	identical twin sister	Role Code
4-L	STPSIS	stepsister	Role Code
3-S	STPSIB	step sibling	Role Code
4-L	STPBRO	stepbrother	Role Code
4-L	STPSIS	stepsister	Role Code
2-S	SIGOTHR	significant other	Role Code
3-L	DOMPART	domestic partner	Role Code
3-L	FMRSPS	former spouse	Role Code
3-S	SPS	spouse	Role Code
4-L	HUSB	husband	Role Code
4-L	WIFE	wife	Role Code
1-L	FRND	unrelated friend	Role Code
1-L	NBOR	neighbor	Role Code
1-L	ONESELF	self	Role Code
1-L	ROOM	Roommate	Role Code

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.40 ROIOverlayShape 2.16.840.1.113883.1.11.16117 - 2014-03-26 (DEFN=UV=VO=1360-20160323) (aus Repository: ad2bbr-)

Id	2.16.840.1.113883.1.11.16117  ad2bbr-	Gültigkeit	2014-03-26
Status	 Definitiv	Versions-Label	DEFN=UV=VO=1360-20160323
Name	ROIOverlayShape	Anzeigename	ROIOverlayShape
Beschreibung			

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:
Shape of the region on the object being referenced




Quell-Codesystem 2.16.840.1.113883.5.4 - *Act Code*

Alles ausklappen | Alles einklappen

Level/ Typ	Code	Anzeigename	Codesystem
1-L	CIRCLE	circle	Act Code
1-L	ELLIPSE	ellipse	Act Code
1-L	POINT	point	Act Code
1-L	POLY	polyline	Act Code

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.41  **Race 2.16.840.1.113883.1.11.14914 - 2014-03-26 (DEFN=UV=VO=1360-20160323)**  (aus Repository: ad2bbr-)

Id	2.16.840.1.113883.1.11.14914  ad2bbr-	Gültigkeit	2014-03-26
Status	 Definitiv	Versions-Label	DEFN=UV=VO=1360-20160323
Name	Race	Anzeigename	Race
Beschreibung	 History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26 description:		

In the United States, federal standards for classifying data on race determine the categories used by federal agencies and exert a strong influence on categorization by state and local agencies and private sector organizations. The federal standards do not conceptually define race, and they recognize the absence of an anthropological or scientific basis for racial classification. Instead, the federal standards acknowledge that race is a social-political construct in which an individual's own identification with one more race categories is preferred to observer identification. The standards use a variety of features to define five minimum race categories. Among these features are descent from "the original peoples" of a specified region or nation. The minimum race categories are American Indian or Alaska Native, Asian, Black or African American, Native Hawaiian or Other Pacific Islander, and White. The federal standards stipulate that race data need not be limited to the five minimum categories, but any expansion must be collapsible to those categories.

Quell-Codesystem

2.16.840.1.113883.5.104 - Race

Alles ausklappen

Alles einklappen

Level/ Typ	Code	Anzeigename	Codesystem
0-L	2131-1	Other Race	Race
0-S	1002-5	American Indian or Alaska Native	Race
1-S	1004-1	American Indian	Race
2-L	1006-6	Abenaki	Race
2-L	1008-2	Algonquian	Race
2-S	1010-8	Apache	Race
3-L	1011-6	Chiricahua	Race
3-L	1012-4	Fort Sill Apache	Race
3-L	1013-2	Jicarilla Apache	Race
3-L	1014-0	Lipan Apache	Race
3-L	1015-7	Mescalero Apache	Race
3-L	1016-5	Oklahoma Apache	Race
3-L	1017-3	Payson Apache	Race
3-L	1018-1	San Carlos Apache	Race

3-L	1019-9	White Mountain Apache	Race
2-S	1021-5	Arapaho	Race
3-L	1022-3	Northern Arapaho	Race
3-L	1023-1	Southern Arapaho	Race
3-L	1024-9	Wind River Arapaho	Race
2-L	1026-4	Arikara	Race
2-L	1028-0	Assiniboine	Race
2-S	1030-6	Assiniboine Sioux	Race
3-L	1031-4	Fort Peck Assiniboine Sioux	Race
2-L	1033-0	Bannock	Race
2-L	1035-5	Blackfeet	Race
2-L	1037-1	Brotherton	Race
2-L	1039-7	Burt Lake Band	Race
2-S	1041-3	Caddo	Race
3-L	1042-1	Oklahoma Cado	Race
2-S	1044-7	Cahuilla	Race
3-L	1045-4	Agua Caliente Cahuilla	Race
3-L	1046-2	Augustine	Race
3-L	1047-0	Cabazon	Race
3-L	1048-8	Los Coyotes	Race
3-L	1049-6	Morongo	Race
3-L	1050-4	Santa Rosa Cahuilla	Race

3-L	1051-2	Torres-Martinez	Race
2-S	1053-8	California Tribes	Race
3-L	1054-6	Cahto	Race
3-L	1055-3	Chimariko	Race
3-L	1056-1	Coast Miwok	Race
3-L	1057-9	Digger	Race
3-L	1058-7	Kawaiisu	Race
3-L	1059-5	Kern River	Race
3-L	1060-3	Mattole	Race
3-L	1061-1	Red Wood	Race
3-L	1062-9	Santa Rosa	Race
3-L	1063-7	Takelma	Race
3-L	1064-5	Wappo	Race
3-L	1065-2	Yana	Race
3-L	1066-0	Yuki	Race
2-S	1068-6	Canadian and Latin American Indian	Race
3-L	1069-4	Canadian Indian	Race
3-L	1070-2	Central American Indian	Race
3-L	1071-0	French American Indian	Race
3-L	1072-8	Mexican American Indian	Race
3-L	1073-6	South American Indian	Race
2-L	1074-4	Spanish American Indian	Race

2-S	1076-9	Catawba	Race
3-L	1741-8	Alatna	Race
3-L	1742-6	Alexander	Race
3-L	1743-4	Allakaket	Race
3-L	1744-2	Alanvik	Race
3-L	1745-9	Anvik	Race
3-L	1746-7	Arctic	Race
3-L	1747-5	Beaver	Race
3-L	1748-3	Birch Creek	Race
3-L	1749-1	Cantwell	Race
3-L	1750-9	Chalkyitsik	Race
3-L	1751-7	Chickaloon	Race
3-L	1752-5	Chistochina	Race
3-L	1753-3	Chitina	Race
3-L	1754-1	Circle	Race
3-L	1755-8	Cook Inlet	Race
3-L	1756-6	Copper Center	Race
3-L	1757-4	Copper River	Race
3-L	1758-2	Dot Lake	Race
3-L	1759-0	Doyon	Race
3-L	1760-8	Eagle	Race
3-L	1761-6	Eklutna	Race

3-L	1762-4	Evansville	Race
3-L	1763-2	Fort Yukon	Race
3-L	1764-0	Gakona	Race
3-L	1765-7	Galena	Race
3-L	1766-5	Grayling	Race
3-L	1767-3	Gulkana	Race
3-L	1768-1	Healy Lake	Race
3-L	1769-9	Holy Cross	Race
3-L	1770-7	Hughes	Race
3-L	1771-5	Huslia	Race
3-L	1772-3	Iliamna	Race
3-L	1773-1	Kaltag	Race
3-L	1774-9	Kluti Kaah	Race
3-L	1775-6	Knik	Race
3-L	1776-4	Koyukuk	Race
3-L	1777-2	Lake Minchumina	Race
3-L	1778-0	Lime	Race
3-L	1779-8	Mcgrath	Race
3-L	1780-6	Manley Hot Springs	Race
3-L	1781-4	Mentasta Lake	Race
3-L	1782-2	Minto	Race
3-L	1783-0	Nenana	Race

3-L	1784-8	Nikolai	Race
3-L	1785-5	Ninilchik	Race
3-L	1786-3	Nondalton	Race
3-L	1787-1	Northway	Race
3-L	1788-9	Nulato	Race
3-L	1789-7	Pedro Bay	Race
3-L	1790-5	Rampart	Race
3-L	1791-3	Ruby	Race
3-L	1792-1	Salamatof	Race
3-L	1793-9	Seldovia	Race
3-L	1794-7	Slana	Race
3-L	1795-4	Shageluk	Race
3-L	1796-2	Stevens	Race
3-L	1797-0	Stony River	Race
3-L	1798-8	Takotna	Race
3-L	1799-6	Tanacross	Race
3-L	1800-2	Tanaina	Race
3-L	1801-0	Tanana	Race
3-L	1802-8	Tanana Chiefs	Race
3-L	1803-6	Tazlina	Race
3-L	1804-4	Telida	Race
3-L	1805-1	Tetlin	Race

3-L	1806-9	Tok	Race
3-L	1807-7	Tyonek	Race
3-L	1808-5	Venetie	Race
3-L	1809-3	Wiseman	Race
2-L	1078-5	Cayuse	Race
2-L	1080-1	Chehalis	Race
2-S	1082-7	Chemakuan	Race
3-L	1083-5	Hoh	Race
3-L	1084-3	Quileute	Race
2-L	1086-8	Chemehuevi	Race
2-S	1088-4	Cherokee	Race
3-L	1089-2	Cherokee Alabama	Race
3-L	1090-0	Cherokees of Northeast Alabama	Race
3-L	1091-8	Cherokees of Southeast Alabama	Race
3-L	1092-6	Eastern Cherokee	Race
3-L	1093-4	Echota Cherokee	Race
3-L	1094-2	Etowah Cherokee	Race
3-L	1095-9	Northern Cherokee	Race
3-L	1096-7	Tuscola	Race
3-L	1097-5	United Keetowah Band of Cherokee	Race
3-L	1098-3	Western Cherokee	Race
2-L	1100-7	Cherokee Shawnee	Race

2-S	1102-3	Cheyenne	Race
3-L	1103-1	Northern Cheyenne	Race
3-L	1104-9	Southern Cheyenne	Race
2-L	1106-4	Cheyenne-Arapaho	Race
2-S	1108-0	Chickahominy	Race
3-L	1109-8	Eastern Chickahominy	Race
3-L	1110-6	Western Chickahominy	Race
2-L	1112-2	Chickasaw	Race
2-S	1114-8	Chinook	Race
3-L	1115-5	Clatsop	Race
3-L	1116-3	Columbia River Chinook	Race
3-L	1117-1	Kathlamet	Race
3-L	1118-9	Upper Chinook	Race
3-L	1119-7	Wakiakum Chinook	Race
3-L	1120-5	Willapa Chinook	Race
3-L	1121-3	Wishram	Race
2-S	1123-9	Chippewa	Race
3-L	1124-7	Bad River	Race
3-L	1125-4	Bay Mills Chippewa	Race
3-L	1126-2	Bois Forte	Race
3-L	1127-0	Burt Lake Chippewa	Race
3-L	1128-8	Fond du Lac	Race

3-L	1129-6	Grand Portage	Race
3-L	1130-4	Grand Traverse Band of Ottawa-Chippewa	Race
3-L	1131-2	Keweenaw	Race
3-L	1132-0	Lac Courte Oreilles	Race
3-L	1133-8	Lac du Flambeau	Race
3-L	1134-6	Lac Vieux Desert Chippewa	Race
3-L	1135-3	Lake Superior	Race
3-L	1136-1	Leech Lake	Race
3-L	1137-9	Little Shell Chippewa	Race
3-L	1138-7	Mille Lacs	Race
3-L	1139-5	Minnesota Chippewa	Race
3-L	1140-3	Ontonagon	Race
3-L	1141-1	Red Cliff Chippewa	Race
3-L	1142-9	Red Lake Chippewa	Race
3-L	1143-7	Saginaw Chippewa	Race
3-L	1144-5	St. Croix Chippewa	Race
3-L	1145-2	Sault Ste. Marie Chippewa	Race
3-L	1146-0	Sokoagon Chippewa	Race
3-L	1147-8	Turtle Mountain	Race
3-L	1148-6	White Earth	Race
2-S	1150-2	Chippewa Cree	Race
3-L	1151-0	Rocky Boy's Chippewa Cree	Race

2-L	1153-6	Chitimacha	Race
2-S	1155-1	Choctaw	Race
3-L	1156-9	Clifton Choctaw	Race
3-L	1157-7	Jena Choctaw	Race
3-L	1158-5	Mississippi Choctaw	Race
3-L	1159-3	Mowa Band of Choctaw	Race
3-L	1160-1	Oklahoma Choctaw	Race
2-S	1162-7	Chumash	Race
3-L	1163-5	Santa Ynez	Race
2-L	1165-0	Clear Lake	Race
2-L	1167-6	Coeur D'Alene	Race
2-L	1169-2	Coharie	Race
2-L	1171-8	Colorado River	Race
2-L	1173-4	Colville	Race
2-S	1175-9	Comanche	Race
3-L	1176-7	Oklahoma Comanche	Race
2-L	1178-3	Coos, Lower Umpqua, Siuslaw	Race
2-L	1180-9	Coos	Race
2-L	1182-5	Coquilles	Race
2-L	1184-1	Costanoan	Race
2-S	1186-6	Coushatta	Race
3-L	1187-4	Alabama Coushatta	Race

2-L	1189-0	Cowlitz	Race
2-L	1191-6	Cree	Race
2-S	1193-2	Creek	Race
3-L	1194-0	Alabama Creek	Race
3-L	1195-7	Alabama Quassarte	Race
3-L	1196-5	Eastern Creek	Race
3-L	1197-3	Eastern Muscogee	Race
3-L	1198-1	Kialegee	Race
3-L	1199-9	Lower Muscogee	Race
3-L	1200-5	Machis Lower Creek Indian	Race
3-L	1201-3	Poarch Band	Race
3-L	1202-1	Principal Creek Indian Nation	Race
3-L	1203-9	Star Clan of Muscogee Creeks	Race
3-L	1204-7	Thlopthlocco	Race
3-L	1205-4	Tuckabachee	Race
2-L	1207-0	Croatan	Race
2-L	1209-6	Crow	Race
2-S	1211-2	Cupeno	Race
3-L	1212-0	Agua Caliente	Race
2-S	1214-6	Delaware	Race
3-L	1215-3	Eastern Delaware	Race
3-L	1216-1	Lenni-Lenape	Race

3-L	1217-9	Munsee	Race
3-L	1218-7	Oklahoma Delaware	Race
3-L	1219-5	Rampough Mountain	Race
3-L	1220-3	Sand Hill	Race
2-S	1222-9	Diegueno	Race
3-L	1223-7	Campo	Race
3-L	1224-5	Capitan Grande	Race
3-L	1225-2	Cuyapaipe	Race
3-L	1226-0	La Posta	Race
3-L	1227-8	Manzanita	Race
3-L	1228-6	Mesa Grande	Race
3-L	1229-4	San Pasqual	Race
3-L	1230-2	Santa Ysabel	Race
3-L	1231-0	Sycuan	Race
2-S	1233-6	Eastern Tribes	Race
3-L	1234-4	Attacapa	Race
3-L	1235-1	Biloxi	Race
3-L	1236-9	Georgetown	Race
3-L	1237-7	Moor	Race
3-L	1238-5	Nansemond	Race
3-L	1239-3	Natchez	Race
3-L	1240-1	Nausu Waiwash	Race

3-L	1241-9	Nipmuc	Race
3-L	1242-7	Paugussett	Race
3-L	1243-5	Pocomoke Acohonock	Race
3-L	1244-3	Southeastern Indians	Race
3-L	1245-0	Susquehanock	Race
3-L	1246-8	Tunica Biloxi	Race
3-L	1247-6	Waccamaw-Siousan	Race
3-L	1248-4	Wicomico	Race
2-L	1250-0	Esselen	Race
2-L	1252-6	Fort Belknap	Race
2-L	1254-2	Fort Berthold	Race
2-L	1256-7	Fort Mcdowell	Race
2-L	1258-3	Fort Hall	Race
2-L	1260-9	Gabrieleno	Race
2-L	1262-5	Grand Ronde	Race
2-S	1264-1	Gros Ventres	Race
3-L	1265-8	Atsina	Race
2-L	1267-4	Haliwa	Race
2-L	1269-0	Hidatsa	Race
2-S	1271-6	Hoopa	Race
3-L	1272-4	Trinity	Race
3-L	1273-2	Whilkut	Race

2-L	1275-7	Hoopa Extension	Race
2-L	1277-3	Houma	Race
2-L	1279-9	Inaja-Cosmit	Race
2-S	1281-5	Iowa	Race
3-L	1282-3	Iowa of Kansas-Nebraska	Race
3-L	1283-1	Iowa of Oklahoma	Race
2-S	1285-6	Iroquois	Race
3-L	1286-4	Cayuga	Race
3-L	1287-2	Mohawk	Race
3-L	1288-0	Oneida	Race
3-L	1289-8	Onondaga	Race
3-L	1290-6	Seneca	Race
3-L	1291-4	Seneca Nation	Race
3-L	1292-2	Seneca-Cayuga	Race
3-L	1293-0	Tonawanda Seneca	Race
3-L	1294-8	Tuscarora	Race
3-L	1295-5	Wyandotte	Race
2-L	1297-1	Juaneno	Race
2-L	1299-7	Kalispel	Race
2-L	1301-1	Karuk	Race
2-L	1303-7	Kaw	Race
2-S	1305-2	Kickapoo	Race

3-L	1306-0	Oklahoma Kickapoo	Race
3-L	1307-8	Texas Kickapoo	Race
2-S	1309-4	Kiowa	Race
3-L	1310-2	Oklahoma Kiowa	Race
2-S	1312-8	Klallam	Race
3-L	1313-6	Jamestown	Race
3-L	1314-4	Lower Elwha	Race
3-L	1315-1	Port Gamble Klallam	Race
2-L	1317-7	Klamath	Race
2-L	1319-3	Konkow	Race
2-L	1321-9	Kootenai	Race
2-L	1323-5	Lassik	Race
2-S	1325-0	Long Island	Race
3-L	1326-8	Matinecock	Race
3-L	1327-6	Montauk	Race
3-L	1328-4	Poospatuck	Race
3-L	1329-2	Setauket	Race
2-S	1331-8	Luiseno	Race
3-L	1332-6	La Jolla	Race
3-L	1333-4	Pala	Race
3-L	1334-2	Pauma	Race
3-L	1335-9	Pechanga	Race

3-L	1336-7	Soboba	Race
3-L	1337-5	Twenty-Nine Palms	Race
3-L	1338-3	Temecula	Race
2-L	1340-9	Lumbee	Race
2-L	1342-5	Lummi	Race
2-S	1344-1	Maidu	Race
3-L	1345-8	Mountain Maidu	Race
3-L	1346-6	Nishinam	Race
2-L	1348-2	Makah	Race
2-L	1350-8	Maliseet	Race
2-L	1352-4	Mandan	Race
2-L	1354-0	Mattaponi	Race
2-L	1356-5	Menominee	Race
2-S	1358-1	Miami	Race
3-L	1359-9	Illinois Miami	Race
3-L	1360-7	Indiana Miami	Race
3-L	1361-5	Oklahoma Miami	Race
2-L	1363-1	Miccosukee	Race
2-S	1365-6	Micmac	Race
3-L	1366-4	Aroostook	Race
2-L	1368-0	Mission Indians	Race
2-L	1370-6	Miwok	Race

2-L	1372-2	Modoc	Race
2-L	1374-8	Mohegan	Race
2-L	1376-3	Mono	Race
2-L	1378-9	Nanticoke	Race
2-L	1380-5	Narragansett	Race
2-S	1382-1	Navajo	Race
3-L	1383-9	Alamo Navajo	Race
3-L	1384-7	Canoncito Navajo	Race
3-L	1385-4	Ramah Navajo	Race
2-L	1387-0	Nez Perce	Race
2-L	1389-6	Nomalaki	Race
2-S	1391-2	Northwest Tribes	Race
3-L	1392-0	Alsea	Race
3-L	1393-8	Celilo	Race
3-L	1394-6	Columbia	Race
3-L	1395-3	Kalapuya	Race
3-L	1396-1	Molala	Race
3-L	1397-9	Talakamish	Race
3-L	1398-7	Tenino	Race
3-L	1399-5	Tillamook	Race
3-L	1400-1	Wenatchee	Race
3-L	1401-9	Yahooskin	Race

2-L	1403-5	Omaha	Race
2-L	1405-0	Oregon Athabaskan	Race
2-L	1407-6	Osage	Race
2-L	1409-2	Otoe-Missouria	Race
2-S	1411-8	Ottawa	Race
3-L	1412-6	Burt Lake Ottawa	Race
3-L	1413-4	Michigan Ottawa	Race
3-L	1414-2	Oklahoma Ottawa	Race
2-S	1416-7	Paiute	Race
3-L	1417-5	Bishop	Race
3-L	1418-3	Bridgeport	Race
3-L	1419-1	Burns Paiute	Race
3-L	1420-9	Cedarville	Race
3-L	1421-7	Fort Bidwell	Race
3-L	1422-5	Fort Independence	Race
3-L	1423-3	Kaibab	Race
3-L	1424-1	Las Vegas	Race
3-L	1425-8	Lone Pine	Race
3-L	1426-6	Lovelock	Race
3-L	1427-4	Malheur Paiute	Race
3-L	1428-2	Moapa	Race
3-L	1429-0	Northern Paiute	Race

3-L	1430-8	Owens Valley	Race
3-L	1431-6	Pyramid Lake	Race
3-L	1432-4	San Juan Southern Paiute	Race
3-L	1433-2	Southern Paiute	Race
3-L	1434-0	Summit Lake	Race
3-L	1435-7	Utu Utu Gwaitu Paiute	Race
3-L	1436-5	Walker River	Race
3-L	1437-3	Yerington Paiute	Race
2-L	1439-9	Pamunkey	Race
2-S	1441-5	Passamaquoddy	Race
3-L	1442-3	Indian Township	Race
3-L	1443-1	Pleasant Point Passamaquoddy	Race
2-S	1445-6	Pawnee	Race
3-L	1446-4	Oklahoma Pawnee	Race
2-L	1448-0	Penobscot	Race
2-S	1450-6	Peoria	Race
3-L	1451-4	Oklahoma Peoria	Race
2-S	1453-0	Pequot	Race
3-L	1454-8	Marshantucket Pequot	Race
2-S	1456-3	Pima	Race
3-L	1457-1	Gila River Pima-Maricopa	Race
3-L	1458-9	Salt River Pima-Maricopa	Race

2-L	1460-5	Piscataway	Race
2-L	1462-1	Pit River	Race
2-S	1464-7	Pomo	Race
3-L	1465-4	Central Pomo	Race
3-L	1466-2	Dry Creek	Race
3-L	1467-0	Eastern Pomo	Race
3-L	1468-8	Kashia	Race
3-L	1469-6	Northern Pomo	Race
3-L	1470-4	Scotts Valley	Race
3-L	1471-2	Stonyford	Race
3-L	1472-0	Sulphur Bank	Race
2-S	1474-6	Ponca	Race
3-L	1475-3	Nebraska Ponca	Race
3-L	1476-1	Oklahoma Ponca	Race
2-S	1478-7	Potawatomi	Race
3-L	1479-5	Citizen Band Potawatomi	Race
3-L	1480-3	Forest County	Race
3-L	1481-1	Hannahville	Race
3-L	1482-9	Huron Potawatomi	Race
3-L	1483-7	Pokagon Potawatomi	Race
3-L	1484-5	Prairie Band	Race
3-L	1485-2	Wisconsin Potawatomi	Race

2-L	1487-8	Powhatan	Race
2-S	1489-4	Pueblo	Race
3-L	1490-2	Acoma	Race
3-L	1491-0	Arizona Tewa	Race
3-L	1492-8	Cochiti	Race
3-L	1493-6	Hopi	Race
3-L	1494-4	Isleta	Race
3-L	1495-1	Jemez	Race
3-L	1496-9	Keres	Race
3-L	1497-7	Laguna	Race
3-L	1498-5	Nambe	Race
3-L	1499-3	Picuris	Race
3-L	1500-8	Piro	Race
3-L	1501-6	Pojoaque	Race
3-L	1502-4	San Felipe	Race
3-L	1503-2	San Ildefonso	Race
3-L	1504-0	San Juan Pueblo	Race
3-L	1505-7	San Juan De	Race
3-L	1506-5	San Juan	Race
3-L	1507-3	Sandia	Race
3-L	1508-1	Santa Ana	Race
3-L	1509-9	Santa Clara	Race

3-L	1510-7	Santo Domingo	Race
3-L	1511-5	Taos	Race
3-L	1512-3	Tesuque	Race
3-L	1513-1	Tewa	Race
3-L	1514-9	Tigua	Race
3-L	1515-6	Zia	Race
3-L	1516-4	Zuni	Race
2-S	1518-0	Puget Sound Salish	Race
3-L	1519-8	Duwamish	Race
3-L	1520-6	Kikiallus	Race
3-L	1521-4	Lower Skagit	Race
3-L	1522-2	Muckleshoot	Race
3-L	1523-0	Nisqually	Race
3-L	1524-8	Nooksack	Race
3-L	1525-5	Port Madison	Race
3-L	1526-3	Puyallup	Race
3-L	1527-1	Samish	Race
3-L	1528-9	Sauk-Suiattle	Race
3-L	1529-7	Skokomish	Race
3-L	1530-5	Skykomish	Race
3-L	1531-3	Snohomish	Race
3-L	1532-1	Snoqualmie	Race

3-L	1533-9	Squaxin Island	Race
3-L	1534-7	Steilacoom	Race
3-L	1535-4	Stillaguamish	Race
3-L	1536-2	Suquamish	Race
3-L	1537-0	Swinomish	Race
3-L	1538-8	Tulalip	Race
3-L	1539-6	Upper Skagit	Race
2-L	1541-2	Quapaw	Race
2-L	1543-8	Quinault	Race
2-L	1545-3	Rappahannock	Race
2-L	1547-9	Reno-Sparks	Race
2-L	1549-5	Round Valley	Race
2-S	1551-1	Sac and Fox	Race
3-L	1552-9	Iowa Sac and Fox	Race
3-L	1553-7	Missouri Sac and Fox	Race
3-L	1554-5	Oklahoma Sac and Fox	Race
2-L	1556-0	Salinan	Race
2-L	1558-6	Salish	Race
2-L	1560-2	Salish and Kootenai	Race
2-L	1562-8	Schaghticoke	Race
2-L	1564-4	Scott Valley	Race
2-S	1566-9	Seminole	Race

3-L

1567-7




Big Cypress

Race

Dieses Value Set beinhaltet 921 Codes. Um die Publikationsgröße überschaubar zu halten, wird nur eine Auswahl (500 Codes) des ganzen Sets von Codes gezeigt.

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.42 ReligiousAffiliation 2.16.840.1.113883.1.11.19185 - 2014-03-26 (DEFN=UV=VO=1360-20160323) (aus Repository: ad2bbr-)

Id	2.16.840.1.113883.1.11.19185  ad2bbr-	Gültigkeit	2014-03-26
Status	 Definitiv	Versions-Label	DEFN=UV=VO=1360-20160323
Name	ReligiousAffiliation	Anzeigename	ReligiousAffiliation
Beschreibung	 History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26 description: Assigment of spiritual faith affiliation		
Quell-Codesystem	2.16.840.1.113883.5.1076 - <i>ReligiousAffiliation</i>		

Level/ Typ	Code	Anzeigename	Codesystem
0-L	1001	Adventist	ReligiousAffiliation
0-L	1002	African Religions	ReligiousAffiliation
0-L	1003	Afro-Caribbean Religions	ReligiousAffiliation
0-L	1004	Agnosticism	ReligiousAffiliation
0-L	1005	Anglican	ReligiousAffiliation
0-L	1006	Animism	ReligiousAffiliation
0-L	1007	Atheism	ReligiousAffiliation
0-L	1008	Babi & Baha'I faiths	ReligiousAffiliation

0-L	1009	Baptist	ReligiousAffiliation
0-L	1010	Bon	ReligiousAffiliation
0-L	1011	Cao Dai	ReligiousAffiliation
0-L	1012	Celticism	ReligiousAffiliation
0-L	1013	Christian (non-Catholic, non-specific)	ReligiousAffiliation
0-L	1014	Confucianism	ReligiousAffiliation
0-L	1015	Cyberculture Religions	ReligiousAffiliation
0-L	1016	Divination	ReligiousAffiliation
0-L	1017	Fourth Way	ReligiousAffiliation
0-L	1018	Free Daism	ReligiousAffiliation
0-L	1019	Gnosis	ReligiousAffiliation
0-L	1020	Hinduism	ReligiousAffiliation
0-L	1021	Humanism	ReligiousAffiliation
0-L	1022	Independent	ReligiousAffiliation
0-L	1023	Islam	ReligiousAffiliation
0-L	1024	Jainism	ReligiousAffiliation
0-L	1025	Jehovah's Witnesses	ReligiousAffiliation
0-L	1026	Judaism	ReligiousAffiliation
0-L	1027	Latter Day Saints	ReligiousAffiliation
0-L	1028	Lutheran	ReligiousAffiliation
0-L	1029	Mahayana	ReligiousAffiliation
0-L	1030	Meditation	ReligiousAffiliation

0-L	1031	Messianic Judaism	ReligiousAffiliation
0-L	1032	Mitraism	ReligiousAffiliation
0-L	1033	New Age	ReligiousAffiliation
0-L	1034	non-Roman Catholic	ReligiousAffiliation
0-L	1035	Occult	ReligiousAffiliation
0-L	1036	Orthodox	ReligiousAffiliation
0-L	1037	Paganism	ReligiousAffiliation
0-L	1038	Pentecostal	ReligiousAffiliation
0-L	1039	Process, The	ReligiousAffiliation
0-L	1040	Reformed/Presbyterian	ReligiousAffiliation
0-L	1041	Roman Catholic Church	ReligiousAffiliation
0-L	1042	Satanism	ReligiousAffiliation
0-L	1043	Scientology	ReligiousAffiliation
0-L	1044	Shamanism	ReligiousAffiliation
0-L	1045	Shiite (Islam)	ReligiousAffiliation
0-L	1046	Shinto	ReligiousAffiliation
0-L	1047	Sikism	ReligiousAffiliation
0-L	1048	Spiritualism	ReligiousAffiliation
0-L	1049	Sunni (Islam)	ReligiousAffiliation
0-L	1050	Taoism	ReligiousAffiliation
0-L	1051	Theravada	ReligiousAffiliation
0-L	1052	Unitarian-Universalism	ReligiousAffiliation

0-L	1053	Universal Life Church	ReligiousAffiliation
0-L	1054	Vajrayana (Tibetan)	ReligiousAffiliation
0-L	1055	Veda	ReligiousAffiliation
0-L	1056	Voodoo	ReligiousAffiliation
0-L	1057	Wicca	ReligiousAffiliation
0-L	1058	Yaohushua	ReligiousAffiliation
0-L	1059	Zen Buddhism	ReligiousAffiliation
0-L	1060	Zoroastrianism	ReligiousAffiliation
0-L	1061	Assembly of God	ReligiousAffiliation
0-L	1062	Brethren	ReligiousAffiliation
0-L	1063	Christian Scientist	ReligiousAffiliation
0-L	1064	Church of Christ	ReligiousAffiliation
0-L	1065	Church of God	ReligiousAffiliation
0-L	1066	Congregational	ReligiousAffiliation
0-L	1067	Disciples of Christ	ReligiousAffiliation
0-L	1068	Eastern Orthodox	ReligiousAffiliation
0-L	1069	Episcopalian	ReligiousAffiliation
0-L	1070	Evangelical Covenant	ReligiousAffiliation
0-L	1071	Friends	ReligiousAffiliation
0-L	1072	Full Gospel	ReligiousAffiliation
0-L	1073	Methodist	ReligiousAffiliation
0-L	1074	Native American	ReligiousAffiliation

0-L	1075	Nazarene	ReligiousAffiliation
0-L	1076	Presbyterian	ReligiousAffiliation
0-L	1077	Protestant	ReligiousAffiliation
0-L	1078	Protestant, No Denomination	ReligiousAffiliation
0-L	1079	Reformed	ReligiousAffiliation
0-L	1080	Salvation Army	ReligiousAffiliation
0-L	1081	Unitarian Universalist	ReligiousAffiliation
0-L	1082	United Church of Christ	ReligiousAffiliation
0-L	1061	Assembly of God	ReligiousAffiliation
0-L	1062	Brethren	ReligiousAffiliation
0-L	1063	Christian Scientist	ReligiousAffiliation
0-L	1064	Church of Christ	ReligiousAffiliation
0-L	1065	Church of God	ReligiousAffiliation
0-L	1066	Congregational	ReligiousAffiliation
0-L	1067	Disciples of Christ	ReligiousAffiliation
0-L	1068	Eastern Orthodox	ReligiousAffiliation
0-L	1069	Episcopalian	ReligiousAffiliation
0-L	1070	Evangelical Covenant	ReligiousAffiliation
0-L	1071	Friends	ReligiousAffiliation
0-L	1072	Full Gospel	ReligiousAffiliation
0-L	1073	Methodist	ReligiousAffiliation
0-L	1074	Native American	ReligiousAffiliation

0-L	1075	Nazarene	ReligiousAffiliation
0-L	1076	Presbyterian	ReligiousAffiliation
0-L	1077	Protestant	ReligiousAffiliation
0-L	1078	Protestant, No Denomination	ReligiousAffiliation
0-L	1079	Reformed	ReligiousAffiliation
0-L	1080	Salvation Army	ReligiousAffiliation
0-L	1081	Unitarian Universalist	ReligiousAffiliation
0-L	1082	United Church of Christ	ReligiousAffiliation

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.43 RoleClassMutualRelationship 2.16.840.1.113883.1.11.19316 - 2014-03-26 (DEFN=UV=VO=1360-20160323)

 (aus Repository: ad2bbr-)



Id	2.16.840.1.113883.1.11.19316  ad2bbr-	Gültigkeit	2014-03-26
Status	 Definitiv	Versions-Label	DEFN=UV=VO=1360-20160323
Name	RoleClassMutualRelationship	Anzeigename	RoleClassMutualRelationship
Beschreibung	 History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26 description: A relationship that is based on mutual behavior of the two Entities as being related. The basis of such relationship may be agreements (e.g., spouses, contract parties) or they may be <i>de facto</i> behavior (e.g. friends) or may be an incidental involvement with each other (e.g. parties over a dispute, siblings, children).		
Quell-Codesystem	2.16.840.1.113883.5.110 - Role Class		
<input type="button" value="Alles ausklappen"/> <input type="button" value="Alles einklappen"/>			
Level/ Typ	Code	Anzeigename	Codesystem


1-A	_RoleClassRelationshipFormal	RoleClassRelationshipFormal	Role Class
2-L	AFFL	affiliate	Role Class
2-S	AGNT	agent	Role Class
3-S	ASSIGNED	assigned entity	Role Class
4-L	COMPAR	commissioning party	Role Class
4-L	SGNOFF	signing authority or officer	Role Class
3-S	CON	contact	Role Class
4-L	ECON	emergency contact	Role Class
4-L	NOK	next of kin	Role Class
3-L	GUARD	guardian	Role Class
2-L	CIT	citizen	Role Class
2-S	COVPTY	covered party	Role Class
3-L	CLAIM	claimant	Role Class
3-S	NAMED	named insured	Role Class
4-L	DEPEN	dependent	Role Class
4-L	INDIV	individual	Role Class
4-L	SUBSCR	subscriber	Role Class
3-L	PROG	program eligible	Role Class
2-L	CRINV	clinical research investigator	Role Class
2-L	CRSPNSR	clinical research sponsor	Role Class
2-S	EMP	employee	Role Class
3-L	MIL	military person	Role Class

2-L	GUAR	guarantor GuarantorRole	Role Class
2-S	INVSBJ	Investigation Subject	Role Class
3-L	CASEBJ	Case Subject	Role Class
3-L	RESBJ	research subject	Role Class
2-S	LIC	licensed entity	Role Class
3-L	NOT	notary public	Role Class
3-L	PROV	healthcare provider	Role Class
2-L	PAT	patient	Role Class
2-L	PAYEE	payee	Role Class
2-L	PAYOR	invoice payor	Role Class
2-L	POLHOLD	policy holder	Role Class
2-L	QUAL	qualified entity	Role Class
2-L	SPNSR	coverage sponsor	Role Class
2-L	STD	student	Role Class
2-L	UNDWRT	underwriter	Role Class
1-L	CAREGIVER	caregiver	Role Class
1-L	PRS	personal relationship	Role Class

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.




5.1.44 RoleStatus 2.16.840.1.113883.1.11.15999 - 2014-03-26 (DEFN=UV=VO=1360-20160323) (aus Repository: ad2bbr-)

Id	2.16.840.1.113883.1.11.15999  ad2bbr-	Gültigkeit	2014-03-26
Status	 Definitiv	Versions-Label	DEFN=UV=VO=1360-20160323

Name	RoleStatus	Anzeigename	RoleStatus
Beschreibung	 History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26 description: Codes representing the defined possible states of an Role, as defined by the Role class state machine.		
Quell-Codesystem	2.16.840.1.113883.5.1068 - Role Status		
<input type="button" value="Alles ausklappen"/> <input type="button" value="Alles einklappen"/>			
Level/ Typ	Code	Anzeigename	Codesystem
0-S	normal	normal	Role Status
1-L	active	active	Role Status
1-L	cancelled	cancelled	Role Status
1-L	pending	pending	Role Status
1-L	suspended	suspended	Role Status
1-L	terminated	terminated	Role Status
0-L	nullified	nullified	Role Status

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.45  **RouteOfAdministration 2.16.840.1.113883.1.11.14581 - 2014-03-26 (DEFN=UV=VO=1360-20160323)  (aus Repository: ad2bbr-)**

Id	2.16.840.1.113883.1.11.14581  ad2bbr-	Gültigkeit	2014-03-26
Status	 Definitiv	Versions-Label	DEFN=UV=VO=1360-20160323
Name	RouteOfAdministration	Anzeigename	RouteOfAdministration
Beschreibung	 History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26 description:		

The path the administered medication takes to get into the body or into contact with the body.

Quell-Codesystem

2.16.840.1.113883.5.112 - *Route Of Administration*

Level/ Typ	Code	Anzeigename	Codesystem
1-L	SOAK	Immersion (soak)	Route Of Administration
1-L	SHAMPOO	Shampoo	Route Of Administration
1-L	TRNSLING	Translingual	Route Of Administration
1-L	PO	Swallow, oral	Route Of Administration
1-L	GARGLE	Gargle	Route Of Administration
1-L	SUCK	Suck, oromucosal	Route Of Administration
1-A	_Chew	Chew	Route Of Administration
2-L	CHEW	Chew, oral	Route Of Administration
1-A	_Diffusion	Diffusion	Route Of Administration
2-L	EXTCORPDIF	Diffusion, extracorporeal	Route Of Administration
2-L	HEMODIFF	Diffusion, hemodialysis	Route Of Administration
2-L	TRNSDERMD	Diffusion, transdermal	Route Of Administration
1-A	_Dissolve	Dissolve	Route Of Administration
2-L	DISSOLVE	Dissolve, oral	Route Of Administration
2-L	SL	Dissolve, sublingual	Route Of Administration
1-A	_Douche	Douche	Route Of Administration
2-L	DOUCHE	Douche, vaginal	Route Of Administration

1-A	_ElectroOsmosisRoute	ElectroOsmosisRoute	Route Of Administration
2-L	ELECTOSMOS	Electro-osmosis	Route Of Administration
1-A	_Enema	Enema	Route Of Administration
2-L	ENEMA	Enema, rectal	Route Of Administration
2-L	RETENEMA	Enema, rectal retention	Route Of Administration
1-A	_Flush	Flush	Route Of Administration
2-L	IVFLUSH	Flush, intravenous catheter	Route Of Administration
1-A	_Implantation	Implantation	Route Of Administration
2-L	IDIMPLNT	Implantation, intradermal	Route Of Administration
2-L	IVITIMPLNT	Implantation, intravitreal	Route Of Administration
2-L	SQIMPLNT	Implantation, subcutaneous	Route Of Administration
1-A	_Infusion	Infusion	Route Of Administration
2-L	EPI	Infusion, epidural	Route Of Administration
2-L	IA	Infusion, intraarterial catheter	Route Of Administration
2-L	IC	Infusion, intracardiac	Route Of Administration
2-L	ICOR	Infusion, intracoronary	Route Of Administration
2-L	IOSSC	Infusion, intraosseous, continuous	Route Of Administration
2-L	IT	Infusion, intrathecal	Route Of Administration
2-S	IV	Infusion, intravenous	Route Of Administration
3-L	IVC	Infusion, intravenous catheter	Route Of Administration
3-L	IVCC	Infusion, intravenous catheter, continuous	Route Of Administration
3-L	IVCI	Infusion, intravenous catheter, intermittent	Route Of Administration

3-L	PCA	Infusion, intravenous catheter, pca pump	Route Of Administration
2-L	IVASCINFUS	Infusion, intravascular	Route Of Administration
2-L	SQINFUS	Infusion, subcutaneous	Route Of Administration
1-A	_Inhalation	Inhalation	Route Of Administration
2-S	IPINHL	Inhalation, respiratory Inhalation, intrapulmonary Inhalation, oral	Route Of Administration
3-L	ORIFINHL	Inhalation, oral intermittent flow	Route Of Administration
3-L	REBREATH	Inhalation, oral rebreather mask	Route Of Administration
2-S	ORINHL	Inhalation, respiratory Inhalation, intrapulmonary Inhalation, oral	Route Of Administration
3-L	ORIFINHL	Inhalation, oral intermittent flow	Route Of Administration
3-L	REBREATH	Inhalation, oral rebreather mask	Route Of Administration
2-S	RESPINHL	Inhalation, respiratory Inhalation, intrapulmonary Inhalation, oral	Route Of Administration
3-L	ORIFINHL	Inhalation, oral intermittent flow	Route Of Administration
3-L	REBREATH	Inhalation, oral rebreather mask	Route Of Administration
2-L	IPPB	Inhalation, intermittent positive pressure breathing (ippb)	Route Of Administration
2-S	NASINHL	Inhalation, nasal	Route Of Administration
3-L	NASINHLC	Inhalation, nasal cannula Inhalation, nasal, prongs	Route Of Administration
3-L	NP	Inhalation, nasal cannula Inhalation, nasal, prongs	Route Of Administration
2-S	NEB	Inhalation, nebulization	Route Of Administration
3-L	NASNEB	Inhalation, nebulization, nasal	Route Of Administration
3-L	ORNEB	Inhalation, nebulization, oral	Route Of Administration
2-L	TRACH	Inhalation, tracheostomy	Route Of Administration
2-L	VENT	Inhalation, ventilator	Route Of Administration

2-L	VENTMASK	Inhalation, ventimask	Route Of Administration
1-A	_Injection	Injection	Route Of Administration
2-L	AMNINJ	Injection, amniotic fluid	Route Of Administration
2-L	BILINJ	Injection, biliary tract	Route Of Administration
2-L	CHOLINJ	Injection, for cholangiography	Route Of Administration
2-L	CERVINJ	Injection, cervical	Route Of Administration
2-L	EPIDURINJ	Injection, epidural	Route Of Administration
2-L	EPIINJ	Injection, epidural, push	Route Of Administration
2-L	EPINJSP	Injection, epidural, slow push	Route Of Administration
2-L	EXTRAMNINJ	Injection, extra-amniotic	Route Of Administration
2-L	EXTCORPINJ	Injection, extracorporeal	Route Of Administration
2-L	GBINJ	Injection, gastric button	Route Of Administration
2-L	GINGINJ	Injection, gingival	Route Of Administration
2-L	BLADINJ	Injection, urinary bladder	Route Of Administration
2-L	ENDOSININJ	Injection, endosinusal	Route Of Administration
2-L	HEMOPORT	Injection, hemodialysis port	Route Of Administration
2-L	IABDINJ	Injection, intra-abdominal	Route Of Administration
2-S	IAINJ	Injection, intraarterial	Route Of Administration
3-L	IAINJP	Injection, intraarterial, push	Route Of Administration
3-L	IAINJSP	Injection, intraarterial, slow push	Route Of Administration
2-L	IARTINJ	Injection, intraarticular	Route Of Administration
2-L	IBURSINJ	Injection, intrabursal	Route Of Administration

2-S	ICARDINJ	Injection, intracardiac	Route Of Administration
3-L	ICARDINJRP	Injection, intracardiac, rapid push	Route Of Administration
3-L	ICARDINJSP	Injection, intracardiac, slow push	Route Of Administration
3-L	ICARINJP	Injection, intracardiac, push	Route Of Administration
2-L	ICARTINJ	Injection, intracartilaginous	Route Of Administration
2-L	ICAUDINJ	Injection, intracaudal	Route Of Administration
2-L	ICAVINJ	Injection, intracavernous	Route Of Administration
2-L	ICAVITINJ	Injection, intracavitary	Route Of Administration
2-L	ICEREBINJ	Injection, intracerebral	Route Of Administration
2-L	ICISTERNINJ	Injection, intracisternal	Route Of Administration
2-S	ICORONINJ	Injection, intracoronary	Route Of Administration
3-L	ICORONINJP	Injection, intracoronary, push	Route Of Administration
2-L	ICORPCAVINJ	Injection, intracorporis cavernosum	Route Of Administration
2-L	IDINJ	Injection, intradermal	Route Of Administration
2-L	IDISCINJ	Injection, intradiscal	Route Of Administration
2-L	IDUCTINJ	Injection, intraductal	Route Of Administration
2-L	IDURINJ	Injection, intradural	Route Of Administration
2-L	IEPIDINJ	Injection, intraepidermal	Route Of Administration
2-L	IEPITHINJ	Injection, intraepithelial	Route Of Administration
2-L	ILESINJ	Injection, intralesional	Route Of Administration
2-L	ILUMINJ	Injection, intraluminal	Route Of Administration
2-L	ILYMPJINJ	Injection, intralymphatic	Route Of Administration

2-S	IM	Injection, intramuscular	Route Of Administration
3-L	IMD	Injection, intramuscular, deep	Route Of Administration
3-L	IMZ	Injection, intramuscular, z track	Route Of Administration
2-L	IMEDULINJ	Injection, intramedullary	Route Of Administration
2-L	INTERMENINJ	Injection, interameningeal	Route Of Administration
2-L	INTERSTITINJ	Injection, interstitial	Route Of Administration
2-L	IOINJ	Injection, intraocular	Route Of Administration
2-L	IOSSINJ	Injection, intraosseous	Route Of Administration
2-L	IOVARINJ	Injection, intraovarian	Route Of Administration
2-L	IPCARDINJ	Injection, intrapericardial	Route Of Administration
2-L	IPERINJ	Injection, intraperitoneal	Route Of Administration
2-L	IPINJ	Injection, intrapulmonary	Route Of Administration
2-L	IPLRINJ	Injection, intrapleural	Route Of Administration
2-L	IPOSTINJ	Injection, intraprostatic	Route Of Administration
2-L	IPUMPINJ	Injection, insulin pump	Route Of Administration
2-L	ISINJ	Injection, intraspinal	Route Of Administration
2-L	ISTERINJ	Injection, intrasternal	Route Of Administration
2-L	ISYNINJ	Injection, intrasynovial	Route Of Administration
2-L	ITENDINJ	Injection, intratendinous	Route Of Administration
2-L	ITESTINJ	Injection, intratesticular	Route Of Administration
2-L	ITHORINJ	Injection, intrathoracic	Route Of Administration
2-L	ITINJ	Injection, intrathecal	Route Of Administration

2-L	ITUBINJ	Injection, intratubular	Route Of Administration
2-L	ITUMINJ	Injection, intratumor	Route Of Administration
2-L	ITYMPINJ	Injection, intratympanic	Route Of Administration
2-L	IUINJ	Injection, intrauterine	Route Of Administration
2-L	IUINJC	Injection, intracervical (uterus)	Route Of Administration
2-L	IURETINJ	Injection, intraureteral, retrograde	Route Of Administration
2-L	IVASCINJ	Injection, intravascular	Route Of Administration
2-L	IVENTINJ	Injection, intraventricular (heart)	Route Of Administration
2-L	IVESINJ	Injection, intravesicle	Route Of Administration
2-S	IVINJ	Injection, intravenous	Route Of Administration
3-L	IVINJBOL	Injection, intravenous, bolus	Route Of Administration
3-L	IVPUSH	Injection, intravenous, push	Route Of Administration
3-L	IVRPUSH	Injection, intravenous, rapid push	Route Of Administration
3-L	IVSPUSH	Injection, intravenous, slow push	Route Of Administration
2-L	IVITINJ	Injection, intravitreal	Route Of Administration
2-L	PAINJ	Injection, periarticular	Route Of Administration
2-L	PARENTINJ	Injection, parenteral	Route Of Administration
2-L	PDONTINJ	Injection, periodontal	Route Of Administration
2-L	PDPINJ	Injection, peritoneal dialysis port	Route Of Administration
2-L	PDURINJ	Injection, peridural	Route Of Administration
2-L	PNINJ	Injection, perineural	Route Of Administration
2-L	PNSINJ	Injection, paranasal sinuses	Route Of Administration

2-L	RBINJ	Injection, retrobulbar	Route Of Administration
2-L	SCINJ	Injection, subconjunctival	Route Of Administration
2-L	SLESINJ	Injection, sublesional	Route Of Administration
2-L	SOFTISINJ	Injection, soft tissue	Route Of Administration
2-L	SQ	Injection, subcutaneous	Route Of Administration
2-L	SUBARACHINJ	Injection, subarachnoid	Route Of Administration
2-L	SUBMUCINJ	Injection, submucosal	Route Of Administration
2-L	TRPLACINJ	Injection, transplacental	Route Of Administration
2-L	TRTRACHINJ	Injection, transtracheal	Route Of Administration
2-L	URETHINJ	Injection, urethral	Route Of Administration
2-L	URETINJ	Injection, ureteral	Route Of Administration
1-A	_Insertion	Insertion	Route Of Administration
2-L	CERVINS	Insertion, cervical (uterine)	Route Of Administration
2-L	IOSURGINS	Insertion, intraocular, surgical	Route Of Administration
2-L	IU	Insertion, intrauterine	Route Of Administration
2-L	LPINS	Insertion, lacrimal puncta	Route Of Administration
2-L	PR	Insertion, rectal	Route Of Administration
2-L	SQSURGINS	Insertion, subcutaneous, surgical	Route Of Administration
2-L	URETHINS	Insertion, urethral	Route Of Administration
2-L	VAGINSI	Insertion, vaginal	Route Of Administration
1-A	_Instillation	Instillation	Route Of Administration
2-L	CECINSTL	Instillation, cecostomy	Route Of Administration

2-L	EFT	Instillation, enteral feeding tube	Route Of Administration
2-L	ENTINSTL	Instillation, enteral	Route Of Administration
2-L	GT	Instillation, gastrostomy tube	Route Of Administration
2-L	NGT	Instillation, nasogastric tube	Route Of Administration
2-L	OGT	Instillation, orogastric tube	Route Of Administration
2-L	BLADINSTL	Instillation, urinary catheter	Route Of Administration
2-L	CAPDINSTL	Instillation, continuous ambulatory peritoneal dialysis port	Route Of Administration
2-L	CTINSTL	Instillation, chest tube	Route Of Administration
2-L	ETINSTL	Instillation, endotracheal tube	Route Of Administration
2-L	GJT	Instillation, gastro-jejunostomy tube	Route Of Administration
2-L	IBRONCHINSTIL	Instillation, intrabronchial	Route Of Administration
2-L	IDUODINSTIL	Instillation, intraduodenal	Route Of Administration
2-L	IESOPHINSTIL	Instillation, intraesophageal	Route Of Administration
2-L	IGASTINSTIL	Instillation, intragastric	Route Of Administration
2-L	IILEALINJ	Instillation, intraileal	Route Of Administration
2-L	IOINSTL	Instillation, intraocular	Route Of Administration
2-L	ISININSTIL	Instillation, intrasinal	Route Of Administration
2-L	ITRACHINSTIL	Instillation, intratracheal	Route Of Administration
2-L	IUINSTL	Instillation, intrauterine	Route Of Administration
2-L	JJTINSTL	Instillation, jejunostomy tube	Route Of Administration
2-L	LARYNGINSTIL	Instillation, laryngeal	Route Of Administration
2-L	NASALINSTIL	Instillation, nasal	Route Of Administration

2-L	NASOGASINSTIL	Instillation, nasogastric	Route Of Administration
2-L	NTT	Instillation, nasotracheal tube	Route Of Administration
2-L	OJJ	Instillation, orojejenum tube	Route Of Administration
2-L	OT	Instillation, otic	Route Of Administration
2-L	PDPINSTL	Instillation, peritoneal dialysis port	Route Of Administration
2-L	PNSINSTL	Instillation, paranasal sinuses	Route Of Administration
2-S	RECINSTL	Instillation, rectal	Route Of Administration
3-L	RECTINSTL	Instillation, rectal tube	Route Of Administration
2-L	SININSTIL	Instillation, sinus, unspecified	Route Of Administration
2-L	SOFTISINSTIL	Instillation, soft tissue	Route Of Administration
2-L	TRACHINSTL	Instillation, tracheostomy	Route Of Administration
2-L	TRTYMPINSTIL	Instillation, transtympanic	Route Of Administration
2-L	URETHINSTL	instillation, urethral	Route Of Administration
1-A	_IontophoresisRoute	IontophoresisRoute	Route Of Administration
2-L	IONTO	Topical application, iontophoresis	Route Of Administration
1-A	_Irrigation	Irrigation	Route Of Administration
2-L	GUIRR	Irrigation, genitourinary	Route Of Administration
2-L	IGASTIRR	Irrigation, intragastric	Route Of Administration
2-L	ILESIRR	Irrigation, intralesional	Route Of Administration
2-L	IOIRR	Irrigation, intraocular	Route Of Administration
2-S	BLADIRR	Irrigation, urinary bladder	Route Of Administration
3-L	BLADIRRC	Irrigation, urinary bladder, continuous	Route Of Administration

3-L	BLADIRRT	Irrigation, urinary bladder, tidal	Route Of Administration
2-L	RECIRR	Irrigation, rectal	Route Of Administration
1-A	_LavageRoute	LavageRoute	Route Of Administration
2-L	IGASTLAV	Lavage, intragastric	Route Of Administration
1-A	_MucosalAbsorptionRoute	MucosalAbsorptionRoute	Route Of Administration
2-L	IDOUDMAB	Mucosal absorption, intraduodenal	Route Of Administration
2-L	ITRACHMAB	Mucosal absorption, intratracheal	Route Of Administration
2-L	SMUCMAB	Mucosal absorption, submucosal	Route Of Administration
1-A	_Nebulization	Nebulization	Route Of Administration
2-L	ETNEB	Nebulization, endotracheal tube	Route Of Administration
1-A	_Rinse	Rinse	Route Of Administration
2-L	DENRINSE	Rinse, dental	Route Of Administration
2-L	ORRINSE	Rinse, oral	Route Of Administration
1-A	_SuppositoryRoute	SuppositoryRoute	Route Of Administration
2-L	URETHSUP	Suppository, urethral	Route Of Administration
1-A	_Swish	Swish	Route Of Administration
2-L	SWISHSPIT	Swish and spit out, oromucosal	Route Of Administration
2-L	SWISHSWAL	Swish and swallow, oromucosal	Route Of Administration
1-A	_TopicalAbsorptionRoute	TopicalAbsorptionRoute	Route Of Administration
2-L	TTYMPTABSORP	Topical absorption, transtympanic	Route Of Administration
1-A	_TopicalApplication	TopicalApplication	Route Of Administration
2-L	DRESS	Topical application, soaked dressing	Route Of Administration

2-L	IONTO	Topical application, iontophoresis	Route Of Administration
2-L	SWAB	Topical application, swab	Route Of Administration
2-L	TOPICAL	Topical	Route Of Administration
2-L	BUC	Topical application, buccal	Route Of Administration
2-L	CERV	Topical application, cervical	Route Of Administration
2-L	DEN	Topical application, dental	Route Of Administration
2-L	GIN	Topical application, gingival	Route Of Administration
2-L	HAIR	Topical application, hair	Route Of Administration
2-L	ICORNTA	Topical application, intracorneal	Route Of Administration
2-L	ICORONTA	Topical application, intracoronal (dental)	Route Of Administration
2-L	IESOPHTA	Topical application, intraesophageal	Route Of Administration
2-L	IILEALTA	Topical application, intraileal	Route Of Administration
2-L	ILTOP	Topical application, intralesional	Route Of Administration
2-L	ILUMTA	Topical application, intraluminal	Route Of Administration
2-L	IOTOP	Topical application, intraocular	Route Of Administration
2-L	LARYNGTA	Topical application, laryngeal	Route Of Administration
2-L	MUC	Topical application, mucous membrane	Route Of Administration
2-L	NAIL	Topical application, nail	Route Of Administration
2-L	NASAL	Topical application, nasal	Route Of Administration
2-L	OPHTHALTA	Topical application, ophthalmic	Route Of Administration
2-L	ORALTA	Topical application, oral	Route Of Administration
2-L	ORMUC	Topical application, oromucosal	Route Of Administration

2-L	OROPHARTA	Topical application, oropharyngeal	Route Of Administration
2-L	PERIANAL	Topical application, perianal	Route Of Administration
2-L	PERINEAL	Topical application, perineal	Route Of Administration
2-L	PDONTTA	Topical application, periodontal	Route Of Administration
2-L	RECTAL	Topical application, rectal	Route Of Administration
2-L	SCALP	Topical application, scalp	Route Of Administration
2-L	OCDRESTA	Occlusive dressing technique	Route Of Administration
2-L	SKIN	Topical application, skin	Route Of Administration
2-L	SUBCONJTA	Subconjunctival	Route Of Administration
2-L	TMUCTA	Topical application, transmucosal	Route Of Administration
2-L	VAGINS	Topical application, vaginal	Route Of Administration
1-L	INSUF	Insufflation	Route Of Administration
1-S	TRNSDERM	Transdermal	Route Of Administration
2-L	TRNSDERMD	Diffusion, transdermal	Route Of Administration
1-S	TRNSDERM	Transdermal	Route Of Administration
2-L	TRNSDERMD	Diffusion, transdermal	Route Of Administration
1-A	_AmnioticFluidSacRoute	AmnioticFluidSacRoute	Route Of Administration
2-L	AMNINJ	Injection, amniotic fluid	Route Of Administration
1-A	_BiliaryRoute	BiliaryRoute	Route Of Administration
2-L	BILINJ	Injection, biliary tract	Route Of Administration
2-L	CHOLINJ	Injection, for cholangiography	Route Of Administration
1-A	_BodySurfaceRoute	BodySurfaceRoute	Route Of Administration

2-L	DRESS	Topical application, soaked dressing	Route Of Administration
2-L	ELECTOSMOS	Electro-osmosis	Route Of Administration
2-L	IONTO	Topical application, iontophoresis	Route Of Administration
2-L	SOAK	Immersion (soak)	Route Of Administration
2-L	SWAB	Topical application, swab	Route Of Administration
2-L	TOPICAL	Topical	Route Of Administration
1-A	_BuccalMucosaRoute	BuccalMucosaRoute	Route Of Administration
2-L	BUC	Topical application, buccal	Route Of Administration
1-A	_CecostomyRoute	CecostomyRoute	Route Of Administration
2-L	CECINSTL	Instillation, cecostomy	Route Of Administration
1-A	_CervicalRoute	CervicalRoute	Route Of Administration
2-L	CERV	Topical application, cervical	Route Of Administration
2-L	CERVINJ	Injection, cervical	Route Of Administration
2-L	CERVINS	Insertion, cervical (uterine)	Route Of Administration
2-L	DEN	Topical application, dental	Route Of Administration
2-L	DENRINSE	Rinse, dental	Route Of Administration
1-A	_EndocervicalRoute	EndocervicalRoute	Route Of Administration
2-L	AMNINJ	Injection, amniotic fluid	Route Of Administration
2-L	BILINJ	Injection, biliary tract	Route Of Administration
1-A	_EnteralRoute	EnteralRoute	Route Of Administration
2-L	EFT	Instillation, enteral feeding tube	Route Of Administration
2-L	ENTINSTL	Instillation, enteral	Route Of Administration

1-A	_EpiduralRoute	EpiduralRoute	Route Of Administration
2-L	EPI	Infusion, epidural	Route Of Administration
2-L	EPIDURINJ	Injection, epidural	Route Of Administration
2-L	EPIINJ	Injection, epidural, push	Route Of Administration
2-L	EPINJSP	Injection, epidural, slow push	Route Of Administration
1-A	_ExtraAmnioticRoute	ExtraAmnioticRoute	Route Of Administration
2-L	EXTRAMNINJ	Injection, extra-amniotic	Route Of Administration
1-A	_ExtracorporealCirculationRoute	ExtracorporealCirculationRoute	Route Of Administration
2-L	EXTCORPDIF	Diffusion, extracorporeal	Route Of Administration
2-L	EXTCORPINJ	Injection, extracorporeal	Route Of Administration
1-A	_GastricRoute	GastricRoute	Route Of Administration
2-L	GBINJ	Injection, gastric button	Route Of Administration
2-L	GT	Instillation, gastrostomy tube	Route Of Administration
2-L	NGT	Instillation, nasogastric tube	Route Of Administration
2-L	OGT	Instillation, orogastric tube	Route Of Administration
1-A	_GenitourinaryRoute	GenitourinaryRoute	Route Of Administration
2-L	GUIRR	Irrigation, genitourinary	Route Of Administration
1-A	_GingivalRoute	GingivalRoute	Route Of Administration
2-L	GIN	Topical application, gingival	Route Of Administration
2-L	GINGINJ	Injection, gingival	Route Of Administration
1-A	_HairRoute	HairRoute	Route Of Administration
2-L	HAIR	Topical application, hair	Route Of Administration

2-L	SHAMPOO	Shampoo	Route Of Administration
1-A	_InterameningealRoute	InterameningealRoute	Route Of Administration
2-L	INTERMENINJ	Injection, interameningeal	Route Of Administration
1-A	_InterstitialRoute	InterstitialRoute	Route Of Administration
2-L	INTERSTITINJ	Injection, interstitial	Route Of Administration
1-A	_IntraabdominalRoute	IntraabdominalRoute	Route Of Administration
2-L	IABDINJ	Injection, intra-abdominal	Route Of Administration
1-A	_IntraarterialRoute	IntraarterialRoute	Route Of Administration
2-L	IA	Infusion, intraarterial catheter	Route Of Administration
2-S	IAINJ	Injection, intraarterial	Route Of Administration
3-L	IAINJP	Injection, intraarterial, push	Route Of Administration
3-L	IAINJSP	Injection, intraarterial, slow push	Route Of Administration
1-A	_IntraarticularRoute	IntraarticularRoute	Route Of Administration
2-L	IARTINJ	Injection, intraarticular	Route Of Administration
1-A	_IntrabronchialRoute	IntrabronchialRoute	Route Of Administration
2-L	IBRONCHINSTIL	Instillation, intrabronchial	Route Of Administration
1-A	_IntrabursalRoute	IntrabursalRoute	Route Of Administration
2-L	IBURSINJ	Injection, intrabursal	Route Of Administration
1-A	_IntracardiacRoute	IntracardiacRoute	Route Of Administration
2-L	IC	Infusion, intracardiac	Route Of Administration
2-S	ICARDINJ	Injection, intracardiac	Route Of Administration
3-L	ICARDINJRP	Injection, intracardiac, rapid push	Route Of Administration

3-L	ICARDINJSP	Injection, intracardiac, slow push	Route Of Administration
3-L	ICARINJP	Injection, intracardiac, push	Route Of Administration
1-A	_IntracartilaginousRoute	IntracartilaginousRoute	Route Of Administration
2-L	ICARTINJ	Injection, intracartilaginous	Route Of Administration
1-A	_IntracaudalRoute	IntracaudalRoute	Route Of Administration
2-L	ICAUDINJ	Injection, intracaudal	Route Of Administration
1-A	_IntracavernosalRoute	IntracavernosalRoute	Route Of Administration
2-L	ICAVINJ	Injection, intracavernous	Route Of Administration
1-A	_IntracavitaryRoute	IntracavitaryRoute	Route Of Administration
2-L	ICAVITINJ	Injection, intracavitary	Route Of Administration
1-A	_IntracerebralRoute	IntracerebralRoute	Route Of Administration
2-L	ICEREBINJ	Injection, intracerebral	Route Of Administration
1-A	_IntracervicalRoute	IntracervicalRoute	Route Of Administration
2-L	IUINJC	Injection, intracervical (uterus)	Route Of Administration
1-A	_IntracisternalRoute	IntracisternalRoute	Route Of Administration
2-L	ICISTERNINJ	Injection, intracisternal	Route Of Administration
1-A	_IntracornealRoute	IntracornealRoute	Route Of Administration
2-L	ICORNTA	Topical application, intracorneal	Route Of Administration
1-A	_IntracoronalRoute	IntracoronalRoute	Route Of Administration
2-L	ICORONTA	Topical application, intracoronal (dental)	Route Of Administration
1-A	_IntracoronaryRoute	IntracoronaryRoute	Route Of Administration
2-L	ICOR	Infusion, intracoronary	Route Of Administration

2-S	ICORONINJ	Injection, intracoronary	Route Of Administration
3-L	ICORONINJP	Injection, intracoronary, push	Route Of Administration
1-A	_IntracorporusCavernosumRoute	IntracorporusCavernosumRoute	Route Of Administration
2-L	ICORPCAVINJ	Injection, intracorporus cavernosum	Route Of Administration
1-A	_IntradermalRoute	IntradermalRoute	Route Of Administration
2-L	IDIMPLNT	Implantation, intradermal	Route Of Administration
2-L	IDINJ	Injection, intradermal	Route Of Administration
1-A	_IntradiscalRoute	IntradiscalRoute	Route Of Administration
2-L	IDISCINJ	Injection, intradiscal	Route Of Administration
1-A	_IntraductalRoute	IntraductalRoute	Route Of Administration
2-L	IDUCTINJ	Injection, intraductal	Route Of Administration
1-A	_IntraduodenalRoute	IntraduodenalRoute	Route Of Administration
2-L	IDUODINSTIL	Instillation, intraduodenal	Route Of Administration
2-L	IDOUDMAB	Mucosal absorption, intraduodenal	Route Of Administration
1-A	_IntraduralRoute	IntraduralRoute	Route Of Administration
2-L	IDURINJ	Injection, intradural	Route Of Administration
1-A	_IntraepidermalRoute	IntraepidermalRoute	Route Of Administration
2-L	IEPIDINJ	Injection, intraepidermal	Route Of Administration
1-A	_IntraepithelialRoute	IntraepithelialRoute	Route Of Administration
2-L	IEPITHINJ	Injection, intraepithelial	Route Of Administration
1-A	_IntraesophagealRoute	IntraesophagealRoute	Route Of Administration
2-L	IESOPHINSTIL	Instillation, intraesophageal	Route Of Administration

2-L	IESOPHTA	Topical application, intraesophageal	Route Of Administration
1-A	_IntragastricRoute	IntragastricRoute	Route Of Administration
2-L	IGASTINSTIL	Instillation, intragastric	Route Of Administration
2-L	IGASTIRR	Irrigation, intragastric	Route Of Administration
2-L	IGASTLAV	Lavage, intragastric	Route Of Administration
1-A	_IntrailealRoute	IntrailealRoute	Route Of Administration
2-L	IILEALINJ	Instillation, intraileal	Route Of Administration
2-L	IILEALTA	Topical application, intraileal	Route Of Administration
1-A	_IntralesionalRoute	IntralesionalRoute	Route Of Administration
2-L	ILESINJ	Injection, intralesional	Route Of Administration
2-L	ILESIRR	Irrigation, intralesional	Route Of Administration
2-L	ILTOP	Topical application, intralesional	Route Of Administration
1-A	_IntraluminalRoute	IntraluminalRoute	Route Of Administration
2-L	ILUMINJ	Injection, intraluminal	Route Of Administration
2-L	ILUMTA	Topical application, intraluminal	Route Of Administration
1-A	_IntralymphaticRoute	IntralymphaticRoute	Route Of Administration
2-L	ILYMPJINJ	Injection, intralymphatic	Route Of Administration
1-A	_IntramedullaryRoute	IntramedullaryRoute	Route Of Administration
2-L	IMEDULINJ	Injection, intramedullary	Route Of Administration
1-A	_IntramuscularRoute	IntramuscularRoute	Route Of Administration
2-S	IM	Injection, intramuscular	Route Of Administration
3-L	IMD	Injection, intramuscular, deep	Route Of Administration

3-L	IMZ	Injection, intramuscular, z track	Route Of Administration
1-A	_IntraocularRoute	IntraocularRoute	Route Of Administration
2-L	IOINJ	Injection, intraocular	Route Of Administration
2-L	IOSURGINS	Insertion, intraocular, surgical	Route Of Administration
2-L	IOINSTL	Instillation, intraocular	Route Of Administration
2-L	IOIRR	Irrigation, intraocular	Route Of Administration
2-L	IOTOP	Topical application, intraocular	Route Of Administration
1-A	_IntraosseousRoute	IntraosseousRoute	Route Of Administration
2-L	IOSSC	Infusion, intraosseous, continuous	Route Of Administration
2-L	IOSSINJ	Injection, intraosseous	Route Of Administration
1-A	_IntraovarianRoute	IntraovarianRoute	Route Of Administration
2-L	IOVARINJ	Injection, intraovarian	Route Of Administration
1-A	_IntrapericardialRoute	IntrapericardialRoute	Route Of Administration
2-L	IPCARDINJ	Injection, intrapericardial	Route Of Administration
1-A	_IntraperitonealRoute	IntraperitonealRoute	Route Of Administration
2-L	IPERINJ	Injection, intraperitoneal	Route Of Administration
2-L	PDPINJ	Injection, peritoneal dialysis port	Route Of Administration
2-L	CAPDINSTL	Instillation, continuous ambulatory peritoneal dialysis port	Route Of Administration
2-L	PDPINSTL	Instillation, peritoneal dialysis port	Route Of Administration
1-A	_IntrapleuralRoute	IntrapleuralRoute	Route Of Administration
2-L	IPLRINJ	Injection, intrapleural	Route Of Administration
2-L	CTINSTL	Instillation, chest tube	Route Of Administration

1-A	_IntraprostaticRoute	IntraprostaticRoute	Route Of Administration
2-L	IPOSTINJ	Injection, intraprostatic	Route Of Administration
1-A	_IntrapulmonaryRoute	IntrapulmonaryRoute	Route Of Administration
2-L	EXTCORPINJ	Injection, extracorporeal	Route Of Administration
2-L	IPINJ	Injection, intrapulmonary	Route Of Administration
1-A	_IntrasinalRoute	IntrasinalRoute	Route Of Administration
2-L	ISININSTIL	Instillation, intrasinal	Route Of Administration
1-A	_IntraspinalRoute	IntraspinalRoute	Route Of Administration
2-L	ISINJ	Injection, intraspinal	Route Of Administration
1-A	_IntrasternalRoute	IntrasternalRoute	Route Of Administration
2-L	ISTERINJ	Injection, intrasternal	Route Of Administration
1-A	_IntrasynovialRoute	IntrasynovialRoute	Route Of Administration
2-L	ISYNINJ	Injection, intrasynovial	Route Of Administration
1-A	_IntratendinousRoute	IntratendinousRoute	Route Of Administration
2-L	ITENDINJ	Injection, intratendinous	Route Of Administration
1-A	_IntratesticularRoute	IntratesticularRoute	Route Of Administration
2-L	ITESTINJ	Injection, intratesticular	Route Of Administration
1-A	_IntrathecalRoute	IntrathecalRoute	Route Of Administration
2-L	IT	Infusion, intrathecal	Route Of Administration
2-L	ITINJ	Injection, intrathecal	Route Of Administration
1-A	_IntrathoracicRoute	IntrathoracicRoute	Route Of Administration
2-L	ITHORINJ	Injection, intrathoracic	Route Of Administration




1-A	_IntratrachealRoute	IntratrachealRoute	Route Of Administration
2-L	ITRACHINSTIL	Instillation, intratracheal	Route Of Administration
2-L	ITRACHMAB	Mucosal absorption, intratracheal	Route Of Administration
1-A	_IntratubularRoute	IntratubularRoute	Route Of Administration
2-L	ITUBINJ	Injection, intratubular	Route Of Administration
1-A	_IntratumorRoute	IntratumorRoute	Route Of Administration
2-L	ITUMINJ	Injection, intratumor	Route Of Administration
1-A	_IntratympanicRoute	IntratympanicRoute	Route Of Administration
2-L	ITYMPINJ	Injection, intratympanic	Route Of Administration
1-A	_IntrauterineRoute	IntrauterineRoute	Route Of Administration
2-L	IUINJ	Injection, intrauterine	Route Of Administration
2-L	IURETINJ	Injection, intraureteral, retrograde	Route Of Administration
2-L	IU	Insertion, intrauterine	Route Of Administration
2-L	IUINSTL	Instillation, intrauterine	Route Of Administration
1-A	_IntravascularRoute	IntravascularRoute	Route Of Administration
2-L	HEMODIFF	Diffusion, hemodialysis	Route Of Administration
2-L	IVASCINFUS	Infusion, intravascular	Route Of Administration
2-L	HEMOPORT	Injection, hemodialysis port	Route Of Administration
2-L	IVASCINJ	Injection, intravascular	Route Of Administration
1-A	_IntravenousRoute	IntravenousRoute	Route Of Administration
2-L	IVFLUSH	Flush, intravenous catheter	Route Of Administration
2-S	IVINJ	Injection, intravenous	Route Of Administration

3-L	IVINJBOL	Injection, intravenous, bolus	Route Of Administration
3-L	IVPUSH	Injection, intravenous, push	Route Of Administration
3-L	IVRPUSH	Injection, intravenous, rapid push	Route Of Administration
3-L	IVSPUSH	Injection, intravenous, slow push	Route Of Administration
1-A	_IntraventricularRoute	IntraventricularRoute	Route Of Administration
2-L	IVENTINJ	Injection, intraventricular (heart)	Route Of Administration
1-A	_IntravesicleRoute	IntravesicleRoute	Route Of Administration
2-L	IVESINJ	Injection, intravesicle	Route Of Administration
1-A	_IntravitrealRoute	IntravitrealRoute	Route Of Administration
2-L	IVITINJ	Injection, intravitreal	Route Of Administration
1-A	_JejunumRoute	JejunumRoute	Route Of Administration
2-L	GJT	Instillation, gastro-jejunostomy tube	Route Of Administration
2-L	JJTINSTL	Instillation, jejunostomy tube	Route Of Administration
2-L	OJJ	Instillation, orojejunum tube	Route Of Administration
1-A	_LacrimalPunctaRoute	LacrimalPunctaRoute	Route Of Administration
2-L	LPINS	Insertion, lacrimal puncta	Route Of Administration
1-A	_LaryngealRoute	LaryngealRoute	Route Of Administration
2-L	LARYNGINSTIL	Instillation, laryngeal	Route Of Administration
2-L	LARYNGTA	Topical application, laryngeal	Route Of Administration
1-A	_LingualRoute	LingualRoute	Route Of Administration

Dieses Value Set beinhaltet 644 Codes. Um die Publikationsgröße überschaubar zu halten, wird nur eine Auswahl (500 Codes) des ganzen Sets von Codes gezeigt.

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.46 TargetAwareness 2.16.840.1.113883.1.11.10310 - 2014-03-26 (DEFN=UV=VO=1360-20160323) (aus Repository: ad2bbr-)

Id	2.16.840.1.113883.1.11.10310  ad2bbr-	Gültigkeit	2014-03-26
Status	 Definitiv	Versions-Label	DEFN=UV=VO=1360-20160323
Name	TargetAwareness	Anzeigename	TargetAwareness
Beschreibung	 History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26 description: A code specifying the extent to which the Entity playing the participating Role (usually as a target Participation) is aware of the associated Act. <i>Examples:</i> For diagnostic observations, is the patient, family member or other participant aware of his terminal illness? <i>Discussion:</i> If the awareness, denial, unconsciousness, etc. is the subject of medical considerations (e.g., part of the problem list), one should use explicit observations in these matters as well, and should not solely rely on this simple attribute in the Participation.		
Quell-Codesystem	2.16.840.1.113883.5.137 - TargetAwareness		
Level/ Typ	Code	Anzeigename	Codesystem
0-L	D	denying	TargetAwareness
0-L	F	full awareness	TargetAwareness
0-L	I	incapable	TargetAwareness
0-L	M	marginal	TargetAwareness
0-L	P	partial	TargetAwareness
0-L	U	uninformed	TargetAwareness

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.


5.1.47  Geschlecht 2.16.840.1.113883.3.1937.99.61.45.11.11 - 2018-04-23 15:48:01

Id	2.16.840.1.113883.3.1937.99.61.45.11.11	Gültigkeit	2018-04-23 15:48:01
Status	 Entwurf	Versions-Label	
Name	geschlecht	Anzeigename	Geschlecht
Quell-Codesystem	2.16.840.1.113883.5.1 - <i>Administrative Gender</i>		

Level/ Typ	Code	Anzeigename	Codesystem
0-L	F	Female	Administrative Gender
0-L	M	Male	Administrative Gender
0-L	UN	Undifferentiated	Administrative Gender




Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.48  test2 2.16.840.1.113883.3.1937.99.61.45.11.10 - 2018-04-23 10:22:06

Id	2.16.840.1.113883.3.1937.99.61.45.11.10	Gültigkeit	2018-04-23 10:22:06
Status	 Entwurf	Versions-Label	
Name	test2	Anzeigename	test2

5.1.49  x_ActClassDocumentEntryAct 2.16.840.1.113883.1.11.19599 - 2014-03-26 (DEFN=UV=VO=1360-20160323)

 (aus Repository: ad2bbr-)

Id	2.16.840.1.113883.1.11.19599  ad2bbr-	Gültigkeit	2014-03-26
Status	 Definitiv	Versions-Label	DEFN=UV=VO=1360-20160323
Name	x_ActClassDocumentEntryAct	Anzeigename	x_ActClassDocumentEntryAct
Beschreibung	 History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26		

Quell-Codesystem		2.16.840.1.113883.5.6 - ActClass	
Level/ Typ	Code	Anzeigename	Codesystem
0-L	ACCM	accommodation	ActClass
0-S	ACT	act	ActClass
0-L	CONS	consent	ActClass
0-L	CTTEVENT	clinical trial timepoint event	ActClass
0-L	INC	incident	ActClass
0-L	INFRM	inform	ActClass
0-S	PCPR	care provision	ActClass
0-L	REG	registration	ActClass
0-L	SPCTRT	specimen treatment	ActClass
0-L	TRNS	transportation	ActClass

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.50 x_ActClassDocumentEntryOrganizer 2.16.840.1.113883.1.11.19598 - 2014-03-26 (DEFN=UV=VO=1360-20160323)

 (aus Repository: ad2bbr-)

Id	2.16.840.1.113883.1.11.19598  ad2bbr-	Gültigkeit	2014-03-26 Andere Versionen mit dieser Id:
Status	 Definitiv	Versions-Label	DEFN=UV=VO=1360-20160323
Name	x_ActClassDocumentEntryOrganizer	Anzeigename	x_ActClassDocumentEntryOrganizer
Beschreibung	 History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26		
Quell-Codesystem	2.16.840.1.113883.5.6 - ActClass		

Level/ Typ	Code	Anzeigename	Codesystem
0-L	BATTERY	battery	ActClass
0-L	CLUSTER	Cluster	ActClass

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.51 [x_ActClassDocumentEntryOrganizer 2.16.840.1.113883.1.11.19598 - 2011-07-26 \(DEFN=UV=VO=1099-20110726\)](#)

 (aus Repository: ad2bbr-)



Id	2.16.840.1.113883.1.11.19598  ad2bbr-	Gültigkeit	2011-07-26 Andere Versionen mit dieser Id:
Status	 Definitiv	Versions-Label	DEFN=UV=VO=1099-20110726
Name	x_ActClassDocumentEntryOrganizer	Anzeigename	x_ActClassDocumentEntryOrganizer
Quell-Codesystem	2.16.840.1.113883.5.6 - ActClass		


Level/ Typ	Code	Anzeigename	Codesystem
0-L	BATTERY	battery	ActClass
0-L	CLUSTER	Cluster	ActClass

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.52 [x_ActMoodDocumentObservation 2.16.840.1.113883.1.11.18943 - 2014-03-26 \(DEFN=UV=VO=1360-20160323\)](#)

 (aus Repository: ad2bbr-)




Id	2.16.840.1.113883.1.11.18943  ad2bbr-	Gültigkeit	2014-03-26 Andere Versionen mit dieser Id:
Status	 Definitiv	Versions-Label	DEFN=UV=VO=1360-20160323
Name	x_ActMoodDocumentObservation	Anzeigename	x_ActMoodDocumentObservation

Beschreibung	 History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26 description: Used to enumerate the moods that an observation can take within the body of a clinical document.		
Quell-Codesystem	2.16.840.1.113883.5.1001 - <i>Act Mood</i>		
Level/ Typ	Code	Anzeigename	Codesystem
0-L	DEF	definition	Act Mood
0-L	EVN	event (occurrence)	Act Mood
0-L	GOL	Goal	Act Mood
0-S	INT	intent	Act Mood
0-S	PRMS	promise	Act Mood
0-S	PRP	proposal	Act Mood
0-L	RQO	request	Act Mood

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.53 [x_ActMoodDocumentObservation 2.16.840.1.113883.1.11.18943 - 2011-07-26 \(DEFN=UV=VO=1099-20110726\)](#)




 (aus Repository: ad2bbr-)

Id	2.16.840.1.113883.1.11.18943  ad2bbr-	Gültigkeit	2011-07-26 Andere Versionen mit dieser Id:
Status	 Definitiv	Versions-Label	DEFN=UV=VO=1099-20110726
Name	x_ActMoodDocumentObservation	Anzeigename	x_ActMoodDocumentObservation
Beschreibung	 description: Used to enumerate the moods that an observation can take within the body of a clinical document.		

Quell-Codesystem		2.16.840.1.113883.5.1001 - Act Mood	
Level/ Typ	Code	Anzeigename	Codesystem
0-L	DEF	definition	Act Mood
0-L	EVN	event (occurrence)	Act Mood
0-L	GOL	Goal	Act Mood
0-S	INT	intent	Act Mood
0-S	PRMS	promise	Act Mood
0-S	PRP	proposal	Act Mood
0-L	RQO	request	Act Mood

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.54 [x_ActRelationshipEntry 2.16.840.1.113883.1.11.19446 - 2014-03-26 \(DEFN=UV=VO=1360-20160323\)](#) (aus Repository: ad2bbr-)




Id	2.16.840.1.113883.1.11.19446  ad2bbr-	Gültigkeit	2014-03-26
Status	 Definitiv	Versions-Label	DEFN=UV=VO=1360-20160323
Name	x_ActRelationshipEntry	Anzeigename	x_ActRelationshipEntry
Beschreibung	 History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26 description: Used to enumerate the relationships between a CDA section and its contained entries.		
Quell-Codesystem	2.16.840.1.113883.5.1002 - Act Relationship Type		
Level/ Typ	Code	Anzeigename	Codesystem
0-S	COMP	has component	Act Relationship Type

0-L	DRIV	is derived from	Act Relationship Type
-----	------	-----------------	-----------------------

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.55 x_ActRelationshipEntryRelationship 2.16.840.1.113883.1.11.19447 - 2014-03-26 (DEFN=UV=VO=1360-20160323)

 (aus Repository: ad2bbr-)

Id	2.16.840.1.113883.1.11.19447  ad2bbr-	Gültigkeit	2014-03-26
Status	 Definitiv	Versions-Label	DEFN=UV=VO=1360-20160323
Name	x_ActRelationshipEntryRelationship	Anzeigename	x_ActRelationshipEntryRelationship
Beschreibung	 History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26 description: Used to enumerate the relationships between two CDA entries.		
Quell-Codesystem	2.16.840.1.113883.5.1002 - Act Relationship Type		




Level/ Typ	Code	Anzeigename	Codesystem
0-L	CAUS	is etiology for	Act Relationship Type
0-S	COMP	has component	Act Relationship Type
0-L	GEVL	evaluates (goal)	Act Relationship Type
0-L	MFST	is manifestation of	Act Relationship Type
0-S	REFR	refers to	Act Relationship Type
0-S	RSON	has reason	Act Relationship Type
0-S	SAS	starts after start of	Act Relationship Type
0-S	SPRT	has support	Act Relationship Type
0-S	SUBJ	has subject	Act Relationship Type

0-S	XCRPT	Excerpts	Act Relationship Type
-----	-------	----------	-----------------------

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.56 x_ActRelationshipExternalReference 2.16.840.1.113883.1.11.19000 - 2014-03-26 (DEFN=UV=VO=1360-20160323)




 (aus Repository: ad2bbr-)

Id	2.16.840.1.113883.1.11.19000  ad2bbr-	Gültigkeit	2014-03-26
Status	 Definitiv	Versions-Label	DEFN=UV=VO=1360-20160323
Name	x_ActRelationshipExternalReference	Anzeigename	x_ActRelationshipExternalReference
Beschreibung	 History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26 description: Used to enumerate the relationships between a CDA entry and an externally referenced act.		
Quell-Codesystem	2.16.840.1.113883.5.1002 - Act Relationship Type		

Level/ Typ	Code	Anzeigename	Codesystem
0-L	ELNK	episodeLink	Act Relationship Type
0-S	REFR	refers to	Act Relationship Type
0-L	RPLC	replaces	Act Relationship Type
0-S	SPRT	has support	Act Relationship Type
0-S	SUBJ	has subject	Act Relationship Type
0-S	XCRPT	Excerpts	Act Relationship Type

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.57 [x_DocumentActMood 2.16.840.1.113883.1.11.19458 - 2014-03-26 \(DEFN=UV=VO=1360-20160323\)](#) (aus Repository: ad2bbr-)



Id	2.16.840.1.113883.1.11.19458  ad2bbr-	Gültigkeit	2014-03-26
Status	 Definitiv	Versions-Label	DEFN=UV=VO=1360-20160323
Name	x_DocumentActMood	Anzeigename	x_DocumentActMood
Beschreibung	 History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26 description: Used to enumerate the moods that an act can take within the body of a clinical document.		
Quell-Codesystem	2.16.840.1.113883.5.1001 - <i>Act Mood</i>		

Level/ Typ	Code	Anzeigename	Codesystem
0-L	APT	appointment	Act Mood
0-L	ARQ	appointment request	Act Mood
0-L	DEF	definition	Act Mood
0-L	EVN	event (occurrence)	Act Mood
0-S	INT	intent	Act Mood
0-S	PRMS	promise	Act Mood
0-S	PRP	proposal	Act Mood
0-L	RQO	request	Act Mood

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.




5.1.58 [x_DocumentEncounterMood 2.16.840.1.113883.1.11.19459 - 2014-03-26 \(DEFN=UV=VO=1360-20160323\)](#) (aus Repository: ad2bbr-)

Id	2.16.840.1.113883.1.11.19459  ad2bbr-	Gültigkeit	2014-03-26
-----------	--	-------------------	------------

Status	 Definitiv	Versions-Label	DEFN=UV=VO=1360-20160323
Name	x_DocumentEncounterMood	Anzeigename	x_DocumentEncounterMood
Beschreibung	 History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26 description: Used to enumerate the moods that an encounter can take within the body of a clinical document.		
Quell-Codesystem	2.16.840.1.113883.5.1001 - <i>Act Mood</i>		
Level/ Typ	Code	Anzeigename	Codesystem
0-L	APT	appointment	Act Mood
0-L	ARQ	appointment request	Act Mood
0-L	EVN	event (occurrence)	Act Mood
0-S	INT	intent	Act Mood
0-S	PRMS	promise	Act Mood
0-S	PRP	proposal	Act Mood
0-L	RQO	request	Act Mood

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.




5.1.59 [x_DocumentProcedureMood 2.16.840.1.113883.1.11.19460 - 2014-03-26 \(DEFN=UV=VO=1360-20160323\)](#) (aus Repository: ad2bbr-)

Id	2.16.840.1.113883.1.11.19460  ad2bbr-	Gültigkeit	2014-03-26
Status	 Definitiv	Versions-Label	DEFN=UV=VO=1360-20160323
Name	x_DocumentProcedureMood	Anzeigename	x_DocumentProcedureMood
Beschreibung	 History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26 description:		

	Used to enumerate the moods that a procedure can take within the body of a clinical document.		
Quell-Codesystem	2.16.840.1.113883.5.1001 - <i>Act Mood</i>		
Level/ Typ	Code	Anzeigename	Codesystem
0-L	APT	appointment	Act Mood
0-L	ARQ	appointment request	Act Mood
0-L	DEF	definition	Act Mood
0-L	EVN	event (occurrence)	Act Mood
0-S	INT	intent	Act Mood
0-S	PRMS	promise	Act Mood
0-S	PRP	proposal	Act Mood
0-L	RQO	request	Act Mood

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.60  [x_DocumentSubject 2.16.840.1.113883.1.11.19368 - 2014-03-26 \(DEFN=UV=VO=1360-20160323\) !\[\]\(8fbd4fffdfa68ab06dcef2c3bffeef68_img.jpg\) \(aus Repository: ad2bbr-\)](#)




Id	2.16.840.1.113883.1.11.19368  ad2bbr-	Gültigkeit	2014-03-26
Status	 Definitiv	Versions-Label	DEFN=UV=VO=1360-20160323
Name	x_DocumentSubject	Anzeigename	x_DocumentSubject
Beschreibung	 History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26		
Quell-Codesystem	2.16.840.1.113883.5.110 - <i>Role Class</i>		

Level/ Typ	Code	Anzeigename	Codesystem
------------	------	-------------	------------

0-L	PAT	patient	Role Class
0-L	PRS	personal relationship	Role Class

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.61 x_DocumentSubstanceMood 2.16.840.1.113883.1.11.19461 - 2014-03-26 (DEFN=UV=VO=1360-20160323) (aus Repository: ad2bbr-)

Id	2.16.840.1.113883.1.11.19461  ad2bbr-	Gültigkeit	2014-03-26
Status	 Definitiv	Versions-Label	DEFN=UV=VO=1360-20160323
Name	x_DocumentSubstanceMood	Anzeigename	x_DocumentSubstanceMood
Beschreibung	 History description 2014-03-26: Lock all vau sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26 description: Used to enumerate the moods that a substance administration can take within the body of a clinical document.		
Quell-Codesystem	2.16.840.1.113883.5.1001 - Act Mood		


Level/ Typ	Code	Anzeigename	Codesystem
0-L	EVN	event (occurrence)	Act Mood
0-S	INT	intent	Act Mood
0-S	PRMS	promise	Act Mood
0-S	PRP	proposal	Act Mood
0-L	RQO	request	Act Mood







Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.
















6 Templates

6.1 Transaktionsrepräsentierende Templates

6.1.1 Anwendungsfall ASIC 2.16.840.1.113883.3.1937.99.61.45.10.44 - 2018-05-08 15:20:09

Richtung	zu Grunde liegendes Modell	Templatename	Schematron
 registrierend		ASIC	smul-ASIC.sch

Id	2.16.840.1.113883.3.1937.99.61.45.10.44		Gültigkeit	2018-05-08 15:20:09
Status	 Entwurf		Versions-Label	
Name	ASIC		Anzeigename	Anwendungsfall ASIC
Beschreibung	Template CDA ClinicalDocument (prototype, contains ClinicalDocument.component as StructuredBody)			
Kontext	Pfadname //			
Klassifikation	CDA Document Level Template			
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)			
Benutzt von / Benutzt	Benutzt von 1 Transaction und 0 Templates, Benutzt 19 Templates			
	Benutzt von	als	Name	Version
	smul-transaction-15	Transaktion	 ASIC	2018-05-09 09:15:36
	Benutzt	als	Name	Version
	2.16.840.1.113883.3.1937.99.61.45.10.18	Inklusion	 CDA Proband	DYNAMIC
	2.16.840.1.113883.3.1937.99.61.45.10.19	Inklusion	 CDA Autor	DYNAMIC
1.2.276.0.76.10.90006	Inklusion	 CDA effectiveTime	DYNAMIC	
2.16.840.1.113883.3.1937.99.61.45.10.34	Inklusion	 CDA setId and versionNumber	DYNAMIC	

2.16.840.1.113883.10.12.104	Inklusion	 CDA custodian	DYNAMIC
2.16.840.1.113883.3.1937.99.61.45.10.61	Containment	 ASIC adjunktiv supportive Maßnahmen	DYNAMIC
2.16.840.1.113883.3.1937.99.61.45.10.52	Containment	 ASIC Ausschlusskriterien	DYNAMIC
2.16.840.1.113883.3.1937.99.61.45.10.47	Containment	 ASIC Beatmungsparameter	DYNAMIC
2.16.840.1.113883.3.1937.99.61.45.10.48	Containment	 ASIC Blutgasanalyse	DYNAMIC
2.16.840.1.113883.3.1937.99.61.45.10.56	Containment	 ASIC ECMO	DYNAMIC
2.16.840.1.113883.3.1937.99.61.45.10.51	Containment	 ASIC Einschlusskriterien	DYNAMIC
2.16.840.1.113883.3.1937.99.61.45.10.54	Containment	 ASIC Lungenoedem	DYNAMIC
2.16.840.1.113883.3.1937.99.61.45.10.57	Containment	 ASIC Medikamente	DYNAMIC
2.16.840.1.113883.3.1937.99.61.45.10.46	Containment	 ASIC Messwerte	DYNAMIC
2.16.840.1.113883.3.1937.99.61.45.10.59	Containment	 ASIC Outcome Parameter	DYNAMIC
2.16.840.1.113883.3.1937.99.61.45.10.58	Containment	 ASIC Patienten-Bewegungsdaten	DYNAMIC
2.16.840.1.113883.3.1937.99.61.45.10.53	Containment	 ASIC radiologische Befunde	DYNAMIC
2.16.840.1.113883.3.1937.99.61.45.10.49	Containment	 ASIC Sauerstoffsättigung	DYNAMIC
2.16.840.1.113883.3.1937.99.61.45.10.50	Containment	 ASIC weitere Vitaldaten	DYNAMIC


Beziehung












Spezialisierung: Template 2.16.840.1.113883.3.1937.99.61.45.10.20 (2018-04-24 11:01:24)




Spezialisierung: Template 2.16.840.1.113883.10.12.2 (2005-09-07)








Alles ausklappen | Alles einklappen




Item	DT	Kard	Konf	Beschreibung	Label
hl7:ClinicalDocument					(ASIC)
@classCode	cs	0 .. 1	F	DOCCLIN	

Item	DT	Kard	Konf	Beschreibung	Label
@moodCode	cs	0 .. 1	F	EVN	
h17:typeId	II	1 .. 1	R		(ASIC)
@root	uid	1 .. 1	F	2.16.840.1.113883.1.3	
@extension	st	1 .. 1	F	POCD_HD000040	
h17:templateId	II	1 .. 1	R		(ASIC)
@root	uid	1 .. 1	F	2.16.840.1.113883.10.12.1	
h17:id	II	1 .. 1	R		(ASIC)
h17:code	CE	1 .. 1	R		(ASIC)
@codeSystem	CONF	0 .. 1	F	2.16.840.1.113883.6.1 (Logical Observation Identifier Names and Codes)	
h17:title	ST	0 .. 1			(ASIC)
Eingefügt		1 .. *	R	von 2.16.840.1.113883.3.1937.99.61.45.10.18 CDA Proband (DYNAMIC)	
h17:recordTarget		1 .. *	R		(ASIC)
				 smul-dataelement-76  Proband  Dataset Sandbox Medizin Uni Leipzig	
@typeCode	cs	0 .. 1	F	RCT	
@contextControlCode	cs	0 .. 1	F	OP	
h17:patientRole		1 .. 1	R		(ASIC)

Item	DT	Kard	Konf	Beschreibung	Label
@classCode	CS	0 .. 1	F	PAT	
hl7:id	II	1 .. *	R		(ASIC)
hl7:patient		0 .. 1			(ASIC)
@classCode	CS	0 .. 1	F	PSN	
@determinerCode	CS	0 .. 1	F	INSTANCE	
hl7:id	II	0 .. 1			(ASIC)
				 smul-dataelement-80  Patientennummer  Dataset Sandbox Medizin Uni Leipzig	
hl7:name	PN	1 .. 1	R		(ASIC)
				 smul-dataelement-78  Nachname  Dataset Sandbox Medizin Uni Leipzig smul-dataelement-77  Vorname  Dataset Sandbox Medizin Uni Leipzig	
hl7:given		0 .. *			(ASIC)
hl7:family		0 .. *			(ASIC)
hl7:administrativeGenderCode	CE	0 .. 1			(ASIC)
				 smul-dataelement-84  Geschlecht  Dataset Sandbox Medizin Uni Leipzig	
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.1 AdministrativeGender (DYNAMIC)	
hl7:birthTime	TS	0 .. 1			(ASIC)

Item	DT	Kard	Konf	Beschreibung	Label
	 smul-dataelement-79			Geburtsdatum	 Dataset Sandbox Medizin Uni Leipzig
Eingefügt		1 ... *	R	von 2.16.840.1.113883.3.1937.99.61.45.10.19 CDA Autor (DYNAMIC)	
hl7:author		1 ... *	R		(ASIC)
@typeCode	cs	0 ... 1	F	AUT	
@contextControlCode	cs	0 ... 1	F	OP	
hl7:functionCode	CE	0 ... 1			(ASIC)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.10267 ParticipationFunction (DYNAMIC)	
hl7:time	TS	1 ... 1	R		(ASIC)
hl7:assignedAuthor		1 ... 1	R		(ASIC)
@classCode	cs	0 ... 1	F	ASSIGNED	
hl7:id	II	1 ... *	R		(ASIC)
hl7:code	CE	0 ... 1			(ASIC)
@codeSystem	CONF	0 ... 1	F	2.16.840.1.113883.5.111 (Role Code)	
hl7:addr	AD	0 ... *			(ASIC)
hl7:telecom	TEL	0 ... *			(ASIC)
hl7:representedOrganization		0 ... 1		Beinhaltet 2.16.840.1.113883.10.12.151 CDA Organization (DYNAMIC)	(ASIC)
Eingefügt				von 1.2.276.0.76.10.90006 CDA effectiveTime (DYNAMIC)	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:effectiveTime	TS.DATETIME.MIN	1 .. 1	M		(ASIC)
	 smul-dataelement-7  Datum  Dataset Sandbox Medizin Uni Leipzig				
<i>Eingefügt</i>	von 2.16.840.1.113883.3.1937.99.61.45.10.34 CDA setId and versionNumber (DYNAMIC)				
hl7:setId	II	0 .. 1	R		(ASIC)
	 smul-dataelement-14  Auftragsnummer  Dataset Sandbox Medizin Uni Leipzig				
hl7:versionNumber	INT.POS	0 .. 1	R		(ASIC)
	 smul-dataelement-16  Nummer der Messung  Dataset Sandbox Medizin Uni Leipzig				
<i>Eingefügt</i>		1 .. 1	R	von 2.16.840.1.113883.10.12.104 CDA custodian (DYNAMIC)	
hl7:custodian		1 .. 1	R		(ASIC)
@typeCode		0 .. 1	F	CST	
hl7:assignedCustodian		1 .. 1			(ASIC)
@classCode		0 .. 1	F	ASSIGNED	
hl7:representedCustodianOrganization		1 .. 1			(ASIC)
@classCode		0 .. 1	F	ORG	
@determinerCode		0 .. 1	F	INSTANCE	
hl7:id	II	1 .. *	M		(ASIC)
hl7:name	ON	0 .. 1			(ASIC)

Item	DT	Kard	Konf	Beschreibung	Label
	 smul-dataelement-83			 Organisationsname	 Dataset Sandbox Medizin Uni Leipzig
hl7:telecom	TEL	0 .. 1			(ASIC)
hl7:addr	AD	0 .. 1			(ASIC)
hl7:component		1 .. 1	R		(ASIC)
@typeCode	cs	0 .. 1	F	COMP	
@contextConductionInd	bl	1 .. 1	R		
hl7:structuredBody		1 .. 1	R		(ASIC)
@classCode	cs	0 .. 1	F	DOCBODY	
@moodCode	cs	0 .. 1	F	EVN	
hl7:component		1 .. *	R	Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.61 <i>ASIC adjunktiv supportive Maßnahmen</i> (DYNAMIC)	(ASIC)
wo [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.61']]					
@typeCode	cs	0 .. 1	F	COMP	
@contextConductionInd	bl	1 .. 1	R		
hl7:component		1 .. *	R	Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.52 <i>ASIC Ausschlusskriterien</i> (DYNAMIC)	(ASIC)
wo [hl7:section [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.52'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.10'] and hl7:templateId [@root = '2.16.840.1.113883.10.12.201']]]					
@typeCode	cs	0 .. 1	F	COMP	

Item	DT	Kard	Konf	Beschreibung	Label
@contextConductionInd	bl	1 .. 1	R		
hl7:component		1 .. *	R	Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.47 ASIC Beatmungsparameter (DYNAMIC)	(ASIC)
wo [hl7:section [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.47'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.11'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.10'] and hl7:templateId [@root = '2.16.840.1.113883.10.12.201']]]					
@typeCode	cs	0 .. 1	F	COMP	
@contextConductionInd	bl	1 .. 1	R		
hl7:component		1 .. *	R	Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.48 ASIC Blutgasanalyse (DYNAMIC)	(ASIC)
wo [hl7:section [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.48'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.11'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.10'] and hl7:templateId [@root = '2.16.840.1.113883.10.12.201']]]					
@typeCode	cs	0 .. 1	F	COMP	
@contextConductionInd	bl	1 .. 1	R		
hl7:component		1 .. *	R	Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.56 ASIC ECMO (DYNAMIC)	(ASIC)
wo [hl7:section [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.56'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.10'] and hl7:templateId [@root = '2.16.840.1.113883.10.12.201']]]					
@typeCode	cs	0 .. 1	F	COMP	
@contextConductionInd	bl	1 .. 1	R		
hl7:component		1 .. *	R	Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.51 ASIC Einschlusskriterien (DYNAMIC)	(ASIC)
wo [hl7:section [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.51'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.10'] and hl7:templateId [@root = '2.16.840.1.113883.10.12.201']]]					




Item	DT	Kard	Konf	Beschreibung	Label
@typeCode	cs	0 .. 1	F	COMP	
@contextConductionInd	bl	1 .. 1	R		
hl7:component		1 .. *	R	Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.54 ASIC Lungenoedem (DYNAMIC)	(ASIC)
wo [hl7:section [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.54'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.10'] and hl7:templateId [@root = '2.16.840.1.113883.10.12.201']]]					
@typeCode	cs	0 .. 1	F	COMP	
@contextConductionInd	bl	1 .. 1	R		
hl7:component		1 .. *	R	Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.57 ASIC Medikamente (DYNAMIC)	(ASIC)
wo [hl7:section [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.57'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.10'] and hl7:templateId [@root = '2.16.840.1.113883.10.12.201']]]					
@typeCode	cs	0 .. 1	F	COMP	
@contextConductionInd	bl	1 .. 1	R		
hl7:component		1 .. *	R	Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.46 ASIC Messwerte (DYNAMIC)	(ASIC)
wo [hl7:section [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.46'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.28'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.23'] and hl7:templateId [@root = '2.16.840.1.113883.10.12.201']]]					
@typeCode	cs	0 .. 1	F	COMP	
@contextConductionInd	bl	1 .. 1	R		
hl7:component		1 .. *	R	Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.59 ASIC Outcome Parameter (DYNAMIC)	(ASIC)








Item	DT	Kard	Konf	Beschreibung	Label
wo [hl7:section [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.59'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.10'] and hl7:templateId [@root = '2.16.840.1.113883.10.12.201']]]					
@typeCode	cs	0 .. 1	F	COMP	
@contextConductionInd	bl	1 .. 1	R		
hl7:component		1 .. *	R	Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.58 ASIC Patienten-Bewegungsdaten (DYNAMIC)	(ASIC)
wo [hl7:section [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.58'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.10'] and hl7:templateId [@root = '2.16.840.1.113883.10.12.201']]]					
@typeCode	cs	0 .. 1	F	COMP	
@contextConductionInd	bl	1 .. 1	R		
hl7:component		1 .. *	R	Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.53 ASIC radiologische Befunde (DYNAMIC)	(ASIC)
wo [hl7:section [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.53'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.10'] and hl7:templateId [@root = '2.16.840.1.113883.10.12.201']]]					
@typeCode	cs	0 .. 1	F	COMP	
@contextConductionInd	bl	1 .. 1	R		
hl7:component		1 .. *	R	Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.49 ASIC Sauerstoffsättigung (DYNAMIC)	(ASIC)
wo [hl7:section [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.49'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.11'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.10'] and hl7:templateId [@root = '2.16.840.1.113883.10.12.201']]]					
@typeCode	cs	0 .. 1	F	COMP	
@contextConductionInd	bl	1 .. 1	R		

Item	DT	Kard	Konf	Beschreibung	Label
hl7:component		1 ... *	R	Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.50 ASIC weitere Vitaldaten (DYNAMIC)	(ASIC)
wo [hl7:section [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.50']] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.10']] and hl7:templateId [@root = '2.16.840.1.113883.10.12.201']]]					
@typeCode	cs	0 ... 1	F	COMP	
@contextConductionInd	bl	1 ... 1	R		

6.1.2 Dok1 Adipositas Studie 2.16.840.1.113883.3.1937.99.61.45.10.20 - 2018-04-24 11:01:24

Richtung	zu Grunde liegendes Modell	Templatename	Schematron
 registrierend		AdipositasKumulativbefund	smul-AdipositasKumulativbefund.sch

Id	2.16.840.1.113883.3.1937.99.61.45.10.20	Gültigkeit	2018-04-24 11:01:24
Status	 Entwurf	Versions-Label	
Name	CDAAdipositasStudie	Anzeigename	Dok1 Adipositas Studie
Beschreibung	Template CDA ClinicalDocument (prototype, contains ClinicalDocument.component as StructuredBody)		
Kontext	Pfadname //		
Klassifikation	CDA Document Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Assoziiert mit	Assoziiert mit 1 Konzept		
	Id	Name	Datensatz
	smul-dataelement-82	 Dokumenten-Titel	 Dataset Sandbox Medizin Uni Leipzig
Benutzt von / Benutzt	Benutzt von 1 Transaction und 0 Templates, Benutzt 6 Templates		

Benutzt von	als	Name	Version
smul-transaction-2	Transaktion	 Kumulativbefund	2018-04-17 11:05:18
Benutzt	als	Name	Version
2.16.840.1.113883.3.1937.99.61.45.10.18	Inklusion	 CDA Proband	DYNAMIC
2.16.840.1.113883.3.1937.99.61.45.10.19	Inklusion	 CDA Autor	DYNAMIC
1.2.276.0.76.10.90006	Inklusion	 CDA effectiveTime	DYNAMIC
2.16.840.1.113883.3.1937.99.61.45.10.34	Inklusion	 CDA setId and versionNumber	DYNAMIC
2.16.840.1.113883.10.12.104	Inklusion	 CDA custodian	DYNAMIC
2.16.840.1.113883.3.1937.99.61.45.10.23	Containment	 Dok1 Messwerte	DYNAMIC

Beziehung

Spezialisierung: Template 2.16.840.1.113883.10.12.2 (2005-09-07)







Item	DT	Kard	Konf	Beschreibung	Label
hl7:ClinicalDocument					(CDA ... die)
@classCode	cs	0 .. 1	F	DOCCLIN	
@moodCode	cs	0 .. 1	F	EVN	
hl7:typeId	II	1 .. 1	R		(CDA ... die)
@root	uid	1 .. 1	F	2.16.840.1.113883.1.3	
@extension	st	1 .. 1	F	POCD_HD000040	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:templateId	II	1 .. 1	R		(CDA ... die)
@root	uid	1 .. 1	F	2.16.840.1.113883.10.12.1	
hl7:id	II	1 .. 1	R		(CDA ... die)
hl7:code	CE	1 .. 1	R		(CDA ... die)
@codeSystem	CONF	0 .. 1	F	2.16.840.1.113883.6.1 (Logical Observation Identifier Names and Codes)	
hl7:title	ST	0 .. 1			(CDA ... die)
	 smul-dataelement-82  Dokumenten-Titel  Dataset Sandbox Medizin Uni Leipzig				
Eingefügt		1 .. *	R	von 2.16.840.1.113883.3.1937.99.61.45.10.18 CDA Proband (DYNAMIC)	
hl7:recordTarget		1 .. *	R		(CDA ... die)
	 smul-dataelement-76  Proband  Dataset Sandbox Medizin Uni Leipzig				
@typeCode	cs	0 .. 1	F	RCT	
@contextControlCode	cs	0 .. 1	F	OP	
hl7:patientRole		1 .. 1	R		(CDA ... die)

Item	DT	Kard	Konf	Beschreibung	Label
@classCode	cs	0 ... 1	F	PAT	
h17:id	II	1 ... *	R		(CDA ... die)
h17:patient		0 ... 1			(CDA ... die)
@classCode	cs	0 ... 1	F	PSN	
@determinerCode	cs	0 ... 1	F	INSTANCE	
h17:id	II	0 ... 1			(CDA ... die)
	 smul-dataelement-80  Patientennummer  Dataset Sandbox Medizin Uni Leipzig				
h17:name	PN	1 ... 1	R		(CDA ... die)
	 smul-dataelement-78  Nachname  Dataset Sandbox Medizin Uni Leipzig  smul-dataelement-77  Vorname  Dataset Sandbox Medizin Uni Leipzig				
h17:given		0 ... *			(CDA ... die)
h17:family		0 ... *			(CDA ... die)
h17:administrativeGenderCode	CE	0 ... 1			(CDA ... die)


Item	DT	Kard	Konf	Beschreibung	Label
	smul-dataelement-84			Geschlecht	Dataset Sandbox Medizin Uni Leipzig
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.1 <i>AdministrativeGender</i> (DYNAMIC)	
hl7:birthTime	TS	0 ... 1			(CDA ... die)
	smul-dataelement-79			Geburtsdatum	Dataset Sandbox Medizin Uni Leipzig
Eingefügt		1 ... *	R	von 2.16.840.1.113883.3.1937.99.61.45.10.19 <i>CDA Autor</i> (DYNAMIC)	
hl7:author		1 ... *	R		(CDA ... die)
@typeCode	cs	0 ... 1	F	AUT	
@contextControlCode	cs	0 ... 1	F	OP	
hl7:functionCode	CE	0 ... 1			(CDA ... die)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.10267 <i>ParticipationFunction</i> (DYNAMIC)	
hl7:time	TS	1 ... 1	R		(CDA ... die)
hl7:assignedAuthor		1 ... 1	R		(CDA ... die)
@classCode	cs	0 ... 1	F	ASSIGNED	





























Item	DT	Kard	Konf	Beschreibung	Label
hl7:id	II	1 ... *	R		(CDA ... die)
hl7:code	CE	0 ... 1			(CDA ... die)
@codeSystem	CONF	0 ... 1	F	2.16.840.1.113883.5.111 (Role Code)	
hl7:addr	AD	0 ... *			(CDA ... die)
hl7:telecom	TEL	0 ... *			(CDA ... die)
hl7:representedOrganization		0 ... 1		Beinhaltet 2.16.840.1.113883.10.12.151 CDA Organization (DYNAMIC)	(CDA ... die)
Eingefügt				von 1.2.276.0.76.10.90006 CDA effectiveTime (DYNAMIC)	
hl7:effectiveTime	TS.DATETIME.MIN	1 ... 1	M		(CDA ... die)
	 smul-dataelement-7  Datum  Dataset Sandbox Medizin Uni Leipzig				
Eingefügt				von 2.16.840.1.113883.3.1937.99.61.45.10.34 CDA setId and versionNumber (DYNAMIC)	
hl7:setId	II	0 ... 1	R		(CDA ... die)
	 smul-dataelement-14  Auftragsnummer  Dataset Sandbox Medizin Uni Leipzig				
hl7:versionNumber	INT.POS	0 ... 1	R		(CDA ... die)


Item	DT	Kard	Konf	Beschreibung	Label
	 smul-dataelement-16			 Nummer der Messung	 Dataset Sandbox Medizin Uni Leipzig
Eingefügt		1 ... 1	R	von 2.16.840.1.113883.10.12.104 CDA custodian (DYNAMIC)	
hl7:custodian		1 ... 1	R		(CDA ... die)
@typeCode		0 ... 1	F	CST	
hl7:assignedCustodian		1 ... 1			(CDA ... die)
@classCode		0 ... 1	F	ASSIGNED	
hl7:representedCustodianOrganization		1 ... 1			(CDA ... die)
@classCode		0 ... 1	F	ORG	
@determinerCode		0 ... 1	F	INSTANCE	
hl7:id	II	1 ... *	M		(CDA ... die)
hl7:name	ON	0 ... 1			(CDA ... die)
	 smul-dataelement-83			 Organisationsname	 Dataset Sandbox Medizin Uni Leipzig
hl7:telecom	TEL	0 ... 1			(CDA ... die)

Item	DT	Kard	Konf	Beschreibung	Label
hl7:addr	AD	0 .. 1			(CDA ... die)
hl7:component		1 .. 1	R		(CDA ... die)
@typeCode	cs	0 .. 1	F	COMP	
@contextConductionInd	bl	1 .. 1	R		
hl7:structuredBody		1 .. 1	R		(CDA ... die)
@classCode	cs	0 .. 1	F	DOCBODY	
@moodCode	cs	0 .. 1	F	EVN	
hl7:component		1 .. *	R	Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.23 Dok1 Messwerte (DYNAMIC)	(CDA ... die)
wo [hl7:section [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.23'] and hl7:templateId [@root = '2.16.840.1.113883.10.12.201']]]					
@typeCode	cs	0 .. 1	F	COMP	
@contextConductionInd	bl	1 .. 1	R		

6.1.3 Dok3 Adipositas Studie 2.16.840.1.113883.3.1937.99.61.45.10.27 - 2018-04-27 15:17:54

Richtung	zu Grunde liegendes Modell	Templatename	Schematron
 registrierend		AdipositasKumulativbefund3	smul-AdipositasKumulativbefund3.sch











Id	2.16.840.1.113883.3.1937.99.61.45.10.27	Gültigkeit	2018-04-27 15:17:54																												
Status	 Entwurf	Versions-Label																													
Name	CDAAdipositasStudie3	Anzeigename	Dok3 Adipositas Studie																												
Beschreibung	Template CDA ClinicalDocument (prototype, contains ClinicalDocument.component as StructuredBody)																														
Kontext	Pfadname //																														
Klassifikation	CDA Document Level Template																														
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)																														
Assoziiert mit	Assoziiert mit 1 Konzept																														
	<table border="1"> <thead> <tr> <th>Id</th> <th>Name</th> <th>Datensatz</th> </tr> </thead> <tbody> <tr> <td>smul-dataelement-82</td> <td> Dokumenten-Titel</td> <td> Dataset Sandbox Medizin Uni Leipzig</td> </tr> </tbody> </table>	Id	Name	Datensatz	smul-dataelement-82	 Dokumenten-Titel	 Dataset Sandbox Medizin Uni Leipzig																								
Id	Name	Datensatz																													
smul-dataelement-82	 Dokumenten-Titel	 Dataset Sandbox Medizin Uni Leipzig																													
Benutzt von / Benutzt	Benutzt von 1 Transaction und 0 Templates, Benutzt 6 Templates																														
	<table border="1"> <thead> <tr> <th>Benutzt von</th> <th>als</th> <th>Name</th> <th>Version</th> </tr> </thead> <tbody> <tr> <td>smul-transaction-10</td> <td>Transaktion</td> <td> Kumulativbefund3</td> <td>2018-05-07 10:23:32</td> </tr> </tbody> </table>	Benutzt von	als	Name	Version	smul-transaction-10	Transaktion	 Kumulativbefund3	2018-05-07 10:23:32																						
Benutzt von	als	Name	Version																												
smul-transaction-10	Transaktion	 Kumulativbefund3	2018-05-07 10:23:32																												
	<table border="1"> <thead> <tr> <th>Benutzt</th> <th>als</th> <th>Name</th> <th>Version</th> </tr> </thead> <tbody> <tr> <td>2.16.840.1.113883.3.1937.99.61.45.10.18</td> <td>Inklusion</td> <td> CDA Proband</td> <td>DYNAMIC</td> </tr> <tr> <td>2.16.840.1.113883.3.1937.99.61.45.10.19</td> <td>Inklusion</td> <td> CDA Autor</td> <td>DYNAMIC</td> </tr> <tr> <td>1.2.276.0.76.10.90006</td> <td>Inklusion</td> <td> CDA effectiveTime</td> <td>DYNAMIC</td> </tr> <tr> <td>2.16.840.1.113883.3.1937.99.61.45.10.34</td> <td>Inklusion</td> <td> CDA setId and versionNumber</td> <td>DYNAMIC</td> </tr> <tr> <td>2.16.840.1.113883.10.12.104</td> <td>Inklusion</td> <td> CDA custodian</td> <td>DYNAMIC</td> </tr> <tr> <td>2.16.840.1.113883.3.1937.99.61.45.10.28</td> <td>Containment</td> <td> Dok3 Messwerte</td> <td>DYNAMIC</td> </tr> </tbody> </table>	Benutzt	als	Name	Version	2.16.840.1.113883.3.1937.99.61.45.10.18	Inklusion	 CDA Proband	DYNAMIC	2.16.840.1.113883.3.1937.99.61.45.10.19	Inklusion	 CDA Autor	DYNAMIC	1.2.276.0.76.10.90006	Inklusion	 CDA effectiveTime	DYNAMIC	2.16.840.1.113883.3.1937.99.61.45.10.34	Inklusion	 CDA setId and versionNumber	DYNAMIC	2.16.840.1.113883.10.12.104	Inklusion	 CDA custodian	DYNAMIC	2.16.840.1.113883.3.1937.99.61.45.10.28	Containment	 Dok3 Messwerte	DYNAMIC		
Benutzt	als	Name	Version																												
2.16.840.1.113883.3.1937.99.61.45.10.18	Inklusion	 CDA Proband	DYNAMIC																												
2.16.840.1.113883.3.1937.99.61.45.10.19	Inklusion	 CDA Autor	DYNAMIC																												
1.2.276.0.76.10.90006	Inklusion	 CDA effectiveTime	DYNAMIC																												
2.16.840.1.113883.3.1937.99.61.45.10.34	Inklusion	 CDA setId and versionNumber	DYNAMIC																												
2.16.840.1.113883.10.12.104	Inklusion	 CDA custodian	DYNAMIC																												
2.16.840.1.113883.3.1937.99.61.45.10.28	Containment	 Dok3 Messwerte	DYNAMIC																												
Beziehung	Spezialisierung: Template 2.16.840.1.113883.3.1937.99.61.45.10.20 (2018-04-24 11:01:24)																														
	Spezialisierung: Template 2.16.840.1.113883.10.12.2 (2005-09-07)																														
<table border="1"> <tr> <td>Alles ausklappen</td> <td>Alles einklappen</td> </tr> </table>				Alles ausklappen	Alles einklappen																										
Alles ausklappen	Alles einklappen																														


Item	DT	Kard	Konf	Beschreibung	Label
hl7:ClinicalDocument					(CDA ... ie3)
@classCode	CS	0 ... 1	F	DOCCLIN	
@moodCode	CS	0 ... 1	F	EVN	
hl7:typeId	II	1 ... 1	R		(CDA ... ie3)
@root	uid	1 ... 1	F	2.16.840.1.113883.1.3	
@extension	st	1 ... 1	F	POCD_HD000040	
hl7:templateId	II	1 ... 1	R		(CDA ... ie3)
@root	uid	1 ... 1	F	2.16.840.1.113883.10.12.1	
hl7:id	II	1 ... 1	R		(CDA ... ie3)
hl7:code	CE	1 ... 1	R		(CDA ... ie3)
@codeSystem	CONF	0 ... 1	F	2.16.840.1.113883.6.1 (Logical Observation Identifier Names and Codes)	
hl7:title	ST	0 ... 1			(CDA ... ie3)
 smul-dataelement-82  Dokumenten-Titel  Dataset Sandbox Medizin Uni Leipzig					

Item	DT	Kard	Konf	Beschreibung	Label
Eingefügt		1 ... *	R	von 2.16.840.1.113883.3.1937.99.61.45.10.18 CDA Proband (DYNAMIC)	
hl7:recordTarget		1 ... *	R		(CDA ... ie3)
				 smul-dataelement-76  Proband  Dataset Sandbox Medizin Uni Leipzig	
@typeCode	cs	0 ... 1	F	RCT	
@contextControlCode	cs	0 ... 1	F	OP	
hl7:patientRole		1 ... 1	R		(CDA ... ie3)
@classCode	cs	0 ... 1	F	PAT	
hl7:id	II	1 ... *	R		(CDA ... ie3)
hl7:patient		0 ... 1			(CDA ... ie3)
@classCode	cs	0 ... 1	F	PSN	
@determinerCode	cs	0 ... 1	F	INSTANCE	
hl7:id	II	0 ... 1			(CDA ... ie3)
				 smul-dataelement-80  Patientennummer  Dataset Sandbox Medizin Uni Leipzig	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:name	PN	1 .. 1	R		(CDA ... ie3)
	<div style="background-color: #e0ffe0; padding: 5px;"> 🎯 smul-dataelement-78 🟡 Nachname 🟡 Dataset Sandbox Medizin Uni Leipzig smul-dataelement-77 🟡 Vorname 🟡 Dataset Sandbox Medizin Uni Leipzig </div>				
hl7:given		0 .. *			(CDA ... ie3)
hl7:family		0 .. *			(CDA ... ie3)
hl7:administrativeGenderCode	CE	0 .. 1			(CDA ... ie3)
	<div style="background-color: #e0ffe0; padding: 5px;"> 🎯 smul-dataelement-84 🟡 Geschlecht 🟡 Dataset Sandbox Medizin Uni Leipzig </div>				
	<div style="background-color: #f0f0f0; padding: 5px;"> CONF Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.1 AdministrativeGender (DYNAMIC) </div>				
hl7:birthTime	TS	0 .. 1			(CDA ... ie3)
	<div style="background-color: #e0ffe0; padding: 5px;"> 🎯 smul-dataelement-79 🟡 Geburtsdatum 🟡 Dataset Sandbox Medizin Uni Leipzig </div>				
Eingefügt		1 .. *	R	von 2.16.840.1.113883.3.1937.99.61.45.10.19 CDA Autor (DYNAMIC)	
hl7:author		1 .. *	R		(CDA ... ie3)
@typeCode	cs	0 .. 1	F	AUT	

Item	DT	Kard	Konf	Beschreibung	Label	
@contextControlCode	cs	0 ... 1	F	OP		
hl7:functionCode	CE	0 ... 1			(CDA ... ie3)	
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.10267 ParticipationFunction (DYNAMIC)				
hl7:time	TS	1 ... 1	R		(CDA ... ie3)	
hl7:assignedAuthor		1 ... 1	R		(CDA ... ie3)	
@classCode	cs	0 ... 1	F	ASSIGNED		
hl7:id	II	1 ... *	R		(CDA ... ie3)	
hl7:code	CE	0 ... 1			(CDA ... ie3)	
@codeSystem	CONF	0 ... 1	F	2.16.840.1.113883.5.111 (Role Code)		
hl7:addr	AD	0 ... *			(CDA ... ie3)	
hl7:telecom	TEL	0 ... *			(CDA ... ie3)	
hl7:representedOrganization		0 ... 1		Beinhaltet 2.16.840.1.113883.10.12.151 CDA Organization (DYNAMIC)	(CDA ... ie3)	








Item	DT	Kard	Konf	Beschreibung	Label
Eingefügt		0 ... 1		von 1.2.276.0.76.10.90006 CDA effectiveTime (DYNAMIC)	
hl7:effectiveTime	TS.DATETIME.MIN	0 ... 1	M	 Warnung: Wenn isMandatory=true dann muss minimumMultiplicity größer 0 sein.	(CDA ... ie3)
	 smul-dataelement-7			 Datum	 Dataset Sandbox Medizin Uni Leipzig
Eingefügt		0 ... 1		von 2.16.840.1.113883.3.1937.99.61.45.10.34 CDA setId and versionNumber (DYNAMIC)	
hl7:setId	II	0 ... 1	R		(CDA ... ie3)
	 smul-dataelement-14			 Auftragsnummer	 Dataset Sandbox Medizin Uni Leipzig
hl7:versionNumber	INT.POS	0 ... 1	R		(CDA ... ie3)
	 smul-dataelement-16			 Nummer der Messung	 Dataset Sandbox Medizin Uni Leipzig
Eingefügt		1 ... 1	R	von 2.16.840.1.113883.10.12.104 CDA custodian (DYNAMIC)	
hl7:custodian		1 ... 1	R		(CDA ... ie3)
@typeCode		0 ... 1	F	CST	
hl7:assignedCustodian		1 ... 1			(CDA ... ie3)
@classCode		0 ... 1	F	ASSIGNED	
hl7:representedCustodianOrganization		1 ... 1			(CDA ... ie3)








Item	DT	Kard	Konf	Beschreibung	Label
@classCode		0 ... 1	F	ORG	
@determinerCode		0 ... 1	F	INSTANCE	
hl7:id	II	1 ... *	M		(CDA ... ie3)
hl7:name	ON	0 ... 1			(CDA ... ie3)
	 smul-dataelement-83  Organisationsname  Dataset Sandbox Medizin Uni Leipzig				
hl7:telecom	TEL	0 ... 1			(CDA ... ie3)
hl7:addr	AD	0 ... 1			(CDA ... ie3)
hl7:component		1 ... 1	R		(CDA ... ie3)
@typeCode	cs	0 ... 1	F	COMP	
@contextConductionInd	bl	1 ... 1	R		
hl7:structuredBody		1 ... 1	R		(CDA ... ie3)
@classCode	cs	0 ... 1	F	DOCBODY	
@moodCode	cs	0 ... 1	F	EVN	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:component		1 ... *	R	Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.28 Dok3 Messwerte (DYNAMIC)	(CDA ... ie3)
wo [hl7:section [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.28'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.23'] and hl7:templateId [@root = '2.16.840.1.113883.10.12.201']]]					
@typeCode	cs	0 ... 1	F	COMP	
@contextConductionInd	bl	1 ... 1	R		

6.1.4 Dok2 Adipositas Studie 2.16.840.1.113883.3.1937.99.61.45.10.24 - 2018-04-26 16:56:54

Richtung	zu Grunde liegendes Modell	Templatename	Schematron
 registrierend		AdipositasKumulativbefund_2	smul-AdipositasKumulativbefund_2.sch

Id	2.16.840.1.113883.3.1937.99.61.45.10.24	Gültigkeit	2018-04-26 16:56:54				
Status	 Entwurf	Versions-Label					
Name	CDAAdipositasStudie2	Anzeigename	Dok2 Adipositas Studie				
Beschreibung	Template CDA ClinicalDocument (prototype, contains ClinicalDocument.component as StructuredBody)						
Kontext	Pfadname //						
Klassifikation	CDA Document Level Template						
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)						
Assoziiert mit	Assoziiert mit 1 Konzept						
	<table border="1"> <thead> <tr> <th>Id</th> <th>Name</th> <th>Datensatz</th> </tr> </thead> <tbody> <tr> <td>smul-dataelement-82</td> <td> Dokumenten-Titel</td> <td> Dataset Sandbox Medizin Uni Leipzig</td> </tr> </tbody> </table>	Id	Name	Datensatz	smul-dataelement-82	 Dokumenten-Titel	 Dataset Sandbox Medizin Uni Leipzig
Id	Name	Datensatz					
smul-dataelement-82	 Dokumenten-Titel	 Dataset Sandbox Medizin Uni Leipzig					
Benutzt von / Benutzt	Benutzt von 1 Transaction und 0 Templates, Benutzt 6 Templates						

Benutzt von	als	Name	Version
smul-transaction-7	Transaktion	 Kumulativbefund2	2018-05-07 10:19:35
Benutzt	als	Name	Version
2.16.840.1.113883.3.1937.99.61.45.10.18	Inklusion	 CDA Proband	DYNAMIC
2.16.840.1.113883.3.1937.99.61.45.10.19	Inklusion	 CDA Autor	DYNAMIC
1.2.276.0.76.10.90006	Inklusion	 CDA effectiveTime	DYNAMIC
2.16.840.1.113883.3.1937.99.61.45.10.34	Inklusion	 CDA setId and versionNumber	DYNAMIC
2.16.840.1.113883.10.12.104	Inklusion	 CDA custodian	DYNAMIC
2.16.840.1.113883.3.1937.99.61.45.10.25	Containment	 Dok2 Messwerte	DYNAMIC

Beziehung Spezialisierung: Template 2.16.840.1.113883.3.1937.99.61.45.10.20 (2018-04-24 11:01:24)
 Spezialisierung: Template 2.16.840.1.113883.10.12.2 (2005-09-07)

Alles ausklappen | Alles einklappen







Item	DT	Kard	Konf	Beschreibung	Label
hl7:ClinicalDocument					(CDA ... ie2)
@classCode	cs	0 .. 1	F	DOCCLIN	
@moodCode	cs	0 .. 1	F	EVN	
hl7:typeId	II	1 .. 1	R		(CDA ... ie2)
@root	uid	1 .. 1	F	2.16.840.1.113883.1.3	
@extension	st	1 .. 1	F	POCD_HD000040	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:templateId	II	1 .. 1	R		(CDA ... ie2)
@root	uid	1 .. 1	F	2.16.840.1.113883.10.12.1	
hl7:id	II	1 .. 1	R		(CDA ... ie2)
hl7:code	CE	1 .. 1	R		(CDA ... ie2)
@codeSystem	CONF	0 .. 1	F	2.16.840.1.113883.6.1 (Logical Observation Identifier Names and Codes)	
hl7:title	ST	0 .. 1			(CDA ... ie2)
	 smul-dataelement-82  Dokumenten-Titel  Dataset Sandbox Medizin Uni Leipzig				
Eingefügt		1 .. *	R	von 2.16.840.1.113883.3.1937.99.61.45.10.18 CDA Proband (DYNAMIC)	
hl7:recordTarget		1 .. *	R		(CDA ... ie2)
	 smul-dataelement-76  Proband  Dataset Sandbox Medizin Uni Leipzig				
@typeCode	cs	0 .. 1	F	RCT	
@contextControlCode	cs	0 .. 1	F	OP	
hl7:patientRole		1 .. 1	R		(CDA ... ie2)

Item	DT	Kard	Konf	Beschreibung	Label
@classCode	cs	0 ... 1	F	PAT	
h17:id	II	1 ... *	R		(CDA ... ie2)
h17:patient		0 ... 1			(CDA ... ie2)
@classCode	cs	0 ... 1	F	PSN	
@determinerCode	cs	0 ... 1	F	INSTANCE	
h17:id	II	0 ... 1			(CDA ... ie2)
	 smul-dataelement-80  Patientennummer  Dataset Sandbox Medizin Uni Leipzig				
h17:name	PN	1 ... 1	R		(CDA ... ie2)
	 smul-dataelement-78  Nachname  Dataset Sandbox Medizin Uni Leipzig  smul-dataelement-77  Vorname  Dataset Sandbox Medizin Uni Leipzig				
h17:given		0 ... *			(CDA ... ie2)
h17:family		0 ... *			(CDA ... ie2)
h17:administrativeGenderCode	CE	0 ... 1			(CDA ... ie2)

Item	DT	Kard	Konf	Beschreibung	Label
	smul-dataelement-84			Geschlecht	Dataset Sandbox Medizin Uni Leipzig
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.1 <i>AdministrativeGender</i> (DYNAMIC)	
hl7:birthTime	TS	0 ... 1			(CDA ... ie2)
	smul-dataelement-79			Geburtsdatum	Dataset Sandbox Medizin Uni Leipzig
Eingefügt		1 ... *	R	von 2.16.840.1.113883.3.1937.99.61.45.10.19 <i>CDA Autor</i> (DYNAMIC)	
hl7:author		1 ... *	R		(CDA ... ie2)
@typeCode	cs	0 ... 1	F	AUT	
@contextControlCode	cs	0 ... 1	F	OP	
hl7:functionCode	CE	0 ... 1			(CDA ... ie2)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.10267 <i>ParticipationFunction</i> (DYNAMIC)	
hl7:time	TS	1 ... 1	R		(CDA ... ie2)
hl7:assignedAuthor		1 ... 1	R		(CDA ... ie2)
@classCode	cs	0 ... 1	F	ASSIGNED	





























Item	DT	Kard	Konf	Beschreibung	Label
hl7:id	II	1 ... *	R		(CDA ... ie2)
hl7:code	CE	0 ... 1			(CDA ... ie2)
@codeSystem	CONF	0 ... 1	F	2.16.840.1.113883.5.111 (Role Code)	
hl7:addr	AD	0 ... *			(CDA ... ie2)
hl7:telecom	TEL	0 ... *			(CDA ... ie2)
hl7:representedOrganization		0 ... 1		Beinhaltet 2.16.840.1.113883.10.12.151 CDA Organization (DYNAMIC)	(CDA ... ie2)
Eingefügt				von 1.2.276.0.76.10.90006 CDA effectiveTime (DYNAMIC)	
hl7:effectiveTime	TS.DATETIME.MIN	1 ... 1	M		(CDA ... ie2)
	 smul-dataelement-7  Datum  Dataset Sandbox Medizin Uni Leipzig				
Eingefügt				von 2.16.840.1.113883.3.1937.99.61.45.10.34 CDA setId and versionNumber (DYNAMIC)	
hl7:setId	II	0 ... 1	R		(CDA ... ie2)
	 smul-dataelement-14  Auftragsnummer  Dataset Sandbox Medizin Uni Leipzig				
hl7:versionNumber	INT.POS	0 ... 1	R		(CDA ... ie2)

Item	DT	Kard	Konf	Beschreibung	Label
	 smul-dataelement-16			 Nummer der Messung	 Dataset Sandbox Medizin Uni Leipzig
Eingefügt		1 ... 1	R	von 2.16.840.1.113883.10.12.104 CDA custodian (DYNAMIC)	
hl7:custodian		1 ... 1	R		(CDA ... ie2)
@typeCode		0 ... 1	F	CST	
hl7:assignedCustodian		1 ... 1			(CDA ... ie2)
@classCode		0 ... 1	F	ASSIGNED	
hl7:representedCustodianOrganization		1 ... 1			(CDA ... ie2)
@classCode		0 ... 1	F	ORG	
@determinerCode		0 ... 1	F	INSTANCE	
hl7:id	II	1 ... *	M		(CDA ... ie2)
hl7:name	ON	0 ... 1			(CDA ... ie2)
	 smul-dataelement-83			 Organisationsname	 Dataset Sandbox Medizin Uni Leipzig
hl7:telecom	TEL	0 ... 1			(CDA ... ie2)

Item	DT	Kard	Konf	Beschreibung	Label
hl7:addr	AD	0 ... 1			(CDA ... ie2)
hl7:component		1 ... 1	R		(CDA ... ie2)
@typeCode	cs	0 ... 1	F	COMP	
@contextConductionInd	bl	1 ... 1	R		
hl7:structuredBody		1 ... 1	R		(CDA ... ie2)
@classCode	cs	0 ... 1	F	DOCBODY	
@moodCode	cs	0 ... 1	F	EVN	
hl7:component		1 ... *	R	Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.25 Dok2 Messwerte (DYNAMIC)	(CDA ... ie2)
wo [hl7:section [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.25'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.23'] and hl7:templateId [@root = '2.16.840.1.113883.10.12.201']]]					
@typeCode	cs	0 ... 1	F	COMP	
@contextConductionInd	bl	1 ... 1	R		

6.1.5 🟡 Dok4 Adipositas Studie 2.16.840.1.113883.3.1937.99.61.45.10.40 - 2018-05-03 10:09:46

Richtung	zu Grunde liegendes Modell	Templatename	Schematron
🔄 registrierend		AdipositasKumulativbefund4	smul-AdipositasKumulativbefund4.sch

Id	2.16.840.1.113883.3.1937.99.61.45.10.40	Gültigkeit	2018-05-03 10:09:46																												
Status	 Entwurf	Versions-Label																													
Name	AdipositasStudie4	Anzeigenname	Dok4 Adipositas Studie																												
Beschreibung	Template CDA ClinicalDocument (prototype, contains ClinicalDocument.component as StructuredBody)																														
Kontext	Pfadname //																														
Klassifikation	CDA Document Level Template																														
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)																														
Assoziiert mit	Assoziiert mit 1 Konzept																														
	<table border="1"> <thead> <tr> <th>Id</th> <th>Name</th> <th>Datensatz</th> </tr> </thead> <tbody> <tr> <td>smul-dataelement-82</td> <td> Dokumenten-Titel</td> <td> Dataset Sandbox Medizin Uni Leipzig</td> </tr> </tbody> </table>	Id	Name	Datensatz	smul-dataelement-82	 Dokumenten-Titel	 Dataset Sandbox Medizin Uni Leipzig																								
Id	Name	Datensatz																													
smul-dataelement-82	 Dokumenten-Titel	 Dataset Sandbox Medizin Uni Leipzig																													
Benutzt von / Benutzt	Benutzt von 1 Transaction und 0 Templates, Benutzt 6 Templates																														
	<table border="1"> <thead> <tr> <th>Benutzt von</th> <th>als</th> <th>Name</th> <th>Version</th> </tr> </thead> <tbody> <tr> <td>smul-transaction-13</td> <td>Transaktion</td> <td> Kumulativbefund4</td> <td>2018-05-07 10:25:18</td> </tr> </tbody> </table>	Benutzt von	als	Name	Version	smul-transaction-13	Transaktion	 Kumulativbefund4	2018-05-07 10:25:18																						
	Benutzt von	als	Name	Version																											
	smul-transaction-13	Transaktion	 Kumulativbefund4	2018-05-07 10:25:18																											
	<table border="1"> <thead> <tr> <th>Benutzt</th> <th>als</th> <th>Name</th> <th>Version</th> </tr> </thead> <tbody> <tr> <td>2.16.840.1.113883.3.1937.99.61.45.10.18</td> <td>Inklusion</td> <td> CDA Proband</td> <td>DYNAMIC</td> </tr> <tr> <td>2.16.840.1.113883.3.1937.99.61.45.10.19</td> <td>Inklusion</td> <td> CDA Autor</td> <td>DYNAMIC</td> </tr> <tr> <td>1.2.276.0.76.10.90006</td> <td>Inklusion</td> <td> CDA effectiveTime</td> <td>DYNAMIC</td> </tr> <tr> <td>2.16.840.1.113883.3.1937.99.61.45.10.34</td> <td>Inklusion</td> <td> CDA setId and versionNumber</td> <td>DYNAMIC</td> </tr> <tr> <td>2.16.840.1.113883.10.12.104</td> <td>Inklusion</td> <td> CDA custodian</td> <td>DYNAMIC</td> </tr> <tr> <td>2.16.840.1.113883.3.1937.99.61.45.10.41</td> <td>Containment</td> <td> Dok4 Messwerte</td> <td>DYNAMIC</td> </tr> </tbody> </table>	Benutzt	als	Name	Version	2.16.840.1.113883.3.1937.99.61.45.10.18	Inklusion	 CDA Proband	DYNAMIC	2.16.840.1.113883.3.1937.99.61.45.10.19	Inklusion	 CDA Autor	DYNAMIC	1.2.276.0.76.10.90006	Inklusion	 CDA effectiveTime	DYNAMIC	2.16.840.1.113883.3.1937.99.61.45.10.34	Inklusion	 CDA setId and versionNumber	DYNAMIC	2.16.840.1.113883.10.12.104	Inklusion	 CDA custodian	DYNAMIC	2.16.840.1.113883.3.1937.99.61.45.10.41	Containment	 Dok4 Messwerte	DYNAMIC		
	Benutzt	als	Name	Version																											
	2.16.840.1.113883.3.1937.99.61.45.10.18	Inklusion	 CDA Proband	DYNAMIC																											
2.16.840.1.113883.3.1937.99.61.45.10.19	Inklusion	 CDA Autor	DYNAMIC																												
1.2.276.0.76.10.90006	Inklusion	 CDA effectiveTime	DYNAMIC																												
2.16.840.1.113883.3.1937.99.61.45.10.34	Inklusion	 CDA setId and versionNumber	DYNAMIC																												
2.16.840.1.113883.10.12.104	Inklusion	 CDA custodian	DYNAMIC																												
2.16.840.1.113883.3.1937.99.61.45.10.41	Containment	 Dok4 Messwerte	DYNAMIC																												
Beziehung																															
Spezialisierung: Template 2.16.840.1.113883.3.1937.99.61.45.10.20 (2018-04-24 11:01:24)																															
Spezialisierung: Template 2.16.840.1.113883.10.12.2 (2005-09-07)																															
<input type="button" value="Alles ausklappen"/>		<input type="button" value="Alles einklappen"/>																													



Item	DT	Kard	Konf	Beschreibung	Label
hl7:ClinicalDocument					(Adi ... ie4)
@classCode	cs	0 ... 1	F	DOCCLIN	
@moodCode	cs	0 ... 1	F	EVN	
hl7:typeId	II	1 ... 1	R		(Adi ... ie4)
@root	uid	1 ... 1	F	2.16.840.1.113883.1.3	
@extension	st	1 ... 1	F	POCD_HD000040	
hl7:templateId	II	1 ... 1	R		(Adi ... ie4)
@root	uid	1 ... 1	F	2.16.840.1.113883.10.12.1	
hl7:id	II	1 ... 1	R		(Adi ... ie4)
hl7:code	CE	1 ... 1	R		(Adi ... ie4)
@codeSystem	CONF	0 ... 1	F	2.16.840.1.113883.6.1 (Logical Observation Identifier Names and Codes)	
hl7:title	ST	0 ... 1			(Adi ... ie4)
 smul-dataelement-82  Dokumenten-Titel  Dataset Sandbox Medizin Uni Leipzig					

Item	DT	Kard	Konf	Beschreibung	Label
Eingefügt		1 ... *	R	von 2.16.840.1.113883.3.1937.99.61.45.10.18 CDA Proband (DYNAMIC)	
hl7:recordTarget		1 ... *	R		(Adi ... ie4)
				 smul-dataelement-76  Proband  Dataset Sandbox Medizin Uni Leipzig	
@typeCode	cs	0 ... 1	F	RCT	
@contextControlCode	cs	0 ... 1	F	OP	
hl7:patientRole		1 ... 1	R		(Adi ... ie4)
@classCode	cs	0 ... 1	F	PAT	
hl7:id	II	1 ... *	R		(Adi ... ie4)
hl7:patient		0 ... 1			(Adi ... ie4)
@classCode	cs	0 ... 1	F	PSN	
@determinerCode	cs	0 ... 1	F	INSTANCE	
hl7:id	II	0 ... 1			(Adi ... ie4)
				 smul-dataelement-80  Patientennummer  Dataset Sandbox Medizin Uni Leipzig	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:name	PN	1 .. 1	R		(Adi ... ie4)
	 smul-dataelement-78  Nachname  Dataset Sandbox Medizin Uni Leipzig smul-dataelement-77  Vorname  Dataset Sandbox Medizin Uni Leipzig				
hl7:given		0 .. *			(Adi ... ie4)
hl7:family		0 .. *			(Adi ... ie4)
hl7:administrativeGenderCode	CE	0 .. 1			(Adi ... ie4)
	 smul-dataelement-84  Geschlecht  Dataset Sandbox Medizin Uni Leipzig				
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.1 AdministrativeGender (DYNAMIC)			
hl7:birthTime	TS	0 .. 1			(Adi ... ie4)
	 smul-dataelement-79  Geburtsdatum  Dataset Sandbox Medizin Uni Leipzig				
Eingefügt		1 .. *	R	von 2.16.840.1.113883.3.1937.99.61.45.10.19 CDA Autor (DYNAMIC)	
hl7:author		1 .. *	R		(Adi ... ie4)
@typeCode	cs	0 .. 1	F	AUT	

Item	DT	Kard	Konf	Beschreibung	Label
@contextControlCode	cs	0 ... 1	F	OP	
hl7:functionCode	CE	0 ... 1			(Adi ... ie4)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.10267 ParticipationFunction (DYNAMIC)			
hl7:time	TS	1 ... 1	R		(Adi ... ie4)
hl7:assignedAuthor		1 ... 1	R		(Adi ... ie4)
@classCode	cs	0 ... 1	F	ASSIGNED	
hl7:id	II	1 ... *	R		(Adi ... ie4)
hl7:code	CE	0 ... 1			(Adi ... ie4)
@codeSystem	CONF	0 ... 1	F	2.16.840.1.113883.5.111 (Role Code)	
hl7:addr	AD	0 ... *			(Adi ... ie4)
hl7:telecom	TEL	0 ... *			(Adi ... ie4)
hl7:representedOrganization		0 ... 1		Beinhaltet 2.16.840.1.113883.10.12.151 CDA Organization (DYNAMIC)	(Adi ... ie4)



Item	DT	Kard	Konf	Beschreibung	Label
<i>Eingefügt</i> von 1.2.276.0.76.10.90006 CDA effectiveTime (DYNAMIC)					
h17:effectiveTime	TS.DATETIME.MIN	1 .. 1	M		(Adi ... ie4)
 smul-dataelement-7  Datum  Dataset Sandbox Medizin Uni Leipzig					
<i>Eingefügt</i> von 2.16.840.1.113883.3.1937.99.61.45.10.34 CDA setId and versionNumber (DYNAMIC)					
h17:setId	II	0 .. 1	R		(Adi ... ie4)
 smul-dataelement-14  Auftragsnummer  Dataset Sandbox Medizin Uni Leipzig					
h17:versionNumber	INT.POS	0 .. 1	R		(Adi ... ie4)
 smul-dataelement-16  Nummer der Messung  Dataset Sandbox Medizin Uni Leipzig					
<i>Eingefügt</i> von 2.16.840.1.113883.10.12.104 CDA custodian (DYNAMIC)					
h17:custodian		1 .. 1	R		(Adi ... ie4)
@typeCode		0 .. 1	F	CST	
h17:assignedCustodian		1 .. 1			(Adi ... ie4)
@classCode		0 .. 1	F	ASSIGNED	
h17:representedCustodianOrganization		1 .. 1			(Adi ... ie4)

Item	DT	Kard	Konf	Beschreibung	Label
@classCode		0 ... 1	F	ORG	
@determinerCode		0 ... 1	F	INSTANCE	
hl7:id	II	1 ... *	M		(Adi ... ie4)
hl7:name	ON	0 ... 1			(Adi ... ie4)
	 smul-dataelement-83  Organisationsname  Dataset Sandbox Medizin Uni Leipzig				
hl7:telecom	TEL	0 ... 1			(Adi ... ie4)
hl7:addr	AD	0 ... 1			(Adi ... ie4)
hl7:component		1 ... 1	R		(Adi ... ie4)
@typeCode	cs	0 ... 1	F	COMP	
@contextConductionInd	bl	1 ... 1	R		
hl7:structuredBody		1 ... 1	R		(Adi ... ie4)
@classCode	cs	0 ... 1	F	DOCBODY	
@moodCode	cs	0 ... 1	F	EVN	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:component		1 ... *	R	Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.41 Dok4 Messwerte (DYNAMIC)	(Adi ... ie4)
wo [hl7:section [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.41'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.23'] and hl7:templateId [@root = '2.16.840.1.113883.10.12.201']]]					
@typeCode	cs	0 ... 1	F	COMP	
@contextConductionInd	bl	1 ... 1	R		

6.2 Templates






6.2.1 ASIC Ausschlusskriterien 2.16.840.1.113883.3.1937.99.61.45.10.52 - 2018-05-08 16:46:12

Id	2.16.840.1.113883.3.1937.99.61.45.10.52	Gültigkeit	2018-05-08 16:46:12
Status	 Entwurf	Versions-Label	
Name	ASICAusschlusskriterien	Anzeigename	ASIC Ausschlusskriterien
Beschreibung	Template CDA Section (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Kontext	Elternknoten des Template-Element mit Id 2.16.840.1.113883.3.1937.99.61.45.10.52		
Klassifikation	CDA Section level template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
	Benutzt von 0 Transactions und 1 Template, Benutzt 0 Templates		
Benutzt von / Benutzt	Benutzt von	als	Name Version
	2.16.840.1.113883.3.1937.99.61.45.10.44	Containment 	Anwendungsfall ASIC 2018-05-08 15:20:09
Beziehung	Spezialisierung: Template 2.16.840.1.113883.3.1937.99.61.45.10.10 (2018-04-18 11:13:00)		
	Spezialisierung: Template 2.16.840.1.113883.10.12.201 (2005-09-07)		

Item	DT	Kard	Konf	Beschreibung	Label	
hl7:section					(ASI... ien)	
@classCode	cs	0 ... 1	F	DOCSECT		
hl7:templateId	II	1 ... 1	M		(ASI... ien)	
@root	uid	1 ... 1	F	2.16.840.1.113883.3.1937.99.61.45.10.52		
hl7:templateId	II	1 ... 1	M		(ASI... ien)	
@root	uid	1 ... 1	F	2.16.840.1.113883.3.1937.99.61.45.10.10		
hl7:templateId	II	1 ... 1	R		(ASI... ien)	
@root	uid	1 ... 1	F	2.16.840.1.113883.10.12.201		
hl7:id	II	0 ... 1			(ASI... ien)	
hl7:code	CE	0 ... 1			(ASI... ien)	
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.10871 <i>DocumentSectionType</i> (DYNAMIC)				
hl7:title	ST	0 ... 1			(ASI... ien)	
hl7:text	SD.TEXT	0 ... 1	R		(ASI... ien)	
hl7:entry		0 ... *			(ASI... ien)	
@typeCode	cs	1 ... 1	R			

Item	DT	Kard	Konf	Beschreibung	Label
@contextConductionInd	bl	0 ... 1			






6.2.2 ASIC Beatmungsparameter 2.16.840.1.113883.3.1937.99.61.45.10.47 - 2018-05-08 16:22:26

Id	2.16.840.1.113883.3.1937.99.61.45.10.47	Gültigkeit	2018-05-08 16:22:26
Status	 Entwurf	Versions-Label	
Name	ASICBeatmungsparameter	Anzeigename	ASIC Beatmungsparameter
Beschreibung	Template CDA Section (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Kontext	Elternknoten des Template-Element mit Id 2.16.840.1.113883.3.1937.99.61.45.10.47		
Klassifikation	CDA Section level template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
	Benutzt von 0 Transactions und 2 Templates, Benutzt 2 Templates		
Benutzt von / Benutzt	Benutzt von	als	Name
	2.16.840.1.113883.3.1937.99.61.45.10.44	Containment 	Anwendungsfall ASIC
	2.16.840.1.113883.3.1937.99.61.45.10.46	Containment 	ASIC Messwerte
	Benutzt	als	Name
2.16.840.1.113883.3.1937.99.61.45.10.60	Containment 	ASIC Horowitz Quotient	DYNAMIC
2.16.840.1.113883.3.1937.99.61.45.10.9	Containment 	Messwert: Kreatinin	DYNAMIC
Beziehung	Spezialisierung: Template 2.16.840.1.113883.3.1937.99.61.45.10.11 (2018-04-18 11:15:51)		
	Spezialisierung: Template 2.16.840.1.113883.3.1937.99.61.45.10.10 (2018-04-18 11:13:00)		
	Spezialisierung: Template 2.16.840.1.113883.10.12.201 (2005-09-07)		
Alles ausklappen		Alles einklappen	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:section					(ASIS ... ter)
@classCode	cs	0 .. 1	F	DOCSECT	
hl7:templateId	II	1 .. 1	M		(ASIS ... ter)
@root	uid	1 .. 1	F	2.16.840.1.113883.3.1937.99.61.45.10.47	
hl7:templateId	II	1 .. 1	M		(ASIS ... ter)
@root	uid	1 .. 1	F	2.16.840.1.113883.3.1937.99.61.45.10.11	
hl7:templateId	II	1 .. 1	M		(ASIS ... ter)
@root	uid	1 .. 1	F	2.16.840.1.113883.3.1937.99.61.45.10.10	
hl7:templateId	II	1 .. 1	R		(ASIS ... ter)
@root	uid	1 .. 1	F	2.16.840.1.113883.10.12.201	
hl7:id	II	0 .. 1			(ASIS ... ter)
hl7:code	CE	0 .. 1			(ASIS ... ter)

Item	DT	Kard	Konf	Beschreibung	Label
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.10871 <i>DocumentSectionType</i> (DYNAMIC)	
hl7:title	ST	0 ... 1			(ASIS ... ter)
hl7:text	SD.TEXT	0 ... 1	R		(ASIS ... ter)
hl7:entry		0 ... *		Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.60 <i>ASIC Horowitz Quotient</i> (DYNAMIC)	(ASIS ... ter)
wo [hl7:observation [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.60'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.7'] and hl7:templateId [@root = '2.16.840.1.113883.10.12.303']]]					
@typeCode	cs	1 ... 1	R		
	CONF			Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.3.1937.99.61.45.11.3 <i>Harnstoff</i> (DYNAMIC)	
@contextConductionInd	bl	0 ... 1	F	true	
hl7:entry		0 ... *		Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.9 <i>Messwert: Kreatinin</i> (DYNAMIC)	(ASIS ... ter)
wo [hl7:observation [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.9'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.7'] and hl7:templateId [@root = '2.16.840.1.113883.10.12.303']]]					
@typeCode	cs	1 ... 1	R		
	CONF			Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.3.1937.99.61.45.11.4 <i>Kreatinin</i> (DYNAMIC)	
@contextConductionInd	bl	0 ... 1	F	true	

6.2.3  ASIC Blutgasanalyse 2.16.840.1.113883.3.1937.99.61.45.10.48 - 2018-05-08 16:26:14

Id	2.16.840.1.113883.3.1937.99.61.45.10.48	Gültigkeit	2018-05-08 16:26:14
Status	 Entwurf	Versions-Label	
Name	ASICBlutgasanalyse	Anzeigename	ASIC Blutgasanalyse
Beschreibung	Template CDA Section (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Kontext	Elternknoten des Template-Element mit Id 2.16.840.1.113883.3.1937.99.61.45.10.48		
Klassifikation	CDA Section level template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Benutzt von / Benutzt	Benutzt von 0 Transactions und 2 Templates, Benutzt 2 Templates		
	Benutzt von	als	Name
	2.16.840.1.113883.3.1937.99.61.45.10.44	Containment 	Anwendungsfall ASIC
	2.16.840.1.113883.3.1937.99.61.45.10.46	Containment 	ASIC Messwerte
	Benutzt	als	Name
	2.16.840.1.113883.3.1937.99.61.45.10.8	Containment 	Messwert: Harnstoff
2.16.840.1.113883.3.1937.99.61.45.10.9	Containment 	Messwert: Kreatinin	
Beziehung	Spezialisierung: Template 2.16.840.1.113883.3.1937.99.61.45.10.11 (2018-04-18 11:15:51)		
	Spezialisierung: Template 2.16.840.1.113883.3.1937.99.61.45.10.10 (2018-04-18 11:13:00)		
	Spezialisierung: Template 2.16.840.1.113883.10.12.201 (2005-09-07)		


Alles ausklappen | Alles einklappen



Item	DT	Kard	Konf	Beschreibung	Label
hl7:section					(ASI ... yse)
@classCode	cs	0 ... 1	F	DOCSECT	

Item	DT	Kard	Konf	Beschreibung	Label	
hl7:templateId	II	1 .. 1	M		(ASIS...yse)	
@root	uid	1 .. 1	F	2.16.840.1.113883.3.1937.99.61.45.10.48		
hl7:templateId	II	1 .. 1	M		(ASIS...yse)	
@root	uid	1 .. 1	F	2.16.840.1.113883.3.1937.99.61.45.10.11		
hl7:templateId	II	1 .. 1	M		(ASIS...yse)	
@root	uid	1 .. 1	F	2.16.840.1.113883.3.1937.99.61.45.10.10		
hl7:templateId	II	1 .. 1	R		(ASIS...yse)	
@root	uid	1 .. 1	F	2.16.840.1.113883.10.12.201		
hl7:id	II	0 .. 1			(ASIS...yse)	
hl7:code	CE	0 .. 1			(ASIS...yse)	
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.10871 DocumentSectionType (DYNAMIC)				
hl7:title	ST	0 .. 1			(ASIS...yse)	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:text	SD.TEXT	0 ... 1	R		(ASIS...yse)
hl7:entry		0 ... *		Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.8 Messwert: Harnstoff (DYNAMIC)	(ASIS...yse)
wo [hl7:observation [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.8']] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.7']] and hl7:templateId [@root = '2.16.840.1.113883.10.12.303']]					
@typeCode	cs	1 ... 1	R		
	CONF	Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.3.1937.99.61.45.11.3 Harnstoff (DYNAMIC)			
@contextConductionInd	bl	0 ... 1	F	true	
hl7:entry		0 ... *		Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.9 Messwert: Kreatinin (DYNAMIC)	(ASIS...yse)
wo [hl7:observation [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.9']] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.7']] and hl7:templateId [@root = '2.16.840.1.113883.10.12.303']]					
@typeCode	cs	1 ... 1	R		
	CONF	Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.3.1937.99.61.45.11.4 Kreatinin (DYNAMIC)			
@contextConductionInd	bl	0 ... 1	F	true	

6.2.4 ASIC ECMO 2.16.840.1.113883.3.1937.99.61.45.10.56 - 2018-05-08 16:51:37

Id	2.16.840.1.113883.3.1937.99.61.45.10.56	Gültigkeit	2018-05-08 16:51:37
Status	 Entwurf	Versions-Label	


Name	ASICECMO	Anzeigename	ASIC ECMO
Beschreibung	Template CDA Section (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Kontext	Elternknoten des Template-Element mit Id 2.16.840.1.113883.3.1937.99.61.45.10.56		
Klassifikation	CDA Section level template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
	Benutzt von 0 Transactions und 2 Templates, Benutzt 0 Templates		
Benutzt von / Benutzt	Benutzt von	als	Name Version
	2.16.840.1.113883.3.1937.99.61.45.10.44	Containment 	Anwendungsfall ASIC 2018-05-08 15:20:09
	2.16.840.1.113883.3.1937.99.61.45.10.46	Containment 	ASIC Messwerte 2018-05-08 16:20:53
Beziehung	Spezialisierung: Template 2.16.840.1.113883.3.1937.99.61.45.10.10 (2018-04-18 11:13:00)		
	Spezialisierung: Template 2.16.840.1.113883.10.12.201 (2005-09-07)		


Alles ausklappen Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:section					(ASI... CMO)
@classCode	cs	0 .. 1	F	DOCSECT	
hl7:templateId	II	1 .. 1	M		(ASI... CMO)
@root	uid	1 .. 1	F	2.16.840.1.113883.3.1937.99.61.45.10.56	
hl7:templateId	II	1 .. 1	M		(ASI... CMO)
@root	uid	1 .. 1	F	2.16.840.1.113883.3.1937.99.61.45.10.10	
hl7:templateId	II	1 .. 1	R		(ASI... CMO)

Item	DT	Kard	Konf	Beschreibung	Label	
@root	uid	1 ... 1	F	2.16.840.1.113883.10.12.201		
hl7:id	II	0 ... 1			(ASI... CMO)	
hl7:code	CE	0 ... 1			(ASI... CMO)	
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.10871 <i>DocumentSectionType</i> (DYNAMIC)				
hl7:title	ST	0 ... 1			(ASI... CMO)	
hl7:text	SD.TEXT	0 ... 1	R		(ASI... CMO)	
hl7:entry		0 ... *			(ASI... CMO)	
@typeCode	cs	1 ... 1	R			
@contextConductionInd	bl	0 ... 1				







6.2.5 ASIC Einschusskriterien 2.16.840.1.113883.3.1937.99.61.45.10.51 - 2018-05-08 16:44:43

Id	2.16.840.1.113883.3.1937.99.61.45.10.51	Gültigkeit	2018-05-08 16:44:43
Status	 Entwurf	Versions-Label	
Name	ASICEinschlusskriterien	Anzeigename	ASIC Einschusskriterien
Beschreibung	Template CDA Section (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Kontext	Elternknoten des Template-Element mit Id 2.16.840.1.113883.3.1937.99.61.45.10.51		
Klassifikation	CDA Section level template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Benutzt von / Benutzt	Benutzt von 0 Transactions und 1 Template, Benutzt 0 Templates		

Benutzt von	als	Name	Version		
2.16.840.1.113883.3.1937.99.61.45.10.44	Containment	 Anwendungsfall ASIC	2018-05-08 15:20:09		
Beziehung					
Spezialisierung: Template 2.16.840.1.113883.3.1937.99.61.45.10.10 (2018-04-18 11:13:00)					
Spezialisierung: Template 2.16.840.1.113883.10.12.201 (2005-09-07)					
Alles ausklappen		Alles einklappen			
Item	DT	Kard	Konf	Beschreibung	Label
hl7:section					(ASI... ien)
@classCode	cs	0 ... 1	F	DOCSECT	
hl7:templateId	II	1 ... 1	M		(ASI... ien)
@root	uid	1 ... 1	F	2.16.840.1.113883.3.1937.99.61.45.10.51	
hl7:templateId	II	1 ... 1	M		(ASI... ien)
@root	uid	1 ... 1	F	2.16.840.1.113883.3.1937.99.61.45.10.10	
hl7:templateId	II	1 ... 1	R		(ASI... ien)
@root	uid	1 ... 1	F	2.16.840.1.113883.10.12.201	
hl7:id	II	0 ... 1			(ASI... ien)
hl7:code	CE	0 ... 1			(ASI... ien)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.10871 DocumentSectionType (DYNAMIC)			

Item	DT	Kard	Konf	Beschreibung	Label
hl7:title	ST	0 ... 1			(ASI... ien)
hl7:text	SD.TEXT	0 ... 1	R		(ASI... ien)
hl7:entry		0 ... *			(ASI... ien)
@typeCode	cs	1 ... 1	R		
@contextConductionInd	bl	0 ... 1			



6.2.6 ASIC Horowitz Quotient 2.16.840.1.113883.3.1937.99.61.45.10.60 - 2018-05-08 17:01:39

Id	2.16.840.1.113883.3.1937.99.61.45.10.60	Gültigkeit	2018-05-08 17:01:39
Status	 Entwurf	Versions-Label	
Name	ASICHorowitzQuotient	Anzeigename	ASIC Horowitz Quotient
Beschreibung	Template CDA Observation (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Kontext	Elternknoten des Template-Element mit Id 2.16.840.1.113883.3.1937.99.61.45.10.60		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
	Benutzt von 0 Transactions und 3 Templates, Benutzt 0 Templates		
Benutzt von / Benutzt	Benutzt von	als	Name Version
	2.16.840.1.113883.3.1937.99.61.45.10.47	Containment 	ASIC Beatmungsparameter 2018-05-08 16:22:26
	2.16.840.1.113883.3.1937.99.61.45.10.44 		Anwendungsfall ASIC 2018-05-08 15:20:09
	2.16.840.1.113883.3.1937.99.61.45.10.46 		ASIC Messwerte 2018-05-08 16:20:53

Beziehung		Spezialisierung: Template 2.16.840.1.113883.3.1937.99.61.45.10.7 (2018-04-18 10:54:22)			
		Spezialisierung: Template 2.16.840.1.113883.10.12.303 (2005-09-07)			
Alles ausklappen		Alles einklappen			
Item	DT	Kard	Konf	Beschreibung	Label
hl7:observation					(ASI... ent)
@classCode	cs	1 ... 1	F	OBS	
@moodCode	cs	1 ... 1	R		
			CONF	Der Wert von @moodCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.18943 x_ActMoodDocumentObservation (DYNAMIC)	
hl7:templateId	II	1 ... 1	M		(ASI... ent)
@root	uid	1 ... 1	F	2.16.840.1.113883.3.1937.99.61.45.10.60	
hl7:templateId	II	1 ... 1	M		(ASI... ent)
@root	uid	1 ... 1	F	2.16.840.1.113883.3.1937.99.61.45.10.7	
hl7:templateId	II	1 ... 1	R		(ASI... ent)
@root	uid	1 ... 1	F	2.16.840.1.113883.10.12.303	
hl7:id	II	0 ... *			(ASI... ent)
hl7:code	CD	1 ... 1	R		(ASI... ent)
			CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.16226 ObservationType (DYNAMIC)	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:text	ED	0 ... 1			(ASI... ent)
hl7:statusCode	CS	0 ... 1			(ASI... ent)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.15933 ActStatus (DYNAMIC)	
hl7:value	PQ	0 ... 1			(ASI... ent)

6.2.7 ASIC Lungenoedem 2.16.840.1.113883.3.1937.99.61.45.10.54 - 2018-05-08 16:48:01

Id	2.16.840.1.113883.3.1937.99.61.45.10.54	Gültigkeit	2018-05-08 16:48:01
Status	 Entwurf	Versions-Label	
Name	ASICLungenoedem	Anzeigename	ASIC Lungenoedem
Beschreibung	Template CDA Section (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Kontext	Elternknoten des Template-Element mit Id 2.16.840.1.113883.3.1937.99.61.45.10.54		
Klassifikation	CDA Section level template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Benutzt von / Benutzt	Benutzt von 0 Transactions und 1 Template, Benutzt 0 Templates		
	Benutzt von	als	Name
	2.16.840.1.113883.3.1937.99.61.45.10.44	Containment	 Anwendungsfall ASIC
			2018-05-08 15:20:09
Beziehung	Spezialisierung: Template 2.16.840.1.113883.3.1937.99.61.45.10.10 (2018-04-18 11:13:00)		
	Spezialisierung: Template 2.16.840.1.113883.10.12.201 (2005-09-07)		



Alles ausklappen

Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:section					(ASI... dem)

Item	DT	Kard	Konf	Beschreibung	Label	
@classCode	cs	0 ... 1	F	DOCSECT		
hl7:templateId	II	1 ... 1	M		(ASI... dem)	
@root	uid	1 ... 1	F	2.16.840.1.113883.3.1937.99.61.45.10.54		
hl7:templateId	II	1 ... 1	M		(ASI... dem)	
@root	uid	1 ... 1	F	2.16.840.1.113883.3.1937.99.61.45.10.10		
hl7:templateId	II	1 ... 1	R		(ASI... dem)	
@root	uid	1 ... 1	F	2.16.840.1.113883.10.12.201		
hl7:id	II	0 ... 1			(ASI... dem)	
hl7:code	CE	0 ... 1			(ASI... dem)	
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.10871 <i>DocumentSectionType</i> (DYNAMIC)				
hl7:title	ST	0 ... 1			(ASI... dem)	
hl7:text	SD.TEXT	0 ... 1	R		(ASI... dem)	
hl7:entry		0 ... *			(ASI... dem)	
@typeCode	cs	1 ... 1	R			
@contextConductionInd	bl	0 ... 1				

6.2.8  ASIC Medikamente 2.16.840.1.113883.3.1937.99.61.45.10.57 - 2018-05-08 16:52:14


Id	2.16.840.1.113883.3.1937.99.61.45.10.57	Gültigkeit	2018-05-08 16:52:14
Status	 Entwurf	Versions-Label	
Name	ASICMedikamente	Anzeigenname	ASIC Medikamente
Beschreibung	Template CDA Section (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Kontext	Elternknoten des Template-Element mit Id 2.16.840.1.113883.3.1937.99.61.45.10.57		
Klassifikation	CDA Section level template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Benutzt von / Benutzt	Benutzt von 0 Transactions und 1 Template, Benutzt 0 Templates		
	Benutzt von	als	Name
	2.16.840.1.113883.3.1937.99.61.45.10.44	Containment 	Anwendungsfall ASIC
Beziehung	Spezialisierung: Template 2.16.840.1.113883.3.1937.99.61.45.10.10 (2018-04-18 11:13:00)		
	Spezialisierung: Template 2.16.840.1.113883.10.12.201 (2005-09-07)		

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
h17:section					(ASI... nte)
@classCode	cs	0 ... 1	F	DOCSECT	
h17:templateId	II	1 ... 1	M		(ASI... nte)
@root	uid	1 ... 1	F	2.16.840.1.113883.3.1937.99.61.45.10.57	
h17:templateId	II	1 ... 1	M		(ASI... nte)
@root	uid	1 ... 1	F	2.16.840.1.113883.3.1937.99.61.45.10.10	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:templateId	II	1 ... 1	R		(ASI... nte)
@root	uid	1 ... 1	F	2.16.840.1.113883.10.12.201	
hl7:id	II	0 ... 1			(ASI... nte)
hl7:code	CE	0 ... 1			(ASI... nte)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.10871 DocumentSectionType (DYNAMIC)			
hl7:title	ST	0 ... 1			(ASI... nte)
hl7:text	SD.TEXT	0 ... 1	R		(ASI... nte)
hl7:entry		0 ... *			(ASI... nte)
@typeCode	cs	1 ... 1	R		
@contextConductionInd	bl	0 ... 1			

6.2.9 ASIC Messwerte 2.16.840.1.113883.3.1937.99.61.45.10.46 - 2018-05-08 16:20:53

Id	2.16.840.1.113883.3.1937.99.61.45.10.46	Gültigkeit	2018-05-08 16:20:53
Status	 Entwurf	Versions-Label	
Name	ASICMesswerte	Anzeigename	ASIC Messwerte
Beschreibung	Template CDA Section (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Kontext	Elternknoten des Template-Element mit Id 2.16.840.1.113883.3.1937.99.61.45.10.46		
Klassifikation	CDA Section level template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Assoziiert mit 1 Konzept

Id	Name	Datensatz
smul-dataelement-4	Aufgenommene Werte	Dataset Sandbox Medizin Uni Leipzig

Benutzt von 0 Transactions und 1 Template, Benutzt 5 Templates

Benutzt von	als	Name	Version
2.16.840.1.113883.3.1937.99.61.45.10.44	Containment	Anwendungsfall ASIC	2018-05-08 15:20:09

Benutzt	als	Name	Version
2.16.840.1.113883.3.1937.99.61.45.10.47	Containment	ASIC Beatmungsparameter	DYNAMIC
2.16.840.1.113883.3.1937.99.61.45.10.48	Containment	ASIC Blutgasanalyse	DYNAMIC
2.16.840.1.113883.3.1937.99.61.45.10.49	Containment	ASIC Sauerstoffsättigung	DYNAMIC
2.16.840.1.113883.3.1937.99.61.45.10.50	Containment	ASIC weitere Vitaldaten	DYNAMIC
2.16.840.1.113883.3.1937.99.61.45.10.56	Containment	ASIC ECMO	DYNAMIC

Beziehung

Spezialisierung: Template 2.16.840.1.113883.3.1937.99.61.45.10.28 (2018-04-27 15:51:01)

Spezialisierung: Template 2.16.840.1.113883.3.1937.99.61.45.10.23 (2018-04-25 12:17:45)

Spezialisierung: Template 2.16.840.1.113883.10.12.201 (2005-09-07)

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:section					(ASI ... rte)


smul-dataelement-4	Aufgenommene Werte	Dataset Sandbox Medizin Uni Leipzig
--------------------	--------------------	-------------------------------------


@classCode cs 0 .. 1 F DOCSECT

Item	DT	Kard	Konf	Beschreibung	Label
hl7:templateId	II	1 .. 1	M		(ASIRTE)
@root	uid	1 .. 1	F	2.16.840.1.113883.3.1937.99.61.45.10.46	
hl7:templateId	II	1 .. 1	M		(ASIRTE)
@root	uid	1 .. 1	F	2.16.840.1.113883.3.1937.99.61.45.10.28	
hl7:templateId	II	1 .. 1	M		(ASIRTE)
@root	uid	1 .. 1	F	2.16.840.1.113883.3.1937.99.61.45.10.23	
hl7:templateId	II	1 .. 1	R		(ASIRTE)
@root	uid	1 .. 1	F	2.16.840.1.113883.10.12.201	
hl7:code	CE	0 .. 1			(ASIRTE)
hl7:title	ST	0 .. 1			(ASIRTE)
hl7:text	SD.TEXT	0 .. 1	R		(ASIRTE)
hl7:effectiveTime	TS.DATETIME.MIN				(ASIRTE)

Item	DT	Kard	Konf	Beschreibung	Label
hl7:component	ANY			Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.47 ASIC Beatmungsparameter (DYNAMIC)	(ASI ... rte)
wo [hl7:section [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.47'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.11'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.10'] and hl7:templateId [@root = '2.16.840.1.113883.10.12.201']]]					
hl7:component	ANY			Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.48 ASIC Blutgasanalyse (DYNAMIC)	(ASI ... rte)
wo [hl7:section [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.48'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.11'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.10'] and hl7:templateId [@root = '2.16.840.1.113883.10.12.201']]]					
hl7:component	ANY			Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.49 ASIC Sauerstoffsättigung (DYNAMIC)	(ASI ... rte)
wo [hl7:section [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.49'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.11'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.10'] and hl7:templateId [@root = '2.16.840.1.113883.10.12.201']]]					
hl7:component	ANY			Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.50 ASIC weitere Vitaldaten (DYNAMIC)	(ASI ... rte)
wo [hl7:section [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.50'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.10'] and hl7:templateId [@root = '2.16.840.1.113883.10.12.201']]]					
hl7:component	ANY			Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.56 ASIC ECMO (DYNAMIC)	(ASI ... rte)
wo [hl7:section [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.56'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.10'] and hl7:templateId [@root = '2.16.840.1.113883.10.12.201']]]					

6.2.10 ASIC Outcome Parameter 2.16.840.1.113883.3.1937.99.61.45.10.59 - 2018-05-08 16:54:13

Id	2.16.840.1.113883.3.1937.99.61.45.10.59	Gültigkeit	2018-05-08 16:54:13
Status	 Entwurf	Versions-Label	

Name	ASICOOutcomeParameter	Anzeigename	ASIC Outcome Parameter
Beschreibung	Template CDA Section (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Kontext	Elternknoten des Template-Element mit Id 2.16.840.1.113883.3.1937.99.61.45.10.59		
Klassifikation	CDA Section level template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Benutzt von / Benutzt	Benutzt von 0 Transactions und 1 Template, Benutzt 0 Templates		
	Benutzt von	als	Name
	2.16.840.1.113883.3.1937.99.61.45.10.44	Containment 	Anwendungsfall ASIC
Beziehung	Spezialisierung: Template 2.16.840.1.113883.3.1937.99.61.45.10.10 (2018-04-18 11:13:00)		
	Spezialisierung: Template 2.16.840.1.113883.10.12.201 (2005-09-07)		


Alles ausklappen

Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
h17:section					(ASI... ter)
@classCode	cs	0 .. 1	F	DOCSECT	
h17:templateId	II	1 .. 1	M		(ASI... ter)
@root	uid	1 .. 1	F	2.16.840.1.113883.3.1937.99.61.45.10.59	
h17:templateId	II	1 .. 1	M		(ASI... ter)
@root	uid	1 .. 1	F	2.16.840.1.113883.3.1937.99.61.45.10.10	
h17:templateId	II	1 .. 1	R		(ASI... ter)
@root	uid	1 .. 1	F	2.16.840.1.113883.10.12.201	

Item	DT	Kard	Konf	Beschreibung	Label	
hl7:id	II	0 .. 1			(ASI... ter)	
hl7:code	CE	0 .. 1			(ASI... ter)	
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.10871 <i>DocumentSectionType</i> (DYNAMIC)				
hl7:title	ST	0 .. 1			(ASI... ter)	
hl7:text	SD.TEXT	0 .. 1	R		(ASI... ter)	
hl7:entry		0 .. *			(ASI... ter)	
@typeCode	cs	1 .. 1	R			
@contextConductionInd	bl	0 .. 1				

6.2.11 ASIC Patienten-Bewegungsdaten 2.16.840.1.113883.3.1937.99.61.45.10.58 - 2018-05-08 16:53:26

Id	2.16.840.1.113883.3.1937.99.61.45.10.58	Gültigkeit	2018-05-08 16:53:26
Status	 Entwurf	Versions-Label	
Name	ASICPatientenBewegungsdaten	Anzeigename	ASIC Patienten-Bewegungsdaten
Beschreibung	Template CDA Section (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Kontext	Elternknoten des Template-Element mit Id 2.16.840.1.113883.3.1937.99.61.45.10.58		
Klassifikation	CDA Section level template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Benutzt von / Benutzt	Benutzt von 0 Transactions und 1 Template, Benutzt 0 Templates		
	Benutzt von	als	Name
			Version

2.16.840.1.113883.3.1937.99.61.45.10.44 Containment  Anwendungsfall ASIC2018-05-08
15:20:09

Beziehung

Spezialisierung: Template 2.16.840.1.113883.3.1937.99.61.45.10.10 (2018-04-18 11:13:00)






Spezialisierung: Template 2.16.840.1.113883.10.12.201 (2005-09-07)




Alles ausklappen Alles einklappen




Item	DT	Kard	Konf	Beschreibung	Label	
hl7:section					(ASI... ten)	
@classCode	cs	0 ... 1	F	DOCSECT		
hl7:templateId	II	1 ... 1	M		(ASI... ten)	
@root	uid	1 ... 1	F	2.16.840.1.113883.3.1937.99.61.45.10.58		
hl7:templateId	II	1 ... 1	M		(ASI... ten)	
@root	uid	1 ... 1	F	2.16.840.1.113883.3.1937.99.61.45.10.10		
hl7:templateId	II	1 ... 1	R		(ASI... ten)	
@root	uid	1 ... 1	F	2.16.840.1.113883.10.12.201		
hl7:id	II	0 ... 1			(ASI... ten)	
hl7:code	CE	0 ... 1			(ASI... ten)	
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.10871 <i>DocumentSectionType</i> (DYNAMIC)				
hl7:title	ST	0 ... 1			(ASI... ten)	

Item	DT	Kard	Konf	Beschreibung	Label
h17:text	SD.TEXT	0 ... 1	R		(ASI... ten)
h17:entry		0 ... *			(ASI... ten)
@typeCode	cs	1 ... 1	R		
@contextConductionInd	bl	0 ... 1			






6.2.12 ASIC Patient-Stammdaten 2.16.840.1.113883.3.1937.99.61.45.10.45 - 2018-05-08 15:51:27

Id	2.16.840.1.113883.3.1937.99.61.45.10.45	Gültigkeit	2018-05-08 15:51:27
Status	 Entwurf	Versions-Label	
Name	ASICPatientenDaten	Anzeigename	ASIC Patient-Stammdaten
Beschreibung	Template CDA recordTarget (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Klassifikation	CDA Header Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Assoziiert mit	Assoziiert mit 2 Konzepte		
	Id	Name	Datensatz
	smul-dataelement-79	 Geburtsdatum	 Dataset Sandbox Medizin Uni Leipzig
	smul-dataelement-76	 Proband	 Dataset Sandbox Medizin Uni Leipzig
Beziehung	Spezialisierung: Template 2.16.840.1.113883.3.1937.99.61.45.10.18 (2018-04-24 10:48:32)		
	Spezialisierung: Template 2.16.840.1.113883.10.12.101 (2005-09-07)		
Alles ausklappen		Alles einklappen	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:recordTarget		1 ... *	R		(ASI... ten)
 smul-dataelement-76  Proband  Dataset Sandbox Medizin Uni Leipzig					
@typeCode	cs	0 ... 1	F	RCT	
@contextControlCode	cs	0 ... 1	F	OP	
hl7:patientRole		1 ... 1	R		(ASI... ten)
@classCode	cs	0 ... 1	F	PAT	
hl7:id	II	1 ... *	R		(ASI... ten)
hl7:patient		0 ... 1			(ASI... ten)
@classCode	cs	0 ... 1	F	PSN	
@determinerCode	cs	0 ... 1	F	INSTANCE	
hl7:id	II	0 ... 1			(ASI... ten)
hl7:name	PN	1 ... 1	R		(ASI... ten)
hl7:given		0 ... *			(ASI... ten)
hl7:family		0 ... *			(ASI... ten)
hl7:administrativeGenderCode	CE	0 ... 1			(ASI... ten)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.1 AdministrativeGender (DYNAMIC)			

Item	DT	Kard	Konf	Beschreibung	Label
hl7:birthTime	TS	0 ... 1			(ASI... ten)
 smul-dataelement-79  Geburtsdatum  Dataset Sandbox Medizin Uni Leipzig					
hl7:weight	ANY				(ASI... ten)
hl7:height	ANY				(ASI... ten)

6.2.13 ASIC Sauerstoffsättigung 2.16.840.1.113883.3.1937.99.61.45.10.49 - 2018-05-08 16:26:57



Id	2.16.840.1.113883.3.1937.99.61.45.10.49	Gültigkeit	2018-05-08 16:26:57
Status	 Entwurf	Versions-Label	
Name	ASICSauerstoffsättigung	Anzeigenname	ASIC Sauerstoffsättigung
Beschreibung	Template CDA Section (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Kontext	Elternknoten des Template-Element mit Id 2.16.840.1.113883.3.1937.99.61.45.10.49		
Klassifikation	CDA Section level template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Benutzt von / Benutzt	Benutzt von 0 Transactions und 2 Templates, Benutzt 2 Templates		
	Benutzt von	als	Name
	2.16.840.1.113883.3.1937.99.61.45.10.44	Containment	 Anwendungsfall ASIC
	2.16.840.1.113883.3.1937.99.61.45.10.46	Containment	 ASIC Messwerte
	Benutzt	als	Name
	2.16.840.1.113883.3.1937.99.61.45.10.8	Containment	 Messwert: Harnstoff
2.16.840.1.113883.3.1937.99.61.45.10.9	Containment	 Messwert: Kreatinin	
		Version	
			2018-05-08 15:20:09
			2018-05-08 16:20:53
			DYNAMIC
			DYNAMIC

Beziehung	Spezialisierung: Template 2.16.840.1.113883.3.1937.99.61.45.10.11 (2018-04-18 11:15:51)				
	Spezialisierung: Template 2.16.840.1.113883.3.1937.99.61.45.10.10 (2018-04-18 11:13:00)				
	Spezialisierung: Template 2.16.840.1.113883.10.12.201 (2005-09-07)				
<input type="button" value="Alles ausklappen"/> <input type="button" value="Alles einklappen"/>					
Item	DT	Kard	Konf	Beschreibung	Label
hl7:section					(ASI ... ung)
@classCode	cs	0 ... 1	F	DOCSECT	
hl7:templateId	II	1 ... 1	M		(ASI ... ung)
@root	uid	1 ... 1	F	2.16.840.1.113883.3.1937.99.61.45.10.49	
hl7:templateId	II	1 ... 1	M		(ASI ... ung)
@root	uid	1 ... 1	F	2.16.840.1.113883.3.1937.99.61.45.10.11	
hl7:templateId	II	1 ... 1	M		(ASI ... ung)
@root	uid	1 ... 1	F	2.16.840.1.113883.3.1937.99.61.45.10.10	
hl7:templateId	II	1 ... 1	R		(ASI ... ung)
@root	uid	1 ... 1	F	2.16.840.1.113883.10.12.201	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:id	II	0 ... 1			(ASIS ... ung)
hl7:code	CE	0 ... 1			(ASIS ... ung)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.10871 <i>DocumentSectionType</i> (DYNAMIC)			
hl7:title	ST	0 ... 1			(ASIS ... ung)
hl7:text	SD.TEXT	0 ... 1	R		(ASIS ... ung)
hl7:entry		0 ... *		Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.8 <i>Messwert: Harnstoff</i> (DYNAMIC)	(ASIS ... ung)
wo [hl7:observation [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.8'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.7'] and hl7:templateId [@root = '2.16.840.1.113883.10.12.303']]]					
@typeCode	cs	1 ... 1	R		
	CONF	Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.3.1937.99.61.45.11.3 <i>Harnstoff</i> (DYNAMIC)			
@contextConductionInd	bl	0 ... 1	F	true	
hl7:entry		0 ... *		Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.9 <i>Messwert: Kreatinin</i> (DYNAMIC)	(ASIS ... ung)
wo [hl7:observation [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.9'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.7'] and hl7:templateId [@root = '2.16.840.1.113883.10.12.303']]]					

Item	DT	Kard	Konf	Beschreibung	Label
@typeCode	cs	1 .. 1	R		
	CONF			Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.3.1937.99.61.45.11.4 <i>Kreatinin</i> (DYNAMIC)	
@contextConductionInd	bl	0 .. 1	F	true	



6.2.14 ASIC adjunktiv supportive Maßnahmen 2.16.840.1.113883.3.1937.99.61.45.10.61 - 2018-05-14 14:32:33

Id	2.16.840.1.113883.3.1937.99.61.45.10.61	Gültigkeit	2018-05-14 14:32:33
Status	 Entwurf	Versions-Label	
Name	ASICadjunktivSupportiveMassnahmen	Anzeigename	ASIC adjunktiv supportive Maßnahmen
Beschreibung	Template CDA Section (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Kontext	Geschwisterknoten des Template-Element mit Id 2.16.840.1.113883.3.1937.99.61.45.10.61		
Klassifikation	CDA Section level template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Benutzt von / Benutzt	Benutzt von 0 Transactions und 1 Template, Benutzt 0 Templates		
	Benutzt von	als	Name
	2.16.840.1.113883.3.1937.99.61.45.10.44	Containment	 Anwendungsfall ASIC
			2018-05-08 15:20:09
Beziehung	Adaptation: Template 2.16.840.1.113883.3.1937.99.61.45.10.55 (2018-05-08 16:49:19)		
	Spezialisierung: Template 2.16.840.1.113883.3.1937.99.61.45.10.10 (2018-04-18 11:13:00)		
	Spezialisierung: Template 2.16.840.1.113883.10.12.201 (2005-09-07)		
Alles ausklappen		Alles einklappen	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:templateId	II	1 .. 1	M		(ASI...men)
@root	uid	1 .. 1	F	2.16.840.1.113883.3.1937.99.61.45.10.61	
hl7:section					(ASI...men)
@classCode	cs	0 .. 1	F	DOCSECT	
hl7:templateId	II	1 .. 1	M		(ASI...men)
@root	uid	1 .. 1	F	2.16.840.1.113883.3.1937.99.61.45.10.55	
hl7:templateId	II	1 .. 1	M		(ASI...men)
@root	uid	1 .. 1	F	2.16.840.1.113883.3.1937.99.61.45.10.10	
hl7:templateId	II	1 .. 1	R		(ASI...men)
@root	uid	1 .. 1	F	2.16.840.1.113883.10.12.201	
hl7:id	II	0 .. 1			(ASI...men)
hl7:code	CE	0 .. 1			(ASI...men)
hl7:title	ST	0 .. 1			(ASI...men)
hl7:text	SD.TEXT	0 .. 1	R		(ASI...men)
hl7:entry		0 .. *			(ASI...men)
@typeCode	cs	1 .. 1	R		

Item	DT	Kard	Konf	Beschreibung	Label
@contextConductionInd	bl	0 ... 1			

6.2.15  ASIC radiologische Befunde 2.16.840.1.113883.3.1937.99.61.45.10.53 - 2018-05-08 16:47:17


Id	2.16.840.1.113883.3.1937.99.61.45.10.53	Gültigkeit	2018-05-08 16:47:17
Status	 Entwurf	Versions-Label	
Name	ASICradiologischeBefunde	Anzeigename	ASIC radiologische Befunde
Beschreibung	Template CDA Section (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Kontext	Elternknoten des Template-Element mit Id 2.16.840.1.113883.3.1937.99.61.45.10.53		
Klassifikation	CDA Section level template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Benutzt von / Benutzt	Benutzt von 0 Transactions und 1 Template, Benutzt 0 Templates		
	Benutzt von	als	Name
	2.16.840.1.113883.3.1937.99.61.45.10.44	Containment 	Anwendungsfall ASIC
			2018-05-08 15:20:09
Beziehung	Spezialisierung: Template 2.16.840.1.113883.3.1937.99.61.45.10.10 (2018-04-18 11:13:00)		
	Spezialisierung: Template 2.16.840.1.113883.10.12.201 (2005-09-07)		




Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
h17:section					(ASI... nde)
@classCode	cs	0 ... 1	F	DOCSECT	
h17:templateId	II	1 ... 1	M		(ASI... nde)

Item	DT	Kard	Konf	Beschreibung	Label	
@root	uid	1 .. 1	F	2.16.840.1.113883.3.1937.99.61.45.10.53		
hl7:templateId	II	1 .. 1	M		(ASI...nde)	
@root	uid	1 .. 1	F	2.16.840.1.113883.3.1937.99.61.45.10.10		
hl7:templateId	II	1 .. 1	R		(ASI...nde)	
@root	uid	1 .. 1	F	2.16.840.1.113883.10.12.201		
hl7:id	II	0 .. 1			(ASI...nde)	
hl7:code	CE	0 .. 1			(ASI...nde)	
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.10871 DocumentSectionType (DYNAMIC)				
hl7:title	ST	0 .. 1			(ASI...nde)	
hl7:text	SD.TEXT	0 .. 1	R		(ASI...nde)	
hl7:entry		0 .. *			(ASI...nde)	
@typeCode	cs	1 .. 1	R			
@contextConductionInd	bl	0 .. 1				

6.2.16 ASIC weitere Vitaldaten 2.16.840.1.113883.3.1937.99.61.45.10.50 - 2018-05-08 16:29:04

Id	2.16.840.1.113883.3.1937.99.61.45.10.50	Gültigkeit	2018-05-08 16:29:04
Status	 Entwurf	Versions-Label	

Name	ASICweitereVitaldaten	Anzeigename	ASIC weitere Vitaldaten	
Beschreibung	Template CDA Section (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)			
Kontext	Elternknoten des Template-Element mit Id 2.16.840.1.113883.3.1937.99.61.45.10.50			
Klassifikation	CDA Section level template			
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)			
Benutzt von / Benutzt	Benutzt von 0 Transactions und 2 Templates, Benutzt 1 Template			
	Benutzt von	als	Name	Version
	2.16.840.1.113883.3.1937.99.61.45.10.44	Containment	 Anwendungsfall ASIC	2018-05-08 15:20:09
	2.16.840.1.113883.3.1937.99.61.45.10.46	Containment	 ASIC Messwerte	2018-05-08 16:20:53
	Benutzt	als	Name	Version
2.16.840.1.113883.10.12.300	Containment	 CDA Clinical Statement	DYNAMIC	
Beziehung	Spezialisierung: Template 2.16.840.1.113883.3.1937.99.61.45.10.10 (2018-04-18 11:13:00)			
	Spezialisierung: Template 2.16.840.1.113883.10.12.201 (2005-09-07)			















Alles ausklappen | Alles einklappen





































Item	DT	Kard	Konf	Beschreibung	Label
hl7:section					(AS ... ten)
@classCode	cs	0 ... 1	F	DOCSECT	
hl7:templateId	II	1 ... 1	M		(AS ... ten)
@root	uid	1 ... 1	F	2.16.840.1.113883.3.1937.99.61.45.10.50	









Item	DT	Kard	Konf	Beschreibung	Label	
hl7:templateId	II	1 .. 1	M		(ASIS ... ten)	
@root	uid	1 .. 1	F	2.16.840.1.113883.3.1937.99.61.45.10.10		
hl7:templateId	II	1 .. 1	R		(ASIS ... ten)	
@root	uid	1 .. 1	F	2.16.840.1.113883.10.12.201		
hl7:id	II	0 .. 1			(ASIS ... ten)	
hl7:code	CE	0 .. 1			(ASIS ... ten)	
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.10871 <i>DocumentSectionType</i> (DYNAMIC)				
hl7:title	ST	0 .. 1			(ASIS ... ten)	
hl7:text	SD.TEXT	0 .. 1	R		(ASIS ... ten)	
hl7:entry		0 .. *		Beinhaltet 2.16.840.1.113883.10.12.300 <i>CDA Clinical Statement</i> (DYNAMIC)	(ASIS ... ten)	
wo [<i>@typeCode</i>]						
@typeCode	cs	1 .. 1	R			

Item	DT	Kard	Konf	Beschreibung	Label
	CONF			Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19446 x_ActRelationshipEntry (DYNAMIC)	
@contextConductionInd	bl	0 ... 1			

6.2.17  CDA Act 2.16.840.1.113883.10.12.301 - 2005-09-07 ref ad1bbr-

Id	2.16.840.1.113883.10.12.301 ref ad1bbr-	Gültigkeit	2005-09-07
Status	 Aktiv	Versions-Label	
Name	CDAAct	Anzeigename	CDA Act
Beschreibung	Template CDA Act (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Kontext	Elternknoten des Template-Element mit Id 2.16.840.1.113883.10.12.301		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
	Benutzt von 0 Transactions und 24 Templates, Benutzt 9 Templates		
Benutzt von / Benutzt	Benutzt von	als	Name Version
	2.16.840.1.113883.10.12.300	Inklusion 	CDA Clinical Statement 2005-09-07
		 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.300, bitte überprüfen	
	2.16.840.1.113883.10.12.201	 	CDA Section 2005-09-07
		 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.201, bitte überprüfen	
	2.16.840.1.113883.10.12.202	 	CDA StructuredBody 2005-09-07
	2.16.840.1.113883.10.12.112	 	CDA component 2005-09-07
	2.16.840.1.113883.3.1937.99.61.45.10.16	 	Adipositas Studie 2018-04-24 10:33:11
	2.16.840.1.113883.3.1937.99.61.45.10.17	 	CDA Adipositas Studie 2018-04-24 10:41:37

2.16.840.1.113883.10.12.301		 CDA Act	2005-09-07
2.16.840.1.113883.10.12.302		 CDA Encounter	2005-09-07
2.16.840.1.113883.10.12.303		 CDA Observation	2005-09-07
2.16.840.1.113883.10.12.304		 CDA ObservationMedia	2005-09-07
2.16.840.1.113883.10.12.305		 CDA Organizer	2005-09-07
2.16.840.1.113883.10.12.306		 CDA Procedure	2005-09-07
2.16.840.1.113883.10.12.307		 CDA RegionOfInterest	2005-09-07
2.16.840.1.113883.10.12.308		 CDA SubstanceAdministration	2005-09-07
2.16.840.1.113883.10.12.309		 CDA Supply	2005-09-07
2.16.840.1.113883.3.1937.99.61.45.10.37		 Dok3 Sonstiges	2018-05-02 17:52:41
2.16.840.1.113883.3.1937.99.61.45.10.28		 Dok3 Messwerte	2018-04-27 15:51:01
2.16.840.1.113883.3.1937.99.61.45.10.27		 Dok3 Adipositas Studie	2018-04-27 15:17:54
2.16.840.1.113883.3.1937.99.61.45.10.39		 Dok3 kleines Blutbild ?	2018-05-02 17:58:11
2.16.840.1.113883.3.1937.99.61.45.10.5		 CDA Section t	2018-04-16 11:44:27
2.16.840.1.113883.3.1937.99.61.45.10.50		 ASIC weitere Vitaldaten	2018-05-08 16:29:04
2.16.840.1.113883.3.1937.99.61.45.10.44		 Anwendungsfall ASIC	2018-05-08 15:20:09
2.16.840.1.113883.3.1937.99.61.45.10.46		 ASIC Messwerte	2018-05-08 16:20:53
2.16.840.1.113883.3.1937.99.61.45.10.6		 CDA Observation t	2018-04-16 12:13:51
Benutzt	als	Name	Version
2.16.840.1.113883.10.12.320	Containment	 CDA Subject (Body)	DYNAMIC

2.16.840.1.113883.10.12.322	Containment	 CDA Specimen	DYNAMIC
2.16.840.1.113883.10.12.323	Containment	 CDA Performer (Body)	DYNAMIC
2.16.840.1.113883.10.12.318	Containment	 CDA Author (Body)	DYNAMIC
2.16.840.1.113883.10.12.319	Containment	 CDA Informant (Body)	DYNAMIC
2.16.840.1.113883.10.12.321	Containment	 CDA Participant (Body)	DYNAMIC
2.16.840.1.113883.10.12.300	Containment	 CDA Clinical Statement	DYNAMIC
2.16.840.1.113883.10.12.324	Containment	 CDA Reference	DYNAMIC
2.16.840.1.113883.10.12.329	Containment	 CDA Precondition	DYNAMIC

Alles ausklappen Alles einklappen














Item	DT	Kard	Konf	Beschreibung	Label
h17:act					(CDAAct)
@classCode	cs	1 ... 1	R		
	CONF	Der Wert von @classCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19599 x_ActClassDocumentEntryAct (DYNAMIC)			
@moodCode	cs	1 ... 1	R		
	CONF	Der Wert von @moodCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19458 x_DocumentActMood (DYNAMIC)			
@negationInd	bl	0 ... 1			
h17:templateId	II	1 ... 1			(CDAAct)
@root		1 ... 1	F	2.16.840.1.113883.10.12.301	


































Item	DT	Kard	Konf	Beschreibung	Label
hl7:id	II	0 ... *			(CDAAct)
hl7:code	CD	1 ... 1	R		(CDAAct)
@codeSystem	CONF	0 ... 1	F	2.16.840.1.113883.5.4 (Act Code)	
hl7:text	ED	0 ... 1			(CDAAct)
hl7:statusCode	CS	0 ... 1			(CDAAct)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.15933 <i>ActStatus</i> (DYNAMIC)	
hl7:effectiveTime	IVL_TS	0 ... 1			(CDAAct)
hl7:priorityCode	CE	0 ... 1			(CDAAct)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.16866 <i>ActPriority</i> (DYNAMIC)	
hl7:languageCode	CS	0 ... 1			(CDAAct)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.11526 <i>HumanLanguage</i> (DYNAMIC)	
hl7:subject		0 ... 1		Beinhaltet 2.16.840.1.113883.10.12.320 <i>CDA Subject (Body)</i> (DYNAMIC)	(CDAAct)
wo [hl7:relatedSubject [@classCode]]					
hl7:specimen		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.322 <i>CDA Specimen</i> (DYNAMIC)	(CDAAct)
wo [hl7:specimenRole]					
hl7:performer		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.323 <i>CDA Performer (Body)</i> (DYNAMIC)	(CDAAct)

Item	DT	Kard	Konf	Beschreibung	Label
wo [hl7:assignedEntity]					
hl7:author		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.318 CDA Author (Body) (DYNAMIC)	(CDAAct)
wo [hl7:assignedAuthor]					
hl7:informant		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.319 CDA Informant (Body) (DYNAMIC)	(CDAAct)
hl7:participant		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.321 CDA Participant (Body) (DYNAMIC)	(CDAAct)
wo [@typeCode] [hl7:participantRole]					
hl7:entryRelationship		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.300 CDA Clinical Statement (DYNAMIC)	(CDAAct)
wo [@typeCode]					
@typeCode	cs	1 ... 1	R		
	CONF			Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19447 x_ActRelationshipEntryRelationship (DYNAMIC)	
@contextConductionInd	bl	0 ... 1			
@inversionInd	bl	0 ... 1			
@negationInd	bl	0 ... 1			
hl7:sequenceNumber	INT	0 ... 1			(CDAAct)
hl7:seperatableInd	BL	0 ... 1			(CDAAct)
hl7:reference		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.324 CDA Reference (DYNAMIC)	(CDAAct)

Item	DT	Kard	Konf	Beschreibung	Label
wo [<i>@typeCode</i>]					
hl7:precondition		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.329 CDA Precondition (DYNAMIC)	(CDAAct)
wo [<i>hl7:criterion</i>]					

6.2.18 CDA AssignedEntity 2.16.840.1.113883.10.12.153 - 2005-09-07 ref ad1bbr-

Id	2.16.840.1.113883.10.12.153 ref ad1bbr-	Gültigkeit	2005-09-07
Status	 Aktiv	Versions-Label	
Name	CDAAssignedEntity	Anzeigename	CDA AssignedEntity
Beschreibung	Template CDA AssignedEntity (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Klassifikation	CDA Header Level Template CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
	Benutzt von 0 Transactions und 26 Templates, Benutzt 2 Templates		
Benutzt von / Benutzt	Benutzt von	als	Name Version
	2.16.840.1.113883.10.12.323	Inklusion 	CDA Performer (Body) 2005-09-07
	2.16.840.1.113883.10.12.301	 	CDA Act 2005-09-07
			Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.301, bitte überprüfen
	2.16.840.1.113883.10.12.300	 	CDA Clinical Statement 2005-09-07
			Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.300, bitte überprüfen
	2.16.840.1.113883.10.12.201	 	CDA Section 2005-09-07
			Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.201, bitte überprüfen
	2.16.840.1.113883.10.12.202	 	CDA StructuredBody 2005-09-07

2.16.840.1.113883.10.12.112		 CDA component	2005-09-07
2.16.840.1.113883.3.1937.99.61.45.10.16		 Adipositas Studie	2018-04-24 10:33:11
2.16.840.1.113883.3.1937.99.61.45.10.17		 CDA Adipositas Studie	2018-04-24 10:41:37
2.16.840.1.113883.10.12.302		 CDA Encounter	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.302, bitte überprüfen	
2.16.840.1.113883.10.12.303		 CDA Observation	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.303, bitte überprüfen	
2.16.840.1.113883.10.12.304		 CDA ObservationMedia	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.304, bitte überprüfen	
2.16.840.1.113883.10.12.305		 CDA Organizer	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.305, bitte überprüfen	
2.16.840.1.113883.10.12.306		 CDA Procedure	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.306, bitte überprüfen	
2.16.840.1.113883.10.12.307		 CDA RegionOfInterest	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.307, bitte überprüfen	
2.16.840.1.113883.10.12.308		 CDA SubstanceAdministration	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.308, bitte überprüfen	
2.16.840.1.113883.10.12.309		 CDA Supply	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.309, bitte überprüfen	
2.16.840.1.113883.3.1937.99.61.45.10.37		 Dok3 Sonstiges	2018-05-02 17:52:41
2.16.840.1.113883.3.1937.99.61.45.10.28		 Dok3 Messwerte	2018-04-27 15:51:01








2.16.840.1.113883.3.1937.99.61.45.10.27			Dok3 Adipositas Studie	2018-04-27 15:17:54
2.16.840.1.113883.3.1937.99.61.45.10.39			Dok3 kleines Blutbild ?	2018-05-02 17:58:11
2.16.840.1.113883.3.1937.99.61.45.10.5			CDA Section t	2018-04-16 11:44:27
2.16.840.1.113883.3.1937.99.61.45.10.50			ASIC weitere Vitaldaten	2018-05-08 16:29:04
2.16.840.1.113883.3.1937.99.61.45.10.44			Anwendungsfall ASIC	2018-05-08 15:20:09
2.16.840.1.113883.3.1937.99.61.45.10.46			ASIC Messwerte	2018-05-08 16:20:53
2.16.840.1.113883.3.1937.99.61.45.10.6			CDA Observation t	2018-04-16 12:13:51
2.16.840.1.113883.10.12.319	Containment		CDA Informant (Body)	2005-09-07
Benutzt	als	Name	Version	
2.16.840.1.113883.10.12.152	Containment		CDA Person	DYNAMIC
2.16.840.1.113883.10.12.151	Containment		CDA Organization	DYNAMIC

































Alles ausklappen Alles einklappen






















Item	DT	Kard	Konf	Beschreibung	Label
@classCode		0 ... 1	F	ASSIGNED	
hl7:id	II	1 ... *	R		(CDA ... ity)
hl7:code	CE	0 ... 1			(CDA ... ity)
@codeSystem	CONF	0 ... 1	F	2.16.840.1.113883.5.111 (Role Code)	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:addr	AD	0 ... *			(CDA ... ity)
hl7:telecom	TEL	0 ... *			(CDA ... ity)
hl7:assignedPerson		0 ... 1		Beinhaltet 2.16.840.1.113883.10.12.152 CDA Person (DYNAMIC)	(CDA ... ity)
hl7:representedOrganization		0 ... 1		Beinhaltet 2.16.840.1.113883.10.12.151 CDA Organization (DYNAMIC)	(CDA ... ity)

6.2.19 CDA Author (Body) 2.16.840.1.113883.10.12.318 - 2005-09-07 ref ad1bbr-

Id	2.16.840.1.113883.10.12.318 ref ad1bbr-	Gültigkeit	2005-09-07
Status	 Aktiv	Versions-Label	
Name	CDAAuthorBody	Anzeigename	CDA Author (Body)
Beschreibung	Template CDA Author (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
	Benutzt von 0 Transactions und 24 Templates, Benutzt 3 Templates		
Benutzt von / Benutzt	Benutzt von	als	Name Version
	2.16.840.1.113883.10.12.201	Containment 	CDA Section 2005-09-07
		 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.201, bitte überprüfen	
	2.16.840.1.113883.10.12.202	 	CDA StructuredBody 2005-09-07
	2.16.840.1.113883.10.12.112	 	CDA component 2005-09-07

2.16.840.1.113883.3.1937.99.61.45.10.16		 Adipositas Studie	2018-04-24 10:33:11
2.16.840.1.113883.3.1937.99.61.45.10.17		 CDA Adipositas Studie	2018-04-24 10:41:37
2.16.840.1.113883.10.12.301		Containment  CDA Act	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.301, bitte überprüfen	
2.16.840.1.113883.10.12.300		 CDA Clinical Statement	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.300, bitte überprüfen	
2.16.840.1.113883.10.12.302		 CDA Encounter	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.302, bitte überprüfen	
2.16.840.1.113883.10.12.303		 CDA Observation	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.303, bitte überprüfen	
2.16.840.1.113883.10.12.304		 CDA ObservationMedia	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.304, bitte überprüfen	
2.16.840.1.113883.10.12.305		 CDA Organizer	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.305, bitte überprüfen	
2.16.840.1.113883.10.12.306		 CDA Procedure	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.306, bitte überprüfen	
2.16.840.1.113883.10.12.307		 CDA RegionOfInterest	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.307, bitte überprüfen	
2.16.840.1.113883.10.12.308		 CDA SubstanceAdministration	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.308, bitte überprüfen	
2.16.840.1.113883.10.12.309		 CDA Supply	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.309, bitte überprüfen	

2.16.840.1.113883.3.1937.99.61.45.10.37 	 Dok3 Sonstiges	2018-05-02 17:52:41	
2.16.840.1.113883.3.1937.99.61.45.10.28 	 Dok3 Messwerte	2018-04-27 15:51:01	
2.16.840.1.113883.3.1937.99.61.45.10.27 	 Dok3 Adipositas Studie	2018-04-27 15:17:54	
2.16.840.1.113883.3.1937.99.61.45.10.39 	 Dok3 kleines Blutbild ?	2018-05-02 17:58:11	
2.16.840.1.113883.3.1937.99.61.45.10.5 	 CDA Section t	2018-04-16 11:44:27	
2.16.840.1.113883.3.1937.99.61.45.10.50 	 ASIC weitere Vitaldaten	2018-05-08 16:29:04	
2.16.840.1.113883.3.1937.99.61.45.10.44 	 Anwendungsfall ASIC	2018-05-08 15:20:09	
2.16.840.1.113883.3.1937.99.61.45.10.46 	 ASIC Messwerte	2018-05-08 16:20:53	
2.16.840.1.113883.3.1937.99.61.45.10.6 	 CDA Observation t	2018-04-16 12:13:51	
Benutzt	als	Name	Version
2.16.840.1.113883.10.12.152	Containment	 CDA Person	DYNAMIC
2.16.840.1.113883.10.12.315	Containment	 CDA Device	DYNAMIC
2.16.840.1.113883.10.12.151	Containment	 CDA Organization	DYNAMIC








Alles ausklappen Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
@typeCode		0 ... 1	F	AUT	
@contextControlCode		0 ... 1	F	OP	
hl7:functionCode	CE	0 ... 1			(CDA ... ody)

Item	DT	Kard	Konf	Beschreibung	Label	
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.10267 <i>ParticipationFunction</i> (DYNAMIC)				
hl7:time	TS	1 .. 1	R		(CDA ... ody)	
hl7:assignedAuthor		1 .. 1			(CDA ... ody)	
@classCode		0 .. 1	F	ASSIGNED		
hl7:id	II	1 .. *	R		(CDA ... ody)	
hl7:code	CE	0 .. 1			(CDA ... ody)	
@codeSystem	CONF	0 .. 1	F	2.16.840.1.113883.5.111 (Role Code)		
hl7:addr	AD	0 .. *			(CDA ... ody)	
hl7:telecom	TEL	0 .. *			(CDA ... ody)	
Auswahl		0 .. 1		Elemente in der Auswahl: <ul style="list-style-type: none"> hl7:assignedPerson welches enthält Template 2.16.840.1.113883.10.12.152 <i>CDA Person</i> (DYNAMIC) hl7:assignedAuthoringDevice welches enthält Template 2.16.840.1.113883.10.12.315 <i>CDA Device</i> (DYNAMIC) 		
hl7:assignedPerson				Beinhaltet 2.16.840.1.113883.10.12.152 <i>CDA Person</i> (DYNAMIC)	(CDA ... ody)	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:assignedAuthoringDevice				Beinhaltet 2.16.840.1.113883.10.12.315 CDA Device (DYNAMIC)	(CDA ... ody)
hl7:representedOrganization		0 ... 1		Beinhaltet 2.16.840.1.113883.10.12.151 CDA Organization (DYNAMIC)	(CDA ... ody)

6.2.20 CDA Autor 2.16.840.1.113883.3.1937.99.61.45.10.19 - 2018-04-24 10:54:42

Id	2.16.840.1.113883.3.1937.99.61.45.10.19	Gültigkeit	2018-04-24 10:54:42
Status	 Entwurf	Versions-Label	
Name	CDAAutor	Anzeigename	CDA Autor
Beschreibung	Template CDA author (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Klassifikation	CDA Header Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Benutzt von / Benutzt	Benutzt von 0 Transactions und 5 Templates, Benutzt 1 Template		
	Benutzt von	als	Name
	2.16.840.1.113883.3.1937.99.61.45.10.20	Inklusion	 Dok1 Adipositas Studie
	2.16.840.1.113883.3.1937.99.61.45.10.24	Inklusion	 Dok2 Adipositas Studie
	2.16.840.1.113883.3.1937.99.61.45.10.27	Inklusion	 Dok3 Adipositas Studie
	2.16.840.1.113883.3.1937.99.61.45.10.40	Inklusion	 Dok4 Adipositas Studie
	2.16.840.1.113883.3.1937.99.61.45.10.44	Inklusion	 Anwendungsfall ASIC
	Benutzt	als	Name
	2.16.840.1.113883.10.12.151	Containment	 CDA Organization
			Version
			2018-04-24 11:01:24
			2018-04-26 16:56:54
			2018-04-27 15:17:54
			2018-05-03 10:09:46
			2018-05-08 15:20:09
			DYNAMIC

































Beziehung Spezialisierung: Template 2.16.840.1.113883.10.12.102 (2005-09-07)

Item	DT	Kard	Konf	Beschreibung	Label	
hl7:author		1 ... *	R		(CDA ... tor)	
@typeCode	cs	0 ... 1	F	AUT		
@contextControlCode	cs	0 ... 1	F	OP		
hl7:functionCode	CE	0 ... 1			(CDA ... tor)	
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.10267 <i>ParticipationFunction</i> (DYNAMIC)				
hl7:time	TS	1 ... 1	R		(CDA ... tor)	
hl7:assignedAuthor		1 ... 1	R		(CDA ... tor)	
@classCode	cs	0 ... 1	F	ASSIGNED		
hl7:id	II	1 ... *	R		(CDA ... tor)	
hl7:code	CE	0 ... 1			(CDA ... tor)	
@codeSystem	CONF	0 ... 1	F	2.16.840.1.113883.5.111 (Role Code)		










Item	DT	Kard	Konf	Beschreibung	Label
hl7:addr	AD	0 ... *			(CDA ... tor)
hl7:telecom	TEL	0 ... *			(CDA ... tor)
hl7:representedOrganization		0 ... 1		Beinhaltet 2.16.840.1.113883.10.12.151 CDA Organization (DYNAMIC)	(CDA ... tor)

6.2.21 CDA Clinical Statement 2.16.840.1.113883.10.12.300 - 2005-09-07 ref ad1bbr-

Id	2.16.840.1.113883.10.12.300 ref ad1bbr-	Gültigkeit	2005-09-07
Status	● Aktiv	Versions-Label	
Name	CDAClinicalStatement	Anzeigename	CDA Clinical Statement
Beschreibung	Template CDA Clinical Statement (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
	Benutzt von 0 Transactions und 24 Templates, Benutzt 9 Templates		
Benutzt von / Benutzt	Benutzt von	als	Name Version
	2.16.840.1.113883.10.12.201	Containment ●	CDA Section 2005-09-07
		!	Zikläre Referenz gefunden mit 2.16.840.1.113883.10.12.201, bitte überprüfen
	2.16.840.1.113883.10.12.202	🔗	● CDA StructuredBody 2005-09-07
	2.16.840.1.113883.10.12.112	🔗	● CDA component 2005-09-07
	2.16.840.1.113883.3.1937.99.61.45.10.16	🔗	⊗ Adipositas Studie 2018-04-24 10:33:11
	2.16.840.1.113883.3.1937.99.61.45.10.17	🔗	⊗ CDA Adipositas Studie 2018-04-24 10:41:37

2.16.840.1.113883.10.12.301	  CDA Act	2005-09-07
	 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.301, bitte überprüfen	
2.16.840.1.113883.10.12.300	  CDA Clinical Statement	2005-09-07
	 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.300, bitte überprüfen	
2.16.840.1.113883.10.12.302	  CDA Encounter	2005-09-07
	 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.302, bitte überprüfen	
2.16.840.1.113883.10.12.303	  CDA Observation	2005-09-07
	 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.303, bitte überprüfen	
2.16.840.1.113883.10.12.304	  CDA ObservationMedia	2005-09-07
	 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.304, bitte überprüfen	
2.16.840.1.113883.10.12.305	  CDA Organizer	2005-09-07
	 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.305, bitte überprüfen	
2.16.840.1.113883.10.12.306	  CDA Procedure	2005-09-07
	 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.306, bitte überprüfen	
2.16.840.1.113883.10.12.307	  CDA RegionOfInterest	2005-09-07
	 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.307, bitte überprüfen	
2.16.840.1.113883.10.12.308	  CDA SubstanceAdministration	2005-09-07
	 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.308, bitte überprüfen	
2.16.840.1.113883.10.12.309	  CDA Supply	2005-09-07
	 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.309, bitte überprüfen	
2.16.840.1.113883.3.1937.99.61.45.10.37	  Dok3 Sonstiges	2018-05-02 17:52:41
2.16.840.1.113883.3.1937.99.61.45.10.28	  Dok3 Messwerte	2018-04-27 15:51:01

2.16.840.1.113883.3.1937.99.61.45.10.27 	 Dok3 Adipositas Studie	2018-04-27 15:17:54
2.16.840.1.113883.3.1937.99.61.45.10.39 	 Dok3 kleines Blutbild ?	2018-05-02 17:58:11
2.16.840.1.113883.3.1937.99.61.45.10.5 	 CDA Section t	2018-04-16 11:44:27
2.16.840.1.113883.3.1937.99.61.45.10.50 	 ASIC weitere Vitaldaten	2018-05-08 16:29:04
2.16.840.1.113883.3.1937.99.61.45.10.44 	 Anwendungsfall ASIC	2018-05-08 15:20:09
2.16.840.1.113883.3.1937.99.61.45.10.46 	 ASIC Messwerte	2018-05-08 16:20:53
2.16.840.1.113883.3.1937.99.61.45.10.6 	 CDA Observation t	2018-04-16 12:13:51

Benutzt	als	Name	Version
2.16.840.1.113883.10.12.301	Inklusion	 CDA Act	DYNAMIC
2.16.840.1.113883.10.12.302	Inklusion	 CDA Encounter	DYNAMIC
2.16.840.1.113883.10.12.303	Inklusion	 CDA Observation	DYNAMIC
2.16.840.1.113883.10.12.304	Inklusion	 CDA ObservationMedia	DYNAMIC
2.16.840.1.113883.10.12.305	Inklusion	 CDA Organizer	DYNAMIC
2.16.840.1.113883.10.12.306	Inklusion	 CDA Procedure	DYNAMIC
2.16.840.1.113883.10.12.307	Inklusion	 CDA RegionOfInterest	DYNAMIC
2.16.840.1.113883.10.12.308	Inklusion	 CDA SubstanceAdministration	DYNAMIC
2.16.840.1.113883.10.12.309	Inklusion	 CDA Supply	DYNAMIC

Alles ausklappen

Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
Auswahl		1 .. 1		Elemente in der Auswahl: <ul style="list-style-type: none"> hl7:act eingefügt vom Template 2.16.840.1.113883.10.12.301 <i>CDA Act</i> (DYNAMIC) hl7:encounter eingefügt vom Template 2.16.840.1.113883.10.12.302 <i>CDA Encounter</i> (DYNAMIC) hl7:observation eingefügt vom Template 2.16.840.1.113883.10.12.303 <i>CDA Observation</i> (DYNAMIC) hl7:observationMedia eingefügt vom Template 2.16.840.1.113883.10.12.304 <i>CDA ObservationMedia</i> (DYNAMIC) hl7:organizer eingefügt vom Template 2.16.840.1.113883.10.12.305 <i>CDA Organizer</i> (DYNAMIC) hl7:procedure eingefügt vom Template 2.16.840.1.113883.10.12.306 <i>CDA Procedure</i> (DYNAMIC) hl7:regionOfInterest eingefügt vom Template 2.16.840.1.113883.10.12.307 <i>CDA RegionOfInterest</i> (DYNAMIC) hl7:substanceAdministration eingefügt vom Template 2.16.840.1.113883.10.12.308 <i>CDA SubstanceAdministration</i> (DYNAMIC) hl7:supply eingefügt vom Template 2.16.840.1.113883.10.12.309 <i>CDA Supply</i> (DYNAMIC) 	
Eingefügt				von 2.16.840.1.113883.10.12.301 <i>CDA Act</i> (DYNAMIC)	
hl7:act					(CDA ... ent)
@classCode	cs	1 .. 1	R		
	CONF			Der Wert von @classCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19599 <i>x_ActClassDocumentEntryAct</i> (DYNAMIC)	
@moodCode	cs	1 .. 1	R		
	CONF			Der Wert von @moodCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19458 <i>x_DocumentActMood</i> (DYNAMIC)	

Item	DT	Kard	Konf	Beschreibung	Label
@negationInd	bl	0 .. 1			
h17:templateId	II	1 .. 1			(CDA ... ent)
@root		1 .. 1	F	2.16.840.1.113883.10.12.301	
h17:id	II	0 .. *			(CDA ... ent)
h17:code	CD	1 .. 1	R		(CDA ... ent)
@codeSystem	CONF	0 .. 1	F	2.16.840.1.113883.5.4 (Act Code)	
h17:text	ED	0 .. 1			(CDA ... ent)
h17:statusCode	CS	0 .. 1			(CDA ... ent)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.15933 <i>ActStatus</i> (DYNAMIC)	
h17:effectiveTime	IVL_TS	0 .. 1			(CDA ... ent)
h17:priorityCode	CE	0 .. 1			(CDA ... ent)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.16866 <i>ActPriority</i> (DYNAMIC)	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:languageCode	CS	0 ... 1			(CDA ... ent)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.11526 <i>HumanLanguage</i> (DYNAMIC)	
hl7:subject		0 ... 1		Beinhaltet 2.16.840.1.113883.10.12.320 <i>CDA Subject (Body)</i> (DYNAMIC)	(CDA ... ent)
wo [hl7:relatedSubject [@classCode]]					
hl7:specimen		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.322 <i>CDA Specimen</i> (DYNAMIC)	(CDA ... ent)
wo [hl7:specimenRole]					
hl7:performer		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.323 <i>CDA Performer (Body)</i> (DYNAMIC)	(CDA ... ent)
wo [hl7:assignedEntity]					
hl7:author		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.318 <i>CDA Author (Body)</i> (DYNAMIC)	(CDA ... ent)
wo [hl7:assignedAuthor]					
hl7:informant		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.319 <i>CDA Informant (Body)</i> (DYNAMIC)	(CDA ... ent)
hl7:participant		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.321 <i>CDA Participant (Body)</i> (DYNAMIC)	(CDA ... ent)
wo [@typeCode] [hl7:participantRole]					

Item	DT	Kard	Konf	Beschreibung	Label
hl7:entryRelationship		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.300 CDA Clinical Statement (DYNAMIC)	(CDA ... ent)
wo [@typeCode]					
@typeCode	cs	1 ... 1	R		
	CONF			Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19447 x_ActRelationshipEntryRelationship (DYNAMIC)	
@contextConductionInd	bl	0 ... 1			
@inversionInd	bl	0 ... 1			
@negationInd	bl	0 ... 1			
hl7:sequenceNumber	INT	0 ... 1			(CDA ... ent)
hl7:seperatableInd	BL	0 ... 1			(CDA ... ent)
hl7:reference		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.324 CDA Reference (DYNAMIC)	(CDA ... ent)
wo [@typeCode]					
hl7:precondition		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.329 CDA Precondition (DYNAMIC)	(CDA ... ent)
wo [hl7:criterion]					
Eingefügt				von 2.16.840.1.113883.10.12.302 CDA Encounter (DYNAMIC)	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:encounter					(CDA ... ent)
@classCode		1 .. 1	F	ENC	
@moodCode	CS	1 .. 1	R		
	CONF			Der Wert von @moodCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19459 <i>x_DocumentEncounterMood</i> (DYNAMIC)	
hl7:templateId	II	1 .. 1			(CDA ... ent)
@root		1 .. 1	F	2.16.840.1.113883.10.12.302	
hl7:id	II	0 .. *			(CDA ... ent)
hl7:code	CD	0 .. 1			(CDA ... ent)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.13955 <i>ActEncounterCode</i> (DYNAMIC)	
hl7:text	ED	0 .. 1			(CDA ... ent)
hl7:statusCode	CS	0 .. 1			(CDA ... ent)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.15933 <i>ActStatus</i> (DYNAMIC)	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:effectiveTime	IVL_TS	0 ... 1			(CDA ... ent)
hl7:priorityCode	CE	0 ... 1			(CDA ... ent)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.16866 ActPriority (DYNAMIC)	
hl7:subject		0 ... 1		Beinhaltet 2.16.840.1.113883.10.12.320 CDA Subject (Body) (DYNAMIC)	(CDA ... ent)
wo [hl7:relatedSubject [@classCode]]					
hl7:specimen		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.322 CDA Specimen (DYNAMIC)	(CDA ... ent)
wo [hl7:specimenRole]					
hl7:performer		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.323 CDA Performer (Body) (DYNAMIC)	(CDA ... ent)
wo [hl7:assignedEntity]					
hl7:author		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.318 CDA Author (Body) (DYNAMIC)	(CDA ... ent)
wo [hl7:assignedAuthor]					
hl7:informant		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.319 CDA Informant (Body) (DYNAMIC)	(CDA ... ent)

Item	DT	Kard	Konf	Beschreibung	Label
hl7:participant		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.321 CDA Participant (Body) (DYNAMIC)	(CDA ... ent)
wo [@typeCode] [hl7:participantRole]					
hl7:entryRelationship		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.300 CDA Clinical Statement (DYNAMIC)	(CDA ... ent)
wo [@typeCode]					
@typeCode	cs	1 ... 1	R		
	CONF			Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19447 x_ActRelationshipEntryRelationship (DYNAMIC)	
@contextConductionInd	bl	0 ... 1			
@inversionInd	bl	0 ... 1			
@negationInd	bl	0 ... 1			
hl7:sequenceNumber	INT	0 ... 1			(CDA ... ent)
hl7:seperatableInd	BL	0 ... 1			(CDA ... ent)
hl7:reference		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.324 CDA Reference (DYNAMIC)	(CDA ... ent)
wo [@typeCode]					

Item	DT	Kard	Konf	Beschreibung	Label
hl7:precondition		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.329 CDA Precondition (DYNAMIC)	(CDA ... ent)
wo [hl7:criterion]					
Eingefügt				von 2.16.840.1.113883.10.12.303 CDA Observation (DYNAMIC)	
hl7:observation					(CDA ... ent)
@classCode		1 ... 1	F	OBS	
@moodCode	cs	1 ... 1	R		
	CONF	Der Wert von @moodCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.18943 x_ActMoodDocumentObservation (DYNAMIC)			
@negationInd	bl	0 ... 1			
hl7:templateId	II	1 ... 1			(CDA ... ent)
@root		1 ... 1	F	2.16.840.1.113883.10.12.303	
hl7:id	II	0 ... *			(CDA ... ent)
hl7:code	CD	1 ... 1	R		(CDA ... ent)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.16226 ObservationType (DYNAMIC)			

Item	DT	Kard	Konf	Beschreibung	Label
hl7:derivationExpr	ST	0 .. 1			(CDA ... ent)
hl7:text	ED	0 .. 1			(CDA ... ent)
hl7:statusCode	CS	0 .. 1			(CDA ... ent)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.15933 <i>ActStatus</i> (DYNAMIC)	
hl7:effectiveTime	IVL_TS	0 .. 1			(CDA ... ent)
hl7:priorityCode	CE	0 .. 1			(CDA ... ent)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.16866 <i>ActPriority</i> (DYNAMIC)	
hl7:repeatNumber	IVL_INT	0 .. 1			(CDA ... ent)
hl7:languageCode	CS	0 .. 1			(CDA ... ent)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.11526 <i>HumanLanguage</i> (DYNAMIC)	
hl7:value	ANY	0 .. *			(CDA ... ent)

Item	DT	Kard	Konf	Beschreibung	Label
hl7:interpretationCode	CE	0 ... *			(CDA ... ent)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.78 <i>ObservationInterpretation</i> (DYNAMIC)	
hl7:methodCode	CE	0 ... *			(CDA ... ent)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.14079 <i>ObservationMethod</i> (DYNAMIC)	
hl7:targetSiteCode	CD	0 ... *			(CDA ... ent)
@codeSystem	CONF	0 ... 1 F		2.16.840.1.113883.5.1052 (Act Site)	
hl7:subject		0 ... 1		Beinhaltet 2.16.840.1.113883.10.12.320 <i>CDA Subject (Body)</i> (DYNAMIC)	(CDA ... ent)
wo [hl7:relatedSubject [@classCode]]					
hl7:specimen		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.322 <i>CDA Specimen</i> (DYNAMIC)	(CDA ... ent)
wo [hl7:specimenRole]					
hl7:performer		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.323 <i>CDA Performer (Body)</i> (DYNAMIC)	(CDA ... ent)
wo [hl7:assignedEntity]					
hl7:author		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.318 <i>CDA Author (Body)</i> (DYNAMIC)	(CDA ... ent)

Item	DT	Kard	Konf	Beschreibung	Label
wo [hl7:assignedAuthor]					
hl7:informant		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.319 CDA Informant (Body) (DYNAMIC)	(CDA ... ent)
hl7:participant		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.321 CDA Participant (Body) (DYNAMIC)	(CDA ... ent)
wo [@typeCode] [hl7:participantRole]					
hl7:entryRelationship		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.300 CDA Clinical Statement (DYNAMIC)	(CDA ... ent)
wo [@typeCode]					
@typeCode	cs	1 ... 1	R		
	CONF			Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19447 x_ActRelationshipEntryRelationship (DYNAMIC)	
@contextConductionInd	bl	0 ... 1			
@inversionInd	bl	0 ... 1			
@negationInd	bl	0 ... 1			
hl7:sequenceNumber	INT	0 ... 1			(CDA ... ent)
hl7:seperatableInd	BL	0 ... 1			(CDA ... ent)

Item	DT	Kard	Konf	Beschreibung	Label
hl7:reference		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.324 CDA Reference (DYNAMIC)	(CDA ... ent)
wo [@typeCode]					
hl7:precondition		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.329 CDA Precondition (DYNAMIC)	(CDA ... ent)
wo [hl7:criterion]					
hl7:referenceRange		0 ... *			(CDA ... ent)
@typeCode		1 ... 1	F	REFV	
hl7:observationRange		1 ... 1			(CDA ... ent)
@classCode		0 ... 1	F	OBS	
@moodCode		0 ... 1	F	EVN.CRT	
hl7:code	CD	0 ... 1			(CDA ... ent)
@codeSystem	CONF	0 ... 1	F	2.16.840.1.113883.5.4 (Act Code)	
hl7:text	ED	0 ... 1			(CDA ... ent)
hl7:value	ANY	0 ... 1			(CDA ... ent)

Item	DT	Kard	Konf	Beschreibung	Label
hl7:interpretationCode	CE	0 .. 1			(CDA ... ent)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.78 <i>ObservationInterpretation</i> (DYNAMIC)	
Eingefügt				von 2.16.840.1.113883.10.12.304 <i>CDA ObservationMedia</i> (DYNAMIC)	
hl7:observationMedia					(CDA ... ent)
@classCode		1 .. 1	F	OBS	
@moodCode		0 .. 1	F	EVN	
hl7:templateId	II	1 .. 1			(CDA ... ent)
@root		1 .. 1	F	2.16.840.1.113883.10.12.304	
hl7:id	II	0 .. *			(CDA ... ent)
hl7:languageCode	CS	0 .. 1			(CDA ... ent)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.11526 <i>HumanLanguage</i> (DYNAMIC)	
hl7:value	ED	1 .. 1	R		(CDA ... ent)
hl7:subject		0 .. 1		Beinhaltet 2.16.840.1.113883.10.12.320 <i>CDA Subject (Body)</i> (DYNAMIC)	(CDA ... ent)

Item	DT	Kard	Konf	Beschreibung	Label
wo [hl7:relatedSubject [@classCode]]					
hl7:specimen		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.322 CDA Specimen (DYNAMIC)	(CDA ... ent)
wo [hl7:specimenRole]					
hl7:performer		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.323 CDA Performer (Body) (DYNAMIC)	(CDA ... ent)
wo [hl7:assignedEntity]					
hl7:author		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.318 CDA Author (Body) (DYNAMIC)	(CDA ... ent)
wo [hl7:assignedAuthor]					
hl7:informant		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.319 CDA Informant (Body) (DYNAMIC)	(CDA ... ent)
hl7:participant		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.321 CDA Participant (Body) (DYNAMIC)	(CDA ... ent)
wo [@typeCode] [hl7:participantRole]					
hl7:entryRelationship		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.300 CDA Clinical Statement (DYNAMIC)	(CDA ... ent)
wo [@typeCode]					
@typeCode	cs	1 ... 1	R		
	CONF			Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19447 x_ActRelationshipEntryRelationship (DYNAMIC)	

Item	DT	Kard	Konf	Beschreibung	Label
@contextConductionInd	bl	0 ... 1			
@inversionInd	bl	0 ... 1			
@negationInd	bl	0 ... 1			
hl7:sequenceNumber	INT	0 ... 1			(CDA ... ent)
hl7:seperatableInd	BL	0 ... 1			(CDA ... ent)
hl7:reference		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.324 CDA Reference (DYNAMIC)	(CDA ... ent)
wo [typeCode]					
hl7:precondition		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.329 CDA Precondition (DYNAMIC)	(CDA ... ent)
wo [hl7:criterion]					
Eingefügt				von 2.16.840.1.113883.10.12.305 CDA Organizer (DYNAMIC)	
hl7:organizer					(CDA ... ent)
@classCode	cs	1 ... 1	R		
	CONF	Der Wert von @classCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19598 x_ActClassDocumentEntryOrganizer (DYNAMIC)			
@moodCode		0 ... 1	F	EVN	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:templateId	II	1 .. 1			(CDA ... ent)
@root		1 .. 1	F	2.16.840.1.113883.10.12.305	
hl7:id	II	0 .. *			(CDA ... ent)
hl7:code	CD	0 .. 1			(CDA ... ent)
@codeSystem	CONF	0 .. 1	F	2.16.840.1.113883.5.4 (Act Code)	
hl7:statusCode	CS	1 .. 1	R		(CDA ... ent)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.15933 ActStatus (DYNAMIC)	
hl7:effectiveTime	IVL_TS	0 .. 1			(CDA ... ent)
hl7:subject		0 .. 1		Beinhaltet 2.16.840.1.113883.10.12.320 CDA Subject (Body) (DYNAMIC)	(CDA ... ent)
wo [hl7:relatedSubject [@classCode]]					
hl7:specimen		0 .. *		Beinhaltet 2.16.840.1.113883.10.12.322 CDA Specimen (DYNAMIC)	(CDA ... ent)
wo [hl7:specimenRole]					

Item	DT	Kard	Konf	Beschreibung	Label
hl7:performer		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.323 CDA Performer (Body) (DYNAMIC)	(CDA ... ent)
wo [hl7:assignedEntity]					
hl7:author		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.318 CDA Author (Body) (DYNAMIC)	(CDA ... ent)
wo [hl7:assignedAuthor]					
hl7:informant		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.319 CDA Informant (Body) (DYNAMIC)	(CDA ... ent)
hl7:participant		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.321 CDA Participant (Body) (DYNAMIC)	(CDA ... ent)
wo [@typeCode] [hl7:participantRole]					
hl7:reference		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.324 CDA Reference (DYNAMIC)	(CDA ... ent)
wo [@typeCode]					
hl7:precondition		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.329 CDA Precondition (DYNAMIC)	(CDA ... ent)
wo [hl7:criterion]					
hl7:component		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.300 CDA Clinical Statement (DYNAMIC)	(CDA ... ent)
@typeCode		0 ... 1	F	COMP	

Item	DT	Kard	Konf	Beschreibung	Label
@contextConductionInd	bl	0 ... 1	F	true	
h17:sequenceNumber	INT	0 ... 1			(CDA ... ent)
h17:seperatableInd	BL	0 ... 1			(CDA ... ent)
<i>Eingefügt</i> von 2.16.840.1.113883.10.12.306 CDA Procedure (DYNAMIC)					
h17:procedure					(CDA ... ent)
@classCode		1 ... 1	F	PROC	
@moodCode	cs	1 ... 1	R		
	CONF	Der Wert von @moodCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19460 x_DocumentProcedureMood (DYNAMIC)			
@negationInd	bl	0 ... 1			
h17:templateId	II	1 ... 1			(CDA ... ent)
@root		1 ... 1	F	2.16.840.1.113883.10.12.306	
h17:id	II	0 ... *			(CDA ... ent)
h17:code	CD	0 ... 1			(CDA ... ent)

Item	DT	Kard	Konf	Beschreibung	Label
@codeSystem	CONF	0 ... 1	F	2.16.840.1.113883.5.4 (Act Code)	
hl7:text	ED	0 ... 1			(CDA ... ent)
hl7:statusCode	CS	0 ... 1			(CDA ... ent)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.15933 <i>ActStatus</i> (DYNAMIC)			
hl7:effectiveTime	IVL_TS	0 ... 1			(CDA ... ent)
hl7:priorityCode	CE	0 ... 1			(CDA ... ent)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.16866 <i>ActPriority</i> (DYNAMIC)			
hl7:languageCode	CS	0 ... 1			(CDA ... ent)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.11526 <i>HumanLanguage</i> (DYNAMIC)			
hl7:methodCode	CE	0 ... *			(CDA ... ent)
@codeSystem	CONF	0 ... 1	F	2.16.840.1.113883.5.1065 (ProcedureMethod)	
hl7:approachSiteCode	CD	0 ... *			(CDA ... ent)

Item	DT	Kard	Konf	Beschreibung	Label
@codeSystem	CONF	0 ... 1	F	2.16.840.1.113883.5.1052 (Act Site)	
hl7:targetSiteCode	CD	0 ... *			(CDA ... ent)
@codeSystem	CONF	0 ... 1	F	2.16.840.1.113883.5.1052 (Act Site)	
hl7:subject		0 ... 1		Beinhaltet 2.16.840.1.113883.10.12.320 CDA Subject (Body) (DYNAMIC)	(CDA ... ent)
wo [hl7:relatedSubject [@classCode]]					
hl7:specimen		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.322 CDA Specimen (DYNAMIC)	(CDA ... ent)
wo [hl7:specimenRole]					
hl7:performer		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.323 CDA Performer (Body) (DYNAMIC)	(CDA ... ent)
wo [hl7:assignedEntity]					
hl7:author		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.318 CDA Author (Body) (DYNAMIC)	(CDA ... ent)
wo [hl7:assignedAuthor]					
hl7:informant		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.319 CDA Informant (Body) (DYNAMIC)	(CDA ... ent)
hl7:participant		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.321 CDA Participant (Body) (DYNAMIC)	(CDA ... ent)

Item	DT	Kard	Konf	Beschreibung	Label
wo [<i>@typeCode</i>] [<i>hl7:participantRole</i>]					
hl7:entryRelationship		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.300 <i>CDA Clinical Statement</i> (DYNAMIC)	(CDA ... ent)
wo [<i>@typeCode</i>]					
@typeCode	cs	1 ... 1	R		
	CONF			Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19447 <i>x_ActRelationshipEntryRelationship</i> (DYNAMIC)	
@contextConductionInd	bl	0 ... 1			
@inversionInd	bl	0 ... 1			
@negationInd	bl	0 ... 1			
hl7:sequenceNumber	INT	0 ... 1			(CDA ... ent)
hl7:seperatableInd	BL	0 ... 1			(CDA ... ent)
hl7:reference		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.324 <i>CDA Reference</i> (DYNAMIC)	(CDA ... ent)
wo [<i>@typeCode</i>]					
hl7:precondition		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.329 <i>CDA Precondition</i> (DYNAMIC)	(CDA ... ent)
wo [<i>hl7:criterion</i>]					

Item	DT	Kard	Konf	Beschreibung	Label
Eingefügt				von 2.16.840.1.113883.10.12.307 CDA RegionOfInterest (DYNAMIC)	
hl7:regionOfInterest					(CDA ... ent)
@classCode		1 .. 1	F	ROIOVL	
@moodCode		1 .. 1	F	EVN	
hl7:templateId	II	1 .. 1			(CDA ... ent)
@root		1 .. 1	F	2.16.840.1.113883.10.12.307	
hl7:id	II	1 .. *	R		(CDA ... ent)
hl7:code	CS	1 .. 1	R		(CDA ... ent)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.16117 ROIOverlayShape (DYNAMIC)			
hl7:value	INT	1 .. *	R		(CDA ... ent)
hl7:subject		0 .. 1		Beinhaltet 2.16.840.1.113883.10.12.320 CDA Subject (Body) (DYNAMIC)	(CDA ... ent)
wo [hl7:relatedSubject [@classCode]]					
hl7:specimen		0 .. *		Beinhaltet 2.16.840.1.113883.10.12.322 CDA Specimen (DYNAMIC)	(CDA ... ent)

Item	DT	Kard	Konf	Beschreibung	Label
wo [hl7:specimenRole]					
hl7:performer		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.323 CDA Performer (Body) (DYNAMIC)	(CDA ... ent)
wo [hl7:assignedEntity]					
hl7:author		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.318 CDA Author (Body) (DYNAMIC)	(CDA ... ent)
wo [hl7:assignedAuthor]					
hl7:informant		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.319 CDA Informant (Body) (DYNAMIC)	(CDA ... ent)
hl7:participant		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.321 CDA Participant (Body) (DYNAMIC)	(CDA ... ent)
wo [@typeCode] [hl7:participantRole]					
hl7:entryRelationship		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.300 CDA Clinical Statement (DYNAMIC)	(CDA ... ent)
wo [@typeCode]					
@typeCode	cs	1 ... 1	R		
	CONF			Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19447 x_ActRelationshipEntryRelationship (DYNAMIC)	
@contextConductionInd	bl	0 ... 1			
@inversionInd	bl	0 ... 1			

Item	DT	Kard	Konf	Beschreibung	Label
@negationInd	bl	0 ... 1			
h17:sequenceNumber	INT	0 ... 1			(CDA ... ent)
h17:seperatableInd	BL	0 ... 1			(CDA ... ent)
h17:reference		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.324 CDA Reference (DYNAMIC)	(CDA ... ent)
wo [@typeCode]					
h17:precondition		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.329 CDA Precondition (DYNAMIC)	(CDA ... ent)
wo [h17:criterion]					
Eingefügt				von 2.16.840.1.113883.10.12.308 CDA SubstanceAdministration (DYNAMIC)	
h17:substanceAdministration					(CDA ... ent)
@classCode		1 ... 1	F	SBADM	
@moodCode	cs	1 ... 1	R		
	CONF	Der Wert von @moodCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19461 x_DocumentSubstanceMood (DYNAMIC)			
@negationInd	bl	0 ... 1			

Item	DT	Kard	Konf	Beschreibung	Label	
hl7:templateId	II	1 .. 1			(CDA ... ent)	
@root		1 .. 1	F	2.16.840.1.113883.10.12.308		
hl7:id	II	0 .. *			(CDA ... ent)	
hl7:code	CD	0 .. 1			(CDA ... ent)	
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19708 <i>ActSubstanceAdministrationCode</i> (DYNAMIC)				
hl7:text	ED	0 .. 1			(CDA ... ent)	
hl7:statusCode	CS	0 .. 1			(CDA ... ent)	
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.15933 <i>ActStatus</i> (DYNAMIC)				
hl7:effectiveTime	SXCM_TS	0 .. 1			(CDA ... ent)	
hl7:priorityCode	CE	0 .. 1			(CDA ... ent)	
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.16866 <i>ActPriority</i> (DYNAMIC)				

Item	DT	Kard	Konf	Beschreibung	Label
hl7:repeatNumber	IVL_INT	0 ... 1			(CDA ... ent)
hl7:routeCode	CE	0 ... 1			(CDA ... ent)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.14581 <i>RouteOfAdministration</i> (DYNAMIC)	
hl7:approachSiteCode	CD	0 ... *			(CDA ... ent)
@codeSystem	CONF	0 ... 1	F	2.16.840.1.113883.5.1052 (Act Site)	
hl7:doseQuantity	IVL_PQ	0 ... 1			(CDA ... ent)
hl7:rateQuantity	IVL_PQ	0 ... 1			(CDA ... ent)
hl7:maxDoseQuantity	RTO_PQ_PQ	0 ... 1			(CDA ... ent)
hl7:administrationUnitCode	CE	0 ... 1			(CDA ... ent)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.14570 <i>AdministrableDrugForm</i> (DYNAMIC)	
hl7:subject		0 ... 1		Beinhaltet 2.16.840.1.113883.10.12.320 <i>CDA Subject (Body)</i> (DYNAMIC)	(CDA ... ent)
wo [hl7:relatedSubject [@classCode]]					

Item	DT	Kard	Konf	Beschreibung	Label
hl7:specimen		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.322 CDA Specimen (DYNAMIC)	(CDA ... ent)
wo [hl7:specimenRole]					
hl7:consumable		1 ... 1		Beinhaltet 2.16.840.1.113883.10.12.312 CDA ManufacturedProduct (DYNAMIC)	(CDA ... ent)
wo [@typeCode = 'CSM'] [hl7:manufacturedProduct]					
@typeCode		1 ... 1	F	CSM	
hl7:performer		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.323 CDA Performer (Body) (DYNAMIC)	(CDA ... ent)
wo [hl7:assignedEntity]					
hl7:author		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.318 CDA Author (Body) (DYNAMIC)	(CDA ... ent)
wo [hl7:assignedAuthor]					
hl7:informant		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.319 CDA Informant (Body) (DYNAMIC)	(CDA ... ent)
hl7:participant		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.321 CDA Participant (Body) (DYNAMIC)	(CDA ... ent)
wo [@typeCode] [hl7:participantRole]					
hl7:entryRelationship		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.300 CDA Clinical Statement (DYNAMIC)	(CDA ... ent)

Item	DT	Kard	Konf	Beschreibung	Label
wo [<i>@typeCode</i>]					
@typeCode	cs	1 .. 1	R		
	CONF			Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19447 <i>x_ActRelationshipEntryRelationship</i> (DYNAMIC)	
@contextConductionInd	bl	0 .. 1			
@inversionInd	bl	0 .. 1			
@negationInd	bl	0 .. 1			
hl7:sequenceNumber	INT	0 .. 1			(CDA ... ent)
hl7:seperatableInd	BL	0 .. 1			(CDA ... ent)
hl7:reference		0 .. *		Beinhaltet 2.16.840.1.113883.10.12.324 <i>CDA Reference</i> (DYNAMIC)	(CDA ... ent)
wo [<i>@typeCode</i>]					
hl7:precondition		0 .. *		Beinhaltet 2.16.840.1.113883.10.12.329 <i>CDA Precondition</i> (DYNAMIC)	(CDA ... ent)
wo [<i>hl7:criterion</i>]					
Eingefügt				von 2.16.840.1.113883.10.12.309 <i>CDA Supply</i> (DYNAMIC)	
hl7:supply					(CDA ... ent)


Item	DT	Kard	Konf	Beschreibung	Label
@classCode		1 .. 1	F	SPLY	
@moodCode	cs	1 .. 1	R		
	CONF			Der Wert von @moodCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19461_x_DocumentSubstanceMood (DYNAMIC)	
hl7:templateId	II	1 .. 1			(CDA ... ent)
@root		1 .. 1	F	2.16.840.1.113883.10.12.309	
hl7:id	II	0 .. *			(CDA ... ent)
hl7:code	CD	0 .. 1			(CDA ... ent)
@codeSystem	CONF	0 .. 1	F	2.16.840.1.113883.5.4 (Act Code)	
hl7:text	ED	0 .. 1			(CDA ... ent)
hl7:statusCode	CS	0 .. 1			(CDA ... ent)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.15933_ActStatus (DYNAMIC)	
hl7:effectiveTime	SXCM_TS	0 .. 1			(CDA ... ent)

Item	DT	Kard	Konf	Beschreibung	Label
hl7:priorityCode	CE	0 ... *			(CDA ... ent)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.16866 ActPriority (DYNAMIC)	
hl7:repeatNumber	IVL_INT	0 ... 1			(CDA ... ent)
hl7:independentInd	BL	0 ... 1			(CDA ... ent)
hl7:quantity	PQ	0 ... 1			(CDA ... ent)
hl7:expectedUseTime	IVL_TS	0 ... 1			(CDA ... ent)
hl7:subject		0 ... 1		Beinhaltet 2.16.840.1.113883.10.12.320 CDA Subject (Body) (DYNAMIC)	(CDA ... ent)
wo [hl7:relatedSubject [@classCode]]					
hl7:specimen		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.322 CDA Specimen (DYNAMIC)	(CDA ... ent)
wo [hl7:specimenRole]					
hl7:product		0 ... 1	R	Beinhaltet 2.16.840.1.113883.10.12.312 CDA ManufacturedProduct (DYNAMIC)	(CDA ... ent)
wo [hl7:manufacturedProduct]					






























Item	DT	Kard	Konf	Beschreibung	Label
@typeCode		0 ... 1	F	PRD	
hl7:performer		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.323 <i>CDA Performer (Body)</i> (DYNAMIC)	(CDA ... ent)
wo [hl7:assignedEntity]					
hl7:author		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.318 <i>CDA Author (Body)</i> (DYNAMIC)	(CDA ... ent)
wo [hl7:assignedAuthor]					
hl7:informant		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.319 <i>CDA Informant (Body)</i> (DYNAMIC)	(CDA ... ent)
hl7:participant		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.321 <i>CDA Participant (Body)</i> (DYNAMIC)	(CDA ... ent)
wo [@typeCode] [hl7:participantRole]					
hl7:entryRelationship		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.300 <i>CDA Clinical Statement</i> (DYNAMIC)	(CDA ... ent)
wo [@typeCode]					
@typeCode	cs	1 ... 1	R		
	CONF			Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19447 <i>x_ActRelationshipEntryRelationship</i> (DYNAMIC)	
@contextConductionInd	bl	0 ... 1			
@inversionInd	bl	0 ... 1			

Item	DT	Kard	Konf	Beschreibung	Label
@negationInd	bl	0 ... 1			
hl7:sequenceNumber	INT	0 ... 1			(CDA ... ent)
hl7:seperatableInd	BL	0 ... 1			(CDA ... ent)
hl7:reference		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.324 CDA Reference (DYNAMIC)	(CDA ... ent)
wo [@typeCode]					
hl7:precondition		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.329 CDA Precondition (DYNAMIC)	(CDA ... ent)
wo [hl7:criterion]					

6.2.22  CDA Device 2.16.840.1.113883.10.12.315 - 2005-09-07 ref ad1bbr-

Id	2.16.840.1.113883.10.12.315 ref ad1bbr-	Gültigkeit	2005-09-07
Status	 Aktiv	Versions-Label	
Name	CDADevice	Anzeigename	CDA Device
Beschreibung	Template CDA Device (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Benutzt von / Benutzt	Benutzt von 0 Transactions und 28 Templates, Benutzt 0 Templates		
	Benutzt von	als	Name
			Version

2.16.840.1.113883.10.12.102	Containment		CDA author	2005-09-07
2.16.840.1.113883.3.1937.99.61.45.10.16			Adipositas Studie	2018-04-24 10:33:11
2.16.840.1.113883.3.1937.99.61.45.10.17			CDA Adipositas Studie	2018-04-24 10:41:37
2.16.840.1.113883.3.1937.99.61.45.10.4			CDA ClinicalDocument T	2018-04-16 10:35:28
2.16.840.1.113883.10.12.318	Containment		CDA Author (Body)	2005-09-07
2.16.840.1.113883.10.12.201			CDA Section	2005-09-07
			Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.201, bitte überprüfen	
2.16.840.1.113883.10.12.202			CDA StructuredBody	2005-09-07
2.16.840.1.113883.10.12.112			CDA component	2005-09-07
2.16.840.1.113883.10.12.301			CDA Act	2005-09-07
			Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.301, bitte überprüfen	
2.16.840.1.113883.10.12.300			CDA Clinical Statement	2005-09-07
			Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.300, bitte überprüfen	
2.16.840.1.113883.10.12.302			CDA Encounter	2005-09-07
			Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.302, bitte überprüfen	
2.16.840.1.113883.10.12.303			CDA Observation	2005-09-07
			Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.303, bitte überprüfen	
2.16.840.1.113883.10.12.304			CDA ObservationMedia	2005-09-07
			Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.304, bitte überprüfen	
2.16.840.1.113883.10.12.305			CDA Organizer	2005-09-07
			Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.305, bitte überprüfen	
2.16.840.1.113883.10.12.306			CDA Procedure	2005-09-07



		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.306, bitte überprüfen	
2.16.840.1.113883.10.12.307		 CDA RegionOfInterest	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.307, bitte überprüfen	
2.16.840.1.113883.10.12.308		 CDA SubstanceAdministration	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.308, bitte überprüfen	
2.16.840.1.113883.10.12.309		 CDA Supply	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.309, bitte überprüfen	
2.16.840.1.113883.3.1937.99.61.45.10.37		 Dok3 Sonstiges	2018-05-02 17:52:41
2.16.840.1.113883.3.1937.99.61.45.10.28		 Dok3 Messwerte	2018-04-27 15:51:01
2.16.840.1.113883.3.1937.99.61.45.10.27		 Dok3 Adipositas Studie	2018-04-27 15:17:54
2.16.840.1.113883.3.1937.99.61.45.10.39		 Dok3 kleines Blutbild ?	2018-05-02 17:58:11
2.16.840.1.113883.3.1937.99.61.45.10.5		 CDA Section t	2018-04-16 11:44:27
2.16.840.1.113883.3.1937.99.61.45.10.50		 ASIC weitere Vitaldaten	2018-05-08 16:29:04
2.16.840.1.113883.3.1937.99.61.45.10.44		 Anwendungsfall ASIC	2018-05-08 15:20:09
2.16.840.1.113883.3.1937.99.61.45.10.46		 ASIC Messwerte	2018-05-08 16:20:53
2.16.840.1.113883.3.1937.99.61.45.10.6		 CDA Observation t	2018-04-16 12:13:51
2.16.840.1.113883.10.12.321		Containment  CDA Participant (Body)	2005-09-07







































Alles ausklappen

Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label	
@classCode		0 ... 1	F	DEV		
@determinerCode		0 ... 1	F	INSTANCE		
h17:code	CE	0 ... 1			(CDA ... ice)	
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.16040 EntityCode (DYNAMIC)				
h17:manufacturerModelName	SC	0 ... 1			(CDA ... ice)	
h17:softwareName	SC	0 ... 1			(CDA ... ice)	

6.2.23 CDA Encounter 2.16.840.1.113883.10.12.302 - 2005-09-07 ref ad1bbr-

Id	2.16.840.1.113883.10.12.302 ref ad1bbr-	Gültigkeit	2005-09-07
Status	 Aktiv	Versions-Label	
Name	CDAEncounter	Anzeigename	CDA Encounter
Beschreibung	Template CDA Encounter (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Kontext	Elternknoten des Template-Element mit Id 2.16.840.1.113883.10.12.302		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Benutzt von / Benutzt	Benutzt von 0 Transactions und 24 Templates, Benutzt 9 Templates		
	Benutzt von	als	Name
	2.16.840.1.113883.10.12.300	Inklusion	 CDA Clinical Statement
			Version
			2005-09-07

		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.300, bitte überprüfen	
2.16.840.1.113883.10.12.201		 CDA Section	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.201, bitte überprüfen	
2.16.840.1.113883.10.12.202		 CDA StructuredBody	2005-09-07
2.16.840.1.113883.10.12.112		 CDA component	2005-09-07
2.16.840.1.113883.3.1937.99.61.45.10.16		 Adipositas Studie	2018-04-24 10:33:11
2.16.840.1.113883.3.1937.99.61.45.10.17		 CDA Adipositas Studie	2018-04-24 10:41:37
2.16.840.1.113883.10.12.301		 CDA Act	2005-09-07
2.16.840.1.113883.10.12.302		 CDA Encounter	2005-09-07
2.16.840.1.113883.10.12.303		 CDA Observation	2005-09-07
2.16.840.1.113883.10.12.304		 CDA ObservationMedia	2005-09-07
2.16.840.1.113883.10.12.305		 CDA Organizer	2005-09-07
2.16.840.1.113883.10.12.306		 CDA Procedure	2005-09-07
2.16.840.1.113883.10.12.307		 CDA RegionOfInterest	2005-09-07
2.16.840.1.113883.10.12.308		 CDA SubstanceAdministration	2005-09-07
2.16.840.1.113883.10.12.309		 CDA Supply	2005-09-07
2.16.840.1.113883.3.1937.99.61.45.10.37		 Dok3 Sonstiges	2018-05-02 17:52:41
2.16.840.1.113883.3.1937.99.61.45.10.28		 Dok3 Messwerte	2018-04-27 15:51:01
2.16.840.1.113883.3.1937.99.61.45.10.27		 Dok3 Adipositas Studie	2018-04-27 15:17:54
2.16.840.1.113883.3.1937.99.61.45.10.39		 Dok3 kleines Blutbild ?	2018-05-02 17:58:11

2.16.840.1.113883.3.1937.99.61.45.10.5		CDA Section t	2018-04-16 11:44:27
2.16.840.1.113883.3.1937.99.61.45.10.50		ASIC weitere Vitaldaten	2018-05-08 16:29:04
2.16.840.1.113883.3.1937.99.61.45.10.44		Anwendungsfall ASIC	2018-05-08 15:20:09
2.16.840.1.113883.3.1937.99.61.45.10.46		ASIC Messwerte	2018-05-08 16:20:53
2.16.840.1.113883.3.1937.99.61.45.10.6		CDA Observation t	2018-04-16 12:13:51
Benutzt	als	Name	Version
2.16.840.1.113883.10.12.320	Containment	CDA Subject (Body)	DYNAMIC
2.16.840.1.113883.10.12.322	Containment	CDA Specimen	DYNAMIC
2.16.840.1.113883.10.12.323	Containment	CDA Performer (Body)	DYNAMIC
2.16.840.1.113883.10.12.318	Containment	CDA Author (Body)	DYNAMIC
2.16.840.1.113883.10.12.319	Containment	CDA Informant (Body)	DYNAMIC
2.16.840.1.113883.10.12.321	Containment	CDA Participant (Body)	DYNAMIC
2.16.840.1.113883.10.12.300	Containment	CDA Clinical Statement	DYNAMIC
2.16.840.1.113883.10.12.324	Containment	CDA Reference	DYNAMIC
2.16.840.1.113883.10.12.329	Containment	CDA Precondition	DYNAMIC

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:encounter					(CDA ... ter)
@classCode		1 .. 1	F	ENC	




























Item	DT	Kard	Konf	Beschreibung	Label
@moodCode	CS	1 .. 1	R		
	CONF			Der Wert von @moodCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19459 <i>x_DocumentEncounterMood</i> (DYNAMIC)	
hl7:templateId	II	1 .. 1			(CDA ... ter)
@root		1 .. 1	F	2.16.840.1.113883.10.12.302	
hl7:id	II	0 .. *			(CDA ... ter)
hl7:code	CD	0 .. 1			(CDA ... ter)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.13955 <i>ActEncounterCode</i> (DYNAMIC)	
hl7:text	ED	0 .. 1			(CDA ... ter)
hl7:statusCode	CS	0 .. 1			(CDA ... ter)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.15933 <i>ActStatus</i> (DYNAMIC)	
hl7:effectiveTime	IVL_TS	0 .. 1			(CDA ... ter)
hl7:priorityCode	CE	0 .. 1			(CDA ... ter)



































Item	DT	Kard	Konf	Beschreibung	Label
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.16866 <i>ActPriority</i> (DYNAMIC)	
hl7:subject		0 ... 1		Beinhaltet 2.16.840.1.113883.10.12.320 <i>CDA Subject (Body)</i> (DYNAMIC)	(CDA ... ter)
wo [hl7:relatedSubject [@classCode]]					
hl7:specimen		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.322 <i>CDA Specimen</i> (DYNAMIC)	(CDA ... ter)
wo [hl7:specimenRole]					
hl7:performer		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.323 <i>CDA Performer (Body)</i> (DYNAMIC)	(CDA ... ter)
wo [hl7:assignedEntity]					
hl7:author		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.318 <i>CDA Author (Body)</i> (DYNAMIC)	(CDA ... ter)
wo [hl7:assignedAuthor]					
hl7:informant		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.319 <i>CDA Informant (Body)</i> (DYNAMIC)	(CDA ... ter)
hl7:participant		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.321 <i>CDA Participant (Body)</i> (DYNAMIC)	(CDA ... ter)
wo [@typeCode] [hl7:participantRole]					
hl7:entryRelationship		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.300 <i>CDA Clinical Statement</i> (DYNAMIC)	(CDA ... ter)

Item	DT	Kard	Konf	Beschreibung	Label
wo [<i>@typeCode</i>]					
@typeCode	cs	1 .. 1	R		
	CONF	Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19447 <i>x_ActRelationshipEntryRelationship</i> (DYNAMIC)			
@contextConductionInd	bl	0 .. 1			
@inversionInd	bl	0 .. 1			
@negationInd	bl	0 .. 1			
hl7:sequenceNumber	INT	0 .. 1			(CDA ... ter)
hl7:seperatableInd	BL	0 .. 1			(CDA ... ter)
hl7:reference		0 .. *		Beinhaltet 2.16.840.1.113883.10.12.324 <i>CDA Reference</i> (DYNAMIC)	(CDA ... ter)
wo [<i>@typeCode</i>]					
hl7:precondition		0 .. *		Beinhaltet 2.16.840.1.113883.10.12.329 <i>CDA Precondition</i> (DYNAMIC)	(CDA ... ter)
wo [<i>hl7:criterion</i>]					

6.2.24 CDA ExternalAct 2.16.840.1.113883.10.12.325 - 2005-09-07 ref ad1bbr-

Id	2.16.840.1.113883.10.12.325 ref ad1bbr-	Gültigkeit	2005-09-07
----	---	------------	------------




































Status	 Aktiv	Versions-Label	
Name	CDAExternalAct	Anzeigename	CDA ExternalAct
Beschreibung	Template CDA ExternalAct (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
	Benutzt von 0 Transactions und 25 Templates, Benutzt 0 Templates		
	Benutzt von	als	Name
	2.16.840.1.113883.10.12.324	Inklusion 	CDA Reference 2005-09-07
	2.16.840.1.113883.10.12.301	 	CDA Act 2005-09-07
			Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.301, bitte überprüfen
	2.16.840.1.113883.10.12.300	 	CDA Clinical Statement 2005-09-07
			Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.300, bitte überprüfen
	2.16.840.1.113883.10.12.201	 	CDA Section 2005-09-07
			Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.201, bitte überprüfen
Benutzt von / Benutzt	2.16.840.1.113883.10.12.202	 	CDA StructuredBody 2005-09-07
	2.16.840.1.113883.10.12.112	 	CDA component 2005-09-07
	2.16.840.1.113883.3.1937.99.61.45.10.16	 	Adipositas Studie 2018-04-24 10:33:11
	2.16.840.1.113883.3.1937.99.61.45.10.17	 	CDA Adipositas Studie 2018-04-24 10:41:37
	2.16.840.1.113883.10.12.302	 	CDA Encounter 2005-09-07
			Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.302, bitte überprüfen
	2.16.840.1.113883.10.12.303	 	CDA Observation 2005-09-07
			Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.303, bitte überprüfen
	2.16.840.1.113883.10.12.304	 	CDA ObservationMedia 2005-09-07

		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.304, bitte überprüfen	
2.16.840.1.113883.10.12.305		 CDA Organizer	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.305, bitte überprüfen	
2.16.840.1.113883.10.12.306		 CDA Procedure	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.306, bitte überprüfen	
2.16.840.1.113883.10.12.307		 CDA RegionOfInterest	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.307, bitte überprüfen	
2.16.840.1.113883.10.12.308		 CDA SubstanceAdministration	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.308, bitte überprüfen	
2.16.840.1.113883.10.12.309		 CDA Supply	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.309, bitte überprüfen	
2.16.840.1.113883.3.1937.99.61.45.10.37		 Dok3 Sonstiges	2018-05-02 17:52:41
2.16.840.1.113883.3.1937.99.61.45.10.28		 Dok3 Messwerte	2018-04-27 15:51:01
2.16.840.1.113883.3.1937.99.61.45.10.27		 Dok3 Adipositas Studie	2018-04-27 15:17:54
2.16.840.1.113883.3.1937.99.61.45.10.39		 Dok3 kleines Blutbild ?	2018-05-02 17:58:11
2.16.840.1.113883.3.1937.99.61.45.10.5		 CDA Section t	2018-04-16 11:44:27
2.16.840.1.113883.3.1937.99.61.45.10.50		 ASIC weitere Vitaldaten	2018-05-08 16:29:04
2.16.840.1.113883.3.1937.99.61.45.10.44		 Anwendungsfall ASIC	2018-05-08 15:20:09
2.16.840.1.113883.3.1937.99.61.45.10.46		 ASIC Messwerte	2018-05-08 16:20:53
2.16.840.1.113883.3.1937.99.61.45.10.6		 CDA Observation t	2018-04-16 12:13:51

Alles ausklappen		Alles einklappen			
Item	DT	Kard	Konf	Beschreibung	Label
h17:externalAct					(CDA... Act)
@classCode		0 .. 1	F	ACT	
@moodCode		0 .. 1	F	EVN	
h17:id	II	0 .. *			(CDA... Act)
h17:code	CD	0 .. 1			(CDA... Act)
@codeSystem	CONF	0 .. 1	F	2.16.840.1.113883.5.4 (Act Code)	
h17:text	ED	0 .. 1			(CDA... Act)

6.2.25 CDA ExternalDocument 2.16.840.1.113883.10.12.328 - 2005-09-07 ref ad1bbr-

Id	2.16.840.1.113883.10.12.328 ref ad1bbr-	Gültigkeit	2005-09-07
Status	● Aktiv	Versions-Label	
Name	CDAExternalDocument	Anzeigename	CDA ExternalDocument
Beschreibung	Template CDA ExternalDocument (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Benutzt von / Benutzt	Benutzt von 0 Transactions und 25 Templates, Benutzt 0 Templates		
	Benutzt von	als	Name
	2.16.840.1.113883.10.12.324	Inklusion ●	CDA Reference
			Version
			2005-09-07

2.16.840.1.113883.10.12.301	 	CDA Act	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.301, bitte überprüfen	
2.16.840.1.113883.10.12.300	 	CDA Clinical Statement	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.300, bitte überprüfen	
2.16.840.1.113883.10.12.201	 	CDA Section	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.201, bitte überprüfen	
2.16.840.1.113883.10.12.202	 	CDA StructuredBody	2005-09-07
2.16.840.1.113883.10.12.112	 	CDA component	2005-09-07
2.16.840.1.113883.3.1937.99.61.45.10.16	 	Adipositas Studie	2018-04-24 10:33:11
2.16.840.1.113883.3.1937.99.61.45.10.17	 	CDA Adipositas Studie	2018-04-24 10:41:37
2.16.840.1.113883.10.12.302	 	CDA Encounter	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.302, bitte überprüfen	
2.16.840.1.113883.10.12.303	 	CDA Observation	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.303, bitte überprüfen	
2.16.840.1.113883.10.12.304	 	CDA ObservationMedia	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.304, bitte überprüfen	
2.16.840.1.113883.10.12.305	 	CDA Organizer	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.305, bitte überprüfen	
2.16.840.1.113883.10.12.306	 	CDA Procedure	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.306, bitte überprüfen	
2.16.840.1.113883.10.12.307	 	CDA RegionOfInterest	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.307, bitte überprüfen	












2.16.840.1.113883.10.12.308		CDA SubstanceAdministration	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.308, bitte überprüfen	
2.16.840.1.113883.10.12.309		CDA Supply	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.309, bitte überprüfen	
2.16.840.1.113883.3.1937.99.61.45.10.37		Dok3 Sonstiges	2018-05-02 17:52:41
2.16.840.1.113883.3.1937.99.61.45.10.28		Dok3 Messwerte	2018-04-27 15:51:01
2.16.840.1.113883.3.1937.99.61.45.10.27		Dok3 Adipositas Studie	2018-04-27 15:17:54
2.16.840.1.113883.3.1937.99.61.45.10.39		Dok3 kleines Blutbild ?	2018-05-02 17:58:11
2.16.840.1.113883.3.1937.99.61.45.10.5		CDA Section t	2018-04-16 11:44:27
2.16.840.1.113883.3.1937.99.61.45.10.50		ASIC weitere Vitaldaten	2018-05-08 16:29:04
2.16.840.1.113883.3.1937.99.61.45.10.44		Anwendungsfall ASIC	2018-05-08 15:20:09
2.16.840.1.113883.3.1937.99.61.45.10.46		ASIC Messwerte	2018-05-08 16:20:53
2.16.840.1.113883.3.1937.99.61.45.10.6		CDA Observation t	2018-04-16 12:13:51




































Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:externalDocument					(CDA---ent)
@classCode		0 ... 1	F	DOC	
@moodCode		0 ... 1	F	EVN	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:id	II	0 .. *			(CDA---ent)
hl7:code	CD	0 .. 1			(CDA---ent)
@codeSystem	CONF	0 .. 1 F		2.16.840.1.113883.6.1 (Logical Observation Identifier Names and Codes)	
hl7:text	ED	0 .. 1			(CDA---ent)
hl7:setId	II	0 .. 1			(CDA---ent)
hl7:versionNumber	INT	0 .. 1			(CDA---ent)

6.2.26  CDA ExternalObservation 2.16.840.1.113883.10.12.326 - 2005-09-07 ref ad1bbr-

Id	2.16.840.1.113883.10.12.326 ref ad1bbr-	Gültigkeit	2005-09-07												
Status	 Aktiv	Versions-Label													
Name	CDAExternalObservation	Anzeigename	CDA ExternalObservation												
Beschreibung	Template CDA ExternalObservation (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)														
Klassifikation	CDA Entry Level Template														
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)														
	Benutzt von 0 Transactions und 25 Templates, Benutzt 0 Templates														
Benutzt von / Benutzt	<table border="1"> <thead> <tr> <th>Benutzt von</th> <th>als</th> <th>Name</th> <th>Version</th> </tr> </thead> <tbody> <tr> <td>2.16.840.1.113883.10.12.324</td> <td>Inklusion </td> <td>CDA Reference</td> <td>2005-09-07</td> </tr> <tr> <td>2.16.840.1.113883.10.12.301</td> <td> </td> <td>CDA Act</td> <td>2005-09-07</td> </tr> </tbody> </table>	Benutzt von	als	Name	Version	2.16.840.1.113883.10.12.324	Inklusion 	CDA Reference	2005-09-07	2.16.840.1.113883.10.12.301	 	CDA Act	2005-09-07		
Benutzt von	als	Name	Version												
2.16.840.1.113883.10.12.324	Inklusion 	CDA Reference	2005-09-07												
2.16.840.1.113883.10.12.301	 	CDA Act	2005-09-07												
	 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.301, bitte überprüfen														

2.16.840.1.113883.10.12.300		 CDA Clinical Statement	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.300, bitte überprüfen	
2.16.840.1.113883.10.12.201		 CDA Section	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.201, bitte überprüfen	
2.16.840.1.113883.10.12.202		 CDA StructuredBody	2005-09-07
2.16.840.1.113883.10.12.112		 CDA component	2005-09-07
2.16.840.1.113883.3.1937.99.61.45.10.16		 Adipositas Studie	2018-04-24 10:33:11
2.16.840.1.113883.3.1937.99.61.45.10.17		 CDA Adipositas Studie	2018-04-24 10:41:37
2.16.840.1.113883.10.12.302		 CDA Encounter	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.302, bitte überprüfen	
2.16.840.1.113883.10.12.303		 CDA Observation	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.303, bitte überprüfen	
2.16.840.1.113883.10.12.304		 CDA ObservationMedia	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.304, bitte überprüfen	
2.16.840.1.113883.10.12.305		 CDA Organizer	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.305, bitte überprüfen	
2.16.840.1.113883.10.12.306		 CDA Procedure	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.306, bitte überprüfen	
2.16.840.1.113883.10.12.307		 CDA RegionOfInterest	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.307, bitte überprüfen	
2.16.840.1.113883.10.12.308		 CDA SubstanceAdministration	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.308, bitte überprüfen	

2.16.840.1.113883.10.12.309		CDA Supply	2005-09-07
Zikläre Referenz gefunden mit 2.16.840.1.113883.10.12.309, bitte überprüfen			
2.16.840.1.113883.3.1937.99.61.45.10.37		Dok3 Sonstiges	2018-05-02 17:52:41
2.16.840.1.113883.3.1937.99.61.45.10.28		Dok3 Messwerte	2018-04-27 15:51:01
2.16.840.1.113883.3.1937.99.61.45.10.27		Dok3 Adipositas Studie	2018-04-27 15:17:54
2.16.840.1.113883.3.1937.99.61.45.10.39		Dok3 kleines Blutbild ?	2018-05-02 17:58:11
2.16.840.1.113883.3.1937.99.61.45.10.5		CDA Section t	2018-04-16 11:44:27
2.16.840.1.113883.3.1937.99.61.45.10.50		ASIC weitere Vitaldaten	2018-05-08 16:29:04
2.16.840.1.113883.3.1937.99.61.45.10.44		Anwendungsfall ASIC	2018-05-08 15:20:09
2.16.840.1.113883.3.1937.99.61.45.10.46		ASIC Messwerte	2018-05-08 16:20:53
2.16.840.1.113883.3.1937.99.61.45.10.6		CDA Observation t	2018-04-16 12:13:51



































Alles ausklappen | Alles einklappen












Item	DT	Kard	Konf	Beschreibung	Label
hl7:externalObservation					(CDA...ion)
@classCode		0 .. 1	F	OBS	
@moodCode		0 .. 1	F	EVN	
hl7:id	II	0 .. *			(CDA...ion)

Item	DT	Kard	Konf	Beschreibung	Label
h17:code	CD	0 .. 1			(CDA---ion)
@codeSystem	CONF	0 .. 1	F	2.16.840.1.113883.5.4 (Act Code)	
h17:text	ED	0 .. 1			(CDA---ion)

6.2.27 CDA ExternalProcedure 2.16.840.1.113883.10.12.327 - 2005-09-07 ref ad1bbr-

Id	2.16.840.1.113883.10.12.327 ref ad1bbr-	Gültigkeit	2005-09-07
Status	Aktiv	Versions-Label	
Name	CDAExternalProcedure	Anzeigename	CDA ExternalProcedure
Beschreibung	Template CDA ExternalProcedure (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
	Benutzt von 0 Transactions und 25 Templates, Benutzt 0 Templates		
Benutzt von / Benutzt	Benutzt von	als	Name Version
	2.16.840.1.113883.10.12.324	Inklusion	CDA Reference 2005-09-07
	2.16.840.1.113883.10.12.301		CDA Act 2005-09-07
			Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.301, bitte überprüfen
	2.16.840.1.113883.10.12.300		CDA Clinical Statement 2005-09-07
			Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.300, bitte überprüfen
	2.16.840.1.113883.10.12.201		CDA Section 2005-09-07
			Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.201, bitte überprüfen
	2.16.840.1.113883.10.12.202		CDA StructuredBody 2005-09-07

2.16.840.1.113883.10.12.112		 CDA component	2005-09-07
2.16.840.1.113883.3.1937.99.61.45.10.16		 Adipositas Studie	2018-04-24 10:33:11
2.16.840.1.113883.3.1937.99.61.45.10.17		 CDA Adipositas Studie	2018-04-24 10:41:37
2.16.840.1.113883.10.12.302		 CDA Encounter	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.302, bitte überprüfen	
2.16.840.1.113883.10.12.303		 CDA Observation	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.303, bitte überprüfen	
2.16.840.1.113883.10.12.304		 CDA ObservationMedia	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.304, bitte überprüfen	
2.16.840.1.113883.10.12.305		 CDA Organizer	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.305, bitte überprüfen	
2.16.840.1.113883.10.12.306		 CDA Procedure	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.306, bitte überprüfen	
2.16.840.1.113883.10.12.307		 CDA RegionOfInterest	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.307, bitte überprüfen	
2.16.840.1.113883.10.12.308		 CDA SubstanceAdministration	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.308, bitte überprüfen	
2.16.840.1.113883.10.12.309		 CDA Supply	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.309, bitte überprüfen	
2.16.840.1.113883.3.1937.99.61.45.10.37		 Dok3 Sonstiges	2018-05-02 17:52:41
2.16.840.1.113883.3.1937.99.61.45.10.28		 Dok3 Messwerte	2018-04-27 15:51:01


























2.16.840.1.113883.3.1937.99.61.45.10.27 	 Dok3 Adipositas Studie	2018-04-27 15:17:54
2.16.840.1.113883.3.1937.99.61.45.10.39 	 Dok3 kleines Blutbild ?	2018-05-02 17:58:11
2.16.840.1.113883.3.1937.99.61.45.10.5 	 CDA Section t	2018-04-16 11:44:27
2.16.840.1.113883.3.1937.99.61.45.10.50 	 ASIC weitere Vitaldaten	2018-05-08 16:29:04
2.16.840.1.113883.3.1937.99.61.45.10.44 	 Anwendungsfall ASIC	2018-05-08 15:20:09
2.16.840.1.113883.3.1937.99.61.45.10.46 	 ASIC Messwerte	2018-05-08 16:20:53
2.16.840.1.113883.3.1937.99.61.45.10.6 	 CDA Observation t	2018-04-16 12:13:51

Alles ausklappen

Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:externalProcedure					(CDA--- ure)
@classCode		0 .. 1	F	PROC	
@moodCode		0 .. 1	F	EVN	
hl7:id	II	0 .. *			(CDA--- ure)
hl7:code	CD	0 .. 1			(CDA--- ure)
@codeSystem	CONF	0 .. 1	F	2.16.840.1.113883.5.4 (Act Code)	
hl7:text	ED	0 .. 1			(CDA--- ure)

6.2.28  CDA LabeledDrug 2.16.840.1.113883.10.12.310 - 2005-09-07 ref ad1bbr-

Id	2.16.840.1.113883.10.12.310 ref ad1bbr-	Gültigkeit	2005-09-07
Status	 Aktiv	Versions-Label	
Name	CDA LabeledDrug	Anzeigename	CDA LabeledDrug
Beschreibung	Template CDA LabeledDrug (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
	Benutzt von 0 Transactions und 25 Templates, Benutzt 0 Templates		
	Benutzt von	als	Name
	2.16.840.1.113883.10.12.312	Inklusion 	CDA ManufacturedProduct 2005-09-07
	2.16.840.1.113883.10.12.308	 	CDA SubstanceAdministration 2005-09-07
			Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.308, bitte überprüfen
	2.16.840.1.113883.10.12.300	 	CDA Clinical Statement 2005-09-07
			Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.300, bitte überprüfen
	2.16.840.1.113883.10.12.201	 	CDA Section 2005-09-07
			Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.201, bitte überprüfen
Benutzt von / Benutzt	2.16.840.1.113883.10.12.202	 	CDA StructuredBody 2005-09-07
	2.16.840.1.113883.10.12.112	 	CDA component 2005-09-07
	2.16.840.1.113883.3.1937.99.61.45.10.16	 	Adipositas Studie 2018-04-24 10:33:11
	2.16.840.1.113883.3.1937.99.61.45.10.17	 	CDA Adipositas Studie 2018-04-24 10:41:37
	2.16.840.1.113883.10.12.301	 	CDA Act 2005-09-07
	2.16.840.1.113883.10.12.302	 	CDA Encounter 2005-09-07
	2.16.840.1.113883.10.12.303	 	CDA Observation 2005-09-07

2.16.840.1.113883.10.12.304		CDA ObservationMedia	2005-09-07
2.16.840.1.113883.10.12.305		CDA Organizer	2005-09-07
2.16.840.1.113883.10.12.306		CDA Procedure	2005-09-07
2.16.840.1.113883.10.12.307		CDA RegionOfInterest	2005-09-07
2.16.840.1.113883.10.12.309		CDA Supply	2005-09-07
Zikläre Referenz gefunden mit 2.16.840.1.113883.10.12.309, bitte überprüfen			
2.16.840.1.113883.3.1937.99.61.45.10.37		Dok3 Sonstiges	2018-05-02 17:52:41
2.16.840.1.113883.3.1937.99.61.45.10.28		Dok3 Messwerte	2018-04-27 15:51:01
2.16.840.1.113883.3.1937.99.61.45.10.27		Dok3 Adipositas Studie	2018-04-27 15:17:54
2.16.840.1.113883.3.1937.99.61.45.10.39		Dok3 kleines Blutbild ?	2018-05-02 17:58:11
2.16.840.1.113883.3.1937.99.61.45.10.5		CDA Section t	2018-04-16 11:44:27
2.16.840.1.113883.3.1937.99.61.45.10.50		ASIC weitere Vitaldaten	2018-05-08 16:29:04
2.16.840.1.113883.3.1937.99.61.45.10.44		Anwendungsfall ASIC	2018-05-08 15:20:09
2.16.840.1.113883.3.1937.99.61.45.10.46		ASIC Messwerte	2018-05-08 16:20:53
2.16.840.1.113883.3.1937.99.61.45.10.6		CDA Observation t	2018-04-16 12:13:51







Alles ausklappen







































Alles einklappen












Item	DT	Kard	Konf	Beschreibung	Label
hl7:manufacturedLabeledDrug					(CDA ... rug)

Item	DT	Kard	Konf	Beschreibung	Label
@classCode		0 ... 1	F	MMAT	
@determinerCode		0 ... 1	F	KIND	
h17:code	CE	0 ... 1			(CDA ... rug)
	CONF			muss aus der Konzeptdomäne "DrugEntity" gewählt werden	
h17:name	EN	0 ... 1			(CDA ... rug)

6.2.29 CDA ManufacturedProduct 2.16.840.1.113883.10.12.312 - 2005-09-07 ref ad1bbr-

Id	2.16.840.1.113883.10.12.312 ref ad1bbr-	Gültigkeit	2005-09-07
Status	 Aktiv	Versions-Label	
Name	CDAManufacturedProduct	Anzeigename	CDA ManufacturedProduct
Beschreibung	Template CDA ManufacturedProduct (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
	Benutzt von 0 Transactions und 24 Templates, Benutzt 3 Templates		
Benutzt von / Benutzt	Benutzt von	als	Name Version
	2.16.840.1.113883.10.12.308	Containment 	CDA SubstanceAdministration 2005-09-07
			Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.308, bitte überprüfen
	2.16.840.1.113883.10.12.300	 	CDA Clinical Statement 2005-09-07
			Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.300, bitte überprüfen

2.16.840.1.113883.10.12.201		 CDA Section	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.201, bitte überprüfen	
2.16.840.1.113883.10.12.202		 CDA StructuredBody	2005-09-07
2.16.840.1.113883.10.12.112		 CDA component	2005-09-07
2.16.840.1.113883.3.1937.99.61.45.10.16		 Adipositas Studie	2018-04-24 10:33:11
2.16.840.1.113883.3.1937.99.61.45.10.17		 CDA Adipositas Studie	2018-04-24 10:41:37
2.16.840.1.113883.10.12.301		 CDA Act	2005-09-07
2.16.840.1.113883.10.12.302		 CDA Encounter	2005-09-07
2.16.840.1.113883.10.12.303		 CDA Observation	2005-09-07
2.16.840.1.113883.10.12.304		 CDA ObservationMedia	2005-09-07
2.16.840.1.113883.10.12.305		 CDA Organizer	2005-09-07
2.16.840.1.113883.10.12.306		 CDA Procedure	2005-09-07
2.16.840.1.113883.10.12.307		 CDA RegionOfInterest	2005-09-07
2.16.840.1.113883.10.12.309		 CDA Supply	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.309, bitte überprüfen	
2.16.840.1.113883.3.1937.99.61.45.10.37		 Dok3 Sonstiges	2018-05-02 17:52:41
2.16.840.1.113883.3.1937.99.61.45.10.28		 Dok3 Messwerte	2018-04-27 15:51:01
2.16.840.1.113883.3.1937.99.61.45.10.27		 Dok3 Adipositas Studie	2018-04-27 15:17:54
2.16.840.1.113883.3.1937.99.61.45.10.39		 Dok3 kleines Blutbild ?	2018-05-02 17:58:11
2.16.840.1.113883.3.1937.99.61.45.10.5		 CDA Section t	2018-04-16 11:44:27

2.16.840.1.113883.3.1937.99.61.45.10.50 	 ASIC weitere Vitaldaten	2018-05-08 16:29:04	
2.16.840.1.113883.3.1937.99.61.45.10.44 	 Anwendungsfall ASIC	2018-05-08 15:20:09	
2.16.840.1.113883.3.1937.99.61.45.10.46 	 ASIC Messwerte	2018-05-08 16:20:53	
2.16.840.1.113883.3.1937.99.61.45.10.6 	 CDA Observation t	2018-04-16 12:13:51	
Benutzt	als	Name	Version
2.16.840.1.113883.10.12.310	Inklusion	 CDA LabeledDrug	DYNAMIC
2.16.840.1.113883.10.12.311	Inklusion	 CDA Material	DYNAMIC
2.16.840.1.113883.10.12.151	Containment	 CDA Organization	DYNAMIC














Alles ausklappen | Alles einklappen



































Item	DT	Kard	Konf	Beschreibung	Label
hl7:manufacturedProduct					(CDA ... uct)
@classCode		0 ... 1	F	MANU	
hl7:id	II	0 ... *			(CDA ... uct)
Auswahl		1 ... 1		Elemente in der Auswahl: <ul style="list-style-type: none"> hl7:manufacturedLabeledDrug eingefügt vom Template 2.16.840.1.113883.10.12.310 CDA LabeledDrug (DYNAMIC) hl7:manufacturedMaterial eingefügt vom Template 2.16.840.1.113883.10.12.311 CDA Material (DYNAMIC) 	
Eingefügt				von 2.16.840.1.113883.10.12.310 CDA LabeledDrug (DYNAMIC)	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:manufacturedLabeledDrug					(CDA ... uct)
@classCode		0 ... 1	F	MMAT	
@determinerCode		0 ... 1	F	KIND	
hl7:code	CE	0 ... 1			(CDA ... uct)
	CONF	muss aus der Konzeptdomäne "DrugEntity" gewählt werden			
hl7:name	EN	0 ... 1			(CDA ... uct)
Eingefügt		von 2.16.840.1.113883.10.12.311 CDA Material (DYNAMIC)			
hl7:manufacturedMaterial					(CDA ... uct)
@classCode		0 ... 1	F	MMAT	
@determinerCode		0 ... 1	F	KIND	
hl7:code	CE	0 ... 1			(CDA ... uct)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.16041 MaterialEntityClassType (DYNAMIC)			
hl7:name	EN	0 ... 1			(CDA ... uct)

Item	DT	Kard	Konf	Beschreibung	Label
hl7:lotNumberText	ST	0 ... 1			(CDA ... uct)
hl7:manufacturerOrganization		0 ... 1		Beinhaltet 2.16.840.1.113883.10.12.151 CDA Organization (DYNAMIC)	(CDA ... uct)

6.2.30 CDA Material 2.16.840.1.113883.10.12.311 - 2005-09-07 ref ad1bbr-

Id	2.16.840.1.113883.10.12.311 ref ad1bbr-	Gültigkeit	2005-09-07
Status	 Aktiv	Versions-Label	
Name	CDAMaterial	Anzeigename	CDA Material
Beschreibung	Template CDA Material (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
	Benutzt von 0 Transactions und 25 Templates, Benutzt 0 Templates		
Benutzt von / Benutzt	Benutzt von	als	Name Version
	2.16.840.1.113883.10.12.312	Inklusion 	CDA ManufacturedProduct 2005-09-07
	2.16.840.1.113883.10.12.308	 	CDA SubstanceAdministration 2005-09-07
			Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.308, bitte überprüfen
	2.16.840.1.113883.10.12.300	 	CDA Clinical Statement 2005-09-07
			Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.300, bitte überprüfen
	2.16.840.1.113883.10.12.201	 	CDA Section 2005-09-07
			Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.201, bitte überprüfen
	2.16.840.1.113883.10.12.202	 	CDA StructuredBody 2005-09-07

2.16.840.1.113883.10.12.112		 CDA component	2005-09-07
2.16.840.1.113883.3.1937.99.61.45.10.16		 Adipositas Studie	2018-04-24 10:33:11
2.16.840.1.113883.3.1937.99.61.45.10.17		 CDA Adipositas Studie	2018-04-24 10:41:37
2.16.840.1.113883.10.12.301		 CDA Act	2005-09-07
2.16.840.1.113883.10.12.302		 CDA Encounter	2005-09-07
2.16.840.1.113883.10.12.303		 CDA Observation	2005-09-07
2.16.840.1.113883.10.12.304		 CDA ObservationMedia	2005-09-07
2.16.840.1.113883.10.12.305		 CDA Organizer	2005-09-07
2.16.840.1.113883.10.12.306		 CDA Procedure	2005-09-07
2.16.840.1.113883.10.12.307		 CDA RegionOfInterest	2005-09-07
2.16.840.1.113883.10.12.309		 CDA Supply	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.309, bitte überprüfen	
2.16.840.1.113883.3.1937.99.61.45.10.37		 Dok3 Sonstiges	2018-05-02 17:52:41
2.16.840.1.113883.3.1937.99.61.45.10.28		 Dok3 Messwerte	2018-04-27 15:51:01
2.16.840.1.113883.3.1937.99.61.45.10.27		 Dok3 Adipositas Studie	2018-04-27 15:17:54
2.16.840.1.113883.3.1937.99.61.45.10.39		 Dok3 kleines Blutbild ?	2018-05-02 17:58:11
2.16.840.1.113883.3.1937.99.61.45.10.5		 CDA Section t	2018-04-16 11:44:27
2.16.840.1.113883.3.1937.99.61.45.10.50		 ASIC weitere Vitaldaten	2018-05-08 16:29:04
2.16.840.1.113883.3.1937.99.61.45.10.44		 Anwendungsfall ASIC	2018-05-08 15:20:09

	2.16.840.1.113883.3.1937.99.61.45.10.46	ASIC Messwerte	2018-05-08 16:20:53
	2.16.840.1.113883.3.1937.99.61.45.10.6	CDA Observation t	2018-04-16 12:13:51

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:manufacturedMaterial					(CDA... ial)
@classCode		0 ... 1	F	MMAT	
@determinerCode		0 ... 1	F	KIND	
hl7:code	CE	0 ... 1			(CDA... ial)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.16041 MaterialEntityType (DYNAMIC)			
hl7:name	EN	0 ... 1			(CDA... ial)
hl7:lotNumberText	ST	0 ... 1			(CDA... ial)

6.2.31 CDA NonXMLBody 2.16.840.1.113883.10.12.203 - 2005-09-07 ref ad1bbr-

Id	2.16.840.1.113883.10.12.203 ref ad1bbr-	Gültigkeit	2005-09-07
Status	Aktiv	Versions-Label	
Name	CDANonXMLBody	Anzeigename	CDA NonXMLBody
Beschreibung	Template CDA NonXMLBody (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Klassifikation	CDA Section level template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Benutzt von 0 Transactions und 2 Templates, Benutzt 0 Templates






























Benutzt von / Benutzt	als	Name	Version
2.16.840.1.113883.10.12.112	Inklusion	CDA component	2005-09-07
2.16.840.1.113883.3.1937.99.61.45.10.16		Adipositas Studie	2018-04-24 10:33:11

Alles ausklappen | Alles einklappen










Item	DT	Kard	Konf	Beschreibung	Label
h17:nonXMLBody					(CDA... ody)
@classCode		0 .. 1	F	DOCBODY	
@moodCode		0 .. 1	F	EVN	
h17:text	ED	1 .. 1			(CDA... ody)
h17:confidentialityCode	CE	0 .. 1			(CDA... ody)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.16926 HL7 BasicConfidentialityKind (DYNAMIC)			
h17:languageCode	CS	0 .. 1			(CDA... ody)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.11526 HumanLanguage (DYNAMIC)			

6.2.32 CDA Observation 2.16.840.1.113883.10.12.303 - 2005-09-07 ref ad1bbr-

Id	2.16.840.1.113883.10.12.303 ref ad1bbr-	Gültigkeit	2005-09-07
Status	Aktiv	Versions-Label	

Name	CDAObservation	Anzeigenname	CDA Observation
Beschreibung	Template CDA Observation (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Kontext	Elternknoten des Template-Element mit Id 2.16.840.1.113883.10.12.303		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
	Benutzt von 0 Transactions und 24 Templates, Benutzt 9 Templates		
	Benutzt von	als	Name
	2.16.840.1.113883.10.12.300	Inklusion	 CDA Clinical Statement
			Zikläre Referenz gefunden mit 2.16.840.1.113883.10.12.300, bitte überprüfen
	2.16.840.1.113883.10.12.201		 CDA Section
			Zikläre Referenz gefunden mit 2.16.840.1.113883.10.12.201, bitte überprüfen
	2.16.840.1.113883.10.12.202		 CDA StructuredBody
	2.16.840.1.113883.10.12.112		 CDA component
	2.16.840.1.113883.3.1937.99.61.45.10.16		 Adipositas Studie
Benutzt von / Benutzt	2.16.840.1.113883.3.1937.99.61.45.10.17		 CDA Adipositas Studie
	2.16.840.1.113883.10.12.301		 CDA Act
	2.16.840.1.113883.10.12.302		 CDA Encounter
	2.16.840.1.113883.10.12.303		 CDA Observation
	2.16.840.1.113883.10.12.304		 CDA ObservationMedia
	2.16.840.1.113883.10.12.305		 CDA Organizer
	2.16.840.1.113883.10.12.306		 CDA Procedure
	2.16.840.1.113883.10.12.307		 CDA RegionOfInterest
	2.16.840.1.113883.10.12.308		 CDA SubstanceAdministration

2.16.840.1.113883.10.12.309		 CDA Supply	2005-09-07
2.16.840.1.113883.3.1937.99.61.45.10.37		 Dok3 Sonstiges	2018-05-02 17:52:41
2.16.840.1.113883.3.1937.99.61.45.10.28		 Dok3 Messwerte	2018-04-27 15:51:01
2.16.840.1.113883.3.1937.99.61.45.10.27		 Dok3 Adipositas Studie	2018-04-27 15:17:54
2.16.840.1.113883.3.1937.99.61.45.10.39		 Dok3 kleines Blutbild ?	2018-05-02 17:58:11
2.16.840.1.113883.3.1937.99.61.45.10.5		 CDA Section t	2018-04-16 11:44:27
2.16.840.1.113883.3.1937.99.61.45.10.50		 ASIC weitere Vitaldaten	2018-05-08 16:29:04
2.16.840.1.113883.3.1937.99.61.45.10.44		 Anwendungsfall ASIC	2018-05-08 15:20:09
2.16.840.1.113883.3.1937.99.61.45.10.46		 ASIC Messwerte	2018-05-08 16:20:53
2.16.840.1.113883.3.1937.99.61.45.10.6		 CDA Observation t	2018-04-16 12:13:51

Benutzt	als	Name	Version
2.16.840.1.113883.10.12.320	Containment	 CDA Subject (Body)	DYNAMIC
2.16.840.1.113883.10.12.322	Containment	 CDA Specimen	DYNAMIC
2.16.840.1.113883.10.12.323	Containment	 CDA Performer (Body)	DYNAMIC
2.16.840.1.113883.10.12.318	Containment	 CDA Author (Body)	DYNAMIC
2.16.840.1.113883.10.12.319	Containment	 CDA Informant (Body)	DYNAMIC
2.16.840.1.113883.10.12.321	Containment	 CDA Participant (Body)	DYNAMIC
2.16.840.1.113883.10.12.300	Containment	 CDA Clinical Statement	DYNAMIC
2.16.840.1.113883.10.12.324	Containment	 CDA Reference	DYNAMIC
2.16.840.1.113883.10.12.329	Containment	 CDA Precondition	DYNAMIC

Item	DT	Kard	Konf	Beschreibung	Label
hl7:observation					(CDA ... ion)
@classCode		1 .. 1	F	OBS	
@moodCode	cs	1 .. 1	R		
	CONF	Der Wert von @moodCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.18943 <i>x_ActMoodDocumentObservation</i> (DYNAMIC)			
@negationInd	bl	0 .. 1			
hl7:templateId	II	1 .. 1			(CDA ... ion)
@root		1 .. 1	F	2.16.840.1.113883.10.12.303	
hl7:id	II	0 .. *			(CDA ... ion)
hl7:code	CD	1 .. 1	R		(CDA ... ion)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.16226 <i>ObservationType</i> (DYNAMIC)			
hl7:derivationExpr	ST	0 .. 1			(CDA ... ion)
hl7:text	ED	0 .. 1			(CDA ... ion)

Item	DT	Kard	Konf	Beschreibung	Label
hl7:statusCode	CS	0 ... 1			(CDA ... ion)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.15933 <i>ActStatus</i> (DYNAMIC)	
hl7:effectiveTime	IVL_TS	0 ... 1			(CDA ... ion)
hl7:priorityCode	CE	0 ... 1			(CDA ... ion)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.16866 <i>ActPriority</i> (DYNAMIC)	
hl7:repeatNumber	IVL_INT	0 ... 1			(CDA ... ion)
hl7:languageCode	CS	0 ... 1			(CDA ... ion)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.11526 <i>HumanLanguage</i> (DYNAMIC)	
hl7:value	ANY	0 ... *			(CDA ... ion)
hl7:interpretationCode	CE	0 ... *			(CDA ... ion)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.78 <i>ObservationInterpretation</i> (DYNAMIC)	

















Item	DT	Kard	Konf	Beschreibung	Label
hl7:methodCode	CE	0 ... *			(CDA ... ion)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.14079 <i>ObservationMethod</i> (DYNAMIC)	
hl7:targetSiteCode	CD	0 ... *			(CDA ... ion)
@codeSystem	CONF	0 ... 1 F		2.16.840.1.113883.5.1052 (Act Site)	
hl7:subject		0 ... 1		Beinhaltet 2.16.840.1.113883.10.12.320 <i>CDA Subject (Body)</i> (DYNAMIC)	(CDA ... ion)
wo [hl7:relatedSubject [@classCode]]					
hl7:specimen		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.322 <i>CDA Specimen</i> (DYNAMIC)	(CDA ... ion)
wo [hl7:specimenRole]					
hl7:performer		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.323 <i>CDA Performer (Body)</i> (DYNAMIC)	(CDA ... ion)
wo [hl7:assignedEntity]					
hl7:author		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.318 <i>CDA Author (Body)</i> (DYNAMIC)	(CDA ... ion)
wo [hl7:assignedAuthor]					
hl7:informant		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.319 <i>CDA Informant (Body)</i> (DYNAMIC)	(CDA ... ion)
































Item	DT	Kard	Konf	Beschreibung	Label
hl7:participant		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.321 CDA Participant (Body) (DYNAMIC)	(CDA ... ion)
wo [@typeCode] [hl7:participantRole]					
hl7:entryRelationship		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.300 CDA Clinical Statement (DYNAMIC)	(CDA ... ion)
wo [@typeCode]					
@typeCode	cs	1 ... 1	R		
	CONF			Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19447 x_ActRelationshipEntryRelationship (DYNAMIC)	
@contextConductionInd	bl	0 ... 1			
@inversionInd	bl	0 ... 1			
@negationInd	bl	0 ... 1			
hl7:sequenceNumber	INT	0 ... 1			(CDA ... ion)
hl7:seperatableInd	BL	0 ... 1			(CDA ... ion)
hl7:reference		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.324 CDA Reference (DYNAMIC)	(CDA ... ion)
wo [@typeCode]					








Item	DT	Kard	Konf	Beschreibung	Label
hl7:precondition		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.329 CDA Precondition (DYNAMIC)	(CDA ... ion)
wo [hl7:criterion]					
hl7:referenceRange		0 ... *			(CDA ... ion)
@typeCode		1 ... 1	F	REFV	
hl7:observationRange		1 ... 1			(CDA ... ion)
@classCode		0 ... 1	F	OBS	
@moodCode		0 ... 1	F	EVN.CRT	
hl7:code	CD	0 ... 1			(CDA ... ion)
@codeSystem	CONF	0 ... 1	F	2.16.840.1.113883.5.4 (Act Code)	
hl7:text	ED	0 ... 1			(CDA ... ion)
hl7:value	ANY	0 ... 1			(CDA ... ion)
hl7:interpretationCode	CE	0 ... 1			(CDA ... ion)

Item	DT	Kard	Konf	Beschreibung	Label
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.78 <i>ObservationInterpretation</i> (DYNAMIC)	

6.2.33 ○ CDA ObservationMedia 2.16.840.1.113883.10.12.304 - 2005-09-07 ref ad1bbr-

Id	2.16.840.1.113883.10.12.304 ref ad1bbr-	Gültigkeit	2005-09-07
Status	 Aktiv	Versions-Label	
Name	CDAObservationMedia	Anzeigename	CDA ObservationMedia
Beschreibung	Template CDA ObservationMedia (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Kontext	Elternknoten des Template-Element mit Id 2.16.840.1.113883.10.12.304		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
	Benutzt von 0 Transactions und 24 Templates, Benutzt 9 Templates		
Benutzt von / Benutzt	Benutzt von	als	Name Version
	2.16.840.1.113883.10.12.300	Inklusion	 CDA Clinical Statement 2005-09-07
			Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.300, bitte überprüfen
	2.16.840.1.113883.10.12.201		 CDA Section 2005-09-07
			Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.201, bitte überprüfen
	2.16.840.1.113883.10.12.202		 CDA StructuredBody 2005-09-07
	2.16.840.1.113883.10.12.112		 CDA component 2005-09-07
	2.16.840.1.113883.3.1937.99.61.45.10.16		 Adipositas Studie 2018-04-24 10:33:11
	2.16.840.1.113883.3.1937.99.61.45.10.17		 CDA Adipositas Studie 2018-04-24 10:41:37
	2.16.840.1.113883.10.12.301		 CDA Act 2005-09-07

2.16.840.1.113883.10.12.302		 CDA Encounter	2005-09-07
2.16.840.1.113883.10.12.303		 CDA Observation	2005-09-07
2.16.840.1.113883.10.12.304		 CDA ObservationMedia	2005-09-07
2.16.840.1.113883.10.12.305		 CDA Organizer	2005-09-07
2.16.840.1.113883.10.12.306		 CDA Procedure	2005-09-07
2.16.840.1.113883.10.12.307		 CDA RegionOfInterest	2005-09-07
2.16.840.1.113883.10.12.308		 CDA SubstanceAdministration	2005-09-07
2.16.840.1.113883.10.12.309		 CDA Supply	2005-09-07
2.16.840.1.113883.3.1937.99.61.45.10.37		 Dok3 Sonstiges	2018-05-02 17:52:41
2.16.840.1.113883.3.1937.99.61.45.10.28		 Dok3 Messwerte	2018-04-27 15:51:01
2.16.840.1.113883.3.1937.99.61.45.10.27		 Dok3 Adipositas Studie	2018-04-27 15:17:54
2.16.840.1.113883.3.1937.99.61.45.10.39		 Dok3 kleines Blutbild ?	2018-05-02 17:58:11
2.16.840.1.113883.3.1937.99.61.45.10.5		 CDA Section t	2018-04-16 11:44:27
2.16.840.1.113883.3.1937.99.61.45.10.50		 ASIC weitere Vitaldaten	2018-05-08 16:29:04
2.16.840.1.113883.3.1937.99.61.45.10.44		 Anwendungsfall ASIC	2018-05-08 15:20:09
2.16.840.1.113883.3.1937.99.61.45.10.46		 ASIC Messwerte	2018-05-08 16:20:53
2.16.840.1.113883.3.1937.99.61.45.10.6		 CDA Observation t	2018-04-16 12:13:51
Benutzt	als	Name	Version
2.16.840.1.113883.10.12.320	Containment	 CDA Subject (Body)	DYNAMIC
2.16.840.1.113883.10.12.322	Containment	 CDA Specimen	DYNAMIC

2.16.840.1.113883.10.12.323	Containment	 CDA Performer (Body)	DYNAMIC
2.16.840.1.113883.10.12.318	Containment	 CDA Author (Body)	DYNAMIC
2.16.840.1.113883.10.12.319	Containment	 CDA Informant (Body)	DYNAMIC
2.16.840.1.113883.10.12.321	Containment	 CDA Participant (Body)	DYNAMIC
2.16.840.1.113883.10.12.300	Containment	 CDA Clinical Statement	DYNAMIC
2.16.840.1.113883.10.12.324	Containment	 CDA Reference	DYNAMIC
2.16.840.1.113883.10.12.329	Containment	 CDA Precondition	DYNAMIC










Alles ausklappen Alles einklappen
























Item	DT	Kard	Konf	Beschreibung	Label
hl7:observationMedia					(CDA ... dia)
@classCode		1 .. 1	F	OBS	
@moodCode		0 .. 1	F	EVN	
hl7:templateId	II	1 .. 1			(CDA ... dia)
@root		1 .. 1	F	2.16.840.1.113883.10.12.304	
hl7:id	II	0 .. *			(CDA ... dia)
hl7:languageCode	CS	0 .. 1			(CDA ... dia)

Item	DT	Kard	Konf	Beschreibung	Label	
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.11526 <i>HumanLanguage</i> (DYNAMIC)				
hl7:value	ED	1 .. 1	R		(CDA ... dia)	
hl7:subject		0 .. 1		Beinhaltet 2.16.840.1.113883.10.12.320 <i>CDA Subject (Body)</i> (DYNAMIC)	(CDA ... dia)	
wo [hl7:relatedSubject [@classCode]]						
hl7:specimen		0 .. *		Beinhaltet 2.16.840.1.113883.10.12.322 <i>CDA Specimen</i> (DYNAMIC)	(CDA ... dia)	
wo [hl7:specimenRole]						
hl7:performer		0 .. *		Beinhaltet 2.16.840.1.113883.10.12.323 <i>CDA Performer (Body)</i> (DYNAMIC)	(CDA ... dia)	
wo [hl7:assignedEntity]						
hl7:author		0 .. *		Beinhaltet 2.16.840.1.113883.10.12.318 <i>CDA Author (Body)</i> (DYNAMIC)	(CDA ... dia)	
wo [hl7:assignedAuthor]						
hl7:informant		0 .. *		Beinhaltet 2.16.840.1.113883.10.12.319 <i>CDA Informant (Body)</i> (DYNAMIC)	(CDA ... dia)	
hl7:participant		0 .. *		Beinhaltet 2.16.840.1.113883.10.12.321 <i>CDA Participant (Body)</i> (DYNAMIC)	(CDA ... dia)	
wo [@typeCode] [hl7:participantRole]						

Item	DT	Kard	Konf	Beschreibung	Label
hl7:entryRelationship		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.300 CDA Clinical Statement (DYNAMIC)	(CDA ... dia)
wo [@typeCode]					
@typeCode	cs	1 ... 1	R		
	CONF			Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19447 x_ActRelationshipEntryRelationship (DYNAMIC)	
@contextConductionInd	bl	0 ... 1			
@inversionInd	bl	0 ... 1			
@negationInd	bl	0 ... 1			
hl7:sequenceNumber	INT	0 ... 1			(CDA ... dia)
hl7:seperatableInd	BL	0 ... 1			(CDA ... dia)
hl7:reference		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.324 CDA Reference (DYNAMIC)	(CDA ... dia)
wo [@typeCode]					
hl7:precondition		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.329 CDA Precondition (DYNAMIC)	(CDA ... dia)
wo [hl7:criterion]					

6.2.34 ○ CDA Organization 2.16.840.1.113883.10.12.151 - 2005-09-07 ref ad1bbr-


Id	2.16.840.1.113883.10.12.151 ref ad1bbr-	Gültigkeit	2005-09-07
Status	● Aktiv	Versions-Label	
Name	CDAOrganization	Anzeigename	CDA Organization
Beschreibung	Template CDA Organization (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Klassifikation	CDA Header Level Template		
	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
	Benutzt von 0 Transactions und 37 Templates, Benutzt 0 Templates		
	Benutzt von	als	Name
	2.16.840.1.113883.10.12.101	Containment	● CDA recordTarget 2005-09-07
	2.16.840.1.113883.3.1937.99.61.45.10.16 		⊗ Adipositas Studie 2018-04-24 10:33:11
	2.16.840.1.113883.3.1937.99.61.45.10.17 		⊗ CDA Adipositas Studie 2018-04-24 10:41:37
	2.16.840.1.113883.3.1937.99.61.45.10.4 		⊗ CDA ClinicalDocument T 2018-04-16 10:35:28
Benutzt von / Benutzt	2.16.840.1.113883.10.12.102	Containment	● CDA author 2005-09-07
	2.16.840.1.113883.10.12.153	Containment	● CDA AssignedEntity 2005-09-07
	2.16.840.1.113883.10.12.319 		● CDA Informant (Body) 2005-09-07
	2.16.840.1.113883.10.12.201 		● CDA Section 2005-09-07
			Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.201, bitte überprüfen
	2.16.840.1.113883.10.12.202 		● CDA StructuredBody 2005-09-07
	2.16.840.1.113883.10.12.112 		● CDA component 2005-09-07
	2.16.840.1.113883.10.12.301 		● CDA Act 2005-09-07


2.16.840.1.113883.10.12.300	 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.301, bitte überprüfen   CDA Clinical Statement 2005-09-07
2.16.840.1.113883.10.12.302	 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.300, bitte überprüfen   CDA Encounter 2005-09-07
2.16.840.1.113883.10.12.303	 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.302, bitte überprüfen   CDA Observation 2005-09-07
2.16.840.1.113883.10.12.304	 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.303, bitte überprüfen   CDA ObservationMedia 2005-09-07
2.16.840.1.113883.10.12.305	 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.304, bitte überprüfen   CDA Organizer 2005-09-07
2.16.840.1.113883.10.12.306	 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.305, bitte überprüfen   CDA Procedure 2005-09-07
2.16.840.1.113883.10.12.307	 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.306, bitte überprüfen   CDA RegionOfInterest 2005-09-07
2.16.840.1.113883.10.12.308	 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.307, bitte überprüfen   CDA SubstanceAdministration 2005-09-07
2.16.840.1.113883.10.12.309	 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.308, bitte überprüfen   CDA Supply 2005-09-07
2.16.840.1.113883.3.1937.99.61.45.10.37	 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.309, bitte überprüfen   Dok3 Sonstiges 2018-05-02 17:52:41
2.16.840.1.113883.3.1937.99.61.45.10.28	  Dok3 Messwerte 2018-04-27 15:51:01
2.16.840.1.113883.3.1937.99.61.45.10.27	  Dok3 Adipositas Studie 2018-04-27 15:17:54

2.16.840.1.113883.3.1937.99.61.45.10.39		Dok3 kleines Blutbild ?	2018-05-02 17:58:11
2.16.840.1.113883.3.1937.99.61.45.10.5		CDA Section t	2018-04-16 11:44:27
2.16.840.1.113883.3.1937.99.61.45.10.50		ASIC weitere Vitaldaten	2018-05-08 16:29:04
2.16.840.1.113883.3.1937.99.61.45.10.44		Anwendungsfall ASIC	2018-05-08 15:20:09
2.16.840.1.113883.3.1937.99.61.45.10.46		ASIC Messwerte	2018-05-08 16:20:53
2.16.840.1.113883.3.1937.99.61.45.10.6		CDA Observation t	2018-04-16 12:13:51
2.16.840.1.113883.10.12.323		CDA Performer (Body)	2005-09-07
2.16.840.1.113883.10.12.312	Containment	CDA ManufacturedProduct	2005-09-07
2.16.840.1.113883.10.12.318	Containment	CDA Author (Body)	2005-09-07
2.16.840.1.113883.3.1937.99.61.45.10.19	Containment	CDA Autor	2018-04-24 10:54:42
2.16.840.1.113883.3.1937.99.61.45.10.20		Dok1 Adipositas Studie	2018-04-24 11:01:24
2.16.840.1.113883.3.1937.99.61.45.10.24		Dok2 Adipositas Studie	2018-04-26 16:56:54
2.16.840.1.113883.3.1937.99.61.45.10.40		Dok4 Adipositas Studie	2018-05-03 10:09:46
2.16.840.1.113883.3.1937.99.61.45.10.3	Containment	CDA author t	2018-04-16 10:24:11

Alles ausklappen | Alles einklappen





























Item	DT	Kard	Konf	Beschreibung	Label
@classCode		0 ... 1	F	ORG	
@determinerCode		0 ... 1	F	INSTANCE	























Item	DT	Kard	Konf	Beschreibung	Label
hl7:id	II	0 ... *			(CDA ... ion)
hl7:name	ON	0 ... *			(CDA ... ion)
hl7:telecom	TEL	0 ... *			(CDA ... ion)
hl7:addr	AD	0 ... *			(CDA ... ion)
hl7:standardIndustryClassCode	CE	0 ... 1		 SHALL be chosen from domain OrganizationIndustryClass	(CDA ... ion)
hl7:asOrganizationPartOf		0 ... 1			(CDA ... ion)
@classCode		0 ... 1	F	PART	
hl7:id	II	0 ... *	R		(CDA ... ion)
hl7:code	CE	0 ... 1			(CDA ... ion)
@codeSystem	CONF	0 ... 1	F	2.16.840.1.113883.5.111 (Role Code)	
hl7:statusCode	CS	0 ... 1			(CDA ... ion)









Item	DT	Kard	Konf	Beschreibung	Label	
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.15999 RoleStatus (DYNAMIC)				
h17:effectiveTime	IVL_TS	0 ... 1			(CDA ... ion)	
h17:wholeOrganization		0 ... 1			(CDA ... ion)	
@classCode		0 ... 1	F	ORG		
@determinerCode		0 ... 1	F	INSTANCE		
h17:id	II	0 ... *			(CDA ... ion)	
h17:name	ON	0 ... *			(CDA ... ion)	
h17:telecom	TEL	0 ... *			(CDA ... ion)	
h17:addr	AD	0 ... *			(CDA ... ion)	
h17:standardIndustryClassCode	CE	0 ... 1		 SHALL be chosen from domain OrganizationIndustryClass	(CDA ... ion)	

6.2.35 CDA Organizer 2.16.840.1.113883.10.12.305 - 2005-09-07 ref ad1bbr-

Id	2.16.840.1.113883.10.12.305 ref ad1bbr-	Gültigkeit	2005-09-07
----	--	------------	------------

Status	 Aktiv	Versions-Label	
Name	CDAOrganizer	Anzeigenname	CDA Organizer
Beschreibung	Template CDA Organizer (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Kontext	Elternknoten des Template-Element mit Id 2.16.840.1.113883.10.12.305		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
	Benutzt von 0 Transactions und 24 Templates, Benutzt 9 Templates		
	Benutzt von	als	Name Version
	2.16.840.1.113883.10.12.300	Inklusion 	CDA Clinical Statement 2005-09-07
			Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.300, bitte überprüfen
	2.16.840.1.113883.10.12.201		 CDA Section 2005-09-07
			Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.201, bitte überprüfen
	2.16.840.1.113883.10.12.202		 CDA StructuredBody 2005-09-07
	2.16.840.1.113883.10.12.112		 CDA component 2005-09-07
	2.16.840.1.113883.3.1937.99.61.45.10.16		 Adipositas Studie 2018-04-24 10:33:11
Benutzt von / Benutzt	2.16.840.1.113883.3.1937.99.61.45.10.17		 CDA Adipositas Studie 2018-04-24 10:41:37
	2.16.840.1.113883.10.12.301		 CDA Act 2005-09-07
	2.16.840.1.113883.10.12.302		 CDA Encounter 2005-09-07
	2.16.840.1.113883.10.12.303		 CDA Observation 2005-09-07
	2.16.840.1.113883.10.12.304		 CDA ObservationMedia 2005-09-07
	2.16.840.1.113883.10.12.305		 CDA Organizer 2005-09-07
	2.16.840.1.113883.10.12.306		 CDA Procedure 2005-09-07
	2.16.840.1.113883.10.12.307		 CDA RegionOfInterest 2005-09-07

2.16.840.1.113883.10.12.308		 CDA SubstanceAdministration	2005-09-07
2.16.840.1.113883.10.12.309		 CDA Supply	2005-09-07
2.16.840.1.113883.3.1937.99.61.45.10.37		 Dok3 Sonstiges	2018-05-02 17:52:41
2.16.840.1.113883.3.1937.99.61.45.10.28		 Dok3 Messwerte	2018-04-27 15:51:01
2.16.840.1.113883.3.1937.99.61.45.10.27		 Dok3 Adipositas Studie	2018-04-27 15:17:54
2.16.840.1.113883.3.1937.99.61.45.10.39		 Dok3 kleines Blutbild ?	2018-05-02 17:58:11
2.16.840.1.113883.3.1937.99.61.45.10.5		 CDA Section t	2018-04-16 11:44:27
2.16.840.1.113883.3.1937.99.61.45.10.50		 ASIC weitere Vitaldaten	2018-05-08 16:29:04
2.16.840.1.113883.3.1937.99.61.45.10.44		 Anwendungsfall ASIC	2018-05-08 15:20:09
2.16.840.1.113883.3.1937.99.61.45.10.46		 ASIC Messwerte	2018-05-08 16:20:53
2.16.840.1.113883.3.1937.99.61.45.10.6		 CDA Observation t	2018-04-16 12:13:51

Benutzt	als	Name	Version
2.16.840.1.113883.10.12.320	Containment	 CDA Subject (Body)	DYNAMIC
2.16.840.1.113883.10.12.322	Containment	 CDA Specimen	DYNAMIC
2.16.840.1.113883.10.12.323	Containment	 CDA Performer (Body)	DYNAMIC
2.16.840.1.113883.10.12.318	Containment	 CDA Author (Body)	DYNAMIC
2.16.840.1.113883.10.12.319	Containment	 CDA Informant (Body)	DYNAMIC
2.16.840.1.113883.10.12.321	Containment	 CDA Participant (Body)	DYNAMIC
2.16.840.1.113883.10.12.324	Containment	 CDA Reference	DYNAMIC
2.16.840.1.113883.10.12.329	Containment	 CDA Precondition	DYNAMIC

2.16.840.1.113883.10.12.300

Containment  CDA Clinical Statement


DYNAMIC


































Item	DT	Kard	Konf	Beschreibung	Label
h17:organizer					(CDA ... zer)
@classCode	cs	1 .. 1	R		
	CONF	Der Wert von @classCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19598 <i>x_ActClassDocumentEntryOrganizer</i> (DYNAMIC)			
@moodCode		0 .. 1	F	EVN	
h17:templateId	II	1 .. 1			(CDA ... zer)
@root		1 .. 1	F	2.16.840.1.113883.10.12.305	
h17:id	II	0 .. *			(CDA ... zer)
h17:code	CD	0 .. 1			(CDA ... zer)
@codeSystem	CONF	0 .. 1	F	2.16.840.1.113883.5.4 (Act Code)	
h17:statusCode	CS	1 .. 1	R		(CDA ... zer)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.15933 <i>ActStatus</i> (DYNAMIC)			




























Item	DT	Kard	Konf	Beschreibung	Label
hl7:effectiveTime	IVL_TS	0 ... 1			(CDA ... zer)
hl7:subject		0 ... 1		Beinhaltet 2.16.840.1.113883.10.12.320 CDA Subject (Body) (DYNAMIC)	(CDA ... zer)
wo [hl7:relatedSubject [@classCode]]					
hl7:specimen		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.322 CDA Specimen (DYNAMIC)	(CDA ... zer)
wo [hl7:specimenRole]					
hl7:performer		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.323 CDA Performer (Body) (DYNAMIC)	(CDA ... zer)
wo [hl7:assignedEntity]					
hl7:author		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.318 CDA Author (Body) (DYNAMIC)	(CDA ... zer)
wo [hl7:assignedAuthor]					
hl7:informant		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.319 CDA Informant (Body) (DYNAMIC)	(CDA ... zer)
hl7:participant		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.321 CDA Participant (Body) (DYNAMIC)	(CDA ... zer)
wo [@typeCode] [hl7:participantRole]					
hl7:reference		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.324 CDA Reference (DYNAMIC)	(CDA ... zer)

Item	DT	Kard	Konf	Beschreibung	Label
wo [<i>@typeCode</i>]					
hl7:precondition		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.329 CDA Precondition (DYNAMIC)	(CDA ... zer)
wo [<i>hl7:criterion</i>]					
hl7:component		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.300 CDA Clinical Statement (DYNAMIC)	(CDA ... zer)
@typeCode		0 ... 1	F	COMP	
@contextConductionInd	bl	0 ... 1	F	true	
hl7:sequenceNumber	INT	0 ... 1			(CDA ... zer)
hl7:seperatableInd	BL	0 ... 1			(CDA ... zer)

6.2.36 CDA Participant (Body) 2.16.840.1.113883.10.12.321 - 2005-09-07 ref ad1bbr-

Id	2.16.840.1.113883.10.12.321 ref ad1bbr-	Gültigkeit	2005-09-07
Status	 Aktiv	Versions-Label	
Name	CDAParticipantBody	Anzeigename	CDA Participant (Body)
Beschreibung	Template CDA Participant (Body) (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Benutzt von / Benutzt	Benutzt von 0 Transactions und 24 Templates, Benutzt 2 Templates		

Benutzt von	als	Name	Version
2.16.840.1.113883.10.12.301	Containment 	CDA Act	2005-09-07
	 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.301, bitte überprüfen		
2.16.840.1.113883.10.12.300	 	CDA Clinical Statement	2005-09-07
	 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.300, bitte überprüfen		
2.16.840.1.113883.10.12.201	 	CDA Section	2005-09-07
	 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.201, bitte überprüfen		
2.16.840.1.113883.10.12.202	 	CDA StructuredBody	2005-09-07
2.16.840.1.113883.10.12.112	 	CDA component	2005-09-07
2.16.840.1.113883.3.1937.99.61.45.10.16	 	Adipositas Studie	2018-04-24 10:33:11
2.16.840.1.113883.3.1937.99.61.45.10.17	 	CDA Adipositas Studie	2018-04-24 10:41:37
2.16.840.1.113883.10.12.302	 	CDA Encounter	2005-09-07
	 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.302, bitte überprüfen		
2.16.840.1.113883.10.12.303	 	CDA Observation	2005-09-07
	 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.303, bitte überprüfen		
2.16.840.1.113883.10.12.304	 	CDA ObservationMedia	2005-09-07
	 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.304, bitte überprüfen		
2.16.840.1.113883.10.12.305	 	CDA Organizer	2005-09-07
	 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.305, bitte überprüfen		
2.16.840.1.113883.10.12.306	 	CDA Procedure	2005-09-07
	 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.306, bitte überprüfen		
2.16.840.1.113883.10.12.307	 	CDA RegionOfInterest	2005-09-07

		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.307, bitte überprüfen	
2.16.840.1.113883.10.12.308		 CDA SubstanceAdministration	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.308, bitte überprüfen	
2.16.840.1.113883.10.12.309		 CDA Supply	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.309, bitte überprüfen	
2.16.840.1.113883.3.1937.99.61.45.10.37		 Dok3 Sonstiges	2018-05-02 17:52:41
2.16.840.1.113883.3.1937.99.61.45.10.28		 Dok3 Messwerte	2018-04-27 15:51:01
2.16.840.1.113883.3.1937.99.61.45.10.27		 Dok3 Adipositas Studie	2018-04-27 15:17:54
2.16.840.1.113883.3.1937.99.61.45.10.39		 Dok3 kleines Blutbild ?	2018-05-02 17:58:11
2.16.840.1.113883.3.1937.99.61.45.10.5		 CDA Section t	2018-04-16 11:44:27
2.16.840.1.113883.3.1937.99.61.45.10.50		 ASIC weitere Vitaldaten	2018-05-08 16:29:04
2.16.840.1.113883.3.1937.99.61.45.10.44		 Anwendungsfall ASIC	2018-05-08 15:20:09
2.16.840.1.113883.3.1937.99.61.45.10.46		 ASIC Messwerte	2018-05-08 16:20:53
2.16.840.1.113883.3.1937.99.61.45.10.6		 CDA Observation t	2018-04-16 12:13:51
Benutzt	als	Name	Version
2.16.840.1.113883.10.12.315	Containment	 CDA Device	DYNAMIC
2.16.840.1.113883.10.12.313	Containment	 CDA PlayingEntity	DYNAMIC

Alles ausklappen



































Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
@typeCode	cs	1 .. 1	R		
	CONF			Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.10901 <i>ParticipationType</i> (DYNAMIC)	
@contextControlCode		0 .. 1	F	OP	
hl7:time	IVL_TS	0 .. 1			(CDA ... ody)
hl7:awarenessCode	CE	0 .. 1			(CDA ... ody)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.10310 <i>TargetAwareness</i> (DYNAMIC)	
hl7:participantRole		1 .. 1			(CDA ... ody)
@classCode		0 .. 1	F	ROL	
hl7:id	II	0 .. *			(CDA ... ody)
hl7:code	CE	0 .. 1			(CDA ... ody)
@codeSystem	CONF	0 .. 1	F	2.16.840.1.113883.5.111 (Role Code)	
hl7:addr	AD	0 .. *			(CDA ... ody)

Item	DT	Kard	Konf	Beschreibung	Label
hl7:telecom	TEL	0 ... *			(CDA ... ody)
Auswahl		0 ... 1		Elemente in der Auswahl: <ul style="list-style-type: none"> hl7:playingDevice welches enthält Template 2.16.840.1.113883.10.12.315 CDA Device (DYNAMIC) hl7:playingEntity welches enthält Template 2.16.840.1.113883.10.12.313 CDA PlayingEntity (DYNAMIC) 	
hl7:playingDevice				Beinhaltet 2.16.840.1.113883.10.12.315 CDA Device (DYNAMIC)	(CDA ... ody)
hl7:playingEntity				Beinhaltet 2.16.840.1.113883.10.12.313 CDA PlayingEntity (DYNAMIC)	(CDA ... ody)
hl7:scopingEntity		0 ... 1			(CDA ... ody)
@classCode		0 ... 1	F	ENT	
@determinerCode		0 ... 1	F	INSTANCE	
hl7:id	II	0 ... *			(CDA ... ody)
hl7:code	CE	0 ... 1			(CDA ... ody)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.16040 EntityCode (DYNAMIC)	
hl7:desc	ED	0 ... 1			(CDA ... ody)

6.2.37 CDA Performer (Body) 2.16.840.1.113883.10.12.323 - 2005-09-07 ref ad1bbr-

Id	2.16.840.1.113883.10.12.323 ref ad1bbr-	Gültigkeit	2005-09-07
Status	Aktiv	Versions-Label	
Name	CDAPerformerBody	Anzeigename	CDA Performer (Body)
Beschreibung	Template CDA Performer (Body) (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
	Benutzt von 0 Transactions und 24 Templates, Benutzt 1 Template		
	Benutzt von	als	Name
	2.16.840.1.113883.10.12.301	Containment	CDA Act
			Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.301, bitte überprüfen
	2.16.840.1.113883.10.12.300		CDA Clinical Statement
			Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.300, bitte überprüfen
	2.16.840.1.113883.10.12.201		CDA Section
			Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.201, bitte überprüfen
Benutzt von / Benutzt	2.16.840.1.113883.10.12.202		CDA StructuredBody
	2.16.840.1.113883.10.12.112		CDA component
	2.16.840.1.113883.3.1937.99.61.45.10.16		Adipositas Studie
	2.16.840.1.113883.3.1937.99.61.45.10.17		CDA Adipositas Studie
	2.16.840.1.113883.10.12.302		CDA Encounter
			Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.302, bitte überprüfen
	2.16.840.1.113883.10.12.303		CDA Observation
			Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.303, bitte überprüfen

2.16.840.1.113883.10.12.304		 CDA ObservationMedia	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.304, bitte überprüfen	
2.16.840.1.113883.10.12.305		 CDA Organizer	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.305, bitte überprüfen	
2.16.840.1.113883.10.12.306		 CDA Procedure	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.306, bitte überprüfen	
2.16.840.1.113883.10.12.307		 CDA RegionOfInterest	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.307, bitte überprüfen	
2.16.840.1.113883.10.12.308		 CDA SubstanceAdministration	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.308, bitte überprüfen	
2.16.840.1.113883.10.12.309		 CDA Supply	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.309, bitte überprüfen	
2.16.840.1.113883.3.1937.99.61.45.10.37		 Dok3 Sonstiges	2018-05-02 17:52:41
2.16.840.1.113883.3.1937.99.61.45.10.28		 Dok3 Messwerte	2018-04-27 15:51:01
2.16.840.1.113883.3.1937.99.61.45.10.27		 Dok3 Adipositas Studie	2018-04-27 15:17:54
2.16.840.1.113883.3.1937.99.61.45.10.39		 Dok3 kleines Blutbild ?	2018-05-02 17:58:11
2.16.840.1.113883.3.1937.99.61.45.10.5		 CDA Section t	2018-04-16 11:44:27
2.16.840.1.113883.3.1937.99.61.45.10.50		 ASIC weitere Vitaldaten	2018-05-08 16:29:04
2.16.840.1.113883.3.1937.99.61.45.10.44		 Anwendungsfall ASIC	2018-05-08 15:20:09
2.16.840.1.113883.3.1937.99.61.45.10.46		 ASIC Messwerte	2018-05-08 16:20:53

2.16.840.1.113883.3.1937.99.61.45.10.6   CDA Observation t

2018-04-16
12:13:51





Benutzt	als	Name	Version
2.16.840.1.113883.10.12.153	Inklusion	 CDA AssignedEntity	DYNAMIC






Alles ausklappen Alles einklappen

































Item	DT	Kard	Konf	Beschreibung	Label
@typeCode		0 .. 1	F	PRF	
hl7:time	IVL_TS	0 .. 1			(CDA ... ody)
hl7:modeCode	CE	0 .. 1			(CDA ... ody)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.16543 ParticipationMode (DYNAMIC)			
hl7:assignedEntity		1 .. 1			(CDA ... ody)
Eingefügt		von 2.16.840.1.113883.10.12.153 CDA AssignedEntity (DYNAMIC)			
@classCode		0 .. 1	F	ASSIGNED	
hl7:id	II	1 .. *	R		(CDA ... ody)
hl7:code	CE	0 .. 1			(CDA ... ody)
@codeSystem	CONF	0 .. 1	F	2.16.840.1.113883.5.111 (Role Code)	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:addr	AD	0 ... *			(CDA ... ody)
hl7:telecom	TEL	0 ... *			(CDA ... ody)
hl7:assignedPerson		0 ... 1		Beinhaltet 2.16.840.1.113883.10.12.152 CDA Person (DYNAMIC)	(CDA ... ody)
hl7:representedOrganization		0 ... 1		Beinhaltet 2.16.840.1.113883.10.12.151 CDA Organization (DYNAMIC)	(CDA ... ody)

6.2.38 CDA Person 2.16.840.1.113883.10.12.152 - 2005-09-07 ref ad1bbr-

Id	2.16.840.1.113883.10.12.152 ref ad1bbr-	Gültigkeit	2005-09-07
Status	 Aktiv	Versions-Label	
Name	CDAPerson	Anzeigename	CDA Person
Beschreibung	Template CDA Person (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Klassifikation	CDA Header Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Benutzt von / Benutzt	Benutzt von 0 Transactions und 33 Templates, Benutzt 0 Templates		
	Benutzt von	als	Name
	2.16.840.1.113883.10.12.101	Containment 	CDA recordTarget
	2.16.840.1.113883.3.1937.99.61.45.10.16 		Adipositas Studie
			2005-09-07
			2018-04-24 10:33:11
































2.16.840.1.113883.3.1937.99.61.45.10.17		 CDA Adipositas Studie	2018-04-24 10:41:37
2.16.840.1.113883.3.1937.99.61.45.10.4		 CDA ClinicalDocument T	2018-04-16 10:35:28
2.16.840.1.113883.10.12.102		Containment  CDA author	2005-09-07
2.16.840.1.113883.10.12.153		Containment  CDA AssignedEntity	2005-09-07
2.16.840.1.113883.10.12.319		 CDA Informant (Body)	2005-09-07
2.16.840.1.113883.10.12.201		 CDA Section	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.201, bitte überprüfen	
2.16.840.1.113883.10.12.202		 CDA StructuredBody	2005-09-07
2.16.840.1.113883.10.12.112		 CDA component	2005-09-07
2.16.840.1.113883.10.12.301		 CDA Act	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.301, bitte überprüfen	
2.16.840.1.113883.10.12.300		 CDA Clinical Statement	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.300, bitte überprüfen	
2.16.840.1.113883.10.12.302		 CDA Encounter	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.302, bitte überprüfen	
2.16.840.1.113883.10.12.303		 CDA Observation	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.303, bitte überprüfen	
2.16.840.1.113883.10.12.304		 CDA ObservationMedia	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.304, bitte überprüfen	
2.16.840.1.113883.10.12.305		 CDA Organizer	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.305, bitte überprüfen	
2.16.840.1.113883.10.12.306		 CDA Procedure	2005-09-07

		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.306, bitte überprüfen	
2.16.840.1.113883.10.12.307		 CDA RegionOfInterest	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.307, bitte überprüfen	
2.16.840.1.113883.10.12.308		 CDA SubstanceAdministration	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.308, bitte überprüfen	
2.16.840.1.113883.10.12.309		 CDA Supply	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.309, bitte überprüfen	
2.16.840.1.113883.3.1937.99.61.45.10.37		 Dok3 Sonstiges	2018-05-02 17:52:41
2.16.840.1.113883.3.1937.99.61.45.10.28		 Dok3 Messwerte	2018-04-27 15:51:01
2.16.840.1.113883.3.1937.99.61.45.10.27		 Dok3 Adipositas Studie	2018-04-27 15:17:54
2.16.840.1.113883.3.1937.99.61.45.10.39		 Dok3 kleines Blutbild ?	2018-05-02 17:58:11
2.16.840.1.113883.3.1937.99.61.45.10.5		 CDA Section t	2018-04-16 11:44:27
2.16.840.1.113883.3.1937.99.61.45.10.50		 ASIC weitere Vitaldaten	2018-05-08 16:29:04
2.16.840.1.113883.3.1937.99.61.45.10.44		 Anwendungsfall ASIC	2018-05-08 15:20:09
2.16.840.1.113883.3.1937.99.61.45.10.46		 ASIC Messwerte	2018-05-08 16:20:53
2.16.840.1.113883.3.1937.99.61.45.10.6		 CDA Observation t	2018-04-16 12:13:51
2.16.840.1.113883.10.12.323		 CDA Performer (Body)	2005-09-07
2.16.840.1.113883.10.12.316	Containment	 CDA RelatedEntity	2005-09-07
2.16.840.1.113883.10.12.318	Containment	 CDA Author (Body)	2005-09-07

				2.16.840.1.113883.3.1937.99.61.45.10.3	Containment		CDA author t	2018-04-16 10:24:11
Alles ausklappen		Alles einklappen						
Item	DT	Kard	Konf	Beschreibung	Label			
@classCode		0 ... 1	F	PSN				
@determinerCode		0 ... 1	F	INSTANCE				
h17:name	PN	0 ... *			(CDA ... son)			

6.2.39 CDA PlayingEntity 2.16.840.1.113883.10.12.313 - 2005-09-07 ref ad1bbr-

Id	2.16.840.1.113883.10.12.313 ref ad1bbr-	Gültigkeit	2005-09-07
Status	Aktiv	Versions-Label	
Name	CDAPlayingEntity	Anzeigename	CDA PlayingEntity
Beschreibung	Template CDA PlayingEntity (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
	Benutzt von 0 Transactions und 25 Templates, Benutzt 0 Templates		
Benutzt von / Benutzt	Benutzt von	als	Name Version
	2.16.840.1.113883.10.12.321	Containment	CDA Participant (Body) 2005-09-07
	2.16.840.1.113883.10.12.301		CDA Act 2005-09-07
			Zikläre Referenz gefunden mit 2.16.840.1.113883.10.12.301, bitte überprüfen
	2.16.840.1.113883.10.12.300		CDA Clinical Statement 2005-09-07

		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.300, bitte überprüfen	
2.16.840.1.113883.10.12.201		 CDA Section	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.201, bitte überprüfen	
2.16.840.1.113883.10.12.202		 CDA StructuredBody	2005-09-07
2.16.840.1.113883.10.12.112		 CDA component	2005-09-07
2.16.840.1.113883.3.1937.99.61.45.10.16		 Adipositas Studie	2018-04-24 10:33:11
2.16.840.1.113883.3.1937.99.61.45.10.17		 CDA Adipositas Studie	2018-04-24 10:41:37
2.16.840.1.113883.10.12.302		 CDA Encounter	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.302, bitte überprüfen	
2.16.840.1.113883.10.12.303		 CDA Observation	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.303, bitte überprüfen	
2.16.840.1.113883.10.12.304		 CDA ObservationMedia	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.304, bitte überprüfen	
2.16.840.1.113883.10.12.305		 CDA Organizer	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.305, bitte überprüfen	
2.16.840.1.113883.10.12.306		 CDA Procedure	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.306, bitte überprüfen	
2.16.840.1.113883.10.12.307		 CDA RegionOfInterest	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.307, bitte überprüfen	
2.16.840.1.113883.10.12.308		 CDA SubstanceAdministration	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.308, bitte überprüfen	
2.16.840.1.113883.10.12.309		 CDA Supply	2005-09-07

 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.309, bitte überprüfen










2.16.840.1.113883.3.1937.99.61.45.10.37 	 Dok3 Sonstiges	2018-05-02 17:52:41
2.16.840.1.113883.3.1937.99.61.45.10.28 	 Dok3 Messwerte	2018-04-27 15:51:01
2.16.840.1.113883.3.1937.99.61.45.10.27 	 Dok3 Adipositas Studie	2018-04-27 15:17:54
2.16.840.1.113883.3.1937.99.61.45.10.39 	 Dok3 kleines Blutbild ?	2018-05-02 17:58:11
2.16.840.1.113883.3.1937.99.61.45.10.5 	 CDA Section t	2018-04-16 11:44:27
2.16.840.1.113883.3.1937.99.61.45.10.50 	 ASIC weitere Vitaldaten	2018-05-08 16:29:04
2.16.840.1.113883.3.1937.99.61.45.10.44 	 Anwendungsfall ASIC	2018-05-08 15:20:09
2.16.840.1.113883.3.1937.99.61.45.10.46 	 ASIC Messwerte	2018-05-08 16:20:53
2.16.840.1.113883.3.1937.99.61.45.10.6 	 CDA Observation t	2018-04-16 12:13:51






























Alles ausklappen Alles einklappen

















Item	DT	Kard	Konf	Beschreibung	Label
@classCode		0 .. 1	F	ENT	
@determinerCode		0 .. 1	F	INSTANCE	
h17:code	CE	0 .. 1			(CDA ... ity)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.16040 EntityCode (DYNAMIC)	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:quantity	PQ	0 ... *			(CDA ... ity)
hl7:name	PN	0 ... *			(CDA ... ity)
hl7:desc	ED	0 ... 1			(CDA ... ity)

6.2.40 CDA Precondition 2.16.840.1.113883.10.12.329 - 2005-09-07 ref ad1bbr-

Id	2.16.840.1.113883.10.12.329 ref ad1bbr-	Gültigkeit	2005-09-07
Status	 Aktiv	Versions-Label	
Name	CDAPrecondition	Anzeigename	CDA Precondition
Beschreibung	Template CDA Precondition (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Benutzt von / Benutzt	Benutzt von 0 Transactions und 24 Templates, Benutzt 0 Templates		
	Benutzt von	als	Name
	2.16.840.1.113883.10.12.301	Containment 	CDA Act
			Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.301, bitte überprüfen
	2.16.840.1.113883.10.12.300	 	CDA Clinical Statement
			Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.300, bitte überprüfen
	2.16.840.1.113883.10.12.201	 	CDA Section
			Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.201, bitte überprüfen

2.16.840.1.113883.10.12.202		 CDA StructuredBody	2005-09-07
2.16.840.1.113883.10.12.112		 CDA component	2005-09-07
2.16.840.1.113883.3.1937.99.61.45.10.16		 Adipositas Studie	2018-04-24 10:33:11
2.16.840.1.113883.3.1937.99.61.45.10.17		 CDA Adipositas Studie	2018-04-24 10:41:37
2.16.840.1.113883.10.12.302		 CDA Encounter	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.302, bitte überprüfen	
2.16.840.1.113883.10.12.303		 CDA Observation	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.303, bitte überprüfen	
2.16.840.1.113883.10.12.304		 CDA ObservationMedia	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.304, bitte überprüfen	
2.16.840.1.113883.10.12.305		 CDA Organizer	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.305, bitte überprüfen	
2.16.840.1.113883.10.12.306		 CDA Procedure	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.306, bitte überprüfen	
2.16.840.1.113883.10.12.307		 CDA RegionOfInterest	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.307, bitte überprüfen	
2.16.840.1.113883.10.12.308		 CDA SubstanceAdministration	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.308, bitte überprüfen	
2.16.840.1.113883.10.12.309		 CDA Supply	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.309, bitte überprüfen	
2.16.840.1.113883.3.1937.99.61.45.10.37		 Dok3 Sonstiges	2018-05-02 17:52:41














2.16.840.1.113883.3.1937.99.61.45.10.28 	 Dok3 Messwerte	2018-04-27 15:51:01
2.16.840.1.113883.3.1937.99.61.45.10.27 	 Dok3 Adipositas Studie	2018-04-27 15:17:54
2.16.840.1.113883.3.1937.99.61.45.10.39 	 Dok3 kleines Blutbild ?	2018-05-02 17:58:11
2.16.840.1.113883.3.1937.99.61.45.10.5 	 CDA Section t	2018-04-16 11:44:27
2.16.840.1.113883.3.1937.99.61.45.10.50 	 ASIC weitere Vitaldaten	2018-05-08 16:29:04
2.16.840.1.113883.3.1937.99.61.45.10.44 	 Anwendungsfall ASIC	2018-05-08 15:20:09
2.16.840.1.113883.3.1937.99.61.45.10.46 	 ASIC Messwerte	2018-05-08 16:20:53
2.16.840.1.113883.3.1937.99.61.45.10.6 	 CDA Observation t	2018-04-16 12:13:51

Alles ausklappen Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
@typeCode		0 .. 1	F	PRCN	
hl7: criterion		1 .. 1			(CDA --- ion)
@classCode		0 .. 1	F	OBS	
@moodCode		0 .. 1	F	EVN.CRT	
hl7: code	CD	0 .. 1			(CDA --- ion)
@codeSystem	CONF	0 .. 1	F	2.16.840.1.113883.5.4 (Act Code)	
hl7: text	ED	0 .. 1			(CDA --- ion)

Item	DT	Kard	Konf	Beschreibung	Label
h17:value	ANY	0 .. 1			(CDA... ion)

6.2.41 CDA Proband 2.16.840.1.113883.3.1937.99.61.45.10.18 - 2018-04-24 10:48:32

Id	2.16.840.1.113883.3.1937.99.61.45.10.18	Gültigkeit	2018-04-24 10:48:32
Status	 Entwurf	Versions-Label	
Name	CDAProband	Anzeigename	CDA Proband
Beschreibung	Template CDA recordTarget (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Klassifikation	CDA Header Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Assoziiert mit	Assoziiert mit 6 Konzepten		
	Id	Name	Datensatz
	smul-dataelement-79	 Geburtsdatum	 Dataset Sandbox Medizin Uni Leipzig
	smul-dataelement-78	 Nachname	 Dataset Sandbox Medizin Uni Leipzig
	smul-dataelement-76	 Proband	 Dataset Sandbox Medizin Uni Leipzig
	smul-dataelement-77	 Vorname	 Dataset Sandbox Medizin Uni Leipzig
	smul-dataelement-84	 Geschlecht	 Dataset Sandbox Medizin Uni Leipzig
	smul-dataelement-80	 Patientenummer	 Dataset Sandbox Medizin Uni Leipzig
Benutzt von / Benutzt	Benutzt von 0 Transactions und 5 Templates, Benutzt 0 Templates		

Benutzt von	als	Name	Version
2.16.840.1.113883.3.1937.99.61.45.10.20	Inklusion	 Dok1 Adipositas Studie	2018-04-24 11:01:24
2.16.840.1.113883.3.1937.99.61.45.10.24	Inklusion	 Dok2 Adipositas Studie	2018-04-26 16:56:54
2.16.840.1.113883.3.1937.99.61.45.10.27	Inklusion	 Dok3 Adipositas Studie	2018-04-27 15:17:54
2.16.840.1.113883.3.1937.99.61.45.10.40	Inklusion	 Dok4 Adipositas Studie	2018-05-03 10:09:46
2.16.840.1.113883.3.1937.99.61.45.10.44	Inklusion	 Anwendungsfall ASIC	2018-05-08 15:20:09

Beziehung






























Spezialisierung: Template 2.16.840.1.113883.10.12.101 (2005-09-07)

Item	DT	Kard	Konf	Beschreibung	Label
hl7:recordTarget		1 ... *	R		(CDA ... and)
		 smul-dataelement-76		 Proband	 Dataset Sandbox Medizin Uni Leipzig
@typeCode	cs	0 ... 1	F	RCT	
@contextControlCode	cs	0 ... 1	F	OP	
hl7:patientRole		1 ... 1	R		(CDA ... and)
@classCode	cs	0 ... 1	F	PAT	
hl7:id	II	1 ... *	R		(CDA ... and)
hl7:patient		0 ... 1			(CDA ... and)
@classCode	cs	0 ... 1	F	PSN	










Item	DT	Kard	Konf	Beschreibung	Label
@determinerCode	cs	0 ... 1	F	INSTANCE	
hl7:id	II	0 ... 1			(CDA ... and)
				smul-dataelement-80 Patientennummer Dataset Sandbox Medizin Uni Leipzig	
hl7:name	PN	1 ... 1	R		(CDA ... and)
				smul-dataelement-78 Nachname Dataset Sandbox Medizin Uni Leipzig smul-dataelement-77 Vorname Dataset Sandbox Medizin Uni Leipzig	
hl7:given		0 ... *			(CDA ... and)
hl7:family		0 ... *			(CDA ... and)
hl7:administrativeGenderCode	CE	0 ... 1			(CDA ... and)
				smul-dataelement-84 Geschlecht Dataset Sandbox Medizin Uni Leipzig	
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.1 AdministrativeGender (DYNAMIC)			
hl7:birthTime	TS	0 ... 1			(CDA ... and)
				smul-dataelement-79 Geburtsdatum Dataset Sandbox Medizin Uni Leipzig	

6.2.42 CDA Procedure 2.16.840.1.113883.10.12.306 - 2005-09-07 ref ad1bbr-

Id	2.16.840.1.113883.10.12.306 ref ad1bbr-	Gültigkeit	2005-09-07
Status	Aktiv	Versions-Label	

Name	CDAProcedure	Anzeigenname	CDA Procedure
Beschreibung	Template CDA Procedure (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Kontext	Elternknoten des Template-Element mit Id 2.16.840.1.113883.10.12.306		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
	Benutzt von 0 Transactions und 24 Templates, Benutzt 9 Templates		
	Benutzt von	als	Name
	2.16.840.1.113883.10.12.300	Inklusion	 CDA Clinical Statement
			Zikläre Referenz gefunden mit 2.16.840.1.113883.10.12.300, bitte überprüfen
	2.16.840.1.113883.10.12.201		 CDA Section
			Zikläre Referenz gefunden mit 2.16.840.1.113883.10.12.201, bitte überprüfen
	2.16.840.1.113883.10.12.202		 CDA StructuredBody
	2.16.840.1.113883.10.12.112		 CDA component
	2.16.840.1.113883.3.1937.99.61.45.10.16		 Adipositas Studie
Benutzt von / Benutzt	2.16.840.1.113883.3.1937.99.61.45.10.17		 CDA Adipositas Studie
	2.16.840.1.113883.10.12.301		 CDA Act
	2.16.840.1.113883.10.12.302		 CDA Encounter
	2.16.840.1.113883.10.12.303		 CDA Observation
	2.16.840.1.113883.10.12.304		 CDA ObservationMedia
	2.16.840.1.113883.10.12.305		 CDA Organizer
	2.16.840.1.113883.10.12.306		 CDA Procedure
	2.16.840.1.113883.10.12.307		 CDA RegionOfInterest
	2.16.840.1.113883.10.12.308		 CDA SubstanceAdministration

2.16.840.1.113883.10.12.309		 CDA Supply	2005-09-07
2.16.840.1.113883.3.1937.99.61.45.10.37		 Dok3 Sonstiges	2018-05-02 17:52:41
2.16.840.1.113883.3.1937.99.61.45.10.28		 Dok3 Messwerte	2018-04-27 15:51:01
2.16.840.1.113883.3.1937.99.61.45.10.27		 Dok3 Adipositas Studie	2018-04-27 15:17:54
2.16.840.1.113883.3.1937.99.61.45.10.39		 Dok3 kleines Blutbild ?	2018-05-02 17:58:11
2.16.840.1.113883.3.1937.99.61.45.10.5		 CDA Section t	2018-04-16 11:44:27
2.16.840.1.113883.3.1937.99.61.45.10.50		 ASIC weitere Vitaldaten	2018-05-08 16:29:04
2.16.840.1.113883.3.1937.99.61.45.10.44		 Anwendungsfall ASIC	2018-05-08 15:20:09
2.16.840.1.113883.3.1937.99.61.45.10.46		 ASIC Messwerte	2018-05-08 16:20:53
2.16.840.1.113883.3.1937.99.61.45.10.6		 CDA Observation t	2018-04-16 12:13:51

Benutzt	als	Name	Version
2.16.840.1.113883.10.12.320	Containment	 CDA Subject (Body)	DYNAMIC
2.16.840.1.113883.10.12.322	Containment	 CDA Specimen	DYNAMIC
2.16.840.1.113883.10.12.323	Containment	 CDA Performer (Body)	DYNAMIC
2.16.840.1.113883.10.12.318	Containment	 CDA Author (Body)	DYNAMIC
2.16.840.1.113883.10.12.319	Containment	 CDA Informant (Body)	DYNAMIC
2.16.840.1.113883.10.12.321	Containment	 CDA Participant (Body)	DYNAMIC
2.16.840.1.113883.10.12.300	Containment	 CDA Clinical Statement	DYNAMIC
2.16.840.1.113883.10.12.324	Containment	 CDA Reference	DYNAMIC
2.16.840.1.113883.10.12.329	Containment	 CDA Precondition	DYNAMIC


Item	DT	Kard	Konf	Beschreibung	Label
hl7:procedure					(CDA ... ure)
@classCode		1 .. 1	F	PROC	
@moodCode	cs	1 .. 1	R		
	CONF	Der Wert von @moodCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19460 <i>x_DocumentProcedureMood</i> (DYNAMIC)			
@negationInd	bl	0 .. 1			
hl7:templateId	II	1 .. 1			(CDA ... ure)
@root		1 .. 1	F	2.16.840.1.113883.10.12.306	
hl7:id	II	0 .. *			(CDA ... ure)
hl7:code	CD	0 .. 1			(CDA ... ure)
@codeSystem	CONF	0 .. 1	F	2.16.840.1.113883.5.4 (Act Code)	
hl7:text	ED	0 .. 1			(CDA ... ure)
hl7:statusCode	CS	0 .. 1			(CDA ... ure)




























Item	DT	Kard	Konf	Beschreibung	Label	
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.15933 <i>ActStatus</i> (DYNAMIC)				
hl7:effectiveTime	IVL_TS	0 ... 1			(CDA ... ure)	
hl7:priorityCode	CE	0 ... 1			(CDA ... ure)	
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.16866 <i>ActPriority</i> (DYNAMIC)				
hl7:languageCode	CS	0 ... 1			(CDA ... ure)	
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.11526 <i>HumanLanguage</i> (DYNAMIC)				
hl7:methodCode	CE	0 ... *			(CDA ... ure)	
@codeSystem	CONF	0 ... 1	F	2.16.840.1.113883.5.1065 (ProcedureMethod)		
hl7:approachSiteCode	CD	0 ... *			(CDA ... ure)	
@codeSystem	CONF	0 ... 1	F	2.16.840.1.113883.5.1052 (Act Site)		
hl7:targetSiteCode	CD	0 ... *			(CDA ... ure)	
@codeSystem	CONF	0 ... 1	F	2.16.840.1.113883.5.1052 (Act Site)		

































Item	DT	Kard	Konf	Beschreibung	Label
hl7:subject		0 ... 1		Beinhaltet 2.16.840.1.113883.10.12.320 CDA Subject (Body) (DYNAMIC)	(CDA ... ure)
wo [hl7:relatedSubject [@classCode]]					
hl7:specimen		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.322 CDA Specimen (DYNAMIC)	(CDA ... ure)
wo [hl7:specimenRole]					
hl7:performer		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.323 CDA Performer (Body) (DYNAMIC)	(CDA ... ure)
wo [hl7:assignedEntity]					
hl7:author		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.318 CDA Author (Body) (DYNAMIC)	(CDA ... ure)
wo [hl7:assignedAuthor]					
hl7:informant		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.319 CDA Informant (Body) (DYNAMIC)	(CDA ... ure)
hl7:participant		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.321 CDA Participant (Body) (DYNAMIC)	(CDA ... ure)
wo [@typeCode] [hl7:participantRole]					
hl7:entryRelationship		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.300 CDA Clinical Statement (DYNAMIC)	(CDA ... ure)
wo [@typeCode]					




Item	DT	Kard	Konf	Beschreibung	Label
@typeCode	cs	1 ... 1	R		
	CONF			Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19447 x_ActRelationshipEntryRelationship (DYNAMIC)	
@contextConductionInd	bl	0 ... 1			
@inversionInd	bl	0 ... 1			
@negationInd	bl	0 ... 1			
hl7:sequenceNumber	INT	0 ... 1			(CDA ... ure)
hl7:seperatableInd	BL	0 ... 1			(CDA ... ure)
hl7:reference		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.324 CDA Reference (DYNAMIC)	(CDA ... ure)
wo [@typeCode]					
hl7:precondition		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.329 CDA Precondition (DYNAMIC)	(CDA ... ure)
wo [hl7:criterion]					

6.2.43 CDA Reference 2.16.840.1.113883.10.12.324 - 2005-09-07 ref ad1bbr-

Id	2.16.840.1.113883.10.12.324 ref ad1bbr-	Gültigkeit	2005-09-07
Status	 Aktiv	Versions-Label	

Name	CDAREference		Anzeigenname	CDA Reference
Beschreibung	Template CDA Reference (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)			
Klassifikation	CDA Entry Level Template			
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)			
Benutzt von / Benutzt	Benutzt von 0 Transactions und 24 Templates, Benutzt 4 Templates			
	Benutzt von	als	Name	Version
	2.16.840.1.113883.10.12.301	Containment 	CDA Act	2005-09-07
		 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.301, bitte überprüfen		
	2.16.840.1.113883.10.12.300	 	CDA Clinical Statement	2005-09-07
		 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.300, bitte überprüfen		
	2.16.840.1.113883.10.12.201	 	CDA Section	2005-09-07
		 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.201, bitte überprüfen		
	2.16.840.1.113883.10.12.202	 	CDA StructuredBody	2005-09-07
	2.16.840.1.113883.10.12.112	 	CDA component	2005-09-07
	2.16.840.1.113883.3.1937.99.61.45.10.16	 	Adipositas Studie	2018-04-24 10:33:11
	2.16.840.1.113883.3.1937.99.61.45.10.17	 	CDA Adipositas Studie	2018-04-24 10:41:37
	2.16.840.1.113883.10.12.302	 	CDA Encounter	2005-09-07
	 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.302, bitte überprüfen			
2.16.840.1.113883.10.12.303	 	CDA Observation	2005-09-07	
	 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.303, bitte überprüfen			
2.16.840.1.113883.10.12.304	 	CDA ObservationMedia	2005-09-07	
	 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.304, bitte überprüfen			
2.16.840.1.113883.10.12.305	 	CDA Organizer	2005-09-07	

		 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.305, bitte überprüfen	
2.16.840.1.113883.10.12.306		 CDA Procedure	2005-09-07
		 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.306, bitte überprüfen	
2.16.840.1.113883.10.12.307		 CDA RegionOfInterest	2005-09-07
		 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.307, bitte überprüfen	
2.16.840.1.113883.10.12.308		 CDA SubstanceAdministration	2005-09-07
		 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.308, bitte überprüfen	
2.16.840.1.113883.10.12.309		 CDA Supply	2005-09-07
		 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.309, bitte überprüfen	
2.16.840.1.113883.3.1937.99.61.45.10.37		 Dok3 Sonstiges	2018-05-02 17:52:41
2.16.840.1.113883.3.1937.99.61.45.10.28		 Dok3 Messwerte	2018-04-27 15:51:01
2.16.840.1.113883.3.1937.99.61.45.10.27		 Dok3 Adipositas Studie	2018-04-27 15:17:54
2.16.840.1.113883.3.1937.99.61.45.10.39		 Dok3 kleines Blutbild ?	2018-05-02 17:58:11
2.16.840.1.113883.3.1937.99.61.45.10.5		 CDA Section t	2018-04-16 11:44:27
2.16.840.1.113883.3.1937.99.61.45.10.50		 ASIC weitere Vitaldaten	2018-05-08 16:29:04
2.16.840.1.113883.3.1937.99.61.45.10.44		 Anwendungsfall ASIC	2018-05-08 15:20:09
2.16.840.1.113883.3.1937.99.61.45.10.46		 ASIC Messwerte	2018-05-08 16:20:53
2.16.840.1.113883.3.1937.99.61.45.10.6		 CDA Observation t	2018-04-16 12:13:51
Benutzt	als	Name	Version
2.16.840.1.113883.10.12.325	Inklusion	 CDA ExternalAct	DYNAMIC

	2.16.840.1.113883.10.12.326	Inklusion		CDA ExternalObservation	DYNAMIC
	2.16.840.1.113883.10.12.327	Inklusion		CDA ExternalProcedure	DYNAMIC
	2.16.840.1.113883.10.12.328	Inklusion		CDA ExternalDocument	DYNAMIC


Alles ausklappen | Alles einklappen



















Item	DT	Kard	Konf	Beschreibung	Label
@typeCode	cs	1 .. 1	R		
	CONF	Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19000 x_ActRelationshipExternalReference (DYNAMIC)			
hl7:seperatableInd	BL	0 .. 1			(CDA...nce)
Auswahl		1 .. 1		Elemente in der Auswahl: <ul style="list-style-type: none"> hl7:externalAct eingefügt vom Template 2.16.840.1.113883.10.12.325 CDA ExternalAct (DYNAMIC) hl7:externalObservation eingefügt vom Template 2.16.840.1.113883.10.12.326 CDA ExternalObservation (DYNAMIC) hl7:externalProcedure eingefügt vom Template 2.16.840.1.113883.10.12.327 CDA ExternalProcedure (DYNAMIC) hl7:externalDocument eingefügt vom Template 2.16.840.1.113883.10.12.328 CDA ExternalDocument (DYNAMIC) 	
Eingefügt				von 2.16.840.1.113883.10.12.325 CDA ExternalAct (DYNAMIC)	
hl7:externalAct					(CDA...nce)
@classCode		0 .. 1	F	ACT	
@moodCode		0 .. 1	F	EVN	
hl7:id	II	0 .. *			(CDA...nce)

















Item	DT	Kard	Konf	Beschreibung	Label
hl7:code	CD	0 ... 1			(CDA...nce)
@codeSystem	CONF	0 ... 1	F	2.16.840.1.113883.5.4 (Act Code)	
hl7:text	ED	0 ... 1			(CDA...nce)
<i>Eingefügt</i>				von 2.16.840.1.113883.10.12.326 CDA ExternalObservation (DYNAMIC)	
hl7:externalObservation					(CDA...nce)
@classCode		0 ... 1	F	OBS	
@moodCode		0 ... 1	F	EVN	
hl7:id	II	0 ... *			(CDA...nce)
hl7:code	CD	0 ... 1			(CDA...nce)
@codeSystem	CONF	0 ... 1	F	2.16.840.1.113883.5.4 (Act Code)	
hl7:text	ED	0 ... 1			(CDA...nce)
<i>Eingefügt</i>				von 2.16.840.1.113883.10.12.327 CDA ExternalProcedure (DYNAMIC)	
hl7:externalProcedure					(CDA...nce)
@classCode		0 ... 1	F	PROC	
@moodCode		0 ... 1	F	EVN	
hl7:id	II	0 ... *			(CDA...nce)
hl7:code	CD	0 ... 1			(CDA...nce)










Item	DT	Kard	Konf	Beschreibung	Label
@codeSystem	CONF	0 ... 1	F	2.16.840.1.113883.5.4 (Act Code)	
h17:text	ED	0 ... 1			(CDA...nce)
<i>Eingefügt</i> von 2.16.840.1.113883.10.12.328 CDA ExternalDocument (DYNAMIC)					
h17:externalDocument					(CDA...nce)
@classCode		0 ... 1	F	DOC	
@moodCode		0 ... 1	F	EVN	
h17:id	II	0 ... *			(CDA...nce)
h17:code	CD	0 ... 1			(CDA...nce)
@codeSystem	CONF	0 ... 1	F	2.16.840.1.113883.6.1 (Logical Observation Identifier Names and Codes)	
h17:text	ED	0 ... 1			(CDA...nce)
h17:setId	II	0 ... 1			(CDA...nce)
h17:versionNumber	INT	0 ... 1			(CDA...nce)

6.2.44 CDA RegionOfInterest 2.16.840.1.113883.10.12.307 - 2005-09-07 ref ad1bbr-

Id	2.16.840.1.113883.10.12.307 ref ad1bbr-	Gültigkeit	2005-09-07
Status	 Aktiv	Versions-Label	
Name	CDARegionOfInterest	Anzeigename	CDA RegionOfInterest
Beschreibung	Template CDA RegionOfInterest (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Kontext	Elternknoten des Template-Element mit Id 2.16.840.1.113883.10.12.307		

Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
	Benutzt von 0 Transactions und 24 Templates, Benutzt 9 Templates		
Benutzt von	als	Name	Version
2.16.840.1.113883.10.12.300	Inklusion	 CDA Clinical Statement	2005-09-07
		 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.300, bitte überprüfen	
2.16.840.1.113883.10.12.201		 CDA Section	2005-09-07
		 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.201, bitte überprüfen	
2.16.840.1.113883.10.12.202		 CDA StructuredBody	2005-09-07
2.16.840.1.113883.10.12.112		 CDA component	2005-09-07
2.16.840.1.113883.3.1937.99.61.45.10.16		 Adipositas Studie	2018-04-24 10:33:11
2.16.840.1.113883.3.1937.99.61.45.10.17		 CDA Adipositas Studie	2018-04-24 10:41:37
2.16.840.1.113883.10.12.301		 CDA Act	2005-09-07
2.16.840.1.113883.10.12.302		 CDA Encounter	2005-09-07
2.16.840.1.113883.10.12.303		 CDA Observation	2005-09-07
2.16.840.1.113883.10.12.304		 CDA ObservationMedia	2005-09-07
2.16.840.1.113883.10.12.305		 CDA Organizer	2005-09-07
2.16.840.1.113883.10.12.306		 CDA Procedure	2005-09-07
2.16.840.1.113883.10.12.307		 CDA RegionOfInterest	2005-09-07
2.16.840.1.113883.10.12.308		 CDA SubstanceAdministration	2005-09-07
2.16.840.1.113883.10.12.309		 CDA Supply	2005-09-07
2.16.840.1.113883.3.1937.99.61.45.10.37		 Dok3 Sonstiges	2018-05-02 17:52:41

2.16.840.1.113883.3.1937.99.61.45.10.28 	 Dok3 Messwerte	2018-04-27 15:51:01
2.16.840.1.113883.3.1937.99.61.45.10.27 	 Dok3 Adipositas Studie	2018-04-27 15:17:54
2.16.840.1.113883.3.1937.99.61.45.10.39 	 Dok3 kleines Blutbild ?	2018-05-02 17:58:11
2.16.840.1.113883.3.1937.99.61.45.10.5 	 CDA Section t	2018-04-16 11:44:27
2.16.840.1.113883.3.1937.99.61.45.10.50 	 ASIC weitere Vitaldaten	2018-05-08 16:29:04
2.16.840.1.113883.3.1937.99.61.45.10.44 	 Anwendungsfall ASIC	2018-05-08 15:20:09
2.16.840.1.113883.3.1937.99.61.45.10.46 	 ASIC Messwerte	2018-05-08 16:20:53
2.16.840.1.113883.3.1937.99.61.45.10.6 	 CDA Observation t	2018-04-16 12:13:51

Benutzt	als	Name	Version
2.16.840.1.113883.10.12.320	Containment	 CDA Subject (Body)	DYNAMIC
2.16.840.1.113883.10.12.322	Containment	 CDA Specimen	DYNAMIC
2.16.840.1.113883.10.12.323	Containment	 CDA Performer (Body)	DYNAMIC
2.16.840.1.113883.10.12.318	Containment	 CDA Author (Body)	DYNAMIC
2.16.840.1.113883.10.12.319	Containment	 CDA Informant (Body)	DYNAMIC
2.16.840.1.113883.10.12.321	Containment	 CDA Participant (Body)	DYNAMIC
2.16.840.1.113883.10.12.300	Containment	 CDA Clinical Statement	DYNAMIC
2.16.840.1.113883.10.12.324	Containment	 CDA Reference	DYNAMIC
2.16.840.1.113883.10.12.329	Containment	 CDA Precondition	DYNAMIC

Alles ausklappen





Alles einklappen




































Item	DT	Kard	Konf	Beschreibung	Label	
hl7:regionOfInterest					(CDA ... est)	
@classCode		1 ... 1	F	ROIOVL		
@moodCode		1 ... 1	F	EVN		
hl7:templateId	II	1 ... 1			(CDA ... est)	
@root		1 ... 1	F	2.16.840.1.113883.10.12.307		
hl7:id	II	1 ... *	R		(CDA ... est)	
hl7:code	CS	1 ... 1	R		(CDA ... est)	
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.16117 <i>ROIOverlayShape</i> (DYNAMIC)				
hl7:value	INT	1 ... *	R		(CDA ... est)	
hl7:subject		0 ... 1		Beinhaltet 2.16.840.1.113883.10.12.320 <i>CDA Subject (Body)</i> (DYNAMIC)	(CDA ... est)	
wo [hl7:relatedSubject [@classCode]]						
hl7:specimen		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.322 <i>CDA Specimen</i> (DYNAMIC)	(CDA ... est)	
wo [hl7:specimenRole]						
























Item	DT	Kard	Konf	Beschreibung	Label
hl7:performer		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.323 CDA Performer (Body) (DYNAMIC)	(CDA ... est)
wo [hl7:assignedEntity]					
hl7:author		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.318 CDA Author (Body) (DYNAMIC)	(CDA ... est)
wo [hl7:assignedAuthor]					
hl7:informant		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.319 CDA Informant (Body) (DYNAMIC)	(CDA ... est)
hl7:participant		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.321 CDA Participant (Body) (DYNAMIC)	(CDA ... est)
wo [@typeCode] [hl7:participantRole]					
hl7:entryRelationship		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.300 CDA Clinical Statement (DYNAMIC)	(CDA ... est)
wo [@typeCode]					
@typeCode	cs	1 ... 1	R		
	CONF			Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19447 x_ActRelationshipEntryRelationship (DYNAMIC)	
@contextConductionInd	bl	0 ... 1			
@inversionInd	bl	0 ... 1			
@negationInd	bl	0 ... 1			

Item	DT	Kard	Konf	Beschreibung	Label
hl7:sequenceNumber	INT	0 ... 1			(CDA ... est)
hl7:seperatableInd	BL	0 ... 1			(CDA ... est)
hl7:reference		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.324 CDA Reference (DYNAMIC)	(CDA ... est)
wo [@typeCode]					
hl7:precondition		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.329 CDA Precondition (DYNAMIC)	(CDA ... est)
wo [hl7:criterion]					

6.2.45 CDA RelatedEntity 2.16.840.1.113883.10.12.316 - 2005-09-07 ref ad1bbr-

Id	2.16.840.1.113883.10.12.316 ref ad1bbr-	Gültigkeit	2005-09-07
Status	 Aktiv	Versions-Label	
Name	CDARelatedEntity	Anzeigename	CDA RelatedEntity
Beschreibung	Template CDA RelatedEntity (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
	Benutzt von 0 Transactions und 25 Templates, Benutzt 1 Template		
Benutzt von / Benutzt	Benutzt von	als	Name Version
	2.16.840.1.113883.10.12.319	Containment 	CDA Informant (Body) 2005-09-07
	2.16.840.1.113883.10.12.201		 CDA Section 2005-09-07

		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.201, bitte überprüfen	
2.16.840.1.113883.10.12.202		 CDA StructuredBody	2005-09-07
2.16.840.1.113883.10.12.112		 CDA component	2005-09-07
2.16.840.1.113883.3.1937.99.61.45.10.16		 Adipositas Studie	2018-04-24 10:33:11
2.16.840.1.113883.3.1937.99.61.45.10.17		 CDA Adipositas Studie	2018-04-24 10:41:37
2.16.840.1.113883.10.12.301		 CDA Act	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.301, bitte überprüfen	
2.16.840.1.113883.10.12.300		 CDA Clinical Statement	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.300, bitte überprüfen	
2.16.840.1.113883.10.12.302		 CDA Encounter	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.302, bitte überprüfen	
2.16.840.1.113883.10.12.303		 CDA Observation	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.303, bitte überprüfen	
2.16.840.1.113883.10.12.304		 CDA ObservationMedia	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.304, bitte überprüfen	
2.16.840.1.113883.10.12.305		 CDA Organizer	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.305, bitte überprüfen	
2.16.840.1.113883.10.12.306		 CDA Procedure	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.306, bitte überprüfen	
2.16.840.1.113883.10.12.307		 CDA RegionOfInterest	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.307, bitte überprüfen	
2.16.840.1.113883.10.12.308		 CDA SubstanceAdministration	2005-09-07


		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.308, bitte überprüfen	
2.16.840.1.113883.10.12.309		 CDA Supply	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.309, bitte überprüfen	
2.16.840.1.113883.3.1937.99.61.45.10.37		 Dok3 Sonstiges	2018-05-02 17:52:41
2.16.840.1.113883.3.1937.99.61.45.10.28		 Dok3 Messwerte	2018-04-27 15:51:01
2.16.840.1.113883.3.1937.99.61.45.10.27		 Dok3 Adipositas Studie	2018-04-27 15:17:54
2.16.840.1.113883.3.1937.99.61.45.10.39		 Dok3 kleines Blutbild ?	2018-05-02 17:58:11
2.16.840.1.113883.3.1937.99.61.45.10.5		 CDA Section t	2018-04-16 11:44:27
2.16.840.1.113883.3.1937.99.61.45.10.50		 ASIC weitere Vitaldaten	2018-05-08 16:29:04
2.16.840.1.113883.3.1937.99.61.45.10.44		 Anwendungsfall ASIC	2018-05-08 15:20:09
2.16.840.1.113883.3.1937.99.61.45.10.46		 ASIC Messwerte	2018-05-08 16:20:53
2.16.840.1.113883.3.1937.99.61.45.10.6		 CDA Observation t	2018-04-16 12:13:51
Benutzt	als	Name	Version
2.16.840.1.113883.10.12.152	Containment	 CDA Person	DYNAMIC

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
@classCode	cs	1 .. 1	R		
	CONF	Der Wert von @classCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19316 RoleClassMutualRelationship (DYNAMIC)			

Item	DT	Kard	Konf	Beschreibung	Label
hl7:code	CE	0 ... 1			(CDA ... ity)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19563 <i>PersonalRelationshipRoleType</i> (DYNAMIC)	
hl7:addr	AD	0 ... *			(CDA ... ity)
hl7:telecom	TEL	0 ... *			(CDA ... ity)
hl7:effectiveTime	IVL_TS	0 ... 1			(CDA ... ity)
hl7:relatedPerson		0 ... 1		Beinhaltet 2.16.840.1.113883.10.12.152 <i>CDA Person</i> (DYNAMIC)	(CDA ... ity)

6.2.46 CDA Section 2.16.840.1.113883.10.12.201 - 2005-09-07 ref ad1bbr-

Id	2.16.840.1.113883.10.12.201 ref ad1bbr-	Gültigkeit	2005-09-07
Status	 Aktiv	Versions-Label	
Name	CDASection	Anzeigenname	CDA Section
Beschreibung	Template CDA Section (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Kontext	Elternknoten des Template-Element mit Id 2.16.840.1.113883.10.12.201		
Klassifikation	CDA Section level template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Benutzt von / Benutzt	Benutzt von 0 Transactions und 5 Templates, Benutzt 5 Templates		
	Benutzt von	als	Name
			Version

2.16.840.1.113883.10.12.201	Containment		CDA Section	2005-09-07
Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.201, bitte überprüfen				
2.16.840.1.113883.10.12.202			CDA StructuredBody	2005-09-07
2.16.840.1.113883.10.12.112			CDA component	2005-09-07
2.16.840.1.113883.3.1937.99.61.45.10.16			Adipositas Studie	2018-04-24 10:33:11
2.16.840.1.113883.3.1937.99.61.45.10.17			CDA Adipositas Studie	2018-04-24 10:41:37
Benutzt	als		Name	Version
2.16.840.1.113883.10.12.320	Containment		CDA Subject (Body)	DYNAMIC
2.16.840.1.113883.10.12.318	Containment		CDA Author (Body)	DYNAMIC
2.16.840.1.113883.10.12.319	Containment		CDA Informant (Body)	DYNAMIC
2.16.840.1.113883.10.12.300	Containment		CDA Clinical Statement	DYNAMIC
2.16.840.1.113883.10.12.201	Containment		CDA Section	DYNAMIC


Alles ausklappen | Alles einklappen




























Item	DT	Kard	Konf	Beschreibung	Label
hl7:section					(CDA ... ion)
@classCode		0 ... 1	F	DOCSECT	
@moodCode		0 ... 1	F	EVN	
hl7:templateId	II	1 ... 1			(CDA ... ion)
@root		1 ... 1	F	2.16.840.1.113883.10.12.201	





























Item	DT	Kard	Konf	Beschreibung	Label
hl7:id	II	0 ... 1			(CDA ... ion)
hl7:code	CE	0 ... 1			(CDA ... ion)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.10871 <i>DocumentSectionType</i> (DYNAMIC)	
hl7:title	ST	0 ... 1			(CDA ... ion)
hl7:text	SD.TEXT	0 ... 1	R		(CDA ... ion)
hl7:confidentialityCode	CE	0 ... 1			(CDA ... ion)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.16926 <i>HL7 BasicConfidentialityKind</i> (DYNAMIC)	
hl7:languageCode	CS	0 ... 1			(CDA ... ion)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.11526 <i>HumanLanguage</i> (DYNAMIC)	
hl7:subject		0 ... 1		Beinhaltet 2.16.840.1.113883.10.12.320 <i>CDA Subject (Body)</i> (DYNAMIC)	(CDA ... ion)
wo [hl7:relatedSubject [@classCode]]					
hl7:author		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.318 <i>CDA Author (Body)</i> (DYNAMIC)	(CDA ... ion)

Item	DT	Kard	Konf	Beschreibung	Label
wo [hl7:assignedAuthor]					
hl7:informant		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.319 CDA Informant (Body) (DYNAMIC)	(CDA ... ion)
hl7:entry		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.300 CDA Clinical Statement (DYNAMIC)	(CDA ... ion)
wo [@typeCode]					
@typeCode	cs	1 ... 1	R		
	CONF	Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19446 x_ActRelationshipEntry (DYNAMIC)			
@contextConductionInd	bl	0 ... 1	F	true	
hl7:component		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.201 CDA Section (DYNAMIC)	(CDA ... ion)
wo [hl7:section [hl7:templateId [@root = '2.16.840.1.113883.10.12.201']]]					
@typeCode		0 ... 1	F	COMP	
@contextConductionInd	bl	0 ... 1	F	true	

6.2.47 CDA Specimen 2.16.840.1.113883.10.12.322 - 2005-09-07 ref ad1bbr-

Id	2.16.840.1.113883.10.12.322 ref ad1bbr-	Gültigkeit	2005-09-07
Status	 Aktiv	Versions-Label	
Name	CDASpecimen	Anzeigename	CDA Specimen
Beschreibung	Template CDA Specimen (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		

Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
	Benutzt von 0 Transactions und 24 Templates, Benutzt 0 Templates		
Benutzt von	als	Name	Version
2.16.840.1.113883.10.12.301	Containment 	CDA Act	2005-09-07
	 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.301, bitte überprüfen		
2.16.840.1.113883.10.12.300	 	CDA Clinical Statement	2005-09-07
	 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.300, bitte überprüfen		
2.16.840.1.113883.10.12.201	 	CDA Section	2005-09-07
	 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.201, bitte überprüfen		
2.16.840.1.113883.10.12.202	 	CDA StructuredBody	2005-09-07
2.16.840.1.113883.10.12.112	 	CDA component	2005-09-07
2.16.840.1.113883.3.1937.99.61.45.10.16	 	Adipositas Studie	2018-04-24 10:33:11
2.16.840.1.113883.3.1937.99.61.45.10.17	 	CDA Adipositas Studie	2018-04-24 10:41:37
2.16.840.1.113883.10.12.302	 	CDA Encounter	2005-09-07
	 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.302, bitte überprüfen		
2.16.840.1.113883.10.12.303	 	CDA Observation	2005-09-07
	 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.303, bitte überprüfen		
2.16.840.1.113883.10.12.304	 	CDA ObservationMedia	2005-09-07
	 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.304, bitte überprüfen		
2.16.840.1.113883.10.12.305	 	CDA Organizer	2005-09-07
	 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.305, bitte überprüfen		
2.16.840.1.113883.10.12.306	 	CDA Procedure	2005-09-07






			Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.306, bitte überprüfen	
2.16.840.1.113883.10.12.307			CDA RegionOfInterest	2005-09-07
			Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.307, bitte überprüfen	
2.16.840.1.113883.10.12.308			CDA SubstanceAdministration	2005-09-07
			Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.308, bitte überprüfen	
2.16.840.1.113883.10.12.309			CDA Supply	2005-09-07
			Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.309, bitte überprüfen	
2.16.840.1.113883.3.1937.99.61.45.10.37			Dok3 Sonstiges	2018-05-02 17:52:41
2.16.840.1.113883.3.1937.99.61.45.10.28			Dok3 Messwerte	2018-04-27 15:51:01
2.16.840.1.113883.3.1937.99.61.45.10.27			Dok3 Adipositas Studie	2018-04-27 15:17:54
2.16.840.1.113883.3.1937.99.61.45.10.39			Dok3 kleines Blutbild ?	2018-05-02 17:58:11
2.16.840.1.113883.3.1937.99.61.45.10.5			CDA Section t	2018-04-16 11:44:27
2.16.840.1.113883.3.1937.99.61.45.10.50			ASIC weitere Vitaldaten	2018-05-08 16:29:04
2.16.840.1.113883.3.1937.99.61.45.10.44			Anwendungsfall ASIC	2018-05-08 15:20:09
2.16.840.1.113883.3.1937.99.61.45.10.46			ASIC Messwerte	2018-05-08 16:20:53
2.16.840.1.113883.3.1937.99.61.45.10.6			CDA Observation t	2018-04-16 12:13:51

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
@typeCode		0 ... 1	F	SPC	

Item	DT	Kard	Konf	Beschreibung	Label	
hl7:specimenRole		1 .. 1			(CDA ... men)	
@classCode		0 .. 1	F	SPEC		
hl7:id	II	0 .. *			(CDA ... men)	
hl7:specimenPlayingEntity		0 .. 1			(CDA ... men)	
@classCode		0 .. 1	F	ENT		
@determinerCode		0 .. 1	F	INSTANCE		
hl7:code	CE	0 .. 1			(CDA ... men)	
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.16040 <i>EntityCode</i> (DYNAMIC)				
hl7:quantity	PQ	0 .. *			(CDA ... men)	
hl7:name	PN	0 .. *			(CDA ... men)	
hl7:desc	ED	0 .. 1			(CDA ... men)	

6.2.48  CDA StructuredBody 2.16.840.1.113883.10.12.202 - 2005-09-07 ref ad1bbr-






Id	2.16.840.1.113883.10.12.202 ref ad1bbr-	Gültigkeit	2005-09-07	
Status	 Aktiv	Versions-Label		
Name	CDAStructuredBody	Anzeigename	CDA StructuredBody	
Beschreibung	Template CDA StructuredBody (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)			
Klassifikation	CDA Section level template			
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)			
Benutzt von / Benutzt	Benutzt von 0 Transactions und 2 Templates, Benutzt 1 Template			
	Benutzt von	als	Name	Version
	2.16.840.1.113883.10.12.112	Inklusion	 CDA component	2005-09-07
	2.16.840.1.113883.3.1937.99.61.45.10.16 		 Adipositas Studie	2018-04-24 10:33:11
	Benutzt	als	Name	Version
2.16.840.1.113883.10.12.201	Containment	 CDA Section	DYNAMIC	

































Alles ausklappen Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:structuredBody					(CDA ... ody)
@classCode		0 ... 1	F	DOCBODY	
@moodCode		0 ... 1	F	EVN	
hl7:confidentialityCode	CE	0 ... 1			(CDA ... ody)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.16926 HL7 BasicConfidentialityKind (DYNAMIC)	









Item	DT	Kard	Konf	Beschreibung	Label
hl7:languageCode	CS	0 ... 1			(CDA ... ody)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.11526 HumanLanguage (DYNAMIC)	
hl7:component		1 ... *		Beinhaltet 2.16.840.1.113883.10.12.201 CDA Section (DYNAMIC)	(CDA ... ody)
wo [hl7:section [hl7:templateId [@root = '2.16.840.1.113883.10.12.201']]]					
@typeCode		0 ... 1	F	COMP	
@contextConductionInd	bl	0 ... 1	F	true	

6.2.49 CDA Subject (Body) 2.16.840.1.113883.10.12.320 - 2005-09-07 ref ad1bbr-

Id	2.16.840.1.113883.10.12.320 ref ad1bbr-	Gültigkeit	2005-09-07
Status	 Aktiv	Versions-Label	
Name	CDASubjectBody	Anzeigename	CDA Subject (Body)
Beschreibung	Template CDA Subject Body (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
	Benutzt von 0 Transactions und 24 Templates, Benutzt 0 Templates		
Benutzt von / Benutzt	Benutzt von	als	Name Version
	2.16.840.1.113883.10.12.201	Containment 	CDA Section 2005-09-07
		 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.201, bitte überprüfen	
	2.16.840.1.113883.10.12.202	 	CDA StructuredBody 2005-09-07

2.16.840.1.113883.10.12.112		 CDA component	2005-09-07
2.16.840.1.113883.3.1937.99.61.45.10.16		 Adipositas Studie	2018-04-24 10:33:11
2.16.840.1.113883.3.1937.99.61.45.10.17		 CDA Adipositas Studie	2018-04-24 10:41:37
2.16.840.1.113883.10.12.301		Containment  CDA Act	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.301, bitte überprüfen	
2.16.840.1.113883.10.12.300		 CDA Clinical Statement	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.300, bitte überprüfen	
2.16.840.1.113883.10.12.302		 CDA Encounter	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.302, bitte überprüfen	
2.16.840.1.113883.10.12.303		 CDA Observation	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.303, bitte überprüfen	
2.16.840.1.113883.10.12.304		 CDA ObservationMedia	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.304, bitte überprüfen	
2.16.840.1.113883.10.12.305		 CDA Organizer	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.305, bitte überprüfen	
2.16.840.1.113883.10.12.306		 CDA Procedure	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.306, bitte überprüfen	
2.16.840.1.113883.10.12.307		 CDA RegionOfInterest	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.307, bitte überprüfen	
2.16.840.1.113883.10.12.308		 CDA SubstanceAdministration	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.308, bitte überprüfen	
2.16.840.1.113883.10.12.309		 CDA Supply	2005-09-07

 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.309, bitte überprüfen

2.16.840.1.113883.3.1937.99.61.45.10.37 	 Dok3 Sonstiges	2018-05-02 17:52:41
2.16.840.1.113883.3.1937.99.61.45.10.28 	 Dok3 Messwerte	2018-04-27 15:51:01
2.16.840.1.113883.3.1937.99.61.45.10.27 	 Dok3 Adipositas Studie	2018-04-27 15:17:54
2.16.840.1.113883.3.1937.99.61.45.10.39 	 Dok3 kleines Blutbild ?	2018-05-02 17:58:11
2.16.840.1.113883.3.1937.99.61.45.10.5 	 CDA Section t	2018-04-16 11:44:27
2.16.840.1.113883.3.1937.99.61.45.10.50 	 ASIC weitere Vitaldaten	2018-05-08 16:29:04
2.16.840.1.113883.3.1937.99.61.45.10.44 	 Anwendungsfall ASIC	2018-05-08 15:20:09
2.16.840.1.113883.3.1937.99.61.45.10.46 	 ASIC Messwerte	2018-05-08 16:20:53
2.16.840.1.113883.3.1937.99.61.45.10.6 	 CDA Observation t	2018-04-16 12:13:51

Alles ausklappen





























Alles einklappen































Item	DT	Kard	Konf	Beschreibung	Label
@typeCode		0 ... 1	F	SBJ	
@contextControlCode		0 ... 1	F	OP	
h17:awarenessCode	CE	0 ... 1			(CDA... ody)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.10310 TargetAwareness (DYNAMIC)	
h17:relatedSubject		1 ... 1			(CDA... ody)

Item	DT	Kard	Konf	Beschreibung	Label
@classCode	cs	1 .. 1	R		
	CONF			Der Wert von @classCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19368 <i>x_DocumentSubject</i> (DYNAMIC)	
hl7:code	CE	0 .. 1			(CDA... ody)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19563 <i>PersonalRelationshipRoleType</i> (DYNAMIC)	
hl7:addr	AD	0 .. *			(CDA... ody)
hl7:telecom	TEL	0 .. *			(CDA... ody)
hl7:subject		0 .. 1			(CDA... ody)
@classCode		0 .. 1	F	PSN	
@determinerCode		0 .. 1	F	INSTANCE	
hl7:name	PN	0 .. *			(CDA... ody)
hl7:administrativeGenderCode	CE	0 .. 1			(CDA... ody)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.1 <i>AdministrativeGender</i> (DYNAMIC)	
hl7:birthTime	TS	0 .. 1			(CDA... ody)

6.2.50 CDA SubstanceAdministration 2.16.840.1.113883.10.12.308 - 2005-09-07 ref ad1bbr-

Id	2.16.840.1.113883.10.12.308 ref ad1bbr-	Gültigkeit	2005-09-07
----	--	------------	------------

Status	 Aktiv	Versions-Label	
Name	CDASubstanceAdministration	Anzeigename	CDA SubstanceAdministration
Beschreibung	Template CDA SubstanceAdministration (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Kontext	Elternknoten des Template-Element mit Id 2.16.840.1.113883.10.12.308		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
	Benutzt von 0 Transactions und 24 Templates, Benutzt 10 Templates		
	Benutzt von	als	Name
	2.16.840.1.113883.10.12.300	Inklusion	 CDA Clinical Statement 2005-09-07  Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.300, bitte überprüfen
	2.16.840.1.113883.10.12.201		 CDA Section 2005-09-07  Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.201, bitte überprüfen
	2.16.840.1.113883.10.12.202		 CDA StructuredBody 2005-09-07
	2.16.840.1.113883.10.12.112		 CDA component 2005-09-07
	2.16.840.1.113883.3.1937.99.61.45.10.16		 Adipositas Studie 2018-04-24 10:33:11
	2.16.840.1.113883.3.1937.99.61.45.10.17		 CDA Adipositas Studie 2018-04-24 10:41:37
	2.16.840.1.113883.10.12.301		 CDA Act 2005-09-07
	2.16.840.1.113883.10.12.302		 CDA Encounter 2005-09-07
	2.16.840.1.113883.10.12.303		 CDA Observation 2005-09-07
	2.16.840.1.113883.10.12.304		 CDA ObservationMedia 2005-09-07
	2.16.840.1.113883.10.12.305		 CDA Organizer 2005-09-07
	2.16.840.1.113883.10.12.306		 CDA Procedure 2005-09-07
	2.16.840.1.113883.10.12.307		 CDA RegionOfInterest 2005-09-07
Benutzt von / Benutzt			

2.16.840.1.113883.10.12.308		 CDA SubstanceAdministration	2005-09-07
2.16.840.1.113883.10.12.309		 CDA Supply	2005-09-07
2.16.840.1.113883.3.1937.99.61.45.10.37		 Dok3 Sonstiges	2018-05-02 17:52:41
2.16.840.1.113883.3.1937.99.61.45.10.28		 Dok3 Messwerte	2018-04-27 15:51:01
2.16.840.1.113883.3.1937.99.61.45.10.27		 Dok3 Adipositas Studie	2018-04-27 15:17:54
2.16.840.1.113883.3.1937.99.61.45.10.39		 Dok3 kleines Blutbild ?	2018-05-02 17:58:11
2.16.840.1.113883.3.1937.99.61.45.10.5		 CDA Section t	2018-04-16 11:44:27
2.16.840.1.113883.3.1937.99.61.45.10.50		 ASIC weitere Vitaldaten	2018-05-08 16:29:04
2.16.840.1.113883.3.1937.99.61.45.10.44		 Anwendungsfall ASIC	2018-05-08 15:20:09
2.16.840.1.113883.3.1937.99.61.45.10.46		 ASIC Messwerte	2018-05-08 16:20:53
2.16.840.1.113883.3.1937.99.61.45.10.6		 CDA Observation t	2018-04-16 12:13:51
Benutzt	als	Name	Version
2.16.840.1.113883.10.12.320	Containment	 CDA Subject (Body)	DYNAMIC
2.16.840.1.113883.10.12.322	Containment	 CDA Specimen	DYNAMIC
2.16.840.1.113883.10.12.312	Containment	 CDA ManufacturedProduct	DYNAMIC
2.16.840.1.113883.10.12.323	Containment	 CDA Performer (Body)	DYNAMIC
2.16.840.1.113883.10.12.318	Containment	 CDA Author (Body)	DYNAMIC
2.16.840.1.113883.10.12.319	Containment	 CDA Informant (Body)	DYNAMIC
2.16.840.1.113883.10.12.321	Containment	 CDA Participant (Body)	DYNAMIC
2.16.840.1.113883.10.12.300	Containment	 CDA Clinical Statement	DYNAMIC

2.16.840.1.113883.10.12.324

Containment  CDA Reference

DYNAMIC

2.16.840.1.113883.10.12.329

Containment  CDA Precondition

DYNAMIC

Alles ausklappen

Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:substanceAdministration					(CDA ... ion)
@classCode		1 .. 1	F	SBADM	
@moodCode	cs	1 .. 1	R		
	CONF			Der Wert von @moodCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19461 <i>x_DocumentSubstanceMood</i> (DYNAMIC)	
@negationInd	bl	0 .. 1			
hl7:templateId	II	1 .. 1			(CDA ... ion)
@root		1 .. 1	F	2.16.840.1.113883.10.12.308	
hl7:id	II	0 .. *			(CDA ... ion)
hl7:code	CD	0 .. 1			(CDA ... ion)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19708 <i>ActSubstanceAdministrationCode</i> (DYNAMIC)	



Item	DT	Kard	Konf	Beschreibung	Label
hl7:text	ED	0 ... 1			(CDA ... ion)
hl7:statusCode	CS	0 ... 1			(CDA ... ion)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.15933 <i>ActStatus</i> (DYNAMIC)			
hl7:effectiveTime	SXCM_TS	0 ... 1			(CDA ... ion)
hl7:priorityCode	CE	0 ... 1			(CDA ... ion)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.16866 <i>ActPriority</i> (DYNAMIC)			
hl7:repeatNumber	IVL_INT	0 ... 1			(CDA ... ion)
hl7:routeCode	CE	0 ... 1			(CDA ... ion)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.14581 <i>RouteOfAdministration</i> (DYNAMIC)			
hl7:approachSiteCode	CD	0 ... *			(CDA ... ion)
@codeSystem	CONF	0 ... 1	F	2.16.840.1.113883.5.1052 (Act Site)	







































Item	DT	Kard	Konf	Beschreibung	Label
hl7:doseQuantity	IVL_PQ	0 ... 1			(CDA ... ion)
hl7:rateQuantity	IVL_PQ	0 ... 1			(CDA ... ion)
hl7:maxDoseQuantity	RTO_PQ_PQ	0 ... 1			(CDA ... ion)
hl7:administrationUnitCode	CE	0 ... 1			(CDA ... ion)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.14570 AdministrableDrugForm (DYNAMIC)			
hl7:subject		0 ... 1		Beinhaltet 2.16.840.1.113883.10.12.320 CDA Subject (Body) (DYNAMIC)	(CDA ... ion)
wo [hl7:relatedSubject [@classCode]]					
hl7:specimen		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.322 CDA Specimen (DYNAMIC)	(CDA ... ion)
wo [hl7:specimenRole]					
hl7:consumable		1 ... 1		Beinhaltet 2.16.840.1.113883.10.12.312 CDA ManufacturedProduct (DYNAMIC)	(CDA ... ion)
wo [@typeCode = 'CSM'] [hl7:manufacturedProduct]					
@typeCode		1 ... 1	F	CSM	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:performer		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.323 CDA Performer (Body) (DYNAMIC)	(CDA ... ion)
wo [hl7:assignedEntity]					
hl7:author		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.318 CDA Author (Body) (DYNAMIC)	(CDA ... ion)
wo [hl7:assignedAuthor]					
hl7:informant		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.319 CDA Informant (Body) (DYNAMIC)	(CDA ... ion)
hl7:participant		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.321 CDA Participant (Body) (DYNAMIC)	(CDA ... ion)
wo [@typeCode] [hl7:participantRole]					
hl7:entryRelationship		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.300 CDA Clinical Statement (DYNAMIC)	(CDA ... ion)
wo [@typeCode]					
@typeCode	cs	1 ... 1	R		
	CONF			Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19447 x_ActRelationshipEntryRelationship (DYNAMIC)	
@contextConductionInd	bl	0 ... 1			
@inversionInd	bl	0 ... 1			
@negationInd	bl	0 ... 1			

Item	DT	Kard	Konf	Beschreibung	Label
hl7:sequenceNumber	INT	0 ... 1			(CDA ... ion)
hl7:seperatableInd	BL	0 ... 1			(CDA ... ion)
hl7:reference		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.324 CDA Reference (DYNAMIC)	(CDA ... ion)
wo [@typeCode]					
hl7:precondition		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.329 CDA Precondition (DYNAMIC)	(CDA ... ion)
wo [hl7:criterion]					

6.2.51 CDA Supply 2.16.840.1.113883.10.12.309 - 2005-09-07 ref ad1bbr-

Id	2.16.840.1.113883.10.12.309 ref ad1bbr-	Gültigkeit	2005-09-07
Status	 Aktiv	Versions-Label	
Name	CDASupply	Anzeigename	CDA Supply
Beschreibung	Template CDA Supply (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Kontext	Elternknoten des Template-Element mit Id 2.16.840.1.113883.10.12.309		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Benutzt von / Benutzt	Benutzt von 0 Transactions und 24 Templates, Benutzt 10 Templates		
	Benutzt von	als	Name
	2.16.840.1.113883.10.12.300	Inklusion	 CDA Clinical Statement
			Version
			2005-09-07

		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.300, bitte überprüfen	
2.16.840.1.113883.10.12.201		 CDA Section	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.201, bitte überprüfen	
2.16.840.1.113883.10.12.202		 CDA StructuredBody	2005-09-07
2.16.840.1.113883.10.12.112		 CDA component	2005-09-07
2.16.840.1.113883.3.1937.99.61.45.10.16		 Adipositas Studie	2018-04-24 10:33:11
2.16.840.1.113883.3.1937.99.61.45.10.17		 CDA Adipositas Studie	2018-04-24 10:41:37
2.16.840.1.113883.10.12.301		 CDA Act	2005-09-07
2.16.840.1.113883.10.12.302		 CDA Encounter	2005-09-07
2.16.840.1.113883.10.12.303		 CDA Observation	2005-09-07
2.16.840.1.113883.10.12.304		 CDA ObservationMedia	2005-09-07
2.16.840.1.113883.10.12.305		 CDA Organizer	2005-09-07
2.16.840.1.113883.10.12.306		 CDA Procedure	2005-09-07
2.16.840.1.113883.10.12.307		 CDA RegionOfInterest	2005-09-07
2.16.840.1.113883.10.12.308		 CDA SubstanceAdministration	2005-09-07
2.16.840.1.113883.10.12.309		 CDA Supply	2005-09-07
2.16.840.1.113883.3.1937.99.61.45.10.37		 Dok3 Sonstiges	2018-05-02 17:52:41
2.16.840.1.113883.3.1937.99.61.45.10.28		 Dok3 Messwerte	2018-04-27 15:51:01
2.16.840.1.113883.3.1937.99.61.45.10.27		 Dok3 Adipositas Studie	2018-04-27 15:17:54
2.16.840.1.113883.3.1937.99.61.45.10.39		 Dok3 kleines Blutbild ?	2018-05-02 17:58:11

2.16.840.1.113883.3.1937.99.61.45.10.5		CDA Section t	2018-04-16 11:44:27
2.16.840.1.113883.3.1937.99.61.45.10.50		ASIC weitere Vitaldaten	2018-05-08 16:29:04
2.16.840.1.113883.3.1937.99.61.45.10.44		Anwendungsfall ASIC	2018-05-08 15:20:09
2.16.840.1.113883.3.1937.99.61.45.10.46		ASIC Messwerte	2018-05-08 16:20:53
2.16.840.1.113883.3.1937.99.61.45.10.6		CDA Observation t	2018-04-16 12:13:51
Benutzt	als	Name	Version
2.16.840.1.113883.10.12.320	Containment	CDA Subject (Body)	DYNAMIC
2.16.840.1.113883.10.12.322	Containment	CDA Specimen	DYNAMIC
2.16.840.1.113883.10.12.312	Containment	CDA ManufacturedProduct	DYNAMIC
2.16.840.1.113883.10.12.323	Containment	CDA Performer (Body)	DYNAMIC
2.16.840.1.113883.10.12.318	Containment	CDA Author (Body)	DYNAMIC
2.16.840.1.113883.10.12.319	Containment	CDA Informant (Body)	DYNAMIC
2.16.840.1.113883.10.12.321	Containment	CDA Participant (Body)	DYNAMIC
2.16.840.1.113883.10.12.300	Containment	CDA Clinical Statement	DYNAMIC
2.16.840.1.113883.10.12.324	Containment	CDA Reference	DYNAMIC
2.16.840.1.113883.10.12.329	Containment	CDA Precondition	DYNAMIC

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
h17:supply					(CDA ... ply)


Item	DT	Kard	Konf	Beschreibung	Label
@classCode		1 ... 1	F	SPLY	
@moodCode	cs	1 ... 1	R		
	CONF			Der Wert von @moodCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19461_x_DocumentSubstanceMood (DYNAMIC)	
hl7:templateId	II	1 ... 1			(CDA ... ply)
@root		1 ... 1	F	2.16.840.1.113883.10.12.309	
hl7:id	II	0 ... *			(CDA ... ply)
hl7:code	CD	0 ... 1			(CDA ... ply)
@codeSystem	CONF	0 ... 1	F	2.16.840.1.113883.5.4 (Act Code)	
hl7:text	ED	0 ... 1			(CDA ... ply)
hl7:statusCode	CS	0 ... 1			(CDA ... ply)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.15933_ActStatus (DYNAMIC)	
hl7:effectiveTime	SXCM_TS	0 ... 1			(CDA ... ply)







Item	DT	Kard	Konf	Beschreibung	Label
hl7:priorityCode	CE	0 ... *			(CDA ... ply)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.16866 <i>ActPriority</i> (DYNAMIC)	
hl7:repeatNumber	IVL_INT	0 ... 1			(CDA ... ply)
hl7:independentInd	BL	0 ... 1			(CDA ... ply)
hl7:quantity	PQ	0 ... 1			(CDA ... ply)
hl7:expectedUseTime	IVL_TS	0 ... 1			(CDA ... ply)
hl7:subject		0 ... 1		Beinhaltet 2.16.840.1.113883.10.12.320 <i>CDA Subject (Body)</i> (DYNAMIC)	(CDA ... ply)
wo [hl7:relatedSubject [@classCode]]					
hl7:specimen		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.322 <i>CDA Specimen</i> (DYNAMIC)	(CDA ... ply)
wo [hl7:specimenRole]					
hl7:product		0 ... 1	R	Beinhaltet 2.16.840.1.113883.10.12.312 <i>CDA ManufacturedProduct</i> (DYNAMIC)	(CDA ... ply)
wo [hl7:manufacturedProduct]					

Item	DT	Kard	Konf	Beschreibung	Label
@typeCode		0 ... 1	F	PRD	
hl7:performer		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.323 CDA Performer (Body) (DYNAMIC)	(CDA ... ply)
wo [hl7:assignedEntity]					
hl7:author		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.318 CDA Author (Body) (DYNAMIC)	(CDA ... ply)
wo [hl7:assignedAuthor]					
hl7:informant		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.319 CDA Informant (Body) (DYNAMIC)	(CDA ... ply)
hl7:participant		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.321 CDA Participant (Body) (DYNAMIC)	(CDA ... ply)
wo [@typeCode] [hl7:participantRole]					
hl7:entryRelationship		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.300 CDA Clinical Statement (DYNAMIC)	(CDA ... ply)
wo [@typeCode]					
@typeCode	cs	1 ... 1	R		
	CONF			Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19447 x_ActRelationshipEntryRelationship (DYNAMIC)	
@contextConductionInd	bl	0 ... 1			
@inversionInd	bl	0 ... 1			

Item	DT	Kard	Konf	Beschreibung	Label
@negationInd	bl	0 ... 1			
hl7:sequenceNumber	INT	0 ... 1			(CDA ... ply)
hl7:seperatableInd	BL	0 ... 1			(CDA ... ply)
hl7:reference		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.324 CDA Reference (DYNAMIC)	(CDA ... ply)
wo [@typeCode]					
hl7:precondition		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.329 CDA Precondition (DYNAMIC)	(CDA ... ply)
wo [hl7:criterion]					

6.2.52 CDA author 2.16.840.1.113883.10.12.102 - 2005-09-07 ref ad1bbr-

Id	2.16.840.1.113883.10.12.102 ref ad1bbr-	Gültigkeit	2005-09-07
Status	 Aktiv	Versions-Label	
Name	CDAauthor	Anzeigename	CDA author
Beschreibung	Template CDA author (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Klassifikation	CDA Header Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Benutzt von / Benutzt	Benutzt von 0 Transactions und 3 Templates, Benutzt 3 Templates		
	Benutzt von	als	Name
			Version





2.16.840.1.113883.3.1937.99.61.45.10.16	Inklusion	 Adipositas Studie	2018-04-24 10:33:11
2.16.840.1.113883.3.1937.99.61.45.10.17	Inklusion	 CDA Adipositas Studie	2018-04-24 10:41:37
2.16.840.1.113883.3.1937.99.61.45.10.4	Inklusion	 CDA ClinicalDocument T	2018-04-16 10:35:28
Benutzt	als	Name	Version
2.16.840.1.113883.10.12.152	Containment	 CDA Person	DYNAMIC
2.16.840.1.113883.10.12.315	Containment	 CDA Device	DYNAMIC
2.16.840.1.113883.10.12.151	Containment	 CDA Organization	DYNAMIC

Alles ausklappen Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:author		1 .. *			(CDA ... hor)
@typeCode		0 .. 1	F	AUT	
@contextControlCode		0 .. 1	F	OP	
hl7:functionCode	CE	0 .. 1			(CDA ... hor)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.10267 ParticipationFunction (DYNAMIC)			
hl7:time	TS	1 .. 1	R		(CDA ... hor)
hl7:assignedAuthor		1 .. 1			(CDA ... hor)

Item	DT	Kard	Konf	Beschreibung	Label
@classCode		0 .. 1	F	ASSIGNED	
hl7:id	II	1 .. *	R		(CDA ... hor)
hl7:code	CE	0 .. 1			(CDA ... hor)
@codeSystem	CONF	0 .. 1	F	2.16.840.1.113883.5.111 (Role Code)	
hl7:addr	AD	0 .. *			(CDA ... hor)
hl7:telecom	TEL	0 .. *			(CDA ... hor)
Auswahl		0 .. 1		Elemente in der Auswahl: <ul style="list-style-type: none"> hl7:assignedPerson welches enthält Template 2.16.840.1.113883.10.12.152 <i>CDA Person</i> (DYNAMIC) hl7:assignedAuthoringDevice welches enthält Template 2.16.840.1.113883.10.12.315 <i>CDA Device</i> (DYNAMIC) 	
hl7:assignedPerson				Beinhaltet 2.16.840.1.113883.10.12.152 <i>CDA Person</i> (DYNAMIC)	(CDA ... hor)
hl7:assignedAuthoringDevice				Beinhaltet 2.16.840.1.113883.10.12.315 <i>CDA Device</i> (DYNAMIC)	(CDA ... hor)
hl7:representedOrganization		0 .. 1		Beinhaltet 2.16.840.1.113883.10.12.151 <i>CDA Organization</i> (DYNAMIC)	(CDA ... hor)

6.2.53  CDA component 2.16.840.1.113883.10.12.112 - 2005-09-07 ref ad1bbr-

Id	2.16.840.1.113883.10.12.112 ref ad1bbr-	Gültigkeit	2005-09-07
Status	 Aktiv	Versions-Label	
Name	CDAcomponent	Anzeigename	CDA component
Beschreibung	Template CDA component (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Klassifikation	CDA Header Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Benutzt von / Benutzt	Benutzt von 0 Transactions und 1 Template, Benutzt 2 Templates		
	Benutzt von	als	Name
	2.16.840.1.113883.3.1937.99.61.45.10.16	Inklusion 	Adipositas Studie
			Version
			2018-04-24 10:33:11
	Benutzt	als	Name
	2.16.840.1.113883.10.12.203	Inklusion 	CDA NonXMLBody
	2.16.840.1.113883.10.12.202	Inklusion 	CDA StructuredBody
			Version
			DYNAMIC
			DYNAMIC


Alles ausklappen Alles einklappen











Item	DT	Kard	Konf	Beschreibung	Label
hl7:component		1 .. 1			(CDA ... ent)
@typeCode		0 .. 1	F	COMP	
@contextConductionInd	bl	0 .. 1	F	true	
Auswahl		1 .. 1		Elemente in der Auswahl: <ul style="list-style-type: none"> hl7:nonXMLBody eingefügt vom Template 2.16.840.1.113883.10.12.203 CDA NonXMLBody (DYNAMIC) hl7:structuredBody eingefügt vom Template 2.16.840.1.113883.10.12.202 CDA StructuredBody (DYNAMIC) 	

Item	DT	Kard	Konf	Beschreibung	Label
<i>Eingefügt</i> von 2.16.840.1.113883.10.12.203 <i>CDA NonXMLBody</i> (DYNAMIC)					
h17:nonXMLBody					(CDA ... ent)
@classCode		0 ... 1	F	DOCBODY	
@moodCode		0 ... 1	F	EVN	
h17:text	ED	1 ... 1			(CDA ... ent)
h17:confidentialityCode	CE	0 ... 1			(CDA ... ent)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.16926 <i>HL7 BasicConfidentialityKind</i> (DYNAMIC)	
h17:languageCode	CS	0 ... 1			(CDA ... ent)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.11526 <i>HumanLanguage</i> (DYNAMIC)	
<i>Eingefügt</i> von 2.16.840.1.113883.10.12.202 <i>CDA StructuredBody</i> (DYNAMIC)					
h17:structuredBody					(CDA ... ent)
@classCode		0 ... 1	F	DOCBODY	
@moodCode		0 ... 1	F	EVN	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:confidentialityCode	CE	0 ... 1			(CDA ... ent)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.16926 HL7 BasicConfidentialityKind (DYNAMIC)	
hl7:languageCode	CS	0 ... 1			(CDA ... ent)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.11526 HumanLanguage (DYNAMIC)	
hl7:component		1 ... *		Beinhaltet 2.16.840.1.113883.10.12.201 CDA Section (DYNAMIC)	(CDA ... ent)
wo [hl7:section [hl7:templateId [@root = '2.16.840.1.113883.10.12.201']]]					
@typeCode		0 ... 1	F	COMP	
@contextConductionInd	bl	0 ... 1	F	true	

6.2.54 CDA custodian 2.16.840.1.113883.10.12.104 - 2005-09-07 ref ad1bbr-

Id	2.16.840.1.113883.10.12.104 ref ad1bbr-	Gültigkeit	2005-09-07
Status	 Aktiv	Versions-Label	
Name	CDAcustodian	Anzeigename	CDA custodian
Beschreibung	Template CDA custodian (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Klassifikation	CDA Header Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Assoziiert mit	Assoziiert mit 1 Konzept		

Id	Name	Datensatz	
smul-dataelement-83	 Organisationsname	 Dataset Sandbox Medizin Uni Leipzig	
Benutzt von 0 Transactions und 8 Templates, Benutzt 0 Templates			
Benutzt von	als	Name	Version
2.16.840.1.113883.3.1937.99.61.45.10.16	Inklusion	 Adipositas Studie	2018-04-24 10:33:11
2.16.840.1.113883.3.1937.99.61.45.10.17	Inklusion	 CDA Adipositas Studie	2018-04-24 10:41:37
2.16.840.1.113883.3.1937.99.61.45.10.20	Inklusion	 Dok1 Adipositas Studie	2018-04-24 11:01:24
2.16.840.1.113883.3.1937.99.61.45.10.24	Inklusion	 Dok2 Adipositas Studie	2018-04-26 16:56:54
2.16.840.1.113883.3.1937.99.61.45.10.27	Inklusion	 Dok3 Adipositas Studie	2018-04-27 15:17:54
2.16.840.1.113883.3.1937.99.61.45.10.4	Inklusion	 CDA ClinicalDocument T	2018-04-16 10:35:28
2.16.840.1.113883.3.1937.99.61.45.10.40	Inklusion	 Dok4 Adipositas Studie	2018-05-03 10:09:46
2.16.840.1.113883.3.1937.99.61.45.10.44	Inklusion	 Anwendungsfall ASIC	2018-05-08 15:20:09


Benutzt von / Benutzt

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:custodian		1 .. 1			(CDA...ian)
@typeCode		0 .. 1	F	CST	
hl7:assignedCustodian		1 .. 1			(CDA...ian)

Item	DT	Kard	Konf	Beschreibung	Label
@classCode		0 ... 1	F	ASSIGNED	
hl7:representedCustodianOrganization		1 ... 1			(CDA...ian)
@classCode		0 ... 1	F	ORG	
@determinerCode		0 ... 1	F	INSTANCE	
hl7:id	II	1 ... *	M		(CDA...ian)
hl7:name	ON	0 ... 1			(CDA...ian)
				 smul-dataelement-83  Organisationsname  Dataset Sandbox Medizin Uni Leipzig	
hl7:telecom	TEL	0 ... 1			(CDA...ian)
hl7:addr	AD	0 ... 1			(CDA...ian)

6.2.55 CDA effectiveTime 1.2.276.0.76.10.90006 - 2012-12-12 ref hl7de-

Id	1.2.276.0.76.10.90006 ref hl7de-	Gültigkeit	2012-12-12
Status	 Entwurf	Versions-Label	
Name	CDAeffectiveTime	Anzeigename	CDA effectiveTime
Beschreibung	Datum an dem das Dokument erzeugt wurde, Angabe bis auf die Sekunde genau		
Klassifikation	CDA Header Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Assoziiert mit	Assoziiert mit 1 Konzept		
	Id	Name	Datensatz

smul-dataelement-7 Datum
 Dataset Sandbox Medizin Uni Leipzig

Benutzt von 0 Transactions und 5 Templates, Benutzt 0 Templates

Benutzt von	als	Name	Version
2.16.840.1.113883.3.1937.99.61.45.10.20	Inklusion	Dok1 Adipositas Studie	2018-04-24 11:01:24
2.16.840.1.113883.3.1937.99.61.45.10.24	Inklusion	Dok2 Adipositas Studie	2018-04-26 16:56:54
2.16.840.1.113883.3.1937.99.61.45.10.27	Inklusion	Dok3 Adipositas Studie	2018-04-27 15:17:54
2.16.840.1.113883.3.1937.99.61.45.10.40	Inklusion	Dok4 Adipositas Studie	2018-05-03 10:09:46
2.16.840.1.113883.3.1937.99.61.45.10.44	Inklusion	Anwendungsfall ASIC	2018-05-08 15:20:09

Beispiel



























```
<effectiveTime value="20120611083422"/>
```

































Alles ausklappen
Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:effectiveTime	TS.DATETIME.MIN	1 ... 1	M		(CDA ... ime)
		smul-dataelement-7	Datum	Dataset Sandbox Medizin Uni Leipzig	

6.2.56 CDA Informant (Body) 2.16.840.1.113883.10.12.319 - 2005-09-07 ref ad1bbr-


Id	2.16.840.1.113883.10.12.319 ref ad1bbr-	Gültigkeit	2005-09-07
Status	Aktiv	Versions-Label	






Name	CDAinformantBody		Anzeigename	CDA Informant (Body)
Beschreibung	Template CDA Informant Body (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)			
Klassifikation	CDA Entry Level Template			
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)			
	Benutzt von 0 Transactions und 24 Templates, Benutzt 2 Templates			
	Benutzt von	als	Name	Version
	2.16.840.1.113883.10.12.201	Containment 	CDA Section	2005-09-07
		 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.201, bitte überprüfen		
	2.16.840.1.113883.10.12.202		 CDA StructuredBody	2005-09-07
	2.16.840.1.113883.10.12.112		 CDA component	2005-09-07
	2.16.840.1.113883.3.1937.99.61.45.10.16		 Adipositas Studie	2018-04-24 10:33:11
	2.16.840.1.113883.3.1937.99.61.45.10.17		 CDA Adipositas Studie	2018-04-24 10:41:37
	2.16.840.1.113883.10.12.301	Containment 	CDA Act	2005-09-07
		 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.301, bitte überprüfen		
	2.16.840.1.113883.10.12.300		 CDA Clinical Statement	2005-09-07
		 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.300, bitte überprüfen		
	2.16.840.1.113883.10.12.302		 CDA Encounter	2005-09-07
		 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.302, bitte überprüfen		
	2.16.840.1.113883.10.12.303		 CDA Observation	2005-09-07
		 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.303, bitte überprüfen		
	2.16.840.1.113883.10.12.304		 CDA ObservationMedia	2005-09-07
		 Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.304, bitte überprüfen		
	2.16.840.1.113883.10.12.305		 CDA Organizer	2005-09-07
Benutzt von / Benutzt				

		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.305, bitte überprüfen	
2.16.840.1.113883.10.12.306		 CDA Procedure	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.306, bitte überprüfen	
2.16.840.1.113883.10.12.307		 CDA RegionOfInterest	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.307, bitte überprüfen	
2.16.840.1.113883.10.12.308		 CDA SubstanceAdministration	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.308, bitte überprüfen	
2.16.840.1.113883.10.12.309		 CDA Supply	2005-09-07
		Zikuläre Referenz gefunden mit 2.16.840.1.113883.10.12.309, bitte überprüfen	
2.16.840.1.113883.3.1937.99.61.45.10.37		 Dok3 Sonstiges	2018-05-02 17:52:41
2.16.840.1.113883.3.1937.99.61.45.10.28		 Dok3 Messwerte	2018-04-27 15:51:01
2.16.840.1.113883.3.1937.99.61.45.10.27		 Dok3 Adipositas Studie	2018-04-27 15:17:54
2.16.840.1.113883.3.1937.99.61.45.10.39		 Dok3 kleines Blutbild ?	2018-05-02 17:58:11
2.16.840.1.113883.3.1937.99.61.45.10.5		 CDA Section t	2018-04-16 11:44:27
2.16.840.1.113883.3.1937.99.61.45.10.50		 ASIC weitere Vitaldaten	2018-05-08 16:29:04
2.16.840.1.113883.3.1937.99.61.45.10.44		 Anwendungsfall ASIC	2018-05-08 15:20:09
2.16.840.1.113883.3.1937.99.61.45.10.46		 ASIC Messwerte	2018-05-08 16:20:53
2.16.840.1.113883.3.1937.99.61.45.10.6		 CDA Observation t	2018-04-16 12:13:51
Benutzt	als	Name	Version
2.16.840.1.113883.10.12.153	Containment	 CDA AssignedEntity	DYNAMIC

Item	DT	Kard	Konf	Beschreibung	Label
@typeCode		0 ... 1	F	INF	
@contextControlCode		0 ... 1	F	OP	
Auswahl		1 ... 1		Elemente in der Auswahl: <ul style="list-style-type: none"> hl7:assignedEntity welches enthält Template 2.16.840.1.113883.10.12.153 <i>CDA AssignedEntity</i> (DYNAMIC) hl7:relatedEntity welches enthält Template 2.16.840.1.113883.10.12.316 <i>CDA RelatedEntity</i> (DYNAMIC) 	
hl7:assignedEntity				Beinhaltet 2.16.840.1.113883.10.12.153 <i>CDA AssignedEntity</i> (DYNAMIC)	(CDA ... ody)
hl7:relatedEntity				Beinhaltet 2.16.840.1.113883.10.12.316 <i>CDA RelatedEntity</i> (DYNAMIC)	(CDA ... ody)
wo [@classCode]					

6.2.57 CDA recordTarget 2.16.840.1.113883.10.12.101 - 2005-09-07 ref ad1bbr-

Id	2.16.840.1.113883.10.12.101 ref ad1bbr-	Gültigkeit	2005-09-07
Status	 Aktiv	Versions-Label	
Name	CDAreordTarget	Anzeigename	CDA recordTarget
Beschreibung	Template CDA recordTarget (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Klassifikation	CDA Header Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Benutzt von / Benutzt	Benutzt von 0 Transactions und 3 Templates, Benutzt 2 Templates		

Benutzt von	als	Name	Version
2.16.840.1.113883.3.1937.99.61.45.10.16	Inklusion	 Adipositas Studie	2018-04-24 10:33:11
2.16.840.1.113883.3.1937.99.61.45.10.17	Inklusion	 CDA Adipositas Studie	2018-04-24 10:41:37
2.16.840.1.113883.3.1937.99.61.45.10.4	Inklusion	 CDA ClinicalDocument T	2018-04-16 10:35:28
Benutzt	als	Name	Version
2.16.840.1.113883.10.12.152	Containment	 CDA Person	DYNAMIC
2.16.840.1.113883.10.12.151	Containment	 CDA Organization	DYNAMIC

Alles ausklappen

Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:recordTarget		1 .. *			(CDA ... get)
@typeCode		0 .. 1	F	RCT	
@contextControlCode		0 .. 1	F	OP	
hl7:patientRole		1 .. 1			(CDA ... get)
@classCode		0 .. 1	F	PAT	
hl7:id	II	1 .. *			(CDA ... get)
hl7:addr	AD	0 .. *			(CDA ... get)


Item	DT	Kard	Konf	Beschreibung	Label
hl7:telecom	TEL	0 ... *			(CDA ... get)
hl7:patient		0 ... 1			(CDA ... get)
@classCode		0 ... 1	F	PSN	
@determinerCode		0 ... 1	F	INSTANCE	
hl7:id	II	0 ... 1			(CDA ... get)
hl7:name	PN	0 ... *			(CDA ... get)
hl7:administrativeGenderCode	CE	0 ... 1			(CDA ... get)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.1 <i>AdministrativeGender</i> (DYNAMIC)			
hl7:birthTime	TS	0 ... 1			(CDA ... get)
hl7:maritalStatusCode	CE	0 ... 1			(CDA ... get)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.12212 <i>MaritalStatus</i> (DYNAMIC)			
hl7:religiousAffiliationCode	CE	0 ... 1			(CDA ... get)

Item	DT	Kard	Konf	Beschreibung	Label
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19185 <i>ReligiousAffiliation</i> (DYNAMIC)	
hl7:raceCode	CE	0 ... 1			(CDA ... get)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.14914 <i>Race</i> (DYNAMIC)	
hl7:ethnicGroupCode	CE	0 ... 1			(CDA ... get)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.15836 <i>Ethnicity</i> (DYNAMIC)	
hl7:guardian		0 ... *			(CDA ... get)
@classCode		0 ... 1	F	GUARD	
hl7:id	II	0 ... *			(CDA ... get)
hl7:code	CE	0 ... 1			(CDA ... get)
@codeSystem	CONF	0 ... 1	F	2.16.840.1.113883.5.111 (Role Code)	
hl7:addr	AD	0 ... *			(CDA ... get)
hl7:telecom	TEL	0 ... *			(CDA ... get)

Item	DT	Kard	Konf	Beschreibung	Label
Auswahl		1 .. 1		Elemente in der Auswahl: <ul style="list-style-type: none"> hl7:guardianPerson welches enthält Template 2.16.840.1.113883.10.12.152 <i>CDA Person</i> (DYNAMIC) hl7:guardianOrganization welches enthält Template 2.16.840.1.113883.10.12.151 <i>CDA Organization</i> (DYNAMIC) 	
hl7:guardianPerson				Beinhaltet 2.16.840.1.113883.10.12.152 <i>CDA Person</i> (DYNAMIC)	(CDA ... get)
hl7:guardianOrganization				Beinhaltet 2.16.840.1.113883.10.12.151 <i>CDA Organization</i> (DYNAMIC)	(CDA ... get)
hl7:birthplace		0 .. 1			(CDA ... get)
@classCode		0 .. 1	F	BIRTHPL	
hl7:place		1 .. 1			(CDA ... get)
@classCode		0 .. 1	F	PLC	
@determinerCode		0 .. 1	F	INSTANCE	
hl7:name	EN	0 .. 1			(CDA ... get)
hl7:addr	AD	0 .. 1			(CDA ... get)
hl7:languageCommunication		0 .. *			(CDA ... get)

Item	DT	Kard	Konf	Beschreibung	Label
hl7:languageCode	CS	0 ... 1			(CDA ... get)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.11526 <i>HumanLanguage</i> (DYNAMIC)	
hl7:modeCode	CE	0 ... 1			(CDA ... get)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.12249 <i>LanguageAbilityMode</i> (DYNAMIC)	
hl7:proficiencyLevelCode	CE	0 ... 1			(CDA ... get)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.12199 <i>LanguageAbilityProficiency</i> (DYNAMIC)	
hl7:preferenceInd	BL	0 ... 1			(CDA ... get)
hl7:providerOrganization		0 ... 1		Beinhaltet 2.16.840.1.113883.10.12.151 <i>CDA Organization</i> (DYNAMIC)	(CDA ... get)

6.2.58 CDA setId and versionNumber 2.16.840.1.113883.3.1937.99.61.45.10.34 - 2018-05-02 15:09:22

Id	2.16.840.1.113883.3.1937.99.61.45.10.34	Gültigkeit	2018-05-02 15:09:22
Status	 Entwurf	Versions-Label	
Name	CDAsetIdversionNumber	Anzeigename	CDA setId and versionNumber
Beschreibung			
Klassifikation	CDA Header Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Assoziiert mit

Assoziiert mit 2 Konzepten

Id	Name	Datensatz
smul-dataelement-16	Nummer der Messung	Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-14	Auftragsnummer	Dataset Sandbox Medizin Uni Leipzig

Benutzt von / Benutzt

Benutzt von 0 Transactions und 5 Templates, Benutzt 0 Templates

Benutzt von	als	Name	Version
2.16.840.1.113883.3.1937.99.61.45.10.20	Inklusion	Dok1 Adipositas Studie	2018-04-24 11:01:24
2.16.840.1.113883.3.1937.99.61.45.10.24	Inklusion	Dok2 Adipositas Studie	2018-04-26 16:56:54
2.16.840.1.113883.3.1937.99.61.45.10.27	Inklusion	Dok3 Adipositas Studie	2018-04-27 15:17:54
2.16.840.1.113883.3.1937.99.61.45.10.40	Inklusion	Dok4 Adipositas Studie	2018-05-03 10:09:46
2.16.840.1.113883.3.1937.99.61.45.10.44	Inklusion	Anwendungsfall ASIC	2018-05-08 15:20:09

Beziehung

Spezialisierung: Template 1.2.276.0.76.10.90009 (2012-12-12)




Beispiel

```




















<setId extension="32123" root="2.16.528.1.1007.3.2.1111.20.1"/>
<versionNumber value="1"/>
    
```


Alles ausklappen
Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
h17:setId	II	0 .. 1	R		(CDA-...ber)
<div style="display: flex; justify-content: space-between; align-items: center;"> smul-dataelement-14 Auftragsnummer Dataset Sandbox Medizin Uni Leipzig </div>					

Item	DT	Kard	Konf	Beschreibung	Label
hl7:versionNumber	INT.POS	0 ... 1	R		(CDA---ber)
 smul-dataelement-16  Nummer der Messung  Dataset Sandbox Medizin Uni Leipzig					

6.2.59  Dok3 kleines Blutbild 2.16.840.1.113883.3.1937.99.61.45.10.35 - 2018-05-02 17:49:52


Id	2.16.840.1.113883.3.1937.99.61.45.10.35	Gültigkeit	2018-05-02 17:49:52											
Status	 Entwurf	Versions-Label												
Name	Dok3KleinesBlutbild	Anzeigename	Dok3 kleines Blutbild											
Beschreibung	Template CDA Section (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)													
Kontext	Elternknoten des Template-Element mit Id 2.16.840.1.113883.3.1937.99.61.45.10.35													
Klassifikation	CDA Section level template													
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)													
Assoziiert mit	Assoziiert mit 1 Konzept													
	<table border="1"> <thead> <tr> <th>Id</th> <th>Name</th> <th>Datensatz</th> </tr> </thead> <tbody> <tr> <td>smul-dataelement-19</td> <td> Kleines Blutbild</td> <td> Dataset Sandbox Medizin Uni Leipzig</td> </tr> </tbody> </table>	Id	Name	Datensatz	smul-dataelement-19	 Kleines Blutbild	 Dataset Sandbox Medizin Uni Leipzig							
Id	Name	Datensatz												
smul-dataelement-19	 Kleines Blutbild	 Dataset Sandbox Medizin Uni Leipzig												
Benutzt von / Benutzt	Benutzt von 0 Transactions und 2 Templates, Benutzt 1 Template													
	<table border="1"> <thead> <tr> <th>Benutzt von</th> <th>als</th> <th>Name</th> <th>Version</th> </tr> </thead> <tbody> <tr> <td>2.16.840.1.113883.3.1937.99.61.45.10.28</td> <td>Containment</td> <td> Dok3 Messwerte</td> <td>2018-04-27 15:51:01</td> </tr> <tr> <td>2.16.840.1.113883.3.1937.99.61.45.10.27</td> <td></td> <td> Dok3 Adipositas Studie</td> <td>2018-04-27 15:17:54</td> </tr> </tbody> </table>	Benutzt von	als	Name	Version	2.16.840.1.113883.3.1937.99.61.45.10.28	Containment	 Dok3 Messwerte	2018-04-27 15:51:01	2.16.840.1.113883.3.1937.99.61.45.10.27		 Dok3 Adipositas Studie	2018-04-27 15:17:54	
Benutzt von	als	Name	Version											
2.16.840.1.113883.3.1937.99.61.45.10.28	Containment	 Dok3 Messwerte	2018-04-27 15:51:01											
2.16.840.1.113883.3.1937.99.61.45.10.27		 Dok3 Adipositas Studie	2018-04-27 15:17:54											
	<table border="1"> <thead> <tr> <th>Benutzt</th> <th>als</th> <th>Name</th> <th>Version</th> </tr> </thead> <tbody> <tr> <td>2.16.840.1.113883.3.1937.99.61.45.10.9</td> <td>Containment</td> <td> Messwert: Kreatinin</td> <td>DYNAMIC</td> </tr> </tbody> </table>	Benutzt	als	Name	Version	2.16.840.1.113883.3.1937.99.61.45.10.9	Containment	 Messwert: Kreatinin	DYNAMIC					
Benutzt	als	Name	Version											
2.16.840.1.113883.3.1937.99.61.45.10.9	Containment	 Messwert: Kreatinin	DYNAMIC											






Beziehung		Spezialisierung: Template 2.16.840.1.113883.3.1937.99.61.45.10.10 (2018-04-18 11:13:00)			
		Spezialisierung: Template 2.16.840.1.113883.10.12.201 (2005-09-07)			
Alles ausklappen		Alles einklappen			
Item	DT	Kard	Konf	Beschreibung	Label
hl7:section					(Dok ... ild)
 smul-dataelement-19  Kleines Blutbild  Dataset Sandbox Medizin Uni Leipzig					
@classCode	cs	0 .. 1	F	DOCSECT	
hl7:templateId	II	1 .. 1	M		(Dok ... ild)
@root	uid	1 .. 1	F	2.16.840.1.113883.3.1937.99.61.45.10.35	
hl7:templateId	II	1 .. 1	M		(Dok ... ild)
@root	uid	1 .. 1	F	2.16.840.1.113883.3.1937.99.61.45.10.10	
hl7:templateId	II	1 .. 1	R		(Dok ... ild)
@root	uid	1 .. 1	F	2.16.840.1.113883.10.12.201	
hl7:id	II	0 .. 1			(Dok ... ild)
hl7:code	CE	0 .. 1			(Dok ... ild)

Item	DT	Kard	Konf	Beschreibung	Label
hl7:title	ST	0 .. 1			(Dok ... ild)
hl7:text	SD.TEXT	0 .. 1	R		(Dok ... ild)
hl7:entry		0 .. *		Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.9 Messwert: Kreatinin (DYNAMIC)	(Dok ... ild)
wo [hl7:observation [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.9'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.7'] and hl7:templateId [@root = '2.16.840.1.113883.10.12.303']]]					
@typeCode	cs	1 .. 1	R		
@contextConductionInd	bl	0 .. 1			
hl7:entry		0 .. *		Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.9 Messwert: Kreatinin (DYNAMIC)	(Dok ... ild)
wo [hl7:observation [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.9'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.7'] and hl7:templateId [@root = '2.16.840.1.113883.10.12.303']]]					
@typeCode	cs	1 .. 1	R		
@contextConductionInd	bl	0 .. 1			
hl7:entry		0 .. *		Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.9 Messwert: Kreatinin (DYNAMIC)	(Dok ... ild)
wo [hl7:observation [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.9'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.7'] and hl7:templateId [@root = '2.16.840.1.113883.10.12.303']]]					
@typeCode	cs	1 .. 1	R		

Item	DT	Kard	Konf	Beschreibung	Label
@contextConductionInd	bl	0 .. 1			
hl7:entry		0 .. *		Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.9 Messwert: Kreatinin (DYNAMIC)	(Dok ... ild)
wo [hl7:observation [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.9'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.7'] and hl7:templateId [@root = '2.16.840.1.113883.10.12.303']]]					
@typeCode	cs	1 .. 1	R		
@contextConductionInd	bl	0 .. 1			
hl7:entry		0 .. *		Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.9 Messwert: Kreatinin (DYNAMIC)	(Dok ... ild)
wo [hl7:observation [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.9'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.7'] and hl7:templateId [@root = '2.16.840.1.113883.10.12.303']]]					
@typeCode	cs	1 .. 1	R		
@contextConductionInd	bl	0 .. 1			

6.2.60 Dok3 Sepsis 2.16.840.1.113883.3.1937.99.61.45.10.36 - 2018-05-02 17:51:35

Id	2.16.840.1.113883.3.1937.99.61.45.10.36	Gültigkeit	2018-05-02 17:51:35
Status	 Entwurf	Versions-Label	
Name	Dok3Sepsis	Anzeigename	Dok3 Sepsis
Beschreibung	Template CDA Section (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Kontext	Elternknoten des Template-Element mit Id 2.16.840.1.113883.3.1937.99.61.45.10.36		
Klassifikation	CDA Section level template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Assoziiert mit	Assoziiert mit 1 Konzept		
	Id	Name	Datensatz
	smul-dataelement-31	 Sepsis	 Dataset Sandbox Medizin Uni Leipzig
Benutzt von / Benutzt	Benutzt von 0 Transactions und 2 Templates, Benutzt 0 Templates		
	Benutzt von	als	Name
	Version		
	2.16.840.1.113883.3.1937.99.61.45.10.28	Containment 	Dok3 Messwerte 2018-04-27 15:51:01
	2.16.840.1.113883.3.1937.99.61.45.10.27 		Dok3 Adipositas Studie 2018-04-27 15:17:54
Beziehung	Spezialisierung: Template 2.16.840.1.113883.3.1937.99.61.45.10.10 (2018-04-18 11:13:00)		
	Spezialisierung: Template 2.16.840.1.113883.10.12.201 (2005-09-07)		

Alles ausklappen Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:section					(Dok... sis)
 smul-dataelement-31  Sepsis  Dataset Sandbox Medizin Uni Leipzig					
@classCode	cs	0 .. 1	F	DOCSECT	
hl7:templateId	II	1 .. 1	M		(Dok... sis)
@root	uid	1 .. 1	F	2.16.840.1.113883.3.1937.99.61.45.10.36	
hl7:templateId	II	1 .. 1	M		(Dok... sis)
@root	uid	1 .. 1	F	2.16.840.1.113883.3.1937.99.61.45.10.10	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:templateId	II	1 .. 1	R		(Dok... sis)
@root	uid	1 .. 1	F	2.16.840.1.113883.10.12.201	
hl7:id	II	0 .. 1			(Dok... sis)
hl7:code	CE	0 .. 1			(Dok... sis)
hl7:title	ST	0 .. 1			(Dok... sis)
hl7:text	SD.TEXT	0 .. 1	R		(Dok... sis)
hl7:entry		0 .. *			(Dok... sis)
@typeCode	cs	1 .. 1	R		

6.2.61 Dok3 Sonstiges 2.16.840.1.113883.3.1937.99.61.45.10.37 - 2018-05-02 17:52:41





Id	2.16.840.1.113883.3.1937.99.61.45.10.37	Gültigkeit	2018-05-02 17:52:41
Status	 Entwurf	Versions-Label	
Name	Dok3Sonstiges	Anzeigename	Dok3 Sonstiges
Beschreibung	Template CDA Section (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Kontext	Elternknoten des Template-Element mit Id 2.16.840.1.113883.3.1937.99.61.45.10.37		
Klassifikation	CDA Section level template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Assoziiert mit	Assoziiert mit 1 Konzept		
	Id	Name	Datensatz

smul-dataelement-33  Sonstiges

 Dataset Sandbox Medizin Uni Leipzig

Benutzt von 0 Transactions und 2 Templates, Benutzt 1 Template




Benutzt von / Benutzt

Benutzt von	als	Name	Version
2.16.840.1.113883.3.1937.99.61.45.10.28	Containment 	Dok3 Messwerte	2018-04-27 15:51:01
2.16.840.1.113883.3.1937.99.61.45.10.27		 Dok3 Adipositas Studie	2018-04-27 15:17:54
Benutzt	als	Name	Version
2.16.840.1.113883.10.12.300	Containment 	CDA Clinical Statement	DYNAMIC

Beziehung




















Spezialisierung: Template 2.16.840.1.113883.3.1937.99.61.45.10.10 (2018-04-18 11:13:00)
 Spezialisierung: Template 2.16.840.1.113883.10.12.201 (2005-09-07)

Alles ausklappen Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:section					(Dok ... ges)
<div style="border: 1px solid green; padding: 5px; display: flex; justify-content: space-between; align-items: center;">  smul-dataelement-33  Sonstiges  Dataset Sandbox Medizin Uni Leipzig </div>					
@classCode	cs	0 ... 1	F	DOCSECT	
hl7:templateId	II	1 ... 1	M		(Dok ... ges)
@root	uid	1 ... 1	F	2.16.840.1.113883.3.1937.99.61.45.10.37	
hl7:templateId	II	1 ... 1	M		(Dok ... ges)

Item	DT	Kard	Konf	Beschreibung	Label	
@root	uid	1 .. 1	F	2.16.840.1.113883.3.1937.99.61.45.10.10		
hl7:templateId	II	1 .. 1	R		(Dok ... ges)	
@root	uid	1 .. 1	F	2.16.840.1.113883.10.12.201		
hl7:id	II	0 .. 1			(Dok ... ges)	
hl7:code	CE	0 .. 1			(Dok ... ges)	
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.10871 <i>DocumentSectionType</i> (DYNAMIC)				
hl7:title	ST	0 .. 1			(Dok ... ges)	
hl7:text	SD.TEXT	0 .. 1	R		(Dok ... ges)	
hl7:entry		0 .. *		Beinhaltet 2.16.840.1.113883.10.12.300 <i>CDA Clinical Statement</i> (DYNAMIC)	(Dok ... ges)	
wo [<i>@typeCode</i>]						
@typeCode	cs	1 .. 1	R			
	CONF	Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19446 <i>x_ActRelationshipEntry</i> (DYNAMIC)				
@contextConductionInd	bl	0 .. 1				

6.2.62  Dok3 kleines Blutbild ? 2.16.840.1.113883.3.1937.99.61.45.10.39 - 2018-05-02 17:58:11

Id	2.16.840.1.113883.3.1937.99.61.45.10.39	Gültigkeit	2018-05-02 17:58:11												
Status	 Entwurf	Versions-Label													
Name	Dok3kleinesBlutbild2	Anzeigename	Dok3 kleines Blutbild ?												
Beschreibung	Template CDA Section (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)														
Kontext	Elternknoten des Template-Element mit Id 2.16.840.1.113883.3.1937.99.61.45.10.39														
Klassifikation	CDA Section level template														
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)														
Assoziiert mit	Assoziiert mit 1 Konzept														
	<table border="1"> <thead> <tr> <th>Id</th> <th>Name</th> <th>Datensatz</th> </tr> </thead> <tbody> <tr> <td>smul-dataelement-38</td> <td> Kleines Blutbild ?</td> <td> Dataset Sandbox Medizin Uni Leipzig</td> </tr> </tbody> </table>	Id	Name	Datensatz	smul-dataelement-38	 Kleines Blutbild ?	 Dataset Sandbox Medizin Uni Leipzig								
Id	Name	Datensatz													
smul-dataelement-38	 Kleines Blutbild ?	 Dataset Sandbox Medizin Uni Leipzig													
Benutzt von / Benutzt	Benutzt von 0 Transactions und 2 Templates, Benutzt 1 Template														
	<table border="1"> <thead> <tr> <th>Benutzt von</th> <th>als</th> <th>Name</th> <th>Version</th> </tr> </thead> <tbody> <tr> <td>2.16.840.1.113883.3.1937.99.61.45.10.28</td> <td>Containment</td> <td> Dok3 Messwerte</td> <td>2018-04-27 15:51:01</td> </tr> <tr> <td>2.16.840.1.113883.3.1937.99.61.45.10.27</td> <td></td> <td> Dok3 Adipositas Studie</td> <td>2018-04-27 15:17:54</td> </tr> </tbody> </table>	Benutzt von	als	Name	Version	2.16.840.1.113883.3.1937.99.61.45.10.28	Containment	 Dok3 Messwerte	2018-04-27 15:51:01	2.16.840.1.113883.3.1937.99.61.45.10.27		 Dok3 Adipositas Studie	2018-04-27 15:17:54		
Benutzt von	als	Name	Version												
2.16.840.1.113883.3.1937.99.61.45.10.28	Containment	 Dok3 Messwerte	2018-04-27 15:51:01												
2.16.840.1.113883.3.1937.99.61.45.10.27		 Dok3 Adipositas Studie	2018-04-27 15:17:54												
	<table border="1"> <thead> <tr> <th>Benutzt</th> <th>als</th> <th>Name</th> <th>Version</th> </tr> </thead> <tbody> <tr> <td>2.16.840.1.113883.10.12.300</td> <td>Containment</td> <td> CDA Clinical Statement</td> <td>DYNAMIC</td> </tr> </tbody> </table>	Benutzt	als	Name	Version	2.16.840.1.113883.10.12.300	Containment	 CDA Clinical Statement	DYNAMIC						
Benutzt	als	Name	Version												
2.16.840.1.113883.10.12.300	Containment	 CDA Clinical Statement	DYNAMIC												
Beziehung	Spezialisierung: Template 2.16.840.1.113883.3.1937.99.61.45.10.10 (2018-04-18 11:13:00)														
	Spezialisierung: Template 2.16.840.1.113883.10.12.201 (2005-09-07)														
<div style="display: flex; gap: 10px;"> Alles ausklappen Alles einklappen </div>															

Item	DT	Kard	Konf	Beschreibung	Label
hl7:section					(Dok ... ld2)
 smul-dataelement-38  Kleines Blutbild ?  Dataset Sandbox Medizin Uni Leipzig					
@classCode	cs	0 ... 1	F	DOCSECT	
hl7:templateId	II	1 ... 1	M		(Dok ... ld2)
@root	uid	1 ... 1	F	2.16.840.1.113883.3.1937.99.61.45.10.39	
hl7:templateId	II	1 ... 1	M		(Dok ... ld2)
@root	uid	1 ... 1	F	2.16.840.1.113883.3.1937.99.61.45.10.10	
hl7:templateId	II	1 ... 1	R		(Dok ... ld2)
@root	uid	1 ... 1	F	2.16.840.1.113883.10.12.201	
hl7:id	II	0 ... 1			(Dok ... ld2)
hl7:code	CE	0 ... 1			(Dok ... ld2)
hl7:title	ST	0 ... 1			(Dok ... ld2)

Item	DT	Kard	Konf	Beschreibung	Label
hl7:text	SD.TEXT	0 .. 1	R		(Dok ... ld2)
hl7:entry		0 .. *		Beinhaltet 2.16.840.1.113883.10.12.300 CDA Clinical Statement (DYNAMIC)	(Dok ... ld2)
wo [@typeCode]					
@typeCode	cs	1 .. 1	R		
	CONF			Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19446 x_ActRelationshipEntry (DYNAMIC)	
@contextConductionInd	bl	0 .. 1			
hl7:entry		0 .. *		Beinhaltet 2.16.840.1.113883.10.12.300 CDA Clinical Statement (DYNAMIC)	(Dok ... ld2)
wo [@typeCode]					
@typeCode	cs	1 .. 1	R		
	CONF			Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19446 x_ActRelationshipEntry (DYNAMIC)	
@contextConductionInd	bl	0 .. 1			
hl7:entry		0 .. *		Beinhaltet 2.16.840.1.113883.10.12.300 CDA Clinical Statement (DYNAMIC)	(Dok ... ld2)
wo [@typeCode]					
@typeCode	cs	1 .. 1	R		

Item	DT	Kard	Konf	Beschreibung	Label
	CONF			Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19446 <i>x_ActRelationshipEntry</i> (DYNAMIC)	
@contextConductionInd	bl	0 ... 1			
h17:entry		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.300 <i>CDA Clinical Statement</i> (DYNAMIC)	(Dok ... ld2)
wo [@typeCode]					
@typeCode	cs	1 ... 1	R		
	CONF			Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19446 <i>x_ActRelationshipEntry</i> (DYNAMIC)	
@contextConductionInd	bl	0 ... 1			
h17:entry		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.300 <i>CDA Clinical Statement</i> (DYNAMIC)	(Dok ... ld2)
wo [@typeCode]					
@typeCode	cs	1 ... 1	R		
	CONF			Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19446 <i>x_ActRelationshipEntry</i> (DYNAMIC)	
@contextConductionInd	bl	0 ... 1			
h17:entry		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.300 <i>CDA Clinical Statement</i> (DYNAMIC)	(Dok ... ld2)
wo [@typeCode]					

Item	DT	Kard	Konf	Beschreibung	Label
@typeCode	cs	1 .. 1	R		
	CONF			Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19446 x_ActRelationshipEntry (DYNAMIC)	
@contextConductionInd	bl	0 .. 1			
h17:entry		0 .. *		Beinhaltet 2.16.840.1.113883.10.12.300 CDA Clinical Statement (DYNAMIC)	(Dok ... ld2)
wo [@typeCode]					
@typeCode	cs	1 .. 1	R		
	CONF			Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19446 x_ActRelationshipEntry (DYNAMIC)	
@contextConductionInd	bl	0 .. 1			
h17:entry		0 .. *		Beinhaltet 2.16.840.1.113883.10.12.300 CDA Clinical Statement (DYNAMIC)	(Dok ... ld2)
wo [@typeCode]					
@typeCode	cs	1 .. 1	R		
	CONF			Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19446 x_ActRelationshipEntry (DYNAMIC)	
@contextConductionInd	bl	0 .. 1			
h17:entry		0 .. *		Beinhaltet 2.16.840.1.113883.10.12.300 CDA Clinical Statement (DYNAMIC)	(Dok ... ld2)

Item	DT	Kard	Konf	Beschreibung	Label
wo [<i>@typeCode</i>]					
@typeCode	cs	1 .. 1	R		
	CONF	Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19446 <i>x_ActRelationshipEntry</i> (DYNAMIC)			
@contextConductionInd	bl	0 .. 1			
h17:entry		0 .. *		Beinhaltet 2.16.840.1.113883.10.12.300 <i>CDA Clinical Statement</i> (DYNAMIC)	(Dok ... ld2)
wo [<i>@typeCode</i>]					
@typeCode	cs	1 .. 1	R		
	CONF	Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19446 <i>x_ActRelationshipEntry</i> (DYNAMIC)			
@contextConductionInd	bl	0 .. 1			
h17:entry		0 .. *		Beinhaltet 2.16.840.1.113883.10.12.300 <i>CDA Clinical Statement</i> (DYNAMIC)	(Dok ... ld2)
wo [<i>@typeCode</i>]					
@typeCode	cs	1 .. 1	R		
	CONF	Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19446 <i>x_ActRelationshipEntry</i> (DYNAMIC)			
@contextConductionInd	bl	0 .. 1			

Item	DT	Kard	Konf	Beschreibung	Label
h17:entry		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.300 CDA Clinical Statement (DYNAMIC)	(Dok ... ld2)
wo [@typeCode]					
@typeCode	cs	1 ... 1	R		
	CONF	Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19446 x_ActRelationshipEntry (DYNAMIC)			
@contextConductionInd	bl	0 ... 1			
h17:entry		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.300 CDA Clinical Statement (DYNAMIC)	(Dok ... ld2)
wo [@typeCode]					
@typeCode	cs	1 ... 1	R		
	CONF	Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19446 x_ActRelationshipEntry (DYNAMIC)			
@contextConductionInd	bl	0 ... 1			
h17:entry		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.300 CDA Clinical Statement (DYNAMIC)	(Dok ... ld2)
wo [@typeCode]					
@typeCode	cs	1 ... 1	R		
	CONF	Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19446 x_ActRelationshipEntry (DYNAMIC)			

Item	DT	Kard	Konf	Beschreibung	Label
@contextConductionInd	bl	0 .. 1			
h17:entry		0 .. *		Beinhaltet 2.16.840.1.113883.10.12.300 CDA Clinical Statement (DYNAMIC)	(Dok ... ld2)
wo [@typeCode]					
@typeCode	cs	1 .. 1	R		
	CONF			Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19446 x_ActRelationshipEntry (DYNAMIC)	
@contextConductionInd	bl	0 .. 1			
h17:entry		0 .. *		Beinhaltet 2.16.840.1.113883.10.12.300 CDA Clinical Statement (DYNAMIC)	(Dok ... ld2)
wo [@typeCode]					
@typeCode	cs	1 .. 1	R		
	CONF			Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19446 x_ActRelationshipEntry (DYNAMIC)	
@contextConductionInd	bl	0 .. 1			
h17:entry		0 .. *		Beinhaltet 2.16.840.1.113883.10.12.300 CDA Clinical Statement (DYNAMIC)	(Dok ... ld2)
wo [@typeCode]					
@typeCode	cs	1 .. 1	R		

Item	DT	Kard	Konf	Beschreibung	Label
	CONF			Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19446 <i>x_ActRelationshipEntry</i> (DYNAMIC)	
@contextConductionInd	bl	0 ... 1			
hl7:entry		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.300 <i>CDA Clinical Statement</i> (DYNAMIC)	(Dok ... ld2)
wo [@typeCode]					
@typeCode	cs	1 ... 1	R		
	CONF			Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19446 <i>x_ActRelationshipEntry</i> (DYNAMIC)	
@contextConductionInd	bl	0 ... 1			
hl7:entry		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.300 <i>CDA Clinical Statement</i> (DYNAMIC)	(Dok ... ld2)
wo [@typeCode]					
@typeCode	cs	1 ... 1	R		
	CONF			Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19446 <i>x_ActRelationshipEntry</i> (DYNAMIC)	
@contextConductionInd	bl	0 ... 1			
hl7:entry		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.300 <i>CDA Clinical Statement</i> (DYNAMIC)	(Dok ... ld2)
wo [@typeCode]					

Item	DT	Kard	Konf	Beschreibung	Label
@typeCode	cs	1 .. 1	R		
	CONF			Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19446 x_ActRelationshipEntry (DYNAMIC)	
@contextConductionInd	bl	0 .. 1			
h17:entry		0 .. *		Beinhaltet 2.16.840.1.113883.10.12.300 CDA Clinical Statement (DYNAMIC)	(Dok ... ld2)
wo [@typeCode]					
@typeCode	cs	1 .. 1	R		
	CONF			Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19446 x_ActRelationshipEntry (DYNAMIC)	
@contextConductionInd	bl	0 .. 1			
h17:entry		0 .. *		Beinhaltet 2.16.840.1.113883.10.12.300 CDA Clinical Statement (DYNAMIC)	(Dok ... ld2)
wo [@typeCode]					
@typeCode	cs	1 .. 1	R		
	CONF			Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19446 x_ActRelationshipEntry (DYNAMIC)	
@contextConductionInd	bl	0 .. 1			
h17:entry		0 .. *		Beinhaltet 2.16.840.1.113883.10.12.300 CDA Clinical Statement (DYNAMIC)	(Dok ... ld2)

















Item	DT	Kard	Konf	Beschreibung	Label
wo [<i>@typeCode</i>]					
@typeCode	cs	1 .. 1	R		
	CONF	Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19446 <i>x_ActRelationshipEntry</i> (DYNAMIC)			
@contextConductionInd	bl	0 .. 1			
h17:entry		0 .. *		Beinhaltet 2.16.840.1.113883.10.12.300 <i>CDA Clinical Statement</i> (DYNAMIC)	(Dok ... ld2)
wo [<i>@typeCode</i>]					
@typeCode	cs	1 .. 1	R		
	CONF	Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19446 <i>x_ActRelationshipEntry</i> (DYNAMIC)			
@contextConductionInd	bl	0 .. 1			
h17:entry		0 .. *		Beinhaltet 2.16.840.1.113883.10.12.300 <i>CDA Clinical Statement</i> (DYNAMIC)	(Dok ... ld2)
wo [<i>@typeCode</i>]					
@typeCode	cs	1 .. 1	R		
	CONF	Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19446 <i>x_ActRelationshipEntry</i> (DYNAMIC)			
@contextConductionInd	bl	0 .. 1			

Item	DT	Kard	Konf	Beschreibung	Label
h17:entry		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.300 CDA Clinical Statement (DYNAMIC)	(Dok ... ld2)
wo [@typeCode]					
@typeCode	cs	1 ... 1	R		
	CONF	Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19446 x_ActRelationshipEntry (DYNAMIC)			
@contextConductionInd	bl	0 ... 1			
h17:entry		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.300 CDA Clinical Statement (DYNAMIC)	(Dok ... ld2)
wo [@typeCode]					
@typeCode	cs	1 ... 1	R		
	CONF	Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19446 x_ActRelationshipEntry (DYNAMIC)			
@contextConductionInd	bl	0 ... 1			
h17:entry		0 ... *		Beinhaltet 2.16.840.1.113883.10.12.300 CDA Clinical Statement (DYNAMIC)	(Dok ... ld2)
wo [@typeCode]					
@typeCode	cs	1 ... 1	R		
	CONF	Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19446 x_ActRelationshipEntry (DYNAMIC)			

Item	DT	Kard	Konf	Beschreibung	Label
@contextConductionInd	bl	0 .. 1			
h17:entry		0 .. *		Beinhaltet 2.16.840.1.113883.10.12.300 CDA Clinical Statement (DYNAMIC)	(Dok ... ld2)
wo [@typeCode]					
@typeCode	cs	1 .. 1	R		
	CONF			Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19446 x_ActRelationshipEntry (DYNAMIC)	
@contextConductionInd	bl	0 .. 1			
h17:entry		0 .. *		Beinhaltet 2.16.840.1.113883.10.12.300 CDA Clinical Statement (DYNAMIC)	(Dok ... ld2)
wo [@typeCode]					
@typeCode	cs	1 .. 1	R		
	CONF			Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19446 x_ActRelationshipEntry (DYNAMIC)	
@contextConductionInd	bl	0 .. 1			
h17:entry		0 .. *		Beinhaltet 2.16.840.1.113883.10.12.300 CDA Clinical Statement (DYNAMIC)	(Dok ... ld2)
wo [@typeCode]					
@typeCode	cs	1 .. 1	R		

Item	DT	Kard	Konf	Beschreibung	Label
@contextConductionInd	CONF	bl	0 ... 1	Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19446 x_ActRelationshipEntry (DYNAMIC)	





6.2.63 Dok3 unbekannt 2.16.840.1.113883.3.1937.99.61.45.10.38 - 2018-05-02 17:54:39

Id	2.16.840.1.113883.3.1937.99.61.45.10.38	Gültigkeit	2018-05-02 17:54:39											
Status	 Entwurf	Versions-Label												
Name	Dok3unbekannt	Anzeigename	Dok3 unbekannt											
Beschreibung	Template CDA Section (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)													
Kontext	Elternknoten des Template-Element mit Id 2.16.840.1.113883.3.1937.99.61.45.10.38													
Klassifikation	CDA Section level template													
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)													
Assoziiert mit	Assoziiert mit 1 Konzept													
	<table border="1"> <thead> <tr> <th>Id</th> <th>Name</th> <th>Datensatz</th> </tr> </thead> <tbody> <tr> <td>smul-dataelement-35</td> <td> Unbekannt</td> <td> Dataset Sandbox Medizin Uni Leipzig</td> </tr> </tbody> </table>	Id	Name	Datensatz	smul-dataelement-35	 Unbekannt	 Dataset Sandbox Medizin Uni Leipzig							
Id	Name	Datensatz												
smul-dataelement-35	 Unbekannt	 Dataset Sandbox Medizin Uni Leipzig												
Benutzt von / Benutzt	Benutzt von 0 Transactions und 2 Templates, Benutzt 0 Templates													
	<table border="1"> <thead> <tr> <th>Benutzt von</th> <th>als</th> <th>Name</th> <th>Version</th> </tr> </thead> <tbody> <tr> <td>2.16.840.1.113883.3.1937.99.61.45.10.28</td> <td>Containment</td> <td> Dok3 Messwerte</td> <td>2018-04-27 15:51:01</td> </tr> <tr> <td>2.16.840.1.113883.3.1937.99.61.45.10.27</td> <td></td> <td> Dok3 Adipositas Studie</td> <td>2018-04-27 15:17:54</td> </tr> </tbody> </table>	Benutzt von	als	Name	Version	2.16.840.1.113883.3.1937.99.61.45.10.28	Containment	 Dok3 Messwerte	2018-04-27 15:51:01	2.16.840.1.113883.3.1937.99.61.45.10.27		 Dok3 Adipositas Studie	2018-04-27 15:17:54	
Benutzt von	als	Name	Version											
2.16.840.1.113883.3.1937.99.61.45.10.28	Containment	 Dok3 Messwerte	2018-04-27 15:51:01											
2.16.840.1.113883.3.1937.99.61.45.10.27		 Dok3 Adipositas Studie	2018-04-27 15:17:54											
Beziehung	Spezialisierung: Template 2.16.840.1.113883.3.1937.99.61.45.10.10 (2018-04-18 11:13:00)													
	Spezialisierung: Template 2.16.840.1.113883.10.12.201 (2005-09-07)													

Item	DT	Kard	Konf	Beschreibung	Label
hl7:section					(Dok... nnt)
 smul-dataelement-35  Unbekannt  Dataset Sandbox Medizin Uni Leipzig					
@classCode	cs	0 .. 1	F	DOCSECT	
hl7:templateId	II	1 .. 1	M		(Dok... nnt)
@root	uid	1 .. 1	F	2.16.840.1.113883.3.1937.99.61.45.10.38	
hl7:templateId	II	1 .. 1	M		(Dok... nnt)
@root	uid	1 .. 1	F	2.16.840.1.113883.3.1937.99.61.45.10.10	
hl7:templateId	II	1 .. 1	R		(Dok... nnt)
@root	uid	1 .. 1	F	2.16.840.1.113883.10.12.201	
hl7:id	II	0 .. 1			(Dok... nnt)
hl7:code	CE	0 .. 1			(Dok... nnt)
hl7:title	ST	0 .. 1			(Dok... nnt)
hl7:text	SD.TEXT	0 .. 1	R		(Dok... nnt)
hl7:entry		0 .. *			(Dok... nnt)
@typeCode	cs	1 .. 1	R		

Item	DT	Kard	Konf	Beschreibung	Label
@contextConductionInd	bl	0 .. 1			
h17:entry		0 .. *			(Dok... nnt)
@typeCode	cs	1 .. 1	R		
@contextConductionInd	bl	0 .. 1			











6.2.64 Dok4 Messwert Organizer 2.16.840.1.113883.3.1937.99.61.45.10.43 - 2018-05-03 10:33:35

Id	2.16.840.1.113883.3.1937.99.61.45.10.43	Gültigkeit	2018-05-03 10:33:35
Status	 Entwurf	Versions-Label	
Name	Dok4MesswertOrganizer	Anzeigename	Dok4 Messwert Organizer
Beschreibung	Template CDA Organizer (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Kontext	Elternknoten des Template-Element mit Id 2.16.840.1.113883.3.1937.99.61.45.10.43		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Benutzt von / Benutzt	Benutzt von 0 Transactions und 2 Templates, Benutzt 1 Template		
	Benutzt von	als	Name
	2.16.840.1.113883.3.1937.99.61.45.10.41	Containment 	Dok4 Messwerte
	2.16.840.1.113883.3.1937.99.61.45.10.40		Dok4 Adipositas Studie
	Benutzt	als	Name
	2.16.840.1.113883.3.1937.99.61.45.10.42	Containment 	Dok4 Messwerte
Beziehung	Spezialisierung: Template 2.16.840.1.113883.10.12.305 (2005-09-07)		
Alles ausklappen		Alles einklappen	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:organizer					(Dok ... zer)
@classCode	CS	1 .. 1	R		
	CONF	Der Wert von @classCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19598 <i>x_ActClassDocumentEntryOrganizer</i> (DYNAMIC)			
@moodCode	CS	0 .. 1	F	EVN	
hl7:templateId	II	1 .. 1	M		(Dok ... zer)
@root	uid	1 .. 1	F	2.16.840.1.113883.3.1937.99.61.45.10.43	
hl7:templateId	II	1 .. 1	R		(Dok ... zer)
@root	uid	1 .. 1	F	2.16.840.1.113883.10.12.305	
hl7:id	II	0 .. *			(Dok ... zer)
hl7:code	CD	0 .. 1			(Dok ... zer)
hl7:statusCode	CS	1 .. 1	R		(Dok ... zer)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.15933 <i>ActStatus</i> (DYNAMIC)			

Item	DT	Kard	Konf	Beschreibung	Label
hl7:effectiveTime	IVL_TS	0 ... 1			(Dok ... zer)
hl7:component		0 ... *		Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.42 Dok4 Messwerte (DYNAMIC)	(Dok ... zer)
wo [hl7:observation [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.42'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.26']] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.7']] and hl7:templateId [@root = '2.16.840.1.113883.10.12.303']]					

6.2.65 Messwert: ALAT 2.16.840.1.113883.3.1937.99.61.45.10.31 - 2018-04-27 16:46:48

Id	2.16.840.1.113883.3.1937.99.61.45.10.31	Gültigkeit	2018-04-27 16:46:48								
Status	 Entwurf	Versions-Label									
Name	MesswertALAT	Anzeigename	Messwert: ALAT								
Beschreibung	Template CDA Observation (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)										
Kontext	Elternknoten des Template-Element mit Id 2.16.840.1.113883.3.1937.99.61.45.10.31										
Klassifikation	CDA Entry Level Template										
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)										
Assoziiert mit	Assoziiert mit 1 Konzept										
	<table border="1"> <thead> <tr> <th>Id</th> <th>Name</th> <th>Datensatz</th> </tr> </thead> <tbody> <tr> <td>smul-dataelement-23</td> <td> ALAT (GPT)</td> <td> Dataset Sandbox Medizin Uni Leipzig</td> </tr> </tbody> </table>	Id	Name	Datensatz	smul-dataelement-23	 ALAT (GPT)	 Dataset Sandbox Medizin Uni Leipzig				
Id	Name	Datensatz									
smul-dataelement-23	 ALAT (GPT)	 Dataset Sandbox Medizin Uni Leipzig									
Benutzt von / Benutzt	Benutzt von 0 Transactions und 3 Templates, Benutzt 0 Templates										
	<table border="1"> <thead> <tr> <th>Benutzt von</th> <th>als</th> <th>Name</th> <th>Version</th> </tr> </thead> <tbody> <tr> <td>2.16.840.1.113883.3.1937.99.61.45.10.29</td> <td>Containment</td> <td> Dok3 Pankreas Leber</td> <td>2018-04-27 16:29:41</td> </tr> </tbody> </table>	Benutzt von	als	Name	Version	2.16.840.1.113883.3.1937.99.61.45.10.29	Containment	 Dok3 Pankreas Leber	2018-04-27 16:29:41		
Benutzt von	als	Name	Version								
2.16.840.1.113883.3.1937.99.61.45.10.29	Containment	 Dok3 Pankreas Leber	2018-04-27 16:29:41								

2.16.840.1.113883.3.1937.99.61.45.10.28  Dok3 Messwerte2018-04-27
15:51:012.16.840.1.113883.3.1937.99.61.45.10.27  Dok3 Adipositas Studie2018-04-27
15:17:54**Beziehung**







Spezialisierung: Template 2.16.840.1.113883.3.1937.99.61.45.10.7 (2018-04-18 10:54:22)

Spezialisierung: Template 2.16.840.1.113883.10.12.303 (2005-09-07)








Alles ausklappen

Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label	
hl7:observation					(Mes...LAT)	
@classCode	cs	1 .. 1	F	OBS		
@moodCode	cs	1 .. 1	R			
	CONF	Der Wert von @moodCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.18943 x_ActMoodDocumentObservation (DYNAMIC)				
hl7:templateId	II	1 .. 1	M		(Mes...LAT)	
@root	uid	1 .. 1	F	2.16.840.1.113883.3.1937.99.61.45.10.31		
hl7:templateId	II	1 .. 1	M		(Mes...LAT)	
@root	uid	1 .. 1	F	2.16.840.1.113883.3.1937.99.61.45.10.7		
hl7:templateId	II	1 .. 1	R		(Mes...LAT)	
@root	uid	1 .. 1	F	2.16.840.1.113883.10.12.303		
hl7:id	II	0 .. *			(Mes...LAT)	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:code	CD	1 ... 1	R		(Mes ... LAT)
 smul-dataelement-23  ALAT (GPT)  Dataset Sandbox Medizin Uni Leipzig					
hl7:text	ED	0 ... 1			(Mes ... LAT)
hl7:statusCode	CS	0 ... 1			(Mes ... LAT)
CONF Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.15933 ActStatus (DYNAMIC)					
hl7:value	PQ	0 ... 1			(Mes ... LAT)
 smul-dataelement-23  ALAT (GPT)  Dataset Sandbox Medizin Uni Leipzig					

6.2.66  Messwert: ASAT 2.16.840.1.113883.3.1937.99.61.45.10.30 - 2018-04-27 16:45:25

Id	2.16.840.1.113883.3.1937.99.61.45.10.30	Gültigkeit	2018-04-27 16:45:25					
Status	 Entwurf	Versions-Label						
Name	MesswertASAT	Anzeigename	Messwert: ASAT					
Beschreibung	Template CDA Observation (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)							
Kontext	Elternknoten des Template-Element mit Id 2.16.840.1.113883.3.1937.99.61.45.10.30							
Klassifikation	CDA Entry Level Template							
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)							
Assoziiert mit	Assoziiert mit 1 Konzept							
	<table border="1"> <thead> <tr> <th>Id</th> <th>Name</th> <th>Datensatz</th> </tr> </thead> <tbody> <tr> <td>smul-dataelement-21</td> <td> ASAT (GOT)</td> <td> Dataset Sandbox Medizin Uni Leipzig</td> </tr> </tbody> </table>	Id	Name	Datensatz	smul-dataelement-21	 ASAT (GOT)	 Dataset Sandbox Medizin Uni Leipzig	
Id	Name	Datensatz						
smul-dataelement-21	 ASAT (GOT)	 Dataset Sandbox Medizin Uni Leipzig						

Benutzt von 0 Transactions und 3 Templates, Benutzt 0 Templates

Benutzt von / Benutzt

Benutzt von	als	Name	Version
2.16.840.1.113883.3.1937.99.61.45.10.29	Containment	 Dok3 Pankreas Leber	2018-04-27 16:29:41
2.16.840.1.113883.3.1937.99.61.45.10.28		 Dok3 Messwerte	2018-04-27 15:51:01
2.16.840.1.113883.3.1937.99.61.45.10.27		 Dok3 Adipositas Studie	2018-04-27 15:17:54

Beziehung


Spezialisierung: Template 2.16.840.1.113883.3.1937.99.61.45.10.7 (2018-04-18 10:54:22)
 Spezialisierung: Template 2.16.840.1.113883.10.12.303 (2005-09-07)








Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:observation					(Mes...SAT)
@classCode	cs	1 .. 1	F	OBS	
@moodCode	cs	1 .. 1	R		
				CONF Der Wert von @moodCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.18943 x_ActMoodDocumentObservation (DYNAMIC)	
hl7:templateId	II	1 .. 1	M		(Mes...SAT)
@root	uid	1 .. 1	F	2.16.840.1.113883.3.1937.99.61.45.10.30	
hl7:templateId	II	1 .. 1	M		(Mes...SAT)
@root	uid	1 .. 1	F	2.16.840.1.113883.3.1937.99.61.45.10.7	
hl7:templateId	II	1 .. 1	R		(Mes...SAT)

Item	DT	Kard	Konf	Beschreibung	Label
@root	uid	1 ... 1	F	2.16.840.1.113883.10.12.303	
h17:id	II	0 ... *			(Mes ... SAT)
h17:code	CD	1 ... 1	R		(Mes ... SAT)
 smul-dataelement-21  ASAT (GOT)  Dataset Sandbox Medizin Uni Leipzig					
h17:text	ED	0 ... 1			(Mes ... SAT)
h17:statusCode	CS	0 ... 1			(Mes ... SAT)
CONF Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.15933 ActStatus (DYNAMIC)					
h17:value	PQ	0 ... 1			(Mes ... SAT)
 smul-dataelement-21  ASAT (GOT)  Dataset Sandbox Medizin Uni Leipzig					




6.2.67 Messwert: Alkalische Phosphatase 2.16.840.1.113883.3.1937.99.61.45.10.32 - 2018-04-27 16:48:37

Id	2.16.840.1.113883.3.1937.99.61.45.10.32	Gültigkeit	2018-04-27 16:48:37
Status	 Entwurf	Versions-Label	
Name	MesswertAlkalischePhosphatase	Anzeigename	Messwert: Alkalische Phosphatase
Beschreibung	Template CDA Observation (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Kontext	Elternknoten des Template-Element mit Id 2.16.840.1.113883.3.1937.99.61.45.10.32		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Assoziiert mit	Assoziiert mit 1 Konzept		


Id	Name	Datensatz	
smul-dataelement-24	 Alkalische Phosphatase	 Dataset Sandbox Medizin Uni Leipzig	
Benutzt von 0 Transactions und 3 Templates, Benutzt 0 Templates			
Benutzt von	als	Name	Version
2.16.840.1.113883.3.1937.99.61.45.10.29	Containment	 Dok3 Pankreas Leber	2018-04-27 16:29:41
2.16.840.1.113883.3.1937.99.61.45.10.28		 Dok3 Messwerte	2018-04-27 15:51:01
2.16.840.1.113883.3.1937.99.61.45.10.27		 Dok3 Adipositas Studie	2018-04-27 15:17:54
Beziehung			
Spezialisierung: Template 2.16.840.1.113883.3.1937.99.61.45.10.7 (2018-04-18 10:54:22)			
Spezialisierung: Template 2.16.840.1.113883.10.12.303 (2005-09-07)			

Alles ausklappen Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:observation					(Mes... ase)
@classCode	cs	1 ... 1	F	OBS	
@moodCode	cs	1 ... 1	R		
				CONF Der Wert von @moodCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.18943 x_ActMoodDocumentObservation (DYNAMIC)	
hl7:templateId	II	1 ... 1	M		(Mes... ase)
@root	uid	1 ... 1	F	2.16.840.1.113883.3.1937.99.61.45.10.32	
hl7:templateId	II	1 ... 1	M		(Mes... ase)

Item	DT	Kard	Konf	Beschreibung	Label
@root	uid	1 ... 1	F	2.16.840.1.113883.3.1937.99.61.45.10.7	
hl7:templateId	II	1 ... 1	R		(Mes... ase)
@root	uid	1 ... 1	F	2.16.840.1.113883.10.12.303	
hl7:id	II	0 ... *			(Mes... ase)
hl7:code	CD	1 ... 1	R		(Mes... ase)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.16226 <i>ObservationType</i> (DYNAMIC)			
hl7:text	ED	0 ... 1			(Mes... ase)
hl7:statusCode	CS	0 ... 1			(Mes... ase)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.15933 <i>ActStatus</i> (DYNAMIC)			
hl7:value	PQ	0 ... 1			(Mes... ase)
 smul-dataelement-24  Alkalische Phosphatase  Dataset Sandbox Medizin Uni Leipzig					

6.2.68 Dok2 Messwerte 2.16.840.1.113883.3.1937.99.61.45.10.25 - 2018-04-27 09:10:14

Id	2.16.840.1.113883.3.1937.99.61.45.10.25	Gültigkeit	2018-04-27 09:10:14
Status	 Entwurf	Versions-Label	
Name	MesswertAuswahl	Anzeigename	Dok2 Messwerte
Beschreibung	Template CDA Section (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Kontext	Elternknoten des Template-Element mit Id 2.16.840.1.113883.3.1937.99.61.45.10.25		
Klassifikation	CDA Section level template		

Offen/Geschlossen Offen (auch andere als die definierten Elemente sind erlaubt)

Assoziiert mit Assoziiert mit 2 Konzepte

Id	Name	Datensatz
smul-dataelement-4	Aufgenommene Werte	Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-15	Datum und Zeitpunkt der Messung	Dataset Sandbox Medizin Uni Leipzig




Benutzt von / Benutzt Benutzt von 0 Transactions und 1 Template, Benutzt 1 Template

Benutzt von	als	Name	Version
2.16.840.1.113883.3.1937.99.61.45.10.24	Containment	Dok2 Adipositas Studie	2018-04-26 16:56:54
Benutzt	als	Name	Version
2.16.840.1.113883.3.1937.99.61.45.10.26	Containment	Dok2 Messwertauswahl	DYNAMIC























Beziehung Spezialisierung: Template 2.16.840.1.113883.3.1937.99.61.45.10.23 (2018-04-25 12:17:45)
Spezialisierung: Template 2.16.840.1.113883.10.12.201 (2005-09-07)

Alles ausklappen Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
h17:section					(Mes ... ahl)
smul-dataelement-4 Aufgenommene Werte Dataset Sandbox Medizin Uni Leipzig					
@classCode	cs	0 .. 1	F	DOCSECT	
h17:templateId	II	1 .. 1	M		(Mes ... ahl)

Item	DT	Kard	Konf	Beschreibung	Label
@root	uid	1 ... 1	F	2.16.840.1.113883.3.1937.99.61.45.10.25	
hl7:templateId	II	1 ... 1	M		(Mes ... ahl)
@root	uid	1 ... 1	F	2.16.840.1.113883.3.1937.99.61.45.10.23	
hl7:templateId	II	1 ... 1	R		(Mes ... ahl)
@root	uid	1 ... 1	F	2.16.840.1.113883.10.12.201	
hl7:code	CE	0 ... 1			(Mes ... ahl)
hl7:title	ST	0 ... 1			(Mes ... ahl)
hl7:text	SD.TEXT	0 ... 1	R		(Mes ... ahl)
hl7:effectiveTime	TS.DATETIME.MIN				(Mes ... ahl)
	 smul-dataelement-15  Datum und Zeitpunkt der Messung  Dataset Sandbox Medizin Uni Leipzig				
hl7:entry		0 ... 1		Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.26 Dok2 Messwertauswahl (DYNAMIC)	(Mes ... ahl)
wo [hl7:observation [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.26'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.7'] and hl7:templateId [@root = '2.16.840.1.113883.10.12.303']]]					























6.2.69  Messwert: Gamma Glutamyl 2.16.840.1.113883.3.1937.99.61.45.10.33 - 2018-04-27 16:49:56

Id	2.16.840.1.113883.3.1937.99.61.45.10.33	Gültigkeit	2018-04-27 16:49:56																
Status	 Entwurf	Versions-Label																	
Name	MesswertGammaGlutamyl	Anzeigename	Messwert: Gamma Glutamyl																
Beschreibung	Template CDA Observation (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)																		
Kontext	Elternknoten des Template-Element mit Id 2.16.840.1.113883.3.1937.99.61.45.10.33																		
Klassifikation	CDA Entry Level Template																		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)																		
Assoziiert mit	Assoziiert mit 1 Konzept																		
	<table border="1"> <thead> <tr> <th>Id</th> <th>Name</th> <th>Datensatz</th> </tr> </thead> <tbody> <tr> <td>smul-dataelement-25</td> <td> Gamma Glutamyl</td> <td> Dataset Sandbox Medizin Uni Leipzig</td> </tr> </tbody> </table>	Id	Name	Datensatz	smul-dataelement-25	 Gamma Glutamyl	 Dataset Sandbox Medizin Uni Leipzig												
Id	Name	Datensatz																	
smul-dataelement-25	 Gamma Glutamyl	 Dataset Sandbox Medizin Uni Leipzig																	
Benutzt von / Benutzt	Benutzt von 0 Transactions und 3 Templates, Benutzt 0 Templates																		
	<table border="1"> <thead> <tr> <th>Benutzt von</th> <th>als</th> <th>Name</th> <th>Version</th> </tr> </thead> <tbody> <tr> <td>2.16.840.1.113883.3.1937.99.61.45.10.29</td> <td>Containment</td> <td> Dok3 Pankreas Leber</td> <td>2018-04-27 16:29:41</td> </tr> <tr> <td>2.16.840.1.113883.3.1937.99.61.45.10.28</td> <td></td> <td> Dok3 Messwerte</td> <td>2018-04-27 15:51:01</td> </tr> <tr> <td>2.16.840.1.113883.3.1937.99.61.45.10.27</td> <td></td> <td> Dok3 Adipositas Studie</td> <td>2018-04-27 15:17:54</td> </tr> </tbody> </table>	Benutzt von	als	Name	Version	2.16.840.1.113883.3.1937.99.61.45.10.29	Containment	 Dok3 Pankreas Leber	2018-04-27 16:29:41	2.16.840.1.113883.3.1937.99.61.45.10.28		 Dok3 Messwerte	2018-04-27 15:51:01	2.16.840.1.113883.3.1937.99.61.45.10.27		 Dok3 Adipositas Studie	2018-04-27 15:17:54		
	Benutzt von	als	Name	Version															
	2.16.840.1.113883.3.1937.99.61.45.10.29	Containment	 Dok3 Pankreas Leber	2018-04-27 16:29:41															
2.16.840.1.113883.3.1937.99.61.45.10.28		 Dok3 Messwerte	2018-04-27 15:51:01																
2.16.840.1.113883.3.1937.99.61.45.10.27		 Dok3 Adipositas Studie	2018-04-27 15:17:54																
Beziehung			Spezialisierung: Template 2.16.840.1.113883.3.1937.99.61.45.10.7 (2018-04-18 10:54:22)																
			Spezialisierung: Template 2.16.840.1.113883.10.12.303 (2005-09-07)																
<input type="button" value="Alles ausklappen"/> <input type="button" value="Alles einklappen"/>																			
Item	DT	Kard	Konf	Beschreibung	Label														
h17:observation					(Mes...myl)														

Item	DT	Kard	Konf	Beschreibung	Label	
@classCode	cs	1 .. 1	F	OBS		
@moodCode	cs	1 .. 1	R			
	CONF	Der Wert von @moodCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.18943 <i>x_ActMoodDocumentObservation</i> (DYNAMIC)				
hl7:templateId	II	1 .. 1	M		(Mes...myl)	
@root	uid	1 .. 1	F	2.16.840.1.113883.3.1937.99.61.45.10.33		
hl7:templateId	II	1 .. 1	M		(Mes...myl)	
@root	uid	1 .. 1	F	2.16.840.1.113883.3.1937.99.61.45.10.7		
hl7:templateId	II	1 .. 1	R		(Mes...myl)	
@root	uid	1 .. 1	F	2.16.840.1.113883.10.12.303		
hl7:id	II	0 .. *			(Mes...myl)	
hl7:code	CD	1 .. 1	R		(Mes...myl)	
	 smul-dataelement-25  Gamma Glutamyl  Dataset Sandbox Medizin Uni Leipzig					
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.16226 <i>ObservationType</i> (DYNAMIC)				
hl7:text	ED	0 .. 1			(Mes...myl)	
hl7:statusCode	CS	0 .. 1			(Mes...myl)	
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.15933 <i>ActStatus</i> (DYNAMIC)				

Item	DT	Kard	Konf	Beschreibung	Label
h17:value	PQ	0 ... 1			(Mes...myl)
 smul-dataelement-25  Gamma Glutamyl  Dataset Sandbox Medizin Uni Leipzig					

6.2.70  Messwert: Harnstoff 2.16.840.1.113883.3.1937.99.61.45.10.8 - 2018-04-18 10:57:21

Id	2.16.840.1.113883.3.1937.99.61.45.10.8	Gültigkeit	2018-04-18 10:57:21															
Status	 Entwurf	Versions-Label																
Name	MesswertHarnstoff	Anzeigename	Messwert: Harnstoff															
Beschreibung	Template CDA Observation (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)																	
Kontext	Elternknoten des Template-Element mit Id 2.16.840.1.113883.3.1937.99.61.45.10.8																	
Klassifikation	CDA Entry Level Template																	
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)																	
Assoziiert mit	Assoziiert mit 1 Konzept																	
	<table border="1"> <thead> <tr> <th>Id</th> <th>Name</th> <th>Datensatz</th> </tr> </thead> <tbody> <tr> <td>smul-dataelement-17</td> <td> Harnstoff</td> <td> Dataset Sandbox Medizin Uni Leipzig</td> </tr> </tbody> </table>	Id	Name	Datensatz	smul-dataelement-17	 Harnstoff	 Dataset Sandbox Medizin Uni Leipzig											
Id	Name	Datensatz																
smul-dataelement-17	 Harnstoff	 Dataset Sandbox Medizin Uni Leipzig																
Benutzt von / Benutzt	Benutzt von 0 Transactions und 12 Templates, Benutzt 0 Templates																	
	<table border="1"> <thead> <tr> <th>Benutzt von</th> <th>als</th> <th>Name</th> <th>Version</th> </tr> </thead> <tbody> <tr> <td>2.16.840.1.113883.3.1937.99.61.45.10.11</td> <td>Containment </td> <td>Dok3 Niere</td> <td>2018-04-18 11:15:51</td> </tr> <tr> <td>2.16.840.1.113883.3.1937.99.61.45.10.28</td> <td> </td> <td>Dok3 Messwerte</td> <td>2018-04-27 15:51:01</td> </tr> <tr> <td>2.16.840.1.113883.3.1937.99.61.45.10.27</td> <td> </td> <td>Dok3 Adipositas Studie</td> <td>2018-04-27 15:17:54</td> </tr> </tbody> </table>	Benutzt von	als	Name	Version	2.16.840.1.113883.3.1937.99.61.45.10.11	Containment 	Dok3 Niere	2018-04-18 11:15:51	2.16.840.1.113883.3.1937.99.61.45.10.28	 	Dok3 Messwerte	2018-04-27 15:51:01	2.16.840.1.113883.3.1937.99.61.45.10.27	 	Dok3 Adipositas Studie	2018-04-27 15:17:54	
Benutzt von	als	Name	Version															
2.16.840.1.113883.3.1937.99.61.45.10.11	Containment 	Dok3 Niere	2018-04-18 11:15:51															
2.16.840.1.113883.3.1937.99.61.45.10.28	 	Dok3 Messwerte	2018-04-27 15:51:01															
2.16.840.1.113883.3.1937.99.61.45.10.27	 	Dok3 Adipositas Studie	2018-04-27 15:17:54															

2.16.840.1.113883.3.1937.99.61.45.10.4			CDA ClinicalDocument T	2018-04-16 10:35:28
2.16.840.1.113883.3.1937.99.61.45.10.21	Containment		Niere (Werte aus Gesamt-ValueSet)	2018-04-24 11:15:23
2.16.840.1.113883.3.1937.99.61.45.10.26	Containment		Dok2 Messwertauswahl	2018-04-27 10:31:39
2.16.840.1.113883.3.1937.99.61.45.10.25			Dok2 Messwerte	2018-04-27 09:10:14
2.16.840.1.113883.3.1937.99.61.45.10.24			Dok2 Adipositas Studie	2018-04-26 16:56:54
2.16.840.1.113883.3.1937.99.61.45.10.48	Containment		ASIC Blutgasanalyse	2018-05-08 16:26:14
2.16.840.1.113883.3.1937.99.61.45.10.44			Anwendungsfall ASIC	2018-05-08 15:20:09
2.16.840.1.113883.3.1937.99.61.45.10.46			ASIC Messwerte	2018-05-08 16:20:53
2.16.840.1.113883.3.1937.99.61.45.10.49	Containment		ASIC Sauerstoffsättigung	2018-05-08 16:26:57




Beziehung

Spezialisierung: Template 2.16.840.1.113883.3.1937.99.61.45.10.7 (2018-04-18 10:54:22)

Spezialisierung: Template 2.16.840.1.113883.10.12.303 (2005-09-07)





















Alles ausklappen | Alles einklappen


Item	DT	Kard	Konf	Beschreibung	Label
hl7:observation					(Mes... off)
@classCode	cs	1 .. 1	F	OBS	
@moodCode	cs	1 .. 1	R		
			CONF	Der Wert von @moodCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.18943 x_ActMoodDocumentObservation (DYNAMIC)	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:templateId	II	1 .. 1	M		(Mes... off)
@root	uid	1 .. 1	F	2.16.840.1.113883.3.1937.99.61.45.10.8	
hl7:templateId	II	1 .. 1	M		(Mes... off)
@root	uid	1 .. 1	F	2.16.840.1.113883.3.1937.99.61.45.10.7	
hl7:templateId	II	1 .. 1	R		(Mes... off)
@root	uid	1 .. 1	F	2.16.840.1.113883.10.12.303	
hl7:id	II	0 .. *			(Mes... off)
hl7:code	CD	1 .. 1	R		(Mes... off)
hl7:text	ED	0 .. 1			(Mes... off)
hl7:statusCode	CS	0 .. 1			(Mes... off)
hl7:value	PQ	0 .. 1			(Mes... off)
 smul-dataelement-17  Harnstoff  Dataset Sandbox Medizin Uni Leipzig					

6.2.71 Messwert: Kreatinin 2.16.840.1.113883.3.1937.99.61.45.10.9 - 2018-04-18 10:58:12

Id	2.16.840.1.113883.3.1937.99.61.45.10.9	Gültigkeit	2018-04-18 10:58:12
Status	 Entwurf	Versions-Label	
Name	MesswertKreatinin	Anzeigename	Messwert: Kreatinin
Beschreibung	Template CDA Observation (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		

Kontext	Elternknoten des Template-Element mit Id 2.16.840.1.113883.3.1937.99.61.45.10.9			
Klassifikation	CDA Entry Level Template			
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)			
Assoziiert mit	Assoziiert mit 1 Konzept			
	Id	Name	Datensatz	
	smul-dataelement-18	 Kreatinin	 Dataset Sandbox Medizin Uni Leipzig	
Benutzt von / Benutzt	Benutzt von 0 Transactions und 13 Templates, Benutzt 0 Templates			
	Benutzt von	als	Name	Version
	2.16.840.1.113883.3.1937.99.61.45.10.11	Containment	 Dok3 Niere	2018-04-18 11:15:51
	2.16.840.1.113883.3.1937.99.61.45.10.28		 Dok3 Messwerte	2018-04-27 15:51:01
	2.16.840.1.113883.3.1937.99.61.45.10.27		 Dok3 Adipositas Studie	2018-04-27 15:17:54
	2.16.840.1.113883.3.1937.99.61.45.10.4		 CDA ClinicalDocument T	2018-04-16 10:35:28
	2.16.840.1.113883.3.1937.99.61.45.10.26	Containment	 Dok2 Messwertauswahl	2018-04-27 10:31:39
	2.16.840.1.113883.3.1937.99.61.45.10.25		 Dok2 Messwerte	2018-04-27 09:10:14
	2.16.840.1.113883.3.1937.99.61.45.10.24		 Dok2 Adipositas Studie	2018-04-26 16:56:54
	2.16.840.1.113883.3.1937.99.61.45.10.35	Containment	 Dok3 kleines Blutbild	2018-05-02 17:49:52
	2.16.840.1.113883.3.1937.99.61.45.10.47	Containment	 ASIC Beatmungsparameter	2018-05-08 16:22:26
	2.16.840.1.113883.3.1937.99.61.45.10.44		 Anwendungsfall ASIC	2018-05-08 15:20:09
2.16.840.1.113883.3.1937.99.61.45.10.46		 ASIC Messwerte	2018-05-08 16:20:53	

2.16.840.1.113883.3.1937.99.61.45.10.48 Containment  ASIC Blutgasanalyse2018-05-08
16:26:142.16.840.1.113883.3.1937.99.61.45.10.49 Containment  ASIC Sauerstoffsättigung2018-05-08
16:26:57**Beziehung**







Spezialisierung: Template 2.16.840.1.113883.3.1937.99.61.45.10.7 (2018-04-18 10:54:22)

Spezialisierung: Template 2.16.840.1.113883.10.12.303 (2005-09-07)




Alles ausklappen

Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label	
hl7:observation					(Mes... nin)	
@classCode	cs	1 .. 1	F	OBS		
@moodCode	cs	1 .. 1	R			
	CONF	Der Wert von @moodCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.18943 x_ActMoodDocumentObservation (DYNAMIC)				
hl7:templateId	II	1 .. 1	M		(Mes... nin)	
@root	uid	1 .. 1	F	2.16.840.1.113883.3.1937.99.61.45.10.9		
hl7:templateId	II	1 .. 1	M		(Mes... nin)	
@root	uid	1 .. 1	F	2.16.840.1.113883.3.1937.99.61.45.10.7		
hl7:templateId	II	1 .. 1	R		(Mes... nin)	
@root	uid	1 .. 1	F	2.16.840.1.113883.10.12.303		
hl7:id	II	0 .. *			(Mes... nin)	

Item	DT	Kard	Konf	Beschreibung	Label
h17:code	CD	1 .. 1	R		(Mes... nin)
 smul-dataelement-18  Kreatinin  Dataset Sandbox Medizin Uni Leipzig					
h17:text	ED	0 .. 1			(Mes... nin)
h17:statusCode	CS	0 .. 1			(Mes... nin)
CONF Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.15933 ActStatus (DYNAMIC)					
h17:value	PQ	0 .. 1			(Mes... nin)
 smul-dataelement-18  Kreatinin  Dataset Sandbox Medizin Uni Leipzig					

6.2.72  Dok1 Messwerte 2.16.840.1.113883.3.1937.99.61.45.10.23 - 2018-04-25 12:17:45

Id	2.16.840.1.113883.3.1937.99.61.45.10.23	Gültigkeit	2018-04-25 12:17:45
Status	 Entwurf	Versions-Label	
Name	Messwerte	Anzeigename	Dok1 Messwerte
Beschreibung	Template CDA Section (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Kontext	Elternknoten des Template-Element mit Id 2.16.840.1.113883.3.1937.99.61.45.10.23		
Klassifikation	CDA Section level template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Assoziiert mit	Assoziiert mit 2 Konzepte		
	Id	Name	Datensatz
	smul-dataelement-15	 Datum und Zeitpunkt der Messung	 Dataset Sandbox Medizin Uni Leipzig

smul-dataelement-4 Aufgenommene Werte
 Dataset Sandbox Medizin Uni Leipzig

Benutzt von 0 Transactions und 1 Template, Benutzt 1 Template




Benutzt von	als	Name	Version
2.16.840.1.113883.3.1937.99.61.45.10.20	Containment	Dok1 Adipositas Studie	2018-04-24 11:01:24

Benutzt	als	Name	Version
2.16.840.1.113883.3.1937.99.61.45.10.22	Containment	Dok1 Moegliche Messwerte	DYNAMIC


Beziehung Spezialisierung: Template 2.16.840.1.113883.10.12.201 (2005-09-07)





Alles ausklappen
Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:section					(Mes ... rte)
<div style="display: flex; justify-content: space-between; align-items: center;"> smul-dataelement-4 Aufgenommene Werte Dataset Sandbox Medizin Uni Leipzig </div>					
@classCode	cs	0 ... 1	F	DOCSECT	
hl7:templateId	II	1 ... 1	M		(Mes ... rte)
@root	uid	1 ... 1	F	2.16.840.1.113883.3.1937.99.61.45.10.23	
hl7:templateId	II	1 ... 1	R		(Mes ... rte)
@root	uid	1 ... 1	F	2.16.840.1.113883.10.12.201	


Item	DT	Kard	Konf	Beschreibung	Label
hl7:code	CE	0 ... 1			(Mes ... rte)
hl7:title	ST	0 ... 1			(Mes ... rte)
hl7:text	SD.TEXT	0 ... 1	R		(Mes ... rte)
hl7:effectiveTime	TS.DATETIME.MIN				(Mes ... rte)
 smul-dataelement-15  Datum und Zeitpunkt der Messung  Dataset Sandbox Medizin Uni Leipzig					
hl7:entry		0 ... 1		Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.22 <i>Dok1 Moegliche Messwerte</i> (DYNAMIC)	(Mes ... rte)
wo [hl7:observation [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.22']] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.7']] and hl7:templateId [@root = '2.16.840.1.113883.10.12.303']]					








6.2.73 Dok3 Messwerte 2.16.840.1.113883.3.1937.99.61.45.10.28 - 2018-04-27 15:51:01

Id	2.16.840.1.113883.3.1937.99.61.45.10.28	Gültigkeit	2018-04-27 15:51:01
Status	 Entwurf	Versions-Label	
Name	Messwerte3	Anzeigename	Dok3 Messwerte
Beschreibung	Template CDA Section (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Kontext	Elternknoten des Template-Element mit Id 2.16.840.1.113883.3.1937.99.61.45.10.28		
Klassifikation	CDA Section level template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Assoziiert mit	Assoziiert mit 2 Konzepten		

Id	Name	Datensatz
smul-dataelement-15	 Datum und Zeitpunkt der Messung	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-4	 Aufgenommene Werte	 Dataset Sandbox Medizin Uni Leipzig


Benutzt von 0 Transactions und 1 Template, Benutzt 7 Templates

Benutzt von	als	Name	Version
2.16.840.1.113883.3.1937.99.61.45.10.27	Containment	 Dok3 Adipositas Studie	2018-04-27 15:17:54



Benutzt	als	Name	Version
2.16.840.1.113883.3.1937.99.61.45.10.11	Containment	 Dok3 Niere	DYNAMIC
2.16.840.1.113883.3.1937.99.61.45.10.29	Containment	 Dok3 Pankreas Leber	DYNAMIC
2.16.840.1.113883.3.1937.99.61.45.10.35	Containment	 Dok3 kleines Blutbild	DYNAMIC
2.16.840.1.113883.3.1937.99.61.45.10.36	Containment	 Dok3 Sepsis	DYNAMIC
2.16.840.1.113883.3.1937.99.61.45.10.37	Containment	 Dok3 Sonstiges	DYNAMIC
2.16.840.1.113883.3.1937.99.61.45.10.38	Containment	 Dok3 unbekannt	DYNAMIC
2.16.840.1.113883.3.1937.99.61.45.10.39	Containment	 Dok3 kleines Blutbild ?	DYNAMIC

Beziehung Spezialisierung: Template 2.16.840.1.113883.3.1937.99.61.45.10.23 (2018-04-25 12:17:45)
 Spezialisierung: Template 2.16.840.1.113883.10.12.201 (2005-09-07)

Alles ausklappen | Alles einklappen







Item	DT	Kard	Konf	Beschreibung	Label
h17:section					(Mes ... te3)
					





Item	DT	Kard	Konf	Beschreibung	Label
	smul-dataelement-4			 Aufgenommene Werte	 Dataset Sandbox Medizin Uni Leipzig
@classCode	cs	0 .. 1	F	DOCSECT	
hl7:templateId	II	1 .. 1	M		(Mes ... te3)
@root	uid	1 .. 1	F	2.16.840.1.113883.3.1937.99.61.45.10.28	
hl7:templateId	II	1 .. 1	M		(Mes ... te3)
@root	uid	1 .. 1	F	2.16.840.1.113883.3.1937.99.61.45.10.23	
hl7:templateId	II	1 .. 1	R		(Mes ... te3)
@root	uid	1 .. 1	F	2.16.840.1.113883.10.12.201	
hl7:code	CE	0 .. 1			(Mes ... te3)
hl7:title	ST	0 .. 1			(Mes ... te3)
hl7:text	SD.TEXT	0 .. 1	R		(Mes ... te3)
hl7:effectiveTime	TS.DATETIME.MIN				(Mes ... te3)
					



Item	DT	Kard	Konf	Beschreibung	Label
	smul-dataelement-15			 Datum und Zeitpunkt der Messung  Dataset Sandbox Medizin Uni Leipzig	
hl7:component	ANY			Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.11 Dok3 Niere (DYNAMIC)	(Mes ... te3)
				wo [hl7:section [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.11'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.10'] and hl7:templateId [@root = '2.16.840.1.113883.10.12.201']]]	
hl7:component	ANY			Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.29 Dok3 Pankreas Leber (DYNAMIC)	(Mes ... te3)
				wo [hl7:section [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.29'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.23'] and hl7:templateId [@root = '2.16.840.1.113883.10.12.201']]]	
hl7:component	ANY			Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.35 Dok3 kleines Blutbild (DYNAMIC)	(Mes ... te3)
				wo [hl7:section [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.35'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.10'] and hl7:templateId [@root = '2.16.840.1.113883.10.12.201']]]	
hl7:component	ANY			Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.36 Dok3 Sepsis (DYNAMIC)	(Mes ... te3)
				wo [hl7:section [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.36'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.10'] and hl7:templateId [@root = '2.16.840.1.113883.10.12.201']]]	
hl7:component	ANY			Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.37 Dok3 Sonstiges (DYNAMIC)	(Mes ... te3)
				wo [hl7:section [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.37'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.10'] and hl7:templateId [@root = '2.16.840.1.113883.10.12.201']]]	
hl7:component	ANY			Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.38 Dok3 unbekannt (DYNAMIC)	(Mes ... te3)

Item	DT	Kard	Konf	Beschreibung	Label
wo [hl7:section [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.38'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.10'] and hl7:templateId [@root = '2.16.840.1.113883.10.12.201']]]					
hl7:component	ANY			Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.39 Dok3 kleines Blutbild ? (DYNAMIC)	(Mes ... te3)
wo [hl7:section [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.39'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.10'] and hl7:templateId [@root = '2.16.840.1.113883.10.12.201']]]					


6.2.74 Dok4 Messwerte 2.16.840.1.113883.3.1937.99.61.45.10.41 - 2018-05-03 10:24:23

Id	2.16.840.1.113883.3.1937.99.61.45.10.41	Gültigkeit	2018-05-03 10:24:23
Status	 Entwurf	Versions-Label	
Name	Messwerte4	Anzeigename	Dok4 Messwerte
Beschreibung	Template CDA Section (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Kontext	Elternknoten des Template-Element mit Id 2.16.840.1.113883.3.1937.99.61.45.10.41		
Klassifikation	CDA Section level template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Assoziiert mit	Assoziiert mit 2 Konzepte		
	Id	Name	Datensatz
	smul-dataelement-15	 Datum und Zeitpunkt der Messung	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-4	 Aufgenommene Werte	 Dataset Sandbox Medizin Uni Leipzig	
Benutzt von / Benutzt	Benutzt von 0 Transactions und 1 Template, Benutzt 1 Template		
	Benutzt von	als	Name
	2.16.840.1.113883.3.1937.99.61.45.10.40	Containment	 Dok4 Adipositas Studie
		Version	2018-05-03 10:09:46

Benutzt	als	Name	Version		
2.16.840.1.113883.3.1937.99.61.45.10.43	Containment	 Dok4 Messwert Organizer	DYNAMIC		
Beziehung					
Spezialisierung: Template 2.16.840.1.113883.3.1937.99.61.45.10.23 (2018-04-25 12:17:45)					
Spezialisierung: Template 2.16.840.1.113883.10.12.201 (2005-09-07)					
Alles ausklappen		Alles einklappen			
Item	DT	Kard	Konf	Beschreibung	Label
hl7:section					(Mes ... te4)
 smul-dataelement-4  Aufgenommene Werte  Dataset Sandbox Medizin Uni Leipzig					
@classCode	cs	0 ... 1	F	DOCSECT	
hl7:templateId	II	1 ... 1	M		(Mes ... te4)
@root	uid	1 ... 1	F	2.16.840.1.113883.3.1937.99.61.45.10.41	
hl7:templateId	II	1 ... 1	M		(Mes ... te4)
@root	uid	1 ... 1	F	2.16.840.1.113883.3.1937.99.61.45.10.23	
hl7:templateId	II	1 ... 1	R		(Mes ... te4)
@root	uid	1 ... 1	F	2.16.840.1.113883.10.12.201	

Item	DT	Kard	Konf	Beschreibung	Label	
hl7:code	CE	0 ... 1			(Mes ... te4)	
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.10871 <i>DocumentSectionType</i> (DYNAMIC)				
hl7:title	ST	0 ... 1			(Mes ... te4)	
hl7:text	SD.TEXT	0 ... 1	R		(Mes ... te4)	
hl7:effectiveTime	TS.DATETIME.MIN				(Mes ... te4)	
 smul-dataelement-15  Datum und Zeitpunkt der Messung  Dataset Sandbox Medizin Uni Leipzig						
hl7:entry		1 ... *	R	Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.43 <i>Dok4 Messwert Organizer</i> (DYNAMIC)	(Mes ... te4)	
wo [hl7:organizer [hl7:templated [root = '2.16.840.1.113883.3.1937.99.61.45.10.43'] and hl7:templated [root = '2.16.840.1.113883.10.12.305']]]						

6.2.75 Template Messwerte: Adipositas 2.16.840.1.113883.3.1937.99.61.45.10.7 - 2018-04-18 10:54:22

Id	2.16.840.1.113883.3.1937.99.61.45.10.7	Gültigkeit	2018-04-18 10:54:22
Status	 Entwurf	Versions-Label	
Name	MesswerteAdipositas	Anzeigename	Template Messwerte: Adipositas
Beschreibung	Template CDA Observation (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Kontext	Elternknoten des Template-Element mit Id 2.16.840.1.113883.3.1937.99.61.45.10.7		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Beziehung Spezialisierung: Template 2.16.840.1.113883.10.12.303 (2005-09-07)







Alles ausklappen

Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label	
hl7:observation					(Mes...tas)	
@classCode	cs	1 .. 1	F	OBS		
@moodCode	cs	1 .. 1	R			
	CONF	Der Wert von @moodCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.18943 <i>x_ActMoodDocumentObservation</i> (DYNAMIC)				
hl7:templateId	II	1 .. 1	M		(Mes...tas)	
@root	uid	1 .. 1	F	2.16.840.1.113883.3.1937.99.61.45.10.7		
hl7:templateId	II	1 .. 1	R		(Mes...tas)	
@root	uid	1 .. 1	F	2.16.840.1.113883.10.12.303		
hl7:id	II	0 .. *			(Mes...tas)	
hl7:code	CD	1 .. 1	R		(Mes...tas)	
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.16226 <i>ObservationType</i> (DYNAMIC)				
hl7:text	ED	0 .. 1			(Mes...tas)	
hl7:statusCode	CS	0 .. 1			(Mes...tas)	
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.15933 <i>ActStatus</i> (DYNAMIC)				

Item	DT	Kard	Konf	Beschreibung	Label
h17:value	PQ	0 ... 1			(Mes...tas)





6.2.76 Dok2 Messwertauswahl 2.16.840.1.113883.3.1937.99.61.45.10.26 - 2018-04-27 10:31:39

Id	2.16.840.1.113883.3.1937.99.61.45.10.26			Gültigkeit	2018-04-27 10:31:39
Status	 Entwurf			Versions-Label	
Name	MesswerteAuswahl			Anzeigename	Dok2 Messwertauswahl
Beschreibung	Template CDA Observation (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)				
Kontext	Elternknoten des Template-Element mit Id 2.16.840.1.113883.3.1937.99.61.45.10.26				
Klassifikation	CDA Entry Level Template				
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)				
	Benutzt von 0 Transactions und 2 Templates, Benutzt 2 Templates				
Benutzt von / Benutzt	Benutzt von	als	Name	Version	
	2.16.840.1.113883.3.1937.99.61.45.10.25	Containment	 Dok2 Messwerte	2018-04-27 09:10:14	
	2.16.840.1.113883.3.1937.99.61.45.10.24		 Dok2 Adipositas Studie	2018-04-26 16:56:54	
	Benutzt	als	Name	Version	
2.16.840.1.113883.3.1937.99.61.45.10.8	Containment	 Messwert: Harnstoff	DYNAMIC		
2.16.840.1.113883.3.1937.99.61.45.10.9	Containment	 Messwert: Kreatinin	DYNAMIC		
Beziehung	Spezialisierung: Template 2.16.840.1.113883.3.1937.99.61.45.10.7 (2018-04-18 10:54:22)				
	Spezialisierung: Template 2.16.840.1.113883.10.12.303 (2005-09-07)				
<input type="button" value="Alles ausklappen"/>		<input type="button" value="Alles einklappen"/>			

Item	DT	Kard	Konf	Beschreibung	Label	
hl7:observation					(Mes ... ahl)	
@classCode	CS	1 .. 1	F	OBS		
@moodCode	CS	1 .. 1	R			
	CONF	Der Wert von @moodCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.18943 <i>x_ActMoodDocumentObservation</i> (DYNAMIC)				
hl7:templateId	II	1 .. 1	M		(Mes ... ahl)	
@root	uid	1 .. 1	F	2.16.840.1.113883.3.1937.99.61.45.10.26		
hl7:templateId	II	1 .. 1	M		(Mes ... ahl)	
@root	uid	1 .. 1	F	2.16.840.1.113883.3.1937.99.61.45.10.7		
hl7:templateId	II	1 .. 1	R		(Mes ... ahl)	
@root	uid	1 .. 1	F	2.16.840.1.113883.10.12.303		
hl7:code	CD	1 .. 1	R		(Mes ... ahl)	
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.16226 <i>ObservationType</i> (DYNAMIC)				
hl7:statusCode	CS	0 .. 1			(Mes ... ahl)	

Item	DT	Kard	Konf	Beschreibung	Label
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.15933 ActStatus (DYNAMIC)	
hl7:component	ANY			Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.8 Messwert: Harnstoff (DYNAMIC)	(Messwert: Harnstoff) ... ahl)
wo [hl7:observation [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.8'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.7']] and hl7:templateId [@root = '2.16.840.1.113883.10.12.303']]					
hl7:component	ANY			Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.9 Messwert: Kreatinin (DYNAMIC)	(Messwert: Kreatinin) ... ahl)
wo [hl7:observation [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.9'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.7']] and hl7:templateId [@root = '2.16.840.1.113883.10.12.303']]					

6.2.77 Dok4 Messwerte 2.16.840.1.113883.3.1937.99.61.45.10.42 - 2018-05-03 10:26:27

Id	2.16.840.1.113883.3.1937.99.61.45.10.42	Gültigkeit	2018-05-03 10:26:27
Status	 Entwurf	Versions-Label	
Name	MesswerteAuswahl4	Anzeigename	Dok4 Messwerte
Beschreibung	Template CDA Observation (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Kontext	Elternknoten des Template-Element mit Id 2.16.840.1.113883.3.1937.99.61.45.10.42		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
	Benutzt von 0 Transactions und 3 Templates, Benutzt 0 Templates		
Benutzt von / Benutzt	Benutzt von	als	Name Version
	2.16.840.1.113883.3.1937.99.61.45.10.43	Containment 	Dok4 Messwert Organizer 2018-05-03 10:33:35
	2.16.840.1.113883.3.1937.99.61.45.10.41 		Dok4 Messwerte 2018-05-03 10:24:23

2.16.840.1.113883.3.1937.99.61.45.10.40  Dok4 Adipositas Studie2018-05-03
10:09:46**Beziehung**

Spezialisierung: Template 2.16.840.1.113883.3.1937.99.61.45.10.26 (2018-04-27 10:31:39)

Spezialisierung: Template 2.16.840.1.113883.3.1937.99.61.45.10.7 (2018-04-18 10:54:22)

Spezialisierung: Template 2.16.840.1.113883.10.12.303 (2005-09-07)




Alles ausklappen

























Alles einklappen





























Item	DT	Kard	Konf	Beschreibung	Label
hl7:observation					(Mes... hl4)
@classCode	cs	1 .. 1	F	OBS	
@moodCode	cs	1 .. 1	R		
	CONF			Der Wert von @moodCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.18943 <i>x_ActMoodDocumentObservation</i> (DYNAMIC)	
hl7:templateId	II	1 .. 1	M		(Mes... hl4)
@root	uid	1 .. 1	F	2.16.840.1.113883.3.1937.99.61.45.10.42	
hl7:templateId	II	1 .. 1	M		(Mes... hl4)
@root	uid	1 .. 1	F	2.16.840.1.113883.3.1937.99.61.45.10.26	
hl7:templateId	II	1 .. 1	M		(Mes... hl4)
@root	uid	1 .. 1	F	2.16.840.1.113883.3.1937.99.61.45.10.7	
hl7:templateId	II	1 .. 1	R		(Mes... hl4)





























Item	DT	Kard	Konf	Beschreibung	Label
@root	uid	1 ... 1	F	2.16.840.1.113883.10.12.303	
h17:code	CD	1 ... 1	R		(Mes... h14)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.3.1937.99.61.45.11.6 <i>Moegliche Messwerte</i> (DYNAMIC)	
h17:originalText	ED				(Mes... h14)
h17:statusCode	CS	0 ... 1			(Mes... h14)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.15933 <i>ActStatus</i> (DYNAMIC)	
h17:value	PQ	1 ... 1	M	Wert des Messwertes	(Mes... h14)

6.2.78 Dok1 Moegliche Messwerte 2.16.840.1.113883.3.1937.99.61.45.10.22 - 2018-04-25 11:33:07

Id	2.16.840.1.113883.3.1937.99.61.45.10.22	Gültigkeit	2018-04-25 11:33:07
Status	 Entwurf	Versions-Label	
Name	MoeglicheMesswerte	Anzeigenname	Dok1 Moegliche Messwerte
Beschreibung	Template CDA Observation (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Kontext	Elternknoten des Template-Element mit Id 2.16.840.1.113883.3.1937.99.61.45.10.22		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Assoziiert mit	Assoziiert mit 45 Konzepten		
	Id	Name	Datensatz
	smul-dataelement-29	 Thrombozyten	 Dataset Sandbox Medizin Uni Leipzig

smul-dataelement-55	 Lutropin	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-57	 Mittleres korpuskuläres Hämoglobin g/dl	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-54	 Hämoglobin g/dl	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-37	 Antikörper gegen Thyreoglobulin	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-26	 Hämoglobin	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-43	 Estradiol (LC-MS/MS)	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-63	 Mittleres Thrombozytenvolumen	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-40	 GFR nach CKD-EPI	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-67	 Progesteron	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-60	 Mittleres korpuskuläres Hämoglobin fmol	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-48	 Hämoglobin A1c, NSGP/DCCT Voll	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-32	 C-reaktives Protein	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-18	 Kreatinin	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-65	 Verteilungsbreite %	 Dataset Sandbox Medizin Uni Leipzig

smul-dataelement-70	 Testosteron	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-34	 Thyreotropin	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-46	 Freies Thyroxin	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-21	 ASAT (GOT)	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-36	 Thyreoglobulin	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-39	 Verteilungsbreite	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-53	 HDL-Cholesterol	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-56	 Kalium	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-42	 C-Peptid	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-30	 Erythrozyten	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-25	 Gamma Glutamyl	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-50	 Cholesterol	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-23	 ALAT (GPT)	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-62	 Mittleres korpuskuläres Erythrozytenvolumen	 Dataset Sandbox Medizin Uni Leipzig

smul-dataelement-64	 Natrium	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-69	 Prolaktin	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-68	 Proinsulin	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-44	 Follitropin	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-45	 Freies Trijodthyronin	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-59	 Mittleres korpuskuläres Hämoglobin pg	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-52	 Glukose im Plasma	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-27	 Hämatokrit	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-41	 Cortisol (LC-MS/MS)	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-58	 Mittleres korpuskuläres Hämoglobin mmol/l	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-49	 Insulin	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-17	 Harnstoff	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-66	 Triglyceride	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-51	 LDL-Cholesterol	 Dataset Sandbox Medizin Uni Leipzig

smul-dataelement-28  Leukozyten



smul-dataelement-47  Hämoglobin A1c, IFCC Vollblut

 Dataset Sandbox Medizin Uni Leipzig

 Dataset Sandbox Medizin Uni Leipzig

Benutzt von 0 Transactions und 2 Templates, Benutzt 0 Templates

Benutzt von / Benutzt

Benutzt von	als	Name	Version
2.16.840.1.113883.3.1937.99.61.45.10.23	Containment	 Dok1 Messwerte	2018-04-25 12:17:45
2.16.840.1.113883.3.1937.99.61.45.10.20 		 Dok1 Adipositas Studie	2018-04-24 11:01:24

Beziehung

Spezialisierung: Template 2.16.840.1.113883.3.1937.99.61.45.10.7 (2018-04-18 10:54:22)







Spezialisierung: Template 2.16.840.1.113883.10.12.303 (2005-09-07)













































Alles ausklappen

























Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:observation					(Moe ... rte)
@classCode	cs	1 ... 1	F	OBS	
@moodCode	cs	1 ... 1	F	EVN	
hl7:templateId	II	1 ... 1	M		(Moe ... rte)
@root	uid	1 ... 1	F	2.16.840.1.113883.3.1937.99.61.45.10.22	
hl7:templateId	II	1 ... 1	M		(Moe ... rte)
@root	uid	1 ... 1	F	2.16.840.1.113883.3.1937.99.61.45.10.7	


Item	DT	Kard	Konf	Beschreibung	Label
hl7:templateId	II	1 ... 1	R		(Moe ... rte)
@root	uid	1 ... 1	F	2.16.840.1.113883.10.12.303	
hl7:id	II	0 ... *			(Moe ... rte)
hl7:code	CD	1 ... 1	R		(Moe ... rte)
hl7:text	ED	0 ... 1			(Moe ... rte)
hl7:statusCode	CS	0 ... 1			(Moe ... rte)
hl7:effectiveTime	IVL_TS	0 ... 1			(Moe ... rte)
hl7:value	PQ	0 ... 1			(Moe ... rte)

 smul-dataelement-29	 Thrombozyten	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-55	 Lutropin	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-57	 Mittleres korpuskuläres Hämoglobin g/dl	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-54	 Hämoglobin g/dl	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-37	 Antikörper gegen Thyreoglobulin	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-26	 Hämoglobin	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-43	 Estradiol (LC-MS/MS)	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-63	 Mittleres Thrombozytenvolumen	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-40	 GFR nach CKD-EPI	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-67	 Progesteron	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-60	 Mittleres korpuskuläres Hämoglobin fmol	 Dataset Sandbox Medizin Uni Leipzig

Item	DT	Kard	Konf	Beschreibung	Label
smul-dataelement-48				 Hämoglobin A1c, NSGP/DCCT Voll	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-32				 C-reaktives Protein	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-18				 Kreatinin	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-65				 Verteilungsbreite %	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-70				 Testosteron	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-34				 Thyreotropin	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-46				 Freies Thyroxin	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-21				 ASAT (GOT)	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-36				 Thyreoglobulin	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-39				 Verteilungsbreite	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-53				 HDL-Cholesterol	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-56				 Kalium	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-42				 C-Peptid	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-30				 Erythrozyten	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-25				 Gamma Glutamyl	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-50				 Cholesterol	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-23				 ALAT (GPT)	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-62				 Mittleres korpuskuläres Erythrozytenvolumen	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-64				 Natrium	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-69				 Prolaktin	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-68				 Proinsulin	 Dataset Sandbox Medizin Uni Leipzig
smul-dataelement-44				 Follitropin	 Dataset Sandbox Medizin Uni Leipzig

Item	DT	Kard	Konf	Beschreibung	Label
	smul-dataelement-45			 Freies Trijodthyronin	 Dataset Sandbox Medizin Uni Leipzig
	smul-dataelement-59			 Mittleres korpuskuläres Hämoglobin pg	 Dataset Sandbox Medizin Uni Leipzig
	smul-dataelement-52			 Glukose im Plasma	 Dataset Sandbox Medizin Uni Leipzig
	smul-dataelement-27			 Hämatokrit	 Dataset Sandbox Medizin Uni Leipzig
	smul-dataelement-41			 Cortisol (LC-MS/MS)	 Dataset Sandbox Medizin Uni Leipzig
	smul-dataelement-58			 Mittleres korpuskuläres Hämoglobin mmol/l	 Dataset Sandbox Medizin Uni Leipzig
	smul-dataelement-49			 Insulin	 Dataset Sandbox Medizin Uni Leipzig
	smul-dataelement-17			 Harnstoff	 Dataset Sandbox Medizin Uni Leipzig
	smul-dataelement-66			 Triglyceride	 Dataset Sandbox Medizin Uni Leipzig
	smul-dataelement-51			 LDL-Cholesterol	 Dataset Sandbox Medizin Uni Leipzig
	smul-dataelement-28			 Leukozyten	 Dataset Sandbox Medizin Uni Leipzig
	smul-dataelement-47			 Hämoglobin A1c, IFCC Vollblut	 Dataset Sandbox Medizin Uni Leipzig

6.2.79 Dok3 Niere 2.16.840.1.113883.3.1937.99.61.45.10.11 - 2018-04-18 11:15:51

Id	2.16.840.1.113883.3.1937.99.61.45.10.11	Gültigkeit	2018-04-18 11:15:51
Status	 Entwurf	Versions-Label	
Name	Niere	Anzeigename	Dok3 Niere
Beschreibung	Template CDA Section (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Kontext	Elternknoten des Template-Element mit Id 2.16.840.1.113883.3.1937.99.61.45.10.11		
Klassifikation	CDA Section level template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Assoziiert mit	Assoziiert mit 1 Konzept		

Id	Name	Datensatz
smul-dataelement-5	Niere	Dataset Sandbox Medizin Uni Leipzig

Benutzt von 0 Transactions und 3 Templates, Benutzt 2 Templates

Benutzt von	als	Name	Version
2.16.840.1.113883.3.1937.99.61.45.10.4	Inklusion	CDA ClinicalDocument T	2018-04-16 10:35:28
2.16.840.1.113883.3.1937.99.61.45.10.28	Containment	Dok3 Messwerte	2018-04-27 15:51:01
2.16.840.1.113883.3.1937.99.61.45.10.27		Dok3 Adipositas Studie	2018-04-27 15:17:54

Benutzt	als	Name	Version
2.16.840.1.113883.3.1937.99.61.45.10.8	Containment	Messwert: Harnstoff	DYNAMIC
2.16.840.1.113883.3.1937.99.61.45.10.9	Containment	Messwert: Kreatinin	DYNAMIC

Beziehung

Spezialisierung: Template 2.16.840.1.113883.3.1937.99.61.45.10.10 (2018-04-18 11:13:00)

Spezialisierung: Template 2.16.840.1.113883.10.12.201 (2005-09-07)


Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:section					(Niere)
	smul-dataelement-5	Niere		Dataset Sandbox Medizin Uni Leipzig	
@classCode	cs	0 ... 1	F	DOCSECT	
hl7:templateId	II	1 ... 1	M		(Niere)
@root	uid	1 ... 1	F	2.16.840.1.113883.3.1937.99.61.45.10.11	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:templateId	II	1 .. 1	M		(Niere)
@root	uid	1 .. 1	F	2.16.840.1.113883.3.1937.99.61.45.10.10	
hl7:templateId	II	1 .. 1	R		(Niere)
@root	uid	1 .. 1	F	2.16.840.1.113883.10.12.201	
hl7:id	II	0 .. 1			(Niere)
hl7:code	CE	0 .. 1			(Niere)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.10871 <i>DocumentSectionType</i> (DYNAMIC)			
hl7:title	ST	0 .. 1			(Niere)
hl7:text	SD.TEXT	0 .. 1	R		(Niere)
hl7:entry		0 .. *		Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.8 <i>Messwert: Harnstoff</i> (DYNAMIC)	(Niere)
wo [hl7:observation [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.8']] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.7']] and hl7:templateId [@root = '2.16.840.1.113883.10.12.303']]]					
@typeCode	cs	1 .. 1	R		
	CONF	Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.3.1937.99.61.45.11.3 <i>Harnstoff</i> (DYNAMIC)			
@contextConductionInd	bl	0 .. 1	F	true	
hl7:entry		0 .. *		Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.9 <i>Messwert: Kreatinin</i> (DYNAMIC)	(Niere)

Item	DT	Kard	Konf	Beschreibung	Label
wo [hl7:observation [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.9'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.7'] and hl7:templateId [@root = '2.16.840.1.113883.10.12.303']]]					
@typeCode	cs	1 .. 1	R		
				Der Wert von @typeCode muss gewählt werden aus dem Value Set 2.16.840.1.113883.3.1937.99.61.45.11.4 <i>Kreatinin</i> (DYNAMIC)	
@contextConductionInd	bl	0 .. 1	F	true	

6.2.80  CDA Organization Elements 1.2.276.0.76.10.90011 - 2011-12-19 ref hl7de-


Id	1.2.276.0.76.10.90011 ref hl7de-	Gültigkeit	2011-12-19
Status	 Aktiv	Versions-Label	
Name	OrganizationElements	Anzeigename	CDA Organization Elements
Klassifikation	CDA Header Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Alles ausklappen Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
@classCode		0 .. 1	F	ORG	
@determinerCode		0 .. 1	F	INSTANCE	
hl7:id	II	0 .. *			(Org ... nts)
hl7:name	ON	1 .. 1	M		(Org ... nts)


Item	DT	Kard	Konf	Beschreibung	Label
hl7:telecom	TEL	0 ... *			(Org ... nts)
hl7:addr	AD	0 ... 1			(Org ... nts)

6.2.81 Template Messwertkategorie 2.16.840.1.113883.3.1937.99.61.45.10.10 - 2018-04-18 11:13:00

Id	2.16.840.1.113883.3.1937.99.61.45.10.10	Gültigkeit	2018-04-18 11:13:00		
Status	 Entwurf	Versions-Label			
Name	TemplateMesswertkategorie	Anzeigename	Template Messwertkategorie		
Beschreibung	Template CDA Section (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)				
Kontext	Elternknoten des Template-Element mit Id 2.16.840.1.113883.3.1937.99.61.45.10.10				
Klassifikation	CDA Section level template				
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)				
Beziehung	Spezialisierung: Template 2.16.840.1.113883.10.12.201 (2005-09-07)				
<input type="button" value="Alles ausklappen"/> <input type="button" value="Alles einklappen"/>					
Item	DT	Kard	Konf	Beschreibung	Label
hl7:section					(Tem...rie)
@classCode	cs	0 ... 1	F	DOCSECT	
hl7:templateId	II	1 ... 1	M		(Tem...rie)
@root	uid	1 ... 1	F	2.16.840.1.113883.3.1937.99.61.45.10.10	
hl7:templateId	II	1 ... 1	R		(Tem...rie)

Item	DT	Kard	Konf	Beschreibung	Label	
@root	uid	1 ... 1	F	2.16.840.1.113883.10.12.201		
hl7:id	II	0 ... 1			(Tem...rie)	
hl7:code	CE	0 ... 1			(Tem...rie)	
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.10871 <i>DocumentSectionType</i> (DYNAMIC)				
hl7:title	ST	0 ... 1			(Tem...rie)	
hl7:text	SD.TEXT	0 ... 1	R		(Tem...rie)	
hl7:entry		0 ... *			(Tem...rie)	
@typeCode	cs	1 ... 1	R			
@contextConductionInd	bl	0 ... 1				

6.2.82 Dok3 Pankreas Leber 2.16.840.1.113883.3.1937.99.61.45.10.29 - 2018-04-27 16:29:41

Id	2.16.840.1.113883.3.1937.99.61.45.10.29	Gültigkeit	2018-04-27 16:29:41
Status	 Entwurf	Versions-Label	
Name	pankreasleber	Anzeigename	Dok3 Pankreas Leber
Beschreibung	Template CDA Section (Prototyp, direkt abgeleitet aus POCD_RM000040 MIF)		
Kontext	Elternknoten des Template-Element mit Id 2.16.840.1.113883.3.1937.99.61.45.10.29		
Klassifikation	CDA Section level template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Assoziiert mit	Assoziiert mit 1 Konzept		

Id	Name	Datensatz
smul-dataelement-20	Leber/Pankreas	Dataset Sandbox Medizin Uni Leipzig

Benutzt von 0 Transactions und 2 Templates, Benutzt 4 Templates

Benutzt von	als	Name	Version
2.16.840.1.113883.3.1937.99.61.45.10.28	Containment	Dok3 Messwerte	2018-04-27 15:51:01
2.16.840.1.113883.3.1937.99.61.45.10.27		Dok3 Adipositas Studie	2018-04-27 15:17:54

Benutzt von / Benutzt

Benutzt	als	Name	Version
2.16.840.1.113883.3.1937.99.61.45.10.30	Containment	Messwert: ASAT	DYNAMIC
2.16.840.1.113883.3.1937.99.61.45.10.31	Containment	Messwert: ALAT	DYNAMIC
2.16.840.1.113883.3.1937.99.61.45.10.32	Containment	Messwert: Alkalische Phosphatase	DYNAMIC
2.16.840.1.113883.3.1937.99.61.45.10.33	Containment	Messwert: Gamma Glutamyl	DYNAMIC

Beziehung

Spezialisierung: Template 2.16.840.1.113883.3.1937.99.61.45.10.23 (2018-04-25 12:17:45)

Spezialisierung: Template 2.16.840.1.113883.10.12.201 (2005-09-07)

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
h17:section					(pan ... ber)

smul-dataelement-20	Leber/Pankreas	Dataset Sandbox Medizin Uni Leipzig
---------------------	----------------	-------------------------------------

@classCode cs 0 .. 1 F DOCSECT

Item	DT	Kard	Konf	Beschreibung	Label
hl7:templateId	II	1 .. 1	M		(pan ... ber)
@root	uid	1 .. 1	F	2.16.840.1.113883.3.1937.99.61.45.10.29	
hl7:templateId	II	1 .. 1	M		(pan ... ber)
@root	uid	1 .. 1	F	2.16.840.1.113883.3.1937.99.61.45.10.23	
hl7:templateId	II	1 .. 1	R		(pan ... ber)
@root	uid	1 .. 1	F	2.16.840.1.113883.10.12.201	
hl7:code	CE	0 .. 1			(pan ... ber)
hl7:title	ST	0 .. 1			(pan ... ber)
hl7:text	SD.TEXT	0 .. 1	R		(pan ... ber)
hl7:entry		0 .. 1		Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.30 Messwert: ASAT (DYNAMIC)	(pan ... ber)
wo [hl7:observation [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.30'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.7'] and hl7:templateId [@root = '2.16.840.1.113883.10.12.303']]]					
hl7:entry		0 .. 1		Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.31 Messwert: ALAT (DYNAMIC)	(pan ... ber)

Item	DT	Kard	Konf	Beschreibung	Label
wo [hl7:observation [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.31'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.7'] and hl7:templateId [@root = '2.16.840.1.113883.10.12.303']]]					
hl7:entry		0 .. 1		Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.32 Messwert: Alkalische Phosphatase (DYNAMIC)	(pan ... ber)
wo [hl7:observation [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.32'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.7'] and hl7:templateId [@root = '2.16.840.1.113883.10.12.303']]]					
hl7:entry		0 .. 1		Beinhaltet 2.16.840.1.113883.3.1937.99.61.45.10.33 Messwert: Gamma Glutamyl (DYNAMIC)	(pan ... ber)
wo [hl7:observation [hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.33'] and hl7:templateId [@root = '2.16.840.1.113883.3.1937.99.61.45.10.7'] and hl7:templateId [@root = '2.16.840.1.113883.10.12.303']]]					

7 Probleme/Fragen

7.1 Zugewiesene Probleme

7.2 Noch nicht zugewiesene Probleme

7.3 Behandelte Probleme